



Fire Department • City of New York
Bureau of Fire Prevention
Technology Management Unit
9 MetroTech Center, Room 3W-2
Brooklyn, NY 11201-3857

APPLICATION FOR CERTIFICATE OF APPROVAL (COA)

Date: _____

(F.D. use only)
Record ID# _____
COA # _____

General Instructions

- All forms must be printed or typed in black or blue ink.
Fees for Certification of Approval: original application - \$625, renewal application- \$50.
All applications and payments must be submitted through FDNY Business.

Check one that is applicable to your application:

- Bars, grilles, grates or devices placed over emergency escape and rescue opening
FD siamese connections
Fire alarm control panels
Flame retardant chemicals
Grease filters for commercial kitchen hoods
Pre-engineered non-water fire extinguishing systems installed with commercial cooking systems
Pre-engineered non-water fire extinguishing systems
Pre-fabricated commercial kitchen hoods
Pre-fabricated LPG storage cages/cabinets
Pre-manufactured spray booths
Pre-manufactured spray rooms
Pressure reducing valves
Standpipe hose outlets
Other (specify): _____

1 Approval Type Required for all applications.
Original Renewal COA # Equipment/System Material Other:
2 Material/Equipment Information Full description and detailed technical narrative of product(s) must be submitted in Microsoft Word format on CD as shown in supplement # 2
Manufacturer Name:
Trade Name:
Product(s) Name:
Model Number(s):
Brief description:
Intent to use:
3 Application Information
3A Applicant/Contact Person Information
Last Name: First Name: Middle Initial: Title:
Business Name: Business phone: Business fax: E-Mail:
Business Address:
3B Manufacturer or Authorized Agent Information Required if applicant is not manufacturer or authorized agent.
Last Name: First Name: Middle Initial: Title:
Business Name: Business phone: Business fax: E-Mail:
Business Address:

4 Test Report(s)			
Name of Testing Laboratory:			
Address:		City:	State: Zip:
Test Report Number:		Date of Report:	Test Standard(s):
4A Testing Laboratory Contact Information			
Name:		Title:	Telephone: E-mail:
5 Supporting Documents		<i>Check what is applicable to your application.</i>	
Catalogs 2 copies	Hard cover binder	Drawings	Test Records Other(specify):

6 Applicant's Statement and Signature	
--	--

Falsification of any statement is a misdemeanor under the NYC Administrative Code and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment, fine, or both.

I hereby certify that the materials/equipment submitted for approval has been tested for compliance with the Administrative Code of the City of New York requirements and FDNY rules.

Signature

Date

7 Manufacturer's or Authorized Agent's Statement and Signature	<i>Required if applicant is not manufacturer or authorized agent</i>
---	--

Falsification of any statement is a misdemeanor under the NYC Administrative Code and is punishable by a fine or imprisonment, or both. It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, as a gratuity for properly performing the job or in exchange for special consideration. Violation is punishable by imprisonment, fine, or both.

I have authorized the applicant to file this application for the Certificate of Approval or renewal of an existing Certificate of Approval.

Signature

Date

- Certificate of Approval is a written statement issued by the commissioner, certifying that an article, device or equipment, or type, class or kind thereof, has been examined, tested and approved for a specific purpose or use in conformity with the requirements of N.Y.C. Fire Code, the Construction Codes, or the FDNY rules.
- Separate application is required for each category.
- A presentation may be required at the FDNY headquarters to evaluate the product. All expenses will be paid by applicant.
- Application not approved within 6 month may be deemed abandoned pursuant to FC 105.2.3
- Application fees are not refundable.

F. D. use only		
Fee:	Check Number:	Date of Check:
Approved <input type="checkbox"/> Yes <input type="checkbox"/> No	Denied <input type="checkbox"/>	Date:
Comments:		
Examiner:	Date:	



**Fire Department • City of New York
Bureau of Fire Prevention
9 MetroTech, Third Floor
Brooklyn, NY 11201**

**TM-2, rev 05/2021
Supplement # 1**

Supplement # 1 Instructions for completing Application for Certification of Approval Form TM-2

General Instructions

- **All forms must be printed or typed in black or blue ink.**
- **If additional space is required, please use 8 ½ x 11 sheets and attach to the form.**
- **Do not write in any block that states “FD use only.”**
- **Choose the category of your equipment/system/material from the list shown in application. If it is not mentioned, please specify under “Other.”**
- **Fees for Certificate of Approval: Original - \$625.00, Renewal - \$50.00**
- **Submit the completed application and payment electronically through FDNY Business.**

Detailed Instructions

	Section	Instructions
1	Approval Type	Check (X) the appropriate box to indicate if the application is new or a renewal application. All renewal applications must indicate the COA number assigned. Check (X) the appropriate box to indicate equipment, system, material or other.
2	Material /Equipment Information	Provide manufacturer’s name, trade name, product name, model number, brief description of the product and its intent use.
3A	Applicant / Contact Person Information	Provide name, business name, address, title, telephone, fax and e-mail information of the applicant.
3B	Manufacturer or Authorized Agent Information	Provide name, business name, address, title, telephone, fax and e-mail information of the manufacturer or authorized agent.

4	Test Report(s)	Provide name of the approved Testing Laboratory, address, test report number, date of report, and the test standards that were used to evaluate the product.
4A	Testing Laboratory Contact Information	Approved Testing Laboratory contact person's name, title, telephone number, and e-mail address who is responsible for the test and report.
5	Supporting Documents	Check (X) the appropriate box to indicate the documents submitted with the application. If additional documents are submitted, indicate the same under "Other." All submitted document shall be arranged in hard cover binder.
6	Applicant's Statement and Signature	Applicant must sign and date the application.
7	Manufacturer's or Authorized Agent's Statement and Signature	The manufacturer or authorized agent must sign and date the application if the applicant represents the manufacturer or authorized agent.

Supplement # 2 (see item # 2 application for Certificate of Approval) Sample of material/equipment full description.

(This information must be prepared in Word format on CD)

Manufacturer: Firesafety Airsample Inc.
33 Malcolm Rd.
Braeside, 3195 Australia

Trade Name(s): Airsample LTD™

Product: Fire Alarm Equipment.

Model Number(s): AAA333L, AAA333N, AAA331L, AAA311N, AAA312L, AAA322N
Smoke Detectors for Special Applications

Test(s) Standard(s): UL 268 5th edition, UL 268A 3rd edition

Laboratory: Underwriters Laboratories, Inc.

Test Report(s): UL S234677, Vol. 115, Section 1; issued 12/12/2007; project 06CA4559345

Description: Smoke detector, air sampling detector type Airsample model CC984 series and BB434 series duct detector. These two models must employ one of the following accessories: AAA333L, AAA333N, AAA331L, AAA311N, AAA312L, AAA322N, and M403 when connected to an UL 864 listed FACP (Fire Alarm Control Panel).

The Airsample™ models BB434 series and CC984 series were designed as Smoke Detectors for Special Application to be used with the Firesafety Building Technologies and SmokeDetect Inc. Control Panels, and compatible UL 1481 Listed power supplies.

The Firesafety Airsample™ BB434 is an airborne particle monitor designed for direct mounting to the metal ductwork of HVAC systems. Airsample can also detect the smaller smoke particles that are invisible to earlier technologies – particles that are often produced in the earliest stages of overheating, as well as in flaming fires.

The Firesafety Airsample™ CC984 is an airborne particle monitoring device complete with aspirator (air pump), designed for connection to air sampling pipes covering an area up to 10, 800 ftsq.

Each product model type and description is shown in the Table 1.

Table 1
Model types and their description

Model	Description
AAA333L, -N	Latching and Non-Latching Local Display Units
AAA312L, -N	Latching and Non-Latching Local Display Units
AAA331L, -N	Latching and Non-Latching Local Display Units with Housing
M403	Rack-Mounted, Remote Display Unit, up to 6 M403 units can be used in a 19” rack frame
CC984-DN, -DL	Air Sampling Smoke Detector Unit CC984, with AAA333L (N) Local Display Unit mounted to the front.
BB434	Air Sampling Smoke Detector for direct mounting to HVAC systems (Air Sampling Detection Unit for duct application. Includes a special monoprobe sample tube).
CC984	Air Sampling Smoke Detector (no local display).