



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2004

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.5	Upper East Side
	By Gender	Table 1.7.6	Chelsea – Clinton
Table 1.2.1	Males	Table 1.7.7	Gramercy Park – Murray Hill
Table 1.2.2	Females	Table 1.7.8	Greenwich Village – Soho
	By Race/Ethnicity	Table 1.7.9	Union Square – Lower East Side
Table 1.3.1	Black males	Table 1.7.10	Lower Manhattan
Table 1.3.2	Black females		By UHF Neighborhood: Brooklyn
Table 1.3.3	Hispanic males	Table 1.8.1	Greenpoint
Table 1.3.4	Hispanic females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.5	White males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.6	White females	Table 1.8.4	East New York
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.5	Sunset Park
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.6	Borough Park
	By Age	Table 1.8.7	East Flatbush – Flatbush
Table 1.4.1	Males 0-12 years	Table 1.8.8	Canarsie – Flatlands
Table 1.4.2	Females 0-12 years	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.4.3	Males 13+ years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.4	Females 13+ years	Table 1.8.11	Williamsburg – Bushwick
	By Borough		By UHF Neighborhood: Bronx
Table 1.5.1	Manhattan, males	Table 1.9.1	Kingsbridge – Riverdale
Table 1.5.2	Manhattan, females	Table 1.9.2	Northeast Bronx
Table 1.5.3	Brooklyn, males	Table 1.9.3	Fordham – Bronx Park
Table 1.5.4	Brooklyn, females	Table 1.9.4	Pelham – Throgs Neck
Table 1.5.5	Bronx, males	Table 1.9.5	Crotona – Tremont
Table 1.5.6	Bronx, females	Table 1.9.6	High Bridge – Morrisania
Table 1.5.7	Queens, males	Table 1.9.7	Hunts Point – Mott Haven
Table 1.5.8	Queens, females		By UHF Neighborhood: Queens
Table 1.5.9	Staten Island, males	Table 1.10.1	Long Island City – Astoria
Table 1.5.10	Staten Island, females	Table 1.10.2	West Queens
	By Transmission Risk	Table 1.10.3	Flushing – Clearview
Table 1.6.1	Men who have sex with men	Table 1.10.4	Bayside – Little Neck
Table 1.6.2	Injection drug users, males	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.3	Injection drug users, females	Table 1.10.6	Fresh Meadows
Table 1.6.4	Heterosexuals, males	Table 1.10.7	Southwest Queens
Table 1.6.5	Heterosexuals, females	Table 1.10.8	Jamaica
	By UHF Neighborhood: Manhattan	Table 1.10.9	Southeast Queens
Table 1.7.1	Washington Heights – Inwood	Table 1.10.10	Rockaway
Table 1.7.2	Central Harlem – Morningside Heights		By UHF Neighborhood: Staten Island
Table 1.7.3	East Harlem	Table 1.11.1	Port Richmond
Table 1.7.4	Upper West Side	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2004, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,186	100.0	3,135	74.9	1,051	25.1	4,402	100.0	96,287	100.0	2,728	100.0
SEX												
Male	2,912	69.6	2,181	69.6	731	69.6	2,989	67.9	66,858	69.4	1,854	68.0
Female	1,274	30.4	954	30.4	320	30.4	1,413	32.1	29,429	30.6	874	32.0
RACE/ETHNICITY												
Black	2,160	51.6	1,588	50.7	572	54.4	2,243	51.0	43,257	44.9	1,399	51.3
Hispanic	1,231	29.4	911	29.1	320	30.4	1,385	31.5	31,135	32.3	878	32.2
White	688	16.4	559	17.8	129	12.3	695	15.8	20,119	20.9	429	15.7
Asian/Pacific Islander	98	2.3	69	2.2	29	2.8	73	1.7	1,148	1.2	16	0.6
Native American	9	0.2	8	0.3	1	0.1	5	0.1	95	0.1	3	0.1
Multiracial	0	0.0	0	0.0	0	0.0	1	0.0	32	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	501	0.5	2	0.1
AGE GROUP (YEARS)												
0-12	34	0.8	30	1.0	4	0.4	9	0.2	1,131	1.2	2	0.1
13-19	138	3.3	131	4.2	7	0.7	73	1.7	1,458	1.5	12	0.4
20-29	892	21.3	765	24.4	127	12.1	468	10.6	6,155	6.4	51	1.9
30-39	1,356	32.4	1,047	33.4	309	29.4	1,309	29.7	23,066	24.0	445	16.3
40-49	1,161	27.7	788	25.1	373	35.5	1,589	36.1	37,962	39.4	1,044	38.3
50-59	456	10.9	289	9.2	167	15.9	745	16.9	20,404	21.2	843	30.9
60+	149	3.6	85	2.7	64	6.1	209	4.7	6,111	6.3	331	12.1
BOROUGH OF RESIDENCE												
Manhattan	1,109	26.5	899	28.7	210	20.0	1,213	27.6	29,200	30.3	712	26.1
Brooklyn	1,097	26.2	785	25.0	312	29.7	1,169	26.6	23,820	24.7	755	27.7
Bronx	1,000	23.9	725	23.1	275	26.2	1,051	23.9	20,993	21.8	703	25.8
Queens	624	14.9	434	13.8	190	18.1	606	13.8	13,136	13.6	301	11.0
Staten Island	94	2.2	67	2.1	27	2.6	79	1.8	1,748	1.8	58	2.1
Unknown or outside NYC	262	6.3	225	7.2	37	3.5	284	6.5	7,390	7.7	199	7.3
TRANSMISSION RISK												
Men who have sex with men	1,527	36.5	1,245	39.7	282	26.8	1,197	27.2	28,085	29.2	381	14.0
Injection drug use history	442	10.6	345	11.0	97	9.2	853	19.4	23,291	24.2	1,166	42.7
Heterosexual	828	19.8	601	19.2	227	21.6	843	19.2	17,113	17.8	396	14.5
Perinatal	34	0.8	30	1.0	4	0.4	53	1.2	2,449	2.5	16	0.6
Other	2	0.0	1	0.0	1	0.1	8	0.2	318	0.3	16	0.6
Unknown	1,353	32.3	913	29.1	440	41.9	1,448	32.9	25,031	26.0	753	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	38,756	40.3	353	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	57,531	59.7	2,375	87.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,912	100.0	2,181	74.9	731	25.1	2,989	100.0	66,858	100.0	1,854	100.0
RACE/ETHNICITY												
Black	1,315	45.2	957	43.9	358	49.0	1,339	44.8	26,254	39.3	880	47.5
Hispanic	906	31.1	674	30.9	232	31.7	982	32.9	21,671	32.4	612	33.0
White	617	21.2	500	22.9	117	16.0	605	20.2	17,557	26.3	344	18.6
Asian/Pacific Islander	69	2.4	46	2.1	23	3.1	58	1.9	909	1.4	13	0.7
Native American	5	0.2	4	0.2	1	0.1	4	0.1	67	0.1	3	0.2
Multiracial	0	0.0	0	0.0	0	0.0	1	0.0	23	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	377	0.6	1	0.1
AGE GROUP (YEARS)												
0-12	23	0.8	20	0.9	3	0.4	5	0.2	534	0.8	1	0.1
13-19	95	3.3	89	4.1	6	0.8	41	1.4	739	1.1	6	0.3
20-29	649	22.3	560	25.7	89	12.2	315	10.5	3,846	5.8	27	1.5
30-39	959	32.9	745	34.2	214	29.3	900	30.1	15,394	23.0	270	14.6
40-49	795	27.3	531	24.3	264	36.1	1,053	35.2	26,505	39.6	673	36.3
50-59	292	10.0	181	8.3	111	15.2	529	17.7	15,185	22.7	619	33.4
60+	99	3.4	55	2.5	44	6.0	146	4.9	4,655	7.0	258	13.9
BOROUGH OF RESIDENCE												
Manhattan	888	30.5	720	33.0	168	23.0	917	30.7	23,359	34.9	513	27.7
Brooklyn	696	23.9	498	22.8	198	27.1	740	24.8	14,752	22.1	480	25.9
Bronx	608	20.9	439	20.1	169	23.1	629	21.0	12,485	18.7	453	24.4
Queens	445	15.3	298	13.7	147	20.1	433	14.5	9,103	13.6	211	11.4
Staten Island	64	2.2	45	2.1	19	2.6	48	1.6	1,086	1.6	38	2.0
Unknown or outside NYC	211	7.2	181	8.3	30	4.1	222	7.4	6,073	9.1	159	8.6
TRANSMISSION RISK												
Men who have sex with men	1,527	52.4	1,245	57.1	282	38.6	1,197	40.0	28,085	42.0	381	20.6
Injection drug use history	291	10.0	218	10.0	73	10.0	584	19.5	16,466	24.6	799	43.1
Heterosexual	266	9.1	175	8.0	91	12.4	283	9.5	4,908	7.3	147	7.9
Perinatal	23	0.8	20	0.9	3	0.4	28	0.9	1,192	1.8	9	0.5
Other	1	0.0	1	0.0	0	0.0	3	0.1	165	0.2	10	0.5
Unknown	804	27.6	522	23.9	282	38.6	894	29.9	16,042	24.0	508	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26,037	38.9	234	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40,821	61.1	1,620	87.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,274	100.0	954	74.9	320	25.1	1,413	100.0	29,429	100.0	874	100.0
RACE/ETHNICITY												
Black	845	66.3	631	66.1	214	66.9	904	64.0	17,003	57.8	519	59.4
Hispanic	325	25.5	237	24.8	88	27.5	403	28.5	9,464	32.2	266	30.4
White	71	5.6	59	6.2	12	3.8	90	6.4	2,562	8.7	85	9.7
Asian/Pacific Islander	29	2.3	23	2.4	6	1.9	15	1.1	239	0.8	3	0.3
Native American	4	0.3	4	0.4	0	0.0	1	0.1	28	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	124	0.4	1	0.1
AGE GROUP (YEARS)												
0-12	11	0.9	10	1.0	1	0.3	4	0.3	597	2.0	1	0.1
13-19	43	3.4	42	4.4	1	0.3	32	2.3	719	2.4	6	0.7
20-29	243	19.1	205	21.5	38	11.9	153	10.8	2,309	7.8	24	2.7
30-39	397	31.2	302	31.7	95	29.7	409	28.9	7,672	26.1	175	20.0
40-49	366	28.7	257	26.9	109	34.1	536	37.9	11,457	38.9	371	42.4
50-59	164	12.9	108	11.3	56	17.5	216	15.3	5,219	17.7	224	25.6
60+	50	3.9	30	3.1	20	6.3	63	4.5	1,456	4.9	73	8.4
BOROUGH OF RESIDENCE												
Manhattan	221	17.3	179	18.8	42	13.1	296	20.9	5,841	19.8	199	22.8
Brooklyn	401	31.5	287	30.1	114	35.6	429	30.4	9,068	30.8	275	31.5
Bronx	392	30.8	286	30.0	106	33.1	422	29.9	8,508	28.9	250	28.6
Queens	179	14.1	136	14.3	43	13.4	173	12.2	4,033	13.7	90	10.3
Staten Island	30	2.4	22	2.3	8	2.5	31	2.2	662	2.2	20	2.3
Unknown or outside NYC	51	4.0	44	4.6	7	2.2	62	4.4	1,317	4.5	40	4.6
TRANSMISSION RISK												
Injection drug use history	151	11.9	127	13.3	24	7.5	269	19.0	6,825	23.2	367	42.0
Heterosexual	562	44.1	426	44.7	136	42.5	560	39.6	12,205	41.5	249	28.5
Perinatal	11	0.9	10	1.0	1	0.3	25	1.8	1,257	4.3	7	0.8
Other	1	0.1	0	0.0	1	0.3	5	0.4	153	0.5	6	0.7
Unknown	549	43.1	391	41.0	158	49.4	554	39.2	8,989	30.5	245	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,719	43.2	119	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,710	56.8	755	86.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,315	100.0	957	72.8	358	27.2	1,339	100.0	26,254	100.0	880	100.0
AGE GROUP (YEARS)												
0-12	14	1.1	12	1.3	*	*	*	*	339	1.3	*	*
13-19	58	4.4	53	5.5	*	*	28	2.1	410	1.6	*	*
20-29	277	21.1	241	25.2	36	10.1	134	10.0	1,646	6.3	16	1.8
30-39	377	28.7	281	29.4	96	26.8	350	26.1	5,449	20.8	127	14.4
40-49	382	29.0	252	26.3	130	36.3	473	35.3	10,013	38.1	298	33.9
50-59	149	11.3	84	8.8	65	18.2	279	20.8	6,431	24.5	313	35.6
60+	58	4.4	34	3.6	24	6.7	72	5.4	1,966	7.5	120	13.6
BOROUGH OF RESIDENCE												
Manhattan	308	23.4	242	25.3	66	18.4	323	24.1	7,020	26.7	228	25.9
Brooklyn	442	33.6	313	32.7	129	36.0	468	35.0	8,536	32.5	285	32.4
Bronx	307	23.3	208	21.7	99	27.7	288	21.5	5,170	19.7	198	22.5
Queens	158	12.0	111	11.6	47	13.1	153	11.4	3,305	12.6	95	10.8
Staten Island	26	2.0	19	2.0	7	2.0	16	1.2	363	1.4	15	1.7
Unknown or outside NYC	74	5.6	64	6.7	10	2.8	91	6.8	1,860	7.1	59	6.7
TRANSMISSION RISK												
Men who have sex with men	546	41.5	446	46.6	100	27.9	417	31.1	7,763	29.6	137	15.6
Injection drug use history	119	9.0	87	9.1	32	8.9	238	17.8	6,924	26.4	357	40.6
Heterosexual	151	11.5	100	10.4	51	14.2	154	11.5	2,652	10.1	75	8.5
Perinatal	14	1.1	12	1.3	*	*	17	1.3	685	2.6	6	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	55	0.2	*	*
Unknown	485	36.9	312	32.6	173	48.3	513	38.3	8,175	31.1	303	34.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,730	37.1	107	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,524	62.9	773	87.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	845	100.0	631	74.7	214	25.3	904	100.0	17,003	100.0	519	100.0
AGE GROUP (YEARS)												
0-12	9	1.1	8	1.3	*	*	*	*	371	2.2	0	0.0
13-19	28	3.3	28	4.4	0	0.0	21	2.3	416	2.4	*	*
20-29	138	16.3	114	18.1	24	11.2	97	10.7	1,442	8.5	17	3.3
30-39	282	33.4	214	33.9	68	31.8	273	30.2	4,485	26.4	99	19.1
40-49	242	28.6	166	26.3	76	35.5	341	37.7	6,531	38.4	224	43.2
50-59	109	12.9	78	12.4	31	14.5	131	14.5	2,923	17.2	138	26.6
60+	37	4.4	23	3.6	14	6.5	37	4.1	835	4.9	38	7.3
BOROUGH OF RESIDENCE												
Manhattan	138	16.3	117	18.5	21	9.8	175	19.4	3,262	19.2	122	23.5
Brooklyn	324	38.3	230	36.5	94	43.9	325	36.0	6,225	36.6	190	36.6
Bronx	221	26.2	158	25.0	63	29.4	239	26.4	4,224	24.8	131	25.2
Queens	110	13.0	85	13.5	25	11.7	107	11.8	2,377	14.0	50	9.6
Staten Island	19	2.2	15	2.4	*	*	17	1.9	303	1.8	9	1.7
Unknown or outside NYC	33	3.9	26	4.1	7	3.3	41	4.5	612	3.6	17	3.3
TRANSMISSION RISK												
Injection drug use history	70	8.3	59	9.4	11	5.1	142	15.7	3,398	20.0	194	37.4
Heterosexual	373	44.1	283	44.8	90	42.1	365	40.4	7,056	41.5	157	30.3
Perinatal	9	1.1	8	1.3	*	*	15	1.7	742	4.4	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	83	0.5	*	*
Unknown	393	46.5	281	44.5	112	52.3	379	41.9	5,724	33.7	163	31.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,518	44.2	67	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,485	55.8	452	87.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	906	100.0	674	74.4	232	25.6	982	100.0	21,671	100.0	612	100.0
AGE GROUP (YEARS)												
0-12	6	0.7	6	0.9	0	0.0	*	*	161	0.7	0	0.0
13-19	31	3.4	30	4.5	*	*	10	1.0	275	1.3	0	0.0
20-29	223	24.6	182	27.0	41	17.7	134	13.6	1,392	6.4	6	1.0
30-39	319	35.2	244	36.2	75	32.3	308	31.4	5,542	25.6	98	16.0
40-49	226	24.9	151	22.4	75	32.3	346	35.2	8,612	39.7	247	40.4
50-59	73	8.1	47	7.0	26	11.2	142	14.5	4,350	20.1	188	30.7
60+	28	3.1	14	2.1	14	6.0	41	4.2	1,339	6.2	73	11.9
BOROUGH OF RESIDENCE												
Manhattan	239	26.4	187	27.7	52	22.4	260	26.5	6,181	28.5	153	25.0
Brooklyn	144	15.9	99	14.7	45	19.4	184	18.7	3,820	17.6	132	21.6
Bronx	273	30.1	209	31.0	64	27.6	306	31.2	6,519	30.1	219	35.8
Queens	184	20.3	123	18.2	61	26.3	166	16.9	3,548	16.4	64	10.5
Staten Island	17	1.9	14	2.1	*	*	15	1.5	271	1.3	8	1.3
Unknown or outside NYC	49	5.4	42	6.2	7	3.0	51	5.2	1,332	6.1	36	5.9
TRANSMISSION RISK												
Men who have sex with men	449	49.6	352	52.2	97	41.8	335	34.1	7,442	34.3	94	15.4
Injection drug use history	132	14.6	102	15.1	30	12.9	276	28.1	7,278	33.6	329	53.8
Heterosexual	84	9.3	61	9.1	23	9.9	91	9.3	1,664	7.7	55	9.0
Perinatal	6	0.7	6	0.9	0	0.0	8	0.8	422	1.9	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	41	0.2	*	*
Unknown	235	25.9	153	22.7	82	35.3	271	27.6	4,824	22.3	129	21.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,786	35.9	70	11.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,885	64.1	542	88.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	325	100.0	237	72.9	88	27.1	403	100.0	9,464	100.0	266	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	194	2.0	*	*
13-19	14	4.3	13	5.5	*	*	11	2.7	246	2.6	*	*
20-29	74	22.8	64	27.0	10	11.4	46	11.4	694	7.3	6	2.3
30-39	90	27.7	67	28.3	23	26.1	107	26.6	2,462	26.0	58	21.8
40-49	97	29.8	68	28.7	29	33.0	156	38.7	3,710	39.2	114	42.9
50-59	43	13.2	21	8.9	22	25.0	66	16.4	1,698	17.9	59	22.2
60+	*	*	*	*	*	*	17	4.2	460	4.9	25	9.4
BOROUGH OF RESIDENCE												
Manhattan	61	18.8	42	17.7	19	21.6	94	23.3	1,858	19.6	55	20.7
Brooklyn	51	15.7	38	16.0	13	14.8	80	19.9	2,147	22.7	61	22.9
Bronx	158	48.6	118	49.8	40	45.5	165	40.9	3,901	41.2	105	39.5
Queens	44	13.5	31	13.1	13	14.8	47	11.7	1,031	10.9	25	9.4
Staten Island	6	1.8	*	*	*	*	8	2.0	153	1.6	*	*
Unknown or outside NYC	*	*	*	*	0	0.0	9	2.2	374	4.0	15	5.6
TRANSMISSION RISK												
Injection drug use history	59	18.2	49	20.7	10	11.4	94	23.3	2,567	27.1	133	50.0
Heterosexual	142	43.7	103	43.5	39	44.3	156	38.7	3,995	42.2	76	28.6
Perinatal	*	*	*	*	0	0.0	10	2.5	434	4.6	*	*
Other	*	*	0	0.0	*	*	*	*	36	0.4	*	*
Unknown	121	37.2	83	35.0	38	43.2	142	35.2	2,432	25.7	51	19.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,892	41.1	37	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,572	58.9	229	86.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	617	100.0	500	81.0	117	19.0	605	100.0	17,557	100.0	344	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	25	0.1	0	0.0
13-19	*	*	*	*	0	0.0	*	*	40	0.2	*	*
20-29	134	21.7	124	24.8	10	8.5	41	6.8	715	4.1	*	*
30-39	236	38.2	203	40.6	33	28.2	213	35.2	3,988	22.7	43	12.5
40-49	163	26.4	114	22.8	49	41.9	216	35.7	7,362	41.9	122	35.5
50-59	66	10.7	46	9.2	20	17.1	103	17.0	4,152	23.6	111	32.3
60+	12	1.9	7	1.4	*	*	30	5.0	1,275	7.3	64	18.6
BOROUGH OF RESIDENCE												
Manhattan	325	52.7	277	55.4	48	41.0	317	52.4	9,542	54.3	131	38.1
Brooklyn	94	15.2	73	14.6	21	17.9	82	13.6	2,180	12.4	60	17.4
Bronx	26	4.2	21	4.2	*	*	31	5.1	691	3.9	33	9.6
Queens	71	11.5	47	9.4	24	20.5	84	13.9	1,922	10.9	43	12.5
Staten Island	20	3.2	12	2.4	8	6.8	15	2.5	432	2.5	13	3.8
Unknown or outside NYC	81	13.1	70	14.0	11	9.4	76	12.6	2,790	15.9	64	18.6
TRANSMISSION RISK												
Men who have sex with men	491	79.6	413	82.6	78	66.7	417	68.9	12,325	70.2	148	43.0
Injection drug use history	35	5.7	26	5.2	9	7.7	66	10.9	2,183	12.4	110	32.0
Heterosexual	22	3.6	10	2.0	12	10.3	32	5.3	481	2.7	15	4.4
Perinatal	*	*	*	*	0	0.0	*	*	63	0.4	*	*
Other	*	*	*	*	0	0.0	*	*	61	0.3	*	*
Unknown	67	10.9	49	9.8	18	15.4	86	14.2	2,444	13.9	65	18.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,771	44.3	57	16.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,786	55.7	287	83.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	71	100.0	59	83.1	12	16.9	90	100.0	2,562	100.0	85	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	27	1.1	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	45	1.8	0	0.0
20-29	20	28.2	18	30.5	*	*	6	6.7	133	5.2	*	*
30-39	16	22.5	14	23.7	*	*	25	27.8	603	23.5	17	20.0
40-49	18	25.4	15	25.4	*	*	35	38.9	1,078	42.1	32	37.6
50-59	11	15.5	8	13.6	*	*	16	17.8	535	20.9	26	30.6
60+	*	*	*	*	*	*	8	8.9	141	5.5	9	10.6
BOROUGH OF RESIDENCE												
Manhattan	20	28.2	18	30.5	*	*	26	28.9	630	24.6	21	24.7
Brooklyn	16	22.5	9	15.3	7	58.3	22	24.4	594	23.2	22	25.9
Bronx	10	14.1	8	13.6	*	*	17	18.9	336	13.1	14	16.5
Queens	9	12.7	9	15.3	0	0.0	10	11.1	505	19.7	14	16.5
Staten Island	*	*	*	*	*	*	6	6.7	196	7.7	6	7.1
Unknown or outside NYC	12	16.9	12	20.3	0	0.0	9	10.0	301	11.7	8	9.4
TRANSMISSION RISK												
Injection drug use history	22	31.0	19	32.2	*	*	32	35.6	836	32.6	40	47.1
Heterosexual	30	42.3	26	44.1	*	*	33	36.7	1,004	39.2	14	16.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	70	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	26	1.0	*	*
Unknown	19	26.8	14	23.7	*	*	24	26.7	626	24.4	29	34.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,047	40.9	13	15.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,515	59.1	72	84.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	46	66.7	23	33.3	58	100.0	909	100.0	13	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	*	*	0	0.0
13-19	*	*	*	*	0	0.0	*	*	*	*	0	0.0
20-29	14	20.3	12	26.1	*	*	6	10.3	71	7.8	*	*
30-39	25	36.2	15	32.6	10	43.5	27	46.6	298	32.8	*	*
40-49	22	31.9	13	28.3	9	39.1	17	29.3	329	36.2	*	*
50-59	*	*	*	*	0	0.0	*	*	160	17.6	*	*
60+	*	*	0	0.0	*	*	*	*	43	4.7	*	*
BOROUGH OF RESIDENCE												
Manhattan	15	21.7	13	28.3	*	*	17	29.3	344	37.8	*	*
Brooklyn	13	18.8	10	21.7	*	*	6	10.3	161	17.7	*	*
Bronx	*	*	*	*	*	*	*	*	59	6.5	*	*
Queens	32	46.4	17	37.0	15	65.2	29	50.0	273	30.0	9	69.2
Staten Island	0	0.0	0	0.0	0	0.0	*	*	7	0.8	0	0.0
Unknown or outside NYC	7	10.1	*	*	*	*	*	*	65	7.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	39	56.5	32	69.6	7	30.4	27	46.6	464	51.0	*	*
Injection drug use history	*	*	*	*	*	*	*	*	54	5.9	*	*
Heterosexual	6	8.7	*	*	*	*	*	*	91	10.0	*	*
Perinatal	*	*	*	*	*	*	*	*	7	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	17	24.6	8	17.4	9	39.1	22	37.9	287	31.6	9	69.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	373	41.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	536	59.0	13	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	15	100.0	239	100.0	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	11	37.9	9	39.1	*	*	*	*	31	13.0	0	0.0
30-39	7	24.1	*	*	*	*	*	*	83	34.7	0	0.0
40-49	7	24.1	6	26.1	*	*	*	*	69	28.9	*	*
50-59	*	*	*	*	0	0.0	*	*	36	15.1	*	*
60+	*	*	*	*	*	*	*	*	13	5.4	*	*
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	*	*	47	19.7	*	*
Brooklyn	9	31.0	9	39.1	0	0.0	*	*	58	24.3	*	*
Bronx	*	*	*	*	*	*	*	*	18	7.5	0	0.0
Queens	15	51.7	10	43.5	*	*	9	60.0	93	38.9	*	*
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown or outside NYC	*	*	*	*	0	0.0	*	*	21	8.8	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	13	5.4	0	0.0
Heterosexual	14	48.3	11	47.8	*	*	*	*	116	48.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	15	51.7	12	52.2	*	*	9	60.0	101	42.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	130	54.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	109	45.6	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	20	87.0	*	*	*	*	534	100.0	*	*
RACE/ETHNICITY												
Black	14	60.9	12	60.0	*	*	*	*	339	63.5	*	*
Hispanic	6	26.1	6	30.0	0	0.0	*	*	161	30.1	0	0.0
White	*	*	*	*	0	0.0	0	0.0	25	4.7	0	0.0
Asian/Pacific Islander	*	*	*	*	*	*	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	*	*	*	*	89	16.7	0	0.0
Brooklyn	*	*	*	*	*	*	*	*	180	33.7	0	0.0
Bronx	7	30.4	7	35.0	0	0.0	0	0.0	172	32.2	0	0.0
Queens	*	*	*	*	0	0.0	0	0.0	55	10.3	0	0.0
Staten Island	*	*	*	*	0	0.0	0	0.0	6	1.1	0	0.0
Unknown or outside NYC	*	*	*	*	*	*	*	*	32	6.0	*	*
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	23	100.0	20	100.0	*	*	*	*	533	99.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	408	76.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	126	23.6	0	0.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	10	90.9	*	*	*	*	597	100.0	*	*
RACE/ETHNICITY												
Black	9	81.8	8	80.0	*	*	*	*	371	62.1	0	0.0
Hispanic	*	*	*	*	0	0.0	0	0.0	194	32.5	*	*
White	0	0.0	0	0.0	0	0.0	0	0.0	27	4.5	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	0	0.0	0	0.0	0	0.0	*	*	112	18.8	0	0.0
Brooklyn	*	*	*	*	*	*	*	*	174	29.1	0	0.0
Bronx	*	*	*	*	0	0.0	0	0.0	196	32.8	*	*
Queens	*	*	*	*	0	0.0	0	0.0	68	11.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	14	2.3	0	0.0
Unknown or outside NYC	*	*	*	*	0	0.0	0	0.0	33	5.5	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	11	100.0	10	100.0	*	*	*	*	596	99.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	465	77.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	132	22.1	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,889	100.0	2,161	74.8	728	25.2	2,984	100.0	66,324	100.0	1,853	100.0
RACE/ETHNICITY												
Black	1,301	45.0	945	43.7	356	48.9	1,336	44.8	25,915	39.1	879	47.4
Hispanic	900	31.2	668	30.9	232	31.9	981	32.9	21,510	32.4	612	33.0
White	616	21.3	499	23.1	117	16.1	605	20.3	17,532	26.4	344	18.6
Asian/Pacific Islander	67	2.3	45	2.1	22	3.0	57	1.9	905	1.4	13	0.7
Native American	*	*	*	*	*	*	*	*	67	0.1	*	*
Multiracial	0	0.0	0	0.0	0	0.0	*	*	21	0.0	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	374	0.6	*	*
AGE GROUP (YEARS)												
13-19	95	3.3	89	4.1	6	0.8	41	1.4	739	1.1	6	0.3
20-29	649	22.5	560	25.9	89	12.2	315	10.6	3,846	5.8	27	1.5
30-39	959	33.2	745	34.5	214	29.4	900	30.2	15,394	23.2	270	14.6
40-49	795	27.5	531	24.6	264	36.3	1,053	35.3	26,505	40.0	673	36.3
50-59	292	10.1	181	8.4	111	15.2	529	17.7	15,185	22.9	619	33.4
60+	99	3.4	55	2.5	44	6.0	146	4.9	4,655	7.0	258	13.9
BOROUGH OF RESIDENCE												
Manhattan	883	30.6	716	33.1	167	22.9	915	30.7	23,270	35.1	513	27.7
Brooklyn	692	24.0	495	22.9	197	27.1	738	24.7	14,572	22.0	480	25.9
Bronx	601	20.8	432	20.0	169	23.2	629	21.1	12,313	18.6	453	24.4
Queens	442	15.3	295	13.7	147	20.2	433	14.5	9,048	13.6	211	11.4
Staten Island	63	2.2	44	2.0	19	2.6	48	1.6	1,080	1.6	38	2.1
Unknown or outside NYC	208	7.2	179	8.3	29	4.0	221	7.4	6,041	9.1	158	8.5
TRANSMISSION RISK												
Men who have sex with men	1,527	52.9	1,245	57.6	282	38.7	1,197	40.1	28,085	42.3	381	20.6
Injection drug use history	291	10.1	218	10.1	73	10.0	584	19.6	16,466	24.8	799	43.1
Heterosexual	266	9.2	175	8.1	91	12.5	283	9.5	4,908	7.4	147	7.9
Perinatal	0	0.0	0	0.0	0	0.0	23	0.8	659	1.0	8	0.4
Other	*	*	*	*	0	0.0	*	*	164	0.2	10	0.5
Unknown	804	27.8	522	24.2	282	38.7	894	30.0	16,042	24.2	508	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25,629	38.6	233	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40,695	61.4	1,620	87.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,263	100.0	944	74.7	319	25.3	1,409	100.0	28,832	100.0	873	100.0
RACE/ETHNICITY												
Black	836	66.2	623	66.0	213	66.8	900	63.9	16,632	57.7	519	59.5
Hispanic	323	25.6	235	24.9	88	27.6	403	28.6	9,270	32.2	265	30.4
White	71	5.6	59	6.3	12	3.8	90	6.4	2,535	8.8	85	9.7
Asian/Pacific Islander	29	2.3	23	2.4	6	1.9	15	1.1	237	0.8	*	*
Native American	*	*	*	*	0	0.0	*	*	28	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	123	0.4	*	*
AGE GROUP (YEARS)												
13-19	43	3.4	42	4.4	*	*	32	2.3	719	2.5	6	0.7
20-29	243	19.2	205	21.7	38	11.9	153	10.9	2,309	8.0	24	2.7
30-39	397	31.4	302	32.0	95	29.8	409	29.0	7,672	26.6	175	20.0
40-49	366	29.0	257	27.2	109	34.2	536	38.0	11,457	39.7	371	42.5
50-59	164	13.0	108	11.4	56	17.6	216	15.3	5,219	18.1	224	25.7
60+	50	4.0	30	3.2	20	6.3	63	4.5	1,456	5.0	73	8.4
BOROUGH OF RESIDENCE												
Manhattan	221	17.5	179	19.0	42	13.2	295	20.9	5,729	19.9	199	22.8
Brooklyn	398	31.5	285	30.2	113	35.4	426	30.2	8,894	30.8	275	31.5
Bronx	390	30.9	284	30.1	106	33.2	422	30.0	8,312	28.8	249	28.5
Queens	178	14.1	135	14.3	43	13.5	173	12.3	3,965	13.8	90	10.3
Staten Island	30	2.4	22	2.3	8	2.5	31	2.2	648	2.2	20	2.3
Unknown or outside NYC	46	3.6	39	4.1	7	2.2	62	4.4	1,284	4.5	40	4.6
TRANSMISSION RISK												
Injection drug use history	151	12.0	127	13.5	24	7.5	269	19.1	6,825	23.7	367	42.0
Heterosexual	562	44.5	426	45.1	136	42.6	560	39.7	12,205	42.3	249	28.5
Perinatal	0	0.0	0	0.0	0	0.0	22	1.6	661	2.3	6	0.7
Other	*	*	0	0.0	*	*	*	*	153	0.5	6	0.7
Unknown	549	43.5	391	41.4	158	49.5	553	39.2	8,988	31.2	245	28.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,254	42.5	119	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,578	57.5	754	86.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.1. Manhattan, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	888	100.0	720	81.1	168	18.9	917	100.0	23,359	100.0	513	100.0
RACE/ETHNICITY												
Black	308	34.7	242	33.6	66	39.3	323	35.2	7,020	30.1	228	44.4
Hispanic	239	26.9	187	26.0	52	31.0	260	28.4	6,181	26.5	153	29.8
White	325	36.6	277	38.5	48	28.6	317	34.6	9,542	40.8	131	25.5
Asian/Pacific Islander	15	1.7	13	1.8	*	*	17	1.9	344	1.5	*	*
Native American	*	*	*	*	0	0.0	0	0.0	23	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	243	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	89	0.4	0	0.0
13-19	21	2.4	18	2.5	*	*	9	1.0	135	0.6	0	0.0
20-29	204	23.0	182	25.3	22	13.1	74	8.1	1,093	4.7	*	*
30-39	330	37.2	272	37.8	58	34.5	294	32.1	5,318	22.8	72	14.0
40-49	226	25.5	173	24.0	53	31.5	304	33.2	9,283	39.7	191	37.2
50-59	75	8.4	52	7.2	23	13.7	183	20.0	5,590	23.9	158	30.8
60+	27	3.0	19	2.6	8	4.8	51	5.6	1,851	7.9	91	17.7
TRANSMISSION RISK												
Men who have sex with men	615	69.3	519	72.1	96	57.1	477	52.0	12,986	55.6	164	32.0
Injection drug use history	70	7.9	55	7.6	15	8.9	142	15.5	4,444	19.0	195	38.0
Heterosexual	44	5.0	27	3.8	17	10.1	76	8.3	1,082	4.6	32	6.2
Perinatal	*	*	*	*	*	*	*	*	202	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	*	*
Unknown	154	17.3	115	16.0	39	23.2	217	23.7	4,620	19.8	121	23.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,726	41.6	71	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,633	58.4	442	86.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.2. Manhattan, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	221	100.0	179	81.0	42	19.0	296	100.0	5,841	100.0	199	100.0
RACE/ETHNICITY												
Black	138	62.4	117	65.4	21	50.0	175	59.1	3,262	55.8	122	61.3
Hispanic	61	27.6	42	23.5	19	45.2	94	31.8	1,858	31.8	55	27.6
White	20	9.0	18	10.1	*	*	26	8.8	630	10.8	21	10.6
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	47	0.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	112	1.9	0	0.0
13-19	7	3.2	7	3.9	0	0.0	*	*	122	2.1	*	*
20-29	50	22.6	47	26.3	*	*	28	9.5	389	6.7	*	*
30-39	62	28.1	51	28.5	11	26.2	83	28.0	1,435	24.6	34	17.1
40-49	63	28.5	48	26.8	15	35.7	111	37.5	2,319	39.7	86	43.2
50-59	28	12.7	17	9.5	11	26.2	55	18.6	1,144	19.6	53	26.6
60+	11	5.0	9	5.0	*	*	13	4.4	320	5.5	22	11.1
TRANSMISSION RISK												
Injection drug use history	33	14.9	27	15.1	6	14.3	86	29.1	1,643	28.1	106	53.3
Heterosexual	90	40.7	72	40.2	18	42.9	103	34.8	2,239	38.3	50	25.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	229	3.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.5	*	*
Unknown	98	44.3	80	44.7	18	42.9	102	34.5	1,702	29.1	41	20.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,424	41.5	26	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,417	58.5	173	86.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	696	100.0	498	71.6	198	28.4	740	100.0	14,752	100.0	480	100.0
RACE/ETHNICITY												
Black	442	63.5	313	62.9	129	65.2	468	63.2	8,536	57.9	285	59.4
Hispanic	144	20.7	99	19.9	45	22.7	184	24.9	3,820	25.9	132	27.5
White	94	13.5	73	14.7	21	10.6	82	11.1	2,180	14.8	60	12.5
Asian/Pacific Islander	13	1.9	10	2.0	*	*	6	0.8	161	1.1	*	*
Native American	*	*	*	*	0	0.0	0	0.0	12	0.1	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	180	1.2	0	0.0
13-19	24	3.4	24	4.8	0	0.0	14	1.9	228	1.5	*	*
20-29	150	21.6	130	26.1	20	10.1	87	11.8	981	6.6	9	1.9
30-39	225	32.3	167	33.5	58	29.3	217	29.3	3,371	22.9	64	13.3
40-49	179	25.7	112	22.5	67	33.8	253	34.2	5,582	37.8	156	32.5
50-59	81	11.6	43	8.6	38	19.2	134	18.1	3,356	22.7	169	35.2
60+	33	4.7	19	3.8	14	7.1	33	4.5	1,054	7.1	78	16.3
TRANSMISSION RISK												
Men who have sex with men	310	44.5	249	50.0	61	30.8	252	34.1	4,719	32.0	56	11.7
Injection drug use history	69	9.9	51	10.2	18	9.1	151	20.4	3,971	26.9	209	43.5
Heterosexual	79	11.4	49	9.8	30	15.2	73	9.9	1,382	9.4	45	9.4
Perinatal	*	*	*	*	*	*	13	1.8	373	2.5	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	*	*
Unknown	234	33.6	146	29.3	88	44.4	251	33.9	4,272	29.0	165	34.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,465	37.0	64	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,287	63.0	416	86.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	401	100.0	287	71.6	114	28.4	429	100.0	9,068	100.0	275	100.0
RACE/ETHNICITY												
Black	324	80.8	230	80.1	94	82.5	325	75.8	6,225	68.6	190	69.1
Hispanic	51	12.7	38	13.2	13	11.4	80	18.6	2,147	23.7	61	22.2
White	16	4.0	9	3.1	7	6.1	22	5.1	594	6.6	22	8.0
Asian/Pacific Islander	9	2.2	9	3.1	0	0.0	*	*	58	0.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.4	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	174	1.9	0	0.0
13-19	15	3.7	14	4.9	*	*	8	1.9	216	2.4	*	*
20-29	81	20.2	69	24.0	12	10.5	50	11.7	766	8.4	12	4.4
30-39	116	28.9	88	30.7	28	24.6	116	27.0	2,353	25.9	56	20.4
40-49	114	28.4	72	25.1	42	36.8	167	38.9	3,485	38.4	110	40.0
50-59	55	13.7	33	11.5	22	19.3	59	13.8	1,620	17.9	68	24.7
60+	17	4.2	9	3.1	8	7.0	26	6.1	454	5.0	26	9.5
TRANSMISSION RISK												
Injection drug use history	39	9.7	31	10.8	8	7.0	69	16.1	1,891	20.9	94	34.2
Heterosexual	171	42.6	130	45.3	41	36.0	181	42.2	3,839	42.3	80	29.1
Perinatal	*	*	*	*	*	*	7	1.6	360	4.0	*	*
Other	*	*	0	0.0	*	*	*	*	45	0.5	*	*
Unknown	187	46.6	124	43.2	63	55.3	169	39.4	2,933	32.3	96	34.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,840	42.3	30	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,228	57.7	245	89.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.5. Bronx, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	608	100.0	439	72.2	169	27.8	629	100.0	12,485	100.0	453	100.0
RACE/ETHNICITY												
Black	307	50.5	208	47.4	99	58.6	288	45.8	5,170	41.4	198	43.7
Hispanic	273	44.9	209	47.6	64	37.9	306	48.6	6,519	52.2	219	48.3
White	26	4.3	21	4.8	*	*	31	4.9	691	5.5	33	7.3
Asian/Pacific Islander	*	*	*	*	*	*	*	*	59	0.5	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	7	0.1	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	7	1.2	7	1.6	0	0.0	0	0.0	172	1.4	0	0.0
13-19	34	5.6	32	7.3	*	*	12	1.9	223	1.8	0	0.0
20-29	133	21.9	119	27.1	14	8.3	60	9.5	786	6.3	7	1.5
30-39	161	26.5	114	26.0	47	27.8	172	27.3	2,684	21.5	70	15.5
40-49	182	29.9	117	26.7	65	38.5	241	38.3	4,901	39.3	166	36.6
50-59	63	10.4	38	8.7	25	14.8	112	17.8	2,893	23.2	162	35.8
60+	28	4.6	12	2.7	16	9.5	32	5.1	826	6.6	48	10.6
TRANSMISSION RISK												
Men who have sex with men	218	35.9	178	40.5	40	23.7	151	24.0	2,863	22.9	61	13.5
Injection drug use history	90	14.8	71	16.2	19	11.2	174	27.7	4,366	35.0	236	52.1
Heterosexual	72	11.8	50	11.4	22	13.0	61	9.7	1,173	9.4	36	7.9
Perinatal	7	1.2	7	1.6	0	0.0	7	1.1	377	3.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	*	*
Unknown	221	36.3	133	30.3	88	52.1	236	37.5	3,678	29.5	116	25.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,775	38.2	53	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,710	61.8	400	88.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.6. Bronx, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	392	100.0	286	73.0	106	27.0	422	100.0	8,508	100.0	250	100.0
RACE/ETHNICITY												
Black	221	56.4	158	55.2	63	59.4	239	56.6	4,224	49.6	131	52.4
Hispanic	158	40.3	118	41.3	40	37.7	165	39.1	3,901	45.9	105	42.0
White	10	2.6	8	2.8	*	*	17	4.0	336	3.9	14	5.6
Asian/Pacific Islander	*	*	*	*	*	*	*	*	18	0.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	196	2.3	*	*
13-19	14	3.6	14	4.9	0	0.0	11	2.6	214	2.5	*	*
20-29	64	16.3	47	16.4	17	16.0	45	10.7	721	8.5	6	2.4
30-39	141	36.0	105	36.7	36	34.0	141	33.4	2,278	26.8	59	23.6
40-49	110	28.1	81	28.3	29	27.4	155	36.7	3,311	38.9	105	42.0
50-59	50	12.8	31	10.8	19	17.9	58	13.7	1,387	16.3	65	26.0
60+	11	2.8	6	2.1	*	*	12	2.8	401	4.7	13	5.2
TRANSMISSION RISK												
Injection drug use history	57	14.5	51	17.8	6	5.7	75	17.8	1,974	23.2	110	44.0
Heterosexual	156	39.8	111	38.8	45	42.5	154	36.5	3,317	39.0	74	29.6
Perinatal	*	*	*	*	0	0.0	8	1.9	391	4.6	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	33	0.4	0	0.0
Unknown	177	45.2	122	42.7	55	51.9	184	43.6	2,793	32.8	64	25.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,895	45.8	39	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,613	54.2	211	84.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	445	100.0	298	67.0	147	33.0	433	100.0	9,103	100.0	211	100.0
RACE/ETHNICITY												
Black	158	35.5	111	37.2	47	32.0	153	35.3	3,305	36.3	95	45.0
Hispanic	184	41.3	123	41.3	61	41.5	166	38.3	3,548	39.0	64	30.3
White	71	16.0	47	15.8	24	16.3	84	19.4	1,922	21.1	43	20.4
Asian/Pacific Islander	32	7.2	17	5.7	15	10.2	29	6.7	273	3.0	9	4.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	38	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	55	0.6	0	0.0
13-19	11	2.5	10	3.4	*	*	*	*	91	1.0	0	0.0
20-29	106	23.8	77	25.8	29	19.7	63	14.5	608	6.7	7	3.3
30-39	151	33.9	112	37.6	39	26.5	136	31.4	2,245	24.7	27	12.8
40-49	127	28.5	70	23.5	57	38.8	158	36.5	3,722	40.9	80	37.9
50-59	41	9.2	23	7.7	18	12.2	58	13.4	1,865	20.5	72	34.1
60+	6	1.3	*	*	*	*	14	3.2	517	5.7	25	11.8
TRANSMISSION RISK												
Men who have sex with men	222	49.9	159	53.4	63	42.9	180	41.6	3,759	41.3	40	19.0
Injection drug use history	41	9.2	25	8.4	16	10.9	69	15.9	2,131	23.4	83	39.3
Heterosexual	52	11.7	36	12.1	16	10.9	45	10.4	861	9.5	20	9.5
Perinatal	*	*	*	*	0	0.0	0	0.0	140	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	28	0.3	*	*
Unknown	127	28.5	75	25.2	52	35.4	138	31.9	2,184	24.0	65	30.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,325	36.5	23	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,778	63.5	188	89.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	179	100.0	136	76.0	43	24.0	173	100.0	4,033	100.0	90	100.0
RACE/ETHNICITY												
Black	110	61.5	85	62.5	25	58.1	107	61.8	2,377	58.9	50	55.6
Hispanic	44	24.6	31	22.8	13	30.2	47	27.2	1,031	25.6	25	27.8
White	9	5.0	9	6.6	0	0.0	10	5.8	505	12.5	14	15.6
Asian/Pacific Islander	15	8.4	10	7.4	*	*	9	5.2	93	2.3	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	68	1.7	0	0.0
13-19	6	3.4	6	4.4	0	0.0	*	*	116	2.9	*	*
20-29	34	19.0	29	21.3	*	*	20	11.6	289	7.2	*	*
30-39	56	31.3	39	28.7	17	39.5	45	26.0	1,082	26.8	13	14.4
40-49	52	29.1	39	28.7	13	30.2	70	40.5	1,573	39.0	41	45.6
50-59	20	11.2	16	11.8	*	*	25	14.5	710	17.6	26	28.9
60+	10	5.6	6	4.4	*	*	8	4.6	195	4.8	7	7.8
TRANSMISSION RISK												
Injection drug use history	10	5.6	8	5.9	*	*	25	14.5	858	21.3	37	41.1
Heterosexual	110	61.5	83	61.0	27	62.8	77	44.5	1,933	47.9	27	30.0
Perinatal	*	*	*	*	0	0.0	*	*	173	4.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.7	0	0.0
Unknown	58	32.4	44	32.4	14	32.6	67	38.7	1,042	25.8	25	27.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,662	41.2	14	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,371	58.8	76	84.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	64	100.0	45	70.3	19	29.7	48	100.0	1,086	100.0	38	100.0
RACE/ETHNICITY												
Black	26	40.6	19	42.2	7	36.8	16	33.3	363	33.4	15	39.5
Hispanic	17	26.6	14	31.1	*	*	15	31.3	271	25.0	8	21.1
White	20	31.3	12	26.7	8	42.1	15	31.3	432	39.8	13	34.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	7	0.6	0	0.0
Native American	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	6	0.6	0	0.0
13-19	*	*	*	*	0	0.0	*	*	23	2.1	0	0.0
20-29	11	17.2	10	22.2	*	*	8	16.7	60	5.5	0	0.0
30-39	19	29.7	14	31.1	*	*	9	18.8	209	19.2	7	18.4
40-49	24	37.5	15	33.3	9	47.4	20	41.7	489	45.0	15	39.5
50-59	7	10.9	*	*	*	*	7	14.6	236	21.7	12	31.6
60+	*	*	0	0.0	*	*	*	*	63	5.8	*	*
TRANSMISSION RISK												
Men who have sex with men	23	35.9	17	37.8	6	31.6	16	33.3	340	31.3	8	21.1
Injection drug use history	7	10.9	*	*	*	*	11	22.9	364	33.5	15	39.5
Heterosexual	9	14.1	6	13.3	*	*	*	*	85	7.8	*	*
Perinatal	*	*	*	*	0	0.0	*	*	25	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	8	0.7	0	0.0
Unknown	24	37.5	16	35.6	8	42.1	14	29.2	264	24.3	13	34.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	417	38.4	6	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	669	61.6	32	84.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	22	73.3	8	26.7	31	100.0	662	100.0	20	100.0
RACE/ETHNICITY												
Black	19	63.3	15	68.2	*	*	17	54.8	303	45.8	9	45.0
Hispanic	6	20.0	*	*	*	*	8	25.8	153	23.1	*	*
White	*	*	*	*	*	*	6	19.4	196	29.6	6	30.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	2.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	12	1.8	0	0.0
20-29	*	*	*	*	0	0.0	*	*	37	5.6	0	0.0
30-39	11	36.7	10	45.5	*	*	9	29.0	173	26.1	*	*
40-49	12	40.0	6	27.3	6	75.0	13	41.9	281	42.4	12	60.0
50-59	*	*	*	*	0	0.0	*	*	119	18.0	*	*
60+	*	*	0	0.0	*	*	*	*	26	3.9	*	*
TRANSMISSION RISK												
Injection drug use history	6	20.0	*	*	*	*	*	*	167	25.2	6	30.0
Heterosexual	14	46.7	12	54.5	*	*	11	35.5	284	42.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	*	*
Unknown	10	33.3	6	27.3	*	*	15	48.4	176	26.6	9	45.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	299	45.2	7	35.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	363	54.8	13	65.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,527	100.0	1,245	81.5	282	18.5	1,197	100.0	28,085	100.0	381	100.0
RACE/ETHNICITY												
Black	546	35.8	446	35.8	100	35.5	417	34.8	7,763	27.6	137	36.0
Hispanic	449	29.4	352	28.3	97	34.4	335	28.0	7,442	26.5	94	24.7
White	491	32.2	413	33.2	78	27.7	417	34.8	12,325	43.9	148	38.8
Asian/Pacific Islander	39	2.6	32	2.6	7	2.5	27	2.3	464	1.7	*	*
Native American	*	*	*	*	0	0.0	0	0.0	28	0.1	*	*
Multiracial	0	0.0	0	0.0	0	0.0	*	*	11	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	52	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	76	5.0	71	5.7	*	*	19	1.6	123	0.4	0	0.0
20-29	475	31.1	417	33.5	58	20.6	208	17.4	2,484	8.8	12	3.1
30-39	577	37.8	474	38.1	103	36.5	457	38.2	8,341	29.7	84	22.0
40-49	305	20.0	219	17.6	86	30.5	357	29.8	10,683	38.0	145	38.1
50-59	74	4.8	51	4.1	23	8.2	121	10.1	4,859	17.3	90	23.6
60+	20	1.3	13	1.0	7	2.5	35	2.9	1,595	5.7	50	13.1
BOROUGH OF RESIDENCE												
Manhattan	615	40.3	519	41.7	96	34.0	477	39.8	12,986	46.2	164	43.0
Brooklyn	310	20.3	249	20.0	61	21.6	252	21.1	4,719	16.8	56	14.7
Bronx	218	14.3	178	14.3	40	14.2	151	12.6	2,863	10.2	61	16.0
Queens	222	14.5	159	12.8	63	22.3	180	15.0	3,759	13.4	40	10.5
Staten Island	23	1.5	17	1.4	6	2.1	16	1.3	340	1.2	8	2.1
Unknown or outside NYC	139	9.1	123	9.9	16	5.7	121	10.1	3,418	12.2	52	13.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,328	43.9	50	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,757	56.1	331	86.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	291	100.0	218	74.9	73	25.1	584	100.0	16,466	100.0	799	100.0
RACE/ETHNICITY												
Black	119	40.9	87	39.9	32	43.8	238	40.8	6,924	42.1	357	44.7
Hispanic	132	45.4	102	46.8	30	41.1	276	47.3	7,278	44.2	329	41.2
White	35	12.0	26	11.9	9	12.3	66	11.3	2,183	13.3	110	13.8
Asian/Pacific Islander	*	*	*	*	*	*	*	*	54	0.3	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	10	0.1	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	0.0	0	0.0
20-29	38	13.1	35	16.1	*	*	20	3.4	269	1.6	*	*
30-39	65	22.3	49	22.5	16	21.9	118	20.2	2,104	12.8	72	9.0
40-49	104	35.7	75	34.4	29	39.7	243	41.6	6,903	41.9	309	38.7
50-59	72	24.7	50	22.9	22	30.1	181	31.0	5,977	36.3	342	42.8
60+	9	3.1	6	2.8	*	*	22	3.8	1,206	7.3	75	9.4
BOROUGH OF RESIDENCE												
Manhattan	70	24.1	55	25.2	15	20.5	142	24.3	4,444	27.0	195	24.4
Brooklyn	69	23.7	51	23.4	18	24.7	151	25.9	3,971	24.1	209	26.2
Bronx	90	30.9	71	32.6	19	26.0	174	29.8	4,366	26.5	236	29.5
Queens	41	14.1	25	11.5	16	21.9	69	11.8	2,131	12.9	83	10.4
Staten Island	7	2.4	*	*	*	*	11	1.9	364	2.2	15	1.9
Unknown or outside NYC	14	4.8	11	5.0	*	*	37	6.3	1,190	7.2	61	7.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,923	23.8	83	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,543	76.2	716	89.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	151	100.0	127	84.1	24	15.9	269	100.0	6,825	100.0	367	100.0
RACE/ETHNICITY												
Black	70	46.4	59	46.5	11	45.8	142	52.8	3,398	49.8	194	52.9
Hispanic	59	39.1	49	38.6	10	41.7	94	34.9	2,567	37.6	133	36.2
White	22	14.6	19	15.0	*	*	32	11.9	836	12.2	40	10.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	13	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	*	*	0	0.0
20-29	19	12.6	16	12.6	*	*	9	3.3	168	2.5	*	*
30-39	48	31.8	44	34.6	*	*	57	21.2	1,324	19.4	49	13.4
40-49	54	35.8	40	31.5	14	58.3	148	55.0	3,287	48.2	175	47.7
50-59	26	17.2	23	18.1	*	*	48	17.8	1,796	26.3	118	32.2
60+	*	*	*	*	0	0.0	6	2.2	247	3.6	21	5.7
BOROUGH OF RESIDENCE												
Manhattan	33	21.9	27	21.3	6	25.0	86	32.0	1,643	24.1	106	28.9
Brooklyn	39	25.8	31	24.4	8	33.3	69	25.7	1,891	27.7	94	25.6
Bronx	57	37.7	51	40.2	6	25.0	75	27.9	1,974	28.9	110	30.0
Queens	10	6.6	8	6.3	*	*	25	9.3	858	12.6	37	10.1
Staten Island	6	4.0	*	*	*	*	*	*	167	2.4	6	1.6
Unknown or outside NYC	6	4.0	6	4.7	0	0.0	9	3.3	292	4.3	14	3.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,887	27.6	39	10.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,938	72.4	328	89.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	266	100.0	175	65.8	91	34.2	283	100.0	4,908	100.0	147	100.0
RACE/ETHNICITY												
Black	151	56.8	100	57.1	51	56.0	154	54.4	2,652	54.0	75	51.0
Hispanic	84	31.6	61	34.9	23	25.3	91	32.2	1,664	33.9	55	37.4
White	22	8.3	10	5.7	12	13.2	32	11.3	481	9.8	15	10.2
Asian/Pacific Islander	6	2.3	*	*	*	*	*	*	91	1.9	*	*
Native American	*	*	*	*	*	*	*	*	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	8	3.0	8	4.6	0	0.0	0	0.0	11	0.2	0	0.0
20-29	32	12.0	26	14.9	6	6.6	18	6.4	197	4.0	*	*
30-39	88	33.1	61	34.9	27	29.7	84	29.7	1,235	25.2	25	17.0
40-49	97	36.5	57	32.6	40	44.0	119	42.0	2,121	43.2	52	35.4
50-59	30	11.3	17	9.7	13	14.3	47	16.6	957	19.5	37	25.2
60+	11	4.1	6	3.4	*	*	15	5.3	387	7.9	32	21.8
BOROUGH OF RESIDENCE												
Manhattan	44	16.5	27	15.4	17	18.7	76	26.9	1,082	22.0	32	21.8
Brooklyn	79	29.7	49	28.0	30	33.0	73	25.8	1,382	28.2	45	30.6
Bronx	72	27.1	50	28.6	22	24.2	61	21.6	1,173	23.9	36	24.5
Queens	52	19.5	36	20.6	16	17.6	45	15.9	861	17.5	20	13.6
Staten Island	9	3.4	6	3.4	*	*	*	*	85	1.7	*	*
Unknown or outside NYC	10	3.8	7	4.0	*	*	23	8.1	325	6.6	12	8.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,927	39.3	20	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,981	60.7	127	86.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	562	100.0	426	75.8	136	24.2	560	100.0	12,205	100.0	249	100.0
RACE/ETHNICITY												
Black	373	66.4	283	66.4	90	66.2	365	65.2	7,056	57.8	157	63.1
Hispanic	142	25.3	103	24.2	39	28.7	156	27.9	3,995	32.7	76	30.5
White	30	5.3	26	6.1	*	*	33	5.9	1,004	8.2	14	5.6
Asian/Pacific Islander	14	2.5	11	2.6	*	*	*	*	116	1.0	*	*
Native American	*	*	*	*	0	0.0	*	*	14	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	30	5.3	29	6.8	*	*	*	*	85	0.7	0	0.0
20-29	125	22.2	106	24.9	19	14.0	90	16.1	1,176	9.6	9	3.6
30-39	165	29.4	121	28.4	44	32.4	167	29.8	3,560	29.2	63	25.3
40-49	157	27.9	119	27.9	38	27.9	185	33.0	4,818	39.5	96	38.6
50-59	64	11.4	41	9.6	23	16.9	82	14.6	1,906	15.6	62	24.9
60+	21	3.7	10	2.3	11	8.1	31	5.5	660	5.4	19	7.6
BOROUGH OF RESIDENCE												
Manhattan	90	16.0	72	16.9	18	13.2	103	18.4	2,239	18.3	50	20.1
Brooklyn	171	30.4	130	30.5	41	30.1	181	32.3	3,839	31.5	80	32.1
Bronx	156	27.8	111	26.1	45	33.1	154	27.5	3,317	27.2	74	29.7
Queens	110	19.6	83	19.5	27	19.9	77	13.8	1,933	15.8	27	10.8
Staten Island	14	2.5	12	2.8	*	*	11	2.0	284	2.3	*	*
Unknown or outside NYC	21	3.7	18	4.2	*	*	34	6.1	593	4.9	15	6.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,255	43.1	25	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,950	56.9	224	90.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	117	80.1	29	19.9	126	100.0	3,311	100.0	67	100.0
SEX												
Male	113	77.4	90	76.9	23	79.3	90	71.4	2,430	73.4	41	61.2
Female	33	22.6	27	23.1	6	20.7	36	28.6	881	26.6	26	38.8
RACE/ETHNICITY												
Black	59	40.4	46	39.3	13	44.8	57	45.2	1,346	40.7	35	52.2
Hispanic	64	43.8	49	41.9	15	51.7	56	44.4	1,504	45.4	23	34.3
White	22	15.1	21	17.9	*	*	13	10.3	436	13.2	8	11.9
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	18	0.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	45	1.4	0	0.0
13-19	*	*	*	*	0	0.0	*	*	52	1.6	0	0.0
20-29	32	21.9	31	26.5	*	*	8	6.3	220	6.6	0	0.0
30-39	46	31.5	36	30.8	10	34.5	41	32.5	843	25.5	10	14.9
40-49	37	25.3	26	22.2	11	37.9	38	30.2	1,186	35.8	32	47.8
50-59	21	14.4	16	13.7	*	*	30	23.8	730	22.0	15	22.4
60+	7	4.8	*	*	*	*	8	6.3	235	7.1	10	14.9
TRANSMISSION RISK												
Men who have sex with men	64	43.8	54	46.2	10	34.5	33	26.2	1,101	33.3	13	19.4
Injection drug use history	11	7.5	8	6.8	*	*	26	20.6	698	21.1	25	37.3
Heterosexual	20	13.7	15	12.8	*	*	24	19.0	597	18.0	11	16.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	92	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	*	*
Unknown	51	34.9	40	34.2	11	37.9	43	34.1	812	24.5	17	25.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,328	40.1	14	20.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,983	59.9	53	79.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	191	100.0	155	81.2	36	18.8	234	100.0	3,870	100.0	143	100.0
SEX												
Male	128	67.0	104	67.1	24	66.7	132	56.4	2,434	62.9	80	55.9
Female	63	33.0	51	32.9	12	33.3	102	43.6	1,436	37.1	63	44.1
RACE/ETHNICITY												
Black	147	77.0	119	76.8	28	77.8	184	78.6	2,954	76.3	117	81.8
Hispanic	29	15.2	21	13.5	8	22.2	36	15.4	603	15.6	15	10.5
White	13	6.8	13	8.4	0	0.0	12	5.1	286	7.4	11	7.7
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	14	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	64	1.7	0	0.0
13-19	*	*	*	*	0	0.0	*	*	62	1.6	0	0.0
20-29	48	25.1	45	29.0	*	*	20	8.5	257	6.6	0	0.0
30-39	61	31.9	52	33.5	9	25.0	64	27.4	893	23.1	21	14.7
40-49	48	25.1	35	22.6	13	36.1	76	32.5	1,417	36.6	48	33.6
50-59	18	9.4	10	6.5	8	22.2	55	23.5	900	23.3	53	37.1
60+	9	4.7	7	4.5	*	*	11	4.7	277	7.2	21	14.7
TRANSMISSION RISK												
Men who have sex with men	68	35.6	61	39.4	7	19.4	48	20.5	872	22.5	15	10.5
Injection drug use history	15	7.9	11	7.1	*	*	55	23.5	1,035	26.7	64	44.8
Heterosexual	31	16.2	25	16.1	6	16.7	55	23.5	766	19.8	25	17.5
Perinatal	*	*	*	*	*	*	7	3.0	119	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	75	39.3	57	36.8	18	50.0	69	29.5	1,069	27.6	39	27.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,539	39.8	13	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,331	60.2	130	90.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	134	100.0	98	73.1	36	26.9	157	100.0	2,781	100.0	92	100.0
SEX												
Male	90	67.2	66	67.3	24	66.7	100	63.7	1,795	64.5	57	62.0
Female	44	32.8	32	32.7	12	33.3	57	36.3	986	35.5	35	38.0
RACE/ETHNICITY												
Black	73	54.5	51	52.0	22	61.1	78	49.7	1,366	49.1	43	46.7
Hispanic	48	35.8	34	34.7	14	38.9	73	46.5	1,209	43.5	46	50.0
White	11	8.2	11	11.2	0	0.0	6	3.8	191	6.9	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	12	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	46	1.7	0	0.0
13-19	*	*	*	*	0	0.0	*	*	42	1.5	*	*
20-29	29	21.6	25	25.5	*	*	14	8.9	175	6.3	*	*
30-39	41	30.6	27	27.6	14	38.9	50	31.8	643	23.1	13	14.1
40-49	41	30.6	31	31.6	10	27.8	52	33.1	1,078	38.8	29	31.5
50-59	14	10.4	8	8.2	6	16.7	30	19.1	607	21.8	33	35.9
60+	7	5.2	*	*	*	*	9	5.7	190	6.8	14	15.2
TRANSMISSION RISK												
Men who have sex with men	40	29.9	34	34.7	6	16.7	26	16.6	524	18.8	9	9.8
Injection drug use history	21	15.7	14	14.3	7	19.4	43	27.4	933	33.5	42	45.7
Heterosexual	37	27.6	26	26.5	11	30.6	37	23.6	556	20.0	13	14.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	87	3.1	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	36	26.9	24	24.5	12	33.3	49	31.2	672	24.2	27	29.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,083	38.9	10	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,698	61.1	82	89.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	72	87.8	10	12.2	102	100.0	3,051	100.0	82	100.0
SEX												
Male	68	82.9	58	80.6	10	100.0	80	78.4	2,572	84.3	65	79.3
Female	14	17.1	14	19.4	0	0.0	22	21.6	479	15.7	17	20.7
RACE/ETHNICITY												
Black	29	35.4	25	34.7	*	*	42	41.2	906	29.7	41	50.0
Hispanic	24	29.3	22	30.6	*	*	22	21.6	806	26.4	19	23.2
White	28	34.1	24	33.3	*	*	37	36.3	1,284	42.1	22	26.8
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	33	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	8	0.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	16	0.5	0	0.0
20-29	16	19.5	14	19.4	*	*	8	7.8	113	3.7	0	0.0
30-39	31	37.8	28	38.9	*	*	28	27.5	574	18.8	7	8.5
40-49	21	25.6	17	23.6	*	*	42	41.2	1,214	39.8	34	41.5
50-59	6	7.3	*	*	*	*	17	16.7	840	27.5	27	32.9
60+	6	7.3	6	8.3	0	0.0	7	6.9	286	9.4	14	17.1
TRANSMISSION RISK												
Men who have sex with men	46	56.1	39	54.2	7	70.0	38	37.3	1,563	51.2	23	28.0
Injection drug use history	9	11.0	9	12.5	0	0.0	19	18.6	595	19.5	38	46.3
Heterosexual	8	9.8	7	9.7	*	*	17	16.7	293	9.6	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	25	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	18	22.0	16	22.2	*	*	28	27.5	568	18.6	16	19.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,159	38.0	17	20.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,892	62.0	65	79.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	33	67.3	16	32.7	54	100.0	1,301	100.0	26	100.0
SEX												
Male	44	89.8	28	84.8	16	100.0	49	90.7	1,127	86.6	16	61.5
Female	*	*	*	*	0	0.0	*	*	174	13.4	10	38.5
RACE/ETHNICITY												
Black	11	22.4	10	30.3	*	*	13	24.1	258	19.8	9	34.6
Hispanic	16	32.7	8	24.2	8	50.0	15	27.8	247	19.0	8	30.8
White	21	42.9	14	42.4	7	43.8	24	44.4	763	58.6	9	34.6
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	28	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	6	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	6	0.5	0	0.0
20-29	12	24.5	10	30.3	*	*	*	*	47	3.6	*	*
30-39	16	32.7	14	42.4	*	*	12	22.2	262	20.1	*	*
40-49	11	22.4	6	18.2	*	*	18	33.3	518	39.8	8	30.8
50-59	8	16.3	*	*	6	37.5	16	29.6	318	24.4	8	30.8
60+	*	*	0	0.0	*	*	*	*	144	11.1	8	30.8
TRANSMISSION RISK												
Men who have sex with men	35	71.4	24	72.7	11	68.8	28	51.9	763	58.6	7	26.9
Injection drug use history	*	*	*	*	0	0.0	6	11.1	171	13.1	12	46.2
Heterosexual	*	*	*	*	*	*	6	11.1	106	8.1	*	*
Perinatal	*	*	*	*	0	0.0	*	*	12	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	7	14.3	*	*	*	*	13	24.1	247	19.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	517	39.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	784	60.3	22	84.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	210	100.0	180	85.7	30	14.3	199	100.0	5,246	100.0	101	100.0
SEX												
Male	191	91.0	164	91.1	27	90.0	174	87.4	4,767	90.9	90	89.1
Female	19	9.0	16	8.9	*	*	25	12.6	479	9.1	11	10.9
RACE/ETHNICITY												
Black	48	22.9	43	23.9	*	*	41	20.6	1,057	20.1	34	33.7
Hispanic	47	22.4	39	21.7	8	26.7	48	24.1	1,143	21.8	24	23.8
White	111	52.9	95	52.8	16	53.3	105	52.8	2,923	55.7	42	41.6
Asian/Pacific Islander	*	*	*	*	*	*	*	*	77	1.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	6	2.9	*	*	*	*	*	*	26	0.5	0	0.0
20-29	48	22.9	42	23.3	6	20.0	19	9.5	239	4.6	0	0.0
30-39	91	43.3	78	43.3	13	43.3	63	31.7	1,337	25.5	15	14.9
40-49	51	24.3	46	25.6	*	*	71	35.7	2,269	43.3	47	46.5
50-59	11	5.2	8	4.4	*	*	35	17.6	1,062	20.2	26	25.7
60+	*	*	*	*	*	*	9	4.5	307	5.9	13	12.9
TRANSMISSION RISK												
Men who have sex with men	167	79.5	144	80.0	23	76.7	126	63.3	3,420	65.2	47	46.5
Injection drug use history	10	4.8	10	5.6	0	0.0	24	12.1	737	14.0	27	26.7
Heterosexual	11	5.2	8	4.4	*	*	12	6.0	269	5.1	6	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	22	10.5	18	10.0	*	*	37	18.6	799	15.2	21	20.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,399	45.7	12	11.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,847	54.3	89	88.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	55	80.9	13	19.1	78	100.0	1,960	100.0	38	100.0
SEX												
Male	61	89.7	49	89.1	12	92.3	67	85.9	1,751	89.3	32	84.2
Female	7	10.3	6	10.9	*	*	11	14.1	209	10.7	6	15.8
RACE/ETHNICITY												
Black	17	25.0	11	20.0	6	46.2	20	25.6	473	24.1	12	31.6
Hispanic	16	23.5	12	21.8	*	*	31	39.7	432	22.0	8	21.1
White	34	50.0	31	56.4	*	*	26	33.3	1,006	51.3	18	47.4
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	37	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	*	*	*	*	8	0.4	0	0.0
20-29	9	13.2	8	14.5	*	*	9	11.5	81	4.1	0	0.0
30-39	30	44.1	23	41.8	7	53.8	24	30.8	384	19.6	*	*
40-49	18	26.5	15	27.3	*	*	25	32.1	761	38.8	19	50.0
50-59	*	*	*	*	0	0.0	14	17.9	533	27.2	8	21.1
60+	*	*	*	*	0	0.0	*	*	190	9.7	6	15.8
TRANSMISSION RISK												
Men who have sex with men	40	58.8	33	60.0	7	53.8	40	51.3	1,081	55.2	15	39.5
Injection drug use history	13	19.1	12	21.8	*	*	13	16.7	395	20.2	15	39.5
Heterosexual	7	10.3	*	*	*	*	9	11.5	124	6.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	8	11.8	7	12.7	*	*	16	20.5	345	17.6	6	15.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	799	40.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,161	59.2	33	86.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	48	76.2	15	23.8	77	100.0	1,920	100.0	27	100.0
SEX												
Male	60	95.2	46	95.8	14	93.3	72	93.5	1,833	95.5	26	96.3
Female	*	*	*	*	*	*	*	*	87	4.5	*	*
RACE/ETHNICITY												
Black	8	12.7	7	14.6	*	*	10	13.0	311	16.2	7	25.9
Hispanic	14	22.2	11	22.9	*	*	14	18.2	319	16.6	8	29.6
White	38	60.3	28	58.3	10	66.7	50	64.9	1,240	64.6	12	44.4
Asian/Pacific Islander	*	*	*	*	*	*	*	*	42	2.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	14	22.2	12	25.0	*	*	*	*	69	3.6	0	0.0
30-39	28	44.4	22	45.8	6	40.0	32	41.6	457	23.8	*	*
40-49	17	27.0	11	22.9	6	40.0	21	27.3	768	40.0	7	25.9
50-59	*	*	*	*	*	*	12	15.6	464	24.2	12	44.4
60+	*	*	*	*	0	0.0	7	9.1	159	8.3	*	*
TRANSMISSION RISK												
Men who have sex with men	51	81.0	40	83.3	11	73.3	54	70.1	1,345	70.1	10	37.0
Injection drug use history	*	*	0	0.0	*	*	7	9.1	224	11.7	8	29.6
Heterosexual	*	*	*	*	*	*	*	*	57	3.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	7	11.1	7	14.6	0	0.0	12	15.6	293	15.3	7	25.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	793	41.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,127	58.7	23	85.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.7.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	77	82.8	16	17.2	126	100.0	3,037	100.0	79	100.0
SEX												
Male	73	78.5	61	79.2	12	75.0	103	81.7	2,462	81.1	59	74.7
Female	20	21.5	16	20.8	*	*	23	18.3	575	18.9	20	25.3
RACE/ETHNICITY												
Black	18	19.4	15	19.5	*	*	27	21.4	635	20.9	22	27.8
Hispanic	26	28.0	19	24.7	7	43.8	46	36.5	1,057	34.8	38	48.1
White	47	50.5	41	53.2	6	37.5	50	39.7	1,233	40.6	19	24.1
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	92	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	12	0.4	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	27	0.9	0	0.0
20-29	27	29.0	24	31.2	*	*	12	9.5	135	4.4	0	0.0
30-39	26	28.0	21	27.3	*	*	48	38.1	675	22.2	16	20.3
40-49	22	23.7	16	20.8	6	37.5	44	34.9	1,269	41.8	33	41.8
50-59	13	14.0	12	15.6	*	*	18	14.3	709	23.3	16	20.3
60+	*	*	0	0.0	*	*	*	*	210	6.9	14	17.7
TRANSMISSION RISK												
Men who have sex with men	60	64.5	50	64.9	10	62.5	59	46.8	1,385	45.6	18	22.8
Injection drug use history	11	11.8	8	10.4	*	*	25	19.8	773	25.5	40	50.6
Heterosexual	8	8.6	8	10.4	0	0.0	11	8.7	303	10.0	8	10.1
Perinatal	*	*	*	*	0	0.0	0	0.0	41	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	13	14.0	10	13.0	*	*	31	24.6	529	17.4	13	16.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,175	38.7	9	11.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,862	61.3	70	88.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**
Table 1.7.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	13	72.2	*	*	16	100.0	388	100.0	10	100.0
SEX												
Male	16	88.9	12	92.3	*	*	13	81.3	310	79.9	9	90.0
Female	*	*	*	*	*	*	*	*	78	20.1	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	*	*	100	25.8	*	*
Hispanic	*	*	*	*	*	*	*	*	92	23.7	*	*
White	10	55.6	7	53.8	*	*	7	43.8	178	45.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	23	5.9	0	0.0
30-39	*	*	*	*	0	0.0	*	*	118	30.4	*	*
40-49	9	50.0	6	46.2	*	*	7	43.8	157	40.5	*	*
50-59	*	*	0	0.0	*	*	*	*	73	18.8	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	10	2.6	*	*
TRANSMISSION RISK												
Men who have sex with men	14	77.8	10	76.9	*	*	9	56.3	190	49.0	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	70	18.0	*	*
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	48	12.4	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	*	*	*	*	*	*	*	*	72	18.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	190	49.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	198	51.0	9	90.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	24	66.7	12	33.3	35	100.0	882	100.0	25	100.0
SEX												
Male	29	80.6	21	87.5	8	66.7	26	74.3	636	72.1	16	64.0
Female	7	19.4	*	*	*	*	9	25.7	246	27.9	9	36.0
RACE/ETHNICITY												
Black	*	*	*	*	*	*	10	28.6	175	19.8	7	28.0
Hispanic	14	38.9	7	29.2	7	58.3	17	48.6	459	52.0	12	48.0
White	17	47.2	14	58.3	*	*	8	22.9	238	27.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
13-19	*	*	*	*	0	0.0	*	*	11	1.2	*	*
20-29	10	27.8	9	37.5	*	*	6	17.1	59	6.7	*	*
30-39	12	33.3	8	33.3	*	*	9	25.7	251	28.5	*	*
40-49	8	22.2	*	*	*	*	14	40.0	350	39.7	13	52.0
50-59	*	*	*	*	0	0.0	*	*	154	17.5	*	*
60+	*	*	0	0.0	*	*	*	*	45	5.1	*	*
TRANSMISSION RISK												
Men who have sex with men	20	55.6	16	66.7	*	*	15	42.9	269	30.5	*	*
Injection drug use history	*	*	*	*	*	*	6	17.1	250	28.3	9	36.0
Heterosexual	*	*	*	*	*	*	*	*	128	14.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	2.6	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	10	27.8	*	*	6	50.0	10	28.6	209	23.7	8	32.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	316	35.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	566	64.2	22	88.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	99	100.0	81	81.8	18	18.2	111	100.0	2,765	100.0	83	100.0
SEX												
Male	71	71.7	59	72.8	12	66.7	73	65.8	2,033	73.5	63	75.9
Female	28	28.3	22	27.2	6	33.3	38	34.2	732	26.5	20	24.1
RACE/ETHNICITY												
Black	54	54.5	46	56.8	8	44.4	55	49.5	1,247	45.1	40	48.2
Hispanic	17	17.2	10	12.3	7	38.9	34	30.6	753	27.2	27	32.5
White	27	27.3	24	29.6	*	*	22	19.8	725	26.2	16	19.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	27	1.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	26	0.9	0	0.0
20-29	20	20.2	19	23.5	*	*	9	8.1	139	5.0	*	*
30-39	25	25.3	22	27.2	*	*	29	26.1	689	24.9	13	15.7
40-49	31	31.3	24	29.6	7	38.9	43	38.7	1,078	39.0	21	25.3
50-59	19	19.2	13	16.0	6	33.3	22	19.8	612	22.1	35	42.2
60+	*	*	*	*	*	*	6	5.4	194	7.0	12	14.5
TRANSMISSION RISK												
Men who have sex with men	48	48.5	42	51.9	6	33.3	35	31.5	1,031	37.3	15	18.1
Injection drug use history	10	10.1	9	11.1	*	*	26	23.4	663	24.0	38	45.8
Heterosexual	15	15.2	12	14.8	*	*	26	23.4	410	14.8	10	12.0
Perinatal	*	*	*	*	0	0.0	*	*	59	2.1	0	0.0
Other	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Unknown	24	24.2	17	21.0	7	38.9	21	18.9	598	21.6	20	24.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,075	38.9	10	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,690	61.1	73	88.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	308	100.0	213	69.2	95	30.8	320	100.0	5,818	100.0	207	100.0
SEX												
Male	188	61.0	124	58.2	64	67.4	212	66.3	3,491	60.0	118	57.0
Female	120	39.0	89	41.8	31	32.6	108	33.8	2,327	40.0	89	43.0
RACE/ETHNICITY												
Black	267	86.7	184	86.4	83	87.4	259	80.9	4,797	82.5	179	86.5
Hispanic	25	8.1	18	8.5	7	7.4	44	13.8	729	12.5	22	10.6
White	14	4.5	9	4.2	*	*	16	5.0	258	4.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	21	0.4	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	101	1.7	0	0.0
13-19	11	3.6	11	5.2	0	0.0	8	2.5	109	1.9	*	*
20-29	63	20.5	50	23.5	13	13.7	40	12.5	449	7.7	9	4.3
30-39	105	34.1	81	38.0	24	25.3	93	29.1	1,367	23.5	37	17.9
40-49	73	23.7	41	19.2	32	33.7	102	31.9	2,177	37.4	70	33.8
50-59	35	11.4	18	8.5	17	17.9	58	18.1	1,239	21.3	55	26.6
60+	18	5.8	11	5.2	7	7.4	17	5.3	376	6.5	34	16.4
TRANSMISSION RISK												
Men who have sex with men	76	24.7	57	26.8	19	20.0	74	23.1	1,051	18.1	14	6.8
Injection drug use history	28	9.1	23	10.8	*	*	55	17.2	1,430	24.6	71	34.3
Heterosexual	80	26.0	52	24.4	28	29.5	67	20.9	1,291	22.2	41	19.8
Perinatal	*	*	*	*	*	*	6	1.9	193	3.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	*	*
Unknown	121	39.3	80	37.6	41	43.2	118	36.9	1,838	31.6	78	37.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,276	39.1	21	10.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,542	60.9	186	89.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	113	100.0	78	69.0	35	31.0	122	100.0	2,342	100.0	89	100.0
SEX												
Male	65	57.5	46	59.0	19	54.3	69	56.6	1,253	53.5	52	58.4
Female	48	42.5	32	41.0	16	45.7	53	43.4	1,089	46.5	37	41.6
RACE/ETHNICITY												
Black	77	68.1	53	67.9	24	68.6	83	68.0	1,497	63.9	58	65.2
Hispanic	33	29.2	22	28.2	11	31.4	37	30.3	744	31.8	27	30.3
White	*	*	*	*	0	0.0	*	*	77	3.3	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	13	0.6	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	44	1.9	0	0.0
13-19	*	*	*	*	0	0.0	*	*	55	2.3	0	0.0
20-29	18	15.9	17	21.8	*	*	11	9.0	190	8.1	*	*
30-39	35	31.0	26	33.3	9	25.7	29	23.8	558	23.8	15	16.9
40-49	31	27.4	19	24.4	12	34.3	47	38.5	879	37.5	30	33.7
50-59	12	10.6	*	*	7	20.0	23	18.9	465	19.9	27	30.3
60+	12	10.6	6	7.7	6	17.1	11	9.0	151	6.4	15	16.9
TRANSMISSION RISK												
Men who have sex with men	16	14.2	15	19.2	*	*	14	11.5	264	11.3	*	*
Injection drug use history	13	11.5	10	12.8	*	*	21	17.2	614	26.2	34	38.2
Heterosexual	31	27.4	24	30.8	7	20.0	34	27.9	591	25.2	21	23.6
Perinatal	*	*	*	*	0	0.0	*	*	89	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Unknown	52	46.0	28	35.9	24	68.6	52	42.6	778	33.2	32	36.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	939	40.1	15	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,403	59.9	74	83.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East New York: 11207, 11208.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	35	100.0	24	68.6	11	31.4	36	100.0	716	100.0	20	100.0
SEX												
Male	25	71.4	17	70.8	8	72.7	24	66.7	487	68.0	15	75.0
Female	10	28.6	7	29.2	*	*	12	33.3	229	32.0	*	*
RACE/ETHNICITY												
Black	7	20.0	*	*	*	*	9	25.0	97	13.5	*	*
Hispanic	22	62.9	17	70.8	*	*	18	50.0	458	64.0	14	70.0
White	*	*	*	*	*	*	6	16.7	132	18.4	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	27	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	17	2.4	0	0.0
20-29	7	20.0	*	*	*	*	*	*	46	6.4	0	0.0
30-39	12	34.3	8	33.3	*	*	11	30.6	180	25.1	*	*
40-49	9	25.7	7	29.2	*	*	13	36.1	271	37.8	10	50.0
50-59	*	*	*	*	*	*	8	22.2	149	20.8	*	*
60+	*	*	*	*	*	*	*	*	48	6.7	*	*
TRANSMISSION RISK												
Men who have sex with men	7	20.0	*	*	*	*	*	*	157	21.9	*	*
Injection drug use history	7	20.0	6	25.0	*	*	10	27.8	242	33.8	13	65.0
Heterosexual	8	22.9	6	25.0	*	*	8	22.2	158	22.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	13	37.1	7	29.2	6	54.5	13	36.1	136	19.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	273	38.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	443	61.9	16	80.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	31	73.8	11	26.2	38	100.0	880	100.0	35	100.0
SEX												
Male	28	66.7	22	71.0	6	54.5	19	50.0	600	68.2	24	68.6
Female	14	33.3	9	29.0	*	*	19	50.0	280	31.8	11	31.4
RACE/ETHNICITY												
Black	15	35.7	12	38.7	*	*	16	42.1	276	31.4	10	28.6
Hispanic	11	26.2	7	22.6	*	*	12	31.6	295	33.5	9	25.7
White	14	33.3	10	32.3	*	*	10	26.3	281	31.9	15	42.9
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	26	3.0	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	6	0.7	0	0.0
13-19	*	*	*	*	0	0.0	*	*	15	1.7	*	*
20-29	14	33.3	11	35.5	*	*	*	*	61	6.9	*	*
30-39	10	23.8	8	25.8	*	*	8	21.1	196	22.3	*	*
40-49	9	21.4	*	*	*	*	17	44.7	334	38.0	11	31.4
50-59	6	14.3	*	*	*	*	6	15.8	214	24.3	15	42.9
60+	0	0.0	0	0.0	0	0.0	*	*	54	6.1	*	*
TRANSMISSION RISK												
Men who have sex with men	15	35.7	12	38.7	*	*	6	15.8	228	25.9	*	*
Injection drug use history	*	*	*	*	*	*	10	26.3	235	26.7	13	37.1
Heterosexual	9	21.4	6	19.4	*	*	10	26.3	204	23.2	*	*
Perinatal	*	*	*	*	0	0.0	*	*	22	2.5	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	13	31.0	10	32.3	*	*	11	28.9	188	21.4	14	40.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	342	38.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	538	61.1	33	94.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	188	100.0	134	71.3	54	28.7	198	100.0	3,669	100.0	83	100.0
SEX												
Male	108	57.4	76	56.7	32	59.3	124	62.6	2,177	59.3	52	62.7
Female	80	42.6	58	43.3	22	40.7	74	37.4	1,492	40.7	31	37.3
RACE/ETHNICITY												
Black	170	90.4	118	88.1	52	96.3	171	86.4	3,107	84.7	72	86.7
Hispanic	9	4.8	8	6.0	*	*	16	8.1	372	10.1	9	10.8
White	7	3.7	6	4.5	*	*	9	4.5	157	4.3	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	26	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	62	1.7	0	0.0
13-19	6	3.2	6	4.5	0	0.0	*	*	71	1.9	*	*
20-29	41	21.8	38	28.4	*	*	25	12.6	314	8.6	*	*
30-39	56	29.8	41	30.6	15	27.8	57	28.8	887	24.2	16	19.3
40-49	55	29.3	33	24.6	22	40.7	76	38.4	1,362	37.1	28	33.7
50-59	23	12.2	13	9.7	10	18.5	26	13.1	730	19.9	24	28.9
60+	7	3.7	*	*	*	*	12	6.1	243	6.6	9	10.8
TRANSMISSION RISK												
Men who have sex with men	48	25.5	38	28.4	10	18.5	47	23.7	668	18.2	*	*
Injection drug use history	8	4.3	7	5.2	*	*	20	10.1	551	15.0	24	28.9
Heterosexual	47	25.0	37	27.6	10	18.5	42	21.2	954	26.0	15	18.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	116	3.2	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	19	0.5	*	*
Unknown	85	45.2	52	38.8	33	61.1	87	43.9	1,361	37.1	35	42.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,367	37.3	9	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,302	62.7	74	89.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	59	100.0	41	69.5	18	30.5	60	100.0	1,033	100.0	25	100.0
SEX												
Male	36	61.0	23	56.1	13	72.2	38	63.3	562	54.4	15	60.0
Female	23	39.0	18	43.9	*	*	22	36.7	471	45.6	10	40.0
RACE/ETHNICITY												
Black	52	88.1	36	87.8	16	88.9	50	83.3	766	74.2	15	60.0
Hispanic	*	*	*	*	0	0.0	6	10.0	120	11.6	*	*
White	*	*	*	*	*	*	*	*	134	13.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	22	2.1	0	0.0
13-19	6	10.2	6	14.6	0	0.0	*	*	26	2.5	0	0.0
20-29	9	15.3	7	17.1	*	*	9	15.0	90	8.7	0	0.0
30-39	17	28.8	14	34.1	*	*	14	23.3	255	24.7	*	*
40-49	18	30.5	10	24.4	8	44.4	21	35.0	371	35.9	16	64.0
50-59	8	13.6	*	*	*	*	12	20.0	211	20.4	*	*
60+	*	*	*	*	0	0.0	*	*	58	5.6	*	*
TRANSMISSION RISK												
Men who have sex with men	16	27.1	13	31.7	*	*	9	15.0	147	14.2	*	*
Injection drug use history	*	*	*	*	*	*	12	20.0	175	16.9	8	32.0
Heterosexual	14	23.7	10	24.4	*	*	13	21.7	315	30.5	6	24.0
Perinatal	0	0.0	0	0.0	0	0.0	*	*	42	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	26	44.1	17	41.5	9	50.0	23	38.3	348	33.7	9	36.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	451	43.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	582	56.3	22	88.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	11	64.7	6	35.3	22	100.0	477	100.0	15	100.0
SEX												
Male	12	70.6	8	72.7	*	*	15	68.2	337	70.6	13	86.7
Female	*	*	*	*	*	*	7	31.8	140	29.4	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	6	27.3	64	13.4	*	*
Hispanic	*	*	*	*	*	*	9	40.9	132	27.7	*	*
White	*	*	*	*	*	*	7	31.8	260	54.5	12	80.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	21	4.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	*	*	*	*	0	0.0	*	*	37	7.8	0	0.0
30-39	6	35.3	*	*	*	*	9	40.9	108	22.6	0	0.0
40-49	*	*	*	*	*	*	*	*	193	40.5	*	*
50-59	*	*	*	*	*	*	*	*	105	22.0	10	66.7
60+	0	0.0	0	0.0	0	0.0	*	*	28	5.9	*	*
TRANSMISSION RISK												
Men who have sex with men	7	41.2	*	*	*	*	9	40.9	158	33.1	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	135	28.3	8	53.3
Heterosexual	*	*	0	0.0	*	*	7	31.8	87	18.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	89	18.7	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	190	39.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	287	60.2	10	66.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	28	66.7	14	33.3	47	100.0	1,026	100.0	30	100.0
SEX												
Male	28	66.7	18	64.3	10	71.4	32	68.1	610	59.5	23	76.7
Female	14	33.3	10	35.7	*	*	15	31.9	416	40.5	7	23.3
RACE/ETHNICITY												
Black	13	31.0	8	28.6	*	*	20	42.6	390	38.0	10	33.3
Hispanic	13	31.0	8	28.6	*	*	13	27.7	342	33.3	10	33.3
White	12	28.6	8	28.6	*	*	13	27.7	269	26.2	9	30.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	22	2.1	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	13	1.3	0	0.0
13-19	*	*	*	*	*	*	*	*	22	2.1	0	0.0
20-29	8	19.0	6	21.4	*	*	*	*	81	7.9	*	*
30-39	16	38.1	10	35.7	6	42.9	19	40.4	249	24.3	*	*
40-49	10	23.8	8	28.6	*	*	14	29.8	377	36.7	11	36.7
50-59	6	14.3	*	*	*	*	7	14.9	214	20.9	10	33.3
60+	0	0.0	0	0.0	0	0.0	*	*	70	6.8	*	*
TRANSMISSION RISK												
Men who have sex with men	11	26.2	7	25.0	*	*	8	17.0	187	18.2	0	0.0
Injection drug use history	8	19.0	*	*	*	*	13	27.7	297	28.9	14	46.7
Heterosexual	13	31.0	9	32.1	*	*	11	23.4	254	24.8	7	23.3
Perinatal	0	0.0	0	0.0	0	0.0	*	*	28	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
Unknown	10	23.8	7	25.0	*	*	13	27.7	252	24.6	9	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	375	36.5	6	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	651	63.5	24	80.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**
Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	126	100.0	97	77.0	29	23.0	151	100.0	3,250	100.0	110	100.0
SEX												
Male	89	70.6	70	72.2	19	65.5	91	60.3	1,959	60.3	66	60.0
Female	37	29.4	27	27.8	10	34.5	60	39.7	1,291	39.7	44	40.0
RACE/ETHNICITY												
Black	78	61.9	60	61.9	18	62.1	90	59.6	1,754	54.0	60	54.5
Hispanic	38	30.2	29	29.9	9	31.0	54	35.8	1,338	41.2	47	42.7
White	6	4.8	*	*	*	*	6	4.0	140	4.3	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	11	0.3	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	50	1.5	0	0.0
13-19	*	*	*	*	0	0.0	*	*	58	1.8	*	*
20-29	32	25.4	30	30.9	*	*	15	9.9	228	7.0	0	0.0
30-39	36	28.6	27	27.8	9	31.0	49	32.5	760	23.4	17	15.5
40-49	38	30.2	27	27.8	11	37.9	57	37.7	1,292	39.8	43	39.1
50-59	14	11.1	7	7.2	7	24.1	23	15.2	676	20.8	37	33.6
60+	*	*	*	*	0	0.0	*	*	186	5.7	12	10.9
TRANSMISSION RISK												
Men who have sex with men	42	33.3	36	37.1	6	20.7	27	17.9	447	13.8	8	7.3
Injection drug use history	15	11.9	10	10.3	*	*	35	23.2	1,025	31.5	50	45.5
Heterosexual	24	19.0	20	20.6	*	*	25	16.6	669	20.6	12	10.9
Perinatal	0	0.0	0	0.0	0	0.0	*	*	95	2.9	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	9	0.3	0	0.0
Unknown	45	35.7	31	32.0	14	48.3	60	39.7	1,005	30.9	39	35.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,246	38.3	8	7.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,004	61.7	102	92.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Williamsburg - Bushwick: 11206, 11221, 11237.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	14	66.7	7	33.3	19	100.0	469	100.0	9	100.0
SEX												
Male	12	57.1	9	64.3	*	*	9	47.4	310	66.1	*	*
Female	9	42.9	*	*	*	*	10	52.6	159	33.9	*	*
RACE/ETHNICITY												
Black	8	38.1	*	*	*	*	8	42.1	154	32.8	*	*
Hispanic	11	52.4	9	64.3	*	*	9	47.4	220	46.9	*	*
White	*	*	*	*	*	*	*	*	87	18.6	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	1.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	1.5	0	0.0
20-29	*	*	*	*	0	0.0	*	*	31	6.6	0	0.0
30-39	*	*	*	*	*	*	*	*	91	19.4	*	*
40-49	7	33.3	*	*	*	*	7	36.8	170	36.2	*	*
50-59	*	*	*	*	*	*	*	*	130	27.7	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	33	7.0	*	*
TRANSMISSION RISK												
Men who have sex with men	6	28.6	*	*	*	*	*	*	121	25.8	0	0.0
Injection drug use history	*	*	*	*	0	0.0	*	*	118	25.2	*	*
Heterosexual	*	*	*	*	*	*	6	31.6	83	17.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	10	47.6	6	42.9	*	*	7	36.8	130	27.7	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	188	40.1	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	281	59.9	9	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	45	67.2	22	32.8	68	100.0	1,452	100.0	30	100.0
SEX												
Male	42	62.7	31	68.9	11	50.0	39	57.4	810	55.8	23	76.7
Female	25	37.3	14	31.1	11	50.0	29	42.6	642	44.2	7	23.3
RACE/ETHNICITY												
Black	50	74.6	32	71.1	18	81.8	44	64.7	928	63.9	18	60.0
Hispanic	13	19.4	10	22.2	*	*	16	23.5	403	27.8	8	26.7
White	*	*	*	*	0	0.0	7	10.3	109	7.5	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	7	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	1.8	0	0.0
13-19	*	*	*	*	0	0.0	*	*	42	2.9	0	0.0
20-29	12	17.9	8	17.8	*	*	7	10.3	103	7.1	0	0.0
30-39	24	35.8	17	37.8	7	31.8	19	27.9	335	23.1	8	26.7
40-49	16	23.9	10	22.2	6	27.3	24	35.3	560	38.6	10	33.3
50-59	9	13.4	*	*	*	*	14	20.6	293	20.2	9	30.0
60+	*	*	*	*	0	0.0	*	*	93	6.4	*	*
TRANSMISSION RISK												
Men who have sex with men	16	23.9	14	31.1	*	*	9	13.2	206	14.2	*	*
Injection drug use history	*	*	*	*	0	0.0	8	11.8	313	21.6	15	50.0
Heterosexual	27	40.3	20	44.4	7	31.8	15	22.1	348	24.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	57	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	22	32.8	9	20.0	13	59.1	35	51.5	525	36.2	8	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	631	43.5	7	23.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	821	56.5	23	76.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	196	100.0	143	73.0	53	27.0	201	100.0	3,710	100.0	114	100.0
SEX												
Male	121	61.7	88	61.5	33	62.3	127	63.2	2,305	62.1	77	67.5
Female	75	38.3	55	38.5	20	37.7	74	36.8	1,405	37.9	37	32.5
RACE/ETHNICITY												
Black	101	51.5	71	49.7	30	56.6	93	46.3	1,482	39.9	46	40.4
Hispanic	87	44.4	67	46.9	20	37.7	96	47.8	2,000	53.9	61	53.5
White	7	3.6	*	*	*	*	11	5.5	201	5.4	7	6.1
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	19	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	61	1.6	*	*
13-19	13	6.6	13	9.1	0	0.0	*	*	73	2.0	0	0.0
20-29	39	19.9	36	25.2	*	*	21	10.4	296	8.0	*	*
30-39	66	33.7	45	31.5	21	39.6	59	29.4	934	25.2	21	18.4
40-49	50	25.5	30	21.0	20	37.7	85	42.3	1,493	40.2	40	35.1
50-59	22	11.2	14	9.8	8	15.1	28	13.9	695	18.7	42	36.8
60+	*	*	*	*	*	*	*	*	158	4.3	8	7.0
TRANSMISSION RISK												
Men who have sex with men	44	22.4	36	25.2	8	15.1	34	16.9	626	16.9	14	12.3
Injection drug use history	17	8.7	14	9.8	*	*	41	20.4	1,022	27.5	56	49.1
Heterosexual	48	24.5	35	24.5	13	24.5	44	21.9	815	22.0	15	13.2
Perinatal	*	*	*	*	0	0.0	*	*	123	3.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	*	*
Unknown	85	43.4	56	39.2	29	54.7	78	38.8	1,118	30.1	27	23.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,575	42.5	12	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,135	57.5	102	89.5

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	138	100.0	94	68.1	44	31.9	158	100.0	3,141	100.0	105	100.0
SEX												
Male	87	63.0	59	62.8	28	63.6	93	58.9	1,807	57.5	68	64.8
Female	51	37.0	35	37.2	16	36.4	65	41.1	1,334	42.5	37	35.2
RACE/ETHNICITY												
Black	55	39.9	38	40.4	17	38.6	64	40.5	1,241	39.5	46	43.8
Hispanic	73	52.9	48	51.1	25	56.8	80	50.6	1,614	51.4	46	43.8
White	9	6.5	7	7.4	*	*	13	8.2	263	8.4	13	12.4
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	16	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	48	1.5	0	0.0
13-19	12	8.7	12	12.8	0	0.0	6	3.8	90	2.9	0	0.0
20-29	28	20.3	22	23.4	6	13.6	17	10.8	226	7.2	*	*
30-39	47	34.1	31	33.0	16	36.4	55	34.8	707	22.5	20	19.0
40-49	33	23.9	18	19.1	15	34.1	52	32.9	1,268	40.4	31	29.5
50-59	15	10.9	8	8.5	7	15.9	27	17.1	645	20.5	39	37.1
60+	*	*	*	*	0	0.0	*	*	157	5.0	12	11.4
TRANSMISSION RISK												
Men who have sex with men	39	28.3	32	34.0	7	15.9	28	17.7	474	15.1	7	6.7
Injection drug use history	16	11.6	13	13.8	*	*	30	19.0	900	28.7	48	45.7
Heterosexual	21	15.2	13	13.8	8	18.2	32	20.3	690	22.0	22	21.0
Perinatal	*	*	*	*	0	0.0	*	*	128	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Unknown	61	44.2	35	37.2	26	59.1	65	41.1	936	29.8	28	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,298	41.3	18	17.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,843	58.7	87	82.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**

Table 1.9.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	179	100.0	126	70.4	53	29.6	199	100.0	4,150	100.0	154	100.0
SEX												
Male	107	59.8	75	59.5	32	60.4	125	62.8	2,409	58.0	107	69.5
Female	72	40.2	51	40.5	21	39.6	74	37.2	1,741	42.0	47	30.5
RACE/ETHNICITY												
Black	91	50.8	59	46.8	32	60.4	104	52.3	1,871	45.1	73	47.4
Hispanic	84	46.9	63	50.0	21	39.6	92	46.2	2,139	51.5	73	47.4
White	*	*	*	*	0	0.0	*	*	125	3.0	8	5.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	82	2.0	0	0.0
13-19	6	3.4	*	*	*	*	*	*	78	1.9	*	*
20-29	29	16.2	24	19.0	*	*	14	7.0	269	6.5	*	*
30-39	52	29.1	37	29.4	15	28.3	55	27.6	969	23.3	28	18.2
40-49	60	33.5	45	35.7	15	28.3	74	37.2	1,641	39.5	60	39.0
50-59	22	12.3	13	10.3	9	17.0	44	22.1	834	20.1	48	31.2
60+	9	5.0	*	*	8	15.1	9	4.5	277	6.7	15	9.7
TRANSMISSION RISK												
Men who have sex with men	25	14.0	21	16.7	*	*	18	9.0	466	11.2	11	7.1
Injection drug use history	34	19.0	29	23.0	*	*	56	28.1	1,369	33.0	74	48.1
Heterosexual	39	21.8	25	19.8	14	26.4	38	19.1	860	20.7	22	14.3
Perinatal	*	*	*	*	0	0.0	*	*	156	3.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	*	*
Unknown	80	44.7	50	39.7	30	56.6	84	42.2	1,288	31.0	44	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,673	40.3	14	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,477	59.7	140	90.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	223	100.0	163	73.1	60	26.9	227	100.0	4,479	100.0	156	100.0
SEX												
Male	128	57.4	87	53.4	41	68.3	139	61.2	2,614	58.4	98	62.8
Female	95	42.6	76	46.6	19	31.7	88	38.8	1,865	41.6	58	37.2
RACE/ETHNICITY												
Black	144	64.6	98	60.1	46	76.7	139	61.2	2,371	52.9	82	52.6
Hispanic	73	32.7	60	36.8	13	21.7	82	36.1	1,968	43.9	66	42.3
White	6	2.7	*	*	*	*	*	*	117	2.6	7	4.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	17	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	85	1.9	0	0.0
13-19	*	*	*	*	*	*	*	*	79	1.8	0	0.0
20-29	41	18.4	33	20.2	8	13.3	26	11.5	330	7.4	*	*
30-39	70	31.4	56	34.4	14	23.3	68	30.0	1,091	24.4	27	17.3
40-49	70	31.4	50	30.7	20	33.3	78	34.4	1,656	37.0	70	44.9
50-59	23	10.3	15	9.2	8	13.3	36	15.9	932	20.8	42	26.9
60+	13	5.8	*	*	9	15.0	15	6.6	306	6.8	13	8.3
TRANSMISSION RISK												
Men who have sex with men	41	18.4	31	19.0	10	16.7	36	15.9	568	12.7	13	8.3
Injection drug use history	37	16.6	30	18.4	7	11.7	49	21.6	1,357	30.3	74	47.4
Heterosexual	50	22.4	37	22.7	13	21.7	44	19.4	970	21.7	27	17.3
Perinatal	*	*	*	*	0	0.0	*	*	157	3.5	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	94	42.2	64	39.3	30	50.0	96	42.3	1,416	31.6	41	26.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,791	40.0	19	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,688	60.0	137	87.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.9.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	144	100.0	113	78.5	31	21.5	156	100.0	2,831	100.0	106	100.0
SEX												
Male	91	63.2	73	64.6	18	58.1	84	53.8	1,734	61.3	63	59.4
Female	53	36.8	40	35.4	13	41.9	72	46.2	1,097	38.7	43	40.6
RACE/ETHNICITY												
Black	65	45.1	52	46.0	13	41.9	65	41.7	994	35.1	47	44.3
Hispanic	74	51.4	57	50.4	17	54.8	85	54.5	1,748	61.7	54	50.9
White	*	*	*	*	*	*	6	3.8	77	2.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	53	1.9	0	0.0
13-19	6	4.2	6	5.3	0	0.0	*	*	60	2.1	0	0.0
20-29	38	26.4	34	30.1	*	*	14	9.0	197	7.0	*	*
30-39	32	22.2	25	22.1	7	22.6	47	30.1	651	23.0	15	14.2
40-49	43	29.9	30	26.5	13	41.9	65	41.7	1,124	39.7	45	42.5
50-59	14	9.7	9	8.0	*	*	18	11.5	591	20.9	35	33.0
60+	8	5.6	6	5.3	*	*	10	6.4	155	5.5	9	8.5
TRANSMISSION RISK												
Men who have sex with men	41	28.5	35	31.0	6	19.4	21	13.5	312	11.0	9	8.5
Injection drug use history	31	21.5	25	22.1	6	19.4	50	32.1	1,021	36.1	58	54.7
Heterosexual	32	22.2	23	20.4	9	29.0	32	20.5	590	20.8	18	17.0
Perinatal	*	*	*	*	0	0.0	*	*	118	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	14	0.5	0	0.0
Unknown	37	25.7	27	23.9	10	32.3	50	32.1	776	27.4	21	19.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,153	40.7	6	5.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,678	59.3	100	94.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	54	71.1	22	28.9	58	100.0	1,490	100.0	24	100.0
SEX												
Male	65	85.5	46	85.2	19	86.4	51	87.9	1,176	78.9	15	62.5
Female	11	14.5	8	14.8	*	*	7	12.1	314	21.1	9	37.5
RACE/ETHNICITY												
Black	13	17.1	11	20.4	*	*	9	15.5	354	23.8	10	41.7
Hispanic	30	39.5	18	33.3	12	54.5	27	46.6	587	39.4	8	33.3
White	29	38.2	23	42.6	6	27.3	19	32.8	494	33.2	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	44	3.0	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	16	1.1	0	0.0
20-29	23	30.3	18	33.3	*	*	8	13.8	112	7.5	0	0.0
30-39	25	32.9	19	35.2	6	27.3	25	43.1	456	30.6	*	*
40-49	21	27.6	14	25.9	7	31.8	16	27.6	591	39.7	10	41.7
50-59	*	*	*	*	*	*	7	12.1	244	16.4	8	33.3
60+	*	*	0	0.0	*	*	*	*	63	4.2	*	*
TRANSMISSION RISK												
Men who have sex with men	39	51.3	31	57.4	8	36.4	23	39.7	686	46.0	*	*
Injection drug use history	7	9.2	*	*	*	*	10	17.2	246	16.5	11	45.8
Heterosexual	16	21.1	11	20.4	*	*	10	17.2	237	15.9	6	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	14	18.4	8	14.8	6	27.3	15	25.9	295	19.8	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	623	41.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	867	58.2	23	95.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	181	100.0	123	68.0	58	32.0	154	100.0	3,781	100.0	84	100.0
SEX												
Male	145	80.1	94	76.4	51	87.9	126	81.8	2,936	77.7	62	73.8
Female	36	19.9	29	23.6	7	12.1	28	18.2	845	22.3	22	26.2
RACE/ETHNICITY												
Black	40	22.1	33	26.8	7	12.1	32	20.8	1,125	29.8	27	32.1
Hispanic	112	61.9	78	63.4	34	58.6	91	59.1	2,006	53.1	39	46.4
White	17	9.4	9	7.3	8	13.8	16	10.4	532	14.1	17	20.2
Asian/Pacific Islander	12	6.6	*	*	9	15.5	15	9.7	104	2.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	16	0.4	0	0.0
13-19	7	3.9	6	4.9	*	*	*	*	28	0.7	*	*
20-29	54	29.8	38	30.9	16	27.6	23	14.9	258	6.8	*	*
30-39	69	38.1	47	38.2	22	37.9	55	35.7	1,083	28.6	16	19.0
40-49	33	18.2	20	16.3	13	22.4	56	36.4	1,539	40.7	31	36.9
50-59	13	7.2	9	7.3	*	*	15	9.7	678	17.9	25	29.8
60+	*	*	*	*	*	*	*	*	179	4.7	8	9.5
TRANSMISSION RISK												
Men who have sex with men	85	47.0	57	46.3	28	48.3	69	44.8	1,299	34.4	13	15.5
Injection drug use history	15	8.3	11	8.9	*	*	18	11.7	989	26.2	32	38.1
Heterosexual	38	21.0	27	22.0	11	19.0	26	16.9	681	18.0	18	21.4
Perinatal	*	*	*	*	0	0.0	0	0.0	33	0.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	*	*
Unknown	42	23.2	27	22.0	15	25.9	41	26.6	772	20.4	18	21.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,349	35.7	6	7.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,432	64.3	78	92.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	15	65.2	8	34.8	24	100.0	590	100.0	17	100.0
SEX												
Male	21	91.3	13	86.7	8	100.0	21	87.5	422	71.5	12	70.6
Female	*	*	*	*	0	0.0	*	*	168	28.5	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	6	25.0	162	27.5	*	*
Hispanic	9	39.1	6	40.0	*	*	9	37.5	205	34.7	*	*
White	7	30.4	*	*	*	*	6	25.0	188	31.9	6	35.3
Asian/Pacific Islander	*	*	*	*	*	*	*	*	32	5.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	1.4	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	30	5.1	0	0.0
30-39	7	30.4	7	46.7	0	0.0	*	*	135	22.9	*	*
40-49	10	43.5	*	*	6	75.0	14	58.3	255	43.2	9	52.9
50-59	*	*	*	*	*	*	*	*	119	20.2	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	40	6.8	*	*
TRANSMISSION RISK												
Men who have sex with men	15	65.2	10	66.7	*	*	13	54.2	213	36.1	*	*
Injection drug use history	*	*	0	0.0	*	*	*	*	123	20.8	11	64.7
Heterosexual	*	*	*	*	*	*	*	*	135	22.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	105	17.8	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	206	34.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	384	65.1	14	82.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	6	66.7	*	*	8	100.0	121	100.0	*	*
SEX												
Male	8	88.9	6	100.0	*	*	7	87.5	92	76.0	*	*
Female	*	*	0	0.0	*	*	*	*	29	24.0	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	*	*	16	13.2	*	*
Hispanic	*	*	0	0.0	*	*	*	*	22	18.2	*	*
White	*	*	*	*	*	*	*	*	72	59.5	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	10	8.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	0	0.0	0	0.0	0	0.0	*	*	11	9.1	0	0.0
30-39	*	*	*	*	*	*	*	*	17	14.0	0	0.0
40-49	*	*	*	*	*	*	*	*	49	40.5	*	*
50-59	*	*	*	*	0	0.0	*	*	32	26.4	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	10	8.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	0	0.0	*	*	*	*	42	34.7	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	26	21.5	*	*
Heterosexual	*	*	*	*	*	*	*	*	19	15.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	25	20.7	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	38.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	74	61.2	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	21	70.0	9	30.0	34	100.0	846	100.0	13	100.0
SEX												
Male	25	83.3	17	81.0	8	88.9	27	79.4	607	71.7	11	84.6
Female	*	*	*	*	*	*	7	20.6	239	28.3	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	*	*	110	13.0	0	0.0
Hispanic	18	60.0	12	57.1	6	66.7	18	52.9	383	45.3	6	46.2
White	6	20.0	*	*	*	*	10	29.4	321	37.9	7	53.8
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	21	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	15	1.8	0	0.0
20-29	7	23.3	*	*	*	*	8	23.5	52	6.1	0	0.0
30-39	8	26.7	6	28.6	*	*	10	29.4	213	25.2	*	*
40-49	9	30.0	6	28.6	*	*	9	26.5	355	42.0	*	*
50-59	6	20.0	*	*	*	*	6	17.6	161	19.0	6	46.2
60+	0	0.0	0	0.0	0	0.0	*	*	44	5.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	11	36.7	9	42.9	*	*	11	32.4	293	34.6	*	*
Injection drug use history	*	*	*	*	*	*	7	20.6	163	19.3	*	*
Heterosexual	7	23.3	7	33.3	0	0.0	8	23.5	164	19.4	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	8	26.7	*	*	*	*	8	23.5	200	23.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	324	38.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	522	61.7	10	76.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	9	75.0	*	*	11	100.0	230	100.0	6	100.0
SEX												
Male	9	75.0	7	77.8	*	*	7	63.6	152	66.1	*	*
Female	*	*	*	*	*	*	*	*	78	33.9	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	*	*	100	43.5	*	*
Hispanic	*	*	*	*	0	0.0	*	*	64	27.8	*	*
White	*	*	*	*	*	*	*	*	55	23.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	9	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
20-29	*	*	*	*	0	0.0	*	*	17	7.4	0	0.0
30-39	*	*	*	*	*	*	*	*	47	20.4	0	0.0
40-49	*	*	*	*	*	*	*	*	91	39.6	*	*
50-59	*	*	*	*	0	0.0	*	*	51	22.2	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	15	6.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	71	30.9	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	38	16.5	*	*
Heterosexual	*	*	0	0.0	*	*	*	*	52	22.6	0	0.0
Perinatal	*	*	*	*	0	0.0	*	*	8	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
Unknown	*	*	*	*	*	*	*	*	58	25.2	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	104	45.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	126	54.8	6	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	59	100.0	40	67.8	19	32.2	61	100.0	1,174	100.0	29	100.0
SEX												
Male	40	67.8	26	65.0	14	73.7	42	68.9	806	68.7	21	72.4
Female	19	32.2	14	35.0	*	*	19	31.1	368	31.3	8	27.6
RACE/ETHNICITY												
Black	21	35.6	13	32.5	8	42.1	21	34.4	380	32.4	12	41.4
Hispanic	18	30.5	15	37.5	*	*	15	24.6	431	36.7	8	27.6
White	6	10.2	*	*	*	*	15	24.6	287	24.4	7	24.1
Asian/Pacific Islander	14	23.7	10	25.0	*	*	9	14.8	68	5.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	25	2.1	0	0.0
20-29	16	27.1	12	30.0	*	*	11	18.0	75	6.4	*	*
30-39	16	27.1	14	35.0	*	*	12	19.7	302	25.7	*	*
40-49	19	32.2	11	27.5	8	42.1	21	34.4	484	41.2	8	27.6
50-59	*	*	*	*	*	*	11	18.0	231	19.7	11	37.9
60+	*	*	0	0.0	*	*	6	9.8	48	4.1	*	*
TRANSMISSION RISK												
Men who have sex with men	22	37.3	15	37.5	7	36.8	19	31.1	338	28.8	*	*
Injection drug use history	*	*	*	*	*	*	10	16.4	248	21.1	15	51.7
Heterosexual	13	22.0	9	22.5	*	*	10	16.4	255	21.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	19	32.2	12	30.0	7	36.8	22	36.1	295	25.1	7	24.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	465	39.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	709	60.4	27	93.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	133	100.0	87	65.4	46	34.6	143	100.0	2,471	100.0	60	100.0
SEX												
Male	79	59.4	46	52.9	33	71.7	89	62.2	1,449	58.6	42	70.0
Female	54	40.6	41	47.1	13	28.3	54	37.8	1,022	41.4	18	30.0
RACE/ETHNICITY												
Black	106	79.7	71	81.6	35	76.1	111	77.6	1,928	78.0	49	81.7
Hispanic	16	12.0	8	9.2	8	17.4	20	14.0	355	14.4	6	10.0
White	*	*	*	*	0	0.0	7	4.9	146	5.9	*	*
Asian/Pacific Islander	7	5.3	*	*	*	*	*	*	37	1.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	36	1.5	0	0.0
13-19	*	*	*	*	0	0.0	*	*	57	2.3	0	0.0
20-29	22	16.5	18	20.7	*	*	18	12.6	163	6.6	*	*
30-39	43	32.3	29	33.3	14	30.4	40	28.0	516	20.9	6	10.0
40-49	45	33.8	25	28.7	20	43.5	50	35.0	978	39.6	22	36.7
50-59	12	9.0	*	*	7	15.2	26	18.2	554	22.4	20	33.3
60+	*	*	*	*	*	*	6	4.2	167	6.8	10	16.7
TRANSMISSION RISK												
Men who have sex with men	27	20.3	18	20.7	9	19.6	25	17.5	416	16.8	9	15.0
Injection drug use history	7	5.3	*	*	*	*	19	13.3	614	24.8	17	28.3
Heterosexual	41	30.8	28	32.2	13	28.3	32	22.4	618	25.0	7	11.7
Perinatal	*	*	*	*	0	0.0	*	*	88	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	56	42.1	35	40.2	21	45.7	66	46.2	726	29.4	27	45.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	901	36.5	11	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,570	63.5	49	81.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	34	77.3	10	22.7	44	100.0	885	100.0	28	100.0
SEX												
Male	21	47.7	16	47.1	*	*	19	43.2	508	57.4	17	60.7
Female	23	52.3	18	52.9	*	*	25	56.8	377	42.6	11	39.3
RACE/ETHNICITY												
Black	37	84.1	28	82.4	9	90.0	32	72.7	696	78.6	16	57.1
Hispanic	*	*	*	*	*	*	8	18.2	98	11.1	7	25.0
White	0	0.0	0	0.0	0	0.0	*	*	71	8.0	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	18	2.0	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	2.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	25	2.8	0	0.0
20-29	7	15.9	6	17.6	*	*	*	*	67	7.6	*	*
30-39	12	27.3	10	29.4	*	*	12	27.3	195	22.0	*	*
40-49	16	36.4	10	29.4	6	60.0	20	45.5	342	38.6	15	53.6
50-59	7	15.9	6	17.6	*	*	6	13.6	170	19.2	7	25.0
60+	*	*	*	*	0	0.0	*	*	65	7.3	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	*	*	*	*	130	14.7	*	*
Injection drug use history	*	*	0	0.0	*	*	6	13.6	156	17.6	10	35.7
Heterosexual	18	40.9	16	47.1	*	*	12	27.3	256	28.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	49	5.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
Unknown	19	43.2	14	41.2	*	*	22	50.0	287	32.4	13	46.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	308	34.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	577	65.2	24	85.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	27	71.1	11	28.9	50	100.0	789	100.0	21	100.0
SEX												
Male	21	55.3	17	63.0	*	*	30	60.0	413	52.3	14	66.7
Female	17	44.7	10	37.0	7	63.6	20	40.0	376	47.7	7	33.3
RACE/ETHNICITY												
Black	23	60.5	17	63.0	6	54.5	34	68.0	526	66.7	15	71.4
Hispanic	13	34.2	8	29.6	*	*	9	18.0	160	20.3	*	*
White	*	*	*	*	0	0.0	7	14.0	95	12.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	1.9	0	0.0
13-19	*	*	*	*	0	0.0	*	*	17	2.2	0	0.0
20-29	*	*	*	*	*	*	*	*	50	6.3	0	0.0
30-39	16	42.1	11	40.7	*	*	12	24.0	180	22.8	*	*
40-49	10	26.3	7	25.9	*	*	26	52.0	305	38.7	7	33.3
50-59	*	*	*	*	*	*	*	*	186	23.6	10	47.6
60+	*	*	*	*	0	0.0	0	0.0	36	4.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	84	10.6	*	*
Injection drug use history	7	18.4	*	*	*	*	15	30.0	219	27.8	12	57.1
Heterosexual	16	42.1	11	40.7	*	*	16	32.0	246	31.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	32	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	10	26.3	6	22.2	*	*	13	26.0	202	25.6	7	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	346	43.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	443	56.1	17	81.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	15	78.9	*	*	14	100.0	352	100.0	13	100.0
SEX												
Male	8	42.1	6	40.0	*	*	8	57.1	218	61.9	*	*
Female	11	57.9	9	60.0	*	*	6	42.9	134	38.1	9	69.2
RACE/ETHNICITY												
Black	10	52.6	7	46.7	*	*	7	50.0	168	47.7	*	*
Hispanic	*	*	*	*	*	*	*	*	99	28.1	*	*
White	*	*	*	*	0	0.0	*	*	78	22.2	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	2.6	0	0.0
20-29	*	*	*	*	0	0.0	*	*	14	4.0	0	0.0
30-39	8	42.1	7	46.7	*	*	*	*	75	21.3	*	*
40-49	8	42.1	6	40.0	*	*	6	42.9	149	42.3	6	46.2
50-59	*	*	0	0.0	*	*	*	*	79	22.4	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	22	6.3	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	56	15.9	*	*
Injection drug use history	*	*	*	*	*	*	*	*	120	34.1	*	*
Heterosexual	6	31.6	6	40.0	0	0.0	*	*	75	21.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	6	31.6	*	*	*	*	7	50.0	85	24.1	9	69.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	137	38.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	215	61.1	10	76.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	36	75.0	12	25.0	39	100.0	789	100.0	28	100.0
SEX												
Male	33	68.8	25	69.4	8	66.7	23	59.0	481	61.0	22	78.6
Female	15	31.3	11	30.6	*	*	16	41.0	308	39.0	6	21.4
RACE/ETHNICITY												
Black	32	66.7	25	69.4	7	58.3	21	53.8	349	44.2	12	42.9
Hispanic	11	22.9	7	19.4	*	*	13	33.3	186	23.6	8	28.6
White	*	*	*	*	*	*	*	*	244	30.9	7	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	11	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	17	2.2	0	0.0
20-29	6	12.5	*	*	*	*	7	17.9	45	5.7	0	0.0
30-39	16	33.3	12	33.3	*	*	11	28.2	177	22.4	*	*
40-49	17	35.4	12	33.3	*	*	11	28.2	346	43.9	12	42.9
50-59	7	14.6	6	16.7	*	*	6	15.4	151	19.1	8	28.6
60+	*	*	0	0.0	*	*	*	*	42	5.3	*	*
TRANSMISSION RISK												
Men who have sex with men	14	29.2	9	25.0	*	*	10	25.6	178	22.6	*	*
Injection drug use history	6	12.5	6	16.7	0	0.0	8	20.5	235	29.8	10	35.7
Heterosexual	13	27.1	10	27.8	*	*	10	25.6	180	22.8	*	*
Perinatal	*	*	*	*	0	0.0	*	*	22	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	7	0.9	*	*
Unknown	14	29.2	10	27.8	*	*	9	23.1	167	21.2	10	35.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	312	39.5	7	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	60.5	21	75.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004		
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%	
	N	%	N	%	N	%							
TOTAL	*	*	*	*	*	*	*	*	*	127	100.0	*	*
SEX													
Male	*	*	*	*	*	*	*	*	*	85	66.9	*	*
Female	0	0.0	0	0.0	0	0.0	*	*	*	42	33.1	0	0.0
RACE/ETHNICITY													
Black	0	0.0	0	0.0	0	0.0	0	0.0	*	17	13.4	*	*
Hispanic	*	*	*	*	0	0.0	*	*	*	30	23.6	0	0.0
White	*	*	*	*	*	*	*	*	*	76	59.8	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0	0.0
AGE GROUP (YEARS)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	*	*	*	11	8.7	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	18.9	0	0.0
40-49	*	*	*	*	*	*	*	*	*	62	48.8	*	*
50-59	*	*	*	*	0	0.0	*	*	*	19	15.0	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7.1	0	0.0
TRANSMISSION RISK													
Men who have sex with men	*	*	*	*	*	*	*	*	*	39	30.7	*	*
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	18.9	*	*
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	18.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	*	34	26.8	0	0.0
CLINICAL STATUS													
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52	40.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	75	59.1	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2004 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2004, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2004						AIDS DIAGNOSES, 2004		PLWHA AS OF 12/31/2004		DEATHS, 2004	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	9	52.9	8	47.1	14	100.0	315	100.0	10	100.0
SEX												
Male	15	88.2	9	100.0	6	75.0	10	71.4	205	65.1	8	80.0
Female	*	*	0	0.0	*	*	*	*	110	34.9	*	*
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	*	*	59	18.7	*	*
Hispanic	6	35.3	*	*	*	*	*	*	69	21.9	*	*
White	11	64.7	*	*	7	87.5	8	57.1	184	58.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	8	2.5	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	17	5.4	0	0.0
30-39	*	*	*	*	*	*	*	*	66	21.0	*	*
40-49	8	47.1	*	*	6	75.0	10	71.4	150	47.6	*	*
50-59	*	*	*	*	0	0.0	*	*	65	20.6	*	*
60+	*	*	0	0.0	*	*	*	*	6	1.9	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	50	15.9	*	*
Injection drug use history	*	*	0	0.0	*	*	*	*	96	30.5	*	*
Heterosexual	*	*	*	*	*	*	*	*	66	21.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	9	52.9	*	*	*	*	7	50.0	88	27.9	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	134	42.5	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	181	57.5	9	90.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2004**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	52.3	1.2	27.6	8,008,278
SEX				
Male	76.7	1.8	26.2	3,794,204
Female	30.2	0.7	30.4	4,214,074
RACE/ETHNICITY				
Black	110.1	2.3	31.5	1,962,154
Hispanic	57.0	1.5	28.0	2,160,554
White	24.6	0.7	19.9	2,801,267
Asian/Pacific Islander	12.5	0.1	15.3	783,058
Native American	52.0*	0.6	32.6*	17,321
AGE GROUP (YEARS)				
0-12	2.4	0.1	1.8*	1,429,677
13-19	19.1	0.2	8.2	723,773
20-29	70.2	0.5	8.2	1,270,490
30-39	100.6	1.7	18.9	1,348,263
40-49	102.4	3.4	26.8	1,133,497
50-59	53.6	2.5	39.7	850,372
60+	11.9	0.5	51.4	1,252,206

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2009. Generated December 17, 2009.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the city-wide population of PWHA at the end of 2004, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2004**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	52.3	1.2	27.6	8,008,278
MANHATTAN³	72.5	2.0	22.8	1,529,375
Central Harlem - Morningside Heights	126.4	2.7	34.9	151,113
Chelsea - Clinton	170.7	4.3	18.4	122,998
East Harlem	124.0	2.7	31.6	108,092
Gramercy Park - Murray Hill	54.6	1.6	17.8	124,477
Greenwich Village - Soho	75.3	2.3	12.6	83,709
Lower Manhattan	58.3	1.3	33.2*	30,895
Union Square - Lower East Side	47.2	1.6	24.3	197,138
Upper East Side	22.5	0.6	16.9	218,167
Upper West Side	36.9	1.4	23.3	222,109
Washington Heights - Inwood	53.9	1.2	20.1	270,677
BROOKLYN³	44.5	1.0	31.0	2,465,326
Bedford Stuyvesant - Crown Heights	97.1	1.9	34.5	317,296
Bensonhurst - Bay Ridge	8.7	0.3	28.8	194,558
Borough Park	12.9	0.3	36.6	324,411
Canarsie - Flatlands	29.8	0.5	25.3	197,819
Coney Island - Sheepshead Bay	14.6	0.4	28.9	286,901
Downtown - Heights - Park Slope	46.1	1.3	28.2	214,696
East Flatbush - Flatbush	59.4	1.2	22.5	316,734
East New York	65.0	1.4	37.5	173,716
Greenpoint	28.9	0.7	27.8	124,449
Sunset Park	29.1	0.6	27.4	120,441
Williamsburg - Bushwick	64.8	1.7	33.2	194,305
BRONX³	75.3	1.6	33.1	1,327,690
Crotona - Tremont	89.7	2.2	36.2	199,530
Fordham - Bronx Park	78.2	1.5	31.5	250,491
High Bridge - Morrisania	117.5	2.4	34.4	189,755
Hunts Point - Mott Haven	117.2	2.4	36.7	122,875
Kingsbridge - Riverdale	23.6	0.5	18.7*	88,989
Northeast Bronx	36.0	0.8	20.9	185,998
Pelham - Throgs Neck	47.6	1.1	33.6	290,052
QUEENS³	27.8	0.6	23.0	2,242,159
Bayside - Little Neck	10.2*	0.1	29.2*	88,164
Flushing - Clearview	9.0	0.2	26.9	255,542
Fresh Meadows	12.9	0.3	24.5*	93,148
Jamaica	46.6	0.9	23.3	285,568
Long Island City - Astoria	34.4	0.7	18.3	220,960
Ridgewood - Forest Hills	12.5	0.4	15.4	240,901
Rockaway	35.6	0.8	24.9	106,738
Southeast Queens	21.6	0.4	30.9	203,670
Southwest Queens	21.9	0.4	25.9	269,952
West Queens	37.9	0.8	22.9	477,516
STATEN ISLAND³	21.2	0.4	32.2	443,728
Port Richmond	30.3	0.6	35.1	62,788
South Beach - Tottenville	9.5	0.2	36.0*	179,892
Stapleton - St. George	41.3	0.7	34.9	116,227
Willowbrook	3.5*	0.2	26.7*	84,821

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2009. Generated December 17, 2009.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the city-wide population of PWHA at the end of 2004.³Borough-level data include persons residing in unknown UHF neighborhoods.