

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexuals, females	Table 1.10.10	Rockaway
	By UHF Neighborhood: Bronx		By UHF Neighborhood: Staten Island
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.1	Port Richmond
Table 1.7.2	Northeast Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.3	Fordham – Bronx Park	Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, MID-YEAR PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2009

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/data/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2015. Accessed [access date] at <http://www.nyc.gov/html/doh/html/data/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,705	100.0	2,979	80.4	726	19.6	3,096	100.0	111,029	100.0	2,248	100.0
SEX												
Male	2,834	76.5	2,276	76.4	558	76.9	2,202	71.1	78,981	71.1	1,532	68.1
Female	871	23.5	703	23.6	168	23.1	894	28.9	32,048	28.9	716	31.9
RACE/ETHNICITY												
Black	1,770	47.8	1,410	47.3	360	49.6	1,552	50.1	49,617	44.7	1,148	51.1
Hispanic	1,181	31.9	940	31.6	241	33.2	1,035	33.4	36,158	32.6	752	33.5
White	625	16.9	533	17.9	92	12.7	422	13.6	22,724	20.5	323	14.4
Asian/Pacific Islander	108	2.9	80	2.7	28	3.9	70	2.3	1,801	1.6	13	0.6
Native American	15	0.4	10	0.3	5	0.7	14	0.5	259	0.2	8	0.4
Multiracial	6	0.2	6	0.2	0	0.0	3	0.1	81	0.1	4	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	389	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	12	0.3	12	0.4	0	0.0	0	0.0	424	0.4	1	0.0
13-19	180	4.9	163	5.5	17	2.3	67	2.2	1,564	1.4	5	0.2
20-29	1,077	29.1	983	33.0	94	12.9	453	14.6	8,621	7.8	45	2.0
30-39	939	25.3	763	25.6	176	24.2	740	23.9	18,147	16.3	188	8.4
40-49	890	24.0	670	22.5	220	30.3	1,017	32.8	39,741	35.8	658	29.3
50-59	449	12.1	301	10.1	148	20.4	608	19.6	30,338	27.3	843	37.5
60+	158	4.3	87	2.9	71	9.8	211	6.8	12,194	11.0	508	22.6
BOROUGH OF RESIDENCE												
Bronx	738	19.9	587	19.7	151	20.8	742	24.0	24,861	22.4	620	27.6
Brooklyn	963	26.0	745	25.0	218	30.0	817	26.4	27,030	24.3	533	23.7
Manhattan	971	26.2	798	26.8	173	23.8	755	24.4	30,116	27.1	446	19.8
Queens	614	16.6	483	16.2	131	18.0	430	13.9	15,890	14.3	208	9.3
Staten Island	66	1.8	53	1.8	13	1.8	51	1.6	2,161	1.9	62	2.8
Outside NYC	323	8.7	283	9.5	40	5.5	221	7.1	9,078	8.2	83	3.7
Unknown	30	0.8	30	1.0	0	0.0	80	2.6	1,893	1.7	296	13.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	361	9.7	292	9.8	69	9.5	252	8.1	11,846	10.7	111	4.9
Medium poverty (10 to <20% below FPL)	1,019	27.5	798	26.8	221	30.4	788	25.5	29,959	27.0	436	19.4
High poverty (20 to <30% below FPL)	982	26.5	790	26.5	192	26.4	846	27.3	27,635	24.9	565	25.1
Very high poverty (≥30% below FPL)	971	26.2	770	25.8	201	27.7	894	28.9	29,150	26.3	749	33.3
Area-based poverty level not available	372	10.0	329	11.0	43	5.9	316	10.2	12,439	11.2	387	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,678	45.3	1,457	48.9	221	30.4	982	31.7	37,886	34.1	376	16.7
Injection drug use history (IDU)	143	3.9	117	3.9	26	3.6	325	10.5	18,590	16.7	753	33.5
MSM and IDU	45	1.2	39	1.3	6	0.8	76	2.5	2,598	2.3	84	3.7
Heterosexual	834	22.5	636	21.3	198	27.3	791	25.5	21,794	19.6	387	17.2
Perinatal	13	0.4	12	0.4	1	0.1	43	1.4	2,539	2.3	11	0.5
Other	1	0.0	1	0.0	0	0.0	4	0.1	235	0.2	6	0.3
Unknown	991	26.7	717	24.1	274	37.7	875	28.3	27,387	24.7	631	28.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	45,706	41.2	373	16.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	65,323	58.8	1,875	83.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,834	100.0	2,276	80.3	558	19.7	2,202	100.0	78,981	100.0	1,532	100.0
RACE/ETHNICITY												
Black	1,226	43.3	967	42.5	259	46.4	1,008	45.8	31,040	39.3	738	48.2
Hispanic	915	32.3	728	32.0	187	33.5	742	33.7	25,668	32.5	508	33.2
White	581	20.5	498	21.9	83	14.9	382	17.3	20,271	25.7	270	17.6
Asian/Pacific Islander	95	3.4	71	3.1	24	4.3	57	2.6	1,459	1.8	10	0.7
Native American	11	0.4	6	0.3	5	0.9	11	0.5	183	0.2	3	0.2
Multiracial	6	0.2	6	0.3	0	0.0	2	0.1	61	0.1	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	299	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	5	0.2	5	0.2	0	0.0	0	0.0	203	0.3	1	0.1
13-19	141	5.0	129	5.7	12	2.2	35	1.6	815	1.0	1	0.1
20-29	920	32.5	840	36.9	80	14.3	370	16.8	6,375	8.1	29	1.9
30-39	732	25.8	588	25.8	144	25.8	537	24.4	12,601	16.0	125	8.2
40-49	645	22.8	469	20.6	176	31.5	699	31.7	28,026	35.5	412	26.9
50-59	294	10.4	194	8.5	100	17.9	420	19.1	21,798	27.6	582	38.0
60+	97	3.4	51	2.2	46	8.2	141	6.4	9,163	11.6	382	24.9
BOROUGH OF RESIDENCE												
Bronx	482	17.0	381	16.7	101	18.1	457	20.8	14,975	19.0	389	25.4
Brooklyn	704	24.8	542	23.8	162	29.0	561	25.5	17,456	22.1	351	22.9
Manhattan	825	29.1	675	29.7	150	26.9	611	27.7	24,833	31.4	334	21.8
Queens	484	17.1	383	16.8	101	18.1	318	14.4	11,446	14.5	138	9.0
Staten Island	43	1.5	35	1.5	8	1.4	32	1.5	1,384	1.8	40	2.6
Outside NYC	272	9.6	236	10.4	36	6.5	172	7.8	7,380	9.3	58	3.8
Unknown	24	0.8	24	1.1	0	0.0	51	2.3	1,507	1.9	222	14.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	311	11.0	250	11.0	61	10.9	204	9.3	9,866	12.5	91	5.9
Medium poverty (10 to <20% below FPL)	813	28.7	634	27.9	179	32.1	595	27.0	22,448	28.4	310	20.2
High poverty (20 to <30% below FPL)	732	25.8	586	25.7	146	26.2	598	27.2	18,747	23.7	367	24.0
Very high poverty (≥30% below FPL)	667	23.5	534	23.5	133	23.8	569	25.8	17,867	22.6	476	31.1
Area-based poverty level not available	311	11.0	272	12.0	39	7.0	236	10.7	10,053	12.7	288	18.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,678	59.2	1,457	64.0	221	39.6	982	44.6	37,886	48.0	376	24.5
Injection drug use history (IDU)	88	3.1	68	3.0	20	3.6	205	9.3	12,450	15.8	498	32.5
MSM and IDU	45	1.6	39	1.7	6	1.1	76	3.5	2,598	3.3	84	5.5
Heterosexual	201	7.1	134	5.9	67	12.0	232	10.5	5,793	7.3	120	7.8
Perinatal	5	0.2	5	0.2	0	0.0	16	0.7	1,241	1.6	4	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	122	0.2	4	0.3
Unknown	817	28.8	573	25.2	244	43.7	688	31.2	18,891	23.9	446	29.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	32,506	41.2	256	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46,475	58.8	1,276	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	871	100.0	703	80.7	168	19.3	894	100.0	32,048	100.0	716	100.0
RACE/ETHNICITY												
Black	544	62.5	443	63.0	101	60.1	544	60.9	18,577	58.0	410	57.3
Hispanic	266	30.5	212	30.2	54	32.1	293	32.8	10,490	32.7	244	34.1
White	44	5.1	35	5.0	9	5.4	40	4.5	2,453	7.7	53	7.4
Asian/Pacific Islander	13	1.5	9	1.3	4	2.4	13	1.5	342	1.1	3	0.4
Native American	4	0.5	4	0.6	0	0.0	3	0.3	76	0.2	5	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	0.1	20	0.1	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	7	0.8	7	1.0	0	0.0	0	0.0	221	0.7	0	0.0
13-19	39	4.5	34	4.8	5	3.0	32	3.6	749	2.3	4	0.6
20-29	157	18.0	143	20.3	14	8.3	83	9.3	2,246	7.0	16	2.2
30-39	207	23.8	175	24.9	32	19.0	203	22.7	5,546	17.3	63	8.8
40-49	245	28.1	201	28.6	44	26.2	318	35.6	11,715	36.6	246	34.4
50-59	155	17.8	107	15.2	48	28.6	188	21.0	8,540	26.6	261	36.5
60+	61	7.0	36	5.1	25	14.9	70	7.8	3,031	9.5	126	17.6
BOROUGH OF RESIDENCE												
Bronx	256	29.4	206	29.3	50	29.8	285	31.9	9,886	30.8	231	32.3
Brooklyn	259	29.7	203	28.9	56	33.3	256	28.6	9,574	29.9	182	25.4
Manhattan	146	16.8	123	17.5	23	13.7	144	16.1	5,283	16.5	112	15.6
Queens	130	14.9	100	14.2	30	17.9	112	12.5	4,444	13.9	70	9.8
Staten Island	23	2.6	18	2.6	5	3.0	19	2.1	777	2.4	22	3.1
Outside NYC	51	5.9	47	6.7	4	2.4	49	5.5	1,698	5.3	25	3.5
Unknown	6	0.7	6	0.9	0	0.0	29	3.2	386	1.2	74	10.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	50	5.7	42	6.0	8	4.8	48	5.4	1,980	6.2	20	2.8
Medium poverty (10 to <20% below FPL)	206	23.7	164	23.3	42	25.0	193	21.6	7,511	23.4	126	17.6
High poverty (20 to <30% below FPL)	250	28.7	204	29.0	46	27.4	248	27.7	8,888	27.7	198	27.7
Very high poverty (≥30% below FPL)	304	34.9	236	33.6	68	40.5	325	36.4	11,283	35.2	273	38.1
Area-based poverty level not available	61	7.0	57	8.1	4	2.4	80	8.9	2,386	7.4	99	13.8
TRANSMISSION RISK												
Injection drug use history (IDU)	55	6.3	49	7.0	6	3.6	120	13.4	6,140	19.2	255	35.6
Heterosexual	633	72.7	502	71.4	131	78.0	559	62.5	16,001	49.9	267	37.3
Perinatal	8	0.9	7	1.0	1	0.6	27	3.0	1,298	4.1	7	1.0
Other	1	0.1	1	0.1	0	0.0	1	0.1	113	0.4	2	0.3
Unknown	174	20.0	144	20.5	30	17.9	187	20.9	8,496	26.5	185	25.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,200	41.2	117	16.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,848	58.8	599	83.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.1. Black males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,226	100.0	967	78.9	259	21.1	1,008	100.0	31,040	100.0	738	100.0
AGE GROUP (YEARS)												
0-12	2	0.2	2	0.2	0	0.0	0	0.0	123	0.4	1	0.1
13-19	96	7.8	88	9.1	8	3.1	22	2.2	505	1.6	0	0.0
20-29	408	33.3	374	38.7	34	13.1	172	17.1	3,160	10.2	14	1.9
30-39	262	21.4	203	21.0	59	22.8	210	20.8	4,583	14.8	49	6.6
40-49	264	21.5	179	18.5	85	32.8	321	31.8	10,108	32.6	183	24.8
50-59	148	12.1	96	9.9	52	20.1	209	20.7	8,799	28.3	290	39.3
60+	46	3.8	25	2.6	21	8.1	74	7.3	3,762	12.1	201	27.2
BOROUGH OF RESIDENCE												
Bronx	223	18.2	170	17.6	53	20.5	214	21.2	6,467	20.8	169	22.9
Brooklyn	436	35.6	342	35.4	94	36.3	333	33.0	10,026	32.3	226	30.6
Manhattan	271	22.1	210	21.7	61	23.6	242	24.0	7,037	22.7	152	20.6
Queens	171	13.9	134	13.9	37	14.3	111	11.0	4,103	13.2	66	8.9
Staten Island	17	1.4	14	1.4	3	1.2	14	1.4	476	1.5	12	1.6
Outside NYC	93	7.6	82	8.5	11	4.2	71	7.0	2,335	7.5	20	2.7
Unknown	15	1.2	15	1.6	0	0.0	23	2.3	596	1.9	93	12.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	91	7.4	68	7.0	23	8.9	68	6.7	1,940	6.3	27	3.7
Medium poverty (10 to <20% below FPL)	317	25.9	244	25.2	73	28.2	233	23.1	7,916	25.5	142	19.2
High poverty (20 to <30% below FPL)	369	30.1	286	29.6	83	32.0	331	32.8	9,110	29.3	200	27.1
Very high poverty (≥30% below FPL)	339	27.7	270	27.9	69	26.6	280	27.8	8,716	28.1	253	34.3
Area-based poverty level not available	110	9.0	99	10.2	11	4.2	96	9.5	3,358	10.8	116	15.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	611	49.8	526	54.4	85	32.8	371	36.8	11,323	36.5	148	20.1
Injection drug use history (IDU)	34	2.8	25	2.6	9	3.5	85	8.4	5,137	16.5	224	30.4
MSM and IDU	13	1.1	12	1.2	1	0.4	28	2.8	959	3.1	39	5.3
Heterosexual	102	8.3	71	7.3	31	12.0	123	12.2	3,137	10.1	69	9.3
Perinatal	2	0.2	2	0.2	0	0.0	10	1.0	698	2.2	1	0.1
Other	0	0.0	0	0.0	0	0.0	1	0.1	37	0.1	1	0.1
Unknown	464	37.8	331	34.2	133	51.4	390	38.7	9,749	31.4	256	34.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,298	39.6	117	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,742	60.4	621	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.2. Black females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	544	100.0	443	81.4	101	18.6	544	100.0	18,577	100.0	410	100.0
AGE GROUP (YEARS)												
0-12	3	0.6	3	0.7	0	0.0	0	0.0	127	0.7	0	0.0
13-19	27	5.0	24	5.4	3	3.0	13	2.4	468	2.5	1	0.2
20-29	95	17.5	86	19.4	9	8.9	55	10.1	1,368	7.4	10	2.4
30-39	132	24.3	114	25.7	18	17.8	130	23.9	3,404	18.3	36	8.8
40-49	154	28.3	129	29.1	25	24.8	198	36.4	6,732	36.2	138	33.7
50-59	101	18.6	67	15.1	34	33.7	115	21.1	4,849	26.1	154	37.6
60+	32	5.9	20	4.5	12	11.9	33	6.1	1,629	8.8	71	17.3
BOROUGH OF RESIDENCE												
Bronx	134	24.6	108	24.4	26	25.7	138	25.4	4,954	26.7	110	26.8
Brooklyn	194	35.7	157	35.4	37	36.6	184	33.8	6,671	35.9	122	29.8
Manhattan	89	16.4	77	17.4	12	11.9	96	17.6	2,916	15.7	65	15.9
Queens	75	13.8	52	11.7	23	22.8	69	12.7	2,591	13.9	45	11.0
Staten Island	14	2.6	12	2.7	2	2.0	10	1.8	364	2.0	13	3.2
Outside NYC	35	6.4	34	7.7	1	1.0	31	5.7	868	4.7	15	3.7
Unknown	3	0.6	3	0.7	0	0.0	16	2.9	213	1.1	40	9.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	30	5.5	25	5.6	5	5.0	28	5.1	1,023	5.5	12	2.9
Medium poverty (10 to <20% below FPL)	137	25.2	110	24.8	27	26.7	125	23.0	4,487	24.2	69	16.8
High poverty (20 to <30% below FPL)	161	29.6	130	29.3	31	30.7	159	29.2	5,413	29.1	126	30.7
Very high poverty (≥30% below FPL)	175	32.2	138	31.2	37	36.6	183	33.6	6,399	34.4	148	36.1
Area-based poverty level not available	41	7.5	40	9.0	1	1.0	49	9.0	1,255	6.8	55	13.4
TRANSMISSION RISK												
Injection drug use history (IDU)	23	4.2	21	4.7	2	2.0	53	9.7	2,958	15.9	132	32.2
Heterosexual	405	74.4	320	72.2	85	84.2	358	65.8	9,453	50.9	157	38.3
Perinatal	3	0.6	3	0.7	0	0.0	11	2.0	751	4.0	3	0.7
Other	0	0.0	0	0.0	0	0.0	1	0.2	56	0.3	2	0.5
Unknown	113	20.8	99	22.3	14	13.9	121	22.2	5,359	28.8	116	28.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,897	42.5	75	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,680	57.5	335	81.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.3. Hispanic males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	915	100.0	728	79.6	187	20.4	742	100.0	25,668	100.0	508	100.0
AGE GROUP (YEARS)												
0-12	3	0.3	3	0.4	0	0.0	0	0.0	64	0.2	0	0.0
13-19	32	3.5	28	3.8	4	2.1	13	1.8	262	1.0	1	0.2
20-29	310	33.9	279	38.3	31	16.6	137	18.5	2,114	8.2	10	2.0
30-39	263	28.7	208	28.6	55	29.4	204	27.5	4,539	17.7	56	11.0
40-49	198	21.6	145	19.9	53	28.3	212	28.6	9,415	36.7	141	27.8
50-59	80	8.7	51	7.0	29	15.5	137	18.5	6,666	26.0	183	36.0
60+	29	3.2	14	1.9	15	8.0	39	5.3	2,608	10.2	117	23.0
BOROUGH OF RESIDENCE												
Bronx	226	24.7	183	25.1	43	23.0	219	29.5	7,566	29.5	203	40.0
Brooklyn	155	16.9	112	15.4	43	23.0	152	20.5	4,441	17.3	92	18.1
Manhattan	233	25.5	182	25.0	51	27.3	174	23.5	6,658	25.9	85	16.7
Queens	205	22.4	170	23.4	35	18.7	134	18.1	4,669	18.2	45	8.9
Staten Island	10	1.1	8	1.1	2	1.1	10	1.3	404	1.6	11	2.2
Outside NYC	81	8.9	68	9.3	13	7.0	36	4.9	1,514	5.9	22	4.3
Unknown	5	0.5	5	0.7	0	0.0	17	2.3	416	1.6	50	9.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	64	7.0	50	6.9	14	7.5	40	5.4	2,091	8.1	18	3.5
Medium poverty (10 to <20% below FPL)	256	28.0	202	27.7	54	28.9	212	28.6	7,101	27.7	90	17.7
High poverty (20 to <30% below FPL)	244	26.7	194	26.6	50	26.7	185	24.9	6,263	24.4	121	23.8
Very high poverty (≥30% below FPL)	259	28.3	205	28.2	54	28.9	245	33.0	7,900	30.8	203	40.0
Area-based poverty level not available	92	10.1	77	10.6	15	8.0	60	8.1	2,313	9.0	76	15.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	546	59.7	469	64.4	77	41.2	317	42.7	10,661	41.5	96	18.9
Injection drug use history (IDU)	43	4.7	36	4.9	7	3.7	93	12.5	5,841	22.8	211	41.5
MSM and IDU	22	2.4	18	2.5	4	2.1	37	5.0	1,075	4.2	30	5.9
Heterosexual	75	8.2	50	6.9	25	13.4	78	10.5	1,970	7.7	39	7.7
Perinatal	3	0.3	3	0.4	0	0.0	5	0.7	453	1.8	2	0.4
Other	0	0.0	0	0.0	0	0.0	1	0.1	31	0.1	2	0.4
Unknown	226	24.7	152	20.9	74	39.6	211	28.4	5,637	22.0	128	25.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,597	37.4	75	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,071	62.6	433	85.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.3.4. Hispanic females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	266	100.0	212	79.7	54	20.3	293	100.0	10,490	100.0	244	100.0
AGE GROUP (YEARS)												
0-12	4	1.5	4	1.9	0	0.0	0	0.0	82	0.8	0	0.0
13-19	12	4.5	10	4.7	2	3.7	18	6.1	240	2.3	2	0.8
20-29	47	17.7	44	20.8	3	5.6	23	7.8	698	6.7	5	2.0
30-39	56	21.1	46	21.7	10	18.5	62	21.2	1,680	16.0	24	9.8
40-49	79	29.7	64	30.2	15	27.8	99	33.8	3,883	37.0	84	34.4
50-59	44	16.5	32	15.1	12	22.2	58	19.8	2,816	26.8	86	35.2
60+	24	9.0	12	5.7	12	22.2	33	11.3	1,091	10.4	43	17.6
BOROUGH OF RESIDENCE												
Bronx	110	41.4	89	42.0	21	38.9	132	45.1	4,524	43.1	111	45.5
Brooklyn	53	19.9	37	17.5	16	29.6	64	21.8	2,254	21.5	49	20.1
Manhattan	50	18.8	41	19.3	9	16.7	39	13.3	1,738	16.6	38	15.6
Queens	37	13.9	33	15.6	4	7.4	31	10.6	1,237	11.8	17	7.0
Staten Island	5	1.9	3	1.4	2	3.7	7	2.4	210	2.0	4	1.6
Outside NYC	8	3.0	6	2.8	2	3.7	9	3.1	400	3.8	4	1.6
Unknown	3	1.1	3	1.4	0	0.0	11	3.8	127	1.2	21	8.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	4.1	9	4.2	2	3.7	15	5.1	408	3.9	4	1.6
Medium poverty (10 to <20% below FPL)	45	16.9	36	17.0	9	16.7	49	16.7	2,093	20.0	43	17.6
High poverty (20 to <30% below FPL)	81	30.5	69	32.5	12	22.2	77	26.3	2,896	27.6	57	23.4
Very high poverty (≥30% below FPL)	117	44.0	88	41.5	29	53.7	132	45.1	4,502	42.9	115	47.1
Area-based poverty level not available	12	4.5	10	4.7	2	3.7	20	6.8	591	5.6	25	10.2
TRANSMISSION RISK												
Injection drug use history (IDU)	26	9.8	23	10.8	3	5.6	55	18.8	2,451	23.4	95	38.9
Heterosexual	185	69.5	149	70.3	36	66.7	172	58.7	5,179	49.4	85	34.8
Perinatal	5	1.9	4	1.9	1	1.9	15	5.1	463	4.4	3	1.2
Other	1	0.4	1	0.5	0	0.0	0	0.0	30	0.3	0	0.0
Unknown	49	18.4	35	16.5	14	25.9	51	17.4	2,367	22.6	61	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,970	37.8	30	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,520	62.2	214	87.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.5. White males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	581	100.0	498	85.7	83	14.3	382	100.0	20,271	100.0	270	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	9	1.5	9	1.8	0	0.0	0	0.0	33	0.2	0	0.0
20-29	182	31.3	169	33.9	13	15.7	51	13.4	942	4.6	4	1.5
30-39	168	28.9	148	29.7	20	24.1	101	26.4	3,005	14.8	18	6.7
40-49	149	25.6	124	24.9	25	30.1	140	36.6	7,783	38.4	84	31.1
50-59	54	9.3	38	7.6	16	19.3	66	17.3	5,892	29.1	104	38.5
60+	19	3.3	10	2.0	9	10.8	24	6.3	2,607	12.9	60	22.2
BOROUGH OF RESIDENCE												
Bronx	22	3.8	20	4.0	2	2.4	15	3.9	797	3.9	16	5.9
Brooklyn	92	15.8	72	14.5	20	24.1	68	17.8	2,642	13.0	31	11.5
Manhattan	293	50.4	259	52.0	34	41.0	183	47.9	10,413	51.4	90	33.3
Queens	67	11.5	54	10.8	13	15.7	41	10.7	2,126	10.5	24	8.9
Staten Island	15	2.6	12	2.4	3	3.6	8	2.1	476	2.3	16	5.9
Outside NYC	89	15.3	78	15.7	11	13.3	58	15.2	3,382	16.7	15	5.6
Unknown	3	0.5	3	0.6	0	0.0	9	2.4	435	2.1	78	28.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	143	24.6	121	24.3	22	26.5	88	23.0	5,540	27.3	44	16.3
Medium poverty (10 to <20% below FPL)	186	32.0	152	30.5	34	41.0	119	31.2	6,609	32.6	71	26.3
High poverty (20 to <30% below FPL)	99	17.0	90	18.1	9	10.8	71	18.6	2,967	14.6	42	15.6
Very high poverty (≥30% below FPL)	56	9.6	50	10.0	6	7.2	33	8.6	1,066	5.3	19	7.0
Area-based poverty level not available	97	16.7	85	17.1	12	14.5	71	18.6	4,089	20.2	94	34.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	457	78.7	411	82.5	46	55.4	259	67.8	14,904	73.5	131	48.5
Injection drug use history (IDU)	9	1.5	6	1.2	3	3.6	23	6.0	1,404	6.9	63	23.3
MSM and IDU	9	1.5	8	1.6	1	1.2	10	2.6	530	2.6	15	5.6
Heterosexual	12	2.1	5	1.0	7	8.4	18	4.7	511	2.5	8	3.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.3	67	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	1	0.3	47	0.2	1	0.4
Unknown	94	16.2	68	13.7	26	31.3	70	18.3	2,808	13.9	51	18.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,537	47.0	57	21.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,734	53.0	213	78.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.6. White females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	35	79.5	9	20.5	40	100.0	2,453	100.0	53	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	2.5	31	1.3	1	1.9
20-29	9	20.5	9	25.7	0	0.0	3	7.5	136	5.5	0	0.0
30-39	11	25.0	8	22.9	3	33.3	6	15.0	326	13.3	2	3.8
40-49	11	25.0	7	20.0	4	44.4	16	40.0	927	37.8	20	37.7
50-59	8	18.2	7	20.0	1	11.1	11	27.5	748	30.5	19	35.8
60+	5	11.4	4	11.4	1	11.1	3	7.5	274	11.2	11	20.8
BOROUGH OF RESIDENCE												
Bronx	8	18.2	7	20.0	1	11.1	11	27.5	327	13.3	8	15.1
Brooklyn	8	18.2	5	14.3	3	33.3	4	10.0	508	20.7	7	13.2
Manhattan	7	15.9	5	14.3	2	22.2	8	20.0	540	22.0	8	15.1
Queens	9	20.5	8	22.9	1	11.1	6	15.0	454	18.5	7	13.2
Staten Island	4	9.1	3	8.6	1	11.1	2	5.0	192	7.8	5	9.4
Outside NYC	8	18.2	7	20.0	1	11.1	8	20.0	401	16.3	5	9.4
Unknown	0	0.0	0	0.0	0	0.0	1	2.5	31	1.3	13	24.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	20.5	8	22.9	1	11.1	4	10.0	496	20.2	4	7.5
Medium poverty (10 to <20% below FPL)	13	29.5	10	28.6	3	33.3	12	30.0	746	30.4	13	24.5
High poverty (20 to <30% below FPL)	6	13.6	3	8.6	3	33.3	9	22.5	467	19.0	12	22.6
Very high poverty (≥30% below FPL)	8	18.2	7	20.0	1	11.1	6	15.0	284	11.6	6	11.3
Area-based poverty level not available	8	18.2	7	20.0	1	11.1	9	22.5	460	18.8	18	34.0
TRANSMISSION RISK												
Injection drug use history (IDU)	6	13.6	5	14.3	1	11.1	9	22.5	700	28.5	26	49.1
Heterosexual	27	61.4	21	60.0	6	66.7	19	47.5	1,096	44.7	18	34.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.5	70	2.9	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
Unknown	11	25.0	9	25.7	2	22.2	11	27.5	564	23.0	8	15.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,030	42.0	11	20.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,423	58.0	42	79.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	71	74.7	24	25.3	57	100.0	1,459	100.0	10	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	3	3.2	3	4.2	0	0.0	0	0.0	9	0.6	0	0.0
20-29	18	18.9	16	22.5	2	8.3	9	15.8	120	8.2	0	0.0
30-39	33	34.7	25	35.2	8	33.3	18	31.6	386	26.5	1	10.0
40-49	30	31.6	18	25.4	12	50.0	25	43.9	529	36.3	2	20.0
50-59	9	9.5	8	11.3	1	4.2	3	5.3	288	19.7	3	30.0
60+	2	2.1	1	1.4	1	4.2	2	3.5	123	8.4	4	40.0
BOROUGH OF RESIDENCE												
Bronx	7	7.4	7	9.9	0	0.0	3	5.3	78	5.3	0	0.0
Brooklyn	16	16.8	12	16.9	4	16.7	7	12.3	261	17.9	0	0.0
Manhattan	22	23.2	19	26.8	3	12.5	9	15.8	493	33.8	4	40.0
Queens	41	43.2	25	35.2	16	66.7	29	50.9	465	31.9	3	30.0
Staten Island	1	1.1	1	1.4	0	0.0	0	0.0	17	1.2	1	10.0
Outside NYC	8	8.4	7	9.9	1	4.2	7	12.3	107	7.3	1	10.0
Unknown	0	0.0	0	0.0	0	0.0	2	3.5	38	2.6	1	10.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	13.7	11	15.5	2	8.3	8	14.0	215	14.7	2	20.0
Medium poverty (10 to <20% below FPL)	49	51.6	32	45.1	17	70.8	29	50.9	652	44.7	5	50.0
High poverty (20 to <30% below FPL)	14	14.7	11	15.5	3	12.5	6	10.5	319	21.9	1	10.0
Very high poverty (≥30% below FPL)	9	9.5	8	11.3	1	4.2	5	8.8	110	7.5	0	0.0
Area-based poverty level not available	10	10.5	9	12.7	1	4.2	9	15.8	163	11.2	2	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	55	57.9	43	60.6	12	50.0	30	52.6	829	56.8	1	10.0
Injection drug use history (IDU)	1	1.1	1	1.4	0	0.0	2	3.5	38	2.6	0	0.0
MSM and IDU	1	1.1	1	1.4	0	0.0	1	1.8	25	1.7	0	0.0
Heterosexual	12	12.6	8	11.3	4	16.7	13	22.8	154	10.6	3	30.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	26	27.4	18	25.4	8	33.3	11	19.3	398	27.3	6	60.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	688	47.2	5	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	771	52.8	5	50.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	9	69.2	4	30.8	13	100.0	342	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
20-29	5	38.5	3	33.3	2	50.0	2	15.4	32	9.4	1	33.3
30-39	5	38.5	4	44.4	1	25.0	5	38.5	106	31.0	0	0.0
40-49	1	7.7	1	11.1	0	0.0	3	23.1	102	29.8	1	33.3
50-59	2	15.4	1	11.1	1	25.0	2	15.4	70	20.5	1	33.3
60+	0	0.0	0	0.0	0	0.0	1	7.7	29	8.5	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	15.4	0	0.0	2	50.0	2	15.4	41	12.0	0	0.0
Brooklyn	2	15.4	2	22.2	0	0.0	3	23.1	82	24.0	2	66.7
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	57	16.7	0	0.0
Queens	9	69.2	7	77.8	2	50.0	6	46.2	125	36.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	7.7	23	6.7	1	33.3
Unknown	0	0.0	0	0.0	0	0.0	1	7.7	10	2.9	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	7.7	41	12.0	0	0.0
Medium poverty (10 to <20% below FPL)	10	76.9	7	77.8	3	75.0	5	38.5	141	41.2	1	33.3
High poverty (20 to <30% below FPL)	1	7.7	1	11.1	0	0.0	2	15.4	63	18.4	1	33.3
Very high poverty (≥30% below FPL)	2	15.4	1	11.1	1	25.0	3	23.1	60	17.5	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	15.4	37	10.8	1	33.3
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.7	15	4.4	0	0.0
Heterosexual	12	92.3	8	88.9	4	100.0	8	61.5	199	58.2	3	100.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Unknown	1	7.7	1	11.1	0	0.0	4	30.8	121	35.4	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	173	50.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	169	49.4	3	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.9. Native American males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	6	54.5	5	45.5	11	100.0	183	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	9.1	1	16.7	0	0.0	1	9.1	19	10.4	0	0.0
30-39	3	27.3	1	16.7	2	40.0	4	36.4	46	25.1	1	33.3
40-49	4	36.4	3	50.0	1	20.0	1	9.1	61	33.3	2	66.7
50-59	2	18.2	0	0.0	2	40.0	3	27.3	40	21.9	0	0.0
60+	1	9.1	1	16.7	0	0.0	2	18.2	17	9.3	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	27.3	0	0.0	3	60.0	6	54.5	36	19.7	0	0.0
Brooklyn	3	27.3	2	33.3	1	20.0	1	9.1	41	22.4	1	33.3
Manhattan	5	45.5	4	66.7	1	20.0	1	9.1	49	26.8	2	66.7
Queens	0	0.0	0	0.0	0	0.0	3	27.3	43	23.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	9	4.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	4.9	0	0.0
Medium poverty (10 to <20% below FPL)	4	36.4	3	50.0	1	20.0	1	9.1	65	35.5	1	33.3
High poverty (20 to <30% below FPL)	4	36.4	3	50.0	1	20.0	4	36.4	47	25.7	2	66.7
Very high poverty (≥30% below FPL)	3	27.3	0	0.0	3	60.0	6	54.5	48	26.2	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	14	7.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	45.5	4	66.7	1	20.0	5	45.5	87	47.5	0	0.0
Injection drug use history (IDU)	1	9.1	0	0.0	1	20.0	2	18.2	18	9.8	0	0.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	4.4	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	14	7.7	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
Unknown	5	45.5	2	33.3	3	60.0	4	36.4	54	29.5	2	66.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	77	42.1	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	106	57.9	3	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.10. Native American females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	3	100.0	76	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
20-29	1	25.0	1	25.0	0	0.0	0	0.0	5	6.6	0	0.0
30-39	3	75.0	3	75.0	0	0.0	0	0.0	12	15.8	1	20.0
40-49	0	0.0	0	0.0	0	0.0	1	33.3	34	44.7	2	40.0
50-59	0	0.0	0	0.0	0	0.0	2	66.7	19	25.0	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	1	20.0
BOROUGH OF RESIDENCE												
Bronx	2	50.0	2	50.0	0	0.0	1	33.3	21	27.6	1	20.0
Brooklyn	2	50.0	2	50.0	0	0.0	1	33.3	30	39.5	2	40.0
Manhattan	0	0.0	0	0.0	0	0.0	1	33.3	9	11.8	1	20.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	15.8	1	20.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
Medium poverty (10 to <20% below FPL)	1	25.0	1	25.0	0	0.0	1	33.3	20	26.3	0	0.0
High poverty (20 to <30% below FPL)	1	25.0	1	25.0	0	0.0	1	33.3	24	31.6	2	40.0
Very high poverty (≥30% below FPL)	2	50.0	2	50.0	0	0.0	1	33.3	27	35.5	3	60.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	66.7	9	11.8	2	40.0
Heterosexual	4	100.0	4	100.0	0	0.0	1	33.3	45	59.2	3	60.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	22.4	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	47.4	1	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40	52.6	4	80.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	203	100.0	1	100.0
RACE/ETHNICITY												
Black	2	40.0	2	40.0	0	0.0	0	0.0	123	60.6	1	100.0
Hispanic	3	60.0	3	60.0	0	0.0	0	0.0	64	31.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	9	4.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	40.0	2	40.0	0	0.0	0	0.0	66	32.5	1	100.0
Brooklyn	1	20.0	1	20.0	0	0.0	0	0.0	55	27.1	0	0.0
Manhattan	1	20.0	1	20.0	0	0.0	0	0.0	32	15.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	32	15.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Outside NYC	1	20.0	1	20.0	0	0.0	0	0.0	11	5.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	14	6.9	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	43	21.2	1	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	48	23.6	0	0.0
Very high poverty (≥30% below FPL)	4	80.0	4	80.0	0	0.0	0	0.0	83	40.9	0	0.0
Area-based poverty level not available	1	20.0	1	20.0	0	0.0	0	0.0	15	7.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	5	100.0	5	100.0	0	0.0	0	0.0	203	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	189	93.1	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14	6.9	1	100.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	7	100.0	0	0.0	0	0.0	221	100.0	0	0.0
RACE/ETHNICITY												
Black	3	42.9	3	42.9	0	0.0	0	0.0	127	57.5	0	0.0
Hispanic	4	57.1	4	57.1	0	0.0	0	0.0	82	37.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	11	5.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	42.9	3	42.9	0	0.0	0	0.0	72	32.6	0	0.0
Brooklyn	2	28.6	2	28.6	0	0.0	0	0.0	66	29.9	0	0.0
Manhattan	1	14.3	1	14.3	0	0.0	0	0.0	29	13.1	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	18	8.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	7	3.2	0	0.0
Outside NYC	1	14.3	1	14.3	0	0.0	0	0.0	20	9.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	4.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	4.5	0	0.0
Medium poverty (10 to <20% below FPL)	2	28.6	2	28.6	0	0.0	0	0.0	42	19.0	0	0.0
High poverty (20 to <30% below FPL)	1	14.3	1	14.3	0	0.0	0	0.0	58	26.2	0	0.0
Very high poverty (≥30% below FPL)	3	42.9	3	42.9	0	0.0	0	0.0	82	37.1	0	0.0
Area-based poverty level not available	1	14.3	1	14.3	0	0.0	0	0.0	29	13.1	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	7	100.0	7	100.0	0	0.0	0	0.0	221	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	210	95.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	5.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.3. Males 13+ Years

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,829	100.0	2,271	80.3	558	19.7	2,202	100.0	78,778	100.0	1,531	100.0
RACE/ETHNICITY												
Black	1,224	43.3	965	42.5	259	46.4	1,008	45.8	30,917	39.2	737	48.1
Hispanic	912	32.2	725	31.9	187	33.5	742	33.7	25,604	32.5	508	33.2
White	581	20.5	498	21.9	83	14.9	382	17.3	20,262	25.7	270	17.6
Asian/Pacific Islander	95	3.4	71	3.1	24	4.3	57	2.6	1,455	1.8	10	0.7
Native American	11	0.4	6	0.3	5	0.9	11	0.5	183	0.2	3	0.2
Multiracial	6	0.2	6	0.3	0	0.0	2	0.1	59	0.1	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	298	0.4	0	0.0
AGE GROUP (YEARS)												
13-19	141	5.0	129	5.7	12	2.2	35	1.6	815	1.0	1	0.1
20-29	920	32.5	840	37.0	80	14.3	370	16.8	6,375	8.1	29	1.9
30-39	732	25.9	588	25.9	144	25.8	537	24.4	12,601	16.0	125	8.2
40-49	645	22.8	469	20.7	176	31.5	699	31.7	28,026	35.6	412	26.9
50-59	294	10.4	194	8.5	100	17.9	420	19.1	21,798	27.7	582	38.0
60+	97	3.4	51	2.2	46	8.2	141	6.4	9,163	11.6	382	25.0
BOROUGH OF RESIDENCE												
Bronx	480	17.0	379	16.7	101	18.1	457	20.8	14,909	18.9	388	25.3
Brooklyn	703	24.8	541	23.8	162	29.0	561	25.5	17,401	22.1	351	22.9
Manhattan	824	29.1	674	29.7	150	26.9	611	27.7	24,801	31.5	334	21.8
Queens	484	17.1	383	16.9	101	18.1	318	14.4	11,414	14.5	138	9.0
Staten Island	43	1.5	35	1.5	8	1.4	32	1.5	1,379	1.8	40	2.6
Outside NYC	271	9.6	235	10.3	36	6.5	172	7.8	7,369	9.4	58	3.8
Unknown	24	0.8	24	1.1	0	0.0	51	2.3	1,505	1.9	222	14.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	311	11.0	250	11.0	61	10.9	204	9.3	9,852	12.5	91	5.9
Medium poverty (10 to <20% below FPL)	813	28.7	634	27.9	179	32.1	595	27.0	22,405	28.4	309	20.2
High poverty (20 to <30% below FPL)	732	25.9	586	25.8	146	26.2	598	27.2	18,699	23.7	367	24.0
Very high poverty (≥30% below FPL)	663	23.4	530	23.3	133	23.8	569	25.8	17,784	22.6	476	31.1
Area-based poverty level not available	310	11.0	271	11.9	39	7.0	236	10.7	10,038	12.7	288	18.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,678	59.3	1,457	64.2	221	39.6	982	44.6	37,886	48.1	376	24.6
Injection drug use history (IDU)	88	3.1	68	3.0	20	3.6	205	9.3	12,450	15.8	498	32.5
MSM and IDU	45	1.6	39	1.7	6	1.1	76	3.5	2,598	3.3	84	5.5
Heterosexual	201	7.1	134	5.9	67	12.0	232	10.5	5,793	7.4	120	7.8
Perinatal	0	0.0	0	0.0	0	0.0	16	0.7	1,038	1.3	3	0.2
Other	0	0.0	0	0.0	0	0.0	3	0.1	122	0.2	4	0.3
Unknown	817	28.9	573	25.2	244	43.7	688	31.2	18,891	24.0	446	29.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	32,317	41.0	256	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46,461	59.0	1,275	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.4. Females 13+ Years

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	864	100.0	696	80.6	168	19.4	894	100.0	31,827	100.0	716	100.0
RACE/ETHNICITY												
Black	541	62.6	440	63.2	101	60.1	544	60.9	18,450	58.0	410	57.3
Hispanic	262	30.3	208	29.9	54	32.1	293	32.8	10,408	32.7	244	34.1
White	44	5.1	35	5.0	9	5.4	40	4.5	2,442	7.7	53	7.4
Asian/Pacific Islander	13	1.5	9	1.3	4	2.4	13	1.5	342	1.1	3	0.4
Native American	4	0.5	4	0.6	0	0.0	3	0.3	75	0.2	5	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	0.1	20	0.1	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	39	4.5	34	4.9	5	3.0	32	3.6	749	2.4	4	0.6
20-29	157	18.2	143	20.5	14	8.3	83	9.3	2,246	7.1	16	2.2
30-39	207	24.0	175	25.1	32	19.0	203	22.7	5,546	17.4	63	8.8
40-49	245	28.4	201	28.9	44	26.2	318	35.6	11,715	36.8	246	34.4
50-59	155	17.9	107	15.4	48	28.6	188	21.0	8,540	26.8	261	36.5
60+	61	7.1	36	5.2	25	14.9	70	7.8	3,031	9.5	126	17.6
BOROUGH OF RESIDENCE												
Bronx	253	29.3	203	29.2	50	29.8	285	31.9	9,814	30.8	231	32.3
Brooklyn	257	29.7	201	28.9	56	33.3	256	28.6	9,508	29.9	182	25.4
Manhattan	145	16.8	122	17.5	23	13.7	144	16.1	5,254	16.5	112	15.6
Queens	130	15.0	100	14.4	30	17.9	112	12.5	4,426	13.9	70	9.8
Staten Island	23	2.7	18	2.6	5	3.0	19	2.1	770	2.4	22	3.1
Outside NYC	50	5.8	46	6.6	4	2.4	49	5.5	1,678	5.3	25	3.5
Unknown	6	0.7	6	0.9	0	0.0	29	3.2	377	1.2	74	10.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	50	5.8	42	6.0	8	4.8	48	5.4	1,970	6.2	20	2.8
Medium poverty (10 to <20% below FPL)	204	23.6	162	23.3	42	25.0	193	21.6	7,469	23.5	126	17.6
High poverty (20 to <30% below FPL)	249	28.8	203	29.2	46	27.4	248	27.7	8,830	27.7	198	27.7
Very high poverty (≥30% below FPL)	301	34.8	233	33.5	68	40.5	325	36.4	11,201	35.2	273	38.1
Area-based poverty level not available	60	6.9	56	8.0	4	2.4	80	8.9	2,357	7.4	99	13.8
TRANSMISSION RISK												
Injection drug use history (IDU)	55	6.4	49	7.0	6	3.6	120	13.4	6,140	19.3	255	35.6
Heterosexual	633	73.3	502	72.1	131	78.0	559	62.5	16,001	50.3	267	37.3
Perinatal	1	0.1	0	0.0	1	0.6	27	3.0	1,077	3.4	7	1.0
Other	1	0.1	1	0.1	0	0.0	1	0.1	113	0.4	2	0.3
Unknown	174	20.1	144	20.7	30	17.9	187	20.9	8,496	26.7	185	25.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,990	40.8	117	16.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,837	59.2	599	83.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.1. Bronx, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	482	100.0	381	79.0	101	21.0	457	100.0	14,975	100.0	389	100.0
RACE/ETHNICITY												
Black	223	46.3	170	44.6	53	52.5	214	46.8	6,467	43.2	169	43.4
Hispanic	226	46.9	183	48.0	43	42.6	219	47.9	7,566	50.5	203	52.2
White	22	4.6	20	5.2	2	2.0	15	3.3	797	5.3	16	4.1
Asian/Pacific Islander	7	1.5	7	1.8	0	0.0	3	0.7	78	0.5	0	0.0
Native American	3	0.6	0	0.0	3	3.0	6	1.3	36	0.2	0	0.0
Multiracial	1	0.2	1	0.3	0	0.0	0	0.0	5	0.0	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.4	2	0.5	0	0.0	0	0.0	66	0.4	1	0.3
13-19	30	6.2	27	7.1	3	3.0	11	2.4	233	1.6	1	0.3
20-29	146	30.3	131	34.4	15	14.9	77	16.8	1,210	8.1	4	1.0
30-39	96	19.9	77	20.2	19	18.8	91	19.9	2,075	13.9	27	6.9
40-49	119	24.7	83	21.8	36	35.6	143	31.3	5,154	34.4	94	24.2
50-59	64	13.3	46	12.1	18	17.8	104	22.8	4,539	30.3	157	40.4
60+	25	5.2	15	3.9	10	9.9	31	6.8	1,698	11.3	105	27.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.2	1	0.3	0	0.0	1	0.2	91	0.6	0	0.0
Medium poverty (10 to <20% below FPL)	65	13.5	53	13.9	12	11.9	54	11.8	1,947	13.0	46	11.8
High poverty (20 to <30% below FPL)	75	15.6	58	15.2	17	16.8	59	12.9	2,121	14.2	52	13.4
Very high poverty (≥30% below FPL)	340	70.5	268	70.3	72	71.3	342	74.8	10,687	71.4	289	74.3
Area-based poverty level not available	1	0.2	1	0.3	0	0.0	1	0.2	129	0.9	2	0.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	197	40.9	175	45.9	22	21.8	125	27.4	4,302	28.7	51	13.1
Injection drug use history (IDU)	28	5.8	23	6.0	5	5.0	65	14.2	3,665	24.5	169	43.4
MSM and IDU	6	1.2	5	1.3	1	1.0	18	3.9	628	4.2	29	7.5
Heterosexual	62	12.9	41	10.8	21	20.8	71	15.5	1,494	10.0	34	8.7
Perinatal	2	0.4	2	0.5	0	0.0	8	1.8	407	2.7	3	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	187	38.8	135	35.4	52	51.5	170	37.2	4,459	29.8	103	26.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,327	35.6	57	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,648	64.4	332	85.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.2. Bronx, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	256	100.0	206	80.5	50	19.5	285	100.0	9,886	100.0	231	100.0
RACE/ETHNICITY												
Black	134	52.3	108	52.4	26	52.0	138	48.4	4,954	50.1	110	47.6
Hispanic	110	43.0	89	43.2	21	42.0	132	46.3	4,524	45.8	111	48.1
White	8	3.1	7	3.4	1	2.0	11	3.9	327	3.3	8	3.5
Asian/Pacific Islander	2	0.8	0	0.0	2	4.0	2	0.7	41	0.4	0	0.0
Native American	2	0.8	2	1.0	0	0.0	1	0.4	21	0.2	1	0.4
Multiracial	0	0.0	0	0.0	0	0.0	1	0.4	1	0.0	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	1.2	3	1.5	0	0.0	0	0.0	72	0.7	0	0.0
13-19	9	3.5	7	3.4	2	4.0	15	5.3	246	2.5	2	0.9
20-29	50	19.5	46	22.3	4	8.0	28	9.8	697	7.1	7	3.0
30-39	63	24.6	55	26.7	8	16.0	66	23.2	1,829	18.5	27	11.7
40-49	69	27.0	57	27.7	12	24.0	95	33.3	3,672	37.1	78	33.8
50-59	46	18.0	28	13.6	18	36.0	61	21.4	2,474	25.0	77	33.3
60+	16	6.3	10	4.9	6	12.0	20	7.0	896	9.1	40	17.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.4	1	0.5	0	0.0	0	0.0	35	0.4	0	0.0
Medium poverty (10 to <20% below FPL)	28	10.9	23	11.2	5	10.0	38	13.3	1,422	14.4	27	11.7
High poverty (20 to <30% below FPL)	37	14.5	30	14.6	7	14.0	43	15.1	1,490	15.1	34	14.7
Very high poverty (≥30% below FPL)	190	74.2	152	73.8	38	76.0	204	71.6	6,897	69.8	170	73.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	42	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	24	9.4	21	10.2	3	6.0	42	14.7	2,041	20.6	77	33.3
Heterosexual	201	78.5	157	76.2	44	88.0	183	64.2	4,748	48.0	88	38.1
Perinatal	3	1.2	3	1.5	0	0.0	10	3.5	422	4.3	3	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.4	24	0.2	0	0.0
Unknown	28	10.9	25	12.1	3	6.0	49	17.2	2,651	26.8	63	27.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,994	40.4	24	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,892	59.6	207	89.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.3. Brooklyn, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	704	100.0	542	77.0	162	23.0	561	100.0	17,456	100.0	351	100.0
RACE/ETHNICITY												
Black	436	61.9	342	63.1	94	58.0	333	59.4	10,026	57.4	226	64.4
Hispanic	155	22.0	112	20.7	43	26.5	152	27.1	4,441	25.4	92	26.2
White	92	13.1	72	13.3	20	12.3	68	12.1	2,642	15.1	31	8.8
Asian/Pacific Islander	16	2.3	12	2.2	4	2.5	7	1.2	261	1.5	0	0.0
Native American	3	0.4	2	0.4	1	0.6	1	0.2	41	0.2	1	0.3
Multiracial	2	0.3	2	0.4	0	0.0	0	0.0	11	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	55	0.3	0	0.0
13-19	43	6.1	38	7.0	5	3.1	12	2.1	245	1.4	0	0.0
20-29	241	34.2	220	40.6	21	13.0	109	19.4	1,670	9.6	11	3.1
30-39	174	24.7	129	23.8	45	27.8	139	24.8	2,940	16.8	27	7.7
40-49	146	20.7	94	17.3	52	32.1	167	29.8	5,897	33.8	88	25.1
50-59	73	10.4	47	8.7	26	16.0	97	17.3	4,599	26.3	137	39.0
60+	26	3.7	13	2.4	13	8.0	37	6.6	2,050	11.7	88	25.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	24	3.4	15	2.8	9	5.6	23	4.1	634	3.6	10	2.8
Medium poverty (10 to <20% below FPL)	175	24.9	128	23.6	47	29.0	123	21.9	4,301	24.6	73	20.8
High poverty (20 to <30% below FPL)	237	33.7	186	34.3	51	31.5	220	39.2	6,510	37.3	114	32.5
Very high poverty (≥30% below FPL)	267	37.9	212	39.1	55	34.0	191	34.0	5,834	33.4	153	43.6
Area-based poverty level not available	1	0.1	1	0.2	0	0.0	4	0.7	177	1.0	1	0.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	397	56.4	334	61.6	63	38.9	263	46.9	7,221	41.4	67	19.1
Injection drug use history (IDU)	23	3.3	14	2.6	9	5.6	49	8.7	2,956	16.9	105	29.9
MSM and IDU	11	1.6	8	1.5	3	1.9	20	3.6	558	3.2	21	6.0
Heterosexual	51	7.2	38	7.0	13	8.0	45	8.0	1,556	8.9	33	9.4
Perinatal	1	0.1	1	0.2	0	0.0	3	0.5	338	1.9	1	0.3
Other	0	0.0	0	0.0	0	0.0	1	0.2	25	0.1	2	0.6
Unknown	221	31.4	147	27.1	74	45.7	180	32.1	4,802	27.5	122	34.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,570	37.6	52	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,886	62.4	299	85.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.4. Brooklyn, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	259	100.0	203	78.4	56	21.6	256	100.0	9,574	100.0	182	100.0
RACE/ETHNICITY												
Black	194	74.9	157	77.3	37	66.1	184	71.9	6,671	69.7	122	67.0
Hispanic	53	20.5	37	18.2	16	28.6	64	25.0	2,254	23.5	49	26.9
White	8	3.1	5	2.5	3	5.4	4	1.6	508	5.3	7	3.8
Asian/Pacific Islander	2	0.8	2	1.0	0	0.0	3	1.2	82	0.9	2	1.1
Native American	2	0.8	2	1.0	0	0.0	1	0.4	30	0.3	2	1.1
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.8	2	1.0	0	0.0	0	0.0	66	0.7	0	0.0
13-19	16	6.2	14	6.9	2	3.6	7	2.7	218	2.3	0	0.0
20-29	42	16.2	37	18.2	5	8.9	26	10.2	716	7.5	3	1.6
30-39	66	25.5	55	27.1	11	19.6	56	21.9	1,614	16.9	15	8.2
40-49	68	26.3	55	27.1	13	23.2	95	37.1	3,411	35.6	59	32.4
50-59	45	17.4	29	14.3	16	28.6	54	21.1	2,651	27.7	71	39.0
60+	20	7.7	11	5.4	9	16.1	18	7.0	898	9.4	34	18.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	2.7	6	3.0	1	1.8	8	3.1	283	3.0	4	2.2
Medium poverty (10 to <20% below FPL)	57	22.0	46	22.7	11	19.6	57	22.3	2,086	21.8	33	18.1
High poverty (20 to <30% below FPL)	94	36.3	78	38.4	16	28.6	83	32.4	3,425	35.8	61	33.5
Very high poverty (≥30% below FPL)	98	37.8	70	34.5	28	50.0	107	41.8	3,706	38.7	84	46.2
Area-based poverty level not available	3	1.2	3	1.5	0	0.0	1	0.4	74	0.8	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	10	3.9	9	4.4	1	1.8	29	11.3	1,661	17.3	57	31.3
Heterosexual	178	68.7	138	68.0	40	71.4	164	64.1	4,881	51.0	69	37.9
Perinatal	3	1.2	2	1.0	1	1.8	6	2.3	365	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	1	0.5
Unknown	68	26.3	54	26.6	14	25.0	57	22.3	2,635	27.5	55	30.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,831	40.0	32	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,743	60.0	150	82.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.5. Manhattan, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	825	100.0	675	81.8	150	18.2	611	100.0	24,833	100.0	334	100.0
RACE/ETHNICITY												
Black	271	32.8	210	31.1	61	40.7	242	39.6	7,037	28.3	152	45.5
Hispanic	233	28.2	182	27.0	51	34.0	174	28.5	6,658	26.8	85	25.4
White	293	35.5	259	38.4	34	22.7	183	30.0	10,413	41.9	90	26.9
Asian/Pacific Islander	22	2.7	19	2.8	3	2.0	9	1.5	493	2.0	4	1.2
Native American	5	0.6	4	0.6	1	0.7	1	0.2	49	0.2	2	0.6
Multiracial	1	0.1	1	0.1	0	0.0	2	0.3	8	0.0	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	175	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	32	0.1	0	0.0
13-19	16	1.9	14	2.1	2	1.3	4	0.7	113	0.5	0	0.0
20-29	256	31.0	229	33.9	27	18.0	94	15.4	1,490	6.0	5	1.5
30-39	241	29.2	199	29.5	42	28.0	155	25.4	3,862	15.6	25	7.5
40-49	199	24.1	157	23.3	42	28.0	195	31.9	9,031	36.4	89	26.6
50-59	87	10.5	61	9.0	26	17.3	125	20.5	6,974	28.1	114	34.1
60+	25	3.0	14	2.1	11	7.3	38	6.2	3,331	13.4	101	30.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	201	24.4	167	24.7	34	22.7	125	20.5	6,730	27.1	48	14.4
Medium poverty (10 to <20% below FPL)	238	28.8	194	28.7	44	29.3	195	31.9	8,025	32.3	88	26.3
High poverty (20 to <30% below FPL)	318	38.5	253	37.5	65	43.3	249	40.8	8,032	32.3	163	48.8
Very high poverty (≥30% below FPL)	60	7.3	54	8.0	6	4.0	36	5.9	1,344	5.4	34	10.2
Area-based poverty level not available	8	1.0	7	1.0	1	0.7	6	1.0	702	2.8	1	0.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	561	68.0	490	72.6	71	47.3	328	53.7	15,250	61.4	114	34.1
Injection drug use history (IDU)	20	2.4	16	2.4	4	2.7	42	6.9	2,828	11.4	98	29.3
MSM and IDU	14	1.7	13	1.9	1	0.7	22	3.6	811	3.3	19	5.7
Heterosexual	33	4.0	20	3.0	13	8.7	53	8.7	1,061	4.3	21	6.3
Perinatal	1	0.1	1	0.1	0	0.0	1	0.2	182	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	2	0.3	20	0.1	0	0.0
Unknown	196	23.8	135	20.0	61	40.7	163	26.7	4,681	18.8	82	24.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,541	42.4	40	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,292	57.6	294	88.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.6. Manhattan, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	123	84.2	23	15.8	144	100.0	5,283	100.0	112	100.0
RACE/ETHNICITY												
Black	89	61.0	77	62.6	12	52.2	96	66.7	2,916	55.2	65	58.0
Hispanic	50	34.2	41	33.3	9	39.1	39	27.1	1,738	32.9	38	33.9
White	7	4.8	5	4.1	2	8.7	8	5.6	540	10.2	8	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	57	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.7	9	0.2	1	0.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	0.8	0	0.0	0	0.0	29	0.5	0	0.0
13-19	6	4.1	6	4.9	0	0.0	2	1.4	120	2.3	1	0.9
20-29	20	13.7	19	15.4	1	4.3	12	8.3	304	5.8	3	2.7
30-39	37	25.3	31	25.2	6	26.1	34	23.6	796	15.1	8	7.1
40-49	51	34.9	43	35.0	8	34.8	54	37.5	1,957	37.0	39	34.8
50-59	23	15.8	18	14.6	5	21.7	30	20.8	1,457	27.6	43	38.4
60+	8	5.5	5	4.1	3	13.0	12	8.3	620	11.7	18	16.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	9.6	13	10.6	1	4.3	10	6.9	518	9.8	6	5.4
Medium poverty (10 to <20% below FPL)	24	16.4	20	16.3	4	17.4	25	17.4	1,051	19.9	14	12.5
High poverty (20 to <30% below FPL)	91	62.3	75	61.0	16	69.6	94	65.3	2,909	55.1	73	65.2
Very high poverty (≥30% below FPL)	16	11.0	14	11.4	2	8.7	14	9.7	679	12.9	19	17.0
Area-based poverty level not available	1	0.7	1	0.8	0	0.0	1	0.7	126	2.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	10	6.8	10	8.1	0	0.0	20	13.9	1,222	23.1	51	45.5
Heterosexual	99	67.8	82	66.7	17	73.9	84	58.3	2,432	46.0	41	36.6
Perinatal	1	0.7	1	0.8	0	0.0	4	2.8	196	3.7	2	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.9
Unknown	36	24.7	30	24.4	6	26.1	36	25.0	1,414	26.8	17	15.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,048	38.8	14	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,235	61.2	98	87.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.7. Queens, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	484	100.0	383	79.1	101	20.9	318	100.0	11,446	100.0	138	100.0
RACE/ETHNICITY												
Black	171	35.3	134	35.0	37	36.6	111	34.9	4,103	35.8	66	47.8
Hispanic	205	42.4	170	44.4	35	34.7	134	42.1	4,669	40.8	45	32.6
White	67	13.8	54	14.1	13	12.9	41	12.9	2,126	18.6	24	17.4
Asian/Pacific Islander	41	8.5	25	6.5	16	15.8	29	9.1	465	4.1	3	2.2
Native American	0	0.0	0	0.0	0	0.0	3	0.9	43	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
13-19	29	6.0	27	7.0	2	2.0	6	1.9	112	1.0	0	0.0
20-29	155	32.0	144	37.6	11	10.9	56	17.6	908	7.9	1	0.7
30-39	140	28.9	108	28.2	32	31.7	98	30.8	2,008	17.5	15	10.9
40-49	101	20.9	75	19.6	26	25.7	91	28.6	4,260	37.2	38	27.5
50-59	45	9.3	21	5.5	24	23.8	54	17.0	3,074	26.9	51	37.0
60+	14	2.9	8	2.1	6	5.9	13	4.1	1,052	9.2	33	23.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	74	15.3	58	15.1	16	15.8	46	14.5	1,921	16.8	22	15.9
Medium poverty (10 to <20% below FPL)	316	65.3	244	63.7	72	71.3	210	66.0	7,679	67.1	82	59.4
High poverty (20 to <30% below FPL)	89	18.4	78	20.4	11	10.9	60	18.9	1,705	14.9	30	21.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Area-based poverty level not available	5	1.0	3	0.8	2	2.0	2	0.6	139	1.2	4	2.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	291	60.1	251	65.5	40	39.6	140	44.0	5,152	45.0	39	28.3
Injection drug use history (IDU)	13	2.7	12	3.1	1	1.0	24	7.5	1,851	16.2	37	26.8
MSM and IDU	6	1.2	5	1.3	1	1.0	10	3.1	356	3.1	4	2.9
Heterosexual	46	9.5	29	7.6	17	16.8	45	14.2	1,109	9.7	9	6.5
Perinatal	0	0.0	0	0.0	0	0.0	1	0.3	174	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	1	0.7
Unknown	128	26.4	86	22.5	42	41.6	98	30.8	2,779	24.3	48	34.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,517	39.5	28	20.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,929	60.5	110	79.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.8. Queens, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	130	100.0	100	76.9	30	23.1	112	100.0	4,444	100.0	70	100.0
RACE/ETHNICITY												
Black	75	57.7	52	52.0	23	76.7	69	61.6	2,591	58.3	45	64.3
Hispanic	37	28.5	33	33.0	4	13.3	31	27.7	1,237	27.8	17	24.3
White	9	6.9	8	8.0	1	3.3	6	5.4	454	10.2	7	10.0
Asian/Pacific Islander	9	6.9	7	7.0	2	6.7	6	5.4	125	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	1	1.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
13-19	6	4.6	5	5.0	1	3.3	5	4.5	92	2.1	1	1.4
20-29	27	20.8	23	23.0	4	13.3	11	9.8	294	6.6	1	1.4
30-39	26	20.0	21	21.0	5	16.7	27	24.1	789	17.8	3	4.3
40-49	37	28.5	28	28.0	9	30.0	36	32.1	1,637	36.8	27	38.6
50-59	25	19.2	19	19.0	6	20.0	22	19.6	1,209	27.2	26	37.1
60+	9	6.9	4	4.0	5	16.7	11	9.8	405	9.1	12	17.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	23	17.7	18	18.0	5	16.7	22	19.6	899	20.2	6	8.6
Medium poverty (10 to <20% below FPL)	84	64.6	65	65.0	19	63.3	68	60.7	2,606	58.6	39	55.7
High poverty (20 to <30% below FPL)	23	17.7	17	17.0	6	20.0	22	19.6	881	19.8	25	35.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	57	1.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	3.8	5	5.0	0	0.0	13	11.6	791	17.8	22	31.4
Heterosexual	102	78.5	78	78.0	24	80.0	71	63.4	2,388	53.7	30	42.9
Perinatal	0	0.0	0	0.0	0	0.0	3	2.7	162	3.6	2	2.9
Other	1	0.8	1	1.0	0	0.0	0	0.0	23	0.5	0	0.0
Unknown	22	16.9	16	16.0	6	20.0	25	22.3	1,080	24.3	16	22.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,804	40.6	11	15.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,640	59.4	59	84.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.9. Staten Island, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	35	81.4	8	18.6	32	100.0	1,384	100.0	40	100.0
RACE/ETHNICITY												
Black	17	39.5	14	40.0	3	37.5	14	43.8	476	34.4	12	30.0
Hispanic	10	23.3	8	22.9	2	25.0	10	31.3	404	29.2	11	27.5
White	15	34.9	12	34.3	3	37.5	8	25.0	476	34.4	16	40.0
Asian/Pacific Islander	1	2.3	1	2.9	0	0.0	0	0.0	17	1.2	1	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	5	11.6	5	14.3	0	0.0	1	3.1	20	1.4	0	0.0
20-29	14	32.6	13	37.1	1	12.5	4	12.5	98	7.1	2	5.0
30-39	10	23.3	9	25.7	1	12.5	4	12.5	185	13.4	1	2.5
40-49	9	20.9	5	14.3	4	50.0	16	50.0	528	38.2	12	30.0
50-59	3	7.0	2	5.7	1	12.5	4	12.5	410	29.6	17	42.5
60+	2	4.7	1	2.9	1	12.5	3	9.4	138	10.0	8	20.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	25.6	9	25.7	2	25.0	9	28.1	490	35.4	11	27.5
Medium poverty (10 to <20% below FPL)	19	44.2	15	42.9	4	50.0	13	40.6	496	35.8	21	52.5
High poverty (20 to <30% below FPL)	13	30.2	11	31.4	2	25.0	10	31.3	379	27.4	8	20.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	19	1.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	51.2	18	51.4	4	50.0	10	31.3	489	35.3	12	30.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.1	311	22.5	14	35.0
MSM and IDU	1	2.3	1	2.9	0	0.0	0	0.0	56	4.0	0	0.0
Heterosexual	4	9.3	3	8.6	1	12.5	3	9.4	136	9.8	4	10.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.1	34	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	2.5
Unknown	16	37.2	13	37.1	3	37.5	17	53.1	356	25.7	9	22.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	524	37.9	5	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	860	62.1	35	87.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.10. Staten Island, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	18	78.3	5	21.7	19	100.0	777	100.0	22	100.0
RACE/ETHNICITY												
Black	14	60.9	12	66.7	2	40.0	10	52.6	364	46.8	13	59.1
Hispanic	5	21.7	3	16.7	2	40.0	7	36.8	210	27.0	4	18.2
White	4	17.4	3	16.7	1	20.0	2	10.5	192	24.7	5	22.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.3	14	1.8	0	0.0
20-29	10	43.5	10	55.6	0	0.0	0	0.0	53	6.8	0	0.0
30-39	4	17.4	3	16.7	1	20.0	5	26.3	126	16.2	4	18.2
40-49	6	26.1	4	22.2	2	40.0	7	36.8	304	39.1	6	27.3
50-59	3	13.0	1	5.6	2	40.0	5	26.3	228	29.3	9	40.9
60+	0	0.0	0	0.0	0	0.0	1	5.3	45	5.8	3	13.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	21.7	4	22.2	1	20.0	8	42.1	245	31.5	4	18.2
Medium poverty (10 to <20% below FPL)	13	56.5	10	55.6	3	60.0	5	26.3	346	44.5	13	59.1
High poverty (20 to <30% below FPL)	5	21.7	4	22.2	1	20.0	6	31.6	183	23.6	5	22.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	8.7	1	5.6	1	20.0	3	15.8	159	20.5	10	45.5
Heterosexual	19	82.6	16	88.9	3	60.0	11	57.9	418	53.8	9	40.9
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	33	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	2	8.7	1	5.6	1	20.0	4	21.1	161	20.7	3	13.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	302	38.9	3	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	475	61.1	19	86.4

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,678	100.0	1,457	86.8	221	13.2	982	100.0	37,886	100.0	376	100.0
RACE/ETHNICITY												
Black	611	36.4	526	36.1	85	38.5	371	37.8	11,323	29.9	148	39.4
Hispanic	546	32.5	469	32.2	77	34.8	317	32.3	10,661	28.1	96	25.5
White	457	27.2	411	28.2	46	20.8	259	26.4	14,904	39.3	131	34.8
Asian/Pacific Islander	55	3.3	43	3.0	12	5.4	30	3.1	829	2.2	1	0.3
Native American	5	0.3	4	0.3	1	0.5	5	0.5	87	0.2	0	0.0
Multiracial	4	0.2	4	0.3	0	0.0	0	0.0	43	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	39	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	115	6.9	106	7.3	9	4.1	18	1.8	177	0.5	0	0.0
20-29	706	42.1	655	45.0	51	23.1	255	26.0	4,529	12.0	15	4.0
30-39	463	27.6	390	26.8	73	33.0	333	33.9	8,162	21.5	63	16.8
40-49	288	17.2	233	16.0	55	24.9	256	26.1	13,989	36.9	125	33.2
50-59	87	5.2	63	4.3	24	10.9	91	9.3	7,800	20.6	110	29.3
60+	19	1.1	10	0.7	9	4.1	29	3.0	3,229	8.5	63	16.8
BOROUGH OF RESIDENCE												
Bronx	197	11.7	175	12.0	22	10.0	125	12.7	4,302	11.4	51	13.6
Brooklyn	397	23.7	334	22.9	63	28.5	263	26.8	7,221	19.1	67	17.8
Manhattan	561	33.4	490	33.6	71	32.1	328	33.4	15,250	40.3	114	30.3
Queens	291	17.3	251	17.2	40	18.1	140	14.3	5,152	13.6	39	10.4
Staten Island	22	1.3	18	1.2	4	1.8	10	1.0	489	1.3	12	3.2
Outside NYC	193	11.5	172	11.8	21	9.5	98	10.0	4,431	11.7	21	5.6
Unknown	17	1.0	17	1.2	0	0.0	18	1.8	1,041	2.7	72	19.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	208	12.4	177	12.1	31	14.0	123	12.5	6,525	17.2	42	11.2
Medium poverty (10 to <20% below FPL)	488	29.1	422	29.0	66	29.9	264	26.9	11,477	30.3	88	23.4
High poverty (20 to <30% below FPL)	438	26.1	378	25.9	60	27.1	287	29.2	8,465	22.3	87	23.1
Very high poverty (≥30% below FPL)	322	19.2	281	19.3	41	18.6	187	19.0	5,541	14.6	65	17.3
Area-based poverty level not available	222	13.2	199	13.7	23	10.4	121	12.3	5,878	15.5	94	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,106	47.8	60	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,780	52.2	316	84.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.2. Injection drug use history (IDU), males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	88	100.0	68	77.3	20	22.7	205	100.0	12,450	100.0	498	100.0
RACE/ETHNICITY												
Black	34	38.6	25	36.8	9	45.0	85	41.5	5,137	41.3	224	45.0
Hispanic	43	48.9	36	52.9	7	35.0	93	45.4	5,841	46.9	211	42.4
White	9	10.2	6	8.8	3	15.0	23	11.2	1,404	11.3	63	12.7
Asian/Pacific Islander	1	1.1	1	1.5	0	0.0	2	1.0	38	0.3	0	0.0
Native American	1	1.1	0	0.0	1	5.0	2	1.0	18	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	8.0	6	8.8	1	5.0	3	1.5	85	0.7	1	0.2
30-39	17	19.3	13	19.1	4	20.0	26	12.7	567	4.6	14	2.8
40-49	33	37.5	26	38.2	7	35.0	67	32.7	3,451	27.7	93	18.7
50-59	25	28.4	18	26.5	7	35.0	85	41.5	5,973	48.0	251	50.4
60+	6	6.8	5	7.4	1	5.0	24	11.7	2,374	19.1	139	27.9
BOROUGH OF RESIDENCE												
Bronx	28	31.8	23	33.8	5	25.0	65	31.7	3,665	29.4	169	33.9
Brooklyn	23	26.1	14	20.6	9	45.0	49	23.9	2,956	23.7	105	21.1
Manhattan	20	22.7	16	23.5	4	20.0	42	20.5	2,828	22.7	98	19.7
Queens	13	14.8	12	17.6	1	5.0	24	11.7	1,851	14.9	37	7.4
Staten Island	0	0.0	0	0.0	0	0.0	1	0.5	311	2.5	14	2.8
Outside NYC	3	3.4	2	2.9	1	5.0	17	8.3	748	6.0	16	3.2
Unknown	1	1.1	1	1.5	0	0.0	7	3.4	91	0.7	59	11.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	11.4	8	11.8	2	10.0	9	4.4	802	6.4	17	3.4
Medium poverty (10 to <20% below FPL)	25	28.4	19	27.9	6	30.0	47	22.9	3,222	25.9	96	19.3
High poverty (20 to <30% below FPL)	16	18.2	11	16.2	5	25.0	48	23.4	3,050	24.5	120	24.1
Very high poverty (≥30% below FPL)	33	37.5	27	39.7	6	30.0	76	37.1	4,272	34.3	188	37.8
Area-based poverty level not available	4	4.5	3	4.4	1	5.0	25	12.2	1,104	8.9	77	15.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,654	21.3	45	9.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,796	78.7	453	91.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	49	89.1	6	10.9	120	100.0	6,140	100.0	255	100.0
RACE/ETHNICITY												
Black	23	41.8	21	42.9	2	33.3	53	44.2	2,958	48.2	132	51.8
Hispanic	26	47.3	23	46.9	3	50.0	55	45.8	2,451	39.9	95	37.3
White	6	10.9	5	10.2	1	16.7	9	7.5	700	11.4	26	10.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.8	15	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	2	1.7	9	0.1	2	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	10	18.2	10	20.4	0	0.0	5	4.2	85	1.4	0	0.0
30-39	13	23.6	13	26.5	0	0.0	19	15.8	532	8.7	18	7.1
40-49	15	27.3	13	26.5	2	33.3	45	37.5	2,400	39.1	88	34.5
50-59	14	25.5	11	22.4	3	50.0	46	38.3	2,552	41.6	119	46.7
60+	3	5.5	2	4.1	1	16.7	5	4.2	571	9.3	30	11.8
BOROUGH OF RESIDENCE												
Bronx	24	43.6	21	42.9	3	50.0	42	35.0	2,041	33.2	77	30.2
Brooklyn	10	18.2	9	18.4	1	16.7	29	24.2	1,661	27.1	57	22.4
Manhattan	10	18.2	10	20.4	0	0.0	20	16.7	1,222	19.9	51	20.0
Queens	5	9.1	5	10.2	0	0.0	13	10.8	791	12.9	22	8.6
Staten Island	2	3.6	1	2.0	1	16.7	3	2.5	159	2.6	10	3.9
Outside NYC	4	7.3	3	6.1	1	16.7	4	3.3	235	3.8	8	3.1
Unknown	0	0.0	0	0.0	0	0.0	9	7.5	31	0.5	30	11.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	7.3	4	8.2	0	0.0	8	6.7	358	5.8	10	3.9
Medium poverty (10 to <20% below FPL)	9	16.4	7	14.3	2	33.3	25	20.8	1,368	22.3	43	16.9
High poverty (20 to <30% below FPL)	10	18.2	9	18.4	1	16.7	33	27.5	1,707	27.8	70	27.5
Very high poverty (≥30% below FPL)	27	49.1	25	51.0	2	33.3	41	34.2	2,365	38.5	94	36.9
Area-based poverty level not available	5	9.1	4	8.2	1	16.7	13	10.8	342	5.6	38	14.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,547	25.2	22	8.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,593	74.8	233	91.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	39	86.7	6	13.3	76	100.0	2,598	100.0	84	100.0
RACE/ETHNICITY												
Black	13	28.9	12	30.8	1	16.7	28	36.8	959	36.9	39	46.4
Hispanic	22	48.9	18	46.2	4	66.7	37	48.7	1,075	41.4	30	35.7
White	9	20.0	8	20.5	1	16.7	10	13.2	530	20.4	15	17.9
Asian/Pacific Islander	1	2.2	1	2.6	0	0.0	1	1.3	25	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.2	1	2.6	0	0.0	0	0.0	1	0.0	0	0.0
20-29	22	48.9	20	51.3	2	33.3	13	17.1	156	6.0	1	1.2
30-39	12	26.7	8	20.5	4	66.7	15	19.7	378	14.5	10	11.9
40-49	5	11.1	5	12.8	0	0.0	34	44.7	1,008	38.8	34	40.5
50-59	5	11.1	5	12.8	0	0.0	12	15.8	814	31.3	31	36.9
60+	0	0.0	0	0.0	0	0.0	2	2.6	241	9.3	8	9.5
BOROUGH OF RESIDENCE												
Bronx	6	13.3	5	12.8	1	16.7	18	23.7	628	24.2	29	34.5
Brooklyn	11	24.4	8	20.5	3	50.0	20	26.3	558	21.5	21	25.0
Manhattan	14	31.1	13	33.3	1	16.7	22	28.9	811	31.2	19	22.6
Queens	6	13.3	5	12.8	1	16.7	10	13.2	356	13.7	4	4.8
Staten Island	1	2.2	1	2.6	0	0.0	0	0.0	56	2.2	0	0.0
Outside NYC	6	13.3	6	15.4	0	0.0	4	5.3	154	5.9	1	1.2
Unknown	1	2.2	1	2.6	0	0.0	2	2.6	35	1.3	10	11.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	8.9	4	10.3	0	0.0	7	9.2	251	9.7	3	3.6
Medium poverty (10 to <20% below FPL)	13	28.9	10	25.6	3	50.0	19	25.0	775	29.8	14	16.7
High poverty (20 to <30% below FPL)	11	24.4	9	23.1	2	33.3	21	27.6	649	25.0	26	31.0
Very high poverty (≥30% below FPL)	10	22.2	9	23.1	1	16.7	22	28.9	711	27.4	29	34.5
Area-based poverty level not available	7	15.6	7	17.9	0	0.0	7	9.2	212	8.2	12	14.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	780	30.0	14	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,818	70.0	70	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.5. Heterosexual, males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	201	100.0	134	66.7	67	33.3	232	100.0	5,793	100.0	120	100.0
RACE/ETHNICITY												
Black	102	50.7	71	53.0	31	46.3	123	53.0	3,137	54.2	69	57.5
Hispanic	75	37.3	50	37.3	25	37.3	78	33.6	1,970	34.0	39	32.5
White	12	6.0	5	3.7	7	10.4	18	7.8	511	8.8	8	6.7
Asian/Pacific Islander	12	6.0	8	6.0	4	6.0	13	5.6	154	2.7	3	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	1.0	1	0.7	1	1.5	0	0.0	5	0.1	0	0.0
20-29	30	14.9	25	18.7	5	7.5	23	9.9	207	3.6	1	0.8
30-39	55	27.4	40	29.9	15	22.4	44	19.0	820	14.2	8	6.7
40-49	65	32.3	41	30.6	24	35.8	84	36.2	2,354	40.6	38	31.7
50-59	37	18.4	22	16.4	15	22.4	63	27.2	1,709	29.5	43	35.8
60+	12	6.0	5	3.7	7	10.4	18	7.8	698	12.0	30	25.0
BOROUGH OF RESIDENCE												
Bronx	62	30.8	41	30.6	21	31.3	71	30.6	1,494	25.8	34	28.3
Brooklyn	51	25.4	38	28.4	13	19.4	45	19.4	1,556	26.9	33	27.5
Manhattan	33	16.4	20	14.9	13	19.4	53	22.8	1,061	18.3	21	17.5
Queens	46	22.9	29	21.6	17	25.4	45	19.4	1,109	19.1	9	7.5
Staten Island	4	2.0	3	2.2	1	1.5	3	1.3	136	2.3	4	3.3
Outside NYC	5	2.5	3	2.2	2	3.0	8	3.4	391	6.7	1	0.8
Unknown	0	0.0	0	0.0	0	0.0	7	3.0	46	0.8	18	15.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	16	8.0	12	9.0	4	6.0	13	5.6	401	6.9	4	3.3
Medium poverty (10 to <20% below FPL)	59	29.4	37	27.6	22	32.8	65	28.0	1,601	27.6	26	21.7
High poverty (20 to <30% below FPL)	45	22.4	31	23.1	14	20.9	60	25.9	1,557	26.9	31	25.8
Very high poverty (≥30% below FPL)	75	37.3	50	37.3	25	37.3	78	33.6	1,761	30.4	40	33.3
Area-based poverty level not available	6	3.0	4	3.0	2	3.0	16	6.9	473	8.2	19	15.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,070	35.7	21	17.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,723	64.3	99	82.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.6. Heterosexual, females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	633	100.0	502	79.3	131	20.7	559	100.0	16,001	100.0	267	100.0
RACE/ETHNICITY												
Black	405	64.0	320	63.7	85	64.9	358	64.0	9,453	59.1	157	58.8
Hispanic	185	29.2	149	29.7	36	27.5	172	30.8	5,179	32.4	85	31.8
White	27	4.3	21	4.2	6	4.6	19	3.4	1,096	6.8	18	6.7
Asian/Pacific Islander	12	1.9	8	1.6	4	3.1	8	1.4	199	1.2	3	1.1
Native American	4	0.6	4	0.8	0	0.0	1	0.2	45	0.3	3	1.1
Multiracial	0	0.0	0	0.0	0	0.0	1	0.2	14	0.1	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	31	4.9	27	5.4	4	3.1	10	1.8	74	0.5	1	0.4
20-29	124	19.6	111	22.1	13	9.9	59	10.6	1,286	8.0	6	2.2
30-39	149	23.5	123	24.5	26	19.8	139	24.9	3,274	20.5	27	10.1
40-49	172	27.2	140	27.9	32	24.4	204	36.5	6,035	37.7	96	36.0
50-59	111	17.5	74	14.7	37	28.2	104	18.6	3,818	23.9	85	31.8
60+	46	7.3	27	5.4	19	14.5	43	7.7	1,514	9.5	52	19.5
BOROUGH OF RESIDENCE												
Bronx	201	31.8	157	31.3	44	33.6	183	32.7	4,748	29.7	88	33.0
Brooklyn	178	28.1	138	27.5	40	30.5	164	29.3	4,881	30.5	69	25.8
Manhattan	99	15.6	82	16.3	17	13.0	84	15.0	2,432	15.2	41	15.4
Queens	102	16.1	78	15.5	24	18.3	71	12.7	2,388	14.9	30	11.2
Staten Island	19	3.0	16	3.2	3	2.3	11	2.0	418	2.6	9	3.4
Outside NYC	29	4.6	26	5.2	3	2.3	32	5.7	897	5.6	9	3.4
Unknown	5	0.8	5	1.0	0	0.0	14	2.5	237	1.5	21	7.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	35	5.5	30	6.0	5	3.8	25	4.5	1,006	6.3	6	2.2
Medium poverty (10 to <20% below FPL)	152	24.0	118	23.5	34	26.0	118	21.1	3,807	23.8	54	20.2
High poverty (20 to <30% below FPL)	186	29.4	149	29.7	37	28.2	148	26.5	4,429	27.7	78	29.2
Very high poverty (≥30% below FPL)	223	35.2	171	34.1	52	39.7	221	39.5	5,540	34.6	99	37.1
Area-based poverty level not available	37	5.8	34	6.8	3	2.3	47	8.4	1,219	7.6	30	11.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,817	42.6	44	16.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,184	57.4	223	83.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	2	13.3	14	100.0	628	100.0	15	100.0
SEX												
Male	9	60.0	7	53.8	2	100.0	10	71.4	418	66.6	11	73.3
Female	6	40.0	6	46.2	0	0.0	4	28.6	210	33.4	4	26.7
RACE/ETHNICITY												
Black	5	33.3	5	38.5	0	0.0	7	50.0	220	35.0	7	46.7
Hispanic	9	60.0	8	61.5	1	50.0	4	28.6	289	46.0	5	33.3
White	1	6.7	0	0.0	1	50.0	3	21.4	107	17.0	3	20.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
13-19	1	6.7	1	7.7	0	0.0	0	0.0	7	1.1	1	6.7
20-29	5	33.3	4	30.8	1	50.0	2	14.3	44	7.0	0	0.0
30-39	4	26.7	3	23.1	1	50.0	3	21.4	78	12.4	2	13.3
40-49	3	20.0	3	23.1	0	0.0	4	28.6	214	34.1	1	6.7
50-59	2	13.3	2	15.4	0	0.0	4	28.6	196	31.2	6	40.0
60+	0	0.0	0	0.0	0	0.0	1	7.1	87	13.9	5	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	13.3	2	15.4	0	0.0	3	21.4	181	28.8	0	0.0
Injection drug use history (IDU)	1	6.7	1	7.7	0	0.0	1	7.1	120	19.1	8	53.3
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	13	2.1	0	0.0
Heterosexual	8	53.3	7	53.8	1	50.0	7	50.0	130	20.7	3	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.4	1	6.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	4	26.7	3	23.1	1	50.0	3	21.4	168	26.8	3	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	244	38.9	2	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	384	61.1	13	86.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	51	78.5	14	21.5	63	100.0	2,165	100.0	39	100.0
SEX												
Male	47	72.3	38	74.5	9	64.3	33	52.4	1,198	55.3	19	48.7
Female	18	27.7	13	25.5	5	35.7	30	47.6	967	44.7	20	51.3
RACE/ETHNICITY												
Black	49	75.4	40	78.4	9	64.3	41	65.1	1,385	64.0	20	51.3
Hispanic	11	16.9	8	15.7	3	21.4	16	25.4	642	29.7	18	46.2
White	4	6.2	3	5.9	1	7.1	4	6.3	115	5.3	1	2.6
Asian/Pacific Islander	1	1.5	0	0.0	1	7.1	1	1.6	13	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.6	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.5	1	2.0	0	0.0	0	0.0	22	1.0	1	2.6
13-19	8	12.3	7	13.7	1	7.1	3	4.8	64	3.0	1	2.6
20-29	18	27.7	15	29.4	3	21.4	8	12.7	164	7.6	0	0.0
30-39	11	16.9	9	17.6	2	14.3	16	25.4	334	15.4	3	7.7
40-49	19	29.2	14	27.5	5	35.7	27	42.9	780	36.0	12	30.8
50-59	7	10.8	5	9.8	2	14.3	7	11.1	575	26.6	12	30.8
60+	1	1.5	0	0.0	1	7.1	2	3.2	226	10.4	10	25.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	33.8	21	41.2	1	7.1	6	9.5	352	16.3	1	2.6
Injection drug use history (IDU)	2	3.1	2	3.9	0	0.0	6	9.5	359	16.6	12	30.8
MSM and IDU	2	3.1	2	3.9	0	0.0	0	0.0	54	2.5	2	5.1
Heterosexual	15	23.1	9	17.6	6	42.9	20	31.7	572	26.4	11	28.2
Perinatal	1	1.5	1	2.0	0	0.0	2	3.2	102	4.7	2	5.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	23	35.4	16	31.4	7	50.0	29	46.0	722	33.3	11	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	854	39.4	6	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,311	60.6	33	84.6

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	119	100.0	95	79.8	24	20.2	121	100.0	4,430	100.0	115	100.0
SEX												
Male	90	75.6	68	71.6	22	91.7	80	66.1	2,770	62.5	72	62.6
Female	29	24.4	27	28.4	2	8.3	41	33.9	1,660	37.5	43	37.4
RACE/ETHNICITY												
Black	59	49.6	45	47.4	14	58.3	62	51.2	1,869	42.2	47	40.9
Hispanic	49	41.2	40	42.1	9	37.5	53	43.8	2,298	51.9	64	55.7
White	5	4.2	5	5.3	0	0.0	2	1.7	226	5.1	3	2.6
Asian/Pacific Islander	5	4.2	5	5.3	0	0.0	2	1.7	26	0.6	0	0.0
Native American	1	0.8	0	0.0	1	4.2	2	1.7	7	0.2	1	0.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
13-19	7	5.9	6	6.3	1	4.2	5	4.1	74	1.7	0	0.0
20-29	32	26.9	31	32.6	1	4.2	15	12.4	330	7.4	1	0.9
30-39	21	17.6	17	17.9	4	16.7	33	27.3	754	17.0	8	7.0
40-49	32	26.9	22	23.2	10	41.7	37	30.6	1,601	36.1	35	30.4
50-59	20	16.8	13	13.7	7	29.2	24	19.8	1,243	28.1	50	43.5
60+	7	5.9	6	6.3	1	4.2	7	5.8	411	9.3	21	18.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	32.8	33	34.7	6	25.0	29	24.0	904	20.4	11	9.6
Injection drug use history (IDU)	4	3.4	4	4.2	0	0.0	12	9.9	991	22.4	48	41.7
MSM and IDU	0	0.0	0	0.0	0	0.0	1	0.8	122	2.8	7	6.1
Heterosexual	38	31.9	32	33.7	6	25.0	38	31.4	1,072	24.2	27	23.5
Perinatal	0	0.0	0	0.0	0	0.0	3	2.5	122	2.8	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	38	31.9	26	27.4	12	50.0	38	31.4	1,216	27.4	21	18.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,654	37.3	13	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,776	62.7	102	88.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	113	100.0	91	80.5	22	19.5	121	100.0	4,124	100.0	87	100.0
SEX												
Male	70	61.9	57	62.6	13	59.1	76	62.8	2,480	60.1	61	70.1
Female	43	38.1	34	37.4	9	40.9	45	37.2	1,644	39.9	26	29.9
RACE/ETHNICITY												
Black	47	41.6	36	39.6	11	50.0	54	44.6	1,645	39.9	33	37.9
Hispanic	59	52.2	48	52.7	11	50.0	62	51.2	2,146	52.0	44	50.6
White	4	3.5	4	4.4	0	0.0	4	3.3	293	7.1	9	10.3
Asian/Pacific Islander	1	0.9	1	1.1	0	0.0	0	0.0	26	0.6	0	0.0
Native American	1	0.9	1	1.1	0	0.0	1	0.8	10	0.2	0	0.0
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	0	0.0	1	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
13-19	4	3.5	3	3.3	1	4.5	3	2.5	96	2.3	0	0.0
20-29	36	31.9	31	34.1	5	22.7	23	19.0	345	8.4	1	1.1
30-39	23	20.4	19	20.9	4	18.2	24	19.8	577	14.0	8	9.2
40-49	30	26.5	23	25.3	7	31.8	38	31.4	1,538	37.3	26	29.9
50-59	15	13.3	12	13.2	3	13.6	26	21.5	1,146	27.8	32	36.8
60+	5	4.4	3	3.3	2	9.1	7	5.8	405	9.8	20	23.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	24.8	25	27.5	3	13.6	23	19.0	780	18.9	10	11.5
Injection drug use history (IDU)	10	8.8	7	7.7	3	13.6	23	19.0	895	21.7	37	42.5
MSM and IDU	1	0.9	0	0.0	1	4.5	3	2.5	105	2.5	5	5.7
Heterosexual	45	39.8	36	39.6	9	40.9	41	33.9	1,043	25.3	15	17.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.7	165	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.8	13	0.3	0	0.0
Unknown	29	25.7	23	25.3	6	27.3	28	23.1	1,123	27.2	20	23.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,520	36.9	12	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,604	63.1	75	86.2

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	163	100.0	132	81.0	31	19.0	145	100.0	4,922	100.0	113	100.0
SEX												
Male	97	59.5	80	60.6	17	54.8	84	57.9	2,889	58.7	71	62.8
Female	66	40.5	52	39.4	14	45.2	61	42.1	2,033	41.3	42	37.2
RACE/ETHNICITY												
Black	70	42.9	55	41.7	15	48.4	62	42.8	2,272	46.2	52	46.0
Hispanic	84	51.5	70	53.0	14	45.2	75	51.7	2,468	50.1	59	52.2
White	6	3.7	5	3.8	1	3.2	5	3.4	146	3.0	2	1.8
Asian/Pacific Islander	2	1.2	1	0.8	1	3.2	2	1.4	19	0.4	0	0.0
Native American	1	0.6	1	0.8	0	0.0	1	0.7	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	36	0.7	0	0.0
13-19	7	4.3	7	5.3	0	0.0	5	3.4	95	1.9	0	0.0
20-29	37	22.7	33	25.0	4	12.9	19	13.1	358	7.3	3	2.7
30-39	39	23.9	33	25.0	6	19.4	31	21.4	771	15.7	12	10.6
40-49	36	22.1	30	22.7	6	19.4	47	32.4	1,692	34.4	28	24.8
50-59	27	16.6	19	14.4	8	25.8	32	22.1	1,435	29.2	37	32.7
60+	16	9.8	9	6.8	7	22.6	11	7.6	535	10.9	33	29.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	21.5	32	24.2	3	9.7	23	15.9	734	14.9	10	8.8
Injection drug use history (IDU)	14	8.6	14	10.6	0	0.0	15	10.3	1,184	24.1	38	33.6
MSM and IDU	0	0.0	0	0.0	0	0.0	3	2.1	123	2.5	3	2.7
Heterosexual	73	44.8	52	39.4	21	67.7	66	45.5	1,309	26.6	24	21.2
Perinatal	1	0.6	1	0.8	0	0.0	4	2.8	163	3.3	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	40	24.5	33	25.0	7	22.6	34	23.4	1,397	28.4	37	32.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,852	37.6	16	14.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,070	62.4	97	85.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	163	100.0	125	76.7	38	23.3	176	100.0	5,300	100.0	174	100.0
SEX												
Male	99	60.7	75	60.0	24	63.2	105	59.7	3,171	59.8	105	60.3
Female	64	39.3	50	40.0	14	36.8	71	40.3	2,129	40.2	69	39.7
RACE/ETHNICITY												
Black	91	55.8	70	56.0	21	55.3	85	48.3	2,717	51.3	92	52.9
Hispanic	66	40.5	51	40.8	15	39.5	83	47.2	2,409	45.5	76	43.7
White	4	2.5	4	3.2	0	0.0	6	3.4	137	2.6	5	2.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Native American	2	1.2	0	0.0	2	5.3	2	1.1	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.2	2	1.6	0	0.0	0	0.0	30	0.6	0	0.0
13-19	5	3.1	4	3.2	1	2.6	7	4.0	80	1.5	1	0.6
20-29	42	25.8	40	32.0	2	5.3	19	10.8	416	7.8	3	1.7
30-39	42	25.8	34	27.2	8	21.1	29	16.5	848	16.0	15	8.6
40-49	39	23.9	27	21.6	12	31.6	54	30.7	1,824	34.4	49	28.2
50-59	25	15.3	14	11.2	11	28.9	50	28.4	1,495	28.2	61	35.1
60+	8	4.9	4	3.2	4	10.5	17	9.7	607	11.5	45	25.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	25.2	35	28.0	6	15.8	25	14.2	853	16.1	12	6.9
Injection drug use history (IDU)	13	8.0	9	7.2	4	10.5	30	17.0	1,260	23.8	70	40.2
MSM and IDU	3	1.8	3	2.4	0	0.0	8	4.5	139	2.6	9	5.2
Heterosexual	55	33.7	41	32.8	14	36.8	53	30.1	1,329	25.1	31	17.8
Perinatal	2	1.2	2	1.6	0	0.0	5	2.8	156	2.9	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	49	30.1	35	28.0	14	36.8	55	31.3	1,557	29.4	51	29.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,937	36.5	20	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,363	63.5	154	88.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	99	100.0	79	79.8	20	20.2	101	100.0	3,121	100.0	75	100.0
SEX												
Male	69	69.7	55	69.6	14	70.0	68	67.3	1,920	61.5	48	64.0
Female	30	30.3	24	30.4	6	30.0	33	32.7	1,201	38.5	27	36.0
RACE/ETHNICITY												
Black	36	36.4	27	34.2	9	45.0	41	40.6	1,257	40.3	27	36.0
Hispanic	57	57.6	46	58.2	11	55.0	57	56.4	1,756	56.3	47	62.7
White	6	6.1	6	7.6	0	0.0	2	2.0	84	2.7	1	1.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	12	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	14	0.4	0	0.0
13-19	7	7.1	6	7.6	1	5.0	3	3.0	63	2.0	0	0.0
20-29	25	25.3	22	27.8	3	15.0	19	18.8	248	7.9	3	4.0
30-39	19	19.2	17	21.5	2	10.0	21	20.8	524	16.8	6	8.0
40-49	29	29.3	21	26.6	8	40.0	31	30.7	1,103	35.3	21	28.0
50-59	14	14.1	9	11.4	5	25.0	21	20.8	870	27.9	35	46.7
60+	4	4.0	3	3.8	1	5.0	6	5.9	299	9.6	10	13.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	29.3	26	32.9	3	15.0	16	15.8	484	15.5	7	9.3
Injection drug use history (IDU)	8	8.1	7	8.9	1	5.0	20	19.8	839	26.9	33	44.0
MSM and IDU	0	0.0	0	0.0	0	0.0	3	3.0	70	2.2	3	4.0
Heterosexual	29	29.3	21	26.6	8	40.0	29	28.7	774	24.8	11	14.7
Perinatal	1	1.0	1	1.3	0	0.0	2	2.0	105	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	32	32.3	24	30.4	8	40.0	31	30.7	844	27.0	21	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,183	37.9	12	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,938	62.1	63	84.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	31	75.6	10	24.4	35	100.0	897	100.0	14	100.0
SEX												
Male	35	85.4	26	83.9	9	90.0	29	82.9	693	77.3	12	85.7
Female	6	14.6	5	16.1	1	10.0	6	17.1	204	22.7	2	14.3
RACE/ETHNICITY												
Black	7	17.1	6	19.4	1	10.0	7	20.0	162	18.1	7	50.0
Hispanic	15	36.6	11	35.5	4	40.0	13	37.1	422	47.0	6	42.9
White	17	41.5	13	41.9	4	40.0	13	37.1	292	32.6	1	7.1
Asian/Pacific Islander	2	4.9	1	3.2	1	10.0	2	5.7	18	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	2.4	0	0.0	1	10.0	2	5.7	9	1.0	0	0.0
20-29	11	26.8	11	35.5	0	0.0	4	11.4	82	9.1	1	7.1
30-39	19	46.3	13	41.9	6	60.0	16	45.7	198	22.1	0	0.0
40-49	3	7.3	3	9.7	0	0.0	6	17.1	326	36.3	3	21.4
50-59	4	9.8	3	9.7	1	10.0	5	14.3	207	23.1	6	42.9
60+	3	7.3	1	3.2	2	20.0	2	5.7	73	8.1	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	68.3	22	71.0	6	60.0	20	57.1	407	45.4	2	14.3
Injection drug use history (IDU)	2	4.9	1	3.2	1	10.0	2	5.7	150	16.7	5	35.7
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.9	0	0.0
Heterosexual	6	14.6	5	16.1	1	10.0	5	14.3	123	13.7	2	14.3
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	12	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	5	12.2	3	9.7	2	20.0	7	20.0	185	20.6	5	35.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	375	41.8	4	28.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	522	58.2	10	71.4

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	78	100.0	58	74.4	20	25.6	51	100.0	2,667	100.0	38	100.0
SEX												
Male	62	79.5	46	79.3	16	80.0	37	72.5	2,036	76.3	26	68.4
Female	16	20.5	12	20.7	4	20.0	14	27.5	631	23.7	12	31.6
RACE/ETHNICITY												
Black	31	39.7	23	39.7	8	40.0	26	51.0	1,118	41.9	20	52.6
Hispanic	24	30.8	16	27.6	8	40.0	15	29.4	716	26.8	13	34.2
White	22	28.2	18	31.0	4	20.0	9	17.6	772	28.9	5	13.2
Asian/Pacific Islander	1	1.3	1	1.7	0	0.0	0	0.0	44	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	5	6.4	4	6.9	1	5.0	1	2.0	33	1.2	0	0.0
20-29	25	32.1	24	41.4	1	5.0	6	11.8	174	6.5	0	0.0
30-39	19	24.4	14	24.1	5	25.0	14	27.5	415	15.6	5	13.2
40-49	24	30.8	13	22.4	11	55.0	23	45.1	970	36.4	12	31.6
50-59	5	6.4	3	5.2	2	10.0	7	13.7	724	27.1	13	34.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	343	12.9	8	21.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	53.8	38	65.5	4	20.0	20	39.2	1,173	44.0	10	26.3
Injection drug use history (IDU)	4	5.1	1	1.7	3	15.0	8	15.7	413	15.5	8	21.1
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	66	2.5	1	2.6
Heterosexual	12	15.4	8	13.8	4	20.0	9	17.6	403	15.1	8	21.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	53	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	20	25.6	11	19.0	9	45.0	14	27.5	554	20.8	11	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,098	41.2	4	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,569	58.8	34	89.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	209	100.0	159	76.1	50	23.9	214	100.0	7,049	100.0	173	100.0
SEX												
Male	147	70.3	111	69.8	36	72.0	142	66.4	4,462	63.3	116	67.1
Female	62	29.7	48	30.2	14	28.0	72	33.6	2,587	36.7	57	32.9
RACE/ETHNICITY												
Black	184	88.0	141	88.7	43	86.0	166	77.6	5,580	79.2	142	82.1
Hispanic	17	8.1	12	7.5	5	10.0	36	16.8	1,005	14.3	27	15.6
White	7	3.3	5	3.1	2	4.0	11	5.1	377	5.3	3	1.7
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	1	0.5	50	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	1	0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	36	0.5	0	0.0
13-19	11	5.3	8	5.0	3	6.0	5	2.3	116	1.6	0	0.0
20-29	63	30.1	55	34.6	8	16.0	40	18.7	652	9.2	6	3.5
30-39	46	22.0	35	22.0	11	22.0	46	21.5	1,207	17.1	10	5.8
40-49	42	20.1	30	18.9	12	24.0	71	33.2	2,377	33.7	46	26.6
50-59	37	17.7	25	15.7	12	24.0	37	17.3	1,908	27.1	66	38.2
60+	10	4.8	6	3.8	4	8.0	15	7.0	753	10.7	45	26.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	77	36.8	61	38.4	16	32.0	69	32.2	1,811	25.7	17	9.8
Injection drug use history (IDU)	6	2.9	5	3.1	1	2.0	17	7.9	1,177	16.7	52	30.1
MSM and IDU	4	1.9	3	1.9	1	2.0	8	3.7	155	2.2	9	5.2
Heterosexual	57	27.3	44	27.7	13	26.0	56	26.2	1,704	24.2	34	19.7
Perinatal	1	0.5	0	0.0	1	2.0	2	0.9	192	2.7	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.5	14	0.2	1	0.6
Unknown	64	30.6	46	28.9	18	36.0	61	28.5	1,996	28.3	59	34.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,736	38.8	24	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,313	61.2	149	86.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	97	77.6	28	22.4	94	100.0	2,881	100.0	67	100.0
SEX												
Male	84	67.2	67	69.1	17	60.7	54	57.4	1,600	55.5	42	62.7
Female	41	32.8	30	30.9	11	39.3	40	42.6	1,281	44.5	25	37.3
RACE/ETHNICITY												
Black	90	72.0	73	75.3	17	60.7	60	63.8	1,865	64.7	45	67.2
Hispanic	29	23.2	19	19.6	10	35.7	32	34.0	900	31.2	19	28.4
White	4	3.2	3	3.1	1	3.6	1	1.1	81	2.8	2	3.0
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	1	1.1	21	0.7	0	0.0
Native American	1	0.8	1	1.0	0	0.0	0	0.0	8	0.3	1	1.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.6	2	2.1	0	0.0	0	0.0	23	0.8	0	0.0
13-19	11	8.8	11	11.3	0	0.0	3	3.2	65	2.3	0	0.0
20-29	34	27.2	30	30.9	4	14.3	16	17.0	298	10.3	1	1.5
30-39	33	26.4	27	27.8	6	21.4	16	17.0	486	16.9	9	13.4
40-49	28	22.4	20	20.6	8	28.6	30	31.9	1,029	35.7	19	28.4
50-59	13	10.4	6	6.2	7	25.0	21	22.3	705	24.5	27	40.3
60+	4	3.2	1	1.0	3	10.7	8	8.5	275	9.5	11	16.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	32.8	37	38.1	4	14.3	14	14.9	489	17.0	6	9.0
Injection drug use history (IDU)	5	4.0	4	4.1	1	3.6	11	11.7	548	19.0	19	28.4
MSM and IDU	2	1.6	2	2.1	0	0.0	1	1.1	58	2.0	1	1.5
Heterosexual	37	29.6	24	24.7	13	46.4	40	42.6	894	31.0	16	23.9
Perinatal	2	1.6	2	2.1	0	0.0	2	2.1	93	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	38	30.4	28	28.9	10	35.7	26	27.7	795	27.6	25	37.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,090	37.8	12	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,791	62.2	55	82.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015. The following ZIP codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	17	68.0	8	32.0	27	100.0	787	100.0	10	100.0
SEX												
Male	18	72.0	11	64.7	7	87.5	23	85.2	569	72.3	7	70.0
Female	7	28.0	6	35.3	1	12.5	4	14.8	218	27.7	3	30.0
RACE/ETHNICITY												
Black	3	12.0	2	11.8	1	12.5	6	22.2	145	18.4	0	0.0
Hispanic	18	72.0	11	64.7	7	87.5	18	66.7	458	58.2	9	90.0
White	2	8.0	2	11.8	0	0.0	3	11.1	143	18.2	1	10.0
Asian/Pacific Islander	2	8.0	2	11.8	0	0.0	0	0.0	38	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.0	1	5.9	0	0.0	1	3.7	15	1.9	0	0.0
20-29	13	52.0	13	76.5	0	0.0	4	14.8	55	7.0	0	0.0
30-39	5	20.0	1	5.9	4	50.0	10	37.0	153	19.4	1	10.0
40-49	3	12.0	0	0.0	3	37.5	8	29.6	272	34.6	3	30.0
50-59	1	4.0	1	5.9	0	0.0	2	7.4	192	24.4	5	50.0
60+	2	8.0	1	5.9	1	12.5	2	7.4	99	12.6	1	10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	44.0	9	52.9	2	25.0	10	37.0	251	31.9	1	10.0
Injection drug use history (IDU)	1	4.0	1	5.9	0	0.0	3	11.1	173	22.0	4	40.0
MSM and IDU	1	4.0	0	0.0	1	12.5	1	3.7	25	3.2	1	10.0
Heterosexual	6	24.0	4	23.5	2	25.0	4	14.8	161	20.5	1	10.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.7	15	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	24.0	3	17.6	3	37.5	8	29.6	161	20.5	3	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	305	38.8	1	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	482	61.2	9	90.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	30	71.4	12	28.6	32	100.0	1,004	100.0	20	100.0
SEX												
Male	33	78.6	25	83.3	8	66.7	21	65.6	727	72.4	14	70.0
Female	9	21.4	5	16.7	4	33.3	11	34.4	277	27.6	6	30.0
RACE/ETHNICITY												
Black	9	21.4	7	23.3	2	16.7	10	31.3	292	29.1	5	25.0
Hispanic	24	57.1	19	63.3	5	41.7	13	40.6	369	36.8	4	20.0
White	6	14.3	2	6.7	4	33.3	7	21.9	304	30.3	10	50.0
Asian/Pacific Islander	3	7.1	2	6.7	1	8.3	2	6.3	38	3.8	1	5.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.4	1	3.3	0	0.0	0	0.0	8	0.8	0	0.0
20-29	12	28.6	10	33.3	2	16.7	2	6.3	74	7.4	1	5.0
30-39	13	31.0	10	33.3	3	25.0	11	34.4	178	17.7	1	5.0
40-49	9	21.4	5	16.7	4	33.3	8	25.0	367	36.6	5	25.0
50-59	5	11.9	3	10.0	2	16.7	8	25.0	263	26.2	6	30.0
60+	2	4.8	1	3.3	1	8.3	3	9.4	114	11.4	7	35.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	50.0	18	60.0	3	25.0	9	28.1	340	33.9	4	20.0
Injection drug use history (IDU)	3	7.1	3	10.0	0	0.0	1	3.1	195	19.4	6	30.0
MSM and IDU	0	0.0	0	0.0	0	0.0	1	3.1	28	2.8	0	0.0
Heterosexual	6	14.3	3	10.0	3	25.0	9	28.1	201	20.0	5	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	5.0
Unknown	12	28.6	6	20.0	6	50.0	12	37.5	222	22.1	4	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	396	39.4	6	30.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	608	60.6	14	70.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	177	100.0	147	83.1	30	16.9	138	100.0	4,853	100.0	71	100.0
SEX												
Male	129	72.9	106	72.1	23	76.7	98	71.0	3,017	62.2	52	73.2
Female	48	27.1	41	27.9	7	23.3	40	29.0	1,836	37.8	19	26.8
RACE/ETHNICITY												
Black	148	83.6	121	82.3	27	90.0	112	81.2	3,862	79.6	59	83.1
Hispanic	18	10.2	17	11.6	1	3.3	20	14.5	688	14.2	10	14.1
White	7	4.0	7	4.8	0	0.0	4	2.9	237	4.9	1	1.4
Asian/Pacific Islander	1	0.6	0	0.0	1	3.3	1	0.7	40	0.8	0	0.0
Native American	2	1.1	1	0.7	1	3.3	1	0.7	16	0.3	1	1.4
Multiracial	1	0.6	1	0.7	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
13-19	10	5.6	10	6.8	0	0.0	4	2.9	86	1.8	0	0.0
20-29	55	31.1	51	34.7	4	13.3	28	20.3	461	9.5	1	1.4
30-39	42	23.7	34	23.1	8	26.7	26	18.8	794	16.4	4	5.6
40-49	40	22.6	32	21.8	8	26.7	42	30.4	1,637	33.7	19	26.8
50-59	19	10.7	13	8.8	6	20.0	28	20.3	1,320	27.2	28	39.4
60+	11	6.2	7	4.8	4	13.3	10	7.2	544	11.2	19	26.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	71	40.1	64	43.5	7	23.3	47	34.1	1,171	24.1	9	12.7
Injection drug use history (IDU)	2	1.1	1	0.7	1	3.3	10	7.2	634	13.1	21	29.6
MSM and IDU	0	0.0	0	0.0	0	0.0	2	1.4	71	1.5	3	4.2
Heterosexual	45	25.4	40	27.2	5	16.7	30	21.7	1,299	26.8	9	12.7
Perinatal	0	0.0	0	0.0	0	0.0	2	1.4	118	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	59	33.3	42	28.6	17	56.7	47	34.1	1,548	31.9	29	40.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,758	36.2	12	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,095	63.8	59	83.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015. The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	52	76.5	16	23.5	51	100.0	1,421	100.0	22	100.0
SEX												
Male	44	64.7	31	59.6	13	81.3	30	58.8	751	52.9	15	68.2
Female	24	35.3	21	40.4	3	18.8	21	41.2	670	47.1	7	31.8
RACE/ETHNICITY												
Black	56	82.4	45	86.5	11	68.8	43	84.3	1,105	77.8	17	77.3
Hispanic	9	13.2	5	9.6	4	25.0	6	11.8	178	12.5	4	18.2
White	1	1.5	1	1.9	0	0.0	1	2.0	118	8.3	1	4.5
Asian/Pacific Islander	2	2.9	1	1.9	1	6.3	1	2.0	13	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.8	0	0.0
13-19	7	10.3	7	13.5	0	0.0	0	0.0	44	3.1	0	0.0
20-29	15	22.1	13	25.0	2	12.5	10	19.6	123	8.7	2	9.1
30-39	20	29.4	14	26.9	6	37.5	14	27.5	237	16.7	1	4.5
40-49	17	25.0	13	25.0	4	25.0	17	33.3	446	31.4	7	31.8
50-59	6	8.8	3	5.8	3	18.8	8	15.7	409	28.8	4	18.2
60+	3	4.4	2	3.8	1	6.3	2	3.9	150	10.6	8	36.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	30.9	15	28.8	6	37.5	13	25.5	215	15.1	5	22.7
Injection drug use history (IDU)	2	2.9	1	1.9	1	6.3	3	5.9	168	11.8	6	27.3
MSM and IDU	0	0.0	0	0.0	0	0.0	1	2.0	16	1.1	0	0.0
Heterosexual	23	33.8	21	40.4	2	12.5	18	35.3	477	33.6	5	22.7
Perinatal	0	0.0	0	0.0	0	0.0	1	2.0	63	4.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	22	32.4	15	28.8	7	43.8	15	29.4	478	33.6	6	27.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	585	41.2	2	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	836	58.8	20	90.9

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	13	72.2	5	27.8	12	100.0	572	100.0	4	100.0
SEX												
Male	16	88.9	12	92.3	4	80.0	11	91.7	420	73.4	3	75.0
Female	2	11.1	1	7.7	1	20.0	1	8.3	152	26.6	1	25.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	8.3	68	11.9	0	0.0
Hispanic	7	38.9	3	23.1	4	80.0	5	41.7	154	26.9	2	50.0
White	8	44.4	7	53.8	1	20.0	5	41.7	314	54.9	2	50.0
Asian/Pacific Islander	2	11.1	2	15.4	0	0.0	1	8.3	32	5.6	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	5.6	1	7.7	0	0.0	0	0.0	3	0.5	0	0.0
20-29	4	22.2	3	23.1	1	20.0	4	33.3	40	7.0	0	0.0
30-39	7	38.9	6	46.2	1	20.0	5	41.7	108	18.9	0	0.0
40-49	6	33.3	3	23.1	3	60.0	3	25.0	187	32.7	1	25.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	171	29.9	2	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	62	10.8	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	72.2	11	84.6	2	40.0	6	50.0	221	38.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	103	18.0	3	75.0
MSM and IDU	0	0.0	0	0.0	0	0.0	1	8.3	13	2.3	0	0.0
Heterosexual	1	5.6	0	0.0	1	20.0	1	8.3	101	17.7	1	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	4	22.2	2	15.4	2	40.0	4	33.3	125	21.9	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	232	40.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	340	59.4	4	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	20	64.5	11	35.5	32	100.0	1,065	100.0	29	100.0
SEX												
Male	25	80.6	16	80.0	9	81.8	21	65.6	649	60.9	13	44.8
Female	6	19.4	4	20.0	2	18.2	11	34.4	416	39.1	16	55.2
RACE/ETHNICITY												
Black	11	35.5	6	30.0	5	45.5	14	43.8	427	40.1	10	34.5
Hispanic	6	19.4	5	25.0	1	9.1	9	28.1	343	32.2	8	27.6
White	12	38.7	7	35.0	5	45.5	9	28.1	267	25.1	9	31.0
Asian/Pacific Islander	1	3.2	1	5.0	0	0.0	0	0.0	25	2.3	1	3.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	3.2	1	5.0	0	0.0	0	0.0	0	0.0	1	3.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.2	1	5.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.1	21	2.0	0	0.0
20-29	9	29.0	9	45.0	0	0.0	3	9.4	84	7.9	2	6.9
30-39	6	19.4	4	20.0	2	18.2	4	12.5	162	15.2	2	6.9
40-49	9	29.0	4	20.0	5	45.5	13	40.6	370	34.7	6	20.7
50-59	6	19.4	2	10.0	4	36.4	11	34.4	304	28.5	14	48.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	118	11.1	5	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	22.6	6	30.0	1	9.1	5	15.6	238	22.3	4	13.8
Injection drug use history (IDU)	3	9.7	1	5.0	2	18.2	9	28.1	216	20.3	5	17.2
MSM and IDU	2	6.5	1	5.0	1	9.1	1	3.1	20	1.9	1	3.4
Heterosexual	7	22.6	5	25.0	2	18.2	7	21.9	274	25.7	10	34.5
Perinatal	1	3.2	1	5.0	0	0.0	0	0.0	34	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	1	3.4
Unknown	11	35.5	6	30.0	5	45.5	10	31.3	279	26.2	8	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	376	35.3	6	20.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	689	64.7	23	79.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	145	100.0	117	80.7	28	19.3	126	100.0	3,586	100.0	84	100.0
SEX												
Male	110	75.9	90	76.9	20	71.4	91	72.2	2,357	65.7	50	59.5
Female	35	24.1	27	23.1	8	28.6	35	27.8	1,229	34.3	34	40.5
RACE/ETHNICITY												
Black	88	60.7	72	61.5	16	57.1	70	55.6	1,930	53.8	43	51.2
Hispanic	41	28.3	31	26.5	10	35.7	47	37.3	1,399	39.0	38	45.2
White	14	9.7	12	10.3	2	7.1	8	6.3	214	6.0	3	3.6
Asian/Pacific Islander	1	0.7	1	0.9	0	0.0	1	0.8	24	0.7	0	0.0
Native American	1	0.7	1	0.9	0	0.0	0	0.0	14	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.6	0	0.0
13-19	11	7.6	9	7.7	2	7.1	2	1.6	60	1.7	0	0.0
20-29	42	29.0	38	32.5	4	14.3	17	13.5	325	9.1	0	0.0
30-39	29	20.0	25	21.4	4	14.3	32	25.4	585	16.3	9	10.7
40-49	32	22.1	25	21.4	7	25.0	40	31.7	1,245	34.7	25	29.8
50-59	21	14.5	16	13.7	5	17.9	22	17.5	973	27.1	37	44.0
60+	10	6.9	4	3.4	6	21.4	13	10.3	377	10.5	13	15.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	65	44.8	53	45.3	12	42.9	49	38.9	866	24.1	9	10.7
Injection drug use history (IDU)	4	2.8	4	3.4	0	0.0	13	10.3	770	21.5	33	39.3
MSM and IDU	2	1.4	2	1.7	0	0.0	3	2.4	87	2.4	4	4.8
Heterosexual	26	17.9	19	16.2	7	25.0	30	23.8	772	21.5	11	13.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	91	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	48	33.1	39	33.3	9	32.1	31	24.6	995	27.7	27	32.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,341	37.4	13	15.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,245	62.6	71	84.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	162	100.0	134	82.7	28	17.3	129	100.0	3,910	100.0	52	100.0
SEX												
Male	134	82.7	109	81.3	25	89.3	94	72.9	3,068	78.5	37	71.2
Female	28	17.3	25	18.7	3	10.7	35	27.1	842	21.5	15	28.8
RACE/ETHNICITY												
Black	40	24.7	35	26.1	5	17.9	58	45.0	1,449	37.1	23	44.2
Hispanic	90	55.6	70	52.2	20	71.4	51	39.5	1,700	43.5	18	34.6
White	28	17.3	25	18.7	3	10.7	19	14.7	702	18.0	9	17.3
Asian/Pacific Islander	2	1.2	2	1.5	0	0.0	0	0.0	38	1.0	1	1.9
Native American	1	0.6	1	0.7	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	0.6	1	0.7	0	0.0	1	0.8	1	0.0	1	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
13-19	7	4.3	7	5.2	0	0.0	0	0.0	49	1.3	0	0.0
20-29	56	34.6	46	34.3	10	35.7	28	21.7	301	7.7	0	0.0
30-39	30	18.5	27	20.1	3	10.7	33	25.6	735	18.8	7	13.5
40-49	39	24.1	35	26.1	4	14.3	31	24.0	1,396	35.7	15	28.8
50-59	19	11.7	13	9.7	6	21.4	26	20.2	979	25.0	17	32.7
60+	11	6.8	6	4.5	5	17.9	11	8.5	436	11.2	13	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	99	61.1	86	64.2	13	46.4	51	39.5	1,717	43.9	5	9.6
Injection drug use history (IDU)	3	1.9	3	2.2	0	0.0	7	5.4	486	12.4	18	34.6
MSM and IDU	1	0.6	1	0.7	0	0.0	2	1.6	91	2.3	3	5.8
Heterosexual	28	17.3	24	17.9	4	14.3	32	24.8	642	16.4	9	17.3
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	66	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	31	19.1	20	14.9	11	39.3	36	27.9	901	23.0	17	32.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,632	41.7	6	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,278	58.3	46	88.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	199	100.0	159	79.9	40	20.1	135	100.0	4,374	100.0	106	100.0
SEX												
Male	149	74.9	120	75.5	29	72.5	97	71.9	2,994	68.4	78	73.6
Female	50	25.1	39	24.5	11	27.5	38	28.1	1,380	31.6	28	26.4
RACE/ETHNICITY												
Black	136	68.3	104	65.4	32	80.0	104	77.0	2,992	68.4	70	66.0
Hispanic	41	20.6	34	21.4	7	17.5	21	15.6	878	20.1	24	22.6
White	20	10.1	19	11.9	1	2.5	8	5.9	455	10.4	11	10.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.7	32	0.7	0	0.0
Native American	*	*	*	*	0	0.0	*	*	9	0.2	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	23	0.5	0	0.0
13-19	5	2.5	5	3.1	0	0.0	1	0.7	59	1.3	0	0.0
20-29	64	32.2	59	37.1	5	12.5	23	17.0	370	8.5	0	0.0
30-39	53	26.6	39	24.5	14	35.0	39	28.9	783	17.9	6	5.7
40-49	53	26.6	39	24.5	14	35.0	43	31.9	1,462	33.4	32	30.2
50-59	18	9.0	12	7.5	6	15.0	22	16.3	1,149	26.3	37	34.9
60+	5	2.5	4	2.5	1	2.5	7	5.2	528	12.1	31	29.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	85	42.7	78	49.1	7	17.5	35	25.9	1,358	31.0	20	18.9
Injection drug use history (IDU)	4	2.0	3	1.9	1	2.5	10	7.4	745	17.0	36	34.0
MSM and IDU	2	1.0	2	1.3	0	0.0	3	2.2	118	2.7	5	4.7
Heterosexual	35	17.6	25	15.7	10	25.0	33	24.4	899	20.6	18	17.0
Perinatal	1	0.5	1	0.6	0	0.0	1	0.7	105	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	72	36.2	50	31.4	22	55.0	53	39.3	1,144	26.2	27	25.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,762	40.3	12	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,612	59.7	94	88.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	76	85.4	13	14.6	79	100.0	2,730	100.0	74	100.0
SEX												
Male	64	71.9	54	71.1	10	76.9	51	64.6	1,804	66.1	45	60.8
Female	25	28.1	22	28.9	3	23.1	28	35.4	926	33.9	29	39.2
RACE/ETHNICITY												
Black	46	51.7	42	55.3	4	30.8	44	55.7	1,303	47.7	48	64.9
Hispanic	33	37.1	24	31.6	9	69.2	26	32.9	1,151	42.2	22	29.7
White	8	9.0	8	10.5	0	0.0	8	10.1	237	8.7	3	4.1
Asian/Pacific Islander	2	2.2	2	2.6	0	0.0	0	0.0	26	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	7	0.3	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.3	0	0.0	0	0.0	11	0.4	0	0.0
13-19	3	3.4	3	3.9	0	0.0	1	1.3	52	1.9	0	0.0
20-29	29	32.6	26	34.2	3	23.1	7	8.9	203	7.4	3	4.1
30-39	24	27.0	20	26.3	4	30.8	22	27.8	433	15.9	5	6.8
40-49	19	21.3	15	19.7	4	30.8	30	38.0	941	34.5	23	31.1
50-59	12	13.5	11	14.5	1	7.7	13	16.5	763	27.9	23	31.1
60+	1	1.1	0	0.0	1	7.7	6	7.6	327	12.0	20	27.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	41.6	32	42.1	5	38.5	20	25.3	681	24.9	14	18.9
Injection drug use history (IDU)	7	7.9	7	9.2	0	0.0	11	13.9	680	24.9	27	36.5
MSM and IDU	3	3.4	3	3.9	0	0.0	4	5.1	69	2.5	3	4.1
Heterosexual	21	23.6	16	21.1	5	38.5	23	29.1	580	21.2	14	18.9
Perinatal	1	1.1	1	1.3	0	0.0	1	1.3	88	3.2	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	1.4
Unknown	20	22.5	17	22.4	3	23.1	20	25.3	623	22.8	14	18.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,043	38.2	10	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,687	61.8	64	86.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	53	75.7	17	24.3	71	100.0	3,087	100.0	35	100.0
SEX												
Male	59	84.3	44	83.0	15	88.2	60	84.5	2,624	85.0	30	85.7
Female	11	15.7	9	17.0	2	11.8	11	15.5	463	15.0	5	14.3
RACE/ETHNICITY												
Black	22	31.4	18	34.0	4	23.5	26	36.6	867	28.1	13	37.1
Hispanic	19	27.1	13	24.5	6	35.3	22	31.0	818	26.5	11	31.4
White	27	38.6	21	39.6	6	35.3	23	32.4	1,336	43.3	10	28.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	40	1.3	0	0.0
Native American	*	*	*	*	*	*	0	0.0	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.9	1	1.9	1	5.9	1	1.4	18	0.6	0	0.0
20-29	15	21.4	14	26.4	1	5.9	8	11.3	143	4.6	1	2.9
30-39	18	25.7	11	20.8	7	41.2	17	23.9	345	11.2	4	11.4
40-49	18	25.7	15	28.3	3	17.6	25	35.2	1,039	33.7	12	34.3
50-59	12	17.1	9	17.0	3	17.6	16	22.5	1,003	32.5	10	28.6
60+	5	7.1	3	5.7	2	11.8	4	5.6	535	17.3	8	22.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	58.6	33	62.3	8	47.1	33	46.5	1,680	54.4	12	34.3
Injection drug use history (IDU)	2	2.9	2	3.8	0	0.0	3	4.2	377	12.2	10	28.6
MSM and IDU	1	1.4	1	1.9	0	0.0	3	4.2	98	3.2	0	0.0
Heterosexual	8	11.4	5	9.4	3	17.6	14	19.7	305	9.9	6	17.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	18	25.7	12	22.6	6	35.3	18	25.4	590	19.1	7	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,193	38.6	2	5.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,894	61.4	33	94.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	38	74.5	13	25.5	31	100.0	1,386	100.0	24	100.0
SEX												
Male	44	86.3	33	86.8	11	84.6	28	90.3	1,210	87.3	20	83.3
Female	7	13.7	5	13.2	2	15.4	3	9.7	176	12.7	4	16.7
RACE/ETHNICITY												
Black	17	33.3	12	31.6	5	38.5	9	29.0	287	20.7	16	66.7
Hispanic	11	21.6	9	23.7	2	15.4	6	19.4	292	21.1	5	20.8
White	21	41.2	15	39.5	6	46.2	13	41.9	769	55.5	3	12.5
Asian/Pacific Islander	2	3.9	2	5.3	0	0.0	3	9.7	33	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
20-29	10	19.6	8	21.1	2	15.4	5	16.1	52	3.8	0	0.0
30-39	15	29.4	12	31.6	3	23.1	7	22.6	173	12.5	1	4.2
40-49	13	25.5	11	28.9	2	15.4	5	16.1	493	35.6	7	29.2
50-59	7	13.7	4	10.5	3	23.1	8	25.8	408	29.4	7	29.2
60+	6	11.8	3	7.9	3	23.1	6	19.4	253	18.3	9	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	35.3	15	39.5	3	23.1	13	41.9	805	58.1	4	16.7
Injection drug use history (IDU)	2	3.9	1	2.6	1	7.7	3	9.7	127	9.2	12	50.0
MSM and IDU	2	3.9	2	5.3	0	0.0	1	3.2	37	2.7	2	8.3
Heterosexual	9	17.6	7	18.4	2	15.4	3	9.7	112	8.1	1	4.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	20	39.2	13	34.2	7	53.8	11	35.5	295	21.3	5	20.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	565	40.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	821	59.2	24	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	190	100.0	164	86.3	26	13.7	131	100.0	6,022	100.0	44	100.0
SEX												
Male	184	96.8	158	96.3	26	100.0	119	90.8	5,584	92.7	37	84.1
Female	6	3.2	6	3.7	0	0.0	12	9.2	438	7.3	7	15.9
RACE/ETHNICITY												
Black	47	24.7	40	24.4	7	26.9	39	29.8	1,051	17.5	14	31.8
Hispanic	32	16.8	26	15.9	6	23.1	29	22.1	1,275	21.2	7	15.9
White	104	54.7	93	56.7	11	42.3	60	45.8	3,488	57.9	22	50.0
Asian/Pacific Islander	7	3.7	5	3.0	2	7.7	3	2.3	140	2.3	1	2.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	55	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	1.1	2	1.2	0	0.0	1	0.8	19	0.3	1	2.3
20-29	51	26.8	47	28.7	4	15.4	18	13.7	316	5.2	1	2.3
30-39	68	35.8	62	37.8	6	23.1	32	24.4	989	16.4	4	9.1
40-49	50	26.3	37	22.6	13	50.0	51	38.9	2,460	40.9	10	22.7
50-59	19	10.0	16	9.8	3	11.5	23	17.6	1,627	27.0	19	43.2
60+	0	0.0	0	0.0	0	0.0	6	4.6	610	10.1	9	20.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	148	77.9	133	81.1	15	57.7	93	71.0	4,272	70.9	19	43.2
Injection drug use history (IDU)	5	2.6	5	3.0	0	0.0	9	6.9	438	7.3	15	34.1
MSM and IDU	3	1.6	2	1.2	1	3.8	1	0.8	135	2.2	1	2.3
Heterosexual	5	2.6	4	2.4	1	3.8	4	3.1	277	4.6	2	4.5
Perinatal	0	0.0	0	0.0	0	0.0	2	1.5	23	0.4	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	29	15.3	20	12.2	9	34.6	22	16.8	876	14.5	6	13.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,879	47.8	7	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,143	52.2	37	84.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	66	100.0	53	80.3	13	19.7	47	100.0	1,965	100.0	16	100.0
SEX												
Male	61	92.4	48	90.6	13	100.0	44	93.6	1,808	92.0	16	100.0
Female	5	7.6	5	9.4	0	0.0	3	6.4	157	8.0	0	0.0
RACE/ETHNICITY												
Black	21	31.8	13	24.5	8	61.5	19	40.4	392	19.9	3	18.8
Hispanic	15	22.7	14	26.4	1	7.7	12	25.5	440	22.4	3	18.8
White	26	39.4	23	43.4	3	23.1	15	31.9	1,070	54.5	9	56.3
Asian/Pacific Islander	4	6.1	3	5.7	1	7.7	1	2.1	45	2.3	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.0	2	3.8	0	0.0	0	0.0	5	0.3	0	0.0
20-29	12	18.2	10	18.9	2	15.4	7	14.9	76	3.9	0	0.0
30-39	25	37.9	22	41.5	3	23.1	12	25.5	269	13.7	1	6.3
40-49	17	25.8	13	24.5	4	30.8	16	34.0	710	36.1	6	37.5
50-59	9	13.6	5	9.4	4	30.8	9	19.1	573	29.2	4	25.0
60+	1	1.5	1	1.9	0	0.0	3	6.4	332	16.9	5	31.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	56.1	32	60.4	5	38.5	21	44.7	1,229	62.5	11	68.8
Injection drug use history (IDU)	2	3.0	2	3.8	0	0.0	2	4.3	200	10.2	0	0.0
MSM and IDU	0	0.0	0	0.0	0	0.0	3	6.4	59	3.0	0	0.0
Heterosexual	12	18.2	10	18.9	2	15.4	6	12.8	120	6.1	1	6.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	15	22.7	9	17.0	6	46.2	15	31.9	348	17.7	4	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	842	42.8	5	31.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,123	57.2	11	68.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	38	86.4	6	13.6	28	100.0	2,036	100.0	20	100.0
SEX												
Male	42	95.5	36	94.7	6	100.0	28	100.0	1,956	96.1	19	95.0
Female	2	4.5	2	5.3	0	0.0	0	0.0	80	3.9	1	5.0
RACE/ETHNICITY												
Black	7	15.9	5	13.2	2	33.3	9	32.1	454	22.3	5	25.0
Hispanic	9	20.5	7	18.4	2	33.3	7	25.0	373	18.3	1	5.0
White	27	61.4	25	65.8	2	33.3	12	42.9	1,148	56.4	13	65.0
Asian/Pacific Islander	1	2.3	1	2.6	0	0.0	0	0.0	48	2.4	1	5.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	20.5	9	23.7	0	0.0	1	3.6	97	4.8	0	0.0
30-39	13	29.5	12	31.6	1	16.7	5	17.9	294	14.4	1	5.0
40-49	17	38.6	14	36.8	3	50.0	16	57.1	797	39.1	6	30.0
50-59	5	11.4	3	7.9	2	33.3	5	17.9	555	27.3	6	30.0
60+	0	0.0	0	0.0	0	0.0	1	3.6	290	14.2	7	35.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	72.7	27	71.1	5	83.3	16	57.1	1,316	64.6	13	65.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	7.1	179	8.8	3	15.0
MSM and IDU	1	2.3	1	2.6	0	0.0	1	3.6	70	3.4	2	10.0
Heterosexual	1	2.3	1	2.6	0	0.0	3	10.7	90	4.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	10	22.7	9	23.7	1	16.7	6	21.4	377	18.5	2	10.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	876	43.0	2	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,160	57.0	18	90.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	72	100.0	58	80.6	14	19.4	85	100.0	3,290	100.0	71	100.0
SEX												
Male	64	88.9	51	87.9	13	92.9	74	87.1	2,668	81.1	48	67.6
Female	8	11.1	7	12.1	1	7.1	11	12.9	622	18.9	23	32.4
RACE/ETHNICITY												
Black	17	23.6	12	20.7	5	35.7	23	27.1	745	22.6	25	35.2
Hispanic	24	33.3	18	31.0	6	42.9	35	41.2	1,115	33.9	30	42.3
White	29	40.3	26	44.8	3	21.4	25	29.4	1,291	39.2	16	22.5
Asian/Pacific Islander	2	2.8	2	3.4	0	0.0	1	1.2	114	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.2	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	1	1.4	0	0.0	1	7.1	2	2.4	18	0.5	0	0.0
20-29	22	30.6	21	36.2	1	7.1	8	9.4	168	5.1	3	4.2
30-39	23	31.9	17	29.3	6	42.9	19	22.4	421	12.8	4	5.6
40-49	18	25.0	15	25.9	3	21.4	29	34.1	1,204	36.6	17	23.9
50-59	6	8.3	4	6.9	2	14.3	25	29.4	1,011	30.7	33	46.5
60+	2	2.8	1	1.7	1	7.1	2	2.4	461	14.0	14	19.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	46	63.9	37	63.8	9	64.3	38	44.7	1,586	48.2	15	21.1
Injection drug use history (IDU)	3	4.2	2	3.4	1	7.1	13	15.3	621	18.9	28	39.4
MSM and IDU	1	1.4	1	1.7	0	0.0	4	4.7	109	3.3	3	4.2
Heterosexual	10	13.9	8	13.8	2	14.3	16	18.8	372	11.3	11	15.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	2	2.4	6	0.2	0	0.0
Unknown	12	16.7	10	17.2	2	14.3	12	14.1	557	16.9	14	19.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,202	36.5	9	12.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,088	63.5	62	87.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	17	89.5	2	10.5	12	100.0	498	100.0	3	100.0
SEX												
Male	16	84.2	15	88.2	1	50.0	10	83.3	422	84.7	3	100.0
Female	3	15.8	2	11.8	1	50.0	2	16.7	76	15.3	0	0.0
RACE/ETHNICITY												
Black	6	31.6	5	29.4	1	50.0	5	41.7	110	22.1	0	0.0
Hispanic	7	36.8	6	35.3	1	50.0	2	16.7	129	25.9	1	33.3
White	5	26.3	5	29.4	0	0.0	5	41.7	237	47.6	2	66.7
Asian/Pacific Islander	1	5.3	1	5.9	0	0.0	0	0.0	18	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
20-29	6	31.6	6	35.3	0	0.0	1	8.3	29	5.8	0	0.0
30-39	6	31.6	5	29.4	1	50.0	2	16.7	106	21.3	0	0.0
40-49	5	26.3	5	29.4	0	0.0	3	25.0	189	38.0	0	0.0
50-59	1	5.3	0	0.0	1	50.0	5	41.7	128	25.7	0	0.0
60+	1	5.3	1	5.9	0	0.0	1	8.3	43	8.6	3	100.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	57.9	11	64.7	0	0.0	5	41.7	288	57.8	1	33.3
Injection drug use history (IDU)	2	10.5	1	5.9	1	50.0	2	16.7	44	8.8	0	0.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	1.8	0	0.0
Heterosexual	2	10.5	1	5.9	1	50.0	1	8.3	46	9.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	21.1	4	23.5	0	0.0	4	33.3	107	21.5	2	66.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	239	48.0	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	259	52.0	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	86	86.0	14	14.0	43	100.0	1,751	100.0	23	100.0
SEX												
Male	91	91.0	78	90.7	13	92.9	37	86.0	1,448	82.7	16	69.6
Female	9	9.0	8	9.3	1	7.1	6	14.0	303	17.3	7	30.4
RACE/ETHNICITY												
Black	19	19.0	18	20.9	1	7.1	10	23.3	371	21.2	6	26.1
Hispanic	44	44.0	38	44.2	6	42.9	18	41.9	686	39.2	9	39.1
White	31	31.0	26	30.2	5	35.7	13	30.2	613	35.0	7	30.4
Asian/Pacific Islander	6	6.0	4	4.7	2	14.3	2	4.7	66	3.8	1	4.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
13-19	5	5.0	5	5.8	0	0.0	1	2.3	10	0.6	0	0.0
20-29	30	30.0	27	31.4	3	21.4	8	18.6	137	7.8	0	0.0
30-39	33	33.0	31	36.0	2	14.3	13	30.2	403	23.0	2	8.7
40-49	20	20.0	15	17.4	5	35.7	12	27.9	681	38.9	6	26.1
50-59	9	9.0	7	8.1	2	14.3	6	14.0	383	21.9	9	39.1
60+	3	3.0	1	1.2	2	14.3	3	7.0	132	7.5	6	26.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	70	70.0	62	72.1	8	57.1	24	55.8	952	54.4	5	21.7
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	3	7.0	153	8.7	7	30.4
MSM and IDU	0	0.0	0	0.0	0	0.0	1	2.3	34	1.9	0	0.0
Heterosexual	9	9.0	7	8.1	2	14.3	5	11.6	256	14.6	4	17.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	20	20.0	16	18.6	4	28.6	10	23.3	337	19.2	7	30.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	824	47.1	3	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	927	52.9	20	87.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	186	100.0	142	76.3	44	23.7	148	100.0	5,326	100.0	32	100.0
SEX												
Male	159	85.5	120	84.5	39	88.6	125	84.5	4,397	82.6	25	78.1
Female	27	14.5	22	15.5	5	11.4	23	15.5	929	17.4	7	21.9
RACE/ETHNICITY												
Black	39	21.0	30	21.1	9	20.5	37	25.0	1,684	31.6	4	12.5
Hispanic	118	63.4	99	69.7	19	43.2	81	54.7	2,823	53.0	17	53.1
White	12	6.5	7	4.9	5	11.4	13	8.8	613	11.5	10	31.3
Asian/Pacific Islander	17	9.1	6	4.2	11	25.0	17	11.5	187	3.5	1	3.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	7	3.8	6	4.2	1	2.3	4	2.7	38	0.7	0	0.0
20-29	52	28.0	46	32.4	6	13.6	29	19.6	389	7.3	0	0.0
30-39	55	29.6	41	28.9	14	31.8	44	29.7	1,000	18.8	4	12.5
40-49	54	29.0	36	25.4	18	40.9	55	37.2	2,173	40.8	10	31.3
50-59	14	7.5	10	7.0	4	9.1	13	8.8	1,331	25.0	10	31.3
60+	4	2.2	3	2.1	1	2.3	3	2.0	391	7.3	8	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	95	51.1	77	54.2	18	40.9	54	36.5	1,887	35.4	13	40.6
Injection drug use history (IDU)	6	3.2	6	4.2	0	0.0	14	9.5	1,164	21.9	5	15.6
MSM and IDU	5	2.7	4	2.8	1	2.3	5	3.4	190	3.6	1	3.1
Heterosexual	43	23.1	31	21.8	12	27.3	39	26.4	882	16.6	6	18.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	56	1.1	0	0.0
Other	1	0.5	1	0.7	0	0.0	0	0.0	5	0.1	1	3.1
Unknown	36	19.4	23	16.2	13	29.5	36	24.3	1,142	21.4	6	18.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,036	38.2	7	21.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,290	61.8	25	78.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	20	83.3	4	16.7	16	100.0	577	100.0	7	100.0
SEX												
Male	15	62.5	12	60.0	3	75.0	10	62.5	411	71.2	5	71.4
Female	9	37.5	8	40.0	1	25.0	6	37.5	166	28.8	2	28.6
RACE/ETHNICITY												
Black	2	8.3	1	5.0	1	25.0	1	6.3	116	20.1	2	28.6
Hispanic	8	33.3	8	40.0	0	0.0	6	37.5	204	35.4	4	57.1
White	6	25.0	5	25.0	1	25.0	4	25.0	184	31.9	1	14.3
Asian/Pacific Islander	8	33.3	6	30.0	2	50.0	5	31.3	66	11.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
20-29	10	41.7	9	45.0	1	25.0	5	31.3	27	4.7	0	0.0
30-39	8	33.3	7	35.0	1	25.0	3	18.8	92	15.9	0	0.0
40-49	3	12.5	2	10.0	1	25.0	6	37.5	223	38.6	2	28.6
50-59	3	12.5	2	10.0	1	25.0	2	12.5	160	27.7	2	28.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	71	12.3	3	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	33.3	7	35.0	1	25.0	5	31.3	208	36.0	0	0.0
Injection drug use history (IDU)	1	4.2	1	5.0	0	0.0	3	18.8	80	13.9	3	42.9
MSM and IDU	0	0.0	0	0.0	0	0.0	1	6.3	10	1.7	0	0.0
Heterosexual	8	33.3	7	35.0	1	25.0	5	31.3	138	23.9	2	28.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	7	29.2	5	25.0	2	50.0	2	12.5	132	22.9	2	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	232	40.2	1	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	345	59.8	6	85.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	2	66.7	1	33.3	4	100.0	155	100.0	1	100.0
SEX												
Male	3	100.0	2	100.0	1	100.0	3	75.0	118	76.1	1	100.0
Female	0	0.0	0	0.0	0	0.0	1	25.0	37	23.9	0	0.0
RACE/ETHNICITY												
Black	2	66.7	1	50.0	1	100.0	2	50.0	32	20.6	1	100.0
Hispanic	0	0.0	0	0.0	0	0.0	2	50.0	32	20.6	0	0.0
White	1	33.3	1	50.0	0	0.0	0	0.0	79	51.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	33.3	1	50.0	0	0.0	0	0.0	3	1.9	0	0.0
20-29	1	33.3	1	50.0	0	0.0	1	25.0	11	7.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	15	9.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	25.0	52	33.5	0	0.0
50-59	1	33.3	0	0.0	1	100.0	2	50.0	54	34.8	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	20	12.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	66.7	2	100.0	0	0.0	1	25.0	55	35.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	20	12.9	0	0.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	1	25.0	33	21.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.6	0	0.0
Unknown	1	33.3	0	0.0	1	100.0	2	50.0	37	23.9	1	100.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62	40.0	1	100.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	93	60.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	28	100.0	1,059	100.0	9	100.0
SEX												
Male	25	86.2	19	82.6	6	100.0	22	78.6	775	73.2	6	66.7
Female	4	13.8	4	17.4	0	0.0	6	21.4	284	26.8	3	33.3
RACE/ETHNICITY												
Black	2	6.9	2	8.7	0	0.0	3	10.7	129	12.2	0	0.0
Hispanic	13	44.8	9	39.1	4	66.7	14	50.0	506	47.8	7	77.8
White	13	44.8	11	47.8	2	33.3	10	35.7	389	36.7	2	22.2
Asian/Pacific Islander	1	3.4	1	4.3	0	0.0	1	3.6	29	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
13-19	1	3.4	1	4.3	0	0.0	1	3.6	13	1.2	0	0.0
20-29	8	27.6	8	34.8	0	0.0	1	3.6	72	6.8	0	0.0
30-39	11	37.9	7	30.4	4	66.7	6	21.4	162	15.3	1	11.1
40-49	5	17.2	5	21.7	0	0.0	8	28.6	406	38.3	3	33.3
50-59	4	13.8	2	8.7	2	33.3	9	32.1	300	28.3	5	55.6
60+	0	0.0	0	0.0	0	0.0	3	10.7	101	9.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	58.6	14	60.9	3	50.0	13	46.4	448	42.3	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.6	113	10.7	3	33.3
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	2.0	1	11.1
Heterosexual	5	17.2	4	17.4	1	16.7	7	25.0	224	21.2	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	29	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	7	24.1	5	21.7	2	33.3	6	21.4	217	20.5	3	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	422	39.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	637	60.2	9	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	5	41.7	7	58.3	8	100.0	251	100.0	3	100.0
SEX												
Male	6	50.0	4	80.0	2	28.6	3	37.5	157	62.5	3	100.0
Female	6	50.0	1	20.0	5	71.4	5	62.5	94	37.5	0	0.0
RACE/ETHNICITY												
Black	6	50.0	0	0.0	6	85.7	6	75.0	112	44.6	2	66.7
Hispanic	4	33.3	3	60.0	1	14.3	2	25.0	68	27.1	1	33.3
White	1	8.3	1	20.0	0	0.0	0	0.0	51	20.3	0	0.0
Asian/Pacific Islander	1	8.3	1	20.0	0	0.0	0	0.0	18	7.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
20-29	2	16.7	2	40.0	0	0.0	0	0.0	18	7.2	0	0.0
30-39	5	41.7	3	60.0	2	28.6	3	37.5	38	15.1	0	0.0
40-49	2	16.7	0	0.0	2	28.6	2	25.0	88	35.1	2	66.7
50-59	3	25.0	0	0.0	3	42.9	3	37.5	71	28.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	30	12.0	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	41.7	4	80.0	1	14.3	2	25.0	61	24.3	1	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	30	12.0	2	66.7
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Heterosexual	7	58.3	1	20.0	6	85.7	6	75.0	68	27.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	81	32.3	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	92	36.7	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	159	63.3	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	46	82.1	10	17.9	34	100.0	1,531	100.0	27	100.0
SEX												
Male	44	78.6	37	80.4	7	70.0	26	76.5	1,071	70.0	16	59.3
Female	12	21.4	9	19.6	3	30.0	8	23.5	460	30.0	11	40.7
RACE/ETHNICITY												
Black	19	33.9	13	28.3	6	60.0	14	41.2	462	30.2	10	37.0
Hispanic	20	35.7	17	37.0	3	30.0	14	41.2	650	42.5	9	33.3
White	7	12.5	7	15.2	0	0.0	4	11.8	287	18.7	8	29.6
Asian/Pacific Islander	10	17.9	9	19.6	1	10.0	2	5.9	109	7.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
13-19	2	3.6	2	4.3	0	0.0	0	0.0	22	1.4	1	3.7
20-29	20	35.7	17	37.0	3	30.0	4	11.8	115	7.5	0	0.0
30-39	10	17.9	8	17.4	2	20.0	11	32.4	262	17.1	3	11.1
40-49	16	28.6	15	32.6	1	10.0	9	26.5	569	37.2	9	33.3
50-59	7	12.5	4	8.7	3	30.0	8	23.5	414	27.0	10	37.0
60+	1	1.8	0	0.0	1	10.0	2	5.9	144	9.4	4	14.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	50.0	26	56.5	2	20.0	9	26.5	530	34.6	3	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.9	229	15.0	12	44.4
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.1	1	3.7
Heterosexual	12	21.4	7	15.2	5	50.0	10	29.4	349	22.8	4	14.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	2.5	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	16	28.6	13	28.3	3	30.0	13	38.2	364	23.8	6	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	612	40.0	5	18.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	919	60.0	22	81.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	120	100.0	97	80.8	23	19.2	90	100.0	2,916	100.0	63	100.0
SEX												
Male	86	71.7	71	73.2	15	65.2	52	57.8	1,748	59.9	41	65.1
Female	34	28.3	26	26.8	8	34.8	38	42.2	1,168	40.1	22	34.9
RACE/ETHNICITY												
Black	90	75.0	72	74.2	18	78.3	65	72.2	2,181	74.8	50	79.4
Hispanic	19	15.8	16	16.5	3	13.0	17	18.9	506	17.4	11	17.5
White	4	3.3	4	4.1	0	0.0	1	1.1	147	5.0	1	1.6
Asian/Pacific Islander	7	5.8	5	5.2	2	8.7	5	5.6	59	2.0	1	1.6
Native American	0	0.0	0	0.0	0	0.0	2	2.2	15	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.5	0	0.0
13-19	14	11.7	13	13.4	1	4.3	2	2.2	58	2.0	0	0.0
20-29	33	27.5	31	32.0	2	8.7	11	12.2	240	8.2	0	0.0
30-39	27	22.5	19	19.6	8	34.8	28	31.1	475	16.3	5	7.9
40-49	22	18.3	19	19.6	3	13.0	19	21.1	947	32.5	18	28.6
50-59	17	14.2	10	10.3	7	30.4	23	25.6	849	29.1	27	42.9
60+	7	5.8	5	5.2	2	8.7	7	7.8	331	11.4	13	20.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	36.7	39	40.2	5	21.7	20	22.2	630	21.6	10	15.9
Injection drug use history (IDU)	4	3.3	4	4.1	0	0.0	7	7.8	468	16.0	16	25.4
MSM and IDU	1	0.8	1	1.0	0	0.0	2	2.2	48	1.6	1	1.6
Heterosexual	33	27.5	28	28.9	5	21.7	27	30.0	825	28.3	11	17.5
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	95	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	38	31.7	25	25.8	13	56.5	33	36.7	839	28.8	25	39.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,141	39.1	14	22.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,775	60.9	49	77.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	29	78.4	8	21.6	23	100.0	1,143	100.0	13	100.0
SEX												
Male	25	67.6	19	65.5	6	75.0	16	69.6	645	56.4	7	53.8
Female	12	32.4	10	34.5	2	25.0	7	30.4	498	43.6	6	46.2
RACE/ETHNICITY												
Black	33	89.2	25	86.2	8	100.0	19	82.6	881	77.1	13	100.0
Hispanic	4	10.8	4	13.8	0	0.0	2	8.7	141	12.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	84	7.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	8.7	32	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	4	10.8	4	13.8	0	0.0	1	4.3	30	2.6	0	0.0
20-29	12	32.4	12	41.4	0	0.0	3	13.0	104	9.1	2	15.4
30-39	5	13.5	5	17.2	0	0.0	6	26.1	174	15.2	1	7.7
40-49	8	21.6	6	20.7	2	25.0	7	30.4	381	33.3	5	38.5
50-59	5	13.5	1	3.4	4	50.0	4	17.4	327	28.6	4	30.8
60+	3	8.1	1	3.4	2	25.0	2	8.7	121	10.6	1	7.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	32.4	11	37.9	1	12.5	5	21.7	205	17.9	3	23.1
Injection drug use history (IDU)	3	8.1	2	6.9	1	12.5	2	8.7	144	12.6	1	7.7
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0
Heterosexual	12	32.4	9	31.0	3	37.5	7	30.4	354	31.0	5	38.5
Perinatal	0	0.0	0	0.0	0	0.0	1	4.3	48	4.2	1	7.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	10	27.0	7	24.1	3	37.5	8	34.8	375	32.8	3	23.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	448	39.2	2	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	695	60.8	11	84.6

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.
The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	30	71.4	12	28.6	34	100.0	988	100.0	26	100.0
SEX												
Male	25	59.5	18	60.0	7	58.3	22	64.7	540	54.7	14	53.8
Female	17	40.5	12	40.0	5	41.7	12	35.3	448	45.3	12	46.2
RACE/ETHNICITY												
Black	33	78.6	23	76.7	10	83.3	23	67.6	644	65.2	21	80.8
Hispanic	8	19.0	7	23.3	1	8.3	7	20.6	225	22.8	3	11.5
White	1	2.4	0	0.0	1	8.3	2	5.9	106	10.7	1	3.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.9	9	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	1	2.4	0	0.0	1	8.3	2	5.9	23	2.3	0	0.0
20-29	12	28.6	12	40.0	0	0.0	5	14.7	79	8.0	0	0.0
30-39	11	26.2	8	26.7	3	25.0	10	29.4	151	15.3	2	7.7
40-49	7	16.7	4	13.3	3	25.0	8	23.5	309	31.3	10	38.5
50-59	7	16.7	4	13.3	3	25.0	6	17.6	320	32.4	7	26.9
60+	4	9.5	2	6.7	2	16.7	3	8.8	102	10.3	7	26.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	14.3	6	20.0	0	0.0	6	17.6	146	14.8	2	7.7
Injection drug use history (IDU)	3	7.1	3	10.0	0	0.0	5	14.7	193	19.5	8	30.8
MSM and IDU	0	0.0	0	0.0	0	0.0	1	2.9	21	2.1	0	0.0
Heterosexual	19	45.2	13	43.3	6	50.0	9	26.5	343	34.7	6	23.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	32	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	14	33.3	8	26.7	6	50.0	12	35.3	250	25.3	10	38.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	384	38.9	4	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	604	61.1	22	84.6

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	20	83.3	4	16.7	11	100.0	526	100.0	12	100.0
SEX												
Male	14	58.3	12	60.0	2	50.0	7	63.6	310	58.9	6	50.0
Female	10	41.7	8	40.0	2	50.0	4	36.4	216	41.1	6	50.0
RACE/ETHNICITY												
Black	15	62.5	13	65.0	2	50.0	6	54.5	263	50.0	7	58.3
Hispanic	6	25.0	5	25.0	1	25.0	4	36.4	165	31.4	2	16.7
White	2	8.3	1	5.0	1	25.0	1	9.1	90	17.1	3	25.0
Asian/Pacific Islander	1	4.2	1	5.0	0	0.0	0	0.0	3	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
13-19	3	12.5	3	15.0	0	0.0	0	0.0	16	3.0	0	0.0
20-29	10	41.7	10	50.0	0	0.0	1	9.1	43	8.2	1	8.3
30-39	5	20.8	4	20.0	1	25.0	2	18.2	61	11.6	1	8.3
40-49	3	12.5	2	10.0	1	25.0	6	54.5	218	41.4	3	25.0
50-59	3	12.5	1	5.0	2	50.0	2	18.2	144	27.4	6	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	41	7.8	1	8.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	37.5	8	40.0	1	25.0	1	9.1	92	17.5	0	0.0
Injection drug use history (IDU)	1	4.2	0	0.0	1	25.0	3	27.3	124	23.6	6	50.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.9	0	0.0
Heterosexual	10	41.7	9	45.0	1	25.0	2	18.2	156	29.7	3	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	1	8.3
Unknown	4	16.7	3	15.0	1	25.0	5	45.5	116	22.1	2	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	191	36.3	3	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	335	63.7	9	75.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	21	72.4	8	27.6	27	100.0	1,020	100.0	38	100.0
SEX												
Male	19	65.5	14	66.7	5	62.5	18	66.7	648	63.5	25	65.8
Female	10	34.5	7	33.3	3	37.5	9	33.3	372	36.5	13	34.2
RACE/ETHNICITY												
Black	15	51.7	12	57.1	3	37.5	15	55.6	457	44.8	17	44.7
Hispanic	6	20.7	3	14.3	3	37.5	8	29.6	282	27.6	12	31.6
White	8	27.6	6	28.6	2	25.0	4	14.8	258	25.3	9	23.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	1	3.4	1	4.8	0	0.0	2	7.4	15	1.5	0	0.0
20-29	7	24.1	6	28.6	1	12.5	3	11.1	73	7.2	1	2.6
30-39	7	24.1	6	28.6	1	12.5	2	7.4	160	15.7	3	7.9
40-49	9	31.0	5	23.8	4	50.0	14	51.9	381	37.4	12	31.6
50-59	3	10.3	2	9.5	1	12.5	3	11.1	297	29.1	15	39.5
60+	2	6.9	1	4.8	1	12.5	3	11.1	88	8.6	7	18.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	24.1	5	23.8	2	25.0	5	18.5	257	25.2	7	18.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	208	20.4	16	42.1
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	30	2.9	0	0.0
Heterosexual	10	34.5	7	33.3	3	37.5	8	29.6	260	25.5	8	21.1
Perinatal	0	0.0	0	0.0	0	0.0	2	7.4	34	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	12	41.4	9	42.9	3	37.5	12	44.4	229	22.5	7	18.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	379	37.2	2	5.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	641	62.8	36	94.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	158	100.0	2	100.0
SEX												
Male	3	75.0	3	75.0	0	0.0	0	0.0	105	66.5	1	50.0
Female	1	25.0	1	25.0	0	0.0	2	100.0	53	33.5	1	50.0
RACE/ETHNICITY												
Black	1	25.0	1	25.0	0	0.0	1	50.0	22	13.9	1	50.0
Hispanic	0	0.0	0	0.0	0	0.0	1	50.0	43	27.2	0	0.0
White	3	75.0	3	75.0	0	0.0	0	0.0	91	57.6	1	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
20-29	2	50.0	2	50.0	0	0.0	0	0.0	11	7.0	0	0.0
30-39	2	50.0	2	50.0	0	0.0	1	50.0	21	13.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	50.0	59	37.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	47	29.7	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	19	12.0	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	49	31.0	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	39	24.7	1	50.0
MSM and IDU	1	25.0	1	25.0	0	0.0	0	0.0	3	1.9	0	0.0
Heterosexual	2	50.0	2	50.0	0	0.0	2	100.0	33	20.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
Unknown	1	25.0	1	25.0	0	0.0	0	0.0	30	19.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	61	38.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	97	61.4	2	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	8	88.9	1	11.1	11	100.0	435	100.0	10	100.0
SEX												
Male	7	77.8	6	75.0	1	100.0	7	63.6	302	69.4	8	80.0
Female	2	22.2	2	25.0	0	0.0	4	36.4	133	30.6	2	20.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	18.2	88	20.2	0	0.0
Hispanic	3	33.3	3	37.5	0	0.0	4	36.4	117	26.9	1	10.0
White	6	66.7	5	62.5	1	100.0	5	45.5	225	51.7	8	80.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	1	10.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	1	11.1	1	12.5	0	0.0	0	0.0	2	0.5	0	0.0
20-29	5	55.6	5	62.5	0	0.0	0	0.0	22	5.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	4	36.4	64	14.7	1	10.0
40-49	3	33.3	2	25.0	1	100.0	2	18.2	166	38.2	3	30.0
50-59	0	0.0	0	0.0	0	0.0	4	36.4	143	32.9	4	40.0
60+	0	0.0	0	0.0	0	0.0	1	9.1	35	8.0	2	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	66.7	5	62.5	1	100.0	4	36.4	90	20.7	4	40.0
Injection drug use history (IDU)	1	11.1	1	12.5	0	0.0	1	9.1	93	21.4	1	10.0
MSM and IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	1.8	0	0.0
Heterosexual	1	11.1	1	12.5	0	0.0	2	18.2	104	23.9	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Unknown	1	11.1	1	12.5	0	0.0	4	36.4	128	29.4	3	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	187	43.0	3	30.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	248	57.0	7	70.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, MID-YEAR PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2009**Table 2.1. Overall and by sex, age, and race/ethnicity**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	MID-YEAR PLWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ²	POPULATION FROM 2010 CENSUS
TOTAL	45.3	1.3	16.5	8,175,133
SEX				
Male	73.0	2.0	16.1	3,882,544
Female	20.3	0.7	17.9	4,292,589
RACE/ETHNICITY				
Black	95.1	2.6	19.1	1,861,295
Hispanic	50.6	1.5	17.3	2,336,076
White	23.0	0.8	11.3	2,722,904
Asian/Pacific Islander	10.5	0.2	8.4	1,030,914
Native American	86.1	1.5	22.7*	17,427
AGE GROUP (YEARS)				
0 - 12	0.9	0.0	2.0*	1,268,163
13 - 19	24.8	0.2	3.0*	726,707
20 - 29	78.5	0.6	5.3	1,372,775
30 - 39	75.1	1.5	10.1	1,249,662
40 - 49	78.6	3.5	16.4	1,132,972
50 - 59	44.1	2.9	28.6	1,017,219
60+	11.2	0.8	44.5	1,407,635

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the NYC Census 2010 population.

RATES OF REPORTED HIV DIAGNOSES, MID-YEAR PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2009
Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	MID-YEAR PLWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ²	POPULATION FROM 2010 CENSUS
TOTAL	45.3	1.3	16.5	8,175,133
BRONX³	53.4	1.8	21.7	1,382,480
Crotona - Tremont	79.1	2.4	20.6	206,116
Fordham - Bronx Park	47.1	1.8	19.6	252,655
High Bridge - Morrisania	78.5	2.6	27.1	207,631
Hunts Point - Mott Haven	72.5	2.3	17.9	136,591
Kingsbridge - Riverdale	16.5	0.7	29.6	90,892
Northeast Bronx	34.1	1.1	21.0	190,668
Pelham - Throgs Neck	37.9	1.4	17.3	297,927
BROOKLYN³	38.4	1.1	15.9	2,504,700
Bedford Stuyvesant - Crown Heights	65.5	2.2	20.8	318,898
Bensonhurst - Bay Ridge	9.0	0.3	5.2*	199,271
Borough Park	12.7	0.3	19.3	331,983
Canarsie - Flatlands	34.9	0.7	16.7	195,027
Coney Island - Sheepshead Bay	10.9	0.4	21.7	285,502
Downtown - Heights - Park Slope	34.8	1.2	9.9	224,199
East Flatbush - Flatbush	59.7	1.6	12.0	296,583
East New York	66.5	1.5	18.3	187,855
Greenpoint	32.3	0.7	16.9	127,051
Sunset Park	19.6	0.6	7.7*	127,863
Williamsburg - Bushwick	68.9	1.7	16.4	210,468
MANHATTAN³	61.6	1.9	11.7	1,577,279
Central Harlem - Morningside Heights	122.3	2.7	19.0	162,652
Chelsea - Clinton	131.1	4.1	10.0	144,896
East Harlem	80.9	2.5	22.5	109,972
Gramercy Park - Murray Hill	49.1	1.4	5.3	134,520
Greenwich Village - Soho	52.5	2.4	7.5	83,749
Lower Manhattan	35.7	0.9	13.2*	53,159
Union Square - Lower East Side	36.2	1.7	16.0	198,781
Upper East Side	23.1	0.6	11.6	220,962
Upper West Side	31.8	1.4	8.5	220,080
Washington Heights - Inwood	65.2	1.5	10.7	248,508
QUEENS³	27.5	0.7	11.2	2,235,260
Bayside - Little Neck	3.4*	0.2	2.4*	87,972
Flushing - Clearview	9.2	0.2	10.7*	259,767
Fresh Meadows	12.4	0.3	9.8*	96,831
Jamaica	41.5	1.0	15.6	289,314
Long Island City - Astoria	48.8	0.8	13.5	204,715
Ridgewood - Forest Hills	11.8	0.4	4.1*	245,746
Rockaway	36.5	0.9	21.2	114,978
Southeast Queens	19.6	0.6	9.1	189,171
Southwest Queens	21.0	0.6	15.9	266,265
West Queens	38.7	1.1	6.0	480,501
STATEN ISLAND³	14.1	0.5	24.1	468,730
Port Richmond	34.1	0.7	18.5	70,387
South Beach - Tottenville	4.8*	0.2	19.0*	189,185
Stapleton - St. George	23.5	0.8	30.1	123,648
Willowbrook	4.7*	0.2	14.7*	85,510

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2014. Table generated January 16, 2015.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the NYC Census 2010 population.

³Borough-level data include persons residing in unknown UHF neighborhoods.