

**Table 3. Alcohol overservice policy awareness by alcohol consumption levels and demographic characteristics, New York City, 2012**

Source: NYC Alcohol Survey, 2012

Awareness of Alcohol Overservice Policy	Correctly answered all three statements on overservice laws			Bars/clubs/restaurants can be held financially responsible for damage or injuries caused by drunk patrons. (True)			It is legal for a bartender to serve alcohol to a visibly intoxicated person. (False)			Bartenders can limit the number of drinks a person can buy at one time. (True)		
	Row %	95% C.I.	P-value	Row %	95% C.I.	P-value	Row %	95% C.I.	P-value	Row %	95% C.I.	P-value
<b>Total</b>	35	(33.3-36.5)	~	73	(71.5-74.5)	~	63	(61.6-64.9)	~	64	(62.1-65.4)	~
<b>Alcohol Consumption Levels</b>												
Excessive <sup>1</sup>	41	(37.5-45.3)	<0.001	77	(73.4-80.3)	0.002	67	(63.5-70.9)	0.003	70	(66.3-73.7)	<0.001
Moderate <sup>2</sup>	40	(37.3-42.8)	<0.001	76	(73.3-78.3)	0.002	66	(63.0-68.5)	0.005	67	(63.9-69.6)	0.001
Non-drinking <sup>3</sup>	30	(27.7-32.2)	Referent	70	(68.1-72.7)	Referent	61	(58.1-63.0)	Referent	61	(58.2-63.0)	Referent
<b>Gender</b>												
Male	37	(34.5-39.1)	Referent	74	(71.5-75.9)	Referent	65	(62.6-67.2)	Referent	65	(62.9-67.5)	Referent
Female	33	(31.1-35.4)	0.028	72	(70.2-74.5)	0.387	62	(59.5-64.1)	0.065	62	(60.1-64.7)	0.092
<b>Age-group</b>												
18-20	23	(17.9-30.2)	<0.001	61	(54.0-68.0)	<0.001	57	(49.7-64.3)	0.041	58	(50.5-65.1)	0.068
21-30	33	(30.0-36.1)	0.009	70	(66.5-72.5)	<0.001	63	(59.5-66.0)	0.247	64	(61.3-67.6)	0.713
31-44	36	(32.7-38.6)	0.150	74	(70.8-76.4)	0.012	64	(61.4-67.3)	0.652	65	(61.3-67.7)	0.752
45-64	39	(35.8-41.6)	Referent	78	(75.9-80.8)	Referent	65	(62.4-68.3)	Referent	65	(62.4-68.1)	Referent
65+	33	(28.6-38.4)	0.066	71	(66.2-76.2)	0.013	62	(56.7-67.0)	0.264	62	(56.5-66.6)	0.219
<b>Race/Ethnicity</b>												
Asian	23	(18.8-27.6)	<0.001	63	(57.4-68.0)	<0.001	61	(55.4-66.2)	0.003	53	(47.4-58.3)	<0.001
Black Non-Hispanic	32	(29.5-35.1)	<0.001	73	(70.2-75.9)	0.002	58	(55.2-61.2)	<0.001	67	(63.9-69.4)	0.047
Hispanic	27	(24.2-30.5)	<0.001	69	(65.7-72.4)	<0.001	60	(56.6-63.8)	<0.001	57	(53.7-61.0)	<0.001
White Non-Hispanic	46	(43.1-48.8)	Referent	79	(76.6-81.3)	Referent	70	(67.4-72.7)	Referent	71	(67.9-73.1)	Referent
Other <sup>4</sup>	33	(24.5-43.5)	0.014	76	(67.2-83.8)	0.554	65*	(54.0-74.8)	0.361	60*	(49.5-70.4)	0.068
<b>Borough of Residence</b>												
Bronx	33	(29.0-36.2)	1.000	72	(67.9-75.0)	0.544	62	(58.6-66.2)	0.553	63	(58.7-66.3)	0.644
Brooklyn	33	(29.9-35.2)	Referent	70	(67.3-72.9)	Referent	61	(58.1-63.9)	Referent	61	(58.5-64.3)	Referent
Manhattan	39	(35.8-42.8)	0.003	73	(69.4-75.9)	0.228	67	(63.8-70.6)	0.006	69	(65.5-72.4)	<0.001
Queens	34	(31.2-38.0)	0.363	75	(72.1-78.3)	0.015	63	(59.5-66.5)	0.374	62	(58.6-65.5)	0.766
Staten Island	39	(32.6-46.5)	0.074	82	(75.9-86.3)	<0.001	63	(55.9-70.0)	0.575	68	(60.8-73.9)	0.090
<b>Nativity</b>												
US born	42	(40.3-44.5)	Referent	78	(76.0-79.5)	Referent	68	(66.0-70.0)	Referent	69	(67.2-71.2)	Referent
Foreign born	25	(22.7-27.5)	<0.001	67	(64.4-69.9)	<0.001	58	(54.7-60.3)	<0.001	57	(54.0-59.6)	<0.001
<b>Education</b>												
Some college or more	41	(39.0-42.8)	Referent	76	(73.9-77.2)	Referent	69	(66.7-70.2)	Referent	68	(66.5-70.0)	Referent
HS graduate or less	28	(25.5-30.9)	<0.001	71	(68.3-73.7)	0.006	58	(55.0-60.9)	<0.001	59	(56.1-62.0)	<0.001
<b>Income</b>												
50k+	45	(42.8-48.0)	Referent	81	(78.9-82.9)	Referent	71	(68.4-73.1)	Referent	71	(68.4-73.1)	Referent
<50k	30	(27.7-32.8)	<0.001	70	(67.7-72.8)	<0.001	62	(59.3-64.8)	<0.001	60	(57.3-62.9)	<0.001
<b>Employment</b>												
Employed	37	(35.2-39.2)	Referent	75	(72.7-76.4)	Referent	65	(63.0-67.0)	Referent	65	(63.5-67.5)	Referent
Unemployed	33	(30.4-35.7)	0.014	72	(69.3-74.4)	0.095	62	(59.0-64.6)	0.072	63	(60.0-65.5)	0.127
<b>Marital Status</b>												
Married/living together	37	(34.9-39.9)	Referent	75	(72.7-77.5)	Referent	65	(62.5-67.6)	Referent	64	(61.3-66.4)	Referent
Single	34	(31.6-35.8)	0.025	72	(70.0-74.0)	0.048	62	(60.2-64.6)	0.129	65	(62.3-66.6)	0.709
<b>Children in household (&lt;18 years)</b>												
Yes	31	(28.6-33.7)	<0.001	70	(67.7-72.7)	0.001	62	(59.4-64.7)	0.136	60	(57.2-62.7)	<0.001
No	38	(35.6-39.7)	Referent	75	(73.5-77.3)	Referent	65	(62.5-66.8)	Referent	67	(64.6-68.7)	Referent
<b>Spent days with drinkers (past 30 days)</b>												
Yes	40	(37.9-42.2)	<0.001	77	(74.7-78.5)	<0.001	67	(64.9-69.1)	<0.001	68	(65.5-69.7)	<0.001
No	30	(27.6-32.4)	Referent	70	(67.4-72.3)	Referent	60	(57.1-62.4)	Referent	61	(58.0-63.1)	Referent
<b>Worked in alcohol industry</b>												
Ever	41	(37.4-44.0)	<0.001	77	(74.3-79.9)	0.003	67	(63.9-70.3)	0.012	67	(63.6-70.1)	0.049
Never	33	(31.3-34.9)	Referent	72	(70.3-73.9)	Referent	62	(60.4-64.3)	Referent	63	(61.2-65.0)	Referent

<sup>1</sup> Excessive Drinking: Heavy or binge drinking in the past 30 days. Heavy drinking is defined as >2 drinks per day for men or >1 drink per day for women. Binge drinking is defined as consuming 5 or more (4 for women) alcoholic drinks in a row (within a couple of hours) at least once during the past 30 days.

<sup>2</sup> Moderate drinking: Non-heavy and non-binge drinking in the past 30 days.

<sup>3</sup> Non-drinking: Never drinking or non-current drinking.

<sup>4</sup> Other category includes non-Hispanics who selected American Indian/Alaska Native, Native Hawaiian/other Pacific Islander, or something else race categories.

\* Estimate should be interpreted with caution. Estimate's Relative Standard Error (a measure of estimate precision) is greater than 30%, the 95% Confidence Interval half-width is greater than 10, or the sample size is less than 50, making the estimate potentially unreliable. C.I. = Confidence interval

95% confidence intervals are a measure of estimate precision. The wider the interval, the more imprecise the estimate.

A p-value is a measure of statistical significance. A bold p-value less than .05 means there is a significant difference between that group and the referent (comparison) group.