



New York City Early Intervention LEICC Data Report

October 28, 2014

Table of Contents

Page

Domains of Delay Among Children Receiving Early Intervention Services, 2013

3

Children Referred to the NYC Early Intervention Program, by Zip Code, 2012


4

Children Served by the NYC Early Intervention Program, by Zip Code, 2012


5

**Most Recent Delay Profiles of Children Receiving Early Intervention Services, 2013,
by Child's Age at Initial IFSP***
N=26,568

Children <18 months at Initial IFSP
N=11,463



Children 18+ months at Initial IFSP
N=15,105



Legend - Domains of Delay

Phys	Comm	Cog	Adapt	Soc-Emo	Diagnosed Condition	ASD
Physical	Communication	Cognitive	Adaptive	Social-Emotional	A diagnosed condition that makes a child automatically eligible for EI	Autism Spectrum Disorder, a diagnosed condition. Most children with ASD have multiple delays.


*Domains of delay reflect the child's most recent developmental status, not their status at the initial IFSP. This is because additional domains of delay may be identified in a child over the course of their time in the program (particularly ASD).

**Excluding ASD, which is a diagnosed (auto-eligible) condition.

Children Referred to the NYC Early Intervention Program, by Zip Code*, 2012

Rate per 1,000 children under 3 years old

Quartiles





* Zip Code Tabulation Areas (ZCTAs) based on 2010 Census

Source: NYEIS data system

Children Served* by the NYC Early Intervention Program, by Zip Code**, 2012

Rate per 1,000 children
under 3 years old

Quartiles



* Defined as having 1 or more IFSPs on records

** Zip Code Tabulation Areas (ZCTAs) based on 2010 Census

Source: NYEIS data system