

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	3	0.2
		2	13 years old	23	2.1
		3	14 years old	255	19.8
		4	15 years old	404	25.5
		5	16 years old	461	23.7
		6	17 years old	364	20.8
		7	18 years old or older	139	7.9
		Missing	1		
18-18	Q2	What is your sex?			
		1	Female	855	52.4
		2	Male	794	47.6
			Missing	1	
19-19	Q3	In what grade are you?			
		1	9th grade	369	29.0
		2	10th grade	465	28.6
		3	11th grade	449	22.3
		4	12th grade	342	19.8
		5	Ungraded or other grade	3	0.3
		Missing	22		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,036	57.9
		2	No	576	42.1
			Missing	38	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.2
		F	2	0.3
		E	71	5.7
		D	121	10.5
		DE	1	0.1
		C	589	72.3
		C E	8	0.5
		CD	3	0.1
		B	39	2.3
		B E	1	0.0
		B D	1	0.1
		BC	3	0.1
		BC E	1	0.1
		A	70	6.2
		A D	1	0.3
		A C	16	0.6
		A C E	4	0.2
		A CD	2	0.1
		AB	1	0.0
		ABC	3	0.1
		ABCDE	1	0.1
			710	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	606	37.9
		2 Never wore a helmet	850	52.7
		3 Rarely wore a helmet	80	4.9
		4 Sometimes wore a helmet	38	2.1
		5 Most of the time wore a helmet	29	1.7
		6 Always wore a helmet	15	0.7
		Missing	32	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	134	8.6
		2 Rarely	176	11.3
		3 Sometimes	317	20.1
		4 Most of the time	361	21.6
		5 Always	647	38.3
		Missing	15	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,512	96.2
		2 1 time	24	1.3
		3 2 or 3 times	21	1.7
		4 4 or 5 times	2	0.1
		5 6 or more times	9	0.7
		Missing	82	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,355	85.6
		2 1 day	64	3.9
		3 2 or 3 days	67	4.3
		4 4 or 5 days	16	1.0
		5 6 or more days	80	5.3
		Missing	68	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,574	96.6
		2 1 day	25	1.6
		3 2 or 3 days	7	0.5
		4 4 or 5 days	3	0.2
		5 6 or more days	16	1.2
		Missing	25	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,541	94.6
		2 1 day	17	1.2
		3 2 or 3 days	19	1.3
		4 4 or 5 days	9	0.8
		5 6 or more days	30	2.1
		Missing	34	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,337	81.6
		2 1 day	161	10.3
		3 2 or 3 days	80	5.0
		4 4 or 5 days	12	0.6
		5 6 or more days	34	2.5
		Missing	26	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,476	89.8
		2 1 time	79	5.1
		3 2 or 3 times	47	2.5
		4 4 or 5 times	15	0.9
		5 6 or 7 times	6	0.4
		6 8 or 9 times	2	0.0
		7 10 or 11 times	1	0.0
		8 12 or more times	18	1.3
		Missing	6	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,026	63.4
		2 1 time	210	13.6
		3 2 or 3 times	195	13.2
		4 4 or 5 times	66	4.3
		5 6 or 7 times	31	1.7
		6 8 or 9 times	21	1.2
		7 10 or 11 times	5	0.2
		8 12 or more times	36	2.5
		Missing	60	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,377	85.8
		2 1 time	123	8.8
		3 2 or 3 times	48	3.0
		4 4 or 5 times	17	1.0
		5 6 or 7 times	4	0.2
		6 8 or 9 times	4	0.3
		7 10 or 11 times	1	0.1
		8 12 or more times	11	0.7
		Missing	65	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	203	12.4
		2 No	1,420	87.6
		Missing	27	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	124	7.9
		2 No	1,503	92.1
		Missing	23	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	163	10.0
		2 No	1,425	90.0
		Missing	62	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	527	30.9
		2 No	1,106	69.1
		Missing	17	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	218	13.3
		2 No	1,406	86.7
		Missing	26	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,111	89.6
		2 1 time	78	5.3
		3 2 or 3 times	45	3.5
		4 4 or 5 times	10	0.8
		5 6 or more times	10	0.8
		Missing	396	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,079	90.1
		2 Yes	42	3.1
		3 No	94	6.9
		Missing	435	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	478	31.9
		2 No	1,016	68.1
		Missing	156	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	1,187	82.6
		2 8 years old or younger	32	2.2
		3 9 or 10 years old	18	1.2
		4 11 or 12 years old	48	3.6
		5 13 or 14 years old	73	5.5
		6 15 or 16 years old	66	3.6
		7 17 years old or older	16	1.3
		Missing	210	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,442	94.8
		2 1 or 2 days	31	2.0
		3 3 to 5 days	20	1.1
		4 6 to 9 days	6	0.4
		5 10 to 19 days	10	0.9
		6 20 to 29 days	3	0.1
		7 All 30 days	11	0.7
		Missing	127	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,394	94.4
		2 Less than 1 cigarette per day	30	2.0
		3 1 cigarette per day	22	1.2
		4 2 to 5 cigarettes per day	27	2.0
		5 6 to 10 cigarettes per day	1	0.1
		6 11 to 20 cigarettes per day	2	0.1
		7 More than 20 cigarettes per day	3	0.3
		Missing	171	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	1,510	98.5
		2 1 or 2 days	8	0.6
		3 3 to 5 days	6	0.6
		4 6 to 9 days	4	0.1
		5 10 to 19 days	1	0.0
		7 All 30 days	2	0.1
		Missing	119	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	51	3.4
		2 No	1,441	96.6
		Missing	158	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,306	89.6
		2 Yes	80	4.5
		3 No	86	5.8
		Missing	178	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,517	96.9
		2 1 or 2 days	25	1.5
		3 3 to 5 days	9	0.6
		4 6 to 9 days	3	0.2
		5 10 to 19 days	2	0.1
		6 20 to 29 days	3	0.2
		7 All 30 days	10	0.5
		Missing	81	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,502	93.9
		2 1 or 2 days	40	3.0
		3 3 to 5 days	12	1.1
		4 6 to 9 days	5	0.5
		5 10 to 19 days	7	0.3
		6 20 to 29 days	9	0.6
		7 All 30 days	12	0.6
		Missing	63	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	558	36.0
		2 8 years old or younger	118	6.5
		3 9 or 10 years old	85	6.0
		4 11 or 12 years old	154	10.6
		5 13 or 14 years old	340	21.9
		6 15 or 16 years old	258	15.9
		7 17 years old or older	52	3.1
		Missing	85	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	901	63.9
		2 1 or 2 days	311	22.1
		3 3 to 5 days	122	8.1
		4 6 to 9 days	51	3.1
		5 10 to 19 days	27	1.8
		6 20 to 29 days	7	0.6
		7 All 30 days	8	0.6
		Missing	223	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,309	84.2
		2 1 day	122	8.2
		3 2 days	62	3.9
		4 3 to 5 days	37	2.5
		5 6 to 9 days	7	0.3
		6 10 to 19 days	7	0.3
		7 20 or more days	7	0.5
		Missing	99	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	890	63.4
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	63	4.1
		3 I bought it at a restaurant, bar, or club	20	1.2
		4 I bought it at a public event such as a concert or sporting event	19	1.3
		5 I gave someone else money to buy it for me	65	5.0
		6 Someone gave it to me	185	13.3
		7 I took it from a store or family member	95	6.1
		8 I got it some other way	85	5.7
		Missing	228	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	1,026	66.1
		2 1 or 2 times	116	8.2
		3 3 to 9 times	101	7.1
		4 10 to 19 times	68	4.8
		5 20 to 39 times	57	4.7
		6 40 to 99 times	39	2.4
		7 100 or more times	107	6.6
		Missing	136	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,031	65.5
		2 8 years old or younger	24	1.7
		3 9 or 10 years old	29	2.1
		4 11 or 12 years old	67	5.1
		5 13 or 14 years old	177	13.4
		6 15 or 16 years old	158	9.8
		7 17 years old or older	42	2.3
		Missing	122	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,237	80.4
		2 1 or 2 times	102	7.2
		3 3 to 9 times	87	6.5
		4 10 to 19 times	30	1.7
		5 20 to 39 times	26	1.7
		6 40 or more times	45	2.6
		Missing	123	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,512	96.4
		2 1 or 2 times	14	0.9
		3 3 to 9 times	9	0.8
		4 10 to 19 times	16	0.9
		5 20 to 39 times	4	0.2
		6 40 or more times	11	0.7
		Missing	84	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,443	91.2
		2 1 or 2 times	67	4.7
		3 3 to 9 times	24	1.8
		4 10 to 19 times	12	0.9
		5 20 to 39 times	7	0.3
		6 40 or more times	20	1.1
		Missing	77	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,526	97.5
		2 1 or 2 times	13	0.8
		3 3 to 9 times	9	0.6
		4 10 to 19 times	7	0.6
		5 20 to 39 times	2	0.1
		6 40 or more times	8	0.4
		Missing	85	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,507	97.1
		2 1 or 2 times	18	1.2
		3 3 to 9 times	7	0.7
		4 10 to 19 times	6	0.5
		5 20 to 39 times	3	0.1
		6 40 or more times	8	0.4
		Missing	101	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,485	94.8
		2 1 or 2 times	47	3.1
		3 3 to 9 times	12	1.2
		4 10 to 19 times	6	0.3
		5 20 to 39 times	2	0.1
		6 40 or more times	10	0.6
		Missing	88	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,509	97.2
		2 1 time	22	1.4
		3 2 or more times	18	1.4
		Missing	101	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	329	21.8
		2 No	1,216	78.2
		Missing	105	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	759	55.3
		2 No	623	44.7
		Missing	268	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	613	44.4
		2 11 years old or younger	85	6.5
		3 12 years old	70	5.3
		4 13 years old	134	10.0
		5 14 years old	181	14.0
		6 15 years old	168	11.0
		7 16 years old	80	6.0
		8 17 years old or older	38	2.7
		Missing	281	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	610	44.5
		2 1 person	233	16.5
		3 2 people	138	10.6
		4 3 people	80	6.1
		5 4 people	70	5.6
		6 5 people	51	3.8
		7 6 or more people	180	12.9
		Missing	288	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	603	44.2
		2 I have had sexual intercourse, but not during the past 3 months	224	17.0
		3 1 person	345	25.0
		4 2 people	91	7.4
		5 3 people	33	2.8
		6 4 people	15	0.9
		7 5 people	15	1.0
		8 6 or more people	24	1.8
		Missing	300	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	601	44.3
		2 Yes	106	7.9
		3 No	639	47.8
		Missing	304	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	600	45.2
		2 Yes	510	39.0
		3 No	204	15.8
		Missing	336	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	597	45.0
		2 No method was used to prevent pregnancy	111	9.1
		3 Birth control pills	58	4.7
		4 Condoms	441	33.9
		5 Depo-Provera (injectable birth control)	15	1.1
		6 Withdrawal	41	3.0
		7 Some other method	28	1.9
		8 Not sure	18	1.3
		Missing	341	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
96-96	Q65	How do you describe your weight?		
		1 Very underweight	58	3.9
		2 Slightly underweight	189	12.6
		3 About the right weight	831	56.6
		4 Slightly overweight	338	23.5
		5 Very overweight	56	3.3
		Missing	178	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	606	41.8
		2 Gain weight	324	22.4
		3 Stay the same weight	268	17.9
		4 I am not trying to do anything about my weight	265	17.8
		Missing	187	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	743	50.0
		2 No	703	50.0
		Missing	204	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	453	31.8
		2 No	985	68.2
		Missing	212	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	55	4.2
		2 No	1,353	95.8
		Missing	242	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	265	18.4
		2 1 to 3 times during the past 7 days	421	30.0
		3 4 to 6 times during the past 7 days	268	18.6
		4 1 time per day	72	4.9
		5 2 times per day	136	9.5
		6 3 times per day	96	6.4
		7 4 or more times per day	187	12.2
		Missing	205	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	297	21.3
		2 1 to 3 times during the past 7 days	568	40.8
		3 4 to 6 times during the past 7 days	207	13.9
		4 1 time per day	89	5.9
		5 2 times per day	90	5.9
		6 3 times per day	58	3.7
		7 4 or more times per day	117	8.5
		Missing	224	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	271	18.8
		2 1 to 3 times during the past 7 days	504	34.3
		3 4 to 6 times during the past 7 days	252	18.8
		4 1 time per day	100	7.2
		5 2 times per day	96	7.3
		6 3 times per day	55	4.4
		7 4 or more times per day	124	9.1
		Missing	248	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	305	22.8
		2 1 day	143	11.9
		3 2 days	151	11.1
		4 3 days	163	11.9
		5 4 days	140	9.8
		6 5 days	155	11.4
		7 6 days	43	3.1
		8 7 days	244	18.0
		Missing	306	
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	132	9.3
		2 Less than 1 hour per day	139	9.6
		3 1 hour per day	122	8.6
		4 2 hours per day	220	17.1
		5 3 hours per day	229	18.0
		6 4 hours per day	164	12.6
		7 5 or more hours per day	326	24.8
		Missing	318	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	207	15.9
		2 Less than 1 hour per day	163	12.5
		3 1 hour per day	138	10.4
		4 2 hours per day	208	15.7
		5 3 hours per day	218	16.5
		6 4 hours per day	117	8.1
		7 5 or more hours per day	289	20.9
		Missing	310	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	210	15.4
		2 1 day	59	5.9
		3 2 days	206	12.7
		4 3 days	316	28.3
		5 4 days	145	10.8
		6 5 days	390	26.9
		Missing	324	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	753	55.5
		2 1 team	327	25.8
		3 2 teams	132	10.4
		4 3 or more teams	93	8.3
		Missing	345	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	370	28.5
		2 No	855	67.5
		3 Not sure	45	4.0
		Missing	380	
119-119	Q88	In what country was your mother or mother figure born?		
		1 United States	580	38.0
		2 China	5	0.4
		3 Dominican Republic	367	19.8
		4 Jamaica	88	6.9
		5 Mexico	67	4.1
		6 Puerto Rico	190	10.8
		7 Other	316	19.1
		8 I do not live with my mother or mother figure	21	1.0
		Missing	16	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
120-120	Q89	In what country was your father or father figure born?		
		1 United States	468	31.3
		2 China	5	0.4
		3 Dominican Republic	379	20.7
		4 Jamaica	114	8.8
		5 Mexico	61	3.7
		6 Puerto Rico	173	10.1
		7 Other	324	19.9
		8 I do not live with my father or father figure	102	5.1
		Missing	24	
121-121	Q90	How long have you lived in the US?		
		1 Less than one year	28	2.2
		2 1 to 3 years	55	3.2
		3 4 to 6 years	114	6.4
		4 7 or more years	1,408	88.1
		Missing	45	
122-122	Q91	What borough of New York do you live in?		
		1 Bronx	1,540	93.6
		2 Brooklyn	23	1.3
		3 Manhattan	54	3.4
		4 Queens	18	1.1
		5 Staten Island	9	0.6
		Missing	6	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	306	21.5
		2 Rarely	150	9.5
		3 Sometimes	320	19.2
		4 Most of the time	434	24.5
		5 Always	430	25.3
		Missing	10	
124-124	Q93	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?		
		1 Yes	182	11.0
		2 No	1,451	89.0
		Missing	17	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,432	91.0
		2 I bought them in a store such as a convenience store, supermarket, or gas station	47	3.3
		3 I bought them on the Internet	2	0.3
		4 I bummed them	11	0.6
		5 Someone gave them to me or bought them for me	45	3.0
		6 I stole them	10	0.6
		7 I got them some other way	20	1.1
		Missing	83	
126-126	Q95	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	1,457	93.1
		2 Yes, I was asked to show proof of age	30	1.8
		3 No, I was not asked to show proof of age	71	5.1
		Missing	92	
127-127	Q96	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	1,473	94.0
		2 1 or 2 times	36	2.9
		3 3 to 9 times	18	1.3
		4 10 to 19 times	16	0.9
		5 20 to 39 times	7	0.4
		6 40 or more times	11	0.5
		Missing	89	
128-128	Q97	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	992	67.4
		2 1 to 3 times	268	17.3
		3 4 to 7 times	110	7.1
		4 8 or more times	115	8.1
		Missing	165	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
129-129	Q98	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	661	46.5
		2 The Patch (Ortho-Evra)	14	1.2
		3 The Ring (Nuva Ring)	27	1.7
		4 The IUD (intrauterine device)	7	0.6
		5 Implanon (implantable birth control)	7	0.4
		6 Emergency Contraception (EC) or the Morning After Pill	22	1.7
		7 I did not use any of these methods the last time I had sexual intercourse	501	36.3
		8 Not sure	161	11.7
		Missing	250	
130-130	Q99	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	1,071	76.3
		2 Hospital	61	4.0
		3 School-based health center (school clinic or somewhere else at school)	47	3.8
		4 Doctor's office (not in a hospital)	69	4.9
		5 Pharmacy or Botanica or bodega	39	2.6
		6 Community health center or clinic	48	3.1
		7 Someplace else	13	1.1
		8 Not sure	63	4.2
		Missing	239	
131-131	Q100	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	1,229	87.5
		2 1 time	117	7.8
		3 2 or more times	39	2.8
		4 Not sure	28	1.9
		Missing	237	
132-132	Q101	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	101	6.9
		2 No	1,261	89.4
		3 Not sure	47	3.6
		Missing	241	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
133-133	Q102	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	162	11.5
		2 No	1,194	83.3
		3 Not sure	75	5.2
		Missing	219	
134-134	Q103	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	525	35.9
		2 Females	467	31.0
		3 Males	384	26.9
		4 Females and males	93	6.2
		Missing	181	
135-135	Q104	Which of the following best describes you?		
		1 Heterosexual or straight	1,249	85.5
		2 Gay or lesbian	47	3.5
		3 Bisexual	125	8.3
		4 Not sure	40	2.7
		Missing	189	
136-136	Q105	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	371	27.3
		2 1 to 3 times during the past 7 days	509	34.6
		3 4 to 6 times during the past 7 days	227	16.2
		4 1 time per day	140	9.4
		5 2 times per day	53	3.7
		6 3 times per day	33	2.5
		7 4 or more times per day	75	6.2
		Missing	242	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
137-137	Q106	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	190	13.3
		2 1 to 3 times during the past 7 days	706	49.9
		3 4 to 6 times during the past 7 days	243	16.8
		4 1 time per day	93	6.0
		5 2 times per day	70	5.8
		6 3 times per day	33	2.4
		7 4 or more times per day	76	5.7
		Missing	239	
138-138	Q107	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	216	14.9
		2 1 to 3 times during the past 7 days	480	34.4
		3 4 to 6 times during the past 7 days	270	19.2
		4 1 time per day	101	7.4
		5 2 times per day	111	8.5
		6 3 times per day	85	5.8
		7 4 or more times per day	121	9.8
		Missing	266	
139-139	Q108	What kind of milk do you usually drink?		
		1 I do not drink milk	217	17.1
		2 Whole milk	566	39.5
		3 2% milk or reduced fat milk	276	20.6
		4 1% milk or low-fat milk	164	11.2
		5 Skim milk or non-fat milk	17	0.9
		6 Soy milk	39	3.4
		7 Not sure	112	7.3
		Missing	259	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
140-140	Q109	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	345	23.5
		2 1 day	75	5.5
		3 2 days	38	3.4
		4 3 days	45	3.1
		5 4 days	48	3.3
		6 5 or more days	825	61.1
		Missing	274	
141-141	Q110	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	299	21.1
		2 I mostly walk to school	340	27.6
		3 I mostly bike to school	20	1.8
		4 I mostly walk to public transportation to get to school	655	47.2
		5 I mostly bike to public transportation to get to school	28	2.3
		Missing	308	
142-142	Q111	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	849	61.4
		2 A few times a year	334	25.7
		3 At least once a month	71	5.2
		4 Several times a month	105	7.7
		Missing	291	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
143-143	Q112	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	224	17.4
		2 Less than 10 minutes	206	16.8
		3 10 to 20 minutes	207	15.6
		4 21 to 30 minutes	163	12.3
		5 31 to 40 minutes	182	14.2
		6 41 to 50 minutes	211	14.6
		7 51 to 60 minutes	66	5.6
		8 More than 60 minutes	50	3.6
		Missing	341	
144-144	Q113	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	386	28.7
		2 No	828	63.8
		3 Not sure	72	7.5
		Missing	364	
145-145	Q114	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	537	41.3
		2 Yes	204	16.2
		3 No	504	39.5
		4 Not sure	41	2.9
		Missing	364	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
146-146	Q115	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
		1 I have never needed to see a doctor or get advice on a sexual, physical, or mental health problem	770	60.3
		2 I needed to, but did not go anywhere the last time	87	8.2
		3 Family planning center (such as planned parenthood)	46	2.9
		4 Private doctor's office	92	7.1
		5 Public health clinic, health center, or community health center	142	10.9
		6 Hospital or emergency room	37	2.5
		7 School-based health center (school clinic)	42	4.0
		8 Other	51	4.0
		Missing	383	
147-147	Q116	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	186	13.2
		2 Yes	412	36.7
		3 No	649	50.1
		Missing	403	
148-148	Q117	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	827	66.0
		2 1 to 2 times	316	23.7
		3 3 to 5 times	99	7.5
		4 6 to 10 times	18	1.6
		5 11 to 20 times	7	0.6
		6 20 or more times	7	0.7
		Missing	376	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
149-149	Q118	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	397	29.7
		2 Agree	377	28.0
		3 Not sure	221	18.5
		4 Disagree	108	8.8
		5 Strongly disagree	173	14.9
		Missing	374	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	930	92.8
		2 No	82	7.2
		Missing	638	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	310	20.0
		2 No	1,325	80.0
		Missing	15	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	56	3.8
		2 No	1,512	96.2
		Missing	82	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	227	14.4
		2 No	1,355	85.6
		Missing	68	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	51	3.4
		2 No	1,574	96.6
		Missing	25	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	75	5.4
		2 No	1,541	94.6
		Missing	34	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	287	18.4
		2 No	1,337	81.6
		Missing	26	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	168	10.2
		2 No	1,476	89.8
		Missing	6	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	564	36.6
		2 No	1,026	63.4
		Missing	60	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	208	14.2
		2 No	1,377	85.8
		Missing	65	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	203	12.4
		2 No	1,420	87.6
		Missing	27	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	124	7.9
		2 No	1,503	92.1
		Missing	23	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	163	10.0
		2 No	1,425	90.0
		Missing	62	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	527	30.9
		2 No	1,106	69.1
		Missing	17	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	218	13.3
		2 No	1,406	86.7
		Missing	26	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	143	10.4
		2 No	1,111	89.6
		Missing	396	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	42	3.1
		2 No	1,173	96.9
		Missing	435	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	478	31.9
		2 No	1,016	68.1
		Missing	156	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	98	7.0
		2 No	1,342	93.0
		Missing	210	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	81	5.2
		2 No	1,442	94.8
		Missing	127	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	3	3.1
		2 No	77	96.9
		Missing	1,570	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	21	1.5
		2 No	1,510	98.5
		Missing	119	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	51	3.4
		2 No	1,441	96.6
		Missing	158	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	52	59.8
		2 No	25	40.2
		Missing	1,573	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	52	3.1
		2 No	1,517	96.9
		Missing	81	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	85	6.1
		2 No	1,502	93.9
		Missing	63	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	357	23.1
		2 No	1,208	76.9
		Missing	85	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	526	36.1
		2 No	901	63.9
		Missing	223	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	242	15.8
		2 No	1,309	84.2
		Missing	99	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	185	37.5
		2 No	331	62.5
		Missing	1,134	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	488	33.9
		2 No	1,026	66.1
		Missing	136	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	120	9.0
		2 No	1,408	91.0
		Missing	122	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	290	19.6
		2 No	1,237	80.4
		Missing	123	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	54	3.6
		2 No	1,512	96.4
		Missing	84	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	130	8.8
		2 No	1,443	91.2
		Missing	77	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	39	2.5
		2 No	1,526	97.5
		Missing	85	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	42	2.9
		2 No	1,507	97.1
		Missing	101	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	77	5.2
		2 No	1,485	94.8
		Missing	88	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	40	2.8
		2 No	1,509	97.2
		Missing	101	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	329	21.8
		2 No	1,216	78.2
		Missing	105	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	759	55.3
		2 No	623	44.7
		Missing	268	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	155	11.9
		2 No	1,214	88.1
		Missing	281	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	301	22.2
		2 No	1,061	77.8
		Missing	288	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	523	38.8
		2 No	827	61.2
		Missing	300	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	70	13.7
		2 No	447	86.3
		Missing	1,133	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	333	67.4
		2 No	158	32.6
		Missing	1,159	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	43	9.0
		2 No	448	91.0
		Missing	1,159	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	394	26.8
		2 No	1,078	73.2
		Missing	178	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	606	41.8
		2 No	857	58.2
		Missing	187	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	743	50.0
		2 No	703	50.0
		Missing	204	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	453	31.8
		2 No	985	68.2
		Missing	212	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	55	4.2
		2 No	1,353	95.8
		Missing	242	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,180	81.6
		2 No	265	18.4
		Missing	205	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,129	78.7
		2 No	297	21.3
		Missing	224	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	375	28.0
		2 No	1,027	72.0
		Missing	248	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	442	32.5
		2 No	902	67.5
		Missing	306	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	719	55.4
		2 No	613	44.6
		Missing	318	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	624	45.5
		2 No	716	54.5
		Missing	310	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,116	84.6
		2 No	210	15.4
		Missing	324	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	552	44.5
		2 No	753	55.5
		Missing	345	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	370	28.5
		2 No	900	71.5
		Missing	380	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	1,033	61.1
		2 No	601	38.9
		Missing	16	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	1,056	63.6
		2 No	570	36.4
		Missing	24	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	28	2.2
		2 No	1,577	97.8
		Missing	45	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,590	96.6
		2 No	54	3.4
		Missing	6	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	864	49.8
		2 No	776	50.2
		Missing	10	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	182	11.0
		2 No	1,451	89.0
		Missing	17	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	47	3.3
		2 No	1,520	96.7
		Missing	83	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	71	5.1
		2 No	1,487	94.9
		Missing	92	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	88	6.0
		2 No	1,473	94.0
		Missing	89	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	493	32.6
		2 No	992	67.4
		Missing	165	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	7	0.6
		2 No	1,393	99.4
		Missing	250	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	47	3.8
		2 No	1,364	96.2
		Missing	239	
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	156	10.6
		2 No	1,257	89.4
		Missing	237	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	101	6.9
		2 No	1,308	93.1
		Missing	241	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	162	11.5
		2 No	1,269	88.5
		Missing	219	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	93	6.2
		2 No	1,376	93.8
		Missing	181	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	172	11.8
		2 No	1,289	88.2
		Missing	189	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	301	21.8
		2 No	1,107	78.2
		Missing	242	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	272	20.0
		2 No	1,139	80.0
		Missing	239	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	418	31.5
		2 No	966	68.5
		Missing	266	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	181	12.1
		2 No	1,210	87.9
		Missing	259	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	1,031	76.5
		2 No	345	23.5
		Missing	274	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	360	29.4
		2 No	982	70.6
		Missing	308	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	176	12.9
		2 No	1,183	87.1
		Missing	291	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	672	50.2
		2 No	637	49.8
		Missing	341	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS		
		1 Yes	386	28.7
		2 No	900	71.3
		Missing	364	
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	204	16.2
		2 No	1,082	83.8
		Missing	364	
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem		
		1 Yes	42	4.0
		2 No	1,225	96.0
		Missing	383	
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	412	36.7
		2 No	835	63.3
		Missing	403	
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months		
		1 Yes	447	34.0
		2 No	827	66.0
		Missing	376	
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem		
		1 Yes	774	57.7
		2 No	502	42.3
		Missing	374	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	14	0.8
		2 No	1,509	99.2
		Missing	127	

**2009 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Bronx District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	109	7.3
		2 No	1,350	92.7
		Missing	191	
353-353	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	515	35.6
		2 No	905	64.4
		Missing	230	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	390	26.9
		2 No	936	73.1
		Missing	324	
356-356	QNOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	281	19.9
		2 No	1,222	80.1
		Missing	147	
357-357	QNOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	213	14.4
		2 No	1,290	85.6
		Missing	147	
358-367	WEIGHT			
368-370	STRATUM			
371-376	PSU			
383-387	BMIPCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey  
Codebook**

---

<b>Data Location</b>	<b>Variable Name</b>		<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
388-389	RACEETH				
		1	Am Indian / Alaska Native	18	0.6
		2	Asian	26	0.7
		3	Black or African American	443	38.2
		4	Native Hawaiian/other PI	24	0.7
		5	White	6	0.1
		6	Hispanic/Latino	665	37.3
		7	Multiple - Hispanic	367	21.7
		8	Multiple - non-Hispanic	31	0.8
			Missing	70	