

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
1-3	SITE	Site Code		
17-17	Q1	How old are you?		
		1 12 years old or younger	1	0.1
		2 13 years old	1	0.1
		3 14 years old	169	13.8
		4 15 years old	292	27.2
		5 16 years old	348	27.6
		6 17 years old	289	20.5
		7 18 years old or older	121	10.6
		Missing	4	
18-18	Q2	What is your sex?		
		1 Female	638	50.2
		2 Male	585	49.8
		Missing	2	
19-19	Q3	In what grade are you?		
		1 9th grade	365	30.0
		2 10th grade	296	35.5
		3 11th grade	377	18.9
		4 12th grade	170	15.6
		5 Ungraded or other grade	1	0.1
		Missing	16	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	538	29.1
		2 No	669	70.9
		Missing	18	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		F	3	0.3
		E	27	2.6
		D	94	6.4
		DE	1	0.1
		C	682	84.2
		C G	1	0.0
		C E	7	0.4
		CD	3	0.2
		B	15	2.8
		BC	3	0.2
		A	23	1.6
		A D	1	0.1
		A C	12	0.7
		A C E	4	0.2
		AB	1	0.1
		ABCDEFGH	1	0.1
			347	0.0
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	428	35.6
		2 Never wore a helmet	674	55.1
		3 Rarely wore a helmet	52	4.2
		4 Sometimes wore a helmet	35	2.9
		5 Most of the time wore a helmet	11	0.7
		6 Always wore a helmet	15	1.6
		Missing	10	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	64	5.1
		2 Rarely	120	10.0
		3 Sometimes	224	17.4
		4 Most of the time	289	23.5
		5 Always	523	43.9
		Missing	5	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	0 times	1,149	97.5
		2	1 time	13	1.2
		3	2 or 3 times	4	0.4
		4	4 or 5 times	6	0.4
		5	6 or more times	8	0.6
		Missing	45		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,005	84.7
		2	1 day	51	3.9
		3	2 or 3 days	61	4.9
		4	4 or 5 days	23	1.9
		5	6 or more days	55	4.6
		Missing	30		
44-44	Q13	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	1,151	95.5
		2	1 day	27	2.2
		3	2 or 3 days	14	1.2
		4	4 or 5 days	2	0.2
		5	6 or more days	11	1.0
		Missing	20		
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,134	95.7
		2	1 day	13	0.8
		3	2 or 3 days	18	1.4
		4	4 or 5 days	5	0.4
		5	6 or more days	20	1.6
		Missing	35		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,080	88.2
		2 1 day	70	6.0
		3 2 or 3 days	39	2.9
		4 4 or 5 days	11	0.8
		5 6 or more days	23	2.1
		Missing	2	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,121	91.9
		2 1 time	59	4.7
		3 2 or 3 times	13	1.2
		4 4 or 5 times	9	0.9
		5 6 or 7 times	2	0.3
		6 8 or 9 times	5	0.3
		7 10 or 11 times	1	0.1
		8 12 or more times	9	0.6
		Missing	6	
48-48	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	946	77.9
		2 1 time	146	11.9
		3 2 or 3 times	76	6.3
		4 4 or 5 times	22	2.2
		5 6 or 7 times	6	0.5
		6 8 or 9 times	3	0.2
		8 12 or more times	14	0.9
		Missing	12	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	701	57.9
		2 1 time	203	17.8
		3 2 or 3 times	163	13.6
		4 4 or 5 times	47	4.4
		5 6 or 7 times	21	1.9
		6 8 or 9 times	14	1.4
		7 10 or 11 times	6	0.5
		8 12 or more times	31	2.4
	Missing	39		
50-50	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	1,144	95.8
		2 1 time	43	3.5
		3 2 or 3 times	9	0.6
		4 4 or 5 times	2	0.1
		5 6 or more times	1	0.1
	Missing	26		
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	992	81.8
		2 1 time	128	11.6
		3 2 or 3 times	47	4.4
		4 4 or 5 times	10	1.1
		5 6 or 7 times	2	0.2
		6 8 or 9 times	3	0.3
		7 10 or 11 times	1	0.1
		8 12 or more times	7	0.4
	Missing	35		
52-52	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	149	12.7
		2 No	1,061	87.3
	Missing	15		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	112	10.1
		2 No	1,099	89.9
		Missing	14	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	401	33.3
		2 No	799	66.7
		Missing	25	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	147	11.6
		2 No	1,067	88.4
		Missing	11	
56-56	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	151	11.9
		2 No	1,060	88.1
		Missing	14	
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	830	90.5
		2 1 time	64	6.8
		3 2 or 3 times	16	1.6
		4 4 or 5 times	6	0.5
		5 6 or more times	5	0.5
		Missing	304	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	836	90.4
		2 Yes	22	2.3
		3 No	74	7.3
		Missing	293	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	463	41.4
		2 No	672	58.6
		Missing	90	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	829	77.2
		2 8 years old or younger	27	2.9
		3 9 or 10 years old	22	1.8
		4 11 or 12 years old	37	3.1
		5 13 or 14 years old	93	8.4
		6 15 or 16 years old	59	5.4
		7 17 years old or older	13	1.2
Missing	145			
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,088	94.7
		2 1 or 2 days	26	2.1
		3 3 to 5 days	11	0.8
		4 6 to 9 days	7	0.8
		5 10 to 19 days	7	0.5
		6 20 to 29 days	5	0.5
		7 All 30 days	8	0.6
Missing	73			
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,065	94.5
		2 Less than 1 cigarette per day	24	1.9
		3 1 cigarette per day	20	1.9
		4 2 to 5 cigarettes per day	17	1.3
		5 6 to 10 cigarettes per day	1	0.2
		7 More than 20 cigarettes per day	3	0.3
		Missing	95	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	1,147	98.0
		2 1 or 2 days	17	1.3
		3 3 to 5 days	3	0.2
		4 6 to 9 days	3	0.2
		5 10 to 19 days	1	0.1
		7 All 30 days	3	0.2
		Missing	51	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	46	3.9
		2 No	1,068	96.1
		Missing	111	
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	970	87.7
		2 Yes	67	5.9
		3 No	69	6.5
		Missing	119	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,162	98.0
		2 1 or 2 days	8	0.6
		3 3 to 5 days	6	0.4
		4 6 to 9 days	1	0.0
		5 10 to 19 days	2	0.3
		6 20 to 29 days	1	0.3
		7 All 30 days	3	0.4
		Missing	42	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,141	96.2
		2	1 or 2 days	23	1.9
		3	3 to 5 days	7	0.6
		4	6 to 9 days	3	0.2
		5	10 to 19 days	9	0.5
		6	20 to 29 days	1	0.1
		7	All 30 days	4	0.5
	Missing	37			
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	428	38.3
		2	8 years old or younger	88	6.7
		3	9 or 10 years old	87	6.4
		4	11 or 12 years old	142	11.5
		5	13 or 14 years old	225	19.4
		6	15 or 16 years old	170	14.8
		7	17 years old or older	35	2.9
	Missing	50			
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	681	67.3
		2	1 or 2 days	217	20.0
		3	3 to 5 days	83	6.5
		4	6 to 9 days	44	3.4
		5	10 to 19 days	18	1.2
		6	20 to 29 days	5	0.4
		7	All 30 days	11	1.1
	Missing	166			

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,006	89.0
		2 1 day	70	4.9
		3 2 days	40	3.1
		4 3 to 5 days	26	1.5
		5 6 to 9 days	12	0.7
		6 10 to 19 days	4	0.2
		7 20 or more days	5	0.5
		Missing	62	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	674	66.8
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	48	3.7
		3 I bought it at a restaurant, bar, or club	18	1.6
		4 I bought it at a public event such as a concert or sporting event	10	0.9
		5 I gave someone else money to buy it for me	46	4.1
		6 Someone gave it to me	121	9.6
		7 I took it from a store or family member	72	6.8
		8 I got it some other way	69	6.4
		Missing	167	
75-75	Q44	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	1,087	95.5
		2 1 or 2 days	47	3.8
		3 3 to 5 days	3	0.2
		4 6 to 9 days	1	0.0
		5 10 to 19 days	1	0.1
		6 20 to 29 days	1	0.1
		7 All 30 days	4	0.3
		Missing	81	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	821	71.8
		2 1 or 2 times	119	10.6
		3 3 to 9 times	64	5.5
		4 10 to 19 times	33	3.0
		5 20 to 39 times	26	2.3
		6 40 to 99 times	32	3.0
		7 100 or more times	42	3.6
		Missing	88	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	817	70.9
		2 8 years old or younger	14	1.2
		3 9 or 10 years old	19	2.0
		4 11 or 12 years old	44	4.2
		5 13 or 14 years old	130	11.8
		6 15 or 16 years old	107	8.6
		7 17 years old or older	12	1.3
		Missing	82	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	990	87.3
		2 1 or 2 times	68	5.5
		3 3 to 9 times	36	3.0
		4 10 to 19 times	12	0.9
		5 20 to 39 times	14	1.5
		6 40 or more times	25	1.9
		Missing	80	
79-79	Q48	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	1,141	97.8
		2 1 or 2 times	13	1.1
		3 3 to 9 times	8	0.5
		4 10 to 19 times	4	0.5
		5 20 to 39 times	1	0.1
		6 40 or more times	1	0.1
		Missing	57	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,152	98.1
		2 1 or 2 times	11	0.7
		3 3 to 9 times	5	0.3
		4 10 to 19 times	7	0.4
		5 20 to 39 times	2	0.3
		6 40 or more times	2	0.1
		Missing	46	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,079	92.2
		2 1 or 2 times	55	4.5
		3 3 to 9 times	16	1.6
		4 10 to 19 times	10	0.9
		5 20 to 39 times	3	0.4
		6 40 or more times	7	0.5
		Missing	55	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,163	98.9
		2 1 or 2 times	5	0.5
		3 3 to 9 times	2	0.1
		4 10 to 19 times	1	0.1
		5 20 to 39 times	2	0.1
		6 40 or more times	2	0.3
		Missing	50	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,157	99.0
		2 1 or 2 times	2	0.1
		3 3 to 9 times	7	0.4
		4 10 to 19 times	2	0.1
		5 20 to 39 times	3	0.4
		6 40 or more times	1	0.0
		Missing	53	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,140	98.6
		2 1 or 2 times	13	0.8
		3 3 to 9 times	2	0.2
		4 10 to 19 times	4	0.2
		5 20 to 39 times	1	0.0
		6 40 or more times	2	0.3
		Missing	63	
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	1,154	98.4
		2 1 or 2 times	9	0.6
		3 3 to 9 times	5	0.5
		4 10 to 19 times	6	0.4
		6 40 or more times	2	0.1
		Missing	49	
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,156	98.6
		2 1 time	9	0.8
		3 2 or more times	9	0.7
		Missing	51	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	233	19.9
		2 No	932	80.1
		Missing	60	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	589	56.2
		2 No	456	43.8
		Missing	180	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	454	43.6
		2 11 years old or younger	68	6.4
		3 12 years old	54	5.2
		4 13 years old	112	11.1
		5 14 years old	145	13.9
		6 15 years old	114	11.0
		7 16 years old	72	6.4
		8 17 years old or older	27	2.4
		Missing	179	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	453	44.3
		2 1 person	176	16.4
		3 2 people	120	11.9
		4 3 people	62	6.4
		5 4 people	54	4.9
		6 5 people	38	3.7
		7 6 or more people	129	12.4
		Missing	193	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	452	43.8
		2 I have had sexual intercourse, but not during the past 3 months	178	17.4
		3 1 person	276	26.6
		4 2 people	60	5.6
		5 3 people	33	3.2
		6 4 people	17	1.8
		7 5 people	9	0.7
		8 6 or more people	14	1.0
		Missing	186	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	447	43.6
		2 Yes	78	7.2
		3 No	505	49.2
		Missing	195	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	449	44.1
		2 Yes	428	42.3
		3 No	148	13.7
		Missing	200	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	449	44.2
		2 No method was used to prevent pregnancy	102	9.2
		3 Birth control pills	12	0.9
		4 Condoms	365	36.9
		5 Depo-Provera (injectable birth control)	8	1.0
		6 Withdrawal	40	4.0
		7 Some other method	25	2.3
		8 Not sure	16	1.5
		Missing	208	
96-96	Q65	How do you describe your weight?		
		1 Very underweight	28	2.6
		2 Slightly underweight	143	14.2
		3 About the right weight	672	59.4
		4 Slightly overweight	238	20.4
		5 Very overweight	39	3.3
		Missing	105	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	479	40.7
		2 Gain weight	263	25.3
		3 Stay the same weight	218	20.9
		4 I am not trying to do anything about my weight	152	13.0
		Missing	113	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	641	58.0
		2 No	458	42.0
		Missing	126	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	359	31.1
		2 No	741	68.9
		Missing	125	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	47	4.1
		2 No	1,029	95.9
		Missing	149	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	176	16.6
		2 1 to 3 times during the past 7 days	399	35.7
		3 4 to 6 times during the past 7 days	174	15.4
		4 1 time per day	65	6.0
		5 2 times per day	73	6.3
		6 3 times per day	70	6.1
		7 4 or more times per day	140	13.9
Missing	128			
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	232	20.8
		2 1 to 3 times during the past 7 days	467	43.2
		3 4 to 6 times during the past 7 days	170	15.1
		4 1 time per day	66	6.3
		5 2 times per day	55	5.0
		6 3 times per day	38	3.6
		7 4 or more times per day	63	6.0
Missing	134			

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	185	19.4
		2 1 to 3 times during the past 7 days	346	30.5
		3 4 to 6 times during the past 7 days	213	19.3
		4 1 time per day	92	9.5
		5 2 times per day	79	6.9
		6 3 times per day	45	4.1
		7 4 or more times per day	107	10.3
		Missing	158	
110-110	Q79	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	328	31.8
		2 1 to 3 glasses during the past 7 days	365	34.5
		3 4 to 6 glasses during the past 7 days	123	11.6
		4 1 glass per day	96	8.8
		5 2 glasses per day	67	5.5
		6 3 glasses per day	35	3.0
		7 4 or more glasses per day	43	4.9
		Missing	168	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	208	19.6
		2 1 day	100	9.7
		3 2 days	95	9.1
		4 3 days	122	12.5
		5 4 days	90	10.0
		6 5 days	132	12.9
		7 6 days	46	4.5
		8 7 days	213	21.7
		Missing	219	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	76	7.2
		2 Less than 1 hour per day	100	9.9
		3 1 hour per day	82	8.2
		4 2 hours per day	135	12.0
		5 3 hours per day	172	16.5
		6 4 hours per day	159	14.4
		7 5 or more hours per day	298	31.8
		Missing	203	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	203	20.8
		2 Less than 1 hour per day	145	14.5
		3 1 hour per day	123	12.0
		4 2 hours per day	153	14.8
		5 3 hours per day	117	11.3
		6 4 hours per day	91	8.6
		7 5 or more hours per day	181	17.9
		Missing	212	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	166	14.5
		2 1 day	39	5.1
		3 2 days	69	7.9
		4 3 days	70	7.1
		5 4 days	126	13.8
		6 5 days	513	51.6
		Missing	242	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	554	54.0
		2 1 team	248	26.1
		3 2 teams	114	11.6
		4 3 or more teams	75	8.2
		Missing	234	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	871	89.2
		2 No	87	8.2
		3 Not sure	28	2.6
		Missing	239	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	258	26.5
		2 No	684	68.7
		3 Not sure	41	4.8
		Missing	242	
119-119	Q88	How long have you lived in the US?		
		1 Less than one year	18	1.9
		2 1 to 3 years	98	7.9
		3 4 to 6 years	76	7.0
		4 7 or more years	1,012	83.2
		Missing	21	
120-120	Q89	What borough of New York do you live in?		
		1 Bronx	12	0.8
		2 Brooklyn	1,088	89.8
		3 Manhattan	10	1.1
		4 Queens	100	7.7
		5 Staten Island	8	0.6
		Missing	7	
121-121	Q90	How often do the people in your home speak a language other than English?		
		1 Never	464	46.5
		2 Rarely	121	10.9
		3 Sometimes	195	15.2
		4 Most of the time	200	13.0
		5 Always	222	14.3
		Missing	23	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,066	91.7
		2 I bought them in a store such as a convenience store, supermarket, or gas station	28	2.2
		3 I bought them on the Internet	5	0.4
		4 I bummed them	4	0.2
		5 Someone gave them to me or bought them for me	38	3.3
		6 I stole them	5	0.6
		7 I got them some other way	19	1.6
		Missing	60	
123-123	Q92	If you bummed, stole, or were given cigarettes during the past 30 days, how old was the person you got them from?		
		1 I did not bum, steal, or get cigarettes from anyone during the past 30 days	1,092	93.2
		2 17 years old or younger	39	3.1
		3 18 to 20 years old	22	1.8
		4 21 years old or older	23	2.0
		Missing	49	
124-124	Q93	Do you think you will be smoking five years from now?		
		1 Yes	136	11.2
		2 No	1,048	88.8
		Missing	41	
125-125	Q94	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	761	68.3
		2 1 to 3 times	203	17.8
		3 4 to 7 times	106	8.8
		4 8 or more times	69	5.1
		Missing	86	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	The last time you had sexual intercourse, how old was your partner?		
		1 I have never had sexual intercourse	478	43.0
		2 12 years old or younger	12	1.2
		3 13 to 14 years old	65	6.5
		4 15 to 17 years old	357	31.6
		5 18 to 20 years old	140	11.7
		6 21 to 24 years old	40	3.6
		7 25 years old or older	14	1.3
		8 Not sure	13	1.1
		Missing	106	
127-127	Q96	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	385	35.3
		2 Females	395	35.0
		3 Males	309	26.6
		4 Females and males	38	3.1
		Missing	98	
128-128	Q97	Which of the following best describes you?		
		1 Heterosexual or straight	1,038	92.4
		2 Gay or lesbian	21	1.7
		3 Bisexual	48	4.3
		4 Not sure	20	1.6
		Missing	98	
129-129	Q98	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	996	89.9
		2 1 time	90	7.6
		3 2 or more times	20	1.9
		4 Not sure	9	0.7
		Missing	110	
130-130	Q99	Have you ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	539	49.2
		2 No	569	50.8
		Missing	117	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	258	23.3
		2 1 to 3 times during the past 7 days	415	38.2
		3 4 to 6 times during the past 7 days	175	15.8
		4 1 time per day	112	10.5
		5 2 times per day	58	5.6
		6 3 times per day	22	2.1
		7 4 or more times per day	38	4.5
		Missing	147	
132-132	Q101	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	165	16.0
		2 1 to 3 times during the past 7 days	496	44.3
		3 4 to 6 times during the past 7 days	225	20.7
		4 1 time per day	91	8.8
		5 2 times per day	49	4.5
		6 3 times per day	19	1.8
		7 4 or more times per day	39	4.1
		Missing	141	
133-133	Q102	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	137	13.9
		2 1 to 3 times during the past 7 days	406	37.9
		3 4 to 6 times during the past 7 days	227	20.9
		4 1 time per day	78	6.9
		5 2 times per day	67	6.8
		6 3 times per day	40	3.9
		7 4 or more times per day	96	9.7
		Missing	174	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	When you drink milk, what kind of milk do you usually drink?		
		1 I do not drink milk	160	16.0
		2 Whole milk	471	43.8
		3 2% milk or reduced fat milk	154	14.4
		4 1% milk or low-fat milk	91	9.4
		5 Skim milk or non-fat milk	20	1.9
		6 Soy milk	39	4.2
		7 Not sure	107	10.2
		Missing	183	
135-135	Q104	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	224	22.2
		2 1 day	46	3.9
		3 2 days	29	3.4
		4 3 days	31	3.6
		5 4 days	34	3.8
		6 5 or more days	664	63.1
		Missing	197	
136-136	Q105	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	196	19.8
		2 I mostly walk to school	358	31.6
		3 I mostly bike to school	14	1.6
		4 I mostly walk to public transportation to get to school	442	45.9
		5 I mostly bike to public transportation to get to school	9	1.0
		Missing	206	
137-137	Q106	How long does it usually take you to walk or bike to school?		
		1 I do not walk or bike to school	341	35.4
		2 10 minutes or less	269	24.5
		3 11 to 20 minutes	223	21.2
		4 21 to 30 minutes	110	11.6
		5 31 to 59 minutes	40	4.1
		6 60 minutes or more	34	3.1
		Missing	208	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	168	15.7
		2 Less than 10 minutes	133	12.9
		3 10 to 20 minutes	185	19.6
		4 21 to 30 minutes	177	18.8
		5 31 to 40 minutes	154	14.1
		6 41 to 50 minutes	133	13.6
		7 51 to 60 minutes	23	1.9
		8 More than 60 minutes	35	3.4
		Missing	217	
139-139	Q108	When was the last time you had a check up (preventive health examination or complete physical) at a clinic or doctor's office?		
		1 During the past year	684	69.5
		2 1 to 2 years ago	137	12.3
		3 More than 2 years ago	46	5.1
		4 Not sure	132	13.0
		Missing	226	
140-140	Q109	During your last check up, did your doctor or nurse discuss ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs)?		
		1 Yes	445	47.5
		2 No	480	46.6
		3 Not sure	59	5.9
		Missing	241	
141-141	Q110	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	445	45.6
		2 Yes	139	13.4
		3 No	383	38.6
		4 Not sure	20	2.3
		Missing	238	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
142-142	Q111	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	312	31.6
		2 Agree	313	31.3
		3 Not sure	178	17.5
		4 Disagree	90	9.9
		5 Strongly disagree	93	9.7
		Missing	239	
143-143	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	726	92.0
		2 No	61	8.0
		Missing	438	
144-144	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	184	15.1
		2 No	1,036	84.9
		Missing	5	
146-146	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	31	2.5
		2 No	1,149	97.5
		Missing	45	
147-147	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	190	15.3
		2 No	1,005	84.7
		Missing	30	
148-148	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	54	4.5
		2 No	1,151	95.5
		Missing	20	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	56	4.3
		2 No	1,134	95.7
		Missing	35	
150-150	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	143	11.8
		2 No	1,080	88.2
		Missing	2	
151-151	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	98	8.1
		2 No	1,121	91.9
		Missing	6	
152-152	QN17	Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months		
		1 Yes	267	22.1
		2 No	946	77.9
		Missing	12	
153-153	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	485	42.1
		2 No	701	57.9
		Missing	39	
154-154	QN19	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	55	4.2
		2 No	1,144	95.8
		Missing	26	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	198	18.2
		2 No	992	81.8
		Missing	35	
156-156	QN21	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	149	12.7
		2 No	1,061	87.3
		Missing	15	
157-157	QN22	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	112	10.1
		2 No	1,099	89.9
		Missing	14	
158-158	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	401	33.3
		2 No	799	66.7
		Missing	25	
159-159	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	147	11.6
		2 No	1,067	88.4
		Missing	11	
160-160	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	151	11.9
		2 No	1,060	88.1
		Missing	14	
161-161	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	91	9.5
		2 No	830	90.5
		Missing	304	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
162-162	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	22	2.3
		2 No	910	97.7
		Missing	293	
163-163	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	463	41.4
		2 No	672	58.6
		Missing	90	
164-164	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	86	7.8
		2 No	994	92.2
		Missing	145	
165-165	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	64	5.3
		2 No	1,088	94.7
		Missing	73	
166-166	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	3	4.7
		2 No	61	95.3
		Missing	1,161	
168-168	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	27	2.0
		2 No	1,147	98.0
		Missing	51	
169-169	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	46	3.9
		2 No	1,068	96.1
		Missing	111	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
170-170	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	39	64.7
		2 No	19	35.3
		Missing	1,167	
171-171	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	21	2.0
		2 No	1,162	98.0
		Missing	42	
173-173	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	47	3.8
		2 No	1,141	96.2
		Missing	37	
175-175	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	317	24.6
		2 No	858	75.4
		Missing	50	
176-176	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	378	32.7
		2 No	681	67.3
		Missing	166	
177-177	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	157	11.0
		2 No	1,006	89.0
		Missing	62	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
178-178	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station during the past 30 days		
		1 Yes	45	11.1
		2 No	329	88.9
		Missing	851	
179-179	QN44	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	57	4.5
		2 No	1,087	95.5
		Missing	81	
180-180	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	316	28.2
		2 No	821	71.8
		Missing	88	
181-181	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	77	7.4
		2 No	1,066	92.6
		Missing	82	
182-182	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	155	12.7
		2 No	990	87.3
		Missing	80	
183-183	QN48	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	27	2.2
		2 No	1,141	97.8
		Missing	57	
184-184	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	27	1.9
		2 No	1,152	98.1
		Missing	46	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
186-186	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	91	7.8
		2 No	1,079	92.2
		Missing	55	
187-187	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	12	1.1
		2 No	1,163	98.9
		Missing	50	
188-188	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	15	1.0
		2 No	1,157	99.0
		Missing	53	
189-189	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	22	1.4
		2 No	1,140	98.6
		Missing	63	
190-190	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	22	1.6
		2 No	1,154	98.4
		Missing	49	
191-191	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	18	1.4
		2 No	1,156	98.6
		Missing	51	
192-192	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	233	19.9
		2 No	932	80.1
		Missing	60	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	589	56.2
		2 No	456	43.8
		Missing	180	
194-194	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	122	11.6
		2 No	924	88.4
		Missing	179	
195-195	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	221	21.0
		2 No	811	79.0
		Missing	193	
196-196	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	409	38.8
		2 No	630	61.2
		Missing	186	
197-197	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	57	15.0
		2 No	344	85.0
		Missing	824	
198-198	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	277	72.3
		2 No	117	27.7
		Missing	831	
199-199	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	8	1.7
		2 No	383	98.3
		Missing	834	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	277	23.7
		2 No	843	76.3
		Missing	105	
201-201	QN66	Percentage of students who were trying to lose weight		
		1 Yes	479	40.7
		2 No	633	59.3
		Missing	113	
202-202	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	641	58.0
		2 No	458	42.0
		Missing	126	
203-203	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	359	31.1
		2 No	741	68.9
		Missing	125	
206-206	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	47	4.1
		2 No	1,029	95.9
		Missing	149	
207-207	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	921	83.4
		2 No	176	16.6
		Missing	128	
208-208	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	859	79.2
		2 No	232	20.8
		Missing	134	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	323	30.9
		2 No	744	69.1
		Missing	158	
214-214	QN79	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	78	7.9
		2 No	979	92.1
		Missing	168	
215-215	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	391	39.1
		2 No	615	60.9
		Missing	219	
216-216	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	629	62.8
		2 No	393	37.2
		Missing	203	
217-217	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	389	37.8
		2 No	624	62.2
		Missing	212	
218-218	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	817	85.5
		2 No	166	14.5
		Missing	242	
219-219	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	437	46.0
		2 No	554	54.0
		Missing	234	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	871	89.2
		2 No	115	10.8
		Missing	239	
221-221	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	258	26.5
		2 No	725	73.5
		Missing	242	
223-223	QN88	Percentage of students who have lived in the U.S. less than one year		
		1 Yes	18	1.9
		2 No	1,186	98.1
		Missing	21	
224-224	QN89	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,208	98.9
		2 No	10	1.1
		Missing	7	
225-225	QN90	Percentage of students whose people in their home most of the time or always speak a language other than English		
		1 Yes	422	27.3
		2 No	780	72.7
		Missing	23	
226-226	QN91	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	28	2.2
		2 No	1,137	97.8
		Missing	60	
227-227	QN92	Percentage of students who bummed or stole from, or were given cigarettes by a person 18 years old or older during the past 30 days		
		1 Yes	45	3.8
		2 No	1,131	96.2
		Missing	49	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN93	Percentage of students who think they will be smoking five years from now		
		1 Yes	136	11.2
		2 No	1,048	88.8
		Missing	41	
229-229	QN94	Percentage of students who had sexual intercourse one or more times during the past 30 days		
		1 Yes	378	31.7
		2 No	761	68.3
		Missing	86	
230-230	QN95	Percentage of students whose last sexual intercourse partner was 18 years old or older		
		1 Yes	194	16.6
		2 No	925	83.4
		Missing	106	
231-231	QN96	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	38	3.1
		2 No	1,089	96.9
		Missing	98	
232-232	QN97	Percentage of students who describe themselves as gay, lesbian, or bisexual		
		1 Yes	69	6.0
		2 No	1,058	94.0
		Missing	98	
233-233	QN98	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	110	9.4
		2 No	1,005	90.6
		Missing	110	
234-234	QN99	Percentage of students who have ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	539	49.2
		2 No	569	50.8
		Missing	117	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN100	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	230	22.7
		2 No	848	77.3
		Missing	147	
236-236	QN101	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	198	19.1
		2 No	886	80.9
		Missing	141	
237-237	QN102	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	281	27.3
		2 No	770	72.7
		Missing	174	
238-238	QN103	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	111	11.3
		2 No	931	88.7
		Missing	183	
239-239	QN104	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school on one or more days during the last week they were in school		
		1 Yes	804	77.8
		2 No	224	22.2
		Missing	197	
240-240	QN105	Percentage of students who mostly walk or bike to school		
		1 Yes	372	33.2
		2 No	647	66.8
		Missing	206	
241-241	QN106	Percentage of students who usually walk or bike to school for more than 20 minutes		
		1 Yes	184	18.9
		2 No	833	81.1
		Missing	208	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN107	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	522	51.8
		2 No	486	48.2
		Missing	217	
243-243	QN108	Percentage of students who last had a check up (preventive health examination or complete physical) at a clinic or doctor's office during the past year		
		1 Yes	684	69.5
		2 No	315	30.5
		Missing	226	
244-244	QN109	Percentage of students whose doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) during their last check up		
		1 Yes	445	47.5
		2 No	539	52.5
		Missing	241	
245-245	QN110	Percentage of students who had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	139	13.4
		2 No	848	86.6
		Missing	238	
246-246	QN111	Percentage of students who strongly agree or agree that they feel connected to at least one teacher or other adult in this school they can talk to if they have a problem		
		1 Yes	625	63.0
		2 No	361	37.0
		Missing	239	
248-248	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	13	1.1
		2 No	1,139	98.9
		Missing	73	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
249-249	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	513	51.6
		2 No	470	48.4
		Missing	242	
250-250	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	78	6.9
		2 No	1,040	93.1
		Missing	107	
251-251	QNROVWGT (revised)	Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OVERWEIGHT" STARTING WITH 2009 YRBS]		
		1 Yes	214	18.3
		2 No	919	81.7
		Missing	92	
252-252	QNOVWGT (revised)	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OBESE" STARTING WITH 2009 YRBS]		
		1 Yes	165	14.6
		2 No	968	85.4
		Missing	92	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		
384-385	RaceEth	Race/Ethnicity		
		1 Am Indian / Alaska Native	11	0.7
		2 Asian	12	2.2
		3 Black or African American	579	64.4
		4 Native Hawaiian/other PI	17	1.1
		5 White	8	1.1
		6 Hispanic/Latino	318	17.6
		7 Multiple - Hispanic	215	11.7
		8 Multiple - non-Hispanic	23	1.2
		Missing	42	