

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	3	0.2
		2	13 years old	42	2.7
		3	14 years old	292	25.3
		4	15 years old	324	27.3
		5	16 years old	286	24.1
		6	17 years old	199	18.0
		7	18 years old or older	44	2.4
18-18	Q2	What is your sex?			
		1	Female	748	54.8
		2	Male	437	45.2
			Missing	5	
19-19	Q3	In what grade are you?			
		1	9th grade	320	28.9
		2	10th grade	355	27.6
		3	11th grade	274	22.2
		4	12th grade	213	19.9
		5	Ungraded or other grade	23	1.3
	Missing	5			
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	608	42.4
		2	No	568	57.6
			Missing	14	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	4	0.2
		G	1	0.0
		F	4	0.9
		E	82	8.4
		D	49	2.8
		DE	1	0.0
		C	536	72.6
		C E	15	0.5
		CD	15	0.7
		CDE	4	0.2
		B	59	7.8
		B E	1	0.0
		B D	2	0.0
		BC	9	0.4
		A	33	2.4
		A E	3	0.3
		A D	2	0.1
		A C	18	0.9
		A C E	9	0.9
		A CD	3	0.1
		A CDE	1	0.1
		AB	1	0.0
		AB E	1	0.0
		AB DE	1	0.0
		ABC	1	0.1
		ABC E	1	0.1
		ABCDE	2	0.5
			332	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	537	43.5
		2 Never wore a helmet	531	45.8
		3 Rarely wore a helmet	50	4.3
		4 Sometimes wore a helmet	30	3.0
		5 Most of the time wore a helmet	18	1.9
		6 Always wore a helmet	20	1.5
	Missing	4		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,147	98.3
		2 1 time	5	0.3
		3 2 or 3 times	2	0.1
		4 4 or 5 times	1	0.1
		5 6 or more times	10	1.2
	Missing	25		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,077	92.1
		2 1 day	24	2.0
		3 2 or 3 days	23	1.9
		4 4 or 5 days	8	0.5
		5 6 or more days	36	3.6
	Missing	22		
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,146	97.8
		2 1 day	7	0.4
		3 2 or 3 days	7	0.6
		4 4 or 5 days	2	0.2
		5 6 or more days	11	1.1
	Missing	17		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,119	96.1
		2 1 day	12	1.0
		3 2 or 3 days	11	0.6
		4 4 or 5 days	4	0.4
		5 6 or more days	18	1.9
		Missing	26	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,109	93.7
		2 1 day	53	4.3
		3 2 or 3 days	12	1.0
		4 4 or 5 days	6	0.3
		5 6 or more days	5	0.7
		Missing	5	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,122	93.4
		2 1 time	32	2.9
		3 2 or 3 times	16	2.2
		4 4 or 5 times	1	0.1
		5 6 or 7 times	6	0.3
		8 12 or more times	9	1.1
		Missing	4	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	843	70.5
		2 1 time	164	13.8
		3 2 or 3 times	106	10.4
		4 4 or 5 times	28	1.9
		5 6 or 7 times	10	0.9
		6 8 or 9 times	3	0.3
		7 10 or 11 times	2	0.2
		8 12 or more times	22	2.1
		Missing	12	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	109	9.9
		2 No	1,067	90.1
		Missing	14	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	80	7.2
		2 No	1,097	92.8
		Missing	13	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	117	8.3
		2 No	1,052	91.7
		Missing	21	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	123	9.4
		2 No	1,063	90.6
		Missing	4	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	332	26.4
		2 No	841	73.6
		Missing	17	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	150	11.0
		2 No	1,031	89.0
		Missing	9	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	909	94.1
		2 1 time	48	3.6
		3 2 or 3 times	18	1.2
		4 4 or 5 times	3	0.2
		5 6 or more times	6	0.9
		Missing	206	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	897	93.9
		2 Yes	11	1.1
		3 No	66	5.0
		Missing	216	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	273	22.1
		2 No	884	77.9
		Missing	33	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,084	94.2
		2 1 or 2 days	39	3.1
		3 3 to 5 days	9	0.6
		4 6 to 9 days	4	0.3
		5 10 to 19 days	9	0.5
		6 20 to 29 days	3	0.3
		7 All 30 days	8	0.9
		Missing	34	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,078	94.2
		2 Less than 1 cigarette per day	35	2.6
		3 1 cigarette per day	14	1.0
		4 2 to 5 cigarettes per day	15	1.2
		5 6 to 10 cigarettes per day	3	0.3
		6 11 to 20 cigarettes per day	1	0.1
		7 More than 20 cigarettes per day	4	0.6
		Missing	40	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,009	88.7
		2 Yes	65	5.3
		3 No	73	6.0
		Missing	43	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,141	96.6
		2 1 or 2 days	21	1.9
		3 3 to 5 days	5	0.3
		4 6 to 9 days	2	0.1
		5 10 to 19 days	2	0.2
		7 All 30 days	5	0.8
		Missing	14	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	474	44.4
		2 8 years old or younger	72	7.1
		3 9 or 10 years old	71	5.5
		4 11 or 12 years old	142	11.8
		5 13 or 14 years old	225	19.4
		6 15 or 16 years old	143	11.0
		7 17 years old or older	14	0.8
		Missing	49	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	775	74.2
		2 1 or 2 days	176	14.5
		3 3 to 5 days	79	6.5
		4 6 to 9 days	32	2.5
		5 10 to 19 days	17	1.2
		6 20 to 29 days	6	0.3
		7 All 30 days	5	0.8
		Missing	100	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,007	89.4
		2 1 day	77	5.9
		3 2 days	31	2.4
		4 3 to 5 days	17	1.1
		5 6 to 9 days	6	0.3
		6 10 to 19 days	2	0.1
		7 20 or more days	5	0.8
		Missing	45	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	770	73.8
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	33	2.9
		3 I bought it at a restaurant, bar, or club	3	0.3
		4 I bought it at a public event such as a concert or sporting event	6	0.3
		5 I gave someone else money to buy it for me	65	5.5
		6 Someone gave it to me	105	9.1
		7 I took it from a store or family member	38	2.7
		8 I got it some other way	65	5.3
		Missing	105	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	794	70.2
		2 8 years old or younger	18	1.9
		3 9 or 10 years old	10	0.8
		4 11 or 12 years old	50	3.6
		5 13 or 14 years old	172	13.9
		6 15 or 16 years old	108	8.7
		7 17 years old or older	13	1.0
		Missing	25	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	959	83.0
		2 1 or 2 times	83	7.7
		3 3 to 9 times	60	4.7
		4 10 to 19 times	17	1.5
		5 20 to 39 times	18	1.3
		6 40 or more times	23	1.8
		Missing	30	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,139	97.1
		2 1 or 2 times	16	1.1
		3 3 to 9 times	8	0.6
		4 10 to 19 times	6	0.5
		6 40 or more times	3	0.7
		Missing	18	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,054	90.5
		2 1 or 2 times	55	4.8
		3 3 to 9 times	33	2.7
		4 10 to 19 times	9	0.4
		5 20 to 39 times	8	0.4
		6 40 or more times	11	1.1
		Missing	20	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,145	98.0
		2 1 or 2 times	7	0.5
		3 3 to 9 times	5	0.3
		4 10 to 19 times	3	0.2
		5 20 to 39 times	1	0.0
		6 40 or more times	6	0.9
		Missing	23	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,153	98.5
		2 1 or 2 times	7	0.5
		3 3 to 9 times	1	0.0
		4 10 to 19 times	3	0.3
		6 40 or more times	4	0.7
		Missing	22	
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,123	96.0
		2 1 or 2 times	20	2.0
		3 3 to 9 times	7	0.4
		4 10 to 19 times	6	0.5
		5 20 to 39 times	2	0.3
		6 40 or more times	6	0.9
Missing	26			
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,139	97.6
		2 1 time	16	1.5
		3 2 or more times	8	0.9
Missing	27			
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	397	39.3
		2 No	606	60.7
Missing	187			
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	606	60.4
		2 11 years old or younger	36	4.0
		3 12 years old	30	2.5
		4 13 years old	72	7.6
		5 14 years old	115	10.1
		6 15 years old	88	8.5
		7 16 years old	54	6.0
		8 17 years old or older	9	0.8
Missing	180			

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	605	60.7
		2 1 person	145	14.1
		3 2 people	71	6.7
		4 3 people	47	5.1
		5 4 people	38	3.1
		6 5 people	26	3.0
		7 6 or more people	73	7.3
		Missing	185	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	602	60.7
		2 I have had sexual intercourse, but not during the past 3 months	149	16.5
		3 1 person	173	15.1
		4 2 people	37	3.2
		5 3 people	19	2.0
		6 4 people	5	0.5
		7 5 people	4	0.4
		8 6 or more people	9	1.5
		Missing	192	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	605	60.5
		2 Yes	51	4.8
		3 No	353	34.7
		Missing	181	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	603	62.2
		2 Yes	279	27.7
		3 No	103	10.0
		Missing	205	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	602	62.0
		2 No method was used to prevent pregnancy	61	5.5
		3 Birth control pills	30	2.4
		4 Condoms	234	23.9
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	16	1.5
		6 Withdrawal	26	2.8
		7 Some other method	7	0.5
		8 Not sure	11	1.4
		Missing	203	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	47	4.7
		2 Slightly underweight	135	12.3
		3 About the right weight	597	52.2
		4 Slightly overweight	301	26.3
		5 Very overweight	58	4.5
		Missing	52	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	549	45.2
		2 Gain weight	215	21.4
		3 Stay the same weight	186	17.8
		4 I am not trying to do anything about my weight	177	15.6
		Missing	63	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	68	6.1
		2 No	1,037	93.9
		Missing	85	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	234	20.9
		2 1 to 3 times during the past 7 days	377	31.8
		3 4 to 6 times during the past 7 days	182	19.2
		4 1 time per day	66	5.4
		5 2 times per day	83	6.8
		6 3 times per day	74	6.6
		7 4 or more times per day	92	9.2
	Missing	82		
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	231	20.0
		2 1 to 3 times during the past 7 days	460	42.5
		3 4 to 6 times during the past 7 days	163	15.3
		4 1 time per day	76	6.4
		5 2 times per day	73	6.0
		6 3 times per day	43	3.3
		7 4 or more times per day	68	6.5
	Missing	76		
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	255	22.5
		2 1 to 3 times during the past 7 days	406	37.8
		3 4 to 6 times during the past 7 days	164	17.6
		4 1 time per day	84	7.5
		5 2 times per day	79	5.9
		6 3 times per day	46	3.5
		7 4 or more times per day	55	5.2
	Missing	101		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	206	18.9
		2 1 day	100	8.3
		3 2 days	126	12.5
		4 3 days	156	14.5
		5 4 days	111	11.4
		6 5 days	126	12.0
		7 6 days	45	5.2
		8 7 days	168	17.3
	Missing	152		
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	147	13.6
		2 Less than 1 hour per day	122	10.4
		3 1 hour per day	121	11.8
		4 2 hours per day	197	20.7
		5 3 hours per day	169	15.4
		6 4 hours per day	103	10.8
		7 5 or more hours per day	177	17.3
	Missing	154		
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	166	15.7
		2 Less than 1 hour per day	125	13.0
		3 1 hour per day	136	12.5
		4 2 hours per day	157	15.7
		5 3 hours per day	157	16.2
		6 4 hours per day	92	8.7
		7 5 or more hours per day	197	18.3
	Missing	160		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	239	22.6
		2 1 day	37	3.3
		3 2 days	241	17.3
		4 3 days	252	35.1
		5 4 days	76	6.4
		6 5 days	170	15.3
	Missing	175		
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	575	54.2
		2 1 team	282	27.3
		3 2 teams	105	11.0
		4 3 or more teams	57	7.5
	Missing	171		
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	274	26.0
		2 No	680	69.4
		3 Not sure	43	4.6
	Missing	193		
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	429	36.1
		2 Brooklyn	58	5.2
		3 Manhattan	654	54.9
		4 Queens	42	3.6
		5 Staten Island	3	0.2
	Missing	4		
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	233	20.2
		2 1 year	132	9.6
		3 2 years	227	20.5
		4 3 years	242	20.1
		5 4 years	201	19.3
		6 5 or more years	152	10.3
	Missing	3		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	13	1.2
		2	1 to 3 years	17	1.1
		3	4 to 6 years	36	2.3
		4	More than 6 years but not my whole life	143	11.9
		5	I have always lived in the United States	974	83.5
		Missing	7		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	285	28.6
		2	Rarely	121	10.5
		3	Sometimes	226	16.5
		4	Most of the time	259	19.9
		5	Always	298	24.5
		Missing	1		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	985	86.1
		2	1 time	115	8.1
		3	2 or 3 times	47	2.8
		4	4 or 5 times	15	1.1
		5	6 or more times	21	2.0
		Missing	7		
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	I did not need help during the past 12 months	614	53.8
		2	Yes	207	15.7
		3	No	359	30.5
		Missing	10		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
124-124	Q93	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	925	79.9
		2	Less than 1 month ago	37	2.9
		3	1 to 3 months ago	30	2.0
		4	4 to 6 months ago	32	2.9
		5	7 to 12 months ago	28	2.2
		6	13 or more months ago	123	10.2
		Missing	15		
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,075	93.6
		2	I bought them in a store such as a convenience store, supermarket, or gas station	19	1.5
		3	I bought them on the Internet	1	0.0
		4	I bummed them	2	0.2
		5	Someone gave them to me or bought them for me	47	3.7
		6	I stole them	4	0.4
		7	I got them some other way	9	0.5
		Missing	33		
126-126	Q95	Does anyone who lives with you now smoke cigarettes?			
		1	Yes	360	29.8
		2	No	795	70.2
		Missing	35		
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?			
		1	0 students	349	28.6
		2	1 student	193	17.3
		3	2 students	166	13.3
		4	3 students	107	9.5
		5	4 students	98	8.2
		6	5 students	77	6.9
		7	6 or 7 students	57	4.6
		8	8 to 10 students	125	11.4
		Missing	18		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	62	5.6
		2 Approve	103	8.8
		3 Neither approve nor disapprove	409	34.5
		4 Disapprove	271	25.2
		5 Strongly disapprove	320	25.9
		Missing	25	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	798	72.4
		2 I do not have a usual type	39	3.5
		3 Beer	21	1.3
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	66	5.1
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	3	0.4
		6 Wine	14	1.1
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	180	13.7
		8 Some other type	30	2.4
		Missing	39	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,097	94.8
		2 1 time	22	1.6
		3 2 or 3 times	16	1.5
		4 4 or 5 times	8	0.5
		5 6 or 7 times	3	0.2
		6 8 or 9 times	1	0.0
		7 10 or 11 times	2	0.1
		8 12 or more times	7	1.2
		Missing	34	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	1,135	97.1
		2 1 time	12	1.0
		3 2 or 3 times	9	0.8
		4 4 or 5 times	5	0.4
		7 10 or 11 times	1	0.1
		8 12 or more times	5	0.7
		Missing	23	
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	918	81.5
		2 1 to 3 times	122	10.0
		3 4 to 7 times	58	4.3
		4 8 or more times	45	4.2
		Missing	47	
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	685	61.9
		2 I have had sexual intercourse, but not during the past 3 months	125	12.2
		3 Never	63	5.6
		4 Rarely	18	1.5
		5 Sometimes	27	2.1
		6 Most of the time	41	3.1
		7 Always	164	13.7
		Missing	67	
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	679	61.9
		2 Depo-Provera (injectable birth control)	20	2.1
		3 The Ring (Nuva Ring?)	13	1.3
		4 The Patch (Ortho-Evra?)	13	0.7
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	7	0.8
		6 Emergency Contraception (EC) or the Morning After Pill	29	2.5
		7 None of these methods	297	25.3
		8 Not sure	55	5.4
		Missing	77	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	Q104	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	896	79.3
		2 Hospital	42	3.7
		3 School-based health center (school clinic or somewhere else at school)	24	2.9
		4 Doctor's office (not in a hospital)	28	2.1
		5 Pharmacy or Botanica or bodega	23	2.3
		6 Community health center or clinic	43	3.1
		7 Someplace else	12	1.2
		8 Not sure	48	5.5
		Missing	74	
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	283	25.7
		2 6th grade or earlier	193	15.4
		3 7th grade	178	17.1
		4 8th grade	162	15.0
		5 9th grade	158	13.4
		6 10th grade	56	3.5
		7 11th or 12th grade	25	3.2
		8 Not sure	70	6.7
		Missing	65	
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	77	7.5
		2 No	1,017	89.5
		3 Not sure	33	3.0
		Missing	63	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	541	48.6
		2 Females	218	23.1
		3 Males	286	22.1
		4 Females and males	79	6.2
		Missing	66	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	974	88.0
		2 Gay or lesbian	26	2.4
		3 Bisexual	90	6.4
		4 Not sure	39	3.2
		Missing	61	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	206	17.5
		2 1 to 3 times during the past 7 days	392	35.8
		3 4 to 6 times during the past 7 days	226	22.0
		4 1 time per day	123	9.8
		5 2 times per day	81	6.6
		6 3 times per day	36	3.2
		7 4 or more times per day	47	5.1
Missing	79			
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	187	15.8
		2 1 to 3 times during the past 7 days	400	37.2
		3 4 to 6 times during the past 7 days	191	18.7
		4 1 time per day	90	8.2
		5 2 times per day	79	6.0
		6 3 times per day	66	6.7
		7 4 or more times per day	84	7.5
Missing	93			
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	150	12.7
		2 Whole milk	370	33.8
		3 2% milk or reduced fat milk	262	25.2
		4 1% milk or low-fat milk	142	12.0
		5 Skim milk or non-fat milk	24	2.6
		6 Soy milk	43	4.3
		7 Not sure	101	9.3
Missing	98			

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	271	23.8
		2 I ride a bike all the way to school	13	1.3
		3 I use public transportation, such as a subway or city bus	676	67.4
		4 I ride a school bus	21	2.3
		5 I drive or ride in a car or other private vehicle	59	5.2
		Missing	150	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	590	59.1
		2 Less than 10 minutes	150	13.9
		3 10 to 20 minutes	175	16.5
		4 21 to 29 minutes	49	4.5
		5 30 or more minutes	66	6.0
		Missing	160	
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	352	34.3
		2 I walk to the bus stop or subway station	629	64.9
		3 I ride a bike to the bus stop or subway station	9	0.9
		Missing	200	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	301	28.3
		2 Less than 10 minutes	475	46.4
		3 10 to 20 minutes	150	17.8
		4 21 to 29 minutes	32	3.1
		5 30 or more minutes	38	4.4
		Missing	194	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	148	15.6
		2 At least once a month	80	7.9
		3 A few times a year	231	22.7
		4 Never	587	53.7
		Missing	144	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	327	26.8
		2 1 day	125	11.6
		3 2 days	133	11.9
		4 3 days	164	18.4
		5 4 days	91	9.6
		6 5 days	77	8.6
		7 6 days	28	2.6
		8 7 days	89	10.4
		Missing	156	
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	235	22.7
		2 Less than 10 minutes	129	12.1
		3 10 to 20 minutes	197	18.5
		4 21 to 30 minutes	144	16.6
		5 31 to 40 minutes	116	12.0
		6 41 to 50 minutes	113	9.9
		7 51 to 60 minutes	62	5.6
		8 More than 60 minutes	29	2.6
		Missing	165	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	52	5.3
		2 Yes	747	77.6
		3 No	185	17.0
		Missing	206	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	223	20.6
		2 No	691	70.3
		3 Not sure	91	9.1
		Missing	185	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	439	44.0
		2 Yes	142	13.8
		3 No	396	39.5
		4 Not sure	24	2.7
	Missing	189		
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	558	54.7
		2 1 day	173	17.0
		3 2 to 5 days	148	14.7
		4 6 to 10 days	24	3.1
		5 11 to 15 days	13	1.4
		6 16 to 29 days	13	1.4
		7 All 30 days	71	7.7
	Missing	190		
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	728	70.7
		2 1 day	141	15.1
		3 2 to 5 days	70	7.7
		4 6 to 10 days	22	2.7
		5 11 to 15 days	14	1.1
		6 16 to 29 days	6	1.1
		7 All 30 days	16	1.6
	Missing	193		
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	790	79.6
		2 1 room	145	15.4
		3 2 or more rooms	48	5.0
	Missing	207		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	243	19.4
		2 Yes	319	40.8
		3 No	420	39.8
		Missing	208	
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	200	19.2
		2 1 time per week	95	8.8
		3 2 times per week	94	9.5
		4 3 times per week	117	13.0
		5 4 times per week	82	9.7
		6 5 times per week	122	12.3
		7 6 times per week	56	6.0
		8 7 or more times per week	225	21.6
		Missing	199	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	581	88.7
		2 No	68	11.3
		Missing	541	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	18	1.7
		2 No	1,147	98.3
		Missing	25	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	91	7.9
		2 No	1,077	92.1
		Missing	22	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	27	2.2
		2 No	1,146	97.8
		Missing	17	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	45	3.9
		2 No	1,119	96.1
		Missing	26	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	76	6.3
		2 No	1,109	93.7
		Missing	5	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	64	6.6
		2 No	1,122	93.4
		Missing	4	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	335	29.5
		2 No	843	70.5
		Missing	12	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	109	9.9
		2 No	1,067	90.1
		Missing	14	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	80	7.2
		2 No	1,097	92.8
		Missing	13	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	117	8.3
		2 No	1,052	91.7
		Missing	21	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	123	9.4
		2 No	1,063	90.6
		Missing	4	
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	332	26.4
		2 No	841	73.6
		Missing	17	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	150	11.0
		2 No	1,031	89.0
		Missing	9	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	75	5.9
		2 No	909	94.1
		Missing	206	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	11	1.1
		2 No	963	98.9
		Missing	216	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	273	22.1
		2 No	884	77.9
		Missing	33	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	72	5.8
		2 No	1,084	94.2
		Missing	34	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	5	11.2
		2 No	67	88.8
		Missing	1,118	
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	37	55.1
		2 No	31	44.9
		Missing	1,122	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	35	3.4
		2 No	1,141	96.6
		Missing	14	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	285	24.4
		2 No	856	75.6
		Missing	49	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	315	25.8
		2 No	775	74.2
		Missing	100	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	138	10.6
		2 No	1,007	89.4
		Missing	45	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	105	35.2
		2 No	207	64.8
		Missing	878	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	78	6.3
		2 No	1,087	93.7
		Missing	25	
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	201	17.0
		2 No	959	83.0
		Missing	30	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	33	2.9
		2 No	1,139	97.1
		Missing	18	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	116	9.5
		2 No	1,054	90.5
		Missing	20	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	22	2.0
		2 No	1,145	98.0
		Missing	23	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	15	1.5
		2 No	1,153	98.5
		Missing	22	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	41	4.0
		2 No	1,123	96.0
		Missing	26	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	24	2.4
		2 No	1,139	97.6
		Missing	27	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	397	39.3
		2 No	606	60.7
		Missing	187	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	66	6.5
		2 No	944	93.5
		Missing	180	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	137	13.4
		2 No	868	86.6
		Missing	185	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	247	22.8
		2 No	751	77.2
		Missing	192	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	35	14.9
		2 No	211	85.1
		Missing	944	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	157	66.0
		2 No	78	34.0
		Missing	955	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	15	4.3
		2 No	222	95.7
		Missing	953	
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	359	30.8
		2 No	779	69.2
		Missing	52	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	549	45.2
		2 No	578	54.8
		Missing	63	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	68	6.1
		2 No	1,037	93.9
		Missing	85	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	874	79.1
		2 No	234	20.9
		Missing	82	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	883	80.0
		2 No	231	20.0
		Missing	76	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	264	22.1
		2 No	825	77.9
		Missing	101	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	339	34.5
		2 No	699	65.5
		Missing	152	
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	449	43.5
		2 No	587	56.5
		Missing	154	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	446	43.1
		2 No	584	56.9
		Missing	160	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	776	77.4
		2 No	239	22.6
		Missing	175	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	444	45.8
		2 No	575	54.2
		Missing	171	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	274	26.0
		2 No	723	74.0
		Missing	193	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	532	45.1
		2 No	654	54.9
		Missing	4	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	233	20.2
		2 No	954	79.8
		Missing	3	
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	13	1.2
		2 No	1,170	98.8
		Missing	7	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	557	44.4
		2 No	632	55.6
		Missing	1	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	198	13.9
		2 No	985	86.1
		Missing	7	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	207	15.7
		2 No	973	84.3
		Missing	10	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	127	10.0
		2 No	1,048	90.0
		Missing	15	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	19	1.5
		2 No	1,138	98.5
		Missing	33	
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	360	29.8
		2 No	795	70.2
		Missing	35	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	630	54.0
		2 No	542	46.0
		Missing	18	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	591	51.1
		2 No	574	48.9
		Missing	25	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	180	57.1
		2 No	134	42.9
		Missing	876	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	59	5.2
		2 No	1,097	94.8
		Missing	34	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	32	2.9
		2 No	1,135	97.1
		Missing	23	
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	225	18.5
		2 No	918	81.5
		Missing	47	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	164	52.8
		2 No	149	47.2
		Missing	877	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	7	0.8
		2 No	1,106	99.2
		Missing	77	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	24	2.9
		2 No	1,092	97.1
		Missing	74	
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	772	67.5
		2 No	353	32.5
		Missing	65	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	77	7.5
		2 No	1,050	92.5
		Missing	63	
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	79	6.2
		2 No	1,045	93.8
		Missing	66	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	116	8.8
		2 No	1,013	91.2
		Missing	61	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	287	24.7
		2 No	824	75.3
		Missing	79	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	319	28.3
		2 No	778	71.7
		Missing	93	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	166	14.6
		2 No	926	85.4
		Missing	98	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	284	25.1
		2 No	756	74.9
		Missing	150	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	115	10.5
		2 No	915	89.5
		Missing	160	
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	638	65.7
		2 No	352	34.3
		Missing	200	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	220	25.3
		2 No	776	74.7
		Missing	194	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	459	46.3
		2 No	587	53.7
		Missing	144	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	449	49.6
		2 No	585	50.4
		Missing	156	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	464	46.7
		2 No	561	53.3
		Missing	165	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	747	77.6
		2 No	237	22.4
		Missing	206	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	223	20.6
		2 No	782	79.4
		Missing	185	
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	142	13.8
		2 No	859	86.2
		Missing	189	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	442	45.3
		2 No	558	54.7
		Missing	190	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	269	29.3
		2 No	728	70.7
		Missing	193	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	193	20.4
		2 No	790	79.6
		Missing	207	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	319	40.8
		2 No	663	59.2
		Missing	208	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	696	72.1
		2 No	295	27.9
		Missing	199	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
350-350	QNFRDIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	11	1.2
		2 No	1,145	98.8
		Missing	34	
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	14	6.1
		2 No	223	93.9
		Missing	953	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	29	10.4
		2 No	208	89.6
		Missing	953	
354-354	QNDDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	13	4.8
		2 No	222	95.2
		Missing	955	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	347	30.9
		2 No	754	69.1
		Missing	89	
359-359	QNDDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	170	15.3
		2 No	845	84.7
		Missing	175	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem DPHO High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	206	18.9
		2 No	832	81.1
		Missing	152	
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	168	17.3
		2 No	870	82.7
		Missing	152	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	201	17.2
		2 No	914	82.8
		Missing	75	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	147	12.9
		2 No	968	87.1
		Missing	75	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH	1 Am Indian/Alaska Native	7	0.1
		2 Asian	52	5.6
		3 Black or African American	427	50.0
		4 Native Hawaiian/other PI	10	0.2
		5 White	13	1.0
		6 Hispanic/Latino	315	22.1
		7 Multiple - Hispanic	286	20.2
		8 Multiple - non-Hispanic	47	0.8
		Missing	33	