

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	4	0.6
		2	13 years old	26	2.9
		3	14 years old	181	22.0
		4	15 years old	280	26.3
		5	16 years old	265	23.3
		6	17 years old	299	20.2
		7	18 years old or older	63	4.8
		Missing	4		
18-18	Q2	What is your sex?			
		1	Female	623	52.0
		2	Male	495	48.0
		Missing	4		
19-19	Q3	In what grade are you?			
		1	9th grade	224	30.3
		2	10th grade	324	27.0
		3	11th grade	226	21.2
		4	12th grade	336	21.0
		5	Ungraded or other grade	4	0.4
		Missing	8		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	603	44.3
		2	No	502	55.7
		Missing	17		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	2	0.2
		G	1	0.1
		F	3	0.8
		E	81	5.9
		D	81	8.1
		DE	1	0.1
		C	466	70.7
		C E	12	0.9
		CD	8	0.5
		CDE	1	0.1
		B	67	7.0
		B E	1	0.1
		B D	1	0.1
		BC	7	0.2
		BC E	2	0.1
		A	44	3.4
		A E	3	0.1
		A D	1	0.1
		A C	8	0.6
		A C E	3	0.3
		A CD	2	0.3
		ABC	1	0.0
		ABCDE	1	0.1
		ABCDEFGH	1	0.0
			324	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	486	43.6
		2	Never wore a helmet	496	44.1
		3	Rarely wore a helmet	62	6.4
		4	Sometimes wore a helmet	26	2.3
		5	Most of the time wore a helmet	16	1.5
		6	Always wore a helmet	23	2.0
		Missing	13		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	845	77.4
		2	0 times	226	21.8
		3	1 time	1	0.1
		4	2 or 3 times	4	0.3
		5	4 or 5 times	2	0.1
		6	6 or more times	3	0.3
		Missing	41		
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	989	91.9
		2	1 day	24	2.1
		3	2 or 3 days	29	2.6
		4	4 or 5 days	6	0.4
		5	6 or more days	33	3.1
		Missing	41		
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	1,075	98.3
		2	1 day	8	0.6
		3	2 or 3 days	4	0.2
		4	4 or 5 days	1	0.1
		5	6 or more days	7	0.8
		Missing	27		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,049	96.3
		2	1 day	12	0.9
		3	2 or 3 days	9	0.6
		4	4 or 5 days	2	0.2
		5	6 or more days	21	2.0
			Missing	29	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	950	86.8
		2	1 day	102	8.6
		3	2 or 3 days	33	2.9
		4	4 or 5 days	7	0.5
		5	6 or more days	12	1.1
			Missing	18	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,040	92.4
		2	1 time	32	2.9
		3	2 or 3 times	19	2.2
		4	4 or 5 times	8	0.7
		5	6 or 7 times	6	0.6
		6	8 or 9 times	1	0.1
		7	10 or 11 times	1	0.1
		8	12 or more times	9	1.2
	Missing	6			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	832	72.1
		2	1 time	119	10.8
		3	2 or 3 times	94	9.6
		4	4 or 5 times	28	2.8
		5	6 or 7 times	9	1.1
		6	8 or 9 times	6	0.6
		7	10 or 11 times	4	0.6
		8	12 or more times	21	2.3
	Missing	9			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	418	40.6
		2 0 times	536	51.3
		3 1 time	26	2.8
		4 2 or 3 times	23	2.2
		5 4 or 5 times	6	0.8
		6 6 or more times	21	2.4
		Missing	92	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	420	40.3
		2 0 times	551	52.7
		3 1 time	29	2.7
		4 2 or 3 times	22	2.5
		5 4 or 5 times	4	0.6
		6 6 or more times	13	1.1
		Missing	83	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	134	12.9
		2 No	972	87.1
		Missing	16	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	104	9.6
		2 No	1,000	90.4
		Missing	18	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	309	27.1
		2 No	796	72.9
		Missing	17	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	142	12.6
		2 No	956	87.4
		Missing	24	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	862	91.4
		2 1 time	35	4.0
		3 2 or 3 times	24	2.8
		4 4 or 5 times	3	0.1
		5 6 or more times	8	1.6
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	849	92.4
		2 Yes	22	2.9
		3 No	43	4.7
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	230	21.1
		2 No	825	78.9
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	992	94.8
		2 1 or 2 days	29	2.4
		3 3 to 5 days	8	0.6
		4 6 to 9 days	7	0.7
		5 10 to 19 days	2	0.2
		6 20 to 29 days	6	0.8
		7 All 30 days	8	0.5
Missing	70			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	996	94.7
		2 Less than 1 cigarette per day	25	2.1
		3 1 cigarette per day	16	1.2
		4 2 to 5 cigarettes per day	16	1.5
		5 6 to 10 cigarettes per day	2	0.1
		6 11 to 20 cigarettes per day	1	0.1
		7 More than 20 cigarettes per day	2	0.2
	Missing	64		
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	33	2.8
		2 No	1,014	97.2
		Missing	75	
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,041	95.3
		2 1 or 2 days	26	2.4
		3 3 to 5 days	9	0.9
		4 6 to 9 days	6	0.6
		5 10 to 19 days	3	0.2
		6 20 to 29 days	2	0.2
7 All 30 days	2	0.3		
		Missing	33	
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,001	92.6
		2 1 or 2 days	41	3.9
		3 3 to 5 days	17	1.9
		4 6 to 9 days	10	1.0
		5 10 to 19 days	4	0.4
		6 20 to 29 days	1	0.1
7 All 30 days	1	0.2		
		Missing	47	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1            0 days	734	76.6
		2            1 or 2 days	156	13.4
		3            3 to 5 days	56	4.9
		4            6 to 9 days	27	2.5
		5            10 to 19 days	12	0.9
		6            20 to 29 days	7	1.0
		7            All 30 days	6	0.8
	Missing	124		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1            0 days	949	90.4
		2            1 day	57	4.5
		3            2 days	25	2.5
		4            3 to 5 days	14	1.1
		5            6 to 9 days	6	0.5
		6            10 to 19 days	1	0.4
		7            20 or more days	4	0.6
	Missing	66		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1            I did not drink alcohol during the past 30 days	734	77.0
		2            1 or 2 drinks	143	12.7
		3            3 drinks	40	3.2
		4            4 drinks	18	1.7
		5            5 drinks	12	1.3
		6            6 or 7 drinks	18	1.9
		7            8 or 9 drinks	8	0.7
		8            10 or more drinks	18	1.6
	Missing	131		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	710 74.6
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	34 3.7
		3	I bought it at a restaurant, bar, or club	10 0.8
		4	I bought it at a public event such as a concert or sporting event	11 1.0
		5	I gave someone else money to buy it for me	33 3.3
		6	Someone gave it to me	73 6.6
		7	I took it from a store or family member	53 4.8
		8	I got it some other way	65 5.2
		Missing	133	
79-79	Q48	How old were you when you tried marijuana for the first time?		
		1	I have never tried marijuana	731 70.8
		2	8 years old or younger	15 1.6
		3	9 or 10 years old	9 0.7
		4	11 or 12 years old	42 4.7
		5	13 or 14 years old	136 11.8
		6	15 or 16 years old	112 9.0
		7	17 years old or older	18 1.4
		Missing	59	
80-80	Q49	During the past 30 days, how many times did you use marijuana?		
		1	0 times	859 82.1
		2	1 or 2 times	70 6.7
		3	3 to 9 times	56 5.4
		4	10 to 19 times	18 1.4
		5	20 to 39 times	11 1.2
		6	40 or more times	33 3.2
		Missing	75	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1            0 times	1,022	97.0
		2            1 or 2 times	15	1.5
		3            3 to 9 times	6	0.6
		4            10 to 19 times	3	0.5
		5            20 to 39 times	4	0.3
		6            40 or more times	2	0.1
	Missing	70		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1            0 times	1,037	97.5
		2            1 or 2 times	15	1.7
		3            3 to 9 times	3	0.2
		4            10 to 19 times	5	0.4
		5            20 to 39 times	1	0.1
		6            40 or more times	1	0.1
	Missing	60		
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1            0 times	1,038	98.0
		2            1 or 2 times	11	1.0
		3            3 to 9 times	5	0.4
		4            10 to 19 times	3	0.2
		5            20 to 39 times	1	0.1
		6            40 or more times	2	0.3
	Missing	62		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1            0 times	1,011	95.7
		2            1 or 2 times	24	2.5
		3            3 to 9 times	11	0.9
		4            10 to 19 times	6	0.5
		5            20 to 39 times	1	0.1
		6            40 or more times	1	0.2
	Missing	68		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1            0 times	1,021	98.1
		2            1 time	13	1.3
		3            2 or more times	7	0.7
		Missing	81	
90-90	Q59	Have you ever had sexual intercourse?		
		1            Yes	337	36.1
		2            No	599	63.9
		Missing	186	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1            I have never had sexual intercourse	594	63.7
		2            11 years old or younger	29	3.8
		3            12 years old	17	2.1
		4            13 years old	57	6.9
		5            14 years old	91	9.8
		6            15 years old	77	7.6
		7            16 years old	45	4.2
		8            17 years old or older	22	1.8
		Missing	190	
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1            I have never had sexual intercourse	586	63.5
		2            1 person	134	15.0
		3            2 people	67	7.1
		4            3 people	44	4.4
		5            4 people	26	3.1
		6            5 people	16	1.5
		7            6 or more people	45	5.4
		Missing	204	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	592	63.9
		2 I have had sexual intercourse, but not during the past 3 months	114	12.4
		3 1 person	175	19.0
		4 2 people	20	2.1
		5 3 people	11	1.3
		6 4 people	4	0.8
		7 5 people	2	0.2
		8 6 or more people	4	0.3
	Missing	200		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	590	64.0
		2 Yes	44	5.1
		3 No	286	30.9
	Missing	202		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	587	64.7
		2 Yes	205	23.7
		3 No	107	11.6
	Missing	223		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	582	64.6
		2 No method was used to prevent pregnancy	60	8.0
		3 Birth control pills	35	4.4
		4 Condoms	163	17.9
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	8	0.7
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	12	1.3
		7 Withdrawal or some other method	23	2.1
		8 Not sure	9	1.1
	Missing	230		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
97-97	Q66	How do you describe your weight?			
		1	Very underweight	47	4.4
		2	Slightly underweight	123	12.1
		3	About the right weight	490	51.6
		4	Slightly overweight	267	26.1
		5	Very overweight	53	5.7
			Missing	142	
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	473	48.2
		2	Gain weight	179	18.5
		3	Stay the same weight	162	17.6
		4	I am not trying to do anything about my weight	152	15.7
	Missing	156			
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	231	23.3
		2	1 to 3 times during the past 7 days	353	36.3
		3	4 to 6 times during the past 7 days	174	18.2
		4	1 time per day	46	4.5
		5	2 times per day	65	6.5
		6	3 times per day	35	4.5
		7	4 or more times per day	57	6.8
	Missing	161			
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	202	21.0
		2	1 to 3 times during the past 7 days	411	44.1
		3	4 to 6 times during the past 7 days	160	17.3
		4	1 time per day	59	5.5
		5	2 times per day	54	5.3
		6	3 times per day	17	1.9
		7	4 or more times per day	48	4.9
	Missing	171			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	232	24.5
		2 1 to 3 times during the past 7 days	369	37.9
		3 4 to 6 times during the past 7 days	180	19.2
		4 1 time per day	50	6.4
		5 2 times per day	45	5.7
		6 3 times per day	18	2.7
		7 4 or more times per day	37	3.6
	Missing	191		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	288	31.9
		2 1 to 3 glasses during the past 7 days	295	32.4
		3 4 to 6 glasses during the past 7 days	128	14.4
		4 1 glass per day	89	10.3
		5 2 glasses per day	54	5.7
		6 3 glasses per day	17	1.9
		7 4 or more glasses per day	30	3.3
	Missing	221		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	140	13.9
		2 1 day	77	9.0
		3 2 days	121	12.9
		4 3 days	106	11.9
		5 4 days	68	7.4
		6 5 days	65	7.0
		7 6 days	40	5.0
8 7 days	285	32.8		
	Missing	220		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	174	19.3
		2 1 day	85	9.6
		3 2 days	106	13.1
		4 3 days	124	15.5
		5 4 days	87	9.8
		6 5 days	111	13.6
		7 6 days	45	5.9
8 7 days	113	13.2		
	Missing	277		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	172	18.5
		2	Less than 1 hour per day	122	14.0
		3	1 hour per day	93	10.4
		4	2 hours per day	141	18.0
		5	3 hours per day	115	13.2
		6	4 hours per day	77	8.6
		7	5 or more hours per day	112	17.4
		Missing	290		
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	169	19.9
		2	Less than 1 hour per day	111	13.4
		3	1 hour per day	104	11.3
		4	2 hours per day	120	16.0
		5	3 hours per day	108	13.6
		6	4 hours per day	54	7.0
		7	5 or more hours per day	148	18.9
		Missing	308		
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	90	11.9
		2	1 day	32	4.1
		3	2 days	136	17.8
		4	3 days	208	27.8
		5	4 days	113	12.3
		6	5 days	223	26.2
		Missing	320		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	245	30.7
		2 No	503	64.4
		3 Not sure	35	4.9
		Missing	339	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	464	40.7
		2 Brooklyn	59	5.6
		3 Manhattan	520	47.6
		4 Queens	68	5.9
		5 Staten Island	4	0.2
Missing	7			
119-119	Q88	How long have you lived in the United States?		
		1 I have always lived in the United States	872	80.0
		2 Less than 1 year	11	1.1
		3 1 to 3 years	28	2.7
		4 4 to 6 years	31	2.9
		5 More than 6 years but not my whole life	164	13.3
Missing	16			
120-120	Q89	How often do the people in your home speak a language other than English?		
		1 Never	263	29.6
		2 Rarely	100	10.3
		3 Sometimes	176	14.7
		4 Most of the time	259	21.0
		5 Always	306	24.4
Missing	18			
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	958	86.8
		2 1 time	68	6.3
		3 2 or 3 times	43	3.5
		4 4 or 5 times	18	1.3
		5 6 or more times	22	2.1
Missing	13			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	209	19.8
		2	No	859	80.2
			Missing	54	
123-123	Q92	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	807	81.1
		2	Less than 1 month ago	20	1.9
		3	1 to 3 months ago	24	2.5
		4	4 to 6 months ago	28	2.4
		5	7 to 12 months ago	27	2.5
		6	13 or more months ago	105	9.7
	Missing	111			
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	976	93.4
		2	I bought them in a store such as a convenience store, supermarket, or gas station	24	1.9
		3	I bought them on the Internet	5	0.6
		4	I bummed them	7	0.7
		5	Someone gave them to me or bought them for me	23	2.1
		6	I stole them	5	0.4
		7	I got them some other way	9	1.0
	Missing	73			
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	63	6.0
		2	No	953	94.0
		Missing	106		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	146	12.8
		2 No	927	87.2
		Missing	49	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	765	74.1
		2 I do not have a usual type	52	4.2
		3 Beer	32	2.4
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	40	4.2
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	9	0.8
		6 Wine	22	1.4
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	131	10.6
		8 Some other type	23	2.3
	Missing	48		
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	985	93.4
		2 1 time	26	2.4
		3 2 or 3 times	18	1.3
		4 4 or 5 times	8	0.9
		5 6 or 7 times	6	0.4
		6 8 or 9 times	1	0.1
		7 10 or 11 times	4	0.6
		8 12 or more times	11	0.9
	Missing	63		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	1,007	95.3
		2	1 time	8	0.6
		3	2 or 3 times	19	1.4
		4	4 or 5 times	8	0.8
		5	6 or 7 times	2	0.4
		6	8 or 9 times	4	0.5
		7	10 or 11 times	1	0.1
		8	12 or more times	7	0.9
		Missing	66		
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	604	63.0
		2	I have had sexual intercourse, but not during the past 3 months	92	9.7
		3	Never	64	6.0
		4	Rarely	21	1.8
		5	Sometimes	22	2.6
		6	Most of the time	38	3.6
		7	Always	123	13.2
		Missing	158		
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	599	63.3
		2	I have had sexual intercourse, but I have never used a condom	51	5.3
		3	Yes, the condom broke, tore, or slipped off	22	1.9
		4	No, the condom did not break, tear, or slip off	256	27.1
		5	Not sure	23	2.5
		Missing	171		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	599	63.6
		2 Yes	33	2.9
		3 No	271	28.3
		4 Not sure	46	5.2
		Missing	173	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it?		
		1 I have never used birth control	701	69.9
		2 Community-based clinic or hospital	81	7.6
		3 School-based health center or somewhere else at school	68	7.0
		4 Pharmacy	66	6.5
		5 Bodega or botanica	30	3.0
		6 Someplace else	21	1.9
		7 Not sure	39	4.1
Missing	116			
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	224	26.0
		2 6th grade or earlier	194	20.0
		3 7th grade	141	14.0
		4 8th grade	145	14.9
		5 9th grade	119	11.4
		6 10th grade	51	5.0
		7 11th or 12th grade	20	1.3
		8 Not sure	79	7.3
Missing	149			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	18	2.0
		2 No	890	94.7
		3 Not sure	29	3.4
		Missing	185	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	470	50.9
		2 Females	230	25.9
		3 Males	172	15.7
		4 Females and males	68	7.4
		Missing	182	
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	835	84.6
		2 Gay or lesbian	22	2.4
		3 Bisexual	96	10.1
		4 Not sure	31	2.9
		Missing	138	
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	174	19.1
		2 1 to 3 times during the past 7 days	380	40.2
		3 4 to 6 times during the past 7 days	187	19.5
		4 1 time per day	96	10.5
		5 2 times per day	41	5.2
		6 3 times per day	16	1.4
		7 4 or more times per day	43	4.1
		Missing	185	
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	201	21.5
		2 1 to 3 times during the past 7 days	471	50.0
		3 4 to 6 times during the past 7 days	153	16.2
		4 1 time per day	41	5.7
		5 2 times per day	30	3.0
		6 3 times per day	10	1.7
		7 4 or more times per day	20	1.8
		Missing	196	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	221	24.1
		2	1 to 3 times during the past 7 days	373	40.4
		3	4 to 6 times during the past 7 days	146	15.5
		4	1 time per day	53	5.9
		5	2 times per day	44	4.9
		6	3 times per day	32	4.0
		7	4 or more times per day	46	5.2
		Missing	207		
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	140	14.3
		2	Whole milk	259	29.8
		3	2% milk or reduced fat milk	228	23.8
		4	1% milk or low-fat milk	110	12.9
		5	Skim milk or non-fat milk	29	3.6
		6	Soy milk	36	4.5
		7	Not sure	94	11.2
		Missing	226		
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	176	21.0
		2	I ride a bike all the way to school	10	0.9
		3	I use public transportation, such as a subway or city bus	591	71.2
		4	I ride a school bus	15	2.1
		5	I drive or ride in a car or other private vehicle	35	4.8
		Missing	295		
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	518	62.9
		2	Less than 10 minutes	95	12.3
		3	10 to 20 minutes	141	15.6
		4	21 to 29 minutes	30	3.3
		5	30 or more minutes	50	5.8
		Missing	288		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?			
		1	I do not take the bus or use public transportation to get to school	189	24.5
		2	I do not walk or bike to a bus stop or subway station to get to school	28	3.5
		3	I walk to the bus stop or subway station	552	71.1
		4	I ride a bike to the bus stop or subway station	9	0.9
			Missing	344	
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?			
		1	I do not walk or bike to a bus stop or subway station to get to school	192	23.7
		2	Less than 10 minutes	362	46.2
		3	10 to 20 minutes	158	19.7
		4	21 to 29 minutes	27	3.8
		5	30 or more minutes	52	6.6
	Missing	331			
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	127	17.4
		2	At least once a month	57	6.5
		3	A few times a year	186	22.2
		4	Never	476	53.9
	Missing	276			
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?			
		1	0 days	239	27.6
		2	1 day	79	9.8
		3	2 days	120	14.8
		4	3 days	130	14.4
		5	4 days	59	7.7
		6	5 days	94	11.8
		7	6 days	39	5.3
		8	7 days	67	8.7
	Missing	295			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	277	32.6
		2	1 day	91	11.1
		3	2 days	110	13.3
		4	3 days	106	13.7
		5	4 days	62	8.1
		6	5 days	157	21.1
		Missing	319		
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	48	6.0
		2	Yes	621	79.1
		3	No	122	14.9
		Missing	331		
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	203	25.6
		2	No	485	62.8
		3	Not sure	83	11.6
		Missing	351		
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	273	35.3
		2	Yes	142	18.1
		3	No	340	42.7
		4	Not sure	27	3.9
		Missing	340		
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	452	60.1
		2	Rarely	161	19.0
		3	Sometimes	101	13.0
		4	Most of the time	50	5.8
		5	Always	20	2.1
		Missing	338		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	721	91.8
		2	1 or 2 times	32	4.5
		3	3 to 9 times	16	2.2
		4	10 to 19 times	7	0.8
		5	20 to 39 times	4	0.4
		6	40 or more times	4	0.3
		Missing	338		
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	46	6.4
		2	Less than one hour	73	10.5
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	178	24.8
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	129	17.3
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	260	34.3
		6	Not sure	49	6.8
		Missing	387		
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	46	6.5
		2	Lower than 1/2 maximum volume	56	6.5
		3	About 1/2 maximum volume	133	18.1
		4	About 3/4 maximum volume	229	30.3
		5	At the maximum volume	233	34.6
		6	Not sure	29	3.9
		Missing	396		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?			
		1	My school does not have a school-based health center	137	19.7
		2	Yes	300	41.2
		3	No	323	39.1
			Missing	362	
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?			
		1	0 times	181	26.0
		2	1 time per week	63	8.5
		3	2 times per week	85	10.3
		4	3 times per week	101	11.6
		5	4 times per week	80	10.0
		6	5 times per week	86	11.2
		7	6 times per week	29	3.7
		8	7 or more times per week	148	18.7
	Missing	349			
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet			
		1	Yes	558	89.6
		2	No	65	10.4
			Missing	499	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days			
		1	Yes	10	3.5
		2	No	226	96.5
			Missing	886	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days			
		1	Yes	92	8.1
		2	No	989	91.9
			Missing	41	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	20	1.7
		2 No	1,075	98.3
		Missing	27	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	44	3.7
		2 No	1,049	96.3
		Missing	29	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	154	13.2
		2 No	950	86.8
		Missing	18	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	76	7.6
		2 No	1,040	92.4
		Missing	6	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	281	27.9
		2 No	832	72.1
		Missing	9	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	76	13.7
		2 No	536	86.3
		Missing	510	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	68	11.6
		2 No	551	88.4
		Missing	503	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	134	12.9
		2 No	972	87.1
		Missing	16	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	104	9.6
		2 No	1,000	90.4
		Missing	18	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	309	27.1
		2 No	796	72.9
		Missing	17	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	142	12.6
		2 No	956	87.4
		Missing	24	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	70	8.6
		2 No	862	91.4
		Missing	190	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	22	2.9
		2 No	892	97.1
		Missing	208	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	230	21.1
		2 No	825	78.9
		Missing	67	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	60	5.2
		2 No	992	94.8
		Missing	70	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	3	6.5
		2 No	56	93.5
		Missing	1,063	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	33	2.8
		2 No	1,014	97.2
		Missing	75	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	48	4.7
		2 No	1,041	95.3
		Missing	33	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	74	7.4
		2 No	1,001	92.6
		Missing	47	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	264	23.4
		2 No	734	76.6
		Missing	124	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	107	9.6
		2 No	949	90.4
		Missing	66	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	18	1.6
		2 No	973	98.4
		Missing	131	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	72	26.7
		2 No	187	73.3
		Missing	863	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	66	7.1
		2 No	997	92.9
		Missing	59	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	188	17.9
		2 No	859	82.1
		Missing	75	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	30	3.0
		2 No	1,022	97.0
		Missing	70	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	25	2.5
		2 No	1,037	97.5
		Missing	60	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	22	2.0
		2 No	1,038	98.0
		Missing	62	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	43	4.3
		2 No	1,011	95.7
		Missing	68	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	20	1.9
		2 No	1,021	98.1
		Missing	81	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	337	36.1
		2 No	599	63.9
		Missing	186	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	46	5.9
		2 No	886	94.1
		Missing	190	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	87	10.0
		2 No	831	90.0
		Missing	204	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	216	23.6
		2 No	706	76.4
		Missing	200	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	35	18.5
		2 No	175	81.5
		Missing	912	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	120	62.6
		2 No	78	37.4
		Missing	924	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	30	16.4
		2 No	167	83.6
		Missing	925	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
243-243	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	320	31.9
		2 No	660	68.1
		Missing	142	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	473	48.2
		2 No	493	51.8
		Missing	156	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	730	76.7
		2 No	231	23.3
		Missing	161	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	749	79.0
		2 No	202	21.0
		Missing	171	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	150	18.3
		2 No	781	81.7
		Missing	191	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	47	5.2
		2 No	854	94.8
		Missing	221	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days		
		1 Yes	285	32.8
		2 No	617	67.2
		Missing	220	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	269	32.7
		2 No	576	67.3
		Missing	277	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	304	39.2
		2 No	528	60.8
		Missing	290	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	310	39.4
		2 No	504	60.6
		Missing	308	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	712	88.1
		2 No	90	11.9
		Missing	320	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	245	30.7
		2 No	538	69.3
		Missing	339	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	595	52.4
		2 No	520	47.6
		Missing	7	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	11	1.1
		2 No	1,095	98.9
		Missing	16	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	565	45.3
		2 No	539	54.7
		Missing	18	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	151	13.2
		2 No	958	86.8
		Missing	13	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	209	19.8
		2 No	859	80.2
		Missing	54	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	99	9.3
		2 No	912	90.7
		Missing	111	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	24	1.9
		2 No	1,025	98.1
		Missing	73	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1 Yes	63	6.0
		2 No	953	94.0
		Missing	106	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1 Yes	146	12.8
		2 No	927	87.2
		Missing	49	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	131	48.9
		2 No	126	51.1
		Missing	865	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	74	6.6
		2 No	985	93.4
		Missing	63	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	49	4.7
		2 No	1,007	95.3
		Missing	66	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	123	48.6
		2 No	145	51.4
		Missing	854	
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	22	1.9
		2 No	929	98.1
		Missing	171	
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	33	2.9
		2 No	916	97.1
		Missing	173	
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school		
		1 Yes	68	7.0
		2 No	938	93.0
		Missing	116	
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	670	66.7
		2 No	303	33.3
		Missing	149	
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	18	2.0
		2 No	919	98.0
		Missing	185	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	68	7.4
		2 No	872	92.6
		Missing	182	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	118	12.5
		2 No	866	87.5
		Missing	138	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	196	21.2
		2 No	741	78.8
		Missing	185	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	101	12.2
		2 No	825	87.8
		Missing	196	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	175	19.9
		2 No	740	80.1
		Missing	207	
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	139	16.4
		2 No	757	83.6
		Missing	226	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	186	21.9
		2 No	641	78.1
		Missing	295	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	80	9.1
		2 No	754	90.9
		Missing	288	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	561	72.0
		2 No	217	28.0
		Missing	344	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	237	30.1
		2 No	554	69.9
		Missing	331	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	370	46.1
		2 No	476	53.9
		Missing	276	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	389	47.9
		2 No	438	52.1
		Missing	295	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	526	67.4
		2 No	277	32.6
		Missing	319	
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	621	79.1
		2 No	170	20.9
		Missing	331	
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	203	25.6
		2 No	568	74.4
		Missing	351	
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	142	18.1
		2 No	640	81.9
		Missing	340	
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	70	7.8
		2 No	714	92.2
		Missing	338	
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	63	8.2
		2 No	721	91.8
		Missing	338	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	389	51.5
		2 No	346	48.5
		Missing	387	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	595	83.0
		2 No	131	17.0
		Missing	396	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	300	41.2
		2 No	460	58.8
		Missing	362	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	529	65.5
		2 No	244	34.5
		Missing	349	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	14	1.3
		2 No	1,038	98.7
		Missing	70	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	100	9.5
		2 No	921	90.5
		Missing	101	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	17	7.2
		2            No	180	92.8
			925	
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	47	23.6
		2            No	150	76.4
			925	
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	14	7.6
		2            No	180	92.4
			928	
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1            Yes	32	19.6
		2            No	165	80.4
			925	
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1            Yes	225	24.4
		2            No	715	75.6
			182	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	84	8.3
		2 No	856	91.7
		Missing	182	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	466	50.1
		2 No	474	49.9
		Missing	182	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	158	18.0
		2 No	782	82.0
		Missing	182	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	232	24.5
		2 No	699	75.5
		Missing	191	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	100	12.0
		2 No	831	88.0
		Missing	191	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	55	6.3
		2 No	876	93.7
		Missing	191	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	288	31.9
		2 No	613	68.1
		Missing	221	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	190	21.2
		2 No	711	78.8
		Missing	221	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	101	11.0
		2 No	800	89.0
		Missing	221	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	140	13.9
		2 No	762	86.1
		Missing	220	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	223	26.2
		2 No	579	73.8
		Missing	320	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	174	19.3
		2 No	671	80.7
		Missing	277	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	113	13.2
		2 No	732	86.8
		Missing	277	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**East and Central Harlem DPHO High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	187	18.9
		2	No	831	81.1
			Missing	104	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	149	16.2
		2	No	869	83.8
			Missing	104	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	12	0.4
		2	Asian	62	5.3
		3	Black or African American	352	47.3
		4	Native Hawaiian/other PI	8	0.3
		5	White	16	0.5
		6	Hispanic/Latino	294	22.3
		7	Multiple - Hispanic	305	23.0
		8	Multiple - Non-Hispanic	29	0.8
			Missing	44	
404-406	Q6ORIG				
407-409	Q7ORIG				