

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	4	0.1
		2	13 years old	43	1.8
		3	14 years old	397	23.3
		4	15 years old	509	27.2
		5	16 years old	464	25.0
		6	17 years old	420	19.6
		7	18 years old or older	86	3.0
		Missing	5		
18-18	Q2	What is your sex?			
		1	Female	1,123	55.1
		2	Male	799	44.9
			Missing	6	
19-19	Q3	In what grade are you?			
		1	9th grade	487	29.6
		2	10th grade	554	27.1
		3	11th grade	401	21.9
		4	12th grade	467	21.2
		5	Ungraded or other grade	5	0.1
		Missing	14		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,001	44.6
		2	No	888	55.4
			Missing	39	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.0
		G	1	0.0
		F	3	0.1
		E	212	23.1
		D	134	7.5
		DE	1	0.0
		C	702	43.8
		C E	20	0.8
		CD	18	1.0
		CDE	1	0.0
		B	169	18.0
		B E	6	0.5
		B D	3	0.4
		BC	10	0.3
		BC E	3	0.1
		A	64	2.5
		A E	4	0.1
		A D	3	0.2
		A DE	1	0.1
		A C	15	0.6
		A C E	3	0.0
		A CD	2	0.0
		A CDE	1	0.1
		AB	1	0.1
		ABC	1	0.0
		ABCDE	5	0.7
		ABCDEFGH	1	0.0
			542	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	815	40.5
		2 Never wore a helmet	842	43.1
		3 Rarely wore a helmet	113	6.3
		4 Sometimes wore a helmet	58	4.2
		5 Most of the time wore a helmet	36	2.4
		6 Always wore a helmet	50	3.5
		Missing	14	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,458	79.3
		2 0 times	394	19.7
		3 1 time	4	0.3
		4 2 or 3 times	5	0.2
		5 4 or 5 times	2	0.0
		6 6 or more times	6	0.5
		Missing	59	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,722	92.6
		2 1 day	43	2.7
		3 2 or 3 days	39	1.4
		4 4 or 5 days	9	0.3
		5 6 or more days	52	2.9
		Missing	63	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,857	98.5
		2 1 day	13	0.6
		3 2 or 3 days	8	0.4
		4 4 or 5 days	1	0.0
		5 6 or more days	9	0.5
		Missing	40	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,830	97.5
		2 1 day	19	0.9
		3 2 or 3 days	10	0.2
		4 4 or 5 days	4	0.2
		5 6 or more days	28	1.2
		Missing	37	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,699	92.7
		2 1 day	130	4.3
		3 2 or 3 days	48	2.1
		4 4 or 5 days	10	0.4
		5 6 or more days	13	0.4
		Missing	28	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,804	94.4
		2 1 time	53	2.6
		3 2 or 3 times	26	1.0
		4 4 or 5 times	11	0.3
		5 6 or 7 times	8	0.3
		6 8 or 9 times	1	0.0
		7 10 or 11 times	2	0.2
		8 12 or more times	14	1.1
Missing	9			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,459	77.1
		2 1 time	216	11.7
		3 2 or 3 times	148	6.9
		4 4 or 5 times	36	1.4
		5 6 or 7 times	14	0.6
		6 8 or 9 times	11	0.8
		7 10 or 11 times	5	0.2
		8 12 or more times	28	1.4
Missing	11			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	753	44.7
		2	0 times	914	49.4
		3	1 time	41	1.9
		4	2 or 3 times	34	2.2
		5	4 or 5 times	9	0.5
		6	6 or more times	30	1.3
		Missing	147		
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	759	44.5
		2	0 times	945	51.0
		3	1 time	46	2.4
		4	2 or 3 times	26	0.7
		5	4 or 5 times	6	0.2
		6	6 or more times	21	1.3
		Missing	125		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	237	12.2
		2	No	1,670	87.8
		Missing	21		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	181	9.5
		2	No	1,717	90.5
		Missing	30		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	552	29.2
		2	No	1,349	70.8
			Missing	27	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	266	14.7
		2	No	1,627	85.3
			Missing	35	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,525	93.4
		2	1 time	65	4.0
		3	2 or 3 times	37	1.7
		4	4 or 5 times	6	0.3
		5	6 or more times	11	0.6
	Missing	284			
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,510	93.6
		2	Yes	35	2.0
		3	No	78	4.5
	Missing	305			
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	417	26.1
		2	No	1,404	73.9
	Missing	107			
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,713	92.3
		2	1 or 2 days	57	3.5
		3	3 to 5 days	15	1.0
		4	6 to 9 days	11	0.5
		5	10 to 19 days	8	0.6
		6	20 to 29 days	10	1.0
		7	All 30 days	13	1.2
	Missing	101			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,721	92.2
		2 Less than 1 cigarette per day	50	3.4
		3 1 cigarette per day	25	1.2
		4 2 to 5 cigarettes per day	33	2.8
		5 6 to 10 cigarettes per day	4	0.2
		6 11 to 20 cigarettes per day	1	0.0
		7 More than 20 cigarettes per day	3	0.2
	Missing	91		
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	58	3.7
		2 No	1,751	96.3
		Missing	119	
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,821	97.7
		2 1 or 2 days	39	1.6
		3 3 to 5 days	9	0.1
		4 6 to 9 days	7	0.2
		5 10 to 19 days	4	0.1
		6 20 to 29 days	2	0.0
7 All 30 days	3	0.2		
		Missing	43	
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,746	93.6
		2 1 or 2 days	72	3.8
		3 3 to 5 days	25	1.3
		4 6 to 9 days	13	0.5
		5 10 to 19 days	5	0.1
		6 20 to 29 days	4	0.4
7 All 30 days	2	0.2		
		Missing	61	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,281	72.7
		2 1 or 2 days	274	16.8
		3 3 to 5 days	103	6.1
		4 6 to 9 days	42	2.4
		5 10 to 19 days	20	1.3
		6 20 to 29 days	7	0.2
		7 All 30 days	8	0.5
	Missing	193		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,648	89.9
		2 1 day	97	4.9
		3 2 days	41	2.2
		4 3 to 5 days	30	2.3
		5 6 to 9 days	9	0.3
		6 10 to 19 days	2	0.2
		7 20 or more days	5	0.3
	Missing	96		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1 I did not drink alcohol during the past 30 days	1,295	73.3
		2 1 or 2 drinks	250	15.4
		3 3 drinks	67	3.7
		4 4 drinks	29	1.4
		5 5 drinks	31	2.6
		6 6 or 7 drinks	34	2.1
		7 8 or 9 drinks	11	0.6
		8 10 or more drinks	22	0.8
	Missing	189		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,253	71.5
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	55	3.2
		3	I bought it at a restaurant, bar, or club	16	0.9
		4	I bought it at a public event such as a concert or sporting event	13	0.3
		5	I gave someone else money to buy it for me	47	2.2
		6	Someone gave it to me	146	10.3
		7	I took it from a store or family member	95	6.1
		8	I got it some other way	104	5.5
		Missing	199		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,276	67.2
		2	8 years old or younger	22	1.0
		3	9 or 10 years old	17	1.0
		4	11 or 12 years old	88	6.3
		5	13 or 14 years old	239	13.6
		6	15 or 16 years old	179	9.5
		7	17 years old or older	27	1.4
		Missing	80		
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,507	82.2
		2	1 or 2 times	124	6.9
		3	3 to 9 times	97	5.6
		4	10 to 19 times	31	1.6
		5	20 to 39 times	22	1.5
		6	40 or more times	44	2.2
		Missing	103		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,766	95.5
		2 1 or 2 times	32	2.8
		3 3 to 9 times	14	0.8
		4 10 to 19 times	5	0.4
		5 20 to 39 times	5	0.1
		6 40 or more times	4	0.4
	Missing	102		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,811	98.6
		2 1 or 2 times	20	0.8
		3 3 to 9 times	4	0.2
		4 10 to 19 times	6	0.2
		5 20 to 39 times	1	0.0
		6 40 or more times	2	0.2
	Missing	84		
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,808	98.8
		2 1 or 2 times	15	0.5
		3 3 to 9 times	6	0.1
		4 10 to 19 times	4	0.1
		5 20 to 39 times	2	0.2
		6 40 or more times	3	0.2
	Missing	90		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,758	95.3
		2 1 or 2 times	46	3.2
		3 3 to 9 times	15	0.8
		4 10 to 19 times	8	0.4
		5 20 to 39 times	1	0.0
		6 40 or more times	3	0.3
	Missing	97		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,779	98.2
		2 1 time	22	1.3
		3 2 or more times	9	0.5
		Missing	118	
90-90	Q59	Have you ever had sexual intercourse?		
		1 Yes	526	29.6
		2 No	1,123	70.4
		Missing	279	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,117	70.5
		2 11 years old or younger	45	2.7
		3 12 years old	33	2.6
		4 13 years old	85	4.1
		5 14 years old	137	7.8
		6 15 years old	117	5.7
		7 16 years old	71	4.1
		8 17 years old or older	37	2.5
		Missing	286	
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,104	70.4
		2 1 person	214	12.5
		3 2 people	100	5.5
		4 3 people	66	3.5
		5 4 people	43	2.5
		6 5 people	24	1.7
		7 6 or more people	71	3.9
		Missing	306	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,114	70.6
		2	I have had sexual intercourse, but not during the past 3 months	183	11.4
		3	1 person	267	14.3
		4	2 people	35	2.2
		5	3 people	13	0.4
		6	4 people	7	0.4
		7	5 people	4	0.3
		8	6 or more people	7	0.4
		Missing	298		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,111	70.7
		2	Yes	69	4.2
		3	No	446	25.1
		Missing	302		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,107	72.3
		2	Yes	327	19.9
		3	No	154	7.9
		Missing	340		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,098	72.5
		2	No method was used to prevent pregnancy	87	4.4
		3	Birth control pills	50	3.0
		4	Condoms	260	15.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	12	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	22	1.6
		7	Withdrawal or some other method	33	2.1
		8	Not sure	12	0.5
		Missing	354		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
97-97	Q66	How do you describe your weight?			
		1	Very underweight	71	3.0
		2	Slightly underweight	212	12.8
		3	About the right weight	866	52.0
		4	Slightly overweight	469	25.8
		5	Very overweight	99	6.4
		Missing	211		
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	845	49.1
		2	Gain weight	299	16.7
		3	Stay the same weight	274	16.2
		4	I am not trying to do anything about my weight	283	18.1
		Missing	227		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	417	26.8
		2	1 to 3 times during the past 7 days	616	36.6
		3	4 to 6 times during the past 7 days	273	14.7
		4	1 time per day	92	5.4
		5	2 times per day	107	6.1
		6	3 times per day	67	3.9
		7	4 or more times per day	106	6.4
		Missing	250		
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	334	18.9
		2	1 to 3 times during the past 7 days	700	39.9
		3	4 to 6 times during the past 7 days	291	18.3
		4	1 time per day	119	7.9
		5	2 times per day	106	7.5
		6	3 times per day	37	2.9
		7	4 or more times per day	84	4.5
		Missing	257		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	453 31.3
		2	1 to 3 times during the past 7 days	646 38.2
		3	4 to 6 times during the past 7 days	295 16.7
		4	1 time per day	88 4.9
		5	2 times per day	72 4.1
		6	3 times per day	34 2.0
		7	4 or more times per day	57 2.7
			Missing	283
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1	I did not drink milk during the past 7 days	509 30.8
		2	1 to 3 glasses during the past 7 days	522 32.5
		3	4 to 6 glasses during the past 7 days	217 13.8
		4	1 glass per day	164 10.8
		5	2 glasses per day	104 7.5
		6	3 glasses per day	31 2.3
		7	4 or more glasses per day	48 2.3
			Missing	333
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1	0 days	227 12.5
		2	1 day	151 9.9
		3	2 days	186 9.8
		4	3 days	177 10.4
		5	4 days	120 7.9
		6	5 days	123 7.1
		7	6 days	92 7.0
		8	7 days	523 35.5
	Missing	329		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	297 18.1
		2	1 day	142 8.8
		3	2 days	215 16.7
		4	3 days	209 12.7
		5	4 days	151 10.9
		6	5 days	192 12.2
		7	6 days	84 5.6
		8	7 days	217 15.0
	Missing	421		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	343	25.7
		2	Less than 1 hour per day	226	15.7
		3	1 hour per day	171	12.1
		4	2 hours per day	264	18.7
		5	3 hours per day	196	11.5
		6	4 hours per day	114	5.6
		7	5 or more hours per day	183	10.7
		Missing	431		
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	289	18.7
		2	Less than 1 hour per day	183	11.2
		3	1 hour per day	188	13.0
		4	2 hours per day	218	16.0
		5	3 hours per day	197	14.0
		6	4 hours per day	119	8.7
		7	5 or more hours per day	275	18.4
		Missing	459		
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	164	11.4
		2	1 day	70	6.2
		3	2 days	344	31.8
		4	3 days	325	21.7
		5	4 days	133	4.9
		6	5 days	410	23.8
		Missing	482		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	424	28.8
		2 No	932	67.4
		3 Not sure	56	3.7
		Missing	516	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	618	21.2
		2 Brooklyn	312	27.9
		3 Manhattan	774	34.4
		4 Queens	194	14.8
		5 Staten Island	20	1.7
Missing	10			
119-119	Q88	How long have you lived in the United States?		
		1 I have always lived in the United States	1,510	79.8
		2 Less than 1 year	15	0.5
		3 1 to 3 years	39	1.4
		4 4 to 6 years	55	2.8
		5 More than 6 years but not my whole life	287	15.5
Missing	22			
120-120	Q89	How often do the people in your home speak a language other than English?		
		1 Never	442	24.4
		2 Rarely	204	12.1
		3 Sometimes	316	16.7
		4 Most of the time	442	23.2
		5 Always	504	23.6
Missing	20			
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,625	83.8
		2 1 time	122	6.8
		3 2 or 3 times	76	4.0
		4 4 or 5 times	32	1.7
		5 6 or more times	56	3.7
Missing	17			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	366	20.1
		2 No	1,482	79.9
		Missing	80	
123-123	Q92	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,367	75.7
		2 Less than 1 month ago	40	2.6
		3 1 to 3 months ago	45	2.6
		4 4 to 6 months ago	43	2.6
		5 7 to 12 months ago	49	3.3
		6 13 or more months ago	193	13.2
	Missing	191		
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,685	91.2
		2 I bought them in a store such as a convenience store, supermarket, or gas station	41	3.0
		3 I bought them on the Internet	8	0.4
		4 I bummed them	13	0.8
		5 Someone gave them to me or bought them for me	46	3.4
		6 I stole them	7	0.2
		7 I got them some other way	18	1.1
	Missing	110		
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	122	9.3
		2 No	1,637	90.7
		Missing	169	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	273	16.9
		2 No	1,593	83.1
		Missing	62	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,335	70.8
		2 I do not have a usual type	98	5.9
		3 Beer	53	3.3
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	73	3.9
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	14	0.8
		6 Wine	37	1.8
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	214	11.3
		8 Some other type	42	2.2
	Missing	62		
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,710	93.2
		2 1 time	42	2.2
		3 2 or 3 times	34	2.0
		4 4 or 5 times	12	0.5
		5 6 or 7 times	9	0.5
		6 8 or 9 times	3	0.3
		7 10 or 11 times	4	0.1
		8 12 or more times	18	1.2
	Missing	96		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	1,739	93.4
		2	1 time	24	2.0
		3	2 or 3 times	30	1.8
		4	4 or 5 times	14	1.1
		5	6 or 7 times	2	0.1
		6	8 or 9 times	6	0.5
		7	10 or 11 times	1	0.0
		8	12 or more times	14	1.2
		Missing	98		
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	1,128	70.5
		2	I have had sexual intercourse, but not during the past 3 months	137	7.3
		3	Never	86	4.1
		4	Rarely	28	1.1
		5	Sometimes	38	2.1
		6	Most of the time	57	3.1
		7	Always	199	11.7
		Missing	255		
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	1,128	71.1
		2	I have had sexual intercourse, but I have never used a condom	67	3.1
		3	Yes, the condom broke, tore, or slipped off	34	1.6
		4	No, the condom did not break, tear, or slip off	399	22.6
		5	Not sure	34	1.7
		Missing	266		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,126	70.7
		2 Yes	54	2.8
		3 No	425	23.4
		4 Not sure	62	3.1
		Missing	261	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it?		
		1 I have never used birth control	1,273	74.5
		2 Community-based clinic or hospital	119	6.1
		3 School-based health center or somewhere else at school	104	4.8
		4 Pharmacy	105	6.7
		5 Bodega or botanica	48	2.5
		6 Someplace else	35	1.8
		7 Not sure	64	3.7
Missing	180			
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	377	19.6
		2 6th grade or earlier	331	19.6
		3 7th grade	267	16.7
		4 8th grade	266	16.1
		5 9th grade	243	16.9
		6 10th grade	61	1.9
		7 11th or 12th grade	40	3.2
		8 Not sure	126	5.9
Missing	217			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	27	1.2
		2 No	1,583	95.9
		3 Not sure	45	2.8
		Missing	273	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	878	54.8
		2 Females	368	23.0
		3 Males	306	17.9
		4 Females and males	102	4.3
		Missing	274	
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	1,450	85.1
		2 Gay or lesbian	37	2.4
		3 Bisexual	155	6.9
		4 Not sure	77	5.6
		Missing	209	
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	295	16.9
		2 1 to 3 times during the past 7 days	640	35.3
		3 4 to 6 times during the past 7 days	319	18.5
		4 1 time per day	194	14.2
		5 2 times per day	94	8.1
		6 3 times per day	31	2.1
		7 4 or more times per day	80	4.8
		Missing	275	
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	328	19.6
		2 1 to 3 times during the past 7 days	884	57.4
		3 4 to 6 times during the past 7 days	267	14.8
		4 1 time per day	75	4.8
		5 2 times per day	41	1.6
		6 3 times per day	14	0.7
		7 4 or more times per day	29	1.3
		Missing	290	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	402	26.3
		2	1 to 3 times during the past 7 days	660	40.3
		3	4 to 6 times during the past 7 days	267	17.2
		4	1 time per day	93	5.4
		5	2 times per day	77	4.6
		6	3 times per day	49	2.3
		7	4 or more times per day	74	3.9
		Missing	306		
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	243	14.6
		2	Whole milk	464	29.0
		3	2% milk or reduced fat milk	397	24.2
		4	1% milk or low-fat milk	197	13.0
		5	Skim milk or non-fat milk	52	4.2
		6	Soy milk	77	5.4
		7	Not sure	161	9.6
		Missing	337		
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	205	6.7
		2	I ride a bike all the way to school	15	0.7
		3	I use public transportation, such as a subway or city bus	1,194	89.4
		4	I ride a school bus	19	0.7
		5	I drive or ride in a car or other private vehicle	47	2.5
		Missing	448		
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	1,052	79.1
		2	Less than 10 minutes	123	5.3
		3	10 to 20 minutes	174	6.1
		4	21 to 29 minutes	45	2.8
		5	30 or more minutes	95	6.8
		Missing	439		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not take the bus or use public transportation to get to school	233	8.5
		2 I do not walk or bike to a bus stop or subway station to get to school	67	5.7
		3 I walk to the bus stop or subway station	1,084	84.7
		4 I ride a bike to the bus stop or subway station	14	1.1
		Missing	530	
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	268	13.0
		2 Less than 10 minutes	742	57.3
		3 10 to 20 minutes	258	18.8
		4 21 to 29 minutes	56	4.6
		5 30 or more minutes	94	6.3
		Missing	510	
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	208	13.9
		2 At least once a month	99	6.6
		3 A few times a year	360	26.0
		4 Never	848	53.4
		Missing	413	
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	437	27.9
		2 1 day	153	11.1
		3 2 days	230	17.0
		4 3 days	222	14.0
		5 4 days	122	10.1
		6 5 days	144	8.3
		7 6 days	58	2.9
		8 7 days	124	8.7
		Missing	438	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	522	34.9
		2	1 day	190	14.9
		3	2 days	223	17.5
		4	3 days	177	12.5
		5	4 days	96	5.9
		6	5 days	244	14.3
		Missing	476		
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	71	3.3
		2	Yes	1,140	81.1
		3	No	223	15.7
		Missing	494		
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	315	18.9
		2	No	909	66.6
		3	Not sure	175	14.5
		Missing	529		
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	529	40.7
		2	Yes	250	15.7
		3	No	581	38.4
		4	Not sure	59	5.2
		Missing	509		
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	765	48.9
		2	Rarely	328	26.5
		3	Sometimes	192	15.2
		4	Most of the time	81	5.5
		5	Always	47	3.9
		Missing	515		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?		
		1 0 times	1,313	93.2
		2 1 or 2 times	47	2.2
		3 3 to 9 times	25	2.1
		4 10 to 19 times	13	0.7
		5 20 to 39 times	11	1.2
		6 40 or more times	7	0.6
		Missing	512	
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?		
		1 I do not listen to a personal music player with head phones	79	6.2
		2 Less than one hour	132	9.8
		3 1 to 4 hours (for example, 1 hour per day for 3 days per week)	309	22.0
		4 5 to 9 hours (for example, 1 hour per day for 7 days per week)	250	20.7
		5 10 or more hours (for example, at least 2 hours per day for 5 days per week)	487	36.7
		6 Not sure	79	4.5
		Missing	592	
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?		
		1 I do not listen to a personal music player with head phones	78	6.0
		2 Lower than 1/2 maximum volume	131	13.0
		3 About 1/2 maximum volume	251	18.9
		4 About 3/4 maximum volume	413	31.6
		5 At the maximum volume	397	26.0
		6 Not sure	54	4.4
		Missing	604	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	220	15.5
		2 Yes	484	30.9
		3 No	675	53.6
		Missing	549	
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	344	24.5
		2 1 time per week	143	13.0
		3 2 times per week	174	14.6
		4 3 times per week	195	14.5
		5 4 times per week	142	9.5
		6 5 times per week	136	8.3
		7 6 times per week	54	4.0
		8 7 or more times per week	218	11.5
		Missing	522	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	955	83.0
		2 No	144	17.0
		Missing	829	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	17	4.8
		2 No	394	95.2
		Missing	1,517	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	143	7.4
		2 No	1,722	92.6
		Missing	63	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	31	1.5
		2 No	1,857	98.5
		Missing	40	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	61	2.5
		2 No	1,830	97.5
		Missing	37	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	201	7.3
		2 No	1,699	92.7
		Missing	28	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	115	5.6
		2 No	1,804	94.4
		Missing	9	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	458	22.9
		2 No	1,459	77.1
		Missing	11	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	114	10.6
		2 No	914	89.4
		Missing	900	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	99	8.2
		2 No	945	91.8
		Missing	884	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	237	12.2
		2 No	1,670	87.8
		Missing	21	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	181	9.5
		2 No	1,717	90.5
		Missing	30	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	552	29.2
		2 No	1,349	70.8
		Missing	27	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	266	14.7
		2 No	1,627	85.3
		Missing	35	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	119	6.6
		2 No	1,525	93.4
		Missing	284	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	35	2.0
		2 No	1,588	98.0
		Missing	305	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	417	26.1
		2 No	1,404	73.9
		Missing	107	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	114	7.7
		2 No	1,713	92.3
		Missing	101	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	4	3.3
		2 No	108	96.7
		Missing	1,816	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	58	3.7
		2 No	1,751	96.3
		Missing	119	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	64	2.3
		2 No	1,821	97.7
		Missing	43	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	121	6.4
		2 No	1,746	93.6
		Missing	61	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	454	27.3
		2 No	1,281	72.7
		Missing	193	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	184	10.1
		2 No	1,648	89.9
		Missing	96	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	22	0.8
		2 No	1,717	99.2
		Missing	189	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	143	36.3
		2 No	305	63.7
		Missing	1,480	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	127	8.3
		2 No	1,721	91.7
		Missing	80	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	318	17.8
		2 No	1,507	82.2
		Missing	103	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	60	4.5
		2 No	1,766	95.5
		Missing	102	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	33	1.4
		2 No	1,811	98.6
		Missing	84	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	30	1.2
		2 No	1,808	98.8
		Missing	90	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	73	4.7
		2 No	1,758	95.3
		Missing	97	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	31	1.8
		2 No	1,779	98.2
		Missing	118	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	526	29.6
		2 No	1,123	70.4
		Missing	279	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	78	5.3
		2 No	1,564	94.7
			Missing	286
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	138	8.1
		2 No	1,484	91.9
			Missing	306
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	333	18.1
		2 No	1,297	81.9
			Missing	298
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	50	14.1
		2 No	274	85.9
			Missing	1,604
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	191	66.9
		2 No	112	33.1
			Missing	1,625
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	41	13.0
		2 No	260	87.0
			Missing	1,627

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
243-243	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	568	32.3
		2 No	1,149	67.7
		Missing	211	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	845	49.1
		2 No	856	50.9
		Missing	227	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,261	73.2
		2 No	417	26.8
		Missing	250	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,337	81.1
		2 No	334	18.9
		Missing	257	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	251	13.8
		2 No	1,394	86.2
		Missing	283	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	79	4.6
		2 No	1,516	95.4
		Missing	333	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days		
		1 Yes	523	35.5
		2 No	1,076	64.5
		Missing	329	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	493	32.8
		2 No	1,014	67.2
		Missing	421	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	493	27.7
		2 No	1,004	72.3
		Missing	431	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	591	41.1
		2 No	878	58.9
		Missing	459	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,282	88.6
		2 No	164	11.4
		Missing	482	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	424	28.8
		2 No	988	71.2
		Missing	516	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,144	65.6
		2 No	774	34.4
		Missing	10	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	15	0.5
		2 No	1,891	99.5
		Missing	22	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	946	46.8
		2 No	962	53.2
		Missing	20	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	286	16.2
		2 No	1,625	83.8
		Missing	17	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	366	20.1
		2 No	1,482	79.9
		Missing	80	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	177	11.0
		2 No	1,560	89.0
		Missing	191	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	41	3.0
		2 No	1,777	97.0
		Missing	110	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1 Yes	122	9.3
		2 No	1,637	90.7
		Missing	169	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1 Yes	273	16.9
		2 No	1,593	83.1
		Missing	62	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	214	48.5
		2 No	219	51.5
		Missing	1,495	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	122	6.8
		2 No	1,710	93.2
		Missing	96	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	91	6.6
		2 No	1,739	93.4
		Missing	98	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	199	53.0
		2 No	209	47.0
			Missing	1,520
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	34	1.6
		2 No	1,628	98.4
			Missing	266
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	54	2.8
		2 No	1,613	97.2
			Missing	261
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school		
		1 Yes	104	4.8
		2 No	1,644	95.2
			Missing	180
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	1,208	74.5
		2 No	503	25.5
			Missing	217
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	27	1.2
		2 No	1,628	98.8
			Missing	273

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	102	4.3
		2 No	1,552	95.7
			Missing	274
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	192	9.4
		2 No	1,527	90.6
			Missing	209
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	399	29.3
		2 No	1,254	70.7
			Missing	275
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	159	8.3
		2 No	1,479	91.7
			Missing	290
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	293	16.2
		2 No	1,329	83.8
			Missing	306
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	249	17.2
		2 No	1,342	82.8
			Missing	337

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	220	7.3
		2 No	1,260	92.7
		Missing	448	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	140	9.5
		2 No	1,349	90.5
		Missing	439	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	1,098	85.8
		2 No	300	14.2
		Missing	530	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	408	29.7
		2 No	1,010	70.3
		Missing	510	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	667	46.6
		2 No	848	53.4
		Missing	413	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	670	44.0
		2 No	820	56.0
		Missing	438	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	930	65.1
		2 No	522	34.9
		Missing	476	
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,140	81.1
		2 No	294	18.9
		Missing	494	
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	315	18.9
		2 No	1,084	81.1
		Missing	529	
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	250	15.7
		2 No	1,169	84.3
		Missing	509	
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	128	9.4
		2 No	1,285	90.6
		Missing	515	
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	103	6.8
		2 No	1,313	93.2
		Missing	512	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	737	57.4
		2 No	599	42.6
		Missing	592	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	1,061	76.6
		2 No	263	23.4
		Missing	604	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	484	30.9
		2 No	895	69.1
		Missing	549	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	919	62.4
		2 No	487	37.6
		Missing	522	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	23	2.2
		2 No	1,804	97.8
		Missing	101	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	179	10.8
		2 No	1,607	89.2
		Missing	142	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	30	10.3
		2 No	271	89.7
			Missing	1,627
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	71	23.3
		2 No	230	76.7
			Missing	1,627
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	25	11.0
		2 No	272	89.0
			Missing	1,631
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	49	15.0
		2 No	252	85.0
			Missing	1,627
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	426	27.5
		2 No	1,223	72.5
			Missing	279

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	128	6.7
		2 No	1,521	93.3
			Missing	279
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	847	52.7
		2 No	802	47.3
			Missing	279
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	292	18.0
		2 No	1,357	82.0
			Missing	279
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	453	31.3
		2 No	1,192	68.7
			Missing	283
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	163	8.8
		2 No	1,482	91.2
			Missing	283
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	91	4.7
		2 No	1,554	95.3
			Missing	283
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	509	30.8
		2 No	1,086	69.2
			Missing	333

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	347	22.9
		2 No	1,248	77.1
		Missing	333	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	183	12.1
		2 No	1,412	87.9
		Missing	333	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	227	12.5
		2 No	1,372	87.5
		Missing	329	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	410	23.8
		2 No	1,036	76.2
		Missing	482	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	297	18.1
		2 No	1,210	81.9
		Missing	421	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	217	15.0
		2 No	1,290	85.0
		Missing	421	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	326	19.2
		2	No	1,439	80.8
			Missing	163	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	247	13.2
		2	No	1,518	86.8
			Missing	163	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	15	0.2
		2	Asian	157	13.6
		3	Black or African American	535	27.9
		4	Native Hawaiian/other PI	12	0.2
		5	White	85	11.8
		6	Hispanic/Latino	496	23.1
		7	Multiple - Hispanic	501	22.0
		8	Multiple - Non-Hispanic	53	1.2
			Missing	74	
404-406	Q6ORIG				
407-409	Q7ORIG				