


뉴욕 시의 미성년자 음주와 관련된 사실

뉴욕 시(NYC) 청소년(12-20 세)의 4 분의 1 가량(27%)이 지난 30 일 동안 음주한 적이 있습니다. 16 퍼센트는 지난 30 일 동안 최소한 한 번은 5 잔 이상(과음) 음주를 했습니다.¹

미성년자 음주가 왜 문제일까요?

21 세 이전에 음주를 시작한 사람들은 알코올 사용 장애를 보일 위험성이 높습니다.²





음주는 안전하지 못한 성적 행위, 음주 운전, 몸싸움과 같은 폭력의 행사나 연루 등의 위험한 행동과 연관되어 있습니다.

미국에서는 알코올과 관련된 부상(살인, 자살, 의도치 않은 부상)으로 인해 매해 21 세 미만 미성년자 5,000 명이 목숨을 잃습니다.


2011년에는 21 세 미만 뉴욕 시민 중 약 7,000 명이 알코올 관련 문제로 응급실을 찾았습니다(뉴욕 시민 21 세 미만 100,000 명 당 320 명 진료).³

NYC 공립 고교 학생들의 음주에 대해 얼마나 알고 계시나요?⁴




뉴욕 시 공립 고교 학생들은 보통 어떤 술을 마시고 주로 어디에서 구입할까요?

5명 중 1명이 스스로 술을 구입



반 이상이 독주(Liquor)를 마심




*Smirnoff Ice나 Hard Lemonade와 같은 향첨가 맥아 음료 및 Bartles & Jaymes와 같은 와인 콜러 포함


21 세 미만 미성년자들이 주류를 구입하는 것이 얼마나 쉽나요?

2014 년, 뉴욕 주 주류국(Liquor Authority)의 잠복 수사관이 911 여 곳의 뉴욕 시 매장을 방문해 미성년자에 대한 주류 판매 실태를 조사했으며, 이 중 반 이상(58%)이 미성년자에게 주류를 판매했습니다.

와인과 독주(Liquor) 소매업체도 맥주 소매업체만큼 미성년자에게 자주 주류를 판매



최근 위반 소환장을 받은 매장은 신분증을 요구할 가능성이 높으며 미성년자에게 주류를 판매할 가능성이 낮다



¹ SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010-2012.

² Hingson RW, Heeren T, Winter MR. Age at Drinking Onset and Alcohol Dependence: Age at Onset, Duration, and Severity. *Arch Pediatr Adolesc Med.* 2006;160(7):739-746.

³ Drug Abuse Warning Network, 2011: Selected Tables of National Estimates of Drug-Related Emergency Department Visits.

⁴ New York City Department of Health and Mental Hygiene. Bureau of Alcohol and Drug Use Prevention, Care, and Treatment - Youth Risk Behavior Survey 2013