

Number and percent of women who smoked three months prior to conception by select sociodemographic characteristics: NYC PRAMS, 2010

Characteristic	Number	Percent	95% CI
Overall			
2010 Births	10,334	9.2	7.5 - 11.3
Age			
19 and under	980	11.2	4.6 - 24.6
20 to 24	2,069	10.9	6.9 - 16.6
25 to 34	6,220	10.2	7.9 - 13.1
35 and over	1,065	4.6	2.6 - 8.1
Race/ethnicity			
White non-Hispanic	2,615	8.9	6.0 - 13.1
Black non-Hispanic	2,549	10.5	6.9 - 15.6
Hispanic	3,824	10.4	7.4 - 14.3
Asian/Pacific Islander	629	3.9	1.6 - 9.0
Other**	715	14.1	5.6 - 31.2
Education			
Not a High School Graduate	2,249	8.4	5.3 - 13.0
High School Graduate	2,190	8.5	5.5 - 12.8
Some College	3,895	14.5	10.4 - 20.0
College Graduate	1,870	5.8	3.6 - 9.2
Payment for Prenatal Care			
Medicaid	6,272	9.8	7.6 - 12.7
No Medicaid	4,062	8.4	6.1 - 11.6
Nativity			
US Born	7,019	14.2	11.1 - 17.9
Foreign born	3,315	5.3	3.7 - 7.6
Borough of residence			
Bronx	2,846	13.1	8.9 - 18.9
Brooklyn	3,005	7.7	5.2 - 11.2
Manhattan	1,831	11.3	6.9 - 18.1
Queens	2,102	7.0	4.4 - 10.9
Staten Island	550	11.3	4.8 - 24.2

* Notes.

1. Question #27: In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

Answers:

41 cigarettes or more	21 to 40 cigarettes
11 to 20 cigarettes	6 to 10 cigarettes
1 to 5 cigarettes	Less than 1 cigarette
I didn't smoke then	

[Women who reported smoking any cigarettes were counted as smokers.]

2. Totals for each category may not equal overall total due to missing data or rounding.

3. Data are weighted and are based on responses of 1,436 NYC women giving birth in 2010.

** estimates based on <60 respondents and may not be reliable.