


Reported Primary and Secondary (P&S) Syphilis New York City 1940-2014*



*Reported cases include males, females, and cases with unknown sex; 2014 rate based on preliminary 2014 data which have been annualized.

Table of Contents: 4th quarter 2014

Overall quarterly information.....	2
<i>Chlamydia trachomatis</i> case rates by age and sex.....	3
<i>Neisseria gonorrhoeae</i> case rates by age and sex.....	4
<i>Chlamydia trachomatis</i> by neighborhood.....	5 - 6
<i>Neisseria gonorrhoeae</i> by neighborhood.....	7 - 8
Adolescent & young adult <i>Chlamydia trachomatis</i> trends.....	9
Adolescent & young adult <i>Neisseria gonorrhoeae</i> trends.....	9
Adolescent <i>Chlamydia trachomatis</i> by STD clinic.....	10
Young adult <i>Chlamydia trachomatis</i> by STD clinic.....	11
Adolescent <i>Neisseria gonorrhoeae</i> by STD clinic.....	12
Young adult <i>Neisseria gonorrhoeae</i> by STD clinic.....	13
HIV testing in NYC STD clinics.....	14
Neonatal herpes cases by sex, and by HSV type.....	15
Clinic visit information.....	15
Primary & Secondary and congenital syphilis trends.....	16
Fluoroquinolone-resistant <i>Neisseria gonorrhoeae</i>	17
Syphilis seroreactivity among persons attending STD clinics.....	17
<i>Chlamydia trachomatis</i> cases by sex, and provider type.....	18
<i>Neisseria gonorrhoeae</i> cases by sex, and provider type.....	19
Primary & Secondary syphilis by neighborhood (map).....	20
<i>Chlamydia trachomatis</i> by neighborhood (map).....	21
<i>Neisseria gonorrhoeae</i> by neighborhood (map).....	22
List of STD clinics/ Citation information.....	23

Article 11 of the New York City Health Code requires that physicians and laboratories report the following diseases to the Bureau of STD Control:

- **Chlamydia** (*Chlamydia trachomatis*)
- **Gonorrhea** (*Neisseria gonorrhoeae*)
- **Syphilis** (*Treponema pallidum*)
- **Chancroid** (*Haemophilus ducreyi*)
- **Granuloma inguinal** (*Klebsiella granulomatis*)
- **Lymphogranuloma venereum/LGV** (*Chlamydia trachomatis* L1, L2, L3)
- **Neonatal herpes** (*herpes simplex virus*)

Table 1. Cumulative cases of sexually transmitted diseases reported to the New York City Department of Health and Mental Hygiene (NYC DOHMH) Bureau of STD Control (BSTDC) through 4th quarter 2014 (January 01 - December 31, 2014) and 4th quarter 2013 (January 01 - December 31, 2013), and number and case rate per 100,000 population for full year 2013.

	2014 through 4 th Quarter	2013 through 4 th Quarter	2013 Full Year	
	N	N	N	Case Rate/100,000
Chlamydia¹	59276	58098	58098	710.67
Female	37715	38121	38121	888.07
Male	21503	19902	19902	512.60
Gonorrhea¹	13891	13500	13500	165.13
Female	3924	4740	4740	110.42
Male	9924	8702	8702	224.13
P&S Syphilis¹	1265	1167	1167	14.27
Female	34	27	27	0.63
Male	1224	1133	1133	29.18
Early Latent Syphilis¹	1873	1740	1740	21.28
Female	125	156	156	3.63
Male	1734	1571	1571	40.46
Late latent Syphilis^{1,2}	2343	2230	2230	27.28
Female	495	521	521	12.14
Male	1835	1698	1698	43.73
Neurosyphilis^{1,3}	25	28	28	0.34
Female	2	3	3	0.07
Male	23	24	24	0.62
Tertiary Syphilis¹	0	0	0	0.00
Female	0	0	0	0.00
Male	0	0	0	0.00
Congenital Syphilis^{1,4}	21	6	6	5.43
Chancroid	0	0	0	0.00
Female	0	0	0	0.00
Male	0	0	0	0.00
Granuloma Inguinale	0	0	0	0.00
Female	0	0	0	0.00
Male	0	0	0	0.00
Lymphogranuloma Venereum	10	6	6	0.07
Female	0	0	0	0.00
Male	10	5	5	0.13
Neonatal Herpes⁴	11	13	13	11.76
Female	3	3	3	5.56
Male	8	10	10	17.66

¹ Total case numbers and case rates include cases with unknown sex in addition to males and females


² Includes 'Latent syphilis of unknown duration'; N=0 (through 4th quarter 2014); 366 (through 4th quarter 2013); 366 (full year 2013).

NOTE: Beginning in 2005, NYC adopted the Centers for Disease Control and Prevention surveillance case definitions. A category of late latent syphilis previously defined as a syphilis treponemal titer $\geq 1:32$ among persons aged 13-45 was redefined as a syphilis treponemal titer $\geq 1:32$ among persons ages 13-35.

³ In 2005, CDC changed the requirements for how neurosyphilis should be reported from local and state health departments. Prior to 2005, a diagnosis of neurosyphilis could not be given in conjunction with another syphilis diagnosis (ie. neurosyphilis was a 'stand-alone' diagnosis). Beginning in 2005, syphilis of all stages is classified with respect to the presence or absence of neurologic involvement. Neurosyphilis cases reported in 2005 and thereafter, are, therefore, among syphilis cases of all stages.

⁴ Case rates calculated using previous year's live births as denominator.


Figure 1a. Chlamydia reported to the NYC DOHMH. Case rates (per 100,000 population) by age and sex*, full year 2013.



*Excludes persons reported without information on sex or age.

Note: Because the majority of Chlamydia trachomatis infections are asymptomatic, sex-specific differences in reported chlamydia case numbers and case rates may be largely explained by the fact that females are more commonly screened than males.

Figure 1b. Gonorrhea reported to the NYC DOHMH. Case rates (per 100,000 population) by age and sex*, full year 2013.



*Excludes persons reported without information on sex or age.

Note: Gonorrhea infection detected at more than one anatomic site from the same person at the same time is counted as a single case of gonorrhea.

Table 2.1. *Chlamydia trachomatis* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old female persons, full year 2013, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group¹, and neighborhood².

Citywide *Chlamydia trachomatis*, Female

	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³
BRONX	11047	1494		3871	6855		3790	6705		1582	2813		764	1437	
Crotona	2075	1882	2	743	7729	3	706	7801	2	286	3237	3	146	1835	1
Fordham	1921	1444	6	665	6172	8	645	5633	10	281	2518	8	136	1327	8
Kingsbridge	298	596	24	82	2868	22	108	3262	19	55	1674	18	21	621	25
Morrisania	2131	1916	1	735	7889	1	778	8712	1	293	3458	1	144	1805	3
Mott Haven	1279	1787	3	472	7817	2	423	7036	5	172	2946	6	97	1833	2
Northeast Bronx	1396	1325	11	470	6659	6	490	7064	4	222	3268	2	91	1373	7
Pelham	1717	1087	14	590	5456	13	597	5509	11	252	2125	15	119	1017	15
Unknown Neighborhood	230			114			43			21			10		
BROOKLYN	12082	913		3609	4298		4071	4107		2062	1766		982	929	
Bensonhurst	263	256	38	36	713	39	78	1270	38	66	822	29	36	464	33
Borough Park	537	320	37	99	861	38	157	1264	39	116	888	28	55	472	32
Canarsie	1003	926	15	323	4444	15	342	4828	14	159	2304	9	77	1119	11
Coney Island	615	408	30	166	1963	29	198	2079	26	111	1135	24	57	647	22
Crown Heights	2652	1507	5	818	6913	4	921	6536	6	431	2640	7	219	1475	5
Downtown Heights	678	572	25	199	3696	18	233	2911	24	119	811	31	56	367	38
East Flatbush	2194	1344	9	650	6233	7	708	5981	8	385	2998	5	177	1495	4
East New York	1668	1649	4	566	6699	5	613	7329	3	249	3151	4	100	1428	6
Greenpoint	244	381	31	47	1341	34	81	1289	37	71	724	34	22	305	40
Sunset Park	516	831	18	98	2463	25	162	3110	22	98	1539	20	65	1184	9
Williamsburg	1447	1334	10	499	6146	9	509	5001	13	214	1927	17	103	1151	10
Unknown Neighborhood	265			108			69			43			15		
MANHATTAN	6488	775		1746	4342		2400	3020		1190	1176		499	636	
Central Harlem	1272	1438	7	394	5802	12	488	5646	9	196	2279	10	81	1118	12
Chelsea	394	557	26	70	2387	27	147	1978	27	90	818	30	48	571	26
East Harlem	797	1371	8	251	5888	11	316	6416	7	114	2250	12	40	918	16
Gramercy Park	270	370	32	32	1532	31	116	1217	40	68	543	40	24	310	39
Greenwich Village	151	357	33	7	646	41	55	1191	41	43	659	37	25	521	29
Lower Manhattan	148	546	27	16	1354	33	67	1949	28	33	722	35	15	414	35
Union Square	723	688	21	206	3035	21	239	1948	29	147	1128	25	59	644	23
Upper East Side	300	244	39	32	1070	36	109	1357	35	90	570	39	33	261	41
Upper West Side	414	347	34	101	2434	26	157	1756	32	65	537	41	41	384	37
Washington Heights	1561	1207	12	469	5906	10	561	4823	15	270	2265	11	107	1087	14
Unknown Neighborhood	458			168			145			74			26		
QUEENS	7477	649		2041	3032		2525	3192		1279	1372		642	721	
Astoria	495	478	28	123	2826	23	158	1878	31	100	684	36	58	504	30
Bayside	98	212	41	17	707	40	32	1420	33	20	760	33	14	489	31
Flushing	576	424	29	83	1248	35	168	2080	25	96	1029	26	61	639	24
Forest Hills	437	340	35	100	1641	30	145	1941	30	83	808	32	49	459	34
Fresh Meadows	173	340	35	41	1366	32	53	1396	34	34	893	27	18	533	28
Jamaica	1685	1093	13	578	5219	14	577	5041	12	244	2242	13	118	1101	13
Rockaway	497	815	19	147	3494	19	186	4643	16	89	2234	14	27	670	21
Southeast Queens	890	849	17	289	4241	17	313	4482	18	139	2055	16	54	808	18
Southwest Queens	839	618	23	219	2331	28	313	3228	21	140	1371	23	70	728	20
West Queens	1591	689	20	375	2814	24	513	3023	23	312	1505	21	157	785	19
Unknown Neighborhood	196			69			67			22			16		
STATEN ISLAND	1027	425		341	2125		371	2412		140	950		66	430	
Port Richmond	329	911	16	124	4301	16	117	4563	17	37	1553	19	22	864	17
South Beach	144	148	42	30	497	42	64	1134	42	23	427	42	8	139	42
Stapleton	425	665	22	150	3356	20	148	3256	20	60	1390	22	23	540	27
Willowbrook	99	223	40	26	980	37	34	1294	36	17	643	38	11	395	36
Unknown Neighborhood	30			11			8			3			2		
TOTAL NYC	38121	888		11608	4397		13157	3992		6253	1636		2953	864	

¹ Does not include cases with unknown sex or age;

² Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to nyc.gov/health.

³ Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

Table 2.2. *Chlamydia trachomatis* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old male persons, full year 2013, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group¹, and neighborhood².

Citywide *Chlamydia trachomatis*, Male

	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³
BRONX	5104	794		1182	2016		1737	3167		973	2008		501	1142	
Crotona	843	879	7	196	2029	7	256	3017	7	188	2665	2	80	1272	9
Fordham	850	710	13	181	1639	10	307	2744	10	154	1516	14	88	1004	12
Kingsbridge	169	413	22	32	1153	19	52	1739	21	35	1250	17	22	757	17
Morrisania	889	922	5	208	2177	5	305	3668	2	166	2372	4	78	1221	11
Mott Haven	841	1293	1	198	3014	1	307	4901	1	168	3255	1	85	1865	1
Northeast Bronx	663	777	10	150	2053	6	223	3581	4	118	2064	7	78	1539	3
Pelham	708	506	18	149	1271	14	268	2357	13	129	1220	18	65	656	20
Unknown Neighborhood	141			68			19			15			5		
BROOKLYN	5765	488		1124	1296		1716	1775		1296	1222		741	763	
Bensonhurst	107	111	40	9	160	41	28	422	42	30	378	39	15	195	40
Borough Park	188	115	38	23	183	40	56	428	41	40	304	41	35	297	36
Canarsie	455	525	16	90	1261	16	149	2177	18	100	1722	12	49	918	14
Coney Island	216	160	35	30	336	36	72	725	32	55	584	31	33	383	32
Crown Heights	1389	972	4	299	2532	2	407	3300	5	296	2322	5	168	1467	5
Downtown Heights	409	387	25	73	1455	12	104	1514	23	110	938	22	55	406	30
East Flatbush	978	734	11	191	1795	9	303	2813	9	209	1927	9	132	1378	7
East New York	720	831	8	191	2196	4	238	3014	8	128	2017	8	71	1285	8
Greenpoint	210	334	28	16	446	31	35	627	35	71	752	27	48	593	24
Sunset Park	176	268	31	31	700	27	43	699	33	37	520	35	28	442	28
Williamsburg	744	729	12	132	1590	11	238	2258	15	185	1611	13	84	913	15
Unknown Neighborhood	173			39			43			35			23		
MANHATTAN	4957	669		512	1399		1310	2133		1167	1375		766	1016	
Central Harlem	825	1112	2	117	1915	8	261	3637	3	183	2517	3	109	1779	2
Chelsea	742	1000	3	19	1019	22	102	2002	20	172	1788	11	136	1413	6
East Harlem	476	919	6	96	2219	3	156	3075	6	109	2175	6	63	1503	4
Gramercy Park	256	416	21	5	369	35	52	912	30	58	587	30	47	626	22
Greenwich Village	270	652	14	8	815	25	67	2220	17	84	1498	15	47	932	13
Lower Manhattan	98	376	27	10	1238	17	26	996	28	22	524	34	22	571	25
Union Square	481	513	17	49	851	24	110	1154	26	124	1066	20	80	857	16
Upper East Side	185	189	33	12	432	34	41	854	31	48	451	36	43	412	29
Upper West Side	315	313	29	25	650	28	75	1209	25	67	748	28	45	491	27
Washington Heights	947	794	9	116	1325	13	313	2565	11	227	1882	10	124	1224	10
Unknown Neighborhood	362			55			107			73			50		
QUEENS	3653	335		641	878		1107	1318		796	852		460	514	
Astoria	383	379	26	35	710	26	86	1123	27	109	790	25	62	501	26
Bayside	47	112	39	6	224	38	12	511	38	10	393	38	7	265	38
Flushing	176	142	37	19	274	37	36	432	39	46	527	33	26	293	37
Forest Hills	182	155	36	29	442	33	45	613	36	35	369	40	30	298	35
Fresh Meadows	80	174	34	14	445	32	20	552	37	21	568	32	8	248	39
Jamaica	721	533	15	135	1175	18	262	2326	14	146	1430	16	72	755	18
Rockaway	228	422	20	52	1150	20	90	2380	12	32	904	24	23	710	19
Southeast Queens	401	441	19	89	1264	15	150	2231	16	74	1200	19	35	599	23
Southwest Queens	330	253	32	62	630	30	97	953	29	73	740	29	36	376	34
West Queens	1008	404	23	172	1084	21	277	1219	24	233	919	23	154	638	21
Unknown Neighborhood	97			28			32			17			7		
STATEN ISLAND	423	186		74	438		176	1095		86	564		37	255	
Port Richmond	135	394	24	29	957	23	55	2029	19	25	998	21	9	392	31
South Beach	65	71	42	9	139	42	26	431	40	13	228	42	7	126	42
Stapleton	170	284	30	29	642	29	75	1628	22	34	783	26	15	381	33
Willowbrook	45	109	41	6	209	39	19	698	34	12	444	37	5	183	41
Unknown Neighborhood	8			1			1			2			1		
TOTAL NYC	19902	513		3533	1300		6046	1932		4318	1241		2505	782	

¹ Does not include cases with unknown sex or age;

² Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to nyc.gov/health.

³ Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

Table 3.1. *Neisseria gonorrhoeae* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old female persons, full year 2013, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group¹, and neighborhood².Citywide *Neisseria gonorrhoeae*, Female

	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³
BRONX	1569	212		574	1016		478	846		224	398		101	190	
Crotona	301	273	2	103	1071	6	93	1028	3	43	487	6	27	339	1
Fordham	257	193	9	97	900	8	72	629	13	41	367	9	13	127	14
Kingsbridge	29	58	23	7	245	28	13	393	19	3	91	27	0	0	40
Morrisania	288	259	4	105	1127	4	103	1153	1	36	425	7	17	213	5
Mott Haven	206	288	1	83	1375	1	55	915	5	32	548	4	13	246	2
Northeast Bronx	225	213	8	86	1218	3	63	908	6	39	574	2	13	196	6
Pelham	219	139	13	72	666	11	73	674	11	27	228	15	13	111	17
Unknown Neighborhood	44			21			6			3			5		
BROOKLYN	1493	113		449	535		466	470		271	232		112	106	
Bensonhurst	18	18	41	3	59	37	1	16	42	7	87	28	2	26	34
Borough Park	34	20	37	6	52	38	11	89	37	6	46	33	4	34	32
Canarsie	122	113	16	32	440	19	42	593	14	18	261	12	12	174	10
Coney Island	64	42	27	25	296	25	14	147	28	14	143	19	4	45	26
Crown Heights	413	235	6	133	1124	5	134	951	4	84	515	5	25	168	12
Downtown Heights	84	71	21	28	520	14	25	312	21	14	95	25	6	39	30
East Flatbush	270	165	10	77	738	10	91	769	10	42	327	11	20	169	11
East New York	247	244	5	85	1006	7	71	849	8	46	582	1	17	243	3
Greenpoint	20	31	32	1	29	41	7	111	34	4	41	37	1	14	37
Sunset Park	23	37	30	3	75	34	5	96	36	4	63	31	2	36	31
Williamsburg	163	150	11	42	517	15	59	580	15	25	225	17	17	190	8
Unknown Neighborhood	35			14			6			7			2		
MANHATTAN	812	97		245	609		275	346		144	142		63	80	
Central Harlem	208	235	6	59	869	9	78	902	7	33	384	8	14	193	7
Chelsea	51	72	20	9	307	24	16	215	24	13	118	21	7	83	19
East Harlem	157	270	3	55	1290	2	51	1036	2	29	572	3	10	230	4
Gramercy Park	23	32	31	7	335	23	6	63	39	5	40	38	1	13	38
Greenwich Village	8	19	39	1	92	33	1	22	41	3	46	33	2	42	29
Lower Manhattan	11	41	29	3	254	26	5	145	30	2	44	35	0	0	40
Union Square	73	70	22	27	398	22	24	196	25	14	107	24	4	44	27
Upper East Side	33	27	34	1	33	40	11	137	31	7	44	35	7	55	23
Upper West Side	64	54	24	18	434	20	20	224	23	15	124	20	5	47	25
Washington Heights	120	93	18	38	479	18	42	361	20	14	117	22	10	102	18
Unknown Neighborhood	64			27			21			9			3		
QUEENS	708	61		216	321		216	273		114	122		57	64	
Astoria	43	42	27	11	253	27	10	119	33	9	62	32	5	43	28
Bayside	11	24	35	1	42	39	3	133	32	2	76	30	2	70	21
Flushing	32	24	35	10	150	31	5	62	40	1	11	42	2	21	35
Forest Hills	24	19	39	4	66	35	8	107	35	3	29	41	1	9	39
Fresh Meadows	15	30	33	4	133	32	7	184	27	3	79	29	1	30	33
Jamaica	225	146	12	73	659	12	75	655	12	39	358	10	12	112	16
Rockaway	57	93	18	21	499	17	17	424	18	9	226	16	2	50	24
Southeast Queens	112	107	17	42	616	13	36	515	17	14	207	18	9	135	13
Southwest Queens	70	52	25	19	202	29	28	289	22	11	108	23	6	62	22
West Queens	104	45	26	24	180	30	25	147	28	19	92	26	16	80	20
Unknown Neighborhood	15			7			2			4			1		
STATEN ISLAND	158	65		42	262		56	364		23	156		13	85	
Port Richmond	50	139	13	12	416	21	20	780	9	6	252	14	3	118	15
South Beach	15	15	42	4	66	35	4	71	38	2	37	40	1	17	36
Stapleton	74	116	15	23	515	16	25	550	16	11	255	13	8	188	9
Willowbrook	9	20	37	0	0	42	5	190	26	1	38	39	0	0	40
Unknown Neighborhood	10			3			2			3			1		
TOTAL NYC	4740	110		1526	578		1491	452		776	203		346	101	

¹ Does not include cases with unknown sex or age;² Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to nyc.gov/health.³ Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

Table 3.2. *Neisseria gonorrhoeae* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old male persons, full year 2013, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group¹, and neighborhood².

	Citywide <i>Neisseria gonorrhoeae</i> , Male														
	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³	N	Rate	Rank ³
BRONX	1934	301		307	524		617	1125		430	887		231	526	
Crotona	333	347	9	50	517	8	99	1167	9	84	1191	7	38	604	10
Fordham	352	294	13	53	480	10	110	983	12	69	679	14	54	616	8
Kingsbridge	65	159	25	8	288	17	9	301	31	21	750	13	11	379	17
Morrisania	376	390	7	64	670	3	126	1515	4	89	1272	5	43	673	6
Mott Haven	277	426	4	54	822	1	102	1628	3	59	1143	9	27	592	12
Northeast Bronx	237	278	14	30	411	12	90	1445	5	48	840	11	31	612	9
Pelham	269	192	20	35	299	16	78	686	17	59	558	18	23	232	27
Unknown Neighborhood	25			13			3			1			4		
BROOKLYN	2389	202		276	318		623	645		646	609		370	381	
Bensonhurst	39	40	39	0	0	42	7	105	39	11	139	38	7	91	36
Borough Park	76	46	36	3	24	39	21	160	38	22	167	35	9	76	38
Canarsie	142	164	24	24	336	14	46	672	19	31	534	21	18	337	19
Coney Island	69	51	35	10	112	32	22	222	36	18	191	34	7	81	37
Crown Heights	646	452	3	87	737	2	156	1265	6	166	1302	3	111	969	3
Downtown Heights	200	189	21	13	259	22	38	553	23	56	477	23	37	273	24
East Flatbush	341	256	15	45	423	11	85	789	15	91	839	12	57	595	11
East New York	294	339	10	42	483	9	94	1190	8	79	1245	6	28	507	14
Greenpoint	126	200	19	8	223	25	22	394	27	39	413	24	29	358	18
Sunset Park	54	82	33	9	203	29	5	81	41	16	225	32	8	126	34
Williamsburg	335	328	11	26	313	15	112	1062	10	102	888	10	48	522	13
Unknown Neighborhood	67			9			15			15			11		
MANHATTAN	2982	403		145	396		663	1080		737	868		551	731	
Central Harlem	477	643	2	37	606	6	120	1672	2	142	1953	1	76	1240	2
Chelsea	669	901	1	11	590	7	118	2316	1	131	1362	2	155	1611	1
East Harlem	214	413	5	27	624	4	64	1262	7	64	1277	4	28	668	7
Gramercy Park	149	242	16	2	148	31	21	368	28	33	334	27	24	320	20
Greenwich Village	145	350	8	6	612	5	21	696	16	31	553	19	41	813	5
Lower Manhattan	48	184	22	3	371	13	15	574	22	10	238	31	7	182	30
Union Square	280	299	12	16	278	19	61	640	21	71	610	16	47	504	15
Upper East Side	113	116	29	2	72	35	19	396	26	32	301	29	20	192	29
Upper West Side	212	210	18	11	286	18	54	870	13	52	580	17	22	240	25
Washington Heights	489	410	6	18	206	28	124	1016	11	138	1144	8	96	947	4
Unknown Neighborhood	186			12			46			33			35		
QUEENS	1247	114		126	173		303	361		315	337		200	223	
Astoria	213	211	17	5	101	34	33	431	24	69	500	22	49	396	16
Bayside	13	31	40	1	37	36	7	298	32	1	39	42	0	0	42
Flushing	35	28	41	1	14	41	8	96	40	12	138	39	4	45	40
Forest Hills	73	62	34	2	30	38	18	245	35	15	158	36	14	139	32
Fresh Meadows	21	46	36	5	159	30	6	166	37	5	135	40	3	93	35
Jamaica	246	182	23	25	218	27	76	675	18	66	646	15	28	293	21
Rockaway	59	109	30	12	265	20	13	344	29	14	396	25	9	278	23
Southeast Queens	137	151	27	16	227	24	44	655	20	34	551	20	17	291	22
Southwest Queens	110	84	32	11	112	32	33	324	30	22	223	33	15	157	31
West Queens	310	124	28	42	265	20	58	255	34	70	276	30	57	236	26
Unknown Neighborhood	30			6			7			7			4		
STATEN ISLAND	150	66		20	118		54	336		35	230		16	110	
Port Richmond	52	152	26	7	231	23	23	848	14	8	319	28	3	131	33
South Beach	15	16	42	1	15	40	3	50	42	7	123	41	3	54	39
Stapleton	62	104	31	10	221	26	19	412	25	15	346	26	9	229	28
Willowbrook	17	41	38	1	35	37	8	294	33	4	148	37	1	37	41
Unknown Neighborhood	4			1			1			1			0		
TOTAL NYC	8702	224		874	322		2260	722		2163	621		1368	427	

¹ Does not include cases with unknown sex or age;

² Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to nyc.gov/health.

³ Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

Figure 2a. Chlamydia among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2014*.





Figure 2b. Gonorrhea among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2014*.



* 2014 rate based on preliminary data which have been annualized.

Table 4.1. Chlamydia positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates¹ by clinic site and sex, for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	Chlamydia cases, 15-19 years old, BSTDC Clinics								
	2014 through 4 th Quarter			2013 through 4 th Quarter			2013 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
Central Harlem	303	52	(17)	344	54	(16)	344	54	(16)
Female	190	29	(15)	237	29	(12)	237	29	(12)
Male	113	23	(20)	105	25	(24)	105	25	(24)
Chelsea	477	61	(13)	560	53	(9)	560	53	(9)
Female	251	36	(14)	328	38	(12)	328	38	(12)
Male	226	25	(11)	231	15	(6)	231	15	(6)
Corona	132	20	(15)	209	33	(16)	209	33	(16)
Female	90	13	(14)	144	19	(13)	144	19	(13)
Male	40	7	(18)	65	14	(22)	65	14	(22)
Crown Heights	715	146	(20)	675	134	(20)	675	134	(20)
Female	515	94	(18)	497	94	(19)	497	94	(19)
Male	199	52	(26)	178	40	(22)	178	40	(22)
Fort Greene	750	118	(16)	1026	193	(19)	1026	193	(19)
Female	515	76	(15)	744	126	(17)	744	126	(17)
Male	235	42	(18)	282	67	(24)	282	67	(24)
Jamaica	1000	158	(16)	1413	243	(17)	1413	243	(17)
Female	786	108	(14)	1122	184	(16)	1122	184	(16)
Male	212	50	(24)	291	59	(20)	291	59	(20)
Manhattanville²	253	29	(11)	166	18	(11)	166	18	(11)
Female	170	19	(11)	118	13	(11)	118	13	(11)
Male	82	10	(12)	48	5	(10)	48	5	(10)
Morrisania	642	100	(16)	950	163	(17)	950	163	(17)
Female	451	63	(14)	651	97	(15)	651	97	(15)
Male	191	37	(19)	298	66	(22)	298	66	(22)
Richmond³	0	0	(0)	11	3	(27)	11	3	(27)
Female	0	0	(0)	6	1	(17)	6	1	(17)
Male	0	0	(0)	5	2	(40)	5	2	(40)
Overall	4272	684	(16)	5354	894	(17)	5354	894	(17)
Female	2968	438	(15)	3847	601	(16)	3847	601	(16)
Male	1298	246	(19)	1503	293	(19)	1503	293	(19)

¹ Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

² From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

³ Richmond Clinic closed for patient intake as of June 1, 2013.

Table 4.2. Chlamydia positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates¹ by clinic site and sex, for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

Chlamydia cases, 20-24 years old, BSTDC Clinics

	2014 through 4 th Quarter			2013 through 4 th Quarter			2013 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
Central Harlem	1699	178	(10)	1751	196	(11)	1751	196	(11)
Female	846	61	(7)	960	75	(8)	960	75	(8)
Male	849	116	(14)	790	121	(15)	790	121	(15)
Chelsea	3531	308	(9)	3612	324	(9)	3612	324	(9)
Female	1430	117	(8)	1429	118	(8)	1429	118	(8)
Male	2094	190	(9)	2181	206	(9)	2181	206	(9)
Corona	592	69	(12)	637	77	(12)	637	77	(12)
Female	296	31	(10)	307	36	(12)	307	36	(12)
Male	295	38	(13)	330	41	(12)	330	41	(12)
Crown Heights	2121	294	(14)	1637	247	(15)	1637	247	(15)
Female	1134	117	(10)	947	102	(11)	947	102	(11)
Male	986	177	(18)	689	145	(21)	689	145	(21)
Fort Greene	2467	301	(12)	3056	412	(13)	3056	412	(13)
Female	1402	135	(10)	1824	199	(11)	1824	199	(11)
Male	1059	166	(16)	1225	212	(17)	1225	212	(17)
Jamaica	2621	334	(13)	3360	460	(14)	3360	460	(14)
Female	1589	159	(10)	2133	226	(11)	2133	226	(11)
Male	1026	175	(17)	1226	234	(19)	1226	234	(19)
Manhattanville²	1249	122	(10)	833	87	(10)	833	87	(10)
Female	576	50	(9)	395	22	(6)	395	22	(6)
Male	669	72	(11)	438	65	(15)	438	65	(15)
Morrisania	2214	310	(14)	2868	368	(13)	2868	368	(13)
Female	1238	122	(10)	1587	146	(9)	1587	146	(9)
Male	975	188	(19)	1276	222	(17)	1276	222	(17)
Richmond³	0	0	(0)	58	10	(17)	58	10	(17)
Female	0	0	(0)	23	0	(0)	23	0	(0)
Male	0	0	(0)	35	10	(29)	35	10	(29)
Overall	16494	1916	(12)	17812	2181	(12)	17812	2181	(12)
Female	8511	792	(9)	9605	924	(10)	9605	924	(10)
Male	7953	1122	(14)	8190	1256	(15)	8190	1256	(15)

¹ Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

² From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

³ Richmond Clinic closed for patient intake as of June 1, 2013.

Table 5.1. Gonorrhea positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates¹ by clinic site and sex, for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	Gonorrhea cases, 15-19 years old, BSTDC Clinics								
	2014 through 4 th Quarter			2013 through 4 th Quarter			2013 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
Central Harlem	303	11	(4)	344	15	(4)	344	15	(4)
Female	190	2	(1)	237	7	(3)	237	7	(3)
Male	113	9	(8)	105	8	(8)	105	8	(8)
Chelsea	477	36	(8)	560	31	(6)	560	31	(6)
Female	251	7	(3)	328	7	(2)	328	7	(2)
Male	226	29	(13)	231	24	(10)	231	24	(10)
Corona	132	2	(2)	209	6	(3)	209	6	(3)
Female	90	0	(0)	144	3	(2)	144	3	(2)
Male	40	2	(5)	65	3	(5)	65	3	(5)
Crown Heights	715	36	(5)	675	42	(6)	675	42	(6)
Female	515	20	(4)	497	20	(4)	497	20	(4)
Male	199	16	(8)	178	22	(12)	178	22	(12)
Fort Greene	750	43	(6)	1026	47	(5)	1026	47	(5)
Female	515	19	(4)	744	23	(3)	744	23	(3)
Male	235	24	(10)	282	24	(9)	282	24	(9)
Jamaica	1000	31	(3)	1413	37	(3)	1413	37	(3)
Female	786	16	(2)	1122	24	(2)	1122	24	(2)
Male	212	15	(7)	291	13	(4)	291	13	(4)
Manhattanville²	253	10	(4)	166	5	(3)	166	5	(3)
Female	170	2	(1)	118	1	(1)	118	1	(1)
Male	82	8	(10)	48	4	(8)	48	4	(8)
Morrisania	642	45	(7)	950	55	(6)	950	55	(6)
Female	451	19	(4)	651	29	(4)	651	29	(4)
Male	191	26	(14)	298	26	(9)	298	26	(9)
Richmond³	0	0	(0)	11	0	(0)	11	0	(0)
Female	0	0	(0)	6	0	(0)	6	0	(0)
Male	0	0	(0)	5	0	(0)	5	0	(0)
Overall	4272	214	(5)	5354	238	(4)	5354	238	(4)
Female	2968	85	(3)	3847	114	(3)	3847	114	(3)
Male	1298	129	(10)	1503	124	(8)	1503	124	(8)

¹ Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

² From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

³ Richmond Clinic closed for patient intake as of June 1, 2013.

Table 5.2. Gonorrhea positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates¹ by clinic site and sex, for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

Gonorrhea cases, 20-24 years old, BSTDC Clinics

	2014 through 4 th Quarter			2013 through 4 th Quarter			2013 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
Central Harlem	1699	92	(5)	1751	95	(5)	1751	95	(5)
Female	846	13	(2)	960	19	(2)	960	19	(2)
Male	849	79	(9)	790	76	(10)	790	76	(10)
Chelsea	3531	190	(5)	3612	208	(6)	3612	208	(6)
Female	1430	13	(1)	1429	19	(1)	1429	19	(1)
Male	2094	177	(8)	2181	189	(9)	2181	189	(9)
Corona	592	21	(4)	637	20	(3)	637	20	(3)
Female	296	3	(1)	307	3	(1)	307	3	(1)
Male	295	17	(6)	330	17	(5)	330	17	(5)
Crown Heights	2121	142	(7)	1637	85	(5)	1637	85	(5)
Female	1134	30	(3)	947	25	(3)	947	25	(3)
Male	986	112	(11)	689	60	(9)	689	60	(9)
Fort Greene	2467	125	(5)	3056	150	(5)	3056	150	(5)
Female	1402	28	(2)	1824	42	(2)	1824	42	(2)
Male	1059	95	(9)	1225	106	(9)	1225	106	(9)
Jamaica	2621	105	(4)	3360	136	(4)	3360	136	(4)
Female	1589	27	(2)	2133	46	(2)	2133	46	(2)
Male	1026	77	(8)	1226	89	(7)	1226	89	(7)
Manhattanville²	1249	72	(6)	833	39	(5)	833	39	(5)
Female	576	7	(1)	395	8	(2)	395	8	(2)
Male	669	65	(10)	438	31	(7)	438	31	(7)
Morrisania	2214	127	(6)	2868	155	(5)	2868	155	(5)
Female	1238	32	(3)	1587	46	(3)	1587	46	(3)
Male	975	95	(10)	1276	109	(9)	1276	109	(9)
Richmond³	0	0	(0)	58	1	(2)	58	1	(2)
Female	0	0	(0)	23	0	(0)	23	0	(0)
Male	0	0	(0)	35	1	(3)	35	1	(3)
Overall	16494	874	(5)	17812	889	(5)	17812	889	(5)
Female	8511	153	(2)	9605	208	(2)	9605	208	(2)
Male	7953	717	(9)	8190	678	(8)	8190	678	(8)

¹ Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

² From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

³ Richmond Clinic closed for patient intake as of June 1, 2013.

Table 6. Anonymous and confidential¹ HIV antibody testing performed at the NYC DOHMH BSTDC clinics. HIV positivity rates for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

HIV rapid and conventional tests at BSTDC clinics

	2014 through 4 th Quarter		2013 through 4 th Quarter		2013 Full Year							
	Rapid Tests		Conventional Tests ³		Rapid Tests		Conventional Tests ³					
	N	(%)	N	(% ²)	N	(%)	N	(% ²)				
Confidential												
Total Tests	53756		25		55790		15		55790		15	
Receiving / Returning for Test Result	52644	(97.9)	5	(20.0)	54472	(97.6)	2	(13.3)	54472	(97.6)	2	(13.3)
Positive Results												
Total Tests	386	(0.7)	3	(12.0)	414	(0.7)	3	(20.0)	414	(0.7)	3	(20.0)
Receiving / Returning for Test Result	377	(97.7)	2	(66.7)	407	(98.3)	2	(66.7)	407	(98.3)	2	(66.7)
Anonymous												
Total Tests	1633		1		1760		0		1760		0	
Receiving / Returning for Test Result	1630	(99.8)	0	(0.0)	1750	(99.4)	0	(0.0)	1750	(99.4)	0	(0.0)
Positive Results												
Total Tests	15	(0.9)	0	(0.0)	17	(1.0)	0	(0.0)	17	(1.0)	0	(0.0)
Receiving / Returning for Test Result	15	(100.0)	0	(0.0)	16	(94.1)	0	(0.0)	16	(94.1)	0	(0.0)
Confidential & Anonymous												
Total Tests	55389		26		57550		15		57550		15	
Receiving / Returning for Test Result	54274	(98.0)	5	(19.2)	56222	(97.7)	2	(13.3)	56222	(97.7)	2	(13.3)
Positive Results												
Total Tests	401	(0.7)	3	(11.5)	431	(0.7)	3	(20.0)	431	(0.7)	3	(20.0)
Receiving / Returning for Test Result	392	(97.8)	2	(66.7)	423	(98.1)	2	(66.7)	423	(98.1)	2	(66.7)

¹ Anonymous testing uses codes for identification; confidential testing uses patient names.

² The percentage of persons returning for HIV test results with a conventional test may increase with time since testing.

³ Tested by conventional test only (no rapid test done).

Table 7. Neonatal herpes cases reported to the NYC DOHMH. 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	2014 through 4 th Quarter		2013 through 4 th Quarter		2013 Full Year	
	N	(%)	N	(%)	N	(%)
Female	3	(27)	3	(23)	3	(23)
HSV Type						
HSV-1	1	(33)	1	(33)	1	(33)
HSV-2	2	(67)	1	(33)	1	(33)
Untyped	0	(0)	0	(0)	0	(0)
Unknown ¹	0	(0)	1	(33)	1	(33)
Male	8	(73)	10	(77)	10	(77)
HSV Type						
HSV-1	4	(50)	3	(30)	3	(30)
HSV-2	2	(25)	3	(30)	3	(30)
Untyped	1	(13)	0	(0)	0	(0)
Unknown ¹	1	(13)	4	(40)	4	(40)
Total Cases	11	(100)	13	(100)	13	(100)
Total Deaths	1	(9)	3	(23)	3	(23)

¹ Provider reported cases which lack laboratory confirmation.


Table 8. Number of visits, to NYC DOHMH BSTDC clinics, inclusive of all reasons for visit, 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

Clinic	2014 through 4 th Quarter		2013 through 4 th Quarter		2013 Full Year	
	N	(%)	N	(%)	N	(%)
Central Harlem	8910	(10.7)	9069	(10.2)	9069	(10.2)
Chelsea	19243	(23.2)	21127	(23.8)	21127	(23.8)
Corona	3641	(4.4)	3938	(4.4)	3938	(4.4)
Crown Heights	8975	(10.8)	7395	(8.3)	7395	(8.3)
Fort Greene	12472	(15.0)	14736	(16.6)	14736	(16.6)
Jamaica	11942	(14.4)	13789	(15.5)	13789	(15.5)
Manhattanville ¹	6377	(7.7)	4802	(5.4)	4802	(5.4)
Morrisania	11465	(13.8)	13628	(15.4)	13628	(15.4)
Richmond ²	0	(0.0)	280	(0.3)	280	(0.3)
All Clinics	83025	(100.0)	88764	(100.0)	88764	(100.0)

¹ From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

² Richmond Clinic closed for patient intake as of June 1, 2013.

Figure 3. Primary and secondary (P&S) syphilis and congenital syphilis cases reported to the NYC DOHMH. P&S syphilis case rate (per 100,000 population) by sex, and congenital syphilis cases rate (per 100,000 live births*), 1997 through 2014.**



* For 2013 and 2014 congenital rate, live birth denominator based on 2013 preliminary live birth data (Bureau of Vital Statistics, NYC DOHMH)

** 2014 syphilis rates annualized based on preliminary data.

Table 9. Male primary and secondary (P&S) syphilis cases: interview status, report of male sex partner(s) and HIV status, 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	Male P&S Cases								
	2014 through 4 th Quarter ¹			2013 through 4 th Quarter			2013 Full Year		
	N	(%)	Years	N	(%)	Years	N	(%)	Years
Male cases	1224			1133			1133		
Median age of men			32			33			33
Male cases interviewed	814	(67)		810	(71)		810	(71)	
Interviewed male cases reporting sex with men (MSM)	645	(79)		672	(83)		672	(83)	
Interviewed MSM with HIV	294	(57) ²		350	(64) ²		350	(64) ²	
Median age of MSM			30			31			31

¹ Percent of men interviewed underestimated due to reporting time lag and delay in data entry of interviews into the surveillance system.

² Of number MSM with known HIV status.

Table 10. *Neisseria gonorrhoea* culture done, number (percentage) positive, and number (percentage) fluoroquinolone-resistant reported by BSTDC clinics, 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	2014 through 4 th Quarter					2013 through 4 th Quarter					2013 Full Year				
	Gc Culture Done ¹		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant	Gc Culture Done ¹		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant	Gc Culture Done ¹		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant
	N	N (%)	N (%)	N (%)	N (%)	N	N (%)	N (%)	N (%)	N (%)	N	N (%)	N (%)	N (%)	N (%)
Female	1487	18 (1)	0 (0)	0 (0)	1730	22 (1)	4 (18)	1730	22 (1)	4 (18)	1730	22 (1)	4 (18)	4 (18)	
Anatomic Site															
Anal	16	0 (0)	0 (0)	0 (0)	33	2 (6)	0 (0)	33	2 (6)	0 (0)	33	2 (6)	0 (0)	0 (0)	
Oral	238	0 (0)	0 (0)	0 (0)	346	2 (1)	2 (100)	346	2 (1)	2 (100)	346	2 (1)	2 (100)	2 (100)	
Cervical	1233	18 (1)	0 (0)	0 (0)	1351	18 (1)	2 (11)	1351	18 (1)	2 (11)	1351	18 (1)	2 (11)	2 (11)	
Male	8211	368 (4)	98 (27)	98 (27)	11611	746 (6)	206 (28)	11611	746 (6)	206 (28)	11611	746 (6)	206 (28)	206 (28)	
Anatomic Site															
Anal	419	40 (10)	11 (28)	11 (28)	3225	118 (4)	41 (35)	3225	118 (4)	41 (35)	3225	118 (4)	41 (35)	41 (35)	
Oral	7082	81 (1)	32 (40)	32 (40)	6690	31 (0)	10 (32)	6690	31 (0)	10 (32)	6690	31 (0)	10 (32)	10 (32)	
Urethral	710	247 (35)	55 (22)	55 (22)	1696	597 (35)	155 (26)	1696	597 (35)	155 (26)	1696	597 (35)	155 (26)	155 (26)	
Total	9698	386 (4)	98 (25)	98 (25)	13341	768 (6)	210 (27)	13341	768 (6)	210 (27)	13341	768 (6)	210 (27)	210 (27)	

Isolates with reduced susceptibility to azithromycin: N=2 (through 4th quarter 2014); 0 (through 4th quarter 2013); 0 (full year 2013).

Isolates with reduced susceptibility to cephalosporin: N=0 (through 4th quarter 2014); 0 (through 4th quarter 2013); 0 (full year 2013).

¹ An individual person may contribute more than one test during the interval.

Table 11. Seroreactive syphilis test results for persons¹ attending BSTDC clinics, by sex and sex of partner. Seroreactive syphilis test rates for 4th quarter 2014 (January 01 - December 31, 2014), compared to 4th quarter 2013 (January 01 - December 31, 2013) and full year 2013 (January 01 - December 31, 2013).

	2014 through 4 th Quarter			2013 through 4 th Quarter			2013 Full Year		
	RPRs done	Reactive RPRs ²		RPRs done	Reactive RPRs ²		RPRs done	Reactive RPRs ²	
	N	N (%)	(%)	N	N (%)	(%)	N	N (%)	(%)
Female	15288	256 (2)	(2)	16719	227 (1)	(1)	16719	227 (1)	(1)
Male	24594	1509 (6)	(6)	25220	1297 (5)	(5)	25220	1297 (5)	(5)
MSM	6787	978 (14)	(14)	6921	829 (12)	(12)	6921	829 (12)	(12)
MSW ³	13082	381 (3)	(3)	14211	372 (3)	(3)	14211	372 (3)	(3)
Total	39882	1765 (4)	(4)	41939	1524 (4)	(4)	41939	1524 (4)	(4)

¹ Includes RPR testing from each person's first clinic visit during the interval.

² Reactive tests are those reactive RPR confirmed by reactive FTA.

³ Men reported sex with women only.

Figure 4a. Female *Chlamydia trachomatis* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2014*.





Figure 4b. Male *Chlamydia trachomatis* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2014*.



* 2014 cases based on preliminary data which have been annualized.

** Includes BSTD high school screening program and BSTD outreach screenings.

Figure 5a. Female *Neisseria gonorrhoeae* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2014*.





Figure 5b. Male *Neisseria gonorrhoeae* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2014*.



* 2014 cases based on preliminary data which have been annualized.


** Includes BSTD high school screening program and BSTD outreach screenings.

Figure 6. New York City neighborhoods*.

**United Hospital Fund (UHF) Neighborhoods
New York City**

NYC Boroughs

- Bronx
- Brooklyn
- Manhattan
- Queens
- Richmond



* Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to nyc.gov/health.

Figure 7. Male primary and secondary syphilis reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2013.

**P&S Syphilis Among Men in NYC
Reported 01/01/2013 - 12/31/2013**

Rate / per 100,000

- 0 - 30
- 31 - 88
- 89 - 186




Figure 8a. Female *Chlamydia trachomatis* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2013.

**Chlamydia Among Women in NYC
Reported 01/01/2013 - 12/31/2013**

Rate / per 100,000

- 148 - 596
- 597 - 1093
- 1094 - 1916




Figure 8b. Male *Chlamydia trachomatis* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2013.

**Chlamydia Among Men in NYC
Reported 01/01/2013 - 12/31/2013**

Rate / per 100,000

- 71 - 284
- 285 - 652
- 653 - 1293




Figure 9a. Female *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2013.

**Gonorrhea Among Women in NYC
Reported 01/01/2013 - 12/31/2013**

Rate / per 100,000

- 15 - 72
- 73 - 165
- 166 - 288





Figure 9b. Male *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2013.

**Gonorrhea Among Men in NYC
Reported 01/01/2013 - 12/31/2013**

Rate / per 100,000

- 16 - 211
- 212 - 452
- 453 - 901



The Bureau of STD Control operates **STD clinics and HIV Testing & Counseling sites** throughout the city. BSTDC clinics offer confidential testing and treatment for a spectrum of sexually transmitted diseases. All clinics provide confidential and anonymous HIV testing and counseling. All services are free. These clinics are located in:

Clinics	Address
Central Harlem	2238 5 th Avenue, 3 rd Floor, New York, NY 10037
Chelsea	303 9 th Avenue, 2 nd Floor, New York, NY 10001
Corona	34-33 Junction Blvd, Jackson Heights, NY 11372
Crown Heights	1218 Prospect Place (at Troy Avenue), 2 nd Floor, Brooklyn, NY 11213
Fort Greene	295 Flatbush Avenue Ext, 2 nd Floor, Brooklyn, NY 11201
Jamaica	90-37 Parsons Blvd, 1 st Floor, Jamaica, NY 11432
Manhattanville ¹	21 Old Broadway, New York, NY 10027
Morrisania	1309 Fulton Avenue, 2 nd Floor, Bronx, NY 10456
Richmond ²	51 Stuyvesant Place, 1 st Floor, Staten Island, NY 10301

¹ From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

² Richmond Clinic closed for patient intake as of June 1, 2013.

- Please call 311 to locate the nearest clinic or check our website at www.nyc.gov/health/std.
- Our staff can also assist in partner location and notification for HIV and other STD. Call the Contact Notification Assistance Program (CNAP) at (212) 693-1419.
- For provider reporting of STD:
The Universal Reporting Form (URF) can be obtained by calling 1-866-NYC-DOH1 (1-866-692-3641) or accessing it online at: <http://www.nyc.gov/html/doh/html/hcp/hcp-urf.shtml>
- For provider reporting of HIV/AIDS:
For assistance in reporting a case of HIV/AIDS or to receive Provider Report Forms, please call (212) 442-3388.

Acknowledgements:

Thanks to all the staff of the Surveillance Team for collecting and collating the data presented in the quarterly report, and to Mary Shao for the preparation of this report.

For questions regarding this report, please contact:

Ellen Klingler (eklingl@health.nyc.gov)

or

Preeti Pathela (ppathela@health.nyc.gov)

or

Mary Shao (yshao1@health.nyc.gov)

Published by:

The Bureau of Sexually Transmitted Disease Control
New York City Department of
Health & Mental Hygiene

42-09 28th Street, 20th Floor
Long Island City, NY 11101-4132

Tel: (347) 396-7200

Fax: (347) 396-7369

Suggested citation for use:

The New York City
Department of Health and Mental Hygiene
Bureau of Sexually Transmitted Disease Control
Quarterly Report Vol. 12, No. 4 December 2014.