

NEW ACTIVE TUBERCULOSIS CASES AND RATES BY BOROUGH  
New York City, 1954-1967

Year	New York City	Manhattan	Bronx	Brooklyn	Queens	Richmond
<b>NEW CASES REPORTED</b>						
1954	6,582	3,404	804	1,619	672	83
1955 (*)	6,214	2,994	872	1,644	605	99
1956	6,137	2,895	850	1,700	626	66
1957	6,117	3,002	821	1,598	634	62
1958	5,482	2,602	751	1,501	559	69
1959	4,924	2,290	725	1,371	478	60
1960	4,699	2,141	690	1,359	466	43
1961	4,360	1,832	704	1,318	458	48
1962	4,437	1,746	770	1,380	504	37
1963	4,891	1,913	734	1,615	580	49
1964	4,207	1,562	706	1,406	485	48
1965	4,242	1,647	661	1,388	473	73
1966	3,663	1,395	646	1,132	443	47
1967	3,542	1,333	541	1,180	436	52
<b>CASE RATE PER 100,000 (†)</b>						
1954	84	183	56	61	40	41
1955	79	163	61	62	35	48
1956	79	160	60	65	36	31
1957	78	168	58	61	36	29
1958	70	148	53	57	31	32
1959	63	133	51	52	27	27
1960	60	127	48	52	26	19
1961	56	108	49	50	25	22
1962	57	106	54	53	27	16
1963	63	116	51	62	31	21
1964	54	94	49	54	26	20
1965	53	97	46	53	25	29
1966	46	81	44	43	23	18
1967	44	76	37	45	22	19

(\*)Includes 51 infants, recently tuberculin positive, given prophylactic antimicrobials. (†)Case rates based on revised population estimates taking into account the 1960 enumeration by the U.S. Bureau of Census.

NEW CASES OF ACTIVE TUBERCULOSIS REPORTED IN NEW YORK CITY

By Health Center Districts, 1957-1967

Health District	New Cases Reported During Year										
	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
New York City .....	6117	5482	4924	4699	4360	4437	4891	4207	4242	3663	3542
MANHATTAN.....	3002	2602	2290	2141	1832	1746	1913	1562	1647	1395	1333
Central Harlem .....	658	611	514	581	464	439	515	380	446	351	339
East Harlem .....	277	242	245	168	166	196	189	169	148	142	115
Kips Bay-Yorkville ..	116	95	99	74	65	68	58	66	45	53	54
Lower East Side .....	911	734	655	562	520	416	471	350	418	342	335
Lower West Side .....	568	477	386	325	258	274	288	260	248	199	200
Riverside .....	293	291	263	275	230	228	253	218	208	169	170
Washington Hgts .....	179	152	128	156	129	125	139	119	134	139	120
BRONX .....	821	751	725	690	704	770	734	706	661	646	541
Ford'm Riverdale ....	87	64	75	48	48	66	50	58	52	50	38
Morrisania .....	244	217	201	198	233	264	224	215	192	208	162
Mott Haven .....	245	203	191	234	227	229	211	185	193	154	143
Pelham Bay .....	44	42	60	43	33	45	35	44	41	47	33
Tremont .....	114	130	125	114	99	98	135	137	112	113	101
Westchester .....	87	95	73	53	64	68	79	67	71	74	64
BROOKLYN .....	1598	1501	1371	1359	1318	1380	1615	1406	1388	1132	1180
Bay Ridge .....	76	70	60	58	54	67	71	53	49	54	37
Bedford .....	309	349	286	291	329	329	337	336	345	304	275
Brownsville .....	170	153	165	163	138	178	237	214	189	147	161
Bushwick .....	133	138	109	130	126	156	182	153	137	105	131
Flatbush .....	110	100	94	85	88	76	105	67	107	80	96
Fort Greene .....	251	231	235	213	223	214	239	192	170	151	152
Gravesend .....	66	65	48	66	50	38	64	64	61	49	72
Red Hook-Gowanus ....	173	133	150	136	102	113	141	113	106	88	83
Sunset Park .....	124	88	80	81	66	72	85	73	77	60	73
Wmsbrg.-Greenp't. ...	186	174	144	136	142	137	154	141	147	94	100
QUEENS .....	634	559	478	466	458	504	580	485	473	443	436
Astoria-L.I.C. ....	119	104	79	70	69	72	94	57	61	63	60
Corona .....	90	84	89	70	67	82	84	87	76	75	62
Flushing .....	86	97	77	84	71	75	90	67	62	77	70
Jamaica East .....	173	119	104	121	115	130	158	144	150	110	127
Jamaica West .....	97	99	72	75	88	92	81	93	74	82	79
Maspeth-Forest Hills.	69	56	57	46	48	53	73	37	50	36	38
RICHMOND .....	62	69	60	43	48	37	49	48	73	47	52

NEW CASE RATE  
NEW CASES OF ACTIVE TUBERCULOSIS REPORTED IN NEW YORK CITY

By Health Center Districts, 1957-1967

Health District	New Case Rate Per 100,000 Population †										
	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
NEW YORK CITY .....	78	70	63	60	56	57	63	54	53	46	44
MANHATTAN .....	168	148	133	127	108	106	116	94	97	81	76
Central Harlem .....	276	258	219	250	200	193	226	167	191	149	145
East Harlem .....	151	133	137	95	94	108	104	97	83	79	63
Kips Bay-Yorkville ..	51	43	45	35	30	32	27	30	20	24	22
Lower East Side .....	311	257	236	208	193	161	183	133	154	124	118
Lower West Side .....	190	167	141	125	99	108	114	102	95	75	74
Riverside .....	111	109	98	102	86	91	101	83	77	62	63
Washington Hgts. ....	64	55	47	58	48	47	52	46	51	51	45
BRONX .....	58	53	51	48	49	54	51	49	46	44	37
Ford'm-Riverdale ....	37	27	32	21	21	27	21	25	22	21	16
Morrisania .....	90	81	76	76	89	102	87	83	74	77	61
Mott Haven .....	112	92	86	104	101	106	97	85	87	67	63
Pelham Bay .....	25	24	33	23	18	25	19	23	21	25	17
Tremont .....	42	48	47	43	38	37	51	53	43	42	38
Westchester .....	34	37	28	20	25	25	30	25	26	28	23
BROOKLYN .....	61	57	52	52	50	53	62	54	53	43	45
Bay Ridge .....	26	24	21	20	19	23	25	19	17	19	13
Bedford .....	108	122	100	101	115	115	118	120	122	106	96
Brownsville .....	62	54	56	54	46	56	75	70	61	49	52
Bushwick .....	62	64	50	60	58	74	86	73	65	48	64
Flatbush .....	23	21	20	18	18	16	22	14	22	17	19
Fort Greene .....	114	106	109	99	104	100	112	92	81	70	73
Gravesend .....	23	23	16	22	17	13	21	21	20	16	22
Red Hook-Gowanus ....	104	81	92	84	63	72	90	72	67	54	54
Sunset Park .....	63	45	41	42	34	39	46	39	41	31	39
Wmsbrg.-Greenp't. ...	97	90	75	71	74	74	84	75	78	49	53
QUEENS .....	36	31	27	26	25	27	31	26	25	23	22
Astoria-L.I.C. ....	46	40	31	27	27	28	36	23	24	23	24
Corona .....	43	40	41	32	31	37	38	37	32	32	25
Flushing .....	20	22	17	19	16	16	20	14	12	16	13
Jamaica East .....	61	41	36	41	39	41	50	47	48	35	40
Jamaica West .....	33	33	24	24	28	29	25	29	23	25	23
Maspeth-For. Hills ..	25	20	20	16	17	19	26	13	17	12	13
RICHMOND .....	29	32	27	19	22	16	21	20	29	18	19

†Case rates based on population estimates as of July 1st.

SOURCES OF REPORT, NEW CASES OF ACTIVE TUBERCULOSIS, ALL FORMS  
New York City, 1957-1967

Source of Report	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
<b>NUMBER OF NEW CASES REPORTED</b>											
Hospitals in city .....	3209	3062	2781	2732	2523	2502	2736	2317	2513	1983	2057
Health Dept. clinics .....	1894	1535	1430	1274	1173	1227	1406	1214	1073	1031	954
Other clinics .....	465	406	328	301	267	248	283	288	265	282	206
Private physicians .....	239	247	208	194	199	199	245	191	227	195	187
Sanatoria, out-of-town .....	151	116	88	107	113	108	99	93	72	105	101
Other sources .....	159	116	89	91	85	153	122	104	92	67	37
All sources .....	6117	5482	4924	4699	4360	4437	4891	4207	4242	3663	3542
<b>PERCENT DISTRIBUTION BY SOURCE</b>											
Hospitals in city .....	52.4	55.9	56.5	58.2	57.9	56.4	55.9	55.1	59.2	54.1	58.1
Health Dept. clinics .....	31.0	28.0	29.0	27.1	26.9	27.7	28.8	28.9	25.3	28.2	26.9
Other clinics .....	7.6	7.4	6.4	6.4	6.1	5.6	5.8	6.8	6.2	7.7	5.8
Private physicians .....	3.9	4.5	4.2	4.1	4.6	4.5	5.0	4.5	5.4	5.3	5.3
Sanatoria, out-of-town .....	2.5	2.1	1.8	2.3	2.6	2.4	2.0	2.2	1.7	2.9	2.9
Other sources .....	2.6	2.1	1.8	1.9	1.9	3.4	2.5	2.5	2.2	1.8	1.0
All sources .....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: Included are newly reported cases indentified through death certificates or reported at time of death only.

SOURCES OF REPORT, NEW CASES OF ACTIVE TUBERCULOSIS, BY ETHNIC GROUP AND SEX

New York City, 1967

Source of Report	All* Ethnic Groups		White		Negro		Puerto Rican		Other Ethnic Groups					
	T	F	T	F	T	F	T	F	T	F				
Hospitals in city .....	2057	1397	811	570	241	952	628	324	101	60	41	193	139	54
Health Dept. clinics ..	954	580	246	167	79	380	221	159	201	103	98	127	89	38
Other clinics .....	206	116	63	41	22	76	41	35	23	15	8	44	19	25
Private physicians .....	187	99	83	44	39	11	4	7	2	1	1	91	50	41
Sanatoria, out-of-town	101	80	56	46	10	25	19	6	2	1	1	18	14	4
Other sources .....	37	24	13	10	3	11	6	5	5	1	4	8	7	1
All sources .....	3542	2296	1272	878	394	1455	919	536	334	181	153	481	318	163

\* Totals include persons of other ethnic groups and those whose ethnic group was not reported.  
M-Male, F-Female

NEWLY REPORTED CASES OF ACTIVE PULMONARY TUBERCULOSIS,  
IN PERSONS 10 YEARS OF AGE AND OVER,  
BY STAGE AT TIME OF REPORT

New York City, 1954-1967

Year	Stage of Disease						Un- known †	Dead ‡	Total New Cases *
	Minimal		Mod. Adv.		Far Adv.				
	Num- ber	Per Cent	Num- ber	Per Cent	Num- ber	Per Cent			
1954 .....	935	19.3	2411	49.9	1489	30.8	332	272	5439
1955 .....	834	18.9	2166	49.0	1421	32.1	418	225	5064
1956 .....	902	20.3	2187	49.2	1356	30.5	454	190	5089
1957 .....	827	18.4	2429	54.1	1232	27.5	460	214	5162
1958 .....	764	19.7	2018	52.0	1100	28.3	478	153	4513
1959 .....	731	20.0	1975	54.1	948	25.9	398	144	4196
1960 .....	653	20.4	1585	49.7	954	29.9	564	167	3923
1961 .....	530	18.0	1451	49.4	959	32.6	516	179	3635
1962 .....	504	16.8	1447	48.4	1040	34.8	512	199	3702
1963 .....	689	21.1	1567	47.9	1015	31.0	603	183	4057
1964 .....	564	20.8	1314	48.6	827	30.6	505	171	3381
1965 .....	605	22.5	1231	45.8	851	31.7	525	177	3389
1966 .....	520	23.2	1108	49.5	611	27.3	547	166	2952
1967 .....	437	20.8	1005	47.9	656	31.3	658	137	2893

†Stage of disease unknown.

‡Cases identified through death certificate or reported at time of death only.

\*Pulmonary cases only.

NEWLY REPORTED CASES OF ACTIVE PULMONARY TUBERCULOSIS  
IN PERSONS 10 YEARS OF AGE AND OVER  
BY AGE, SEX AND ETHNIC GROUP BY STAGE AT TIME OF FIRST REPORT

New York City, 1967

Age Ethnic Group	MALES						FEMALES					
	Total	Stage				Dead	Total	Stage				Dead
		Min- imal	Med. Adv.	Far Adv.	Not Rep.			Min- imal	Med. Adv.	Far Adv.	Not Rep.	
<b>WHITE</b>												
10-14 .....	3	-	-	-	3	-	2	-	1	-	1	-
15-24 .....	45	9	23	7	5	1	47	11	18	7	11	-
25-34 .....	62	12	27	12	9	2	61	15	27	10	9	-
35-44 .....	114	16	50	20	24	4	50	13	21	5	10	1
45 + .....	570	66	187	139	129	49	149	22	52	35	27	13
Total ...	794	103	287	178	170	56	309	61	119	57	58	14
<b>NEGRO</b>												
10-14 .....	6	-	-	-	6	-	8	-	2	-	6	-
15-24 .....	73	4	30	24	15	-	63	12	20	17	14	-
25-34 .....	145	23	53	32	31	6	98	21	29	21	27	-
35-44 .....	197	14	73	53	41	13	114	21	32	28	32	1
45 + .....	342	33	114	98	72	25	127	18	39	36	27	7
Total ...	763	77	270	207	165	44	410	72	122	102	106	8
<b>PUERTO RICAN</b>												
10-14 .....	8	2	-	-	6	-	3	-	1	-	2	-
15-24 .....	30	3	19	6	2	-	20	5	9	4	2	-
25-34 .....	31	6	13	8	3	1	33	11	13	6	3	-
35-44 .....	30	7	13	8	2	-	15	6	4	2	1	2
45 + .....	41	5	14	13	7	2	36	15	8	5	8	-
Total ...	140	23	59	35	20	3	107	37	35	17	16	2
<b>OTHER ETHNIC GROUPS</b>												
10-14 .....	2	2	-	-	-	-	1	-	-	-	1	-
15-24 .....	17	4	5	3	5	-	20	5	8	3	4	-
25-34 .....	38	8	14	4	12	-	18	5	7	3	3	-
35-44 .....	38	5	11	8	14	-	21	6	2	3	10	-
45 + .....	165	21	56	26	54	8	50	8	10	10	20	2
Total ...	260	40	86	41	85	8	110	24	27	19	38	2
<b>GRAND TOTAL</b>	1957	243	702	461	440	111	936	194	303	195	218	26

Note: Those with "Age Unknown" are not included.

PULMONARY TUBERCULOSIS NEW CASES,  
DEATHS AND RATIO OF DEATHS  
TO NEWLY REPORTED PULMONARY CASES  
New York City, 1900-1967

Period	New Cases		Deaths		Deaths per 100 New Cases Reported
	Number*	Rate†	Number	Rate†	
1900-04 .....	72,551	396	40,390	220	56
1905-09 .....	109,633	508	44,001	204	40
1910-14 .....	123,605	498	43,592	176	35
1915-19 .....	87,941	326	42,235	156	48
1920-24 .....	63,600	214	26,072	88	41
1925-29 .....	55,878	170	23,191	71	42
1930-34 .....	54,185	154	20,830	59	38
1935-39 .....	43,936	120	19,044	52	43
1940-44 .....	41,328	109	16,516	44	40
1945-49 .....	34,153	88	14,396	37	42
1950 .....	6,518	83	2,154	27	33
1951 .....	6,331	80	1,978	25	31
1952 .....	6,021	77	1,460	18	24
1953 .....	6,110	78	1,183	15	19
1954 .....	5,439	69	1,048	13	19
1955 .....	5,064	65	1,023	13.1	20
1956 .....	5,089	65	916	11.7	18
1957 .....	5,162	66	931	11.9	18
1958 .....	4,513	58	772	9.9	17
1959 .....	4,196	54	736	9.4	18
1960 .....	3,923	50	763	9.8	19
1961 .....	3,635	47	688	8.8	19
1962 .....	3,702	48	694	8.9	19
1963 .....	4,057	52	645	8.3	16
1964 .....	3,381	43	536	6.8	16
1965 .....	3,389	43	552	6.9	16
1966 .....	2,952	37	502	6.2	17
1967 .....	2,893	36	493	6.1	17

†Rate per 100,000 population.

\*Excludes Primary TB.

Note: Number of new cases and deaths prior to 1950, shown above, are totals during each quinquennial period.



NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS

New York City, 1967

ALL ETHNIC GROUPS

Age (in years)	Sex	Total (New Active)	Adult Pulmonary			Primary (Children under 10 years of age)	Mili- ary	Pleural Effusion	Menin- gitis	Other TB	
			Total	M.A.	F.A.						N.S.
	Total	3542	2893	439	1023	723	708	31	127	14	260
All ages . . . .	Male	2296	1957	245	717	517	478	19	88	10	120
	Female	1246	936	194	306	206	230	12	39	4	140
Under 5 . . . . .	Male	68	--	--	--	--	--	--	--	1	7
	Female	69	--	--	--	--	--	--	--	1	6
	Male	49	--	--	--	--	--	--	--	2	5
	Female	55	--	--	--	--	--	--	--	--	2
10-14 . . . . .	Male	29	19	4	--	--	15	--	1	--	9
	Female	26	14	--	4	--	10	--	--	--	12
15-19 . . . . .	Male	67	60	10	31	12	7	--	4	--	3
	Female	71	60	14	22	13	11	--	2	--	9
20-24 . . . . .	Male	134	105	10	46	28	21	--	14	1	14
	Female	117	90	19	33	18	20	--	6	1	20
25-34 . . . . .	Male	315	276	49	108	63	56	2	18	1	18
	Female	248	210	52	76	40	42	2	6	--	30
35-44 . . . . .	Male	410	379	45	149	96	89	2	11	2	16
	Female	231	200	46	60	39	55	4	5	--	22
45-54 . . . . .	Male	445	403	55	138	103	107	6	15	2	19
	Female	151	136	26	47	35	28	1	1	1	12
55-64 . . . . .	Male	359	333	28	116	96	93	2	12	--	12
	Female	125	101	20	29	27	25	1	10	--	13
65-74 . . . . .	Male	258	234	27	76	86	45	4	9	--	11
	Female	87	69	8	19	18	24	3	5	1	9
75 & over . . . . .	Male	145	134	14	49	31	46	2	4	1	4
	Female	52	46	6	15	14	11	1	4	--	1
Not stated . . . . .	Male	17	14	3	4	2	5	1	--	--	2
	Female	14	10	3	1	2	4	--	--	--	4

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS

New York City, 1967

WHITE

Age (in years)	Sex	Total (New Active)	Adult Pulmonary				Primary (Children under 10 years of age)	Mili- ary	Pleural Effusion	Menin- gitis	Other TB
			Total	Min.	M.A.	F.A.					
All ages .....	Total	1272	1103	165	416	265	257	11	37	2	69
	Male	878	794	104	296	203	191	8	26	2	30
	Female	394	309	61	120	62	66	3	11	--	39
Under 5 .....	Male	16	--	--	--	--	--	--	--	--	2
	Female	24	--	--	--	--	--	--	--	--	4
	Male	7	--	--	--	--	--	--	--	1	2
	Female	12	--	--	--	--	--	--	--	--	--
5 - 9 .....	Male	6	3	--	--	--	3	--	1	--	2
	Female	3	2	--	1	--	1	--	--	--	1
10 - 14 .....	Male	15	14	4	8	1	1	--	--	--	1
	Female	20	19	5	4	6	4	--	1	--	--
15 - 19 .....	Male	36	31	5	15	6	5	--	3	--	2
	Female	31	28	6	14	1	7	--	2	--	1
20 - 24 .....	Male	65	62	12	27	13	10	--	3	--	--
	Female	71	61	15	27	10	9	--	1	--	9
25 - 34 .....	Male	123	114	16	51	21	26	2	2	--	5
	Female	57	50	13	21	6	10	1	1	--	5
35 - 44 .....	Male	165	151	22	54	33	42	1	7	--	6
	Female	44	40	7	15	11	7	--	--	--	4
45 - 54 .....	Male	186	176	17	56	55	48	1	6	--	3
	Female	48	40	5	16	8	11	--	2	--	6
55 - 64 .....	Male	151	140	16	51	50	23	3	3	--	5
	Female	46	35	5	13	9	8	1	2	--	8
65 - 74 .....	Male	102	97	10	32	24	31	1	1	1	2
	Female	33	30	4	9	10	7	1	2	--	--
75 & over .....	Male	6	6	2	2	--	2	--	--	--	--
	Female	5	4	1	1	1	2	--	--	--	1

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS  
 New York City, 1967  
 NON-WHITE\*

Age (in years)	Sex	Total (New Active)	Adult Pulmonary				Primary (Children under 10 years of age)	Mili- ary	Pleural Effusion	Menin- gitis	Other TB
			Total	Min.	M.A.	F.A.					
All ages	Total	2270	1790	274	607	458	451	20	90	12	191
	Male	1418	1163	141	421	314	287	11	62	8	90
	Female	852	627	133	186	144	164	9	28	4	101
Under 5	Male	52	--	--	--	--	--	--	--	1	5
	Female	45	--	--	--	--	--	--	--	1	2
	Male	42	--	--	--	--	--	--	--	1	3
5 - 9	Female	43	--	--	--	--	--	--	--	--	2
10 - 14	Male	23	16	4	--	--	12	--	--	--	7
	Female	23	12	--	3	--	9	--	--	--	11
	Male	52	46	6	23	11	6	--	4	--	2
	Female	51	41	9	18	7	7	--	1	--	9
	Male	98	74	5	31	22	16	--	11	1	12
	Female	86	62	13	19	17	13	--	4	1	19
	Male	250	214	37	81	50	46	2	15	1	18
	Female	177	149	37	49	30	33	2	5	--	21
	Male	287	265	29	98	75	63	--	9	2	11
	Female	174	150	33	39	33	45	3	4	--	17
	Male	280	252	33	84	70	65	5	8	2	13
	Female	107	96	19	32	24	21	1	1	1	8
	Male	173	157	11	60	41	45	1	6	--	9
	Female	77	61	15	13	19	14	1	8	--	7
	Male	107	94	11	25	36	22	1	6	--	6
	Female	41	34	3	6	9	16	2	3	1	1
	Male	43	37	4	17	7	9	1	3	--	2
	Female	19	16	2	6	4	4	--	2	--	1
	Male	11	8	1	2	2	3	--	2	--	2
	Female	9	6	1	1	1	2	--	--	--	3

\* The total of 2,270 cases includes Puerto Rican cases and cases with ethnic group not reported as well as all other Non-Whites.

NEWLY REPORTED CASES OF ACTIVE TUBERCULOSIS BY FORM  
New York City, 1957-1967

Year	Total All Forms	Pulmonary		Generalized Military	Meningitis	Pleural Effusion	Other Forms
		10 Years+	Under 10				
1957, Reported during life	5,852	4,948	422	16	25	124	317
	Death Certif. Report 265	214	--	12	21	--	18
Total .....	6,117	5,162	422	28	46	124	335
1958, Reported during life	5,276	4,360	443	18	18	112	325
	Death Certif. Report 206	153	--	20	16	2	15
Total .....	5,482	4,513	443	38	34	114	340
1959, Reported during life	4,752	4,052	337	14	10	87	252
	Death Certif. Report 172	144	--	12	10	1	5
Total .....	4,924	4,196	337	26	20	88	257
1960, Reported during life	4,491	3,756	329	22	17	105	262
	Death Certif. Report 208	167	--	19	13	1	8
Total .....	4,699	3,923	329	41	30	106	270
1961, Reported during life	4,142	3,456	343	19	19	73	232
	Death Certif. Report 218	179	--	17	10	12	--
Total .....	4,360	3,635	343	36	29	85	232
1962, Reported during life	4,197	3,503	298	29	9	100	258
	Death Certif. Report 240	199	1	16	10	1	13
Total .....	4,437	3,702	299	45	19	101	271
1963, Reported during life	4,653	3,874	358	15	15	99	292
	Death Certif. Report 238	183	--	23	13	1	18
Total .....	4,891	4,057	358	38	28	100	310
1964, Reported during life	3,998	3,210	319	20	17	112	320
	Death Certif. Report 209	171	--	15	5	1	17
Total .....	4,207	3,381	319	35	22	113	337
1965, Reported during life	4,013	3,212	270	14	12	139	366
	Death Certif. Report 229	177	2	20	10	6	14
Total .....	4,242	3,389	272	34	22	145	380
1966, Reported during life	3,466	2,786	242	25	18	120	275
	Death Certif. Report 197	166	--	18	6	2	5
Total .....	3,663	2,952	242	43	24	122	280
1967, Reported during life	3,373	2,756	217	18	8	121	253
	Death Certif. Report 169	137	--	13	6	6	7
Total .....	3,542	2,893	217	31	14	127	260

TUBERCULOSIS FIRST REPORTED AT TIME OF DEATH

In 1967, 169 persons with active tuberculosis (all forms) were first reported at time of death. Of these, 137 had pulmonary tuberculosis, 13 military tuberculosis, 6 tuberculosis meningitis, 6 tuberculosis of the pleura and 7 had other forms of tuberculosis.

Out of the 169 persons, 51 were residents of Manhattan, 78 of Brooklyn, 19 of the Bronx, 21 of Queens and 0 of Richmond.

With regard to ethnic group, 80 were White, 67 were Negro, 8 were Puerto Rican and 4 were Oriental; no ethnic data were available for the remaining 10 persons.

NEW CASES OF PULMONARY TUBERCULOSIS  
FIRST REPORTED AT TIME OF DEATH BY BOROUGH†

New York City, 1953-1967

Year	N.Y. City		Manhattan		Bronx		Brooklyn		Queens		Richmond	
	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent
1953 .....	315	5.2	190	6.8	34	4.7	70	4.7	20	2.8	4	5.2
1954 .....	272	5.3	144	5.5	37	5.9	70	5.4	19	3.3	2	2.7
1955 .....	225	4.2	123	4.8	32	4.3	50	3.5	14	2.5	6	6.9
1956 .....	190	3.7	93	3.9	14	2.0	51	3.6	31	5.6	1	1.7
1957 .....	214	4.1	94	3.7	37	5.3	58	4.4	24	4.2	1	1.8
1958 .....	153	3.4	64	3.0	27	4.3	36	3.0	22	4.7	4	6.4
1959 .....	144	3.4	66	3.4	18	2.9	40	3.5	19	4.4	1	1.8
1960 .....	167	4.3	95	5.3	9	1.6	48	4.3	15	3.7	-	0.0
1961 .....	179	4.9	84	5.4	19	3.3	52	4.8	20	5.1	4	9.1
1962 .....	200	5.4	87	5.9	29	4.6	55	4.8	27	6.3	2	5.6
1963 .....	183	4.5	81	5.0	17	2.8	60	4.7	22	4.4	3	6.8
1964 .....	171	5.1	74	5.8	29	5.2	48	4.4	18	4.4	2	4.4
1965 .....	179	5.3	63	4.7	32	6.1	50	4.7	32	8.3	2	3.6
1966 .....	166	5.6	51	4.5	27	5.1	62	6.9	23	6.3	3	7.9
1967 .....	137	4.7	38	3.5	15	3.4	65	7.0	19	5.0	-	0.0

†First identified through certificates or reported at time of death only.

Note: Primary TB cases (Children under 10) not included in computations.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASE RATES\*  
BY ETHNIC GROUP

New York City, 1956-1967

Year	Total	Ethnic Group			
		White	Negro	Puerto Rican	Other
1956 .....	78.6	51.6	215.2	162.0	421.4
1957 .....	78.4	53.4	195.3	159.3	316.5
1958 .....	70.4	46.6	183.0	126.1	250.4
1959 .....	63.2	41.2	159.4	117.2	171.8
1960 .....	60.4	37.5	160.9	102.8	136.2
1961 .....	56.0	32.9	158.2	98.9	127.1
1962 .....	57.0	30.3	156.8	99.4	181.7
1963 .....	62.9	31.4	182.1	103.3	209.8
1964 .....	53.7	25.6	153.6	85.0	160.7
1965 .....	53.3	24.8	159.7	71.4	152.9
1966 .....	45.6	20.9	138.3	57.7	185.0
1967 .....	43.6	21.4	106.8	44.1	161.7

\*Per 100,000 population.

Note: Revised population estimates were used for the first time in 1967 and are in part responsible for the exceptionally large changes in the case rates.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP

New York City, 1966-1967

Ethnic Group	Year		Change 1966-1967	
	1966	1967	Number	Per cent
White .....	1,306	1,272	-34	- 2.6
Negro .....	1,521	1,455	-66	- 4.3
Puerto Rican .....	365	334	-31	- 8.5
Other .....	111	97	-14	- 12.6
Ethnic Group not Reported ...	360	384	+24	+ 6.7
All Ethnic Groups .....	3,663	3,542	-121	- 3.3

MALES: NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE  
By Health Center Districts, New York City, 1967

Health District	Total Male	Age Group											N.S.
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
NEW YORK CITY ....	2,296	68	49	29	67	134	131	184	410	445	359	403	17
MANHATTAN .....	910	25	15	7	24	42	47	70	167	189	153	166	5
Central Harlem ...	216	7	5	-	6	9	13	28	46	51	26	24	1
East Harlem .....	65	4	4	3	5	3	3	7	11	13	6	5	1
Kips Bay-Yorkville	30	-	-	-	-	1	-	-	2	4	7	14	2
Lower East Side ..	253	5	3	3	4	11	11	13	37	60	48	58	-
Lower West Side ..	166	1	-	-	2	5	7	6	36	28	34	47	-
Riverside .....	106	6	3	1	4	9	8	10	22	19	13	10	1
Washington Heights	74	2	-	-	3	4	5	6	13	14	19	8	-
BRONX .....	334	11	12	6	12	27	21	32	72	57	35	47	2
Fordham-Riverdale	21	1	1	-	-	2	1	1	2	4	3	5	1
Morrisania .....	99	1	4	2	3	12	6	10	24	15	9	13	-
Mott Haven .....	89	6	6	2	6	8	4	13	21	14	6	3	-
Pelham Bay .....	20	-	1	-	1	-	1	1	1	7	4	4	-
Tremont .....	68	1	-	2	2	5	7	5	14	12	10	9	1
Westchester.....	37	2	-	-	-	-	2	2	10	5	3	13	-
BROOKLYN .....	737	28	19	14	21	51	46	60	121	150	109	113	5
Bay Ridge .....	26	1	-	-	-	-	-	-	3	5	10	7	-
Bedford .....	171	9	4	3	7	11	9	19	35	40	16	18	-
Brownsville .....	90	2	2	3	6	4	8	10	15	15	15	9	1
Bushwick .....	73	8	3	2	3	12	4	8	11	13	3	6	-
Flatbush .....	62	-	-	-	-	3	2	4	8	11	16	15	3
Fort Greene .....	98	1	4	1	2	9	8	11	20	21	9	12	-
Gravesend .....	55	1	2	-	1	3	5	-	11	11	8	13	-
Red Hook-Gowanus .	56	2	1	2	1	2	2	3	9	9	13	12	-
Sunset Park .....	49	3	3	1	1	2	4	1	1	9	10	13	1
Wmsbrg.-Greenpoint	57	1	-	2	-	5	4	4	8	16	9	8	-
QUEENS .....	281	4	3	1	8	14	17	21	48	39	53	69	4
Astoria-L.I.C. ...	41	-	-	-	-	4	4	3	7	4	11	8	-
Corona .....	36	-	1	-	-	-	3	4	6	4	9	8	1
Flushing .....	48	1	-	-	2	3	1	1	9	2	14	13	2
Jamaica East .....	75	1	-	1	2	4	7	7	14	11	10	17	1
Jamaica West .....	54	2	1	-	3	2	2	4	6	15	7	12	-
Maspeth-For. Hills	27	-	1	-	1	1	-	2	6	3	2	11	-
RICHMOND .....	34	-	-	1	2	-	-	1	2	10	9	8	1

N.S. - Age not stated.

Among males newly reported to have tuberculosis in 1967, 6.4% were less than 15 years of age, 40.3% were in the 15 to 44 age group, 52.6% were 45 years and older, and in 0.7%, age was not stated.

FEMALES: NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE

By Health Center Districts, New York City, 1967

Health District	Total Female	Age Group											
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	N.S.
NEW YORK CITY ....	1,246	69	55	26	71	117	122	126	231	151	125	139	14
MANHATTAN .....	423	26	24	8	25	30	37	38	72	67	43	47	6
Central Harlem ...	123	6	8	2	4	6	10	11	25	24	11	15	1
East Harlem .....	50	8	4	1	3	3	6	2	8	6	4	4	1
Kips Bay Yorkville	24	1	1	-	1	1	1	2	2	1	4	9	1
Lower East Side ..	82	7	6	4	5	10	6	7	11	12	4	7	3
Lower West Side ..	34	-	-	-	2	2	3	6	8	4	6	3	-
Riverside .....	64	2	4	1	6	6	7	4	12	6	9	7	-
Washington Heights	46	2	1	-	4	2	4	6	6	14	5	2	-
BRONX .....	207	14	8	5	13	26	26	19	38	14	22	20	2
Fordham-Riverdale .	17	1	2	2	-	1	4	1	4	-	2	-	-
Morrisania .....	63	8	3	-	5	6	6	7	12	6	3	5	2
Mott Haven .....	54	3	-	-	3	7	10	7	10	3	6	5	-
Pelham Bay .....	13	1	-	-	1	1	3	-	2	1	1	3	-
Tremont .....	33	1	1	3	1	7	1	4	7	2	3	3	-
Westchester .....	27	-	2	-	3	4	2	-	3	2	7	4	-
BROOKLYN .....	443	26	17	12	22	46	46	50	87	47	38	51	1
Bay Ridge .....	11	-	-	1	-	-	2	1	1	1	2	3	-
Bedford .....	104	5	6	5	5	13	12	13	17	9	12	7	-
Brownsville .....	71	5	2	1	5	9	5	10	20	5	6	3	-
Bushwick .....	58	4	5	1	5	8	6	6	11	8	3	1	-
Flatbush .....	34	-	-	-	1	2	3	2	5	3	6	12	-
Fort Greene .....	54	2	1	-	-	5	8	8	17	7	2	4	-
Gravesend .....	17	-	1	-	1	1	2	1	3	2	-	6	-
Red Hook-Gowanus .	27	5	-	1	1	4	4	-	6	3	1	2	-
Sunset Park .....	24	1	-	1	2	-	2	1	3	4	4	6	-
Wmsbrg.-Greenpoint	43	4	2	2	2	4	2	8	4	5	2	7	1
QUEENS .....	155	3	6	1	11	13	12	16	31	21	19	17	5
Astoria-L.I.C. ...	19	-	-	-	2	3	2	-	2	4	4	2	-
Corona .....	26	-	1	-	-	-	2	5	4	3	5	4	2
Flushing .....	22	-	1	-	-	2	1	2	6	3	4	2	1
Jamaica East .....	52	1	4	-	5	5	2	4	12	8	4	5	2
Jamaica West .....	25	2	-	1	3	2	3	4	6	1	1	2	-
Maspeth-For. Hills	11	-	-	-	1	1	2	1	1	2	1	2	-
RICHMOND .....	18	-	-	-	-	2	1	3	3	2	3	4	-

N.S. - Age not stated.

Among females newly reported to have tuberculosis in 1967, 12.0% were less than 15 years of age, 53.5% were in the 15 to 44 age group, 33.3% were 45 years and older, and in 1.1%, age was not stated.



NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP

By Health Center Districts, New York City, 1967

Health District	All Ethnic Groups		White	Negro	Puerto Rican	Other	N.S.
	Number	Rate†					
NEW YORK CITY .....	3,542	43.6	1,272	1,455	344	97	384
MANHATTAN .....	1,333	76.2	498	571	78	61	125
Central Harlem ....	339	145.5	11	306	10	1	11
East Harlem .....	115	62.8	40	43	24	-	8
Kips Bay-Yorkville	54	22.0	38	2	-	3	11
Lower East Side ...	335	118.0	191	59	16	21	48
Lower West Side ...	200	73.8	135	38	3	13	11
Riverside .....	170	62.7	47	58	20	16	29
Washington Heights	120	45.6	36	65	5	7	7
BRONX .....	541	36.8	159	191	104	5	82
Fordham-Riverdale .	38	16.2	18	7	1	1	11
Morrisania .....	162	60.9	26	89	33	-	14
Mott Haven .....	143	63.0	33	48	45	2	15
Pelham Bay .....	33	16.6	16	10	-	-	7
Tremont .....	101	38.1	34	27	18	2	20
Westchester .....	64	22.9	32	10	7	-	15
BROOKLYN .....	1,180	44.5	363	554	146	20	97
Bay Ridge .....	37	13.0	33	-	1	1	2
Bedford .....	275	96.5	13	249	9	-	4
Brownsville .....	161	51.9	36	76	20	4	25
Bushwick .....	131	64.2	26	66	26	2	11
Flatbush .....	96	19.2	56	13	-	1	26
Fort Greene .....	152	73.4	31	105	12	2	2
Gravesend .....	72	21.8	47	9	4	1	11
Red Hook-Gowanus ..	83	53.9	28	19	27	7	2
Sunset Park .....	73	39.5	51	-	8	2	12
Wmsbrg.-Greenpoint	100	52.6	42	17	39	-	2
QUEENS .....	436	22.0	220	134	6	8	68
Astoria-L.I.C. ....	60	23.7	46	4	1	1	8
Corona .....	62	24.7	23	14	2	2	21
Flushing .....	70	13.4	48	7	-	2	13
Jamaica East .....	127	39.7	29	83	1	2	12
Jamaica West .....	79	22.8	42	26	2	-	9
Maspeth-For. Hills	38	13.0	32	-	-	1	5
RICHMOND .....	52	19.3	32	5	-	3	12

†Per 100,000 population. N.S. - Ethnic group not stated.

Classified by ethnic group, the new cases reported in New York City during 1967 were as follows: 35.9%, White; 41.1%, Negro; 9.4%, Puerto Rican; 2.7%, other ethnic groups. In 10.8%, ethnic group was not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP, SEX  
and Health Center Districts, New York City, 1967

	All Ethnic Groups			White		Negro		Puerto Rican		Yellow		Other		N.S.	
	Total	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F
NEW YORK CITY ....	3542	2296	1246	878	394	919	536	181	153	40	14	23	20	255	129
MANHATTAN .....	1333	910	423	358	140	366	205	48	30	31	7	13	10	94	31
Central Harlem ...	339	216	123	8	3	196	110	6	4	-	-	-	1	6	5
East Harlem .....	115	65	50	22	18	23	20	15	9	-	-	-	-	5	3
Kips Bay-Yorkville	54	30	24	19	19	1	1	-	-	2	-	-	1	8	3
Lower East Side ..	335	253	82	145	46	42	17	12	4	14	5	1	1	39	9
Lower West Side ..	200	166	34	115	20	30	8	2	1	10	1	1	1	8	3
Riverside .....	170	106	64	25	22	35	23	11	9	3	1	9	3	23	6
Washington Heights	120	74	46	24	12	39	26	2	3	2	-	2	3	5	2
BRONX .....	541	334	207	97	62	125	66	58	46	3	-	1	1	50	32
Fordham-Riverdale	38	21	17	11	7	3	4	-	1	1	-	-	-	6	5
Morrisania .....	162	99	63	16	10	60	29	16	17	-	-	-	-	7	7
Mott Haven .....	143	89	54	14	19	36	12	30	15	1	-	-	1	8	7
Pelham Bay .....	33	20	13	11	5	6	4	-	-	-	-	-	-	3	4
Tremont .....	101	68	33	23	11	16	11	8	10	1	-	1	-	19	1
Westchester .....	64	37	27	22	10	4	6	4	3	-	-	-	-	7	8
BROOKLYN .....	1180	737	443	248	115	350	204	72	74	6	4	6	4	55	42
Bay Ridge .....	37	26	11	24	9	-	-	1	-	-	1	-	-	1	1
Bedford .....	275	171	104	8	5	156	93	4	5	-	-	-	-	3	1
Brownsville .....	161	90	71	23	13	44	32	12	8	1	1	1	1	9	16
Bushwick .....	131	73	58	13	13	37	29	14	12	2	-	-	-	7	4
Flatbush .....	96	62	34	39	17	10	3	-	-	-	1	-	-	13	13
Fort Greene .....	152	98	54	22	9	69	36	5	7	-	-	1	1	1	1
Gravesend .....	72	55	17	33	14	8	1	3	1	-	-	1	-	10	1
Red Hook-Gowanus	83	56	27	22	6	13	6	14	13	2	-	3	2	2	-
Sunset Park .....	73	49	24	36	15	-	-	5	3	1	1	-	-	7	5
Wmsbrg.-Greenpoint	100	57	43	28	14	13	4	14	25	-	-	-	-	2	-
QUEENS .....	436	281	155	155	65	77	57	3	3	-	3	1	4	45	23
Astoria-L.I.C. ...	60	41	19	33	13	3	1	1	-	-	-	-	1	4	4
Corona .....	62	36	26	14	9	9	5	-	2	-	1	-	1	13	8
Flushing .....	70	48	22	32	16	6	1	-	-	-	1	-	1	10	3
Jamaica East .....	127	75	52	21	8	45	38	-	1	-	1	1	-	8	4
Jamaica West .....	79	54	25	32	10	14	12	2	-	-	-	-	-	6	3
Maspeth-For. Hills	38	27	11	23	9	-	-	-	-	-	-	-	1	4	1
RICHMOND .....	52	34	18	20	12	1	4	-	-	-	-	2	1	11	1

N.S. - Race not stated.

PERCENTAGE DISTRIBUTION OF NEW CASES OF ACTIVE TUBERCULOSIS

Ethnic Group by Sex, New York City, 1967

Sex	Ethnic Group					
	Total	White	Negro	Puerto Rican	Yellow	Other Ethnic Groups
Male .....	64.8	69.0	63.2	54.2	74.1	53.5
Female .....	35.2	31.0	36.8	45.8	25.9	46.5
Total ....	100.0	100.0	100.0	100.0	100.0	100.0

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES

By Ethnic Group and Health Center Districts, New York City, 1962 - 1967

Health Center District	White					Negro					Puerto Rican							
	1962	1963	1964	1965	1966	1967	1962	1963	1964	1965	1966	1967	1962	1963	1964	1965	1966	1967
	NEW YORK CITY . . . . .	1837	1900	1555	1535	1306	1272	1667	1936	1665	1736	1521	1455	609	633	527	447	365
MANHATTAN . . . . .	621	632	535	572	446	498	718	824	647	717	608	571	239	245	174	162	125	78
Central Harlem . . . . .	11	12	2	6	1	11	406	478	356	418	334	306	12	16	8	2	5	10
East Harlem . . . . .	53	45	35	48	26	40	59	62	75	53	55	43	73	68	43	35	49	24
Kips Bay-Yorkville . . . . .	60	39	48	32	36	38	2	2	6	1	3	2	--	3	--	--	1	--
Lower East Side . . . . .	192	212	155	204	183	191	63	75	44	69	48	59	82	91	63	75	29	16
Lower West Side . . . . .	177	189	183	162	115	135	42	36	27	44	25	38	30	19	23	10	13	3
Riverside . . . . .	81	84	69	79	49	47	82	99	85	66	70	58	38	38	31	30	13	20
Washington Heights . . . . .	47	51	41	41	36	36	64	72	54	66	73	65	4	10	6	10	15	5
BRONX . . . . .	321	300	261	219	225	159	210	233	230	231	232	191	195	157	168	133	127	104
Fordham-Riverdale . . . . .	58	42	44	37	34	18	3	3	4	9	6	7	4	--	4	1	5	1
Morrisania . . . . .	53	35	25	23	30	26	112	111	98	95	113	89	83	66	76	58	51	33
Mott Haven . . . . .	84	67	61	52	45	33	46	69	61	73	47	48	86	65	54	48	46	45
Pelham Bay . . . . .	22	23	24	18	21	16	17	7	13	9	16	10	1	1	5	2	3	--
Tremont . . . . .	59	77	67	49	48	34	23	36	36	30	41	27	13	14	25	20	16	18
Westchester . . . . .	45	56	40	40	47	32	9	7	18	15	9	10	8	11	4	4	6	7
BROOKLYN . . . . .	551	599	470	461	384	363	602	715	629	624	540	554	170	225	182	147	111	146
Bay Ridge . . . . .	58	65	38	38	49	33	4	1	1	4	2	--	--	--	--	1	--	1
Bedford . . . . .	37	32	38	32	19	13	278	269	261	266	259	249	10	19	9	6	11	9
Brownsville . . . . .	70	72	64	51	29	36	86	113	98	97	85	76	17	42	26	20	13	20
Bushwick . . . . .	75	76	47	48	32	26	50	81	58	60	48	66	24	21	35	20	14	26
Flatbush . . . . .	62	82	51	75	62	56	10	13	6	11	5	13	--	1	--	1	--	--
Fort Greene . . . . .	49	48	29	25	37	31	133	157	136	115	90	105	20	26	18	14	9	12
Gravesend . . . . .	28	44	42	32	30	47	6	11	14	16	9	9	--	5	3	1	3	4
Red Hook-Gowanus . . . . .	52	58	41	43	36	28	18	27	32	22	20	19	37	48	32	27	27	27
Sunset Park . . . . .	60	70	53	54	53	51	1	3	4	4	3	--	7	7	9	11	--	8
Wmsbrg.-Greenpoint . . . . .	60	52	67	63	37	42	16	40	19	29	19	17	55	56	50	46	34	39
QUEENS . . . . .	313	329	256	239	220	220	136	160	148	147	129	134	4	6	3	5	1	6
Astoria-L.I.C. . . . .	61	74	41	42	42	46	4	6	3	3	7	4	--	4	1	1	--	1
Corona . . . . .	48	49	46	37	34	23	20	22	26	23	19	14	--	1	--	2	--	2
Flushing . . . . .	60	54	47	36	46	48	5	13	8	10	8	7	1	--	--	--	1	--
Jamaica East . . . . .	29	40	35	48	23	29	93	102	91	87	72	83	--	--	2	1	--	1
Jamaica West . . . . .	63	53	60	41	50	42	14	15	20	23	23	26	3	1	--	1	--	2
Maspeth-For. Hills . . . . .	52	59	27	35	25	32	--	2	--	1	--	--	--	--	--	--	--	--
RICHMOND . . . . .	31	40	35	44	31	32	1	4	11	17	12	5	1	--	--	--	1	--

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES

ALL FORMS, BY ETHNIC GROUP AND SEX, NEW YORK CITY, 1946-1967

Year	All Ethnic Groups		White		Negro		Puerto Rican		Yellow		Not Stated†
	Total	Male Fem.	Total	Male Fem.	Total	Male Fem.	Total	Male Fem.	Total	Male Fem.	
1946 ..	7123	4411 2699	4538	3015 1522	1613	817 796	291	124 167	109	102 7	572
1947 ..	7599	4710 2889	4842	3204 1638	1695	906 789	431	191 240	123	111 12	508
1948 ..	8306	5179 3127	5072	3383 1689	1959	1044 915	505	216 289	139	125 14	631
1949 ..	8567	5307 3260	4986	3296 1690	2190	1193 997	550	236 314	121	102 19	720
1950 ..	7717	4854 2863	4646	3212 1434	1934	1017 917	574	244 330	132	112 20	431
1951 ..	7583	4788 2795	4468	3056 1412	2056	1154 902	636	280 356	135	116 19	288
1952 ..	7282	4527 2755	4086	2769 1317	2052	1118 934	718	330 388	121	104 17	305
1953 ..	7349	4626 2723	4093	2802 1291	2167	1224 943	725	346 379	135	120 15	229
1954 ..	6582	4210 2372	3572	2516 1056	1933	1100 833	783	386 397	92	77 15	202
1955 ..	6214	3971 2243	3347	2393 954	1862	1028 834	741	361 380	93	84 9	171
1956 ..	6137	3985 2152	3162	2321 841	1861	1071 790	723	329 394	97	86 11	294
1957 ..	6117	4002 2115	3258	2381 877	1763	995 768	772	393 379	85	75 10	239
1958 ..	5482	3637 1845	2802	2003 799	1738	1083 655	658	337 321	81	71 10	203
1959 ..	4924	3232 1692	2404	1719 685	1559	942 617	644	323 321	71	63 8	246
1960 ..	4699	3124 1575	2156	1579 577	1648	1017 631	602	300 302	61	55 6	232
1961 ..	4360	2879 1481	1902	1369 533	1632	1020 612	580	298 282	55	44 11	191
1962 ..	4437	2870 1567	1837	1306 531	1667	1013 654	609	336 273	63	49 14	261
1963 ..	4891	3204 1687	1900	1378 522	1936	1202 734	633	321 312	95	76 19	327
1964 ..	4207	2657 1550	1555	1091 464	1665	1004 661	527	266 261	60	50 10	400
1965 ..	4242	2760 1482	1535	1097 438	1736	1070 666	447	255 192	60	50 10	464
1966 ..	3663	2370 1293	1306	910 396	1521	942 579	365	192 173	66	47 19	405
1967 ..	3542	2296 1246	1272	878 394	1455	919 536	334	181 153	54	40 14	427

† Other races plus race and/or sex not stated. Note: Totals include other races and cases whose race or sex was not reported.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES  
By Ethnic Group, Age and Sex, New York City, 1957-1967

Part A - ALL ETHNIC GROUPS

Year	AGE												N.S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
<b>MALE, ALL ETHNIC GROUPS</b>													
1957 ...	4002	135	93	37	98	185	246	292	612	777	757	702	68
1958 ...	3637	191	89	44	86	212	209	301	598	675	649	515	68
1959 ...	3232	123	67	34	73	151	214	253	531	624	574	526	62
1960 ...	3124	132	78	31	74	148	177	219	562	568	582	513	40
1961 ...	2879	137	66	28	49	184	181	229	506	531	504	422	42
1962 ...	2870	111	51	37	73	156	185	198	545	511	510	438	55
1963 ...	3204	125	74	42	82	174	208	240	552	602	561	494	50
1964 ...	2657	122	74	40	68	139	202	186	480	470	420	401	55
1965 ...	2760	112	70	40	77	170	181	218	482	491	440	433	46
1966 ...	2370	84	59	39	63	118	163	180	431	466	400	332	35
1967 ...	2296	68	49	29	67	134	131	184	410	445	359	403	17
<b>FEMALE, ALL ETHNIC GROUPS</b>													
1957 ...	2115	163	90	49	150	213	264	237	359	234	161	156	39
1958 ...	1845	147	73	56	105	192	198	218	322	220	97	166	51
1959 ...	1692	121	62	54	103	165	176	201	284	207	127	151	41
1960 ...	1575	102	55	46	98	146	162	198	278	198	106	158	28
1961 ...	1481	117	63	46	87	151	160	133	270	187	103	136	28
1962 ...	1567	122	59	41	107	147	159	146	312	176	97	166	35
1963 ...	1687	125	70	38	90	186	166	162	267	193	166	176	48
1964 ...	1550	96	59	48	101	163	177	141	271	177	120	164	33
1965 ...	1482	74	54	39	81	160	159	150	253	182	125	171	34
1966 ...	1293	85	44	44	72	125	129	132	245	155	105	130	27
1967 ...	1246	69	55	26	71	117	122	126	231	151	125	139	14
<b>BOTH SEXES, ALL ETHNIC GROUPS</b>													
1957 ...	6117	298	183	86	248	398	510	529	971	1011	918	858	107
1958 ...	5482	338	162	100	191	404	407	519	920	895	746	681	119
1959 ...	4924	244	129	88	176	316	390	454	815	831	701	677	103
1960 ...	4699	234	133	77	172	294	339	417	840	766	688	671	68
1961 ...	4360	254	129	74	136	335	341	362	776	718	607	558	70
1962 ...	4437	233	110	78	180	303	344	344	857	687	607	604	90
1963 ...	4891	250	144	80	172	360	374	402	819	795	727	670	98
1964 ...	4207	218	133	88	169	302	379	327	751	647	540	565	88
1965 ...	4242	186	124	79	158	330	340	368	735	673	565	604	80
1966 ...	3663	169	103	83	135	243	292	312	676	621	505	462	62
1967 ...	3542	137	104	55	138	251	253	310	641	596	484	542	31

N.S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES  
By Ethnic Group, Age, and Sex, New York City, 1957-1967

Part B - WHITE

Year	All Ages	AGE											N.S.
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
<b>WHITE MALE</b>													
1957 ...	2381	36	17	12	37	69	95	114	284	524	571	588	34
1958 ...	2003	38	13	7	36	80	90	111	248	449	474	420	37
1959 ...	1719	34	21	13	28	54	70	85	200	369	405	419	21
1960 ...	1579	30	21	11	26	47	66	59	199	308	395	400	17
1961 ...	1369	31	11	7	15	53	54	76	171	269	337	317	28
1962 ...	1306	27	12	3	22	41	43	58	163	244	335	333	25
1963 ...	1378	31	17	8	20	57	50	62	180	254	321	356	22
1964 ...	1091	33	12	6	12	39	53	51	129	200	255	287	14
1965 ...	1097	25	10	4	16	45	40	51	134	204	253	308	7
1966 ...	910	20	12	11	17	26	35	34	136	173	219	219	8
1967 ...	878	16	7	6	15	36	30	35	123	165	186	253	6
<b>WHITE FEMALE</b>													
1957 ...	877	37	14	18	42	74	109	74	140	134	100	113	22
1958 ...	799	41	17	15	26	68	67	79	143	127	59	124	33
1959 ...	685	33	17	17	33	49	59	64	97	109	70	121	16
1960 ...	577	22	10	14	29	37	54	52	90	92	54	113	10
1961 ...	533	30	10	10	19	46	48	34	73	82	60	108	13
1962 ...	531	29	8	8	29	40	41	25	92	83	52	113	11
1963 ...	522	24	6	7	23	37	40	45	73	56	81	119	11
1964 ...	464	19	10	8	27	40	41	33	69	55	60	91	11
1965 ...	438	19	11	5	25	36	30	27	56	68	63	94	4
1966 ...	396	13	8	9	18	35	29	31	58	48	55	85	7
1967 ...	394	24	12	3	20	31	36	35	57	44	48	79	5
<b>WHITE BOTH SEXES</b>													
1957 ...	3258	73	31	30	79	143	204	188	424	658	671	701	56
1958 ...	2802	79	30	22	62	148	157	190	391	576	533	544	70
1959 ...	2404	67	38	30	61	103	129	149	297	478	475	540	37
1960 ...	2156	52	31	25	55	84	120	111	289	400	449	513	27
1961 ...	1902	61	21	17	34	99	102	110	244	351	397	425	41
1962 ...	1837	56	20	11	51	81	84	83	255	327	387	446	36
1963 ...	1900	55	23	15	43	94	90	107	253	310	402	475	33
1964 ...	1555	52	22	14	39	79	94	84	198	255	315	378	25
1965 ...	1535	44	21	9	41	81	70	78	190	272	316	402	11
1966 ...	1306	33	20	20	35	61	64	65	194	221	274	304	15
1967 ...	1272	40	19	9	35	67	66	70	180	209	234	332	11

N.S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES  
By Ethnic Group, Age and Sex, New York City, 1957-1967  
Part C - NEGRO

Year	AGE												N.S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
<b>NEGRO MALE</b>													
1957 ...	995	57	41	16	25	47	83	123	230	190	111	62	10
1958 ...	1083	99	56	23	24	66	72	140	268	162	116	53	4
1959 ...	942	56	28	9	25	49	83	114	225	176	109	55	13
1960 ...	1017	58	32	14	27	61	60	112	274	187	125	59	8
1961 ...	1020	61	33	12	19	72	80	108	264	198	107	62	4
1962 ...	1013	55	23	17	31	56	81	88	279	199	116	61	7
1963 ...	1202	54	37	17	32	70	103	118	280	251	158	76	6
1964 ...	1004	54	40	23	30	61	98	83	258	185	94	60	18
1965 ...	1070	58	34	19	36	71	97	117	264	188	103	68	15
1966 ...	942	40	29	13	24	52	81	116	211	200	116	50	10
1967 ...	919	31	28	10	31	64	65	103	210	201	96	78	2
<b>NEGRO FEMALE</b>													
1957 ...	768	68	50	13	63	79	93	110	173	66	32	18	3
1958 ...	655	60	35	31	45	67	86	95	123	57	24	27	5
1959 ...	617	55	28	24	40	61	70	89	134	56	36	20	4
1960 ...	631	55	25	17	42	63	55	92	142	71	37	25	7
1961 ...	612	46	38	18	34	59	67	74	155	72	28	17	4
1962 ...	654	56	30	20	47	65	74	78	153	63	26	32	10
1963 ...	734	65	37	22	39	89	72	76	138	102	53	33	8
1964 ...	661	49	30	18	48	77	84	66	137	79	32	35	6
1965 ...	666	40	26	26	38	81	75	82	146	72	36	39	5
1966 ...	579	44	24	22	36	56	65	64	135	70	27	30	6
1967 ...	536	23	28	16	30	50	57	58	123	68	46	36	1
<b>NEGRO BOTH SEXES</b>													
1957 ...	1763	125	91	29	88	126	176	233	403	256	143	80	13
1958 ...	1738	159	91	54	69	133	158	235	391	219	140	80	9
1959 ...	1559	111	56	33	65	110	153	203	359	232	145	75	17
1960 ...	1648	113	57	31	69	124	115	204	416	258	162	84	15
1961 ...	1632	107	71	30	53	131	147	182	419	270	135	79	8
1962 ...	1667	111	53	37	78	121	155	166	432	262	142	93	17
1963 ...	1936	119	74	39	71	159	175	194	418	353	211	109	14
1964 ...	1665	103	70	41	78	138	182	149	395	264	126	95	24
1965 ...	1736	98	60	45	74	152	172	199	410	260	139	107	20
1966 ...	1521	84	53	35	60	108	146	180	346	270	143	80	16
1967 ...	1455	54	56	26	61	114	122	161	333	269	142	114	3

N.S. - Age not stated.



NEWLY REPORTED ACTIVE TUBERCULOSIS CASES  
By Ethnic Group, Age and Sex, New York City, 1957-1967  
Part D - PUERTO RICAN

Year	AGE												N.S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
<b>PUERTO RICAN MALE</b>													
1957 ...	393	39	32	6	30	62	47	35	60	40	20	18	4
1958 ...	337	49	19	13	23	57	36	31	48	24	23	11	3
1959 ...	323	29	16	10	17	41	45	39	60	32	19	12	3
1960 ...	300	39	22	5	20	35	31	34	57	26	15	15	1
1961 ...	298	40	21	5	11	51	38	28	39	30	21	14	-
1962 ...	336	26	13	14	17	54	45	35	59	40	18	14	1
1963 ...	321	35	16	13	28	35	37	37	58	31	19	9	3
1964 ...	266	32	21	8	21	24	29	29	42	30	15	11	4
1965 ...	255	23	18	11	14	39	29	28	38	29	12	11	3
1966 ...	192	14	12	11	15	26	20	10	35	29	12	8	-
1967 ...	181	16	10	9	13	23	21	15	33	24	9	8	-
<b>PUERTO RICAN FEMALE</b>													
1957 ...	379	54	25	14	37	53	44	43	40	27	19	19	4
1958 ...	321	43	21	10	30	49	37	36	40	26	14	11	4
1959 ...	321	30	16	12	25	49	41	45	43	31	13	8	8
1960 ...	302	25	20	13	24	42	45	43	38	26	10	14	2
1961 ...	282	40	13	16	30	37	38	21	37	25	14	8	3
1962 ...	273	34	15	12	28	32	33	31	41	18	13	12	4
1963 ...	312	31	23	6	22	52	42	33	41	22	21	15	4
1964 ...	261	26	14	19	20	24	38	24	42	23	15	15	1
1965 ...	192	12	9	6	12	27	35	22	27	14	16	11	1
1966 ...	173	23	7	10	7	25	21	20	21	22	9	7	1
1967 ...	153	16	10	4	10	21	18	17	21	17	11	6	2
<b>PUERTO RICAN BOTH SEXES</b>													
1957 ...	772	93	57	20	67	115	91	78	100	67	39	37	8
1958 ...	658	92	40	23	53	106	73	67	88	50	37	22	7
1959 ...	644	59	32	22	42	90	86	84	103	63	32	20	11
1960 ...	602	64	42	18	44	77	76	77	95	52	25	29	3
1961 ...	580	80	34	21	41	88	76	49	76	55	35	22	3
1962 ...	609	60	28	26	45	86	78	66	100	58	31	26	5
1963 ...	633	66	39	19	50	87	79	70	99	53	40	24	7
1964 ...	527	58	35	27	41	48	67	53	84	53	30	26	5
1965 ...	447	35	27	17	26	66	64	50	65	43	28	22	4
1966 ...	365	37	19	21	22	51	41	30	56	51	21	15	1
1967 ...	334	32	20	13	23	44	39	32	54	41	20	14	2

N.S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES  
By Ethnic Group, Age and Sex, New York City, 1957-1967  
Part E - Yellow

Year	AGE												N.S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
<b>YELLOW MALE</b>													
1957 ...	75	-	-	-	3	-	5	5	13	8	21	18	2
1958 ...	71	1	-	-	1	3	5	2	7	12	16	20	4
1959 ...	63	1	-	-	-	4	7	3	12	7	15	14	-
1960 ...	55	-	-	-	-	1	6	3	5	8	13	19	-
1961 ...	44	1	-	-	-	3	1	4	4	5	11	14	1
1962 ...	49	1	-	1	-	2	4	4	6	4	12	12	3
1963 ...	76	2	-	1	-	6	5	4	6	10	18	22	2
1964 ...	50	-	-	1	1	1	2	2	6	11	11	15	-
1965 ...	50	-	-	1	3	-	3	1	4	6	16	15	1
1966 ...	47	-	2	2	4	-	7	4	5	8	4	11	-
1967 ...	40	1	1	-	4	1	1	5	1	6	5	15	-
<b>YELLOW FEMALE</b>													
1957 ...	10	1	-	-	2	3	3	-	-	-	-	1	-
1958 ...	10	-	-	-	-	3	2	2	2	1	-	-	-
1959 ...	8	-	-	1	-	1	-	2	1	-	1	-	2
1960 ...	6	-	-	-	-	-	2	1	-	1	1	-	1
1961 ...	11	-	-	1	2	3	2	-	2	1	-	-	-
1962 ...	14	1	-	-	-	2	5	2	2	2	-	-	-
1963 ...	19	2	-	-	4	2	5	2	3	-	1	-	-
1964 ...	10	-	-	-	1	1	1	4	3	-	-	-	-
1965 ...	10	-	-	-	2	-	3	2	1	2	-	-	-
1966 ...	19	2	1	-	3	2	3	3	2	2	-	-	1
1967 ...	14	-	1	1	2	2	1	3	3	-	1	-	-
<b>YELLOW BOTH SEXES</b>													
1957 ...	85	1	-	-	5	3	8	5	13	8	21	19	2
1958 ...	81	1	-	-	1	6	7	4	9	13	16	20	4
1959 ...	71	1	-	1	-	5	7	5	13	7	16	14	2
1960 ...	61	-	-	-	-	1	8	4	5	9	14	19	1
1961 ...	55	1	-	1	2	6	3	4	6	6	11	14	1
1962 ...	63	2	-	1	-	4	9	6	8	6	12	12	3
1963 ...	95	4	-	1	4	8	10	6	9	10	19	22	2
1964 ...	60	-	-	1	2	2	3	6	9	11	11	15	-
1965 ...	60	-	-	1	5	-	6	3	5	8	16	15	1
1966 ...	66	2	3	2	7	2	10	7	7	10	4	11	1
1967 ...	54	1	2	1	6	3	2	8	4	6	6	15	-

N.S. - Age not stated.

Note: All ethnic groups and those whose ethnic group was not known are included in total for All Ethnic Groups, Part A.