



NEW YORK CITY DEPARTMENT OF HEALTH AND MENTAL HYGIENE

Thomas Farley, MD, MPH
Commissioner

FOR IMMEDIATE RELEASE
Friday, August 24, 2012
(347) 396-4177

Health Department to Spray Pesticide to Reduce the Number of Mosquitoes and the Risk of West Nile Virus in Selected Parts of the Bronx and Queens

August 24, 2012 -- To reduce mosquito activity and the risk of West Nile virus, the Health Department will spray pesticide from trucks in parts of the Bronx and Queens on **Tuesday, August 28, between the hours of 7:45 p.m. and 6 a.m. the next morning**, weather permitting. In case of bad weather, application will be delayed until Wednesday, August 29. These neighborhoods are being treated due to rising West Nile virus activity with high and/or increasing mosquito populations. The areas to be treated appear below.

Locations of Application

Borough	Neighborhoods	Boundaries	Zip Codes
Bronx	Parts of Castle Hill, Clason Point, Country Club, Eastchester Bay, Harding Park, Middletown, Schuylerville, Soundview, Throgs Neck, Unionport, and Westchester Square	Bordered by Story Ave, Havemeyer Ave, Westchester Ave and Middletown Rd to the North; Bronx River to the West; East River to the South; and Bruckner EXPWY, Throgs Neck EXPWY and Hollywood Ave to the East	Parts of the following zip codes: 10461, 10462, 10465, 10473
Queens	Parts of Beechhurst, College Point, Flushing, Linden Hill, Malba, and Whitestone	Bordered by East River to the North; Flushing Bay to the West; 32 nd Ave, 146 th St, Willets Point Blvd to the South; and 154 th St to the East	Parts of the following zip codes: 11354, 11356, 11357

For these sprayings, the Health Department will use a very low concentration of Anvil®, 10 + 10 a synthetic pesticide. When properly used, this product poses no significant risks to human health. The Health Department recommends that people **take the following precautions to minimize direct exposure**:


- Whenever possible, stay indoors during spraying. People with asthma or other respiratory conditions are encouraged to stay inside during spraying since direct exposure could worsen these conditions.

- Air conditioners may remain on, however, if you wish to reduce the possibility of indoor exposure to pesticides, set the air conditioner vent to the closed position, or choose the re-circulate function.
- Remove children’s toys, outdoor equipment, and clothes from outdoor areas during spraying. If outdoor equipment and toys are exposed to pesticides, wash them with soap and water before using again.
- Wash skin and clothing exposed to pesticides with soap and water. Always wash your produce thoroughly with water before cooking or eating.

Reducing Exposure to Mosquitoes

- Consider limiting time outdoors between dusk and dawn in areas with significant mosquito infestations.
- Wear protective clothing when outdoors, and use an approved insect repellent containing DEET, picaridin, oil of lemon eucalyptus (not for children under three), or products that contain the active ingredient IR3535.
- Make sure windows have screens and repair or replace screens that have tears or holes.
- Eliminate any standing water from your property and dispose of containers that can collect water. Standing water is a violation of the New York City Health Code.
- Make sure roof gutters are clean and draining properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. Keep them empty or covered if not in use; drain water that collects in pool covers.
- Report standing water by calling **311** or visiting nyc.gov/health/wnv.

Maps Depicting Specific Areas for Pesticide Application



Planned Spray Areas
in Queens, August 28, 2012
NYC Dept of Health and Mental Hygiene



NYC
This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.



###

#WNV 012-12

MEDIA CONTACT: (347) 396-4177

Chanel Caraway: pressoffice@health.nyc.gov