



HEALTH DEPARTMENT TO SPRAY PESTICIDE TO REDUCE THE NUMBER OF MOSQUITOES AND THE RISK OF WEST NILE VIRUS IN SELECTED PARTS OF QUEENS

August 25, 2014 – To reduce mosquito activity and the risk of West Nile virus, the Health Department will spray pesticide from trucks in parts of Queens on **Wednesday, August 27, 2014 between the hours of 8:15 P.M. and 6:00 A.M. the following morning**, weather permitting. In case of bad weather, the application will be delayed until Thursday, August 28 during the same hours. The neighborhoods listed below are being treated due to rising West Nile virus activity with high mosquito populations.

Locations of Application

Neighborhoods	Boundaries	Zip Codes
Parts of Auburndale, Murray Hill and Flushing	Bordered by 25 th Ave to the North; Murray Street to the West; 45 th Ave to the South and 192 nd Street, Francis Lewis Blvd and Utopia Parkway to the East	Parts of 11354,11355, 11357,11358
Parts of Elmhurst, Forest Hills, Forest Hills Garden, Forest Park, Glendale, Maspeth, Middle Village, Rego Park, and Woodhaven	Bordered by 63 rd Ave, 80 th Street and Long Island Expressway to the North; eastern boundary of Mt. Olivet Cemetery, Metropolitan Ave, 73 rd Place, Myrtle Ave and eastern boundaries of Mt. Lebanon and Mt. Hope to West; Park Lane South to the South; and Metropolitan Ave and Alderton Street to the East	Parts of 11373,11374, 11375, 11378, 11379, 11385, 11418, 11421


For these sprayings, the Health Department will use a very low concentration of Anvil[®] 10+10, a synthetic pesticide. When properly used, this product poses no significant risks to human health. The Health Department recommends that people **take the following precautions to minimize direct exposure**:

- Whenever possible, stay indoors during spraying. People with asthma or other respiratory conditions are encouraged to stay inside during spraying since direct exposure could worsen these conditions.
- Air conditioners may remain on, however, if you wish to reduce the possibility of indoor exposure to pesticides, set the air conditioner vent to the closed position, or choose the re-circulate function.
- Remove children’s toys, outdoor equipment, and clothes from outdoor areas during spraying. If outdoor equipment and toys are exposed to pesticides, wash them with soap and water before using again.
- Wash skin and clothing exposed to pesticides with soap and water. Always wash your produce thoroughly with water before cooking or eating.


Reducing Exposure to Mosquitoes

- Consider limiting time outdoors between dusk and dawn in areas with significant mosquito infestations.
- Wear protective clothing when outdoors, and use an approved insect repellent containing picaridin, DEET, oil of lemon eucalyptus (not for children under three), or products that contain the active ingredient IR3535.
- Make sure windows have screens and repair or replace screens that have tears or holes.
- Eliminate any standing water from your property and dispose of containers that can collect water. Standing water is a violation of the New York City Health Code.
- Make sure roof gutters are clean and draining properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. Keep them empty or covered if not in use; drain water that collects in pool covers.
- Report standing water by calling **311** or visiting nyc.gov.


Map Depicting Specific Areas for Larvicide Application



**Planned Spray Areas
in Queens, August 26, 2014
NYC Dept of Health and Mental Hygiene**




This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.



###

#WNV 008-14

MEDIA CONTACT: (347) 396-4177

Jean Weinberg/Levi Fishman: pressoffice@health.nyc.gov