



HEALTH DEPARTMENT TO SPRAY PESTICIDE TO REDUCE THE NUMBER OF MOSQUITOES AND THE RISK OF WEST NILE VIRUS IN SELECTED PARTS OF BROOKLYN

August 17, 2015 – To reduce mosquito activity and the risk of West Nile virus, the Health Department will spray pesticide from trucks in parts of Brooklyn on **Wednesday, August 19, 2015 between the hours of 8:30 p.m. and 6 a.m. the following morning**, weather permitting. In case of bad weather, application will be delayed until Thursday, August 20, 2015 during the same hours. The neighborhoods listed below are being treated due to rising West Nile virus activity and have high mosquito populations.

Locations of Application

Neighborhoods	Boundaries	Zip Codes
Parts of Bath Beach, Bay Ridge, Bensonhurst, Dyker Heights, Gravesend, Fort Hamilton, New Utrecht	Bordered by 86 th St, 21 st Ave, Bay Ridge PKWY, 15 th Ave, and 64 th St, Fort Hamilton Pkwy and 83 rd St to the North, The Atlantic Ocean to the West and the South; Coney Island Creek and Shell Road to the East	Parts of 11204, 11209, 11214, 11219, 11223, 11228
Parts of Georgetown, Mill Basin, Flatlands, East Flatbush, Flatbush, Marine Park, Midwood, Mill Island	Bordered by Avenue K to the North; Ocean Ave, Avenue X, and Nostrand Ave to the West; the Belt PKWY to the South; and Belt PKWY and Paerdegat Basin to the East	Parts of 11210, 11229, 11234, 11235

For these sprayings, the Health Department will use a very low concentration of Anvil[®] 10+10, a synthetic pesticide. When properly used, this product poses no significant risks to human health. The Health Department recommends that people **take the following precautions to minimize direct exposure**:

- Whenever possible, stay indoors during spraying. People with asthma or other respiratory conditions are encouraged to stay inside during spraying since direct exposure could worsen these conditions.
- Air conditioners may remain on, however, if you wish to reduce the possibility of indoor exposure to pesticides, set the air conditioner vent to the closed position, or choose the re-circulate function.
- Remove children’s toys, outdoor equipment, and clothes from outdoor areas during spraying. If outdoor equipment and toys are exposed to pesticides, wash them with soap and water before using again.
- Wash skin and clothing exposed to pesticides with soap and water. Always wash your produce thoroughly with water before cooking or eating.


Reducing Exposure to Mosquitoes

- Consider limiting time outdoors between dusk and dawn in areas with significant mosquito infestations.

- Wear protective clothing when outdoors, and use an approved insect repellent containing picaridin, DEET, oil of lemon eucalyptus (not for children under three), or products that contain the active ingredient IR3535.
- Make sure windows have screens and repair or replace screens that have tears or holes.
- Eliminate any standing water from your property and dispose of containers that can collect water. Standing water is a violation of the New York City Health Code.
- Make sure roof gutters are clean and draining properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. Keep them empty or covered if not in use; drain water that collects in pool covers.
- Report standing water by calling **311** or visiting nyc.gov.

Map Depicting Specific Area for Pesticide Application


**Planned Spray Areas
in Brooklyn, August 19, 2015
NYC Dept of Health and Mental Hygiene**



**NYC
Health**
This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.




**Planned Spray Areas
in Brooklyn, August 19, 2015
NYC Dept of Health and Mental Hygiene**



NYC
Health

This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.



###

#WNV 009-15

MEDIA CONTACT: (347) 396-4177

Christopher Miller/Levi Fishman: pressoffice@health.nyc.gov