



CONSTRUCTION CODES UPDATE PAGES

Attached are Construction Codes Update Pages. These pages reflect local laws enacted and ministerial administrative corrections made after July 1, 2008. Please note that the source of a particular update, the local law number, and year is indicated on each page. Please visit our [webpage](#) to ensure that your codes are complete and up to date as the City Council may periodically pass Local Laws that affect the Construction Codes.

Instructions:

Please place each page, according to its page number found on the bottom right hand corner, into your Construction Codes books. The pages contain letters after the page number and should be placed in alphabetical order following the number, i.e. 5, 6, 6a, 6b, etc.

- Place Title Pages in the front of your Code books for easy reference.
- Note: If you have all four Construction Codes (Building, Mechanical, Plumbing & Fuel Gas), please make sure to insert updates made to the Administrative Provisions into each of the four Code books.

CONSTRUCTION CODES UPDATE PAGES

UPDATE # 85

Source: Local Law 148 of 2013, effective March 30, 2014.

This update includes the following pages:

PLUMBING CODE	
<u>Section</u>	<u>Page Number</u>
429	30b
429.1	30b

MECHANICAL CODE	
<u>Section</u>	<u>Page Number</u>
507.16	44a

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

Source: Local Law 148 of 2013, effective March 30, 2014.

PLUMBING CODE

Insert between pages 30a and 31 of your bound volume.

Add the following new section 429 to read as follows:

SECTION 429
ROOFTOP GARDENS AND LANDSCAPING

429.1 Water supply. Where a connection to an approved water supply is required by Section 318.5 of the New York City Fire Code for rooftop gardens or landscaping exceeding 250 square feet (23 m²), an approved fixture shall be provided for connection to such water supply in accordance with this code.

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

Source: Local Law 148 of 2013, effective March 30, 2014.

MECHANICAL CODE

Insert between pages 44 and 45 of your bound volume.

Amend section 507.16 to read as follows:

507.16 Performance test. A performance test shall be conducted upon completion of and witnessed by a representative of the Fire Department before final approval of the installation of a ventilation system serving commercial cooking appliances. The test shall verify the rate of exhaust airflow required by Section 507.13, makeup airflow required by Section 508, and proper operation as specified in this chapter. The permit holder shall furnish the necessary test equipment and devices required to perform the tests. The performance test shall be witnessed by a special inspector.