



## Report of Materials and Equipment Acceptance Division

NYC Department of Buildings  
280 Broadway, New York, NY 10007  
Patricia Lancaster, FAIA, Commissioner  
(212) 566-5000, TTY: (212) 566-4769

Pursuant to Administrative Code Section 27-131, the following equipment or material has been found acceptable for use subject to the terms and conditions contained herein.

### **MEA 236-06-E**

**Manufacturer:** Electrolux Professional S.p.A.  
Via I Maggio, 2  
Villotta di Chions (PN)  
ITALY 33089

**Trade Name(s):** Electrolux Professional S.p.A.

**Product:** Commercial refrigerators and freezers  
MEA Index #600 – Refrigerators and Freezers

**Pertinent Code Section(s):** 27-770, 27-777

**Prescribed Test(s):** RS 14-6 (UL 471)

**Laboratory:** Intertek ETL Semko

**Test Report(s):** 10540059 dated December 2, 2005.

**Description:** Commercial refrigerators and freezers. These appliances are cord-connected commercial refrigerators intended for connection to a 120 VAC, 60 Hz, and single-phase supply source. The units have an onboard compressor and an onboard refrigerating circuit. Both models are intended to be elevated on legs. The units are equipped with air-cooled condensers, and the refrigeration circuits have capillary tubing. Both models are equipped with two separate refrigerating circuits are composed with two separate refrigerated compartments.

#### Product Covered:

**Models: 9VTX 726482  
9VTX 726483**

#### Note:

Model 9VTX 726482 has two refrigerated compartments, while model 9VTX 726483 has one refrigerated compartment and one freezer compartment.

Electrical Ratings

| Product     | Voltage | Current | Frequency | Low-side Pressure                  | High –side Pressure                 |
|-------------|---------|---------|-----------|------------------------------------|-------------------------------------|
| 9VTX 726482 | 120 V   | 10 A    | 60 Hz     | Refr: 88 psig<br>Freezer: 88 psig  | Refr: 253 psig<br>Freezer: 253 psig |
| 9VTX 726483 | 120 V   | 10 A    | 60 Hz     | Refr: 88 psig<br>Freezer: 174 psig | Refr: 253 psig<br>Freezer: 351 psig |

**Terms and Conditions:** The above-described commercial refrigerators are accepted under the following conditions:

1. Units shall be installed in accordance with manufacturer's instructions and New York City Electrical Code requirements.
2. Adequate supply of fresh air for ventilation shall be provided into room or space enclosing equipment.
3. The installation shall not obstruct access for operation and servicing.
4. No flammable material (except electrical insulation) shall be located in the machine or wiring compartments unless specified.
5. Approval of all electrical equipment, apparatus, materials and devices shall be obtained from the Department's Electrical Advisory Board before installation.
6. Units shall be used in compliance with the Energy Conservation Construction Code of New York State.
7. All shipments and deliveries of such equipment shall be provided with a metal tag, suitably placed, certifying that the equipment shipped or delivered is equivalent to that tested and acceptable for use, as provided in Section 27-131 of the New York City Building Code.

Final Acceptance March 6, 2008

Examined By Shyam Prasad SP