



Report of Materials and Equipment Acceptance Division

NYC Department of Buildings
280 Broadway, New York, NY 10007
Patricia Lancaster, FAIA, Commissioner
(212) 566-5000, TTY: (212) 566-4769

Pursuant to Administrative Code Section 27-131, the following equipment or material has been found acceptable for use subject to the terms and conditions contained herein.

MEA 238-06-E

Manufacturer: Hobart, 701 S. Ridge Avenue, Troy, OH 45374

Trade Name(s): Hobart

Product: Electric rotisserie oven
MEA Index #150 – Cooking Appliances

Pertinent Code Section(s): 27-777, 27-787

Prescribed Test(s): RS 14-6 (UL 197)

Laboratory: Underwriters Laboratories, Inc.

Test Report(s): UL File E251402 dated December 18, 2005, revised March 12, 2006.

Description: Electric rotisserie oven designed for commercial use. Unit is comprised of on/off switch and thermostat with safety controls. Unit with its rating is listed below:

Product Covered: **Model HR5E – Rotisserie Oven**

Electrical Ratings:

V, 60 Hz	Phase	A	KW
208	1	26.9 (#)	5.6 (#)
208	1	28.8	6
240	1	27.1 (+)	6.5 (+)
240	1	25	6
208	3	15.5 (#)	5.6 (#)
208	3	16.7	6
240	3	14.4	6
240	3	15.6 (+)	6.5 (+)
220 / 380 (4W) (@)	3	8.4	5.5 (+)
230 / 400 (4W) (@)	3	8.7	6 (+)
240 / 415 (4W) (@)	3	9 (+)	6.5 (+)

Notes:

- (#) – Unit rating when 230V, quartz elements are de-rated (230V elements energized at 208V).
- (+) – Unit rating when convection elements are rated 230V (over-rated at 240V and quartz elements are rated 230V (over-rated at 240V).
- (@) – Unit is essentially 240V unit powered with 415/240V power where neutral is used for the 240V circuits (including elements).

Terms and Conditions: The above-described electric oven is accepted with the following conditions:

1. Minimum installed clearances from combustible construction shall be in accordance with RS 14-15 of the New York City Building Code.
2. Units shall be installed in accordance with manufacturer's instructions and New York City Electrical, New York City Building and Fire Codes requirements.
3. Cooking equipment shall be installed under hoods that vent to the outside and comply with Reference Standard RS 15 requirements of the New York City Building Code. The hood shall have a fire-suppression system complying with Reference Standards RS 13-2 and RS13-3, with open heads capable of simultaneous discharge and manual release. The fire-suppression system shall be exclusively used for cooking equipment, and shall be filed with the Building Department and examined and approved by the Fire Department.
4. Adequate supply of fresh air for unit ventilation and combustion requirements shall be provided into room or space enclosing equipment.
5. Installation shall not obstruct access for operation and servicing.
6. For grease removal, suitable baffle type grease filters, MEA-accepted, shall be installed.
7. Approval of all electrical equipment, apparatus, materials and devices shall be obtained from the Department's Electrical Advisory Board before installation.
8. Units shall be constructed and used in compliance with the Energy Conservation Construction Code of New York State.
9. All shipments and deliveries of such equipment shall be provided with a metal tag, suitably placed, certifying that the equipment shipped or delivered is equivalent to that tested and accepted for use, as provided in Section 27-131 of the New York City Building Code.

Final Acceptance 2/20/08
Examined By Ryan