

## Report of Materials and Equipment Acceptance Division

NYC Department of Buildings 280 Broadway, New York, NY 10007 Patricia Lancaster, FAIA, Commissioner (212) 566-5000, TTY: (212) 566-4769

Pursuant to Administrative Code Section 27-131, the following equipment or material has been found acceptable for use subject to the terms and conditions contained herein.

## MEA 440-06-E

Manufacturer: Cleveland Range, LLC, 1333 East 179<sup>th</sup> Street,

Cleveland, Ohio 44110

Trade Name(s): Cleveland Range

**Product:** Commercial electrically heated steam cookers

Pertinent Code Section(s): 27-787, 27-792

Prescribed Test(s): RS 14-6 (UL 197)

**Laboratory:** Underwriters Laboratories, Inc.

**Test Report(s):** UL File E35238, dated April 9, 2002

**Description:** Commercial electrically heated steam kettles that include an ASME-certified vessel of various gallon capacities. The kettle may be stationary or tilting, pedestal- or leg-style floor-mounted, and some provided with an electric mixer. They also consist of resistance-heating elements, on/off switch, contactors, thermostat, water level control, pilot lights, terminal block, vacuum/pressure gauge and a safety valve.

		Amperage		
Model No.	V, 60 Hz	1 Phase	3 Phase	W
22CET3	208	30.8	17.8	6400
22CET3A	220	25	14.3	5440
22CET3M	240	26.7	15.4	6400
	440	12.4	7.1	5440
	480	13.3	7.7	6400
	208	45.2	26.1	9400
	220	36.1	20.9	7960

	240	39.2	22.6	9400
	440	18.0	10.4	7960
	480	19.6	11.4	9400
22CET6A	208	45.2	26.1	9400
	220	36.1	20.9	7960
	240	39.2	22.6	9400
	440	18.0	10.4	7960
	480	19.6	11.4	9400
	208	64.9	37.5	13500
	220	51.4	29.7	11300
	240	56.3	32.5	13500
	440	25.8	14.9	11340
	480	28.1	16.2	13500

**Terms and Conditions:** The above commercial electric steam cookers are accepted under the following conditions:

- 1. Units shall be installed in accordance with manufacturer's instructions and New York City Building and Electrical Code requirements.
- 2. Adequate supply of fresh air shall be provided into room or space enclosing equipment for unit ventilation requirement.
- 3. Satisfactory room exhaust system shall be furnished.
- 4. The installation shall not interfere with accessibility for operation and servicing.
- 5. Approval of electrical equipment, apparatus, materials and devices shall be obtained from the Department's Electrical Advisory Board before installation.
- 6. Units shall be used in compliance with the Energy Conservation Construction Code of New York City.

7.	All shipments and deliveries of such equipment shall be provided with a metal tag,
	suitably placed, certifying that the equipment shipped or delivered is equivalent to
	that tested and acceptable for use, as provided in Section 27-131 of the New York
	City Building Code.

Final Acceptance 71/22/08
Examined By Styan. N