

NEW INSTALLATIONS: GAS PLUMBING

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Barbecue (Residential Outdoor)	1		Must conform to FDNY requirements, NYC Fire Code Section 307.5	
Gas Hot Water Heater CAT-1 Vent (Atmospheric Vent Standard Chimney)	1		Adding additional non-condensing hot water heater requires a chimney letter signed by a P.E./R.A.	
Gas Infrared Heater, Ceiling/Wall Mounted (No Vent)	1		Must follow manufacturer's instructions	✓
Gas Light (Commercial and Residential)	1			
Gas Oil Burner Pilot	1			✓
Gas Pool Heater (One Family Indoor)	1		Limited to 400 square feet pool size, must indicate drainage capacity for pool	
Gas Pool Heater (One Family Outdoor)	1		Limited to 400 square feet pool size, must indicate drainage capacity for pool	

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Regulator	1			
Gas Residential Dryer	1		See RCNY 101-02 for 1 or 2 family occupancies – four (4) stories; Fuel Gas Code Section 613 and 614	
Gas Salamander (Commercial)	1		Statement of readiness letter required	
Gas Unit Heater (vent through roof)	1		Limited to six (6) units in a one-story building or top floor of commercial occupancy only; must follow manufacturer's instructions.	

****FOR APPLIANCES NOT LISTED - REFER TO LAA UNIT****