

## REPLACEMENT INSTALLATIONS: GAS PLUMBING

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Air Conditioning (Outdoors)	2			
Gas Grill (Commercial Indoor)	2			
Gas Barbecue (Commercial Outdoor)	2		Must conform to FDNY requirements	
Gas Grill (Residential Indoor)	2			
Gas Barbecue (Residential Outdoor)	2		Must conform to FDNY requirements	
Gas Boiler CAT-1 Vent (Atmospheric Vent Standard Chimney)	2		Non-condensing requires lined chimney	✓
Gas Boiler CAT-2 Vent (Atmospheric Vent Lined Chimney)	2		Condensing boiler requires lined metal chimney; Requires neutralizing kit, drainage info, and vapor traps	

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Boiler CAT-3 Vent (Non-condensing Direct Power Vented)	2		See RCNY 101-02, if applicable	
Gas Boiler CAT-4 Vent (Condensing Direct Power Vented)	2		See RCNY 101-02, if applicable. Requires neutralizing kit, drainage info, and vapor traps	
Gas Booster	2			
Gas Connectors	2			✓
Gas Dishwasher (Commercial)	2			
Gas Dryer (Commercial)	2			
Gas Emergency Shut Off Valve	2			
Gas Emergency Shut Off Fire Suppression	2			
Gas Fired Chiller	2			
Gas Fireplace (Commercial)	2		Must comply with MC-303	

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Fireplace (Residential)	2		Must comply with MC-303	
Gas Fryer (Commercial)	2			
Gas Furnace CAT-1 vent (Atmospheric Vent Standard Chimney)	2		Non-condensing requires lined chimney	✓
Gas Furnace CAT-2 vent (Atmospheric Vent Lined Chimney)	2		Condensing furnace requires lined metal chimney. Requires neutralizing kit, drainage info, and vapor traps	
Gas Furnace CAT-3 vent (Non- Condensing Direct Power Vented)	2		See RCNY 101-02, if applicable	
Gas Furnace CAT-4 vent (Condensing Direct Power Vented)	2		See RCNY 101-02, if applicable. Requires neutralizing kit, drainage information, and vapor traps	
Gas Generator Emergency (Commercial Indoor)	2		No construction work permitted	

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Generator Emergency (Commercial Outdoor)	2		No construction work permitted	
Gas Generator Emergency (Residential Outdoor Only)	2		No construction work permitted	
Gas Hot Water Heater CAT-1 Vent (Atmospheric Vent Standard Chimney)	2		Requires lined chimney	✓
Gas Hot Water Heater CAT-2 Vent (Atmospheric Vent Lined Chimney)	2		Condensing hot water requires: lined metal chimney, neutralizing kit, drainage information, and vapor traps	
Gas Hot Water Heater CAT-3 Vent (Non- condensing Direct Power Vented)	2		See RCNY 101-02, if applicable	
Gas Hot Water Heater CAT-4 Vent (Condensing Direct Power Vented)	2		RCNY 101-02 (if applicable); requires neutralizing kit, drainage info and vapor traps	

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Infrared Heater (Direct Vent)	2			
Gas Infrared Heater (No Vent)	2			✓
Gas Infrared Heater (Vent through Roof)	2			✓
Gas Light (Commercial)	2			✓
Gas Light (Residential)	2			✓
Gas Oil Burner Pilot	2			
Gas Outdoor Cooktop (Commercial)	2			
Gas Pizza Oven (Commercial)	2			✓
Gas Pool Heater	2			✓
Gas Pool Heater (One Family Indoor)	2			✓
Gas Pool Heater (One Family Outdoors)	2			✓

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Pool Heater (Commercial Indoor)	2			✓
Gas Pool Heater (Commercial Outdoor)	2			✓
Gas Dryer (Residential)	2			✓
Gas Salamander - Temporary Heat (Commercial)	2			
Gas Infrared Heater (Direct Vent)	2			
Gas Salamander - Cooking (Commercial)	2			
Gas Smoker (Outdoor)	2		Must conform to FDNY requirements	✓
Gas Steam Table (Commercial)	2			✓
Gas Stove (Residential)	2			✓
Gas Stove (Commercial)	2			

ITEM	CATEGORY (ADMIN CODE §28-101.5)	ADDITIONAL DOCUMENTS REQUIRED	COMMENTS	e-File
Gas Unit Heater (Vent through Roof)	2			✓
Gas Unit Heater (through Wall P-TAC)	2		See Building Bulletin 2015-035 / must have CO sensor built in; need original application number	
Re-routing of Existing Gas Piping	2		Cannot install piping in public hallways	✓
Replace existing piping in same location for residential cooking only	2		List all appliances served by meter	✓
Gas regulator (Appliance) Residential	2			✓

**\*\*FOR APPLIANCES NOT LISTED REFER TO LAA UNIT\*\***