



# NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2001

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene  
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

## LIST OF ANNUAL TABLES

*Click on each title below to reach the corresponding table*

### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.1	<b>New York City (All)</b>	Table 1.7.5	Upper East Side
	<b>By Gender</b>	Table 1.7.6	Chelsea – Clinton
Table 1.2.1	Males	Table 1.7.7	Gramercy Park – Murray Hill
Table 1.2.2	Females	Table 1.7.8	Greenwich Village – Soho
	<b>By Race/Ethnicity</b>	Table 1.7.9	Union Square – Lower East Side
Table 1.3.1	Black males	Table 1.7.10	Lower Manhattan
Table 1.3.2	Black females		<b>By UHF Neighborhood: Brooklyn</b>
Table 1.3.3	Hispanic males	Table 1.8.1	Greenpoint
Table 1.3.4	Hispanic females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.5	White males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.6	White females	Table 1.8.4	East New York
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.5	Sunset Park
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.6	Borough Park
	<b>By Age</b>	Table 1.8.7	East Flatbush – Flatbush
Table 1.4.1	Males 0-12 years	Table 1.8.8	Canarsie – Flatlands
Table 1.4.2	Females 0-12 years	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.4.3	Males 13+ years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.4	Females 13+ years	Table 1.8.11	Williamsburg – Bushwick
	<b>By Borough</b>		<b>By UHF Neighborhood: Bronx</b>
Table 1.5.1	Manhattan, males	Table 1.9.1	Kingsbridge – Riverdale
Table 1.5.2	Manhattan, females	Table 1.9.2	Northeast Bronx
Table 1.5.3	Brooklyn, males	Table 1.9.3	Fordham – Bronx Park
Table 1.5.4	Brooklyn, females	Table 1.9.4	Pelham – Throgs Neck
Table 1.5.5	Bronx, males	Table 1.9.5	Crotona – Tremont
Table 1.5.6	Bronx, females	Table 1.9.6	High Bridge – Morrisania
Table 1.5.7	Queens, males	Table 1.9.7	Hunts Point – Mott Haven
Table 1.5.8	Queens, females		<b>By UHF Neighborhood: Queens</b>
Table 1.5.9	Staten Island, males	Table 1.10.1	Long Island City – Astoria
Table 1.5.10	Staten Island, females	Table 1.10.2	West Queens
	<b>By Transmission Risk</b>	Table 1.10.3	Flushing – Clearview
Table 1.6.1	Men who have sex with men	Table 1.10.4	Bayside – Little Neck
Table 1.6.2	Injection drug users, males	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.3	Injection drug users, females	Table 1.10.6	Fresh Meadows
Table 1.6.4	Heterosexuals, males	Table 1.10.7	Southwest Queens
Table 1.6.5	Heterosexuals, females	Table 1.10.8	Jamaica
	<b>By UHF Neighborhood: Manhattan</b>	Table 1.10.9	Southeast Queens
Table 1.7.1	Washington Heights – Inwood	Table 1.10.10	Rockaway
Table 1.7.2	Central Harlem – Morningside Heights		<b>By UHF Neighborhood: Staten Island</b>
Table 1.7.3	East Harlem	Table 1.11.1	Port Richmond
Table 1.7.4	Upper West Side	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2001, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>5,684</b>	<b>100.0</b>	<b>4,465</b>	<b>78.6</b>	<b>1,219</b>	<b>21.4</b>	<b>5,608</b>	<b>100.0</b>	<b>85,903</b>	<b>100.0</b>	<b>2,869</b>	<b>100.0</b>
<b>SEX</b>												
Male	3,730	65.6	2,865	64.2	865	71.0	3,792	67.6	59,685	69.5	1,968	68.6
Female	1,954	34.4	1,600	35.8	354	29.0	1,816	32.4	26,218	30.5	901	31.4
<b>RACE/ETHNICITY</b>												
Black	3,040	53.5	2,341	52.4	699	57.3	2,901	51.7	38,059	44.3	1,491	52.0
Hispanic	1,665	29.3	1,333	29.9	332	27.2	1,802	32.1	28,153	32.8	921	32.1
White	875	15.4	711	15.9	164	13.5	836	14.9	18,177	21.2	428	14.9
Asian/Pacific Islander	89	1.6	69	1.5	20	1.6	56	1.0	803	0.9	18	0.6
Native American	7	0.1	5	0.1	2	0.2	4	0.1	64	0.1	2	0.1
Other/unknown	8	0.1	6	0.1	2	0.2	9	0.2	647	0.8	9	0.3
<b>AGE GROUP (YEARS)</b>												
0-12	86	1.5	78	1.7	8	0.7	21	0.4	1,646	1.9	8	0.3
13-19	158	2.8	146	3.3	12	1.0	64	1.1	1,061	1.2	19	0.7
20-29	1,036	18.2	893	20.0	143	11.7	489	8.7	5,583	6.5	75	2.6
30-39	2,051	36.1	1,635	36.6	416	34.1	1,939	34.6	26,515	30.9	633	22.1
40-49	1,523	26.8	1,134	25.4	389	31.9	2,010	35.8	32,800	38.2	1,162	40.5
50-59	609	10.7	434	9.7	175	14.4	822	14.7	14,352	16.7	696	24.3
60+	221	3.9	145	3.2	76	6.2	263	4.7	3,946	4.6	276	9.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	1,499	26.4	1,211	27.1	288	23.6	1,409	25.1	26,242	30.5	780	27.2
Brooklyn	1,574	27.7	1,203	26.9	371	30.4	1,481	26.4	21,389	24.9	802	28.0
Bronx	1,346	23.7	1,067	23.9	279	22.9	1,448	25.8	18,532	21.6	694	24.2
Queens	749	13.2	557	12.5	192	15.8	750	13.4	11,421	13.3	335	11.7
Staten Island	97	1.7	58	1.3	39	3.2	112	2.0	1,556	1.8	65	2.3
Unknown/outside NYC	419	7.4	369	8.3	50	4.1	408	7.3	6,763	7.9	193	6.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,580	27.8	1,281	28.7	299	24.5	1,219	21.7	23,441	27.3	440	15.3
Injection drug use history	939	16.5	766	17.2	173	14.2	1,322	23.6	24,641	28.7	1,344	46.8
Heterosexual	1,349	23.7	1,053	23.6	296	24.3	1,100	19.6	14,695	17.1	419	14.6
Perinatal	87	1.5	78	1.7	9	0.7	59	1.1	2,385	2.8	21	0.7
Other	5	0.1	2	0.0	3	0.2	12	0.2	361	0.4	16	0.6
Unknown	1,724	30.3	1,285	28.8	439	36.0	1,896	33.8	20,380	23.7	629	21.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35,540	41.4	317	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50,363	58.6	2,552	89.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3,730</b>	<b>100.0</b>	<b>2,865</b>	<b>76.8</b>	<b>865</b>	<b>23.2</b>	<b>3,792</b>	<b>100.0</b>	<b>59,685</b>	<b>100.0</b>	<b>1,968</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,743	46.7	1,299	45.3	444	51.3	1,786	47.1	23,275	39.0	975	49.5
Hispanic	1,144	30.7	887	31.0	257	29.7	1,251	33.0	19,482	32.6	630	32.0
White	764	20.5	621	21.7	143	16.5	697	18.4	15,747	26.4	339	17.2
Asian/Pacific Islander	67	1.8	50	1.7	17	2.0	46	1.2	655	1.1	16	0.8
Native American	4	0.1	2	0.1	2	0.2	4	0.1	47	0.1	1	0.1
Other/unknown	8	0.2	6	0.2	2	0.2	8	0.2	479	0.8	7	0.4
<b>AGE GROUP (YEARS)</b>												
0-12	42	1.1	40	1.4	2	0.2	4	0.1	786	1.3	5	0.3
13-19	73	2.0	67	2.3	6	0.7	34	0.9	529	0.9	8	0.4
20-29	635	17.0	541	18.9	94	10.9	297	7.8	3,275	5.5	34	1.7
30-39	1,403	37.6	1,106	38.6	297	34.3	1,284	33.9	17,768	29.8	357	18.1
40-49	1,008	27.0	723	25.2	285	32.9	1,366	36.0	23,262	39.0	821	41.7
50-59	412	11.0	285	9.9	127	14.7	612	16.1	11,027	18.5	535	27.2
60+	157	4.2	103	3.6	54	6.2	195	5.1	3,038	5.1	208	10.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	1,132	30.3	900	31.4	232	26.8	1,077	28.4	20,865	35.0	590	30.0
Brooklyn	943	25.3	690	24.1	253	29.2	931	24.6	13,289	22.3	509	25.9
Bronx	764	20.5	585	20.4	179	20.7	875	23.1	11,079	18.6	447	22.7
Queens	508	13.6	369	12.9	139	16.1	504	13.3	7,907	13.2	234	11.9
Staten Island	53	1.4	30	1.0	23	2.7	70	1.8	969	1.6	45	2.3
Unknown/outside NYC	330	8.8	291	10.2	39	4.5	335	8.8	5,576	9.3	143	7.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,580	42.4	1,281	44.7	299	34.6	1,219	32.1	23,441	39.3	440	22.4
Injection drug use history	650	17.4	525	18.3	125	14.5	921	24.3	17,421	29.2	934	47.5
Heterosexual	457	12.3	321	11.2	136	15.7	407	10.7	4,091	6.9	140	7.1
Perinatal	42	1.1	40	1.4	2	0.2	21	0.6	1,168	2.0	10	0.5
Other	3	0.1	0	0.0	3	0.3	9	0.2	194	0.3	7	0.4
Unknown	998	26.8	698	24.4	300	34.7	1,215	32.0	13,370	22.4	437	22.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23,591	39.5	215	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36,094	60.5	1,753	89.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,954</b>	<b>100.0</b>	<b>1,600</b>	<b>81.9</b>	<b>354</b>	<b>18.1</b>	<b>1,816</b>	<b>100.0</b>	<b>26,218</b>	<b>100.0</b>	<b>901</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,297	66.4	1,042	65.1	255	72.0	1,115	61.4	14,784	56.4	516	57.3
Hispanic	521	26.7	446	27.9	75	21.2	551	30.3	8,671	33.1	291	32.3
White	111	5.7	90	5.6	21	5.9	139	7.7	2,430	9.3	89	9.9
Asian/Pacific Islander	22	1.1	19	1.2	3	0.8	10	0.6	148	0.6	2	0.2
Native American	3	0.2	3	0.2	0	0.0	0	0.0	17	0.1	1	0.1
Other/unknown	0	0.0	0	0.0	0	0.0	1	0.1	168	0.6	2	0.2
<b>AGE GROUP (YEARS)</b>												
0-12	44	2.3	38	2.4	6	1.7	17	0.9	860	3.3	3	0.3
13-19	85	4.4	79	4.9	6	1.7	30	1.7	532	2.0	11	1.2
20-29	401	20.5	352	22.0	49	13.8	192	10.6	2,308	8.8	41	4.6
30-39	648	33.2	529	33.1	119	33.6	655	36.1	8,747	33.4	276	30.6
40-49	515	26.4	411	25.7	104	29.4	644	35.5	9,538	36.4	341	37.8
50-59	197	10.1	149	9.3	48	13.6	210	11.6	3,325	12.7	161	17.9
60+	64	3.3	42	2.6	22	6.2	68	3.7	908	3.5	68	7.5
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	367	18.8	311	19.4	56	15.8	332	18.3	5,377	20.5	190	21.1
Brooklyn	631	32.3	513	32.1	118	33.3	550	30.3	8,100	30.9	293	32.5
Bronx	582	29.8	482	30.1	100	28.2	573	31.6	7,453	28.4	247	27.4
Queens	241	12.3	188	11.8	53	15.0	246	13.5	3,514	13.4	101	11.2
Staten Island	44	2.3	28	1.8	16	4.5	42	2.3	587	2.2	20	2.2
Unknown/outside NYC	89	4.6	78	4.9	11	3.1	73	4.0	1,187	4.5	50	5.5
<b>TRANSMISSION RISK</b>												
Injection drug use history	289	14.8	241	15.1	48	13.6	401	22.1	7,220	27.5	410	45.5
Heterosexual	892	45.6	732	45.8	160	45.2	693	38.2	10,604	40.4	279	31.0
Perinatal	45	2.3	38	2.4	7	2.0	38	2.1	1,217	4.6	11	1.2
Other	2	0.1	2	0.1	0	0.0	3	0.2	167	0.6	9	1.0
Unknown	726	37.2	587	36.7	139	39.3	681	37.5	7,010	26.7	192	21.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,949	45.6	102	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,269	54.4	799	88.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,743</b>	<b>100.0</b>	<b>1,299</b>	<b>74.5</b>	<b>444</b>	<b>25.5</b>	<b>1,786</b>	<b>100.0</b>	<b>23,275</b>	<b>100.0</b>	<b>975</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	32	1.8	31	2.4	*	*	*	*	497	2.1	*	*
13-19	41	2.4	36	2.8	*	*	20	1.1	256	1.1	7	0.7
20-29	276	15.8	227	17.5	49	11.0	143	8.0	1,317	5.7	21	2.2
30-39	556	31.9	420	32.3	136	30.6	543	30.4	6,146	26.4	167	17.1
40-49	539	30.9	381	29.3	158	35.6	667	37.3	9,073	39.0	403	41.3
50-59	223	12.8	155	11.9	68	15.3	312	17.5	4,682	20.1	265	27.2
60+	76	4.4	49	3.8	27	6.1	100	5.6	1,304	5.6	109	11.2
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	392	22.5	304	23.4	88	19.8	422	23.6	6,308	27.1	278	28.5
Brooklyn	619	35.5	445	34.3	174	39.2	597	33.4	7,553	32.5	320	32.8
Bronx	374	21.5	276	21.2	98	22.1	399	22.3	4,444	19.1	194	19.9
Queens	190	10.9	136	10.5	54	12.2	207	11.6	2,943	12.6	108	11.1
Staten Island	20	1.1	12	0.9	8	1.8	24	1.3	312	1.3	20	2.1
Unknown/outside NYC	148	8.5	126	9.7	22	5.0	137	7.7	1,715	7.4	55	5.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	546	31.3	435	33.5	111	25.0	439	24.6	6,236	26.8	168	17.2
Injection drug use history	286	16.4	225	17.3	61	13.7	397	22.2	7,403	31.8	454	46.6
Heterosexual	289	16.6	206	15.9	83	18.7	239	13.4	2,218	9.5	86	8.8
Perinatal	32	1.8	31	2.4	*	*	8	0.4	681	2.9	7	0.7
Other	*	*	0	0.0	*	*	*	*	64	0.3	*	*
Unknown	588	33.7	402	30.9	186	41.9	698	39.1	6,673	28.7	257	26.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,758	37.6	111	11.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,517	62.4	864	88.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,297</b>	<b>100.0</b>	<b>1,042</b>	<b>80.3</b>	<b>255</b>	<b>19.7</b>	<b>1,115</b>	<b>100.0</b>	<b>14,784</b>	<b>100.0</b>	<b>516</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	27	2.1	23	2.2	*	*	13	1.2	512	3.5	*	*
13-19	59	4.5	55	5.3	*	*	21	1.9	312	2.1	9	1.7
20-29	278	21.4	243	23.3	35	13.7	134	12.0	1,437	9.7	25	4.8
30-39	430	33.2	344	33.0	86	33.7	386	34.6	4,844	32.8	151	29.3
40-49	341	26.3	263	25.2	78	30.6	393	35.2	5,372	36.3	191	37.0
50-59	115	8.9	83	8.0	32	12.5	126	11.3	1,805	12.2	98	19.0
60+	47	3.6	31	3.0	16	6.3	42	3.8	502	3.4	40	7.8
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	254	19.6	210	20.2	44	17.3	225	20.2	2,992	20.2	121	23.4
Brooklyn	467	36.0	380	36.5	87	34.1	385	34.5	5,382	36.4	195	37.8
Bronx	326	25.1	269	25.8	57	22.4	282	25.3	3,584	24.2	106	20.5
Queens	165	12.7	117	11.2	48	18.8	163	14.6	2,032	13.7	60	11.6
Staten Island	30	2.3	19	1.8	11	4.3	24	2.2	257	1.7	9	1.7
Unknown/outside NYC	55	4.2	47	4.5	8	3.1	36	3.2	537	3.6	25	4.8
<b>TRANSMISSION RISK</b>												
Injection drug use history	163	12.6	135	13.0	28	11.0	208	18.7	3,620	24.5	206	39.9
Heterosexual	595	45.9	478	45.9	117	45.9	417	37.4	6,009	40.6	170	32.9
Perinatal	28	2.2	23	2.2	*	*	28	2.5	717	4.8	8	1.6
Other	*	*	*	*	0	0.0	*	*	89	0.6	*	*
Unknown	510	39.3	405	38.9	105	41.2	461	41.3	4,349	29.4	127	24.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,893	46.6	55	10.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,891	53.4	461	89.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,144</b>	<b>100.0</b>	<b>887</b>	<b>77.5</b>	<b>257</b>	<b>22.5</b>	<b>1,251</b>	<b>100.0</b>	<b>19,482</b>	<b>100.0</b>	<b>630</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	8	0.7	8	0.9	0	0.0	*	*	242	1.2	*	*
13-19	28	2.4	27	3.0	*	*	12	1.0	219	1.1	0	0.0
20-29	238	20.8	201	22.7	37	14.4	114	9.1	1,227	6.3	12	1.9
30-39	452	39.5	356	40.1	96	37.4	462	36.9	6,376	32.7	131	20.8
40-49	257	22.5	186	21.0	71	27.6	424	33.9	7,397	38.0	262	41.6
50-59	106	9.3	70	7.9	36	14.0	180	14.4	3,174	16.3	172	27.3
60+	55	4.8	39	4.4	16	6.2	57	4.6	847	4.3	52	8.3
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	299	26.1	231	26.0	68	26.5	318	25.4	5,510	28.3	156	24.8
Brooklyn	199	17.4	152	17.1	47	18.3	211	16.9	3,585	18.4	121	19.2
Bronx	353	30.9	279	31.5	74	28.8	422	33.7	5,908	30.3	231	36.7
Queens	209	18.3	152	17.1	57	22.2	195	15.6	3,008	15.4	67	10.6
Staten Island	7	0.6	*	*	*	*	16	1.3	226	1.2	6	1.0
Unknown/outside NYC	77	6.7	69	7.8	8	3.1	89	7.1	1,245	6.4	49	7.8
<b>TRANSMISSION RISK</b>												
Men who have sex with men	463	40.5	371	41.8	92	35.8	358	28.6	6,078	31.2	120	19.0
Injection drug use history	273	23.9	225	25.4	48	18.7	404	32.3	7,581	38.9	351	55.7
Heterosexual	127	11.1	91	10.3	36	14.0	120	9.6	1,386	7.1	44	7.0
Perinatal	8	0.7	8	0.9	0	0.0	11	0.9	403	2.1	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	46	0.2	*	*
Unknown	273	23.9	192	21.6	81	31.5	355	28.4	3,988	20.5	111	17.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,189	36.9	61	9.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,293	63.1	569	90.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>521</b>	<b>100.0</b>	<b>446</b>	<b>85.6</b>	<b>75</b>	<b>14.4</b>	<b>551</b>	<b>100.0</b>	<b>8,671</b>	<b>100.0</b>	<b>291</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	14	2.7	13	2.9	*	*	*	*	293	3.4	*	*
13-19	22	4.2	21	4.7	*	*	7	1.3	179	2.1	*	*
20-29	98	18.8	86	19.3	12	16.0	47	8.5	700	8.1	13	4.5
30-39	178	34.2	152	34.1	26	34.7	209	37.9	2,981	34.4	98	33.7
40-49	133	25.5	116	26.0	17	22.7	207	37.6	3,074	35.5	111	38.1
50-59	61	11.7	49	11.0	12	16.0	59	10.7	1,145	13.2	44	15.1
60+	15	2.9	9	2.0	6	8.0	20	3.6	299	3.4	22	7.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	84	16.1	74	16.6	10	13.3	78	14.2	1,731	20.0	51	17.5
Brooklyn	132	25.3	108	24.2	24	32.0	126	22.9	2,040	23.5	72	24.7
Bronx	235	45.1	198	44.4	37	49.3	269	48.8	3,507	40.4	129	44.3
Queens	46	8.8	43	9.6	*	*	51	9.3	906	10.4	24	8.2
Staten Island	*	*	*	*	0	0.0	8	1.5	132	1.5	*	*
Unknown/outside NYC	21	4.0	20	4.5	*	*	19	3.4	355	4.1	12	4.1
<b>TRANSMISSION RISK</b>												
Injection drug use history	105	20.2	88	19.7	17	22.7	158	28.7	2,688	31.0	154	52.9
Heterosexual	230	44.1	200	44.8	30	40.0	211	38.3	3,566	41.1	83	28.5
Perinatal	14	2.7	13	2.9	*	*	7	1.3	421	4.9	*	*
Other	*	*	*	*	0	0.0	*	*	42	0.5	*	*
Unknown	171	32.8	144	32.3	27	36.0	173	31.4	1,954	22.5	50	17.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,800	43.8	34	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,871	56.2	257	88.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>764</b>	<b>100.0</b>	<b>621</b>	<b>81.3</b>	<b>143</b>	<b>18.7</b>	<b>697</b>	<b>100.0</b>	<b>15,747</b>	<b>100.0</b>	<b>339</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	36	0.2	0	0.0
13-19	*	*	*	*	0	0.0	*	*	42	0.3	*	*
20-29	107	14.0	101	16.3	6	4.2	33	4.7	626	4.0	*	*
30-39	360	47.1	303	48.8	57	39.9	261	37.4	4,855	30.8	51	15.0
40-49	194	25.4	145	23.3	49	34.3	251	36.0	6,355	40.4	150	44.2
50-59	75	9.8	54	8.7	21	14.7	114	16.4	2,993	19.0	93	27.4
60+	23	3.0	13	2.1	10	7.0	36	5.2	840	5.3	43	12.7
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	418	54.7	346	55.7	72	50.3	319	45.8	8,483	53.9	149	44.0
Brooklyn	109	14.3	83	13.4	26	18.2	110	15.8	1,980	12.6	60	17.7
Bronx	30	3.9	24	3.9	6	4.2	50	7.2	633	4.0	21	6.2
Queens	88	11.5	69	11.1	19	13.3	85	12.2	1,715	10.9	53	15.6
Staten Island	26	3.4	14	2.3	12	8.4	29	4.2	411	2.6	18	5.3
Unknown/outside NYC	93	12.2	85	13.7	8	5.6	104	14.9	2,525	16.0	38	11.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	537	70.3	447	72.0	90	62.9	397	57.0	10,696	67.9	144	42.5
Injection drug use history	83	10.9	69	11.1	14	9.8	115	16.5	2,353	14.9	126	37.2
Heterosexual	29	3.8	18	2.9	11	7.7	36	5.2	404	2.6	9	2.7
Perinatal	*	*	*	*	0	0.0	*	*	62	0.4	*	*
Other	*	*	0	0.0	*	*	*	*	76	0.5	*	*
Unknown	113	14.8	86	13.8	27	18.9	147	21.1	2,156	13.7	58	17.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,951	44.1	36	10.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,796	55.9	303	89.4

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>111</b>	<b>100.0</b>	<b>90</b>	<b>81.1</b>	<b>21</b>	<b>18.9</b>	<b>139</b>	<b>100.0</b>	<b>2,430</b>	<b>100.0</b>	<b>89</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	*	*	*	*	46	1.9	0	0.0
13-19	*	*	*	*	*	*	*	*	33	1.4	0	0.0
20-29	17	15.3	15	16.7	*	*	10	7.2	129	5.3	*	*
30-39	36	32.4	30	33.3	6	28.6	56	40.3	805	33.1	26	29.2
40-49	35	31.5	27	30.0	8	38.1	40	28.8	976	40.2	36	40.4
50-59	17	15.3	14	15.6	*	*	24	17.3	346	14.2	19	21.3
60+	*	*	*	*	0	0.0	6	4.3	95	3.9	*	*
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	24	21.6	22	24.4	*	*	29	20.9	570	23.5	16	18.0
Brooklyn	29	26.1	22	24.4	7	33.3	37	26.6	587	24.2	24	27.0
Bronx	18	16.2	13	14.4	*	*	20	14.4	321	13.2	12	13.5
Queens	18	16.2	18	20.0	0	0.0	27	19.4	491	20.2	17	19.1
Staten Island	11	9.9	6	6.7	*	*	10	7.2	190	7.8	7	7.9
Unknown/outside NYC	11	9.9	9	10.0	*	*	16	11.5	271	11.2	13	14.6
<b>TRANSMISSION RISK</b>												
Injection drug use history	20	18.0	17	18.9	*	*	35	25.2	886	36.5	47	52.8
Heterosexual	50	45.0	39	43.3	11	52.4	60	43.2	910	37.4	26	29.2
Perinatal	*	*	*	*	*	*	*	*	68	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	1.2	*	*
Unknown	38	34.2	32	35.6	6	28.6	42	30.2	538	22.1	13	14.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,020	42.0	12	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,410	58.0	77	86.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>67</b>	<b>100.0</b>	<b>50</b>	<b>74.6</b>	<b>17</b>	<b>25.4</b>	<b>46</b>	<b>100.0</b>	<b>655</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	0	0.0	*	*	*	*	*	*	*	*
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	11	16.4	10	20.0	*	*	*	*	60	9.2	0	0.0
30-39	28	41.8	23	46.0	*	*	14	30.4	229	35.0	6	37.5
40-49	17	25.4	10	20.0	7	41.2	22	47.8	238	36.3	*	*
50-59	7	10.4	*	*	*	*	*	*	96	14.7	*	*
60+	*	*	*	*	*	*	*	*	25	3.8	*	*
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	17	25.4	14	28.0	*	*	12	26.1	265	40.5	*	*
Brooklyn	13	19.4	9	18.0	*	*	10	21.7	114	17.4	6	37.5
Bronx	6	9.0	*	*	*	*	*	*	40	6.1	*	*
Queens	20	29.9	12	24.0	8	47.1	16	34.8	180	27.5	6	37.5
Staten Island	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown/outside NYC	11	16.4	10	20.0	*	*	*	*	51	7.8	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	25	37.3	22	44.0	*	*	18	39.1	322	49.2	7	43.8
Injection drug use history	7	10.4	*	*	*	*	*	*	41	6.3	*	*
Heterosexual	11	16.4	6	12.0	*	*	10	21.7	66	10.1	*	*
Perinatal	*	*	0	0.0	*	*	*	*	6	0.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	23	34.3	17	34.0	6	35.3	13	28.3	215	32.8	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	275	42.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	380	58.0	14	87.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>22</b>	<b>100.0</b>	<b>19</b>	<b>86.4</b>	*	*	<b>10</b>	<b>100.0</b>	<b>148</b>	<b>100.0</b>	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	7	31.8	7	36.8	0	0.0	*	*	24	16.2	0	0.0
30-39	*	*	*	*	*	*	*	*	56	37.8	0	0.0
40-49	*	*	*	*	*	*	*	*	42	28.4	*	*
50-59	*	*	*	*	*	*	*	*	15	10.1	0	0.0
60+	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	*	*	*	*	0	0.0	0	0.0	32	21.6	*	*
Brooklyn	*	*	*	*	0	0.0	*	*	36	24.3	*	*
Bronx	*	*	*	*	*	*	*	*	13	8.8	0	0.0
Queens	10	45.5	8	42.1	*	*	*	*	54	36.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown/outside NYC	*	*	*	*	0	0.0	*	*	11	7.4	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	*	*	*	*	0	0.0	0	0.0	7	4.7	0	0.0
Heterosexual	14	63.6	12	63.2	*	*	*	*	77	52.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	31.8	6	31.6	*	*	*	*	55	37.2	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	85	57.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	63	42.6	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>42</b>	<b>100.0</b>	<b>40</b>	<b>95.2</b>	*	*	*	*	<b>786</b>	<b>100.0</b>	*	*
<b>RACE/ETHNICITY</b>												
Black	32	76.2	31	77.5	*	*	*	*	497	63.2	*	*
Hispanic	8	19.0	8	20.0	0	0.0	*	*	242	30.8	*	*
White	*	*	*	*	0	0.0	0	0.0	36	4.6	0	0.0
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	*	*	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	8	19.0	8	20.0	0	0.0	0	0.0	135	17.2	0	0.0
Brooklyn	19	45.2	18	45.0	*	*	*	*	269	34.2	*	*
Bronx	8	19.0	8	20.0	0	0.0	*	*	237	30.2	*	*
Queens	*	*	*	*	*	*	*	*	90	11.5	*	*
Staten Island	*	*	*	*	0	0.0	0	0.0	13	1.7	*	*
Unknown/outside NYC	*	*	*	*	0	0.0	0	0.0	42	5.3	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	42	100.0	40	100.0	*	*	*	*	785	99.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	560	71.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	226	28.8	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>44</b>	<b>100.0</b>	<b>38</b>	<b>86.4</b>	<b>6</b>	<b>13.6</b>	<b>17</b>	<b>100.0</b>	<b>860</b>	<b>100.0</b>	*	*
<b>RACE/ETHNICITY</b>												
Black	27	61.4	23	60.5	*	*	13	76.5	512	59.5	*	*
Hispanic	14	31.8	13	34.2	*	*	*	*	293	34.1	*	*
White	*	*	*	*	*	*	*	*	46	5.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	*	*	*	*	*	*	*	*	168	19.5	0	0.0
Brooklyn	16	36.4	12	31.6	*	*	7	41.2	248	28.8	*	*
Bronx	16	36.4	16	42.1	0	0.0	*	*	272	31.6	0	0.0
Queens	*	*	*	*	0	0.0	*	*	112	13.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	15	1.7	0	0.0
Unknown/outside NYC	*	*	*	*	*	*	*	*	45	5.2	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	44	100.0	38	100.0	6	100.0	17	100.0	860	100.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	609	70.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	251	29.2	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3,688</b>	<b>100.0</b>	<b>2,825</b>	<b>76.6</b>	<b>863</b>	<b>23.4</b>	<b>3,788</b>	<b>100.0</b>	<b>58,899</b>	<b>100.0</b>	<b>1,963</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,711	46.4	1,268	44.9	443	51.3	1,785	47.1	22,778	38.7	972	49.5
Hispanic	1,136	30.8	879	31.1	257	29.8	1,249	33.0	19,240	32.7	629	32.0
White	763	20.7	620	21.9	143	16.6	697	18.4	15,711	26.7	339	17.3
Asian/Pacific Islander	66	1.8	50	1.8	16	1.9	45	1.2	652	1.1	15	0.8
Native American	*	*	*	*	*	*	*	*	47	0.1	*	*
Other/unknown	8	0.2	6	0.2	*	*	8	0.2	471	0.8	7	0.4
<b>AGE GROUP (YEARS)</b>												
13-19	73	2.0	67	2.4	6	0.7	34	0.9	529	0.9	8	0.4
20-29	635	17.2	541	19.2	94	10.9	297	7.8	3,275	5.6	34	1.7
30-39	1,403	38.0	1,106	39.2	297	34.4	1,284	33.9	17,768	30.2	357	18.2
40-49	1,008	27.3	723	25.6	285	33.0	1,366	36.1	23,262	39.5	821	41.8
50-59	412	11.2	285	10.1	127	14.7	612	16.2	11,027	18.7	535	27.3
60+	157	4.3	103	3.6	54	6.3	195	5.1	3,038	5.2	208	10.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	1,124	30.5	892	31.6	232	26.9	1,077	28.4	20,730	35.2	590	30.1
Brooklyn	924	25.1	672	23.8	252	29.2	930	24.6	13,020	22.1	507	25.8
Bronx	756	20.5	577	20.4	179	20.7	873	23.0	10,842	18.4	446	22.7
Queens	505	13.7	367	13.0	138	16.0	503	13.3	7,817	13.3	233	11.9
Staten Island	51	1.4	28	1.0	23	2.7	70	1.8	956	1.6	44	2.2
Unknown/outside NYC	328	8.9	289	10.2	39	4.5	335	8.8	5,534	9.4	143	7.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,580	42.8	1,281	45.3	299	34.6	1,219	32.2	23,441	39.8	440	22.4
Injection drug use history	650	17.6	525	18.6	125	14.5	921	24.3	17,421	29.6	934	47.6
Heterosexual	457	12.4	321	11.4	136	15.8	407	10.7	4,091	6.9	140	7.1
Perinatal	0	0.0	0	0.0	0	0.0	17	0.4	383	0.7	*	*
Other	*	*	0	0.0	*	*	9	0.2	193	0.3	7	0.4
Unknown	998	27.1	698	24.7	300	34.8	1,215	32.1	13,370	22.7	437	22.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23,031	39.1	213	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35,868	60.9	1,750	89.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,910</b>	<b>100.0</b>	<b>1,562</b>	<b>81.8</b>	<b>348</b>	<b>18.2</b>	<b>1,799</b>	<b>100.0</b>	<b>25,358</b>	<b>100.0</b>	<b>898</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,270	66.5	1,019	65.2	251	72.1	1,102	61.3	14,272	56.3	514	57.2
Hispanic	507	26.5	433	27.7	74	21.3	549	30.5	8,378	33.0	290	32.3
White	108	5.7	88	5.6	20	5.7	138	7.7	2,384	9.4	89	9.9
Asian/Pacific Islander	22	1.2	19	1.2	*	*	10	0.6	145	0.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	16	0.1	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	163	0.6	*	*
<b>AGE GROUP (YEARS)</b>												
13-19	85	4.5	79	5.1	6	1.7	30	1.7	532	2.1	11	1.2
20-29	401	21.0	352	22.5	49	14.1	192	10.7	2,308	9.1	41	4.6
30-39	648	33.9	529	33.9	119	34.2	655	36.4	8,747	34.5	276	30.7
40-49	515	27.0	411	26.3	104	29.9	644	35.8	9,538	37.6	341	38.0
50-59	197	10.3	149	9.5	48	13.8	210	11.7	3,325	13.1	161	17.9
60+	64	3.4	42	2.7	22	6.3	68	3.8	908	3.6	68	7.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	362	19.0	307	19.7	55	15.8	327	18.2	5,209	20.5	190	21.2
Brooklyn	615	32.2	501	32.1	114	32.8	543	30.2	7,852	31.0	290	32.3
Bronx	566	29.6	466	29.8	100	28.7	571	31.7	7,181	28.3	247	27.5
Queens	237	12.4	184	11.8	53	15.2	245	13.6	3,402	13.4	101	11.2
Staten Island	44	2.3	28	1.8	16	4.6	42	2.3	572	2.3	20	2.2
Unknown/outside NYC	86	4.5	76	4.9	10	2.9	71	3.9	1,142	4.5	50	5.6
<b>TRANSMISSION RISK</b>												
Injection drug use history	289	15.1	241	15.4	48	13.8	401	22.3	7,220	28.5	410	45.7
Heterosexual	892	46.7	732	46.9	160	46.0	693	38.5	10,604	41.8	279	31.1
Perinatal	*	*	0	0.0	*	*	21	1.2	357	1.4	8	0.9
Other	*	*	*	*	0	0.0	*	*	167	0.7	9	1.0
Unknown	726	38.0	587	37.6	139	39.9	681	37.9	7,010	27.6	192	21.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,340	44.7	101	11.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,018	55.3	797	88.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.1. Manhattan, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,132</b>	<b>100.0</b>	<b>900</b>	<b>79.5</b>	<b>232</b>	<b>20.5</b>	<b>1,077</b>	<b>100.0</b>	<b>20,865</b>	<b>100.0</b>	<b>590</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	392	34.6	304	33.8	88	37.9	422	39.2	6,308	30.2	278	47.1
Hispanic	299	26.4	231	25.7	68	29.3	318	29.5	5,510	26.4	156	26.4
White	418	36.9	346	38.4	72	31.0	319	29.6	8,483	40.7	149	25.3
Asian/Pacific Islander	17	1.5	14	1.6	*	*	12	1.1	265	1.3	*	*
Native American	*	*	*	*	*	*	*	*	17	0.1	*	*
Other/unknown	*	*	*	*	0	0.0	*	*	282	1.4	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	8	0.7	8	0.9	0	0.0	0	0.0	135	0.6	0	0.0
13-19	12	1.1	11	1.2	*	*	8	0.7	91	0.4	0	0.0
20-29	186	16.4	162	18.0	24	10.3	75	7.0	989	4.7	7	1.2
30-39	460	40.6	370	41.1	90	38.8	401	37.2	6,112	29.3	96	16.3
40-49	288	25.4	229	25.4	59	25.4	352	32.7	8,133	39.0	237	40.2
50-59	130	11.5	89	9.9	41	17.7	186	17.3	4,153	19.9	173	29.3
60+	48	4.2	31	3.4	17	7.3	55	5.1	1,252	6.0	77	13.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	634	56.0	519	57.7	115	49.6	457	42.4	11,052	53.0	178	30.2
Injection drug use history	164	14.5	127	14.1	37	15.9	239	22.2	4,676	22.4	254	43.1
Heterosexual	73	6.4	58	6.4	15	6.5	82	7.6	919	4.4	32	5.4
Perinatal	8	0.7	8	0.9	0	0.0	*	*	196	0.9	0	0.0
Other	*	*	0	0.0	*	*	*	*	30	0.1	*	*
Unknown	252	22.3	188	20.9	64	27.6	293	27.2	3,992	19.1	125	21.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,743	41.9	76	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,122	58.1	514	87.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.2. Manhattan, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>367</b>	<b>100.0</b>	<b>311</b>	<b>84.7</b>	<b>56</b>	<b>15.3</b>	<b>332</b>	<b>100.0</b>	<b>5,377</b>	<b>100.0</b>	<b>190</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	254	69.2	210	67.5	44	78.6	225	67.8	2,992	55.6	121	63.7
Hispanic	84	22.9	74	23.8	10	17.9	78	23.5	1,731	32.2	51	26.8
White	24	6.5	22	7.1	*	*	29	8.7	570	10.6	16	8.4
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	32	0.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	49	0.9	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	*	*	*	*	168	3.1	0	0.0
13-19	12	3.3	11	3.5	*	*	*	*	81	1.5	*	*
20-29	63	17.2	58	18.6	*	*	24	7.2	404	7.5	6	3.2
30-39	124	33.8	100	32.2	24	42.9	125	37.7	1,738	32.3	53	27.9
40-49	106	28.9	91	29.3	15	26.8	126	38.0	2,035	37.8	81	42.6
50-59	44	12.0	37	11.9	7	12.5	36	10.8	743	13.8	32	16.8
60+	13	3.5	10	3.2	*	*	13	3.9	208	3.9	16	8.4
<b>TRANSMISSION RISK</b>												
Injection drug use history	65	17.7	54	17.4	11	19.6	84	25.3	1,776	33.0	103	54.2
Heterosexual	174	47.4	152	48.9	22	39.3	122	36.7	1,990	37.0	52	27.4
Perinatal	*	*	*	*	*	*	6	1.8	225	4.2	*	*
Other	*	*	*	*	0	0.0	0	0.0	30	0.6	0	0.0
Unknown	122	33.2	100	32.2	22	39.3	120	36.1	1,356	25.2	34	17.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,402	44.7	23	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,975	55.3	167	87.9

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>943</b>	<b>100.0</b>	<b>690</b>	<b>73.2</b>	<b>253</b>	<b>26.8</b>	<b>931</b>	<b>100.0</b>	<b>13,289</b>	<b>100.0</b>	<b>509</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	619	65.6	445	64.5	174	68.8	597	64.1	7,553	56.8	320	62.9
Hispanic	199	21.1	152	22.0	47	18.6	211	22.7	3,585	27.0	121	23.8
White	109	11.6	83	12.0	26	10.3	110	11.8	1,980	14.9	60	11.8
Asian/Pacific Islander	13	1.4	9	1.3	*	*	10	1.1	114	0.9	6	1.2
Native American	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Other/unknown	*	*	*	*	*	*	*	*	52	0.4	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	19	2.0	18	2.6	*	*	*	*	269	2.0	*	*
13-19	29	3.1	28	4.1	*	*	8	0.9	163	1.2	*	*
20-29	172	18.2	143	20.7	29	11.5	72	7.7	817	6.1	14	2.8
30-39	311	33.0	236	34.2	75	29.6	286	30.7	3,835	28.9	90	17.7
40-49	270	28.6	179	25.9	91	36.0	343	36.8	5,029	37.8	199	39.1
50-59	102	10.8	61	8.8	41	16.2	161	17.3	2,472	18.6	151	29.7
60+	40	4.2	25	3.6	15	5.9	60	6.4	704	5.3	51	10.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	321	34.0	258	37.4	63	24.9	226	24.3	3,805	28.6	91	17.9
Injection drug use history	165	17.5	127	18.4	38	15.0	213	22.9	4,265	32.1	219	43.0
Heterosexual	156	16.5	109	15.8	47	18.6	113	12.1	1,193	9.0	47	9.2
Perinatal	19	2.0	18	2.6	*	*	*	*	373	2.8	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	42	0.3	*	*
Unknown	282	29.9	178	25.8	104	41.1	375	40.3	3,611	27.2	146	28.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,135	38.6	58	11.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,154	61.4	451	88.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>631</b>	<b>100.0</b>	<b>513</b>	<b>81.3</b>	<b>118</b>	<b>18.7</b>	<b>550</b>	<b>100.0</b>	<b>8,100</b>	<b>100.0</b>	<b>293</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	467	74.0	380	74.1	87	73.7	385	70.0	5,382	66.4	195	66.6
Hispanic	132	20.9	108	21.1	24	20.3	126	22.9	2,040	25.2	72	24.6
White	29	4.6	22	4.3	7	5.9	37	6.7	587	7.2	24	8.2
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	36	0.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	51	0.6	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	16	2.5	12	2.3	*	*	7	1.3	248	3.1	*	*
13-19	32	5.1	29	5.7	*	*	8	1.5	175	2.2	*	*
20-29	133	21.1	113	22.0	20	16.9	61	11.1	734	9.1	15	5.1
30-39	199	31.5	165	32.2	34	28.8	189	34.4	2,655	32.8	94	32.1
40-49	159	25.2	126	24.6	33	28.0	193	35.1	2,963	36.6	98	33.4
50-59	68	10.8	52	10.1	16	13.6	69	12.5	1,029	12.7	58	19.8
60+	24	3.8	16	3.1	8	6.8	23	4.2	296	3.7	21	7.2
<b>TRANSMISSION RISK</b>												
Injection drug use history	85	13.5	70	13.6	15	12.7	105	19.1	1,983	24.5	116	39.6
Heterosexual	290	46.0	239	46.6	51	43.2	213	38.7	3,362	41.5	90	30.7
Perinatal	16	2.5	12	2.3	*	*	13	2.4	346	4.3	6	2.0
Other	0	0.0	0	0.0	0	0.0	*	*	50	0.6	*	*
Unknown	240	38.0	192	37.4	48	40.7	218	39.6	2,359	29.1	76	25.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,662	45.2	35	11.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,438	54.8	258	88.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.5. Bronx, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>764</b>	<b>100.0</b>	<b>585</b>	<b>76.6</b>	<b>179</b>	<b>23.4</b>	<b>875</b>	<b>100.0</b>	<b>11,079</b>	<b>100.0</b>	<b>447</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	374	49.0	276	47.2	98	54.7	399	45.6	4,444	40.1	194	43.4
Hispanic	353	46.2	279	47.7	74	41.3	422	48.2	5,908	53.3	231	51.7
White	30	3.9	24	4.1	6	3.4	50	5.7	633	5.7	21	4.7
Asian/Pacific Islander	6	0.8	*	*	*	*	*	*	40	0.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Other/unknown	*	*	*	*	0	0.0	*	*	48	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	8	1.0	8	1.4	0	0.0	*	*	237	2.1	*	*
13-19	11	1.4	7	1.2	*	*	12	1.4	158	1.4	*	*
20-29	139	18.2	119	20.3	20	11.2	61	7.0	623	5.6	8	1.8
30-39	257	33.6	200	34.2	57	31.8	255	29.1	3,091	27.9	78	17.4
40-49	220	28.8	155	26.5	65	36.3	359	41.0	4,399	39.7	195	43.6
50-59	92	12.0	70	12.0	22	12.3	139	15.9	2,066	18.6	111	24.8
60+	37	4.8	26	4.4	11	6.1	47	5.4	505	4.6	52	11.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	193	25.3	155	26.5	38	21.2	183	20.9	2,305	20.8	57	12.8
Injection drug use history	195	25.5	169	28.9	26	14.5	269	30.7	4,549	41.1	269	60.2
Heterosexual	102	13.4	74	12.6	28	15.6	96	11.0	965	8.7	27	6.0
Perinatal	8	1.0	8	1.4	0	0.0	7	0.8	363	3.3	*	*
Other	*	*	0	0.0	*	*	*	*	28	0.3	*	*
Unknown	265	34.7	179	30.6	86	48.0	317	36.2	2,869	25.9	92	20.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,319	39.0	49	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,760	61.0	398	89.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.6. Bronx, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>582</b>	<b>100.0</b>	<b>482</b>	<b>82.8</b>	<b>100</b>	<b>17.2</b>	<b>573</b>	<b>100.0</b>	<b>7,453</b>	<b>100.0</b>	<b>247</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	326	56.0	269	55.8	57	57.0	282	49.2	3,584	48.1	106	42.9
Hispanic	235	40.4	198	41.1	37	37.0	269	46.9	3,507	47.1	129	52.2
White	18	3.1	13	2.7	*	*	20	3.5	321	4.3	12	4.9
Asian/Pacific Islander	*	*	*	*	*	*	*	*	13	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	16	2.7	16	3.3	0	0.0	*	*	272	3.6	0	0.0
13-19	30	5.2	30	6.2	0	0.0	12	2.1	161	2.2	*	*
20-29	120	20.6	106	22.0	14	14.0	62	10.8	732	9.8	11	4.5
30-39	196	33.7	160	33.2	36	36.0	208	36.3	2,525	33.9	83	33.6
40-49	151	25.9	125	25.9	26	26.0	204	35.6	2,604	34.9	93	37.7
50-59	55	9.5	39	8.1	16	16.0	65	11.3	913	12.3	41	16.6
60+	14	2.4	6	1.2	8	8.0	20	3.5	246	3.3	17	6.9
<b>TRANSMISSION RISK</b>												
Injection drug use history	105	18.0	88	18.3	17	17.0	147	25.7	2,092	28.1	131	53.0
Heterosexual	234	40.2	191	39.6	43	43.0	190	33.2	2,872	38.5	71	28.7
Perinatal	16	2.7	16	3.3	0	0.0	12	2.1	381	5.1	*	*
Other	*	*	*	*	0	0.0	*	*	37	0.5	*	*
Unknown	226	38.8	186	38.6	40	40.0	222	38.7	2,071	27.8	42	17.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,552	47.7	29	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,901	52.3	218	88.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>508</b>	<b>100.0</b>	<b>369</b>	<b>72.6</b>	<b>139</b>	<b>27.4</b>	<b>504</b>	<b>100.0</b>	<b>7,907</b>	<b>100.0</b>	<b>234</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	190	37.4	136	36.9	54	38.8	207	41.1	2,943	37.2	108	46.2
Hispanic	209	41.1	152	41.2	57	41.0	195	38.7	3,008	38.0	67	28.6
White	88	17.3	69	18.7	19	13.7	85	16.9	1,715	21.7	53	22.6
Asian/Pacific Islander	20	3.9	12	3.3	8	5.8	16	3.2	180	2.3	6	2.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	50	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	*	*	*	*	90	1.1	*	*
13-19	12	2.4	12	3.3	0	0.0	*	*	63	0.8	*	*
20-29	80	15.7	63	17.1	17	12.2	51	10.1	492	6.2	*	*
30-39	224	44.1	170	46.1	54	38.8	176	34.9	2,497	31.6	52	22.2
40-49	123	24.2	78	21.1	45	32.4	176	34.9	3,154	39.9	100	42.7
50-59	50	9.8	37	10.0	13	9.4	74	14.7	1,289	16.3	59	25.2
60+	16	3.1	7	1.9	9	6.5	22	4.4	322	4.1	17	7.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	248	48.8	189	51.2	59	42.4	182	36.1	3,000	37.9	57	24.4
Injection drug use history	68	13.4	54	14.6	14	10.1	96	19.0	2,261	28.6	109	46.6
Heterosexual	85	16.7	53	14.4	32	23.0	80	15.9	668	8.4	18	7.7
Perinatal	*	*	*	*	*	*	*	*	142	1.8	*	*
Other	*	*	0	0.0	*	*	*	*	33	0.4	*	*
Unknown	103	20.3	71	19.2	32	23.0	140	27.8	1,803	22.8	47	20.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,856	36.1	16	6.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,051	63.9	218	93.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>241</b>	<b>100.0</b>	<b>188</b>	<b>78.0</b>	<b>53</b>	<b>22.0</b>	<b>246</b>	<b>100.0</b>	<b>3,514</b>	<b>100.0</b>	<b>101</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	165	68.5	117	62.2	48	90.6	163	66.3	2,032	57.8	60	59.4
Hispanic	46	19.1	43	22.9	*	*	51	20.7	906	25.8	24	23.8
White	18	7.5	18	9.6	0	0.0	27	11.0	491	14.0	17	16.8
Asian/Pacific Islander	10	4.1	8	4.3	*	*	*	*	54	1.5	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.8	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	112	3.2	0	0.0
13-19	8	3.3	7	3.7	*	*	*	*	71	2.0	*	*
20-29	59	24.5	53	28.2	6	11.3	28	11.4	294	8.4	*	*
30-39	80	33.2	65	34.6	15	28.3	91	37.0	1,198	34.1	25	24.8
40-49	62	25.7	41	21.8	21	39.6	87	35.4	1,282	36.5	43	42.6
50-59	19	7.9	12	6.4	7	13.2	25	10.2	445	12.7	14	13.9
60+	9	3.7	6	3.2	*	*	9	3.7	112	3.2	13	12.9
<b>TRANSMISSION RISK</b>												
Injection drug use history	22	9.1	18	9.6	*	*	43	17.5	895	25.5	27	26.7
Heterosexual	129	53.5	100	53.2	29	54.7	114	46.3	1,619	46.1	47	46.5
Perinatal	*	*	*	*	*	*	*	*	168	4.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	29	0.8	*	*
Unknown	85	35.3	66	35.1	19	35.8	85	34.6	803	22.9	24	23.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,492	42.5	10	9.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,022	57.5	91	90.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>53</b>	<b>100.0</b>	<b>30</b>	<b>56.6</b>	<b>23</b>	<b>43.4</b>	<b>70</b>	<b>100.0</b>	<b>969</b>	<b>100.0</b>	<b>45</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	20	37.7	12	40.0	8	34.8	24	34.3	312	32.2	20	44.4
Hispanic	7	13.2	*	*	*	*	16	22.9	226	23.3	6	13.3
White	26	49.1	14	46.7	12	52.2	29	41.4	411	42.4	18	40.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	1.2	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	13	1.3	*	*
13-19	0	0.0	0	0.0	0	0.0	*	*	12	1.2	0	0.0
20-29	10	18.9	8	26.7	*	*	*	*	40	4.1	0	0.0
30-39	17	32.1	9	30.0	8	34.8	27	38.6	272	28.1	*	*
40-49	18	34.0	9	30.0	9	39.1	29	41.4	432	44.6	25	55.6
50-59	6	11.3	*	*	*	*	9	12.9	160	16.5	11	24.4
60+	0	0.0	0	0.0	0	0.0	*	*	40	4.1	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	24	45.3	16	53.3	8	34.8	15	21.4	279	28.8	*	*
Injection drug use history	6	11.3	*	*	*	*	19	27.1	381	39.3	30	66.7
Heterosexual	9	17.0	*	*	7	30.4	10	14.3	72	7.4	7	15.6
Perinatal	*	*	*	*	0	0.0	*	*	24	2.5	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	9	0.9	0	0.0
Unknown	12	22.6	6	20.0	6	26.1	24	34.3	204	21.1	6	13.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	356	36.7	6	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	613	63.3	39	86.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>44</b>	<b>100.0</b>	<b>28</b>	<b>63.6</b>	<b>16</b>	<b>36.4</b>	<b>42</b>	<b>100.0</b>	<b>587</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	30	68.2	19	67.9	11	68.8	24	57.1	257	43.8	9	45.0
Hispanic	*	*	*	*	0	0.0	8	19.0	132	22.5	*	*
White	11	25.0	6	21.4	*	*	10	23.8	190	32.4	7	35.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	2.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	11	1.9	0	0.0
20-29	9	20.5	7	25.0	*	*	*	*	41	7.0	0	0.0
30-39	15	34.1	9	32.1	6	37.5	18	42.9	207	35.3	*	*
40-49	14	31.8	8	28.6	6	37.5	14	33.3	241	41.1	10	50.0
50-59	*	*	*	*	*	*	*	*	55	9.4	*	*
60+	*	*	*	*	0	0.0	0	0.0	17	2.9	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	*	*	*	*	0	0.0	6	14.3	164	27.9	13	65.0
Heterosexual	26	59.1	16	57.1	10	62.5	20	47.6	253	43.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	1.9	0	0.0
Unknown	17	38.6	11	39.3	6	37.5	16	38.1	136	23.2	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	285	48.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	302	51.4	19	95.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,580</b>	<b>100.0</b>	<b>1,281</b>	<b>81.1</b>	<b>299</b>	<b>18.9</b>	<b>1,219</b>	<b>100.0</b>	<b>23,441</b>	<b>100.0</b>	<b>440</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	546	34.6	435	34.0	111	37.1	439	36.0	6,236	26.6	168	38.2
Hispanic	463	29.3	371	29.0	92	30.8	358	29.4	6,078	25.9	120	27.3
White	537	34.0	447	34.9	90	30.1	397	32.6	10,696	45.6	144	32.7
Asian/Pacific Islander	25	1.6	22	1.7	*	*	18	1.5	322	1.4	7	1.6
Native American	*	*	*	*	*	*	*	*	18	0.1	0	0.0
Other/unknown	6	0.4	*	*	*	*	*	*	91	0.4	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	52	3.3	49	3.8	*	*	6	0.5	92	0.4	0	0.0
20-29	412	26.1	360	28.1	52	17.4	159	13.0	1,984	8.5	17	3.9
30-39	724	45.8	590	46.1	134	44.8	542	44.5	8,719	37.2	124	28.2
40-49	278	17.6	209	16.3	69	23.1	318	26.1	8,156	34.8	171	38.9
50-59	77	4.9	51	4.0	26	8.7	151	12.4	3,452	14.7	83	18.9
60+	37	2.3	22	1.7	15	5.0	43	3.5	1,038	4.4	45	10.2
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	634	40.1	519	40.5	115	38.5	457	37.5	11,052	47.1	178	40.5
Brooklyn	321	20.3	258	20.1	63	21.1	226	18.5	3,805	16.2	91	20.7
Bronx	193	12.2	155	12.1	38	12.7	183	15.0	2,305	9.8	57	13.0
Queens	248	15.7	189	14.8	59	19.7	182	14.9	3,000	12.8	57	13.0
Staten Island	24	1.5	16	1.2	8	2.7	15	1.2	279	1.2	*	*
Unknown/outside NYC	160	10.1	144	11.2	16	5.4	156	12.8	3,000	12.8	56	12.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,223	43.6	29	6.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,218	56.4	411	93.4

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>650</b>	<b>100.0</b>	<b>525</b>	<b>80.8</b>	<b>125</b>	<b>19.2</b>	<b>921</b>	<b>100.0</b>	<b>17,421</b>	<b>100.0</b>	<b>934</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	286	44.0	225	42.9	61	48.8	397	43.1	7,403	42.5	454	48.6
Hispanic	273	42.0	225	42.9	48	38.4	404	43.9	7,581	43.5	351	37.6
White	83	12.8	69	13.1	14	11.2	115	12.5	2,353	13.5	126	13.5
Asian/Pacific Islander	7	1.1	*	*	*	*	*	*	41	0.2	*	*
Native American	*	*	*	*	0	0.0	*	*	9	0.1	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.2	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	*	*	*	*	10	0.1	0	0.0
20-29	53	8.2	49	9.3	*	*	27	2.9	317	1.8	*	*
30-39	171	26.3	145	27.6	26	20.8	217	23.6	3,426	19.7	114	12.2
40-49	266	40.9	212	40.4	54	43.2	438	47.6	8,273	47.5	429	45.9
50-59	129	19.8	98	18.7	31	24.8	201	21.8	4,623	26.5	308	33.0
60+	29	4.5	20	3.8	9	7.2	37	4.0	772	4.4	80	8.6
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	164	25.2	127	24.2	37	29.6	239	26.0	4,676	26.8	254	27.2
Brooklyn	165	25.4	127	24.2	38	30.4	213	23.1	4,265	24.5	219	23.4
Bronx	195	30.0	169	32.2	26	20.8	269	29.2	4,549	26.1	269	28.8
Queens	68	10.5	54	10.3	14	11.2	96	10.4	2,261	13.0	109	11.7
Staten Island	6	0.9	*	*	*	*	19	2.1	381	2.2	30	3.2
Unknown/outside NYC	52	8.0	44	8.4	8	6.4	85	9.2	1,289	7.4	53	5.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,546	26.1	97	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,875	73.9	837	89.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>289</b>	<b>100.0</b>	<b>241</b>	<b>83.4</b>	<b>48</b>	<b>16.6</b>	<b>401</b>	<b>100.0</b>	<b>7,220</b>	<b>100.0</b>	<b>410</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	163	56.4	135	56.0	28	58.3	208	51.9	3,620	50.1	206	50.2
Hispanic	105	36.3	88	36.5	17	35.4	158	39.4	2,688	37.2	154	37.6
White	20	6.9	17	7.1	*	*	35	8.7	886	12.3	47	11.5
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	7	0.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	9	0.1	0	0.0
20-29	36	12.5	34	14.1	*	*	17	4.2	240	3.3	7	1.7
30-39	97	33.6	78	32.4	19	39.6	130	32.4	2,106	29.2	117	28.5
40-49	113	39.1	96	39.8	17	35.4	195	48.6	3,575	49.5	185	45.1
50-59	33	11.4	26	10.8	7	14.6	53	13.2	1,137	15.7	84	20.5
60+	7	2.4	*	*	*	*	6	1.5	153	2.1	17	4.1
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	65	22.5	54	22.4	11	22.9	84	20.9	1,776	24.6	103	25.1
Brooklyn	85	29.4	70	29.0	15	31.3	105	26.2	1,983	27.5	116	28.3
Bronx	105	36.3	88	36.5	17	35.4	147	36.7	2,092	29.0	131	32.0
Queens	22	7.6	18	7.5	*	*	43	10.7	895	12.4	27	6.6
Staten Island	*	*	*	*	0	0.0	6	1.5	164	2.3	13	3.2
Unknown/outside NYC	11	3.8	10	4.1	*	*	16	4.0	310	4.3	20	4.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,157	29.9	37	9.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,063	70.1	373	91.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>457</b>	<b>100.0</b>	<b>321</b>	<b>70.2</b>	<b>136</b>	<b>29.8</b>	<b>407</b>	<b>100.0</b>	<b>4,091</b>	<b>100.0</b>	<b>140</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	289	63.2	206	64.2	83	61.0	239	58.7	2,218	54.2	86	61.4
Hispanic	127	27.8	91	28.3	36	26.5	120	29.5	1,386	33.9	44	31.4
White	29	6.3	18	5.6	11	8.1	36	8.8	404	9.9	9	6.4
Asian/Pacific Islander	11	2.4	6	1.9	*	*	10	2.5	66	1.6	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	14	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	8	0.2	0	0.0
20-29	57	12.5	42	13.1	15	11.0	33	8.1	223	5.5	*	*
30-39	172	37.6	127	39.6	45	33.1	135	33.2	1,368	33.4	35	25.0
40-49	147	32.2	96	29.9	51	37.5	158	38.8	1,603	39.2	55	39.3
50-59	56	12.3	38	11.8	18	13.2	64	15.7	632	15.4	27	19.3
60+	20	4.4	13	4.0	7	5.1	17	4.2	257	6.3	20	14.3
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	73	16.0	58	18.1	15	11.0	82	20.1	919	22.5	32	22.9
Brooklyn	156	34.1	109	34.0	47	34.6	113	27.8	1,193	29.2	47	33.6
Bronx	102	22.3	74	23.1	28	20.6	96	23.6	965	23.6	27	19.3
Queens	85	18.6	53	16.5	32	23.5	80	19.7	668	16.3	18	12.9
Staten Island	9	2.0	*	*	7	5.1	10	2.5	72	1.8	7	5.0
Unknown/outside NYC	32	7.0	25	7.8	7	5.1	26	6.4	274	6.7	9	6.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,779	43.5	15	10.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,312	56.5	125	89.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>892</b>	<b>100.0</b>	<b>732</b>	<b>82.1</b>	<b>160</b>	<b>17.9</b>	<b>693</b>	<b>100.0</b>	<b>10,604</b>	<b>100.0</b>	<b>279</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	595	66.7	478	65.3	117	73.1	417	60.2	6,009	56.7	170	60.9
Hispanic	230	25.8	200	27.3	30	18.8	211	30.4	3,566	33.6	83	29.7
White	50	5.6	39	5.3	11	6.9	60	8.7	910	8.6	26	9.3
Asian/Pacific Islander	14	1.6	12	1.6	*	*	*	*	77	0.7	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	10	0.1	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	52	5.8	51	7.0	*	*	*	*	96	0.9	*	*
20-29	188	21.1	165	22.5	23	14.4	94	13.6	1,196	11.3	17	6.1
30-39	308	34.5	250	34.2	58	36.3	268	38.7	3,974	37.5	103	36.9
40-49	232	26.0	184	25.1	48	30.0	218	31.5	3,640	34.3	91	32.6
50-59	83	9.3	61	8.3	22	13.8	82	11.8	1,283	12.1	41	14.7
60+	29	3.3	21	2.9	8	5.0	26	3.8	415	3.9	25	9.0
<b>BOROUGH OF RESIDENCE</b>												
Manhattan	174	19.5	152	20.8	22	13.8	122	17.6	1,990	18.8	52	18.6
Brooklyn	290	32.5	239	32.7	51	31.9	213	30.7	3,362	31.7	90	32.3
Bronx	234	26.2	191	26.1	43	26.9	190	27.4	2,872	27.1	71	25.4
Queens	129	14.5	100	13.7	29	18.1	114	16.5	1,619	15.3	47	16.8
Staten Island	26	2.9	16	2.2	10	6.3	20	2.9	253	2.4	*	*
Unknown/outside NYC	39	4.4	34	4.6	*	*	34	4.9	508	4.8	17	6.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,837	45.6	23	8.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,767	54.4	256	91.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>203</b>	<b>100.0</b>	<b>158</b>	<b>77.8</b>	<b>45</b>	<b>22.2</b>	<b>197</b>	<b>100.0</b>	<b>2,864</b>	<b>100.0</b>	<b>82</b>	<b>100.0</b>
<b>SEX</b>												
Male	145	71.4	110	69.6	35	77.8	143	72.6	2,067	72.2	54	65.9
Female	58	28.6	48	30.4	10	22.2	54	27.4	797	27.8	28	34.1
<b>RACE/ETHNICITY</b>												
Black	87	42.9	70	44.3	17	37.8	94	47.7	1,191	41.6	44	53.7
Hispanic	85	41.9	61	38.6	24	53.3	89	45.2	1,280	44.7	30	36.6
White	28	13.8	24	15.2	*	*	13	6.6	367	12.8	8	9.8
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	15	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	*	*	10	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	67	2.3	0	0.0
13-19	*	*	*	*	0	0.0	*	*	24	0.8	0	0.0
20-29	37	18.2	34	21.5	*	*	13	6.6	190	6.6	*	*
30-39	79	38.9	64	40.5	15	33.3	71	36.0	877	30.6	19	23.2
40-49	51	25.1	36	22.8	15	33.3	65	33.0	1,046	36.5	32	39.0
50-59	27	13.3	17	10.8	10	22.2	32	16.2	497	17.4	18	22.0
60+	*	*	*	*	*	*	14	7.1	163	5.7	12	14.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	68	33.5	55	34.8	13	28.9	49	24.9	872	30.4	13	15.9
Injection drug use history	39	19.2	25	15.8	14	31.1	58	29.4	723	25.2	39	47.6
Heterosexual	33	16.3	27	17.1	6	13.3	32	16.2	514	17.9	17	20.7
Perinatal	*	*	*	*	0	0.0	*	*	87	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	61	30.0	49	31.0	12	26.7	56	28.4	657	22.9	13	15.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,164	40.6	8	9.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,700	59.4	74	90.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.7.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>298</b>	<b>100.0</b>	<b>225</b>	<b>75.5</b>	<b>73</b>	<b>24.5</b>	<b>255</b>	<b>100.0</b>	<b>3,420</b>	<b>100.0</b>	<b>163</b>	<b>100.0</b>
<b>SEX</b>												
Male	171	57.4	122	54.2	49	67.1	150	58.8	2,124	62.1	108	66.3
Female	127	42.6	103	45.8	24	32.9	105	41.2	1,296	37.9	55	33.7
<b>RACE/ETHNICITY</b>												
Black	245	82.2	184	81.8	61	83.6	206	80.8	2,639	77.2	134	82.2
Hispanic	37	12.4	27	12.0	10	13.7	34	13.3	521	15.2	23	14.1
White	16	5.4	14	6.2	*	*	15	5.9	236	6.9	6	3.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	87	2.5	0	0.0
13-19	7	2.3	6	2.7	*	*	*	*	38	1.1	*	*
20-29	53	17.8	42	18.7	11	15.1	25	9.8	239	7.0	*	*
30-39	80	26.8	61	27.1	19	26.0	83	32.5	941	27.5	26	16.0
40-49	98	32.9	78	34.7	20	27.4	86	33.7	1,274	37.3	66	40.5
50-59	46	15.4	29	12.9	17	23.3	47	18.4	656	19.2	42	25.8
60+	9	3.0	*	*	*	*	10	3.9	185	5.4	24	14.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	56	18.8	43	19.1	13	17.8	48	18.8	698	20.4	13	8.0
Injection drug use history	52	17.4	37	16.4	15	20.5	59	23.1	1,121	32.8	90	55.2
Heterosexual	86	28.9	70	31.1	16	21.9	58	22.7	659	19.3	26	16.0
Perinatal	*	*	*	*	0	0.0	*	*	114	3.3	*	*
Other	*	*	*	*	0	0.0	0	0.0	10	0.3	0	0.0
Unknown	98	32.9	69	30.7	29	39.7	88	34.5	818	23.9	33	20.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,397	40.8	15	9.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,023	59.2	148	90.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>141</b>	<b>100.0</b>	<b>121</b>	<b>85.8</b>	<b>20</b>	<b>14.2</b>	<b>135</b>	<b>100.0</b>	<b>2,500</b>	<b>100.0</b>	<b>102</b>	<b>100.0</b>
<b>SEX</b>												
Male	94	66.7	81	66.9	13	65.0	92	68.1	1,589	63.6	71	69.6
Female	47	33.3	40	33.1	7	35.0	43	31.9	911	36.4	31	30.4
<b>RACE/ETHNICITY</b>												
Black	80	56.7	69	57.0	11	55.0	82	60.7	1,190	47.6	59	57.8
Hispanic	45	31.9	39	32.2	6	30.0	49	36.3	1,131	45.2	38	37.3
White	16	11.3	13	10.7	*	*	*	*	167	6.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	67	2.7	0	0.0
13-19	*	*	*	*	*	*	*	*	30	1.2	0	0.0
20-29	20	14.2	20	16.5	0	0.0	8	5.9	159	6.4	*	*
30-39	53	37.6	42	34.7	11	55.0	58	43.0	731	29.2	23	22.5
40-49	38	27.0	34	28.1	*	*	40	29.6	959	38.4	43	42.2
50-59	19	13.5	15	12.4	*	*	17	12.6	421	16.8	26	25.5
60+	*	*	*	*	0	0.0	7	5.2	133	5.3	9	8.8
<b>TRANSMISSION RISK</b>												
Men who have sex with men	30	21.3	26	21.5	*	*	21	15.6	396	15.8	8	7.8
Injection drug use history	31	22.0	28	23.1	*	*	36	26.7	978	39.1	52	51.0
Heterosexual	35	24.8	29	24.0	6	30.0	33	24.4	472	18.9	18	17.6
Perinatal	*	*	*	*	0	0.0	*	*	87	3.5	0	0.0
Other	*	*	0	0.0	*	*	*	*	11	0.4	*	*
Unknown	43	30.5	37	30.6	6	30.0	40	29.6	556	22.2	23	22.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	996	39.8	10	9.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,504	60.2	92	90.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>157</b>	<b>100.0</b>	<b>121</b>	<b>77.1</b>	<b>36</b>	<b>22.9</b>	<b>154</b>	<b>100.0</b>	<b>2,831</b>	<b>100.0</b>	<b>79</b>	<b>100.0</b>
<b>SEX</b>												
Male	130	82.8	97	80.2	33	91.7	129	83.8	2,388	84.4	66	83.5
Female	27	17.2	24	19.8	*	*	25	16.2	443	15.6	13	16.5
<b>RACE/ETHNICITY</b>												
Black	49	31.2	36	29.8	13	36.1	56	36.4	882	31.2	32	40.5
Hispanic	46	29.3	36	29.8	10	27.8	50	32.5	722	25.5	24	30.4
White	59	37.6	48	39.7	11	30.6	45	29.2	1,175	41.5	22	27.8
Asian/Pacific Islander	*	*	*	*	*	*	*	*	28	1.0	0	0.0
Native American	*	*	0	0.0	*	*	*	*	*	*	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.7	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	12	0.4	0	0.0
20-29	22	14.0	18	14.9	*	*	10	6.5	112	4.0	*	*
30-39	60	38.2	45	37.2	15	41.7	51	33.1	697	24.6	17	21.5
40-49	46	29.3	38	31.4	8	22.2	51	33.1	1,174	41.5	26	32.9
50-59	15	9.6	11	9.1	*	*	28	18.2	639	22.6	20	25.3
60+	14	8.9	9	7.4	*	*	13	8.4	183	6.5	14	17.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	87	55.4	66	54.5	21	58.3	63	40.9	1,410	49.8	34	43.0
Injection drug use history	16	10.2	14	11.6	*	*	30	19.5	647	22.9	29	36.7
Heterosexual	20	12.7	16	13.2	*	*	17	11.0	261	9.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	23	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	34	21.7	25	20.7	9	25.0	43	27.9	483	17.1	12	15.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,102	38.9	13	16.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,729	61.1	66	83.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Upper West Side: 10023, 10024, 10025.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>59</b>	<b>100.0</b>	<b>50</b>	<b>84.7</b>	<b>9</b>	<b>15.3</b>	<b>65</b>	<b>100.0</b>	<b>1,144</b>	<b>100.0</b>	<b>28</b>	<b>100.0</b>
<b>SEX</b>												
Male	52	88.1	44	88.0	8	88.9	54	83.1	984	86.0	23	82.1
Female	7	11.9	6	12.0	*	*	11	16.9	160	14.0	*	*
<b>RACE/ETHNICITY</b>												
Black	12	20.3	9	18.0	*	*	18	27.7	222	19.4	8	28.6
Hispanic	12	20.3	10	20.0	*	*	12	18.5	213	18.6	*	*
White	34	57.6	30	60.0	*	*	35	53.8	688	60.1	16	57.1
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	16	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	10	16.9	10	20.0	0	0.0	*	*	41	3.6	0	0.0
30-39	29	49.2	23	46.0	6	66.7	29	44.6	325	28.4	*	*
40-49	11	18.6	8	16.0	*	*	23	35.4	421	36.8	12	42.9
50-59	7	11.9	7	14.0	0	0.0	6	9.2	247	21.6	8	28.6
60+	*	*	*	*	0	0.0	*	*	97	8.5	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	32	54.2	27	54.0	*	*	25	38.5	647	56.6	10	35.7
Injection drug use history	*	*	*	*	*	*	17	26.2	177	15.5	13	46.4
Heterosexual	*	*	*	*	0	0.0	8	12.3	92	8.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	20	33.9	18	36.0	*	*	15	23.1	214	18.7	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	41.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	667	58.3	23	82.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10128.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>237</b>	<b>100.0</b>	<b>203</b>	<b>85.7</b>	<b>34</b>	<b>14.3</b>	<b>188</b>	<b>100.0</b>	<b>4,593</b>	<b>100.0</b>	<b>95</b>	<b>100.0</b>
<b>SEX</b>												
Male	207	87.3	175	86.2	32	94.1	169	89.9	4,161	90.6	84	88.4
Female	30	12.7	28	13.8	*	*	19	10.1	432	9.4	11	11.6
<b>RACE/ETHNICITY</b>												
Black	49	20.7	43	21.2	6	17.6	47	25.0	947	20.6	34	35.8
Hispanic	56	23.6	51	25.1	*	*	39	20.7	1,003	21.8	20	21.1
White	127	53.6	104	51.2	23	67.6	96	51.1	2,532	55.1	39	41.1
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	64	1.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	*	*	46	1.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	12	0.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	13	0.3	0	0.0
20-29	34	14.3	32	15.8	*	*	6	3.2	221	4.8	*	*
30-39	114	48.1	94	46.3	20	58.8	92	48.9	1,561	34.0	17	17.9
40-49	59	24.9	52	25.6	7	20.6	64	34.0	1,815	39.5	43	45.3
50-59	20	8.4	16	7.9	*	*	23	12.2	762	16.6	25	26.3
60+	7	3.0	6	3.0	*	*	*	*	209	4.6	8	8.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	160	67.5	135	66.5	25	73.5	106	56.4	2,880	62.7	47	49.5
Injection drug use history	19	8.0	18	8.9	*	*	39	20.7	746	16.2	29	30.5
Heterosexual	19	8.0	17	8.4	*	*	13	6.9	229	5.0	7	7.4
Perinatal	*	*	*	*	0	0.0	0	0.0	19	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	38	16.0	32	15.8	6	17.6	30	16.0	715	15.6	12	12.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,101	45.7	9	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,492	54.3	86	90.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>90</b>	<b>100.0</b>	<b>72</b>	<b>80.0</b>	<b>18</b>	<b>20.0</b>	<b>86</b>	<b>100.0</b>	<b>1,752</b>	<b>100.0</b>	<b>44</b>	<b>100.0</b>
<b>SEX</b>												
Male	83	92.2	65	90.3	18	100.0	81	94.2	1,572	89.7	40	90.9
Female	7	7.8	7	9.7	0	0.0	*	*	180	10.3	*	*
<b>RACE/ETHNICITY</b>												
Black	28	31.1	23	31.9	*	*	20	23.3	418	23.9	17	38.6
Hispanic	19	21.1	15	20.8	*	*	24	27.9	383	21.9	10	22.7
White	42	46.7	33	45.8	9	50.0	40	46.5	911	52.0	17	38.6
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	24	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.8	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	8	0.5	0	0.0
20-29	13	14.4	11	15.3	*	*	9	10.5	74	4.2	*	*
30-39	35	38.9	29	40.3	6	33.3	22	25.6	445	25.4	7	15.9
40-49	27	30.0	23	31.9	*	*	37	43.0	704	40.2	15	34.1
50-59	9	10.0	6	8.3	*	*	14	16.3	380	21.7	16	36.4
60+	*	*	*	*	*	*	*	*	136	7.8	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	50	55.6	40	55.6	10	55.6	39	45.3	955	54.5	12	27.3
Injection drug use history	17	18.9	15	20.8	*	*	15	17.4	402	22.9	24	54.5
Heterosexual	7	7.8	6	8.3	*	*	*	*	98	5.6	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	9	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	15	16.7	10	13.9	*	*	27	31.4	283	16.2	7	15.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	718	41.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,034	59.0	41	93.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>69</b>	<b>100.0</b>	<b>59</b>	<b>85.5</b>	<b>10</b>	<b>14.5</b>	<b>63</b>	<b>100.0</b>	<b>1,695</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>
<b>SEX</b>												
Male	66	95.7	56	94.9	10	100.0	57	90.5	1,623	95.8	19	100.0
Female	*	*	*	*	0	0.0	6	9.5	72	4.2	0	0.0
<b>RACE/ETHNICITY</b>												
Black	9	13.0	8	13.6	*	*	17	27.0	274	16.2	*	*
Hispanic	17	24.6	14	23.7	*	*	9	14.3	279	16.5	*	*
White	41	59.4	35	59.3	6	60.0	36	57.1	1,104	65.1	9	47.4
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	31	1.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	22	31.9	20	33.9	*	*	*	*	80	4.7	0	0.0
30-39	27	39.1	24	40.7	*	*	20	31.7	510	30.1	*	*
40-49	10	14.5	8	13.6	*	*	21	33.3	656	38.7	10	52.6
50-59	*	*	*	*	*	*	14	22.2	349	20.6	6	31.6
60+	*	*	*	*	*	*	*	*	97	5.7	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	54	78.3	46	78.0	8	80.0	33	52.4	1,160	68.4	10	52.6
Injection drug use history	*	*	*	*	*	*	7	11.1	237	14.0	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	48	2.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	8	11.6	7	11.9	*	*	18	28.6	247	14.6	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	697	41.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	998	58.9	18	94.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.7.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>142</b>	<b>100.0</b>	<b>116</b>	<b>81.7</b>	<b>26</b>	<b>18.3</b>	<b>121</b>	<b>100.0</b>	<b>2,839</b>	<b>100.0</b>	<b>78</b>	<b>100.0</b>
<b>SEX</b>												
Male	109	76.8	88	75.9	21	80.8	89	73.6	2,276	80.2	60	76.9
Female	33	23.2	28	24.1	*	*	32	26.4	563	19.8	18	23.1
<b>RACE/ETHNICITY</b>												
Black	44	31.0	36	31.0	8	30.8	39	32.2	590	20.8	23	29.5
Hispanic	39	27.5	31	26.7	8	30.8	47	38.8	1,030	36.3	30	38.5
White	50	35.2	42	36.2	8	30.8	32	26.4	1,120	39.5	24	30.8
Asian/Pacific Islander	8	5.6	6	5.2	*	*	*	*	74	2.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.8	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	24	0.8	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	22	0.8	0	0.0
20-29	21	14.8	20	17.2	*	*	*	*	105	3.7	*	*
30-39	56	39.4	44	37.9	12	46.2	44	36.4	902	31.8	12	15.4
40-49	31	21.8	25	21.6	6	23.1	46	38.0	1,123	39.6	33	42.3
50-59	20	14.1	16	13.8	*	*	21	17.4	521	18.4	21	26.9
60+	9	6.3	6	5.2	*	*	6	5.0	142	5.0	11	14.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	56	39.4	48	41.4	8	30.8	34	28.1	1,205	42.4	18	23.1
Injection drug use history	30	21.1	25	21.6	*	*	35	28.9	841	29.6	43	55.1
Heterosexual	21	14.8	20	17.2	*	*	16	13.2	286	10.1	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	43	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	33	23.2	21	18.1	12	46.2	36	29.8	458	16.1	12	15.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,117	39.3	9	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,722	60.7	69	88.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.7.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>33</b>	<b>100.0</b>	<b>25</b>	<b>75.8</b>	<b>8</b>	<b>24.2</b>	<b>24</b>	<b>100.0</b>	<b>323</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>
<b>SEX</b>												
Male	25	75.8	18	72.0	7	87.5	20	83.3	254	78.6	*	*
Female	8	24.2	7	28.0	*	*	*	*	69	21.4	*	*
<b>RACE/ETHNICITY</b>												
Black	10	30.3	9	36.0	*	*	6	25.0	86	26.6	*	*
Hispanic	9	27.3	*	*	*	*	10	41.7	87	26.9	*	*
White	11	33.3	8	32.0	*	*	8	33.3	134	41.5	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	12	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	0	0.0	*	*	*	*	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	6	1.9	0	0.0
20-29	*	*	*	*	*	*	*	*	14	4.3	0	0.0
30-39	20	60.6	16	64.0	*	*	8	33.3	119	36.8	*	*
40-49	6	18.2	*	*	*	*	8	33.3	131	40.6	*	*
50-59	*	*	*	*	0	0.0	*	*	45	13.9	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	39.4	8	32.0	*	*	9	37.5	139	43.0	*	*
Injection drug use history	*	*	*	*	*	*	*	*	76	23.5	*	*
Heterosexual	9	27.3	8	32.0	*	*	6	25.0	45	13.9	*	*
Perinatal	*	*	0	0.0	*	*	*	*	8	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	18.2	6	24.0	0	0.0	*	*	55	17.0	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	152	47.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	171	52.9	7	87.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10280.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>58</b>	<b>100.0</b>	<b>47</b>	<b>81.0</b>	<b>11</b>	<b>19.0</b>	<b>48</b>	<b>100.0</b>	<b>812</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>
<b>SEX</b>												
Male	36	62.1	30	63.8	6	54.5	34	70.8	583	71.8	15	50.0
Female	22	37.9	17	36.2	*	*	14	29.2	229	28.2	15	50.0
<b>RACE/ETHNICITY</b>												
Black	10	17.2	8	17.0	*	*	13	27.1	169	20.8	8	26.7
Hispanic	37	63.8	30	63.8	7	63.6	24	50.0	440	54.2	18	60.0
White	10	17.2	8	17.0	*	*	11	22.9	196	24.1	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	2.1	*	*
13-19	*	*	*	*	0	0.0	0	0.0	7	0.9	*	*
20-29	10	17.2	7	14.9	*	*	*	*	51	6.3	0	0.0
30-39	23	39.7	21	44.7	*	*	16	33.3	293	36.1	8	26.7
40-49	16	27.6	12	25.5	*	*	19	39.6	282	34.7	12	40.0
50-59	*	*	*	*	*	*	7	14.6	134	16.5	*	*
60+	*	*	*	*	0	0.0	*	*	28	3.4	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	16	27.6	15	31.9	*	*	9	18.8	206	25.4	*	*
Injection drug use history	13	22.4	9	19.1	*	*	12	25.0	274	33.7	18	60.0
Heterosexual	11	19.0	9	19.1	*	*	7	14.6	124	15.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	2.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	18	31.0	14	29.8	*	*	20	41.7	182	22.4	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	292	36.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	520	64.0	26	86.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>144</b>	<b>100.0</b>	<b>104</b>	<b>72.2</b>	<b>40</b>	<b>27.8</b>	<b>159</b>	<b>100.0</b>	<b>2,586</b>	<b>100.0</b>	<b>79</b>	<b>100.0</b>
<b>SEX</b>												
Male	108	75.0	73	70.2	35	87.5	119	74.8	1,893	73.2	58	73.4
Female	36	25.0	31	29.8	*	*	40	25.2	693	26.8	21	26.6
<b>RACE/ETHNICITY</b>												
Black	82	56.9	58	55.8	24	60.0	80	50.3	1,132	43.8	44	55.7
Hispanic	36	25.0	27	26.0	9	22.5	37	23.3	750	29.0	18	22.8
White	25	17.4	19	18.3	6	15.0	39	24.5	673	26.0	17	21.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	22	0.9	0	0.0
Native American	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	36	1.4	0	0.0
13-19	*	*	*	*	0	0.0	*	*	28	1.1	*	*
20-29	26	18.1	22	21.2	*	*	12	7.5	145	5.6	*	*
30-39	54	37.5	43	41.3	11	27.5	56	35.2	815	31.5	12	15.2
40-49	37	25.7	26	25.0	11	27.5	48	30.2	951	36.8	30	38.0
50-59	21	14.6	11	10.6	10	25.0	29	18.2	468	18.1	26	32.9
60+	*	*	0	0.0	*	*	12	7.5	143	5.5	8	10.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	54	37.5	38	36.5	16	40.0	53	33.3	884	34.2	22	27.8
Injection drug use history	25	17.4	20	19.2	*	*	37	23.3	741	28.7	33	41.8
Heterosexual	32	22.2	22	21.2	10	25.0	28	17.6	375	14.5	8	10.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	56	2.2	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	33	22.9	24	23.1	9	22.5	40	25.2	526	20.3	14	17.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,046	40.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,540	59.6	76	96.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>447</b>	<b>100.0</b>	<b>342</b>	<b>76.5</b>	<b>105</b>	<b>23.5</b>	<b>401</b>	<b>100.0</b>	<b>5,128</b>	<b>100.0</b>	<b>212</b>	<b>100.0</b>
<b>SEX</b>												
Male	262	58.6	191	55.8	71	67.6	246	61.3	3,091	60.3	136	64.2
Female	185	41.4	151	44.2	34	32.4	155	38.7	2,037	39.7	76	35.8
<b>RACE/ETHNICITY</b>												
Black	376	84.1	284	83.0	92	87.6	334	83.3	4,203	82.0	186	87.7
Hispanic	51	11.4	39	11.4	12	11.4	52	13.0	676	13.2	22	10.4
White	19	4.3	19	5.6	0	0.0	14	3.5	224	4.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	12	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	14	3.1	12	3.5	*	*	*	*	140	2.7	0	0.0
13-19	15	3.4	15	4.4	0	0.0	*	*	74	1.4	*	*
20-29	97	21.7	81	23.7	16	15.2	39	9.7	384	7.5	11	5.2
30-39	127	28.4	103	30.1	24	22.9	117	29.2	1,496	29.2	45	21.2
40-49	140	31.3	95	27.8	45	42.9	161	40.1	1,919	37.4	79	37.3
50-59	37	8.3	25	7.3	12	11.4	59	14.7	859	16.8	55	25.9
60+	17	3.8	11	3.2	6	5.7	21	5.2	256	5.0	21	9.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	89	19.9	75	21.9	14	13.3	49	12.2	808	15.8	23	10.8
Injection drug use history	62	13.9	48	14.0	14	13.3	78	19.5	1,510	29.4	86	40.6
Heterosexual	126	28.2	99	28.9	27	25.7	96	23.9	1,089	21.2	34	16.0
Perinatal	14	3.1	12	3.5	*	*	*	*	187	3.6	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	18	0.4	*	*
Unknown	156	34.9	108	31.6	48	45.7	174	43.4	1,516	29.6	67	31.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,092	40.8	24	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,036	59.2	188	88.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>151</b>	<b>100.0</b>	<b>119</b>	<b>78.8</b>	<b>32</b>	<b>21.2</b>	<b>146</b>	<b>100.0</b>	<b>2,099</b>	<b>100.0</b>	<b>68</b>	<b>100.0</b>
<b>SEX</b>												
Male	85	56.3	65	54.6	20	62.5	79	54.1	1,134	54.0	37	54.4
Female	66	43.7	54	45.4	12	37.5	67	45.9	965	46.0	31	45.6
<b>RACE/ETHNICITY</b>												
Black	106	70.2	84	70.6	22	68.8	97	66.4	1,315	62.6	43	63.2
Hispanic	36	23.8	28	23.5	8	25.0	41	28.1	685	32.6	21	30.9
White	7	4.6	6	5.0	*	*	*	*	82	3.9	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	9	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	7	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	*	*	*	*	65	3.1	0	0.0
13-19	11	7.3	11	9.2	0	0.0	*	*	47	2.2	0	0.0
20-29	29	19.2	24	20.2	*	*	12	8.2	157	7.5	0	0.0
30-39	49	32.5	35	29.4	14	43.8	48	32.9	646	30.8	20	29.4
40-49	36	23.8	29	24.4	7	21.9	54	37.0	754	35.9	23	33.8
50-59	16	10.6	11	9.2	*	*	26	17.8	345	16.4	20	29.4
60+	7	4.6	7	5.9	0	0.0	*	*	85	4.0	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	18	11.9	15	12.6	*	*	15	10.3	205	9.8	*	*
Injection drug use history	26	17.2	20	16.8	6	18.8	39	26.7	644	30.7	27	39.7
Heterosexual	46	30.5	39	32.8	7	21.9	33	22.6	531	25.3	15	22.1
Perinatal	*	*	*	*	*	*	*	*	91	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	7	0.3	0	0.0
Unknown	58	38.4	43	36.1	15	46.9	56	38.4	621	29.6	21	30.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	896	42.7	10	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,203	57.3	58	85.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East New York: 11207, 11208.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**

**Table 1.8.5. Sunset Park (Brooklyn)**

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>40</b>	<b>100.0</b>	<b>35</b>	<b>87.5</b>	*	*	<b>39</b>	<b>100.0</b>	<b>665</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>
<b>SEX</b>												
Male	25	62.5	22	62.9	*	*	23	59.0	448	67.4	19	63.3
Female	15	37.5	13	37.1	*	*	16	41.0	217	32.6	11	36.7
<b>RACE/ETHNICITY</b>												
Black	6	15.0	6	17.1	0	0.0	10	25.6	87	13.1	*	*
Hispanic	25	62.5	21	60.0	*	*	25	64.1	428	64.4	17	56.7
White	6	15.0	6	17.1	0	0.0	*	*	132	19.8	6	20.0
Asian/Pacific Islander	*	*	*	*	*	*	*	*	16	2.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	*	*	*	*	0	0.0	*	*	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	13	2.0	0	0.0
13-19	*	*	*	*	*	*	*	*	15	2.3	*	*
20-29	7	17.5	6	17.1	*	*	*	*	47	7.1	*	*
30-39	14	35.0	13	37.1	*	*	14	35.9	215	32.3	11	36.7
40-49	9	22.5	7	20.0	*	*	13	33.3	239	35.9	6	20.0
50-59	*	*	*	*	0	0.0	*	*	108	16.2	6	20.0
60+	*	*	*	*	0	0.0	*	*	28	4.2	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	11	27.5	9	25.7	*	*	*	*	140	21.1	*	*
Injection drug use history	10	25.0	9	25.7	*	*	17	43.6	248	37.3	12	40.0
Heterosexual	9	22.5	9	25.7	0	0.0	7	17.9	142	21.4	6	20.0
Perinatal	*	*	*	*	0	0.0	*	*	19	2.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	9	22.5	7	20.0	*	*	9	23.1	113	17.0	7	23.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	281	42.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	384	57.7	27	90.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>39</b>	<b>100.0</b>	<b>27</b>	<b>69.2</b>	<b>12</b>	<b>30.8</b>	<b>54</b>	<b>100.0</b>	<b>791</b>	<b>100.0</b>	<b>26</b>	<b>100.0</b>
<b>SEX</b>												
Male	26	66.7	16	59.3	10	83.3	37	68.5	535	67.6	19	73.1
Female	13	33.3	11	40.7	*	*	17	31.5	256	32.4	7	26.9
<b>RACE/ETHNICITY</b>												
Black	15	38.5	12	44.4	*	*	16	29.6	246	31.1	6	23.1
Hispanic	11	28.2	8	29.6	*	*	18	33.3	264	33.4	7	26.9
White	10	25.6	6	22.2	*	*	17	31.5	261	33.0	10	38.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	18	2.3	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	1.5	0	0.0
13-19	*	*	*	*	0	0.0	*	*	12	1.5	0	0.0
20-29	7	17.9	7	25.9	0	0.0	*	*	44	5.6	*	*
30-39	12	30.8	7	25.9	*	*	24	44.4	238	30.1	9	34.6
40-49	10	25.6	*	*	6	50.0	17	31.5	307	38.8	9	34.6
50-59	6	15.4	*	*	*	*	8	14.8	145	18.3	6	23.1
60+	*	*	*	*	0	0.0	*	*	33	4.2	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	33.3	8	29.6	*	*	18	33.3	182	23.0	*	*
Injection drug use history	*	*	*	*	*	*	11	20.4	246	31.1	9	34.6
Heterosexual	10	25.6	7	25.9	*	*	10	18.5	174	22.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	22	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	11	28.2	9	33.3	*	*	14	25.9	164	20.7	7	26.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	297	37.5	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	494	62.5	25	96.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>263</b>	<b>100.0</b>	<b>192</b>	<b>73.0</b>	<b>71</b>	<b>27.0</b>	<b>231</b>	<b>100.0</b>	<b>3,164</b>	<b>100.0</b>	<b>114</b>	<b>100.0</b>
<b>SEX</b>												
Male	150	57.0	101	52.6	49	69.0	150	64.9	1,898	60.0	71	62.3
Female	113	43.0	91	47.4	22	31.0	81	35.1	1,266	40.0	43	37.7
<b>RACE/ETHNICITY</b>												
Black	221	84.0	162	84.4	59	83.1	192	83.1	2,652	83.8	94	82.5
Hispanic	25	9.5	18	9.4	7	9.9	22	9.5	340	10.7	13	11.4
White	12	4.6	7	3.6	*	*	16	6.9	139	4.4	7	6.1
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	20	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	83	2.6	*	*
13-19	15	5.7	14	7.3	*	*	*	*	58	1.8	*	*
20-29	47	17.9	39	20.3	8	11.3	20	8.7	279	8.8	8	7.0
30-39	92	35.0	67	34.9	25	35.2	78	33.8	945	29.9	25	21.9
40-49	59	22.4	41	21.4	18	25.4	79	34.2	1,160	36.7	42	36.8
50-59	33	12.5	22	11.5	11	15.5	33	14.3	480	15.2	27	23.7
60+	13	4.9	*	*	8	11.3	16	6.9	159	5.0	9	7.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	52	19.8	43	22.4	9	12.7	30	13.0	531	16.8	14	12.3
Injection drug use history	19	7.2	13	6.8	6	8.5	32	13.9	573	18.1	40	35.1
Heterosexual	88	33.5	66	34.4	22	31.0	54	23.4	818	25.9	24	21.1
Perinatal	*	*	*	*	0	0.0	*	*	116	3.7	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.7	*	*
Unknown	100	38.0	66	34.4	34	47.9	110	47.6	1,104	34.9	31	27.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,231	38.9	10	8.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,933	61.1	104	91.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>85</b>	<b>100.0</b>	<b>57</b>	<b>67.1</b>	<b>28</b>	<b>32.9</b>	<b>72</b>	<b>100.0</b>	<b>862</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>
<b>SEX</b>												
Male	45	52.9	31	54.4	14	50.0	42	58.3	470	54.5	11	61.1
Female	40	47.1	26	45.6	14	50.0	30	41.7	392	45.5	7	38.9
<b>RACE/ETHNICITY</b>												
Black	68	80.0	46	80.7	22	78.6	51	70.8	600	69.6	10	55.6
Hispanic	*	*	*	*	*	*	9	12.5	119	13.8	*	*
White	12	14.1	7	12.3	*	*	12	16.7	132	15.3	6	33.3
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	34	3.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	14	1.6	*	*
20-29	15	17.6	11	19.3	*	*	*	*	64	7.4	0	0.0
30-39	26	30.6	17	29.8	9	32.1	21	29.2	255	29.6	*	*
40-49	29	34.1	20	35.1	9	32.1	30	41.7	335	38.9	8	44.4
50-59	11	12.9	*	*	6	21.4	13	18.1	116	13.5	*	*
60+	*	*	*	*	0	0.0	*	*	44	5.1	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	15.3	10	17.5	*	*	7	9.7	101	11.7	*	*
Injection drug use history	6	7.1	6	10.5	0	0.0	9	12.5	190	22.0	6	33.3
Heterosexual	37	43.5	20	35.1	17	60.7	29	40.3	254	29.5	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	43	5.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Unknown	26	30.6	18	31.6	8	28.6	27	37.5	266	30.9	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	398	46.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	53.8	17	94.4

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>29</b>	<b>100.0</b>	<b>24</b>	<b>82.8</b>	*	*	<b>17</b>	<b>100.0</b>	<b>440</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>
<b>SEX</b>												
Male	22	75.9	17	70.8	*	*	14	82.4	314	71.4	9	81.8
Female	7	24.1	7	29.2	0	0.0	*	*	126	28.6	*	*
<b>RACE/ETHNICITY</b>												
Black	7	24.1	6	25.0	*	*	*	*	54	12.3	0	0.0
Hispanic	8	27.6	7	29.2	*	*	*	*	119	27.0	*	*
White	14	48.3	11	45.8	*	*	10	58.8	255	58.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	2.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	*	*	*	*	0	0.0	*	*	37	8.4	0	0.0
30-39	9	31.0	9	37.5	0	0.0	*	*	125	28.4	*	*
40-49	12	41.4	8	33.3	*	*	7	41.2	179	40.7	*	*
50-59	*	*	*	*	0	0.0	*	*	73	16.6	*	*
60+	*	*	0	0.0	*	*	*	*	18	4.1	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	31.0	6	25.0	*	*	7	41.2	138	31.4	*	*
Injection drug use history	10	34.5	8	33.3	*	*	*	*	144	32.7	6	54.5
Heterosexual	6	20.7	6	25.0	0	0.0	*	*	81	18.4	0	0.0
Perinatal	*	*	*	*	0	0.0	0	0.0	6	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	68	15.5	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	191	43.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	249	56.6	8	72.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>63</b>	<b>100.0</b>	<b>48</b>	<b>76.2</b>	<b>15</b>	<b>23.8</b>	<b>63</b>	<b>100.0</b>	<b>940</b>	<b>100.0</b>	<b>41</b>	<b>100.0</b>
<b>SEX</b>												
Male	33	52.4	23	47.9	10	66.7	39	61.9	557	59.3	23	56.1
Female	30	47.6	25	52.1	*	*	24	38.1	383	40.7	18	43.9
<b>RACE/ETHNICITY</b>												
Black	23	36.5	18	37.5	*	*	27	42.9	351	37.3	17	41.5
Hispanic	25	39.7	21	43.8	*	*	25	39.7	312	33.2	11	26.8
White	13	20.6	7	14.6	6	40.0	10	15.9	256	27.2	12	29.3
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	19	2.0	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	21	2.2	0	0.0
13-19	*	*	0	0.0	*	*	*	*	15	1.6	0	0.0
20-29	7	11.1	*	*	*	*	6	9.5	75	8.0	0	0.0
30-39	31	49.2	25	52.1	6	40.0	21	33.3	281	29.9	9	22.0
40-49	14	22.2	11	22.9	*	*	20	31.7	347	36.9	11	26.8
50-59	*	*	*	*	*	*	12	19.0	159	16.9	17	41.5
60+	*	*	*	*	*	*	*	*	42	4.5	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	14.3	6	12.5	*	*	8	12.7	156	16.6	*	*
Injection drug use history	14	22.2	11	22.9	*	*	17	27.0	310	33.0	20	48.8
Heterosexual	21	33.3	18	37.5	*	*	17	27.0	233	24.8	9	22.0
Perinatal	*	*	*	*	0	0.0	0	0.0	27	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	1.1	*	*
Unknown	17	27.0	11	22.9	6	40.0	21	33.3	204	21.7	8	19.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	387	41.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	553	58.8	38	92.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>212</b>	<b>100.0</b>	<b>172</b>	<b>81.1</b>	<b>40</b>	<b>18.9</b>	<b>190</b>	<b>100.0</b>	<b>2,967</b>	<b>100.0</b>	<b>126</b>	<b>100.0</b>
<b>SEX</b>												
Male	123	58.0	97	56.4	26	65.0	109	57.4	1,781	60.0	77	61.1
Female	89	42.0	75	43.6	14	35.0	81	42.6	1,186	40.0	49	38.9
<b>RACE/ETHNICITY</b>												
Black	143	67.5	116	67.4	27	67.5	121	63.7	1,550	52.2	73	57.9
Hispanic	63	29.7	50	29.1	13	32.5	61	32.1	1,271	42.8	46	36.5
White	6	2.8	6	3.5	0	0.0	8	4.2	126	4.2	6	4.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	7	3.3	*	*	*	*	*	*	69	2.3	*	*
13-19	10	4.7	9	5.2	*	*	*	*	45	1.5	0	0.0
20-29	49	23.1	44	25.6	*	*	19	10.0	212	7.1	*	*
30-39	64	30.2	52	30.2	12	30.0	61	32.1	890	30.0	27	21.4
40-49	49	23.1	38	22.1	11	27.5	63	33.2	1,155	38.9	54	42.9
50-59	25	11.8	19	11.0	6	15.0	30	15.8	475	16.0	33	26.2
60+	8	3.8	*	*	*	*	13	6.8	121	4.1	8	6.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	30	14.2	26	15.1	*	*	21	11.1	357	12.0	7	5.6
Injection drug use history	46	21.7	38	22.1	8	20.0	50	26.3	1,102	37.1	57	45.2
Heterosexual	52	24.5	47	27.3	*	*	28	14.7	580	19.5	26	20.6
Perinatal	7	3.3	*	*	*	*	*	*	93	3.1	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	77	36.3	56	32.6	21	52.5	88	46.3	826	27.8	35	27.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,222	41.2	17	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,745	58.8	109	86.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Williamsburg - Bushwick: 11206, 11221, 11237.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**

**Table 1.9.1. Kingsbridge - Riverdale (Bronx)**

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>21</b>	<b>100.0</b>	<b>17</b>	<b>81.0</b>	<b>*</b>	<b>*</b>	<b>30</b>	<b>100.0</b>	<b>406</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>
<b>SEX</b>												
Male	13	61.9	10	58.8	*	*	20	66.7	264	65.0	13	81.3
Female	8	38.1	7	41.2	*	*	10	33.3	142	35.0	*	*
<b>RACE/ETHNICITY</b>												
Black	7	33.3	*	*	*	*	14	46.7	138	34.0	*	*
Hispanic	9	42.9	8	47.1	*	*	11	36.7	180	44.3	10	62.5
White	*	*	*	*	0	0.0	*	*	83	20.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	10	2.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	1.5	0	0.0
20-29	*	*	*	*	0	0.0	*	*	25	6.2	0	0.0
30-39	6	28.6	*	*	*	*	7	23.3	106	26.1	*	*
40-49	*	*	*	*	0	0.0	13	43.3	169	41.6	7	43.8
50-59	*	*	*	*	*	*	*	*	69	17.0	*	*
60+	*	*	*	*	*	*	*	*	21	5.2	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	*	*	*	*	6	20.0	95	23.4	*	*
Injection drug use history	*	*	*	*	*	*	8	26.7	123	30.3	*	*
Heterosexual	6	28.6	*	*	*	*	*	*	67	16.5	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	15	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	6	28.6	*	*	*	*	11	36.7	104	25.6	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	164	40.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	242	59.6	15	93.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.9.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>89</b>	<b>100.0</b>	<b>62</b>	<b>69.7</b>	<b>27</b>	<b>30.3</b>	<b>101</b>	<b>100.0</b>	<b>1,175</b>	<b>100.0</b>	<b>44</b>	<b>100.0</b>
<b>SEX</b>												
Male	42	47.2	30	48.4	12	44.4	56	55.4	672	57.2	27	61.4
Female	47	52.8	32	51.6	15	55.6	45	44.6	503	42.8	17	38.6
<b>RACE/ETHNICITY</b>												
Black	62	69.7	44	71.0	18	66.7	64	63.4	718	61.1	27	61.4
Hispanic	19	21.3	13	21.0	6	22.2	28	27.7	351	29.9	15	34.1
White	6	6.7	*	*	*	*	8	7.9	96	8.2	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	6	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	34	2.9	0	0.0
13-19	*	*	*	*	*	*	6	5.9	29	2.5	0	0.0
20-29	12	13.5	11	17.7	*	*	*	*	87	7.4	*	*
30-39	35	39.3	23	37.1	12	44.4	27	26.7	339	28.9	7	15.9
40-49	25	28.1	17	27.4	8	29.6	42	41.6	448	38.1	24	54.5
50-59	11	12.4	8	12.9	*	*	15	14.9	190	16.2	*	*
60+	*	*	*	*	*	*	6	5.9	48	4.1	6	13.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	10	11.2	7	11.3	*	*	14	13.9	165	14.0	*	*
Injection drug use history	13	14.6	10	16.1	*	*	23	22.8	314	26.7	21	47.7
Heterosexual	26	29.2	17	27.4	9	33.3	20	19.8	265	22.6	11	25.0
Perinatal	0	0.0	0	0.0	0	0.0	*	*	53	4.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	40	44.9	28	45.2	12	44.4	40	39.6	375	31.9	9	20.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	535	45.5	8	18.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	640	54.5	36	81.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.9.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>220</b>	<b>100.0</b>	<b>174</b>	<b>79.1</b>	<b>46</b>	<b>20.9</b>	<b>250</b>	<b>100.0</b>	<b>3,197</b>	<b>100.0</b>	<b>107</b>	<b>100.0</b>
<b>SEX</b>												
Male	113	51.4	83	47.7	30	65.2	151	60.4	2,006	62.7	75	70.1
Female	107	48.6	91	52.3	16	34.8	99	39.6	1,191	37.3	32	29.9
<b>RACE/ETHNICITY</b>												
Black	112	50.9	83	47.7	29	63.0	119	47.6	1,229	38.4	37	34.6
Hispanic	99	45.0	85	48.9	14	30.4	116	46.4	1,770	55.4	63	58.9
White	6	2.7	*	*	*	*	13	5.2	175	5.5	7	6.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	14	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	6	2.7	6	3.4	0	0.0	0	0.0	83	2.6	0	0.0
13-19	8	3.6	8	4.6	0	0.0	*	*	48	1.5	0	0.0
20-29	51	23.2	43	24.7	8	17.4	23	9.2	262	8.2	*	*
30-39	70	31.8	54	31.0	16	34.8	84	33.6	986	30.8	22	20.6
40-49	59	26.8	44	25.3	15	32.6	104	41.6	1,249	39.1	44	41.1
50-59	23	10.5	17	9.8	6	13.0	30	12.0	470	14.7	28	26.2
60+	*	*	*	*	*	*	6	2.4	99	3.1	9	8.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	36	16.4	26	14.9	10	21.7	43	17.2	507	15.9	18	16.8
Injection drug use history	33	15.0	29	16.7	*	*	67	26.8	1,089	34.1	59	55.1
Heterosexual	55	25.0	45	25.9	10	21.7	49	19.6	671	21.0	9	8.4
Perinatal	6	2.7	6	3.4	0	0.0	*	*	118	3.7	0	0.0
Other	*	*	*	*	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	89	40.5	67	38.5	22	47.8	88	35.2	804	25.1	21	19.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,366	42.7	11	10.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,831	57.3	96	89.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.9.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>176</b>	<b>100.0</b>	<b>138</b>	<b>78.4</b>	<b>38</b>	<b>21.6</b>	<b>211</b>	<b>100.0</b>	<b>2,779</b>	<b>100.0</b>	<b>90</b>	<b>100.0</b>
<b>SEX</b>												
Male	103	58.5	82	59.4	21	55.3	114	54.0	1,589	57.2	58	64.4
Female	73	41.5	56	40.6	17	44.7	97	46.0	1,190	42.8	32	35.6
<b>RACE/ETHNICITY</b>												
Black	80	45.5	60	43.5	20	52.6	88	41.7	1,075	38.7	38	42.2
Hispanic	82	46.6	69	50.0	13	34.2	101	47.9	1,443	51.9	46	51.1
White	14	8.0	9	6.5	*	*	22	10.4	247	8.9	6	6.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	82	3.0	0	0.0
13-19	8	4.5	8	5.8	0	0.0	*	*	56	2.0	*	*
20-29	35	19.9	32	23.2	*	*	22	10.4	189	6.8	*	*
30-39	57	32.4	44	31.9	13	34.2	61	28.9	856	30.8	20	22.2
40-49	51	29.0	39	28.3	12	31.6	90	42.7	1,063	38.3	33	36.7
50-59	14	8.0	9	6.5	*	*	26	12.3	418	15.0	27	30.0
60+	8	4.5	*	*	*	*	10	4.7	115	4.1	8	8.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	42	23.9	34	24.6	8	21.1	32	15.2	357	12.8	8	8.9
Injection drug use history	29	16.5	28	20.3	*	*	56	26.5	948	34.1	51	56.7
Heterosexual	52	29.5	34	24.6	18	47.4	54	25.6	617	22.2	15	16.7
Perinatal	*	*	*	*	0	0.0	*	*	123	4.4	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	*	*
Unknown	50	28.4	39	28.3	11	28.9	67	31.8	720	25.9	14	15.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,232	44.3	15	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,547	55.7	75	83.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.9.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>281</b>	<b>100.0</b>	<b>222</b>	<b>79.0</b>	<b>59</b>	<b>21.0</b>	<b>305</b>	<b>100.0</b>	<b>3,710</b>	<b>100.0</b>	<b>150</b>	<b>100.0</b>
<b>SEX</b>												
Male	161	57.3	123	55.4	38	64.4	189	62.0	2,174	58.6	89	59.3
Female	120	42.7	99	44.6	21	35.6	116	38.0	1,536	41.4	61	40.7
<b>RACE/ETHNICITY</b>												
Black	150	53.4	117	52.7	33	55.9	144	47.2	1,631	44.0	55	36.7
Hispanic	126	44.8	100	45.0	26	44.1	151	49.5	1,942	52.3	88	58.7
White	*	*	*	*	0	0.0	9	3.0	120	3.2	7	4.7
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	6	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	10	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	7	2.5	7	3.2	0	0.0	*	*	102	2.7	*	*
13-19	10	3.6	9	4.1	*	*	6	2.0	68	1.8	*	*
20-29	50	17.8	42	18.9	8	13.6	25	8.2	261	7.0	6	4.0
30-39	96	34.2	78	35.1	18	30.5	96	31.5	1,137	30.6	45	30.0
40-49	72	25.6	53	23.9	19	32.2	114	37.4	1,364	36.8	49	32.7
50-59	35	12.5	25	11.3	10	16.9	51	16.7	618	16.7	30	20.0
60+	11	3.9	8	3.6	*	*	11	3.6	160	4.3	17	11.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	39	13.9	31	14.0	8	13.6	33	10.8	390	10.5	8	5.3
Injection drug use history	68	24.2	56	25.2	12	20.3	93	30.5	1,430	38.5	87	58.0
Heterosexual	63	22.4	52	23.4	11	18.6	57	18.7	746	20.1	17	11.3
Perinatal	7	2.5	7	3.2	0	0.0	*	*	153	4.1	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	13	0.4	0	0.0
Unknown	104	37.0	76	34.2	28	47.5	117	38.4	978	26.4	37	24.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,494	40.3	17	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,216	59.7	133	88.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.9.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>303</b>	<b>100.0</b>	<b>245</b>	<b>80.9</b>	<b>58</b>	<b>19.1</b>	<b>293</b>	<b>100.0</b>	<b>3,981</b>	<b>100.0</b>	<b>155</b>	<b>100.0</b>
<b>SEX</b>												
Male	169	55.8	125	51.0	44	75.9	181	61.8	2,329	58.5	101	65.2
Female	134	44.2	120	49.0	14	24.1	112	38.2	1,652	41.5	54	34.8
<b>RACE/ETHNICITY</b>												
Black	182	60.1	149	60.8	33	56.9	155	52.9	2,041	51.3	80	51.6
Hispanic	112	37.0	88	35.9	24	41.4	130	44.4	1,812	45.5	68	43.9
White	8	2.6	7	2.9	*	*	7	2.4	106	2.7	6	3.9
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	13	0.3	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	*	*	112	2.8	0	0.0
13-19	7	2.3	7	2.9	0	0.0	*	*	64	1.6	0	0.0
20-29	64	21.1	53	21.6	11	19.0	31	10.6	306	7.7	*	*
30-39	93	30.7	75	30.6	18	31.0	87	29.7	1,194	30.0	34	21.9
40-49	81	26.7	62	25.3	19	32.8	115	39.2	1,458	36.6	64	41.3
50-59	38	12.5	33	13.5	*	*	39	13.3	661	16.6	36	23.2
60+	15	5.0	10	4.1	*	*	17	5.8	186	4.7	16	10.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	36	11.9	31	12.7	*	*	29	9.9	474	11.9	13	8.4
Injection drug use history	69	22.8	58	23.7	11	19.0	87	29.7	1,419	35.6	88	56.8
Heterosexual	69	22.8	61	24.9	8	13.8	48	16.4	842	21.2	22	14.2
Perinatal	*	*	*	*	0	0.0	*	*	156	3.9	0	0.0
Other	*	*	0	0.0	*	*	*	*	11	0.3	*	*
Unknown	123	40.6	90	36.7	33	56.9	122	41.6	1,079	27.1	31	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,654	41.5	14	9.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,327	58.5	141	91.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.9.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>217</b>	<b>100.0</b>	<b>175</b>	<b>80.6</b>	<b>42</b>	<b>19.4</b>	<b>205</b>	<b>100.0</b>	<b>2,572</b>	<b>100.0</b>	<b>97</b>	<b>100.0</b>
<b>SEX</b>												
Male	135	62.2	106	60.6	29	69.0	125	61.0	1,577	61.3	56	57.7
Female	82	37.8	69	39.4	13	31.0	80	39.0	995	38.7	41	42.3
<b>RACE/ETHNICITY</b>												
Black	88	40.6	71	40.6	17	40.5	67	32.7	881	34.3	38	39.2
Hispanic	123	56.7	99	56.6	24	57.1	134	65.4	1,601	62.2	58	59.8
White	*	*	*	*	*	*	*	*	78	3.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	7	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	79	3.1	0	0.0
13-19	*	*	*	*	*	*	*	*	38	1.5	0	0.0
20-29	37	17.1	34	19.4	*	*	13	6.3	169	6.6	*	*
30-39	79	36.4	68	38.9	11	26.2	77	37.6	781	30.4	25	25.8
40-49	70	32.3	53	30.3	17	40.5	70	34.1	968	37.6	52	53.6
50-59	20	9.2	12	6.9	8	19.0	30	14.6	437	17.0	15	15.5
60+	7	3.2	6	3.4	*	*	10	4.9	100	3.9	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	24	11.1	21	12.0	*	*	21	10.2	243	9.4	*	*
Injection drug use history	68	31.3	59	33.7	9	21.4	65	31.7	1,061	41.3	69	71.1
Heterosexual	58	26.7	47	26.9	11	26.2	43	21.0	520	20.2	16	16.5
Perinatal	0	0.0	0	0.0	0	0.0	*	*	113	4.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	14	0.5	0	0.0
Unknown	67	30.9	48	27.4	19	45.2	73	35.6	621	24.1	9	9.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,075	41.8	8	8.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,497	58.2	89	91.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>73</b>	<b>100.0</b>	<b>55</b>	<b>75.3</b>	<b>18</b>	<b>24.7</b>	<b>69</b>	<b>100.0</b>	<b>1,253</b>	<b>100.0</b>	<b>24</b>	<b>100.0</b>
<b>SEX</b>												
Male	56	76.7	42	76.4	14	77.8	52	75.4	968	77.3	17	70.8
Female	17	23.3	13	23.6	*	*	17	24.6	285	22.7	7	29.2
<b>RACE/ETHNICITY</b>												
Black	23	31.5	16	29.1	7	38.9	23	33.3	320	25.5	7	29.2
Hispanic	31	42.5	23	41.8	8	44.4	27	39.1	495	39.5	10	41.7
White	14	19.2	13	23.6	*	*	17	24.6	403	32.2	7	29.2
Asian/Pacific Islander	*	*	*	*	*	*	*	*	26	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	15	1.2	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	0.6	0	0.0
20-29	14	19.2	12	21.8	*	*	10	14.5	102	8.1	*	*
30-39	35	47.9	30	54.5	*	*	21	30.4	451	36.0	7	29.2
40-49	12	16.4	7	12.7	*	*	23	33.3	459	36.6	8	33.3
50-59	6	8.2	*	*	*	*	11	15.9	175	14.0	*	*
60+	*	*	0	0.0	*	*	*	*	44	3.5	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	37	50.7	30	54.5	7	38.9	30	43.5	537	42.9	*	*
Injection drug use history	*	*	*	*	0	0.0	11	15.9	268	21.4	12	50.0
Heterosexual	20	27.4	12	21.8	8	44.4	14	20.3	194	15.5	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	21	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	14	19.2	11	20.0	*	*	14	20.3	229	18.3	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	506	40.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	747	59.6	24	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>192</b>	<b>100.0</b>	<b>139</b>	<b>72.4</b>	<b>53</b>	<b>27.6</b>	<b>187</b>	<b>100.0</b>	<b>3,263</b>	<b>100.0</b>	<b>78</b>	<b>100.0</b>
<b>SEX</b>												
Male	153	79.7	108	77.7	45	84.9	129	69.0	2,525	77.4	56	71.8
Female	39	20.3	31	22.3	8	15.1	58	31.0	738	22.6	22	28.2
<b>RACE/ETHNICITY</b>												
Black	43	22.4	33	23.7	10	18.9	57	30.5	1,015	31.1	24	30.8
Hispanic	120	62.5	85	61.2	35	66.0	106	56.7	1,681	51.5	33	42.3
White	21	10.9	17	12.2	*	*	16	8.6	482	14.8	19	24.4
Asian/Pacific Islander	8	4.2	*	*	*	*	8	4.3	70	2.1	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	*	*	25	0.8	0	0.0
13-19	6	3.1	6	4.3	0	0.0	0	0.0	16	0.5	0	0.0
20-29	33	17.2	25	18.0	8	15.1	24	12.8	225	6.9	*	*
30-39	95	49.5	69	49.6	26	49.1	78	41.7	1,175	36.0	16	20.5
40-49	40	20.8	26	18.7	14	26.4	64	34.2	1,255	38.5	30	38.5
50-59	13	6.8	10	7.2	*	*	15	8.0	454	13.9	19	24.4
60+	*	*	*	*	*	*	*	*	113	3.5	12	15.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	86	44.8	61	43.9	25	47.2	60	32.1	1,032	31.6	17	21.8
Injection drug use history	16	8.3	13	9.4	*	*	24	12.8	1,006	30.8	29	37.2
Heterosexual	56	29.2	40	28.8	16	30.2	47	25.1	551	16.9	15	19.2
Perinatal	0	0.0	0	0.0	0	0.0	*	*	33	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	*	*
Unknown	34	17.7	25	18.0	9	17.0	55	29.4	632	19.4	16	20.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,095	33.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,168	66.4	76	97.4

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**

**Table 1.10.3. Flushing - Clearview (Queens)**

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>28</b>	<b>100.0</b>	<b>24</b>	<b>85.7</b>	<b>*</b>	<b>*</b>	<b>35</b>	<b>100.0</b>	<b>537</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>
<b>SEX</b>												
Male	20	71.4	16	66.7	*	*	26	74.3	386	71.9	16	88.9
Female	8	28.6	8	33.3	0	0.0	9	25.7	151	28.1	*	*
<b>RACE/ETHNICITY</b>												
Black	10	35.7	10	41.7	0	0.0	11	31.4	143	26.6	*	*
Hispanic	11	39.3	9	37.5	*	*	12	34.3	187	34.8	7	38.9
White	6	21.4	*	*	*	*	12	34.3	181	33.7	6	33.3
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	23	4.3	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	8	1.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	*	*
20-29	7	25.0	*	*	*	*	*	*	33	6.1	0	0.0
30-39	9	32.1	8	33.3	*	*	12	34.3	178	33.1	6	33.3
40-49	*	*	*	*	0	0.0	15	42.9	205	38.2	7	38.9
50-59	*	*	*	*	*	*	*	*	86	16.0	*	*
60+	*	*	*	*	0	0.0	*	*	23	4.3	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	11	39.3	9	37.5	*	*	11	31.4	173	32.2	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	147	27.4	8	44.4
Heterosexual	9	32.1	7	29.2	*	*	16	45.7	115	21.4	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	10	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	88	16.4	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	172	32.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	365	68.0	17	94.4

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Flushing - Clearview: 11354, 11355, 11356, 11357, 11358, 11359, 11360.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**

**Table 1.10.4. Bayside - Little Neck (Queens)**

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>7</b>	<b>77.8</b>	<b>*</b>	<b>*</b>	<b>7</b>	<b>100.0</b>	<b>103</b>	<b>100.0</b>	<b>*</b>	<b>*</b>
<b>SEX</b>												
Male	9	100.0	7	100.0	*	*	6	85.7	76	73.8	*	*
Female	0	0.0	0	0.0	0	0.0	*	*	27	26.2	*	*
<b>RACE/ETHNICITY</b>												
Black	*	*	0	0.0	*	*	*	*	14	13.6	0	0.0
Hispanic	*	*	*	*	0	0.0	*	*	17	16.5	*	*
White	*	*	*	*	0	0.0	*	*	64	62.1	*	*
Asian/Pacific Islander	*	*	*	*	*	*	*	*	6	5.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
30-39	*	*	*	*	*	*	*	*	25	24.3	*	*
40-49	*	*	*	*	*	*	*	*	42	40.8	*	*
50-59	*	*	*	*	0	0.0	0	0.0	21	20.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	*	*	*	*	*	*	32	31.1	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	26	25.2	*	*
Heterosexual	0	0.0	0	0.0	0	0.0	*	*	14	13.6	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	22	21.4	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44	42.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	59	57.3	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**

**Table 1.10.5. Ridgewood - Forest Hills (Queens)**

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>53</b>	<b>100.0</b>	<b>36</b>	<b>67.9</b>	<b>17</b>	<b>32.1</b>	<b>53</b>	<b>100.0</b>	<b>752</b>	<b>100.0</b>	<b>23</b>	<b>100.0</b>
<b>SEX</b>												
Male	35	66.0	21	58.3	14	82.4	41	77.4	524	69.7	18	78.3
Female	18	34.0	15	41.7	*	*	12	22.6	228	30.3	*	*
<b>RACE/ETHNICITY</b>												
Black	6	11.3	*	*	*	*	*	*	83	11.0	*	*
Hispanic	25	47.2	20	55.6	*	*	26	49.1	343	45.6	10	43.5
White	17	32.1	10	27.8	7	41.2	19	35.8	301	40.0	10	43.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	15	2.0	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	0	0.0	*	*	*	*	10	1.3	*	*
13-19	0	0.0	0	0.0	0	0.0	0	0.0	12	1.6	0	0.0
20-29	13	24.5	13	36.1	0	0.0	*	*	48	6.4	*	*
30-39	21	39.6	14	38.9	7	41.2	19	35.8	251	33.4	*	*
40-49	14	26.4	6	16.7	8	47.1	19	35.8	296	39.4	6	26.1
50-59	*	*	*	*	*	*	7	13.2	110	14.6	7	30.4
60+	0	0.0	0	0.0	0	0.0	*	*	25	3.3	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	24.5	10	27.8	*	*	14	26.4	246	32.7	*	*
Injection drug use history	11	20.8	7	19.4	*	*	10	18.9	166	22.1	10	43.5
Heterosexual	16	30.2	12	33.3	*	*	11	20.8	140	18.6	*	*
Perinatal	*	*	0	0.0	*	*	*	*	19	2.5	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	12	22.6	7	19.4	*	*	17	32.1	175	23.3	6	26.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	299	39.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	453	60.2	22	95.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) are marked with an asterisk (\*).



**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>19</b>	<b>100.0</b>	<b>14</b>	<b>73.7</b>	*	*	<b>9</b>	<b>100.0</b>	<b>192</b>	<b>100.0</b>	<b>7</b>	<b>100.0</b>
<b>SEX</b>												
Male	15	78.9	11	78.6	*	*	7	77.8	122	63.5	*	*
Female	*	*	*	*	*	*	*	*	70	36.5	*	*
<b>RACE/ETHNICITY</b>												
Black	9	47.4	6	42.9	*	*	*	*	84	43.8	*	*
Hispanic	*	*	*	*	*	*	*	*	53	27.6	*	*
White	6	31.6	6	42.9	0	0.0	*	*	46	24.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	3.6	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	0	0.0	0	0.0
20-29	*	*	*	*	*	*	*	*	13	6.8	0	0.0
30-39	8	42.1	6	42.9	*	*	*	*	55	28.6	*	*
40-49	*	*	*	*	*	*	*	*	70	36.5	*	*
50-59	*	*	*	*	*	*	*	*	38	19.8	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	9	4.7	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	6	31.6	6	42.9	0	0.0	*	*	44	22.9	0	0.0
Injection drug use history	*	*	*	*	0	0.0	*	*	44	22.9	*	*
Heterosexual	*	*	*	*	*	*	*	*	43	22.4	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	3.1	0	0.0
Unknown	7	36.8	*	*	*	*	*	*	48	25.0	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	79	41.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	113	58.9	6	85.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>74</b>	<b>100.0</b>	<b>56</b>	<b>75.7</b>	<b>18</b>	<b>24.3</b>	<b>68</b>	<b>100.0</b>	<b>1,033</b>	<b>100.0</b>	<b>28</b>	<b>100.0</b>
<b>SEX</b>												
Male	53	71.6	39	69.6	14	77.8	49	72.1	715	69.2	19	67.9
Female	21	28.4	17	30.4	*	*	19	27.9	318	30.8	9	32.1
<b>RACE/ETHNICITY</b>												
Black	33	44.6	23	41.1	10	55.6	23	33.8	328	31.8	12	42.9
Hispanic	19	25.7	16	28.6	*	*	26	38.2	380	36.8	7	25.0
White	16	21.6	12	21.4	*	*	16	23.5	275	26.6	8	28.6
Asian/Pacific Islander	6	8.1	*	*	*	*	*	*	39	3.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	22	2.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	15	1.5	*	*
20-29	11	14.9	8	14.3	*	*	8	11.8	75	7.3	0	0.0
30-39	33	44.6	27	48.2	6	33.3	21	30.9	346	33.5	7	25.0
40-49	23	31.1	16	28.6	7	38.9	24	35.3	391	37.9	15	53.6
50-59	6	8.1	*	*	*	*	12	17.6	151	14.6	*	*
60+	*	*	*	*	0	0.0	*	*	33	3.2	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	28	37.8	21	37.5	7	38.9	15	22.1	281	27.2	6	21.4
Injection drug use history	8	10.8	6	10.7	*	*	15	22.1	269	26.0	8	28.6
Heterosexual	19	25.7	14	25.0	*	*	15	22.1	214	20.7	9	32.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	36	3.5	*	*
Other	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Unknown	18	24.3	15	26.8	*	*	20	29.4	230	22.3	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	412	39.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	621	60.1	24	85.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>154</b>	<b>100.0</b>	<b>103</b>	<b>66.9</b>	<b>51</b>	<b>33.1</b>	<b>184</b>	<b>100.0</b>	<b>2,155</b>	<b>100.0</b>	<b>81</b>	<b>100.0</b>
<b>SEX</b>												
Male	87	56.5	58	56.3	29	56.9	115	62.5	1,287	59.7	57	70.4
Female	67	43.5	45	43.7	22	43.1	69	37.5	868	40.3	24	29.6
<b>RACE/ETHNICITY</b>												
Black	130	84.4	83	80.6	47	92.2	153	83.2	1,683	78.1	69	85.2
Hispanic	19	12.3	16	15.5	*	*	22	12.0	308	14.3	11	13.6
White	*	*	*	*	0	0.0	7	3.8	131	6.1	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	25	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	6	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	54	2.5	0	0.0
13-19	*	*	*	*	0	0.0	*	*	33	1.5	*	*
20-29	29	18.8	25	24.3	*	*	17	9.2	143	6.6	0	0.0
30-39	53	34.4	39	37.9	14	27.5	58	31.5	599	27.8	15	18.5
40-49	46	29.9	26	25.2	20	39.2	63	34.2	853	39.6	44	54.3
50-59	17	11.0	9	8.7	8	15.7	32	17.4	371	17.2	16	19.8
60+	7	4.5	*	*	*	*	11	6.0	102	4.7	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	40	26.0	30	29.1	10	19.6	33	17.9	341	15.8	11	13.6
Injection drug use history	23	14.9	17	16.5	6	11.8	44	23.9	646	30.0	35	43.2
Heterosexual	46	29.9	28	27.2	18	35.3	47	25.5	500	23.2	15	18.5
Perinatal	0	0.0	0	0.0	0	0.0	*	*	85	3.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	45	29.2	28	27.2	17	33.3	58	31.5	574	26.6	19	23.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	867	40.2	8	9.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,288	59.8	73	90.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in Jamaica: 11412, 11423, 11432, 11433, 11434, 11435, 11436.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>56</b>	<b>100.0</b>	<b>49</b>	<b>87.5</b>	<b>7</b>	<b>12.5</b>	<b>51</b>	<b>100.0</b>	<b>757</b>	<b>100.0</b>	<b>23</b>	<b>100.0</b>
<b>SEX</b>												
Male	31	55.4	28	57.1	*	*	28	54.9	452	59.7	13	56.5
Female	25	44.6	21	42.9	*	*	23	45.1	305	40.3	10	43.5
<b>RACE/ETHNICITY</b>												
Black	43	76.8	38	77.6	*	*	37	72.5	592	78.2	14	60.9
Hispanic	6	10.7	*	*	*	*	*	*	84	11.1	*	*
White	*	*	*	*	0	0.0	9	17.6	70	9.2	7	30.4
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	8	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	33	4.4	0	0.0
13-19	*	*	*	*	0	0.0	*	*	20	2.6	*	*
20-29	9	16.1	8	16.3	*	*	*	*	46	6.1	*	*
30-39	20	35.7	18	36.7	*	*	21	41.2	214	28.3	6	26.1
40-49	15	26.8	13	26.5	*	*	16	31.4	295	39.0	8	34.8
50-59	6	10.7	6	12.2	0	0.0	6	11.8	107	14.1	*	*
60+	*	*	*	*	*	*	*	*	42	5.5	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	11	19.6	9	18.4	*	*	*	*	100	13.2	*	*
Injection drug use history	6	10.7	*	*	*	*	8	15.7	162	21.4	11	47.8
Heterosexual	15	26.8	13	26.5	*	*	15	29.4	203	26.8	*	*
Perinatal	*	*	*	*	0	0.0	*	*	51	6.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	*	*
Unknown	23	41.1	21	42.9	*	*	21	41.2	233	30.8	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	273	36.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	484	63.9	21	91.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>57</b>	<b>100.0</b>	<b>44</b>	<b>77.2</b>	<b>13</b>	<b>22.8</b>	<b>55</b>	<b>100.0</b>	<b>687</b>	<b>100.0</b>	<b>27</b>	<b>100.0</b>
<b>SEX</b>												
Male	29	50.9	22	50.0	7	53.8	27	49.1	363	52.8	19	70.4
Female	28	49.1	22	50.0	6	46.2	28	50.9	324	47.2	8	29.6
<b>RACE/ETHNICITY</b>												
Black	41	71.9	29	65.9	12	92.3	35	63.6	451	65.6	22	81.5
Hispanic	8	14.0	8	18.2	0	0.0	14	25.5	131	19.1	*	*
White	7	12.3	6	13.6	*	*	*	*	96	14.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	6	0.9	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	19	2.8	0	0.0
13-19	*	*	*	*	*	*	*	*	15	2.2	0	0.0
20-29	11	19.3	9	20.5	*	*	6	10.9	39	5.7	0	0.0
30-39	17	29.8	13	29.5	*	*	19	34.5	194	28.2	9	33.3
40-49	17	29.8	12	27.3	*	*	20	36.4	295	42.9	13	48.1
50-59	*	*	*	*	*	*	7	12.7	112	16.3	*	*
60+	*	*	*	*	0	0.0	*	*	13	1.9	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	*	*	*	*	6	10.9	65	9.5	6	22.2
Injection drug use history	11	19.3	10	22.7	*	*	11	20.0	232	33.8	11	40.7
Heterosexual	22	38.6	19	43.2	*	*	16	29.1	198	28.8	*	*
Perinatal	*	*	*	*	*	*	*	*	31	4.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Unknown	17	29.8	11	25.0	6	46.2	21	38.2	154	22.4	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	321	46.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	366	53.3	25	92.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11695, 11697.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>15</b>	<b>100.0</b>	<b>8</b>	<b>53.3</b>	<b>7</b>	<b>46.7</b>	<b>25</b>	<b>100.0</b>	<b>321</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>
<b>SEX</b>												
Male	*	*	*	*	*	*	14	56.0	197	61.4	*	*
Female	11	73.3	6	75.0	*	*	11	44.0	124	38.6	6	54.5
<b>RACE/ETHNICITY</b>												
Black	10	66.7	*	*	6	85.7	14	56.0	156	48.6	*	*
Hispanic	*	*	*	*	0	0.0	*	*	79	24.6	*	*
White	*	*	*	*	*	*	*	*	83	25.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	2.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	2.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	*	*	10	3.1	0	0.0
30-39	7	46.7	*	*	*	*	9	36.0	91	28.3	*	*
40-49	*	*	*	*	*	*	10	40.0	132	41.1	6	54.5
50-59	*	*	*	*	*	*	*	*	56	17.4	*	*
60+	*	*	*	*	0	0.0	*	*	17	5.3	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	0	0.0	*	*	*	*	50	15.6	0	0.0
Injection drug use history	*	*	*	*	*	*	6	24.0	123	38.3	7	63.6
Heterosexual	7	46.7	*	*	*	*	8	32.0	69	21.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	10	40.0	63	19.6	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	127	39.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	194	60.4	11	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>49</b>	<b>100.0</b>	<b>30</b>	<b>61.2</b>	<b>19</b>	<b>38.8</b>	<b>50</b>	<b>100.0</b>	<b>691</b>	<b>100.0</b>	<b>33</b>	<b>100.0</b>
<b>SEX</b>												
Male	26	53.1	16	53.3	10	52.6	30	60.0	433	62.7	26	78.8
Female	23	46.9	14	46.7	9	47.4	20	40.0	258	37.3	7	21.2
<b>RACE/ETHNICITY</b>												
Black	33	67.3	22	73.3	11	57.9	23	46.0	282	40.8	17	51.5
Hispanic	*	*	*	*	*	*	11	22.0	161	23.3	*	*
White	11	22.4	*	*	6	31.6	16	32.0	238	34.4	11	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	13	1.9	*	*
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
20-29	11	22.4	10	33.3	*	*	*	*	43	6.2	0	0.0
30-39	15	30.6	7	23.3	8	42.1	22	44.0	206	29.8	*	*
40-49	16	32.7	9	30.0	7	36.8	22	44.0	307	44.4	21	63.6
50-59	6	12.2	*	*	*	*	*	*	89	12.9	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	26	3.8	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	12	24.5	9	30.0	*	*	9	18.0	144	20.8	*	*
Injection drug use history	*	*	*	*	0	0.0	11	22.0	241	34.9	23	69.7
Heterosexual	21	42.9	8	26.7	13	68.4	16	32.0	149	21.6	7	21.2
Perinatal	*	*	*	*	0	0.0	0	0.0	19	2.7	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	1.2	0	0.0
Unknown	12	24.5	9	30.0	*	*	14	28.0	130	18.8	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	277	40.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	414	59.9	28	84.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) are marked with an asterisk (\*).

Generated November 07, 2008.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>8</b>	<b>100.0</b>	*	*	*	*	<b>7</b>	<b>100.0</b>	<b>117</b>	<b>100.0</b>	*	*
<b>SEX</b>												
Male	7	87.5	*	*	*	*	*	*	81	69.2	*	*
Female	*	*	*	*	0	0.0	*	*	36	30.8	*	*
<b>RACE/ETHNICITY</b>												
Black	*	*	*	*	0	0.0	*	*	16	13.7	*	*
Hispanic	*	*	*	*	0	0.0	*	*	26	22.2	0	0.0
White	*	*	*	*	*	*	*	*	69	59.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
30-39	*	*	*	*	*	*	*	*	41	35.0	*	*
40-49	*	*	*	*	0	0.0	*	*	47	40.2	*	*
50-59	*	*	0	0.0	*	*	*	*	17	14.5	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	*	*	*	*	*	*	34	29.1	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	29	24.8	*	*
Heterosexual	*	*	0	0.0	*	*	*	*	22	18.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	26	22.2	*	*
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	40.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	59.8	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) are marked with an asterisk (\*).



**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2001 and  
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2001, NEW YORK CITY**  
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2001						AIDS DIAGNOSES, 2001		PLWHA AS OF 12/31/2001		DEATHS, 2001	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>20</b>	<b>100.0</b>	<b>12</b>	<b>60.0</b>	<b>8</b>	<b>40.0</b>	<b>22</b>	<b>100.0</b>	<b>268</b>	<b>100.0</b>	*	*
<b>SEX</b>												
Male	14	70.0	7	58.3	7	87.5	18	81.8	167	62.3	*	*
Female	6	30.0	*	*	*	*	*	*	101	37.7	0	0.0
<b>RACE/ETHNICITY</b>												
Black	*	*	*	*	*	*	*	*	49	18.3	*	*
Hispanic	*	*	0	0.0	*	*	6	27.3	52	19.4	0	0.0
White	16	80.0	10	83.3	6	75.0	12	54.5	165	61.6	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	*	*	*	*	0	0.0	0	0.0	6	2.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
20-29	6	30.0	*	*	*	*	*	*	17	6.3	0	0.0
30-39	*	*	*	*	*	*	7	31.8	88	32.8	0	0.0
40-49	8	40.0	*	*	*	*	6	27.3	119	44.4	*	*
50-59	*	*	0	0.0	*	*	*	*	31	11.6	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	*	*	*	*	*	*	*	*	38	14.2	0	0.0
Injection drug use history	*	*	*	*	*	*	*	*	93	34.7	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	62	23.1	0	0.0
Perinatal	*	*	*	*	0	0.0	*	*	11	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	7	35.0	*	*	*	*	11	50.0	59	22.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	100	37.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	168	62.7	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.  
The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.  
Cells representing 1-5 person(s) are marked with an asterisk (\*).

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2001****Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>71.0</b>	<b>1.1</b>	<b>32.3</b>	<b>8,008,278</b>
<b>SEX</b>				
Male	98.3	1.6	30.9	3,794,204
Female	46.4	0.6	35.1	4,214,074
<b>RACE/ETHNICITY</b>				
Black	154.9	2.0	37.8	1,962,154
Hispanic	77.1	1.3	32.4	2,160,554
White	31.2	0.7	21.9	2,801,267
Asian/Pacific Islander	11.4	0.1	24.1	783,058
Native American	40.4	0.4	29.2	17,321
<b>AGE GROUP (YEARS)</b>				
0-12	6.0	0.1	4.8	1,429,677
13-19	21.8	0.1	17.6	723,773
20-29	81.5	0.4	13.3	1,270,490
30-39	152.1	2.0	23.3	1,348,263
40-49	134.4	3.0	34.2	1,133,497
50-59	71.6	1.8	46.3	850,372
60+	17.6	0.3	65.4	1,252,206

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008. Generated November 07, 2008.

<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>2</sup>Age-adjusted to the city-wide population of PWHA at the end of 2001, except for age-specific rates.

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2001****Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>71.0</b>	<b>1.1</b>	<b>32.3</b>	<b>8,008,278</b>
<b>MANHATTAN<sup>3</sup></b>	<b>98.0</b>	<b>1.8</b>	<b>27.7</b>	<b>1,529,375</b>
Central Harlem - Morningside Heights	197.2	2.4	44.1	151,113
Chelsea - Clinton	192.7	3.8	19.9	122,998
East Harlem	130.4	2.4	39.0	108,092
Gramercy Park - Murray Hill	72.3	1.4	22.1	124,477
Greenwich Village - Soho	82.4	2.0	10.3	83,709
Lower Manhattan	106.8	1.1	36.7	30,895
Union Square - Lower East Side	72.0	1.5	25.5	197,138
Upper East Side	27.0	0.5	22.0	218,167
Upper West Side	70.7	1.3	25.2	222,109
Washington Heights - Inwood	75.0	1.1	27.4	270,677
<b>BROOKLYN<sup>3</sup></b>	<b>63.8</b>	<b>0.9</b>	<b>36.4</b>	<b>2,465,326</b>
Bedford Stuyvesant - Crown Heights	140.9	1.7	39.8	317,296
Bensonhurst - Bay Ridge	14.9	0.2	24.5	194,558
Borough Park	12.0	0.3	31.6	324,411
Canarsie - Flatlands	43.0	0.4	20.9	197,819
Coney Island - Sheepshead Bay	22.0	0.3	41.8	286,901
Downtown - Heights - Park Slope	67.1	1.2	28.9	214,696
East Flatbush - Flatbush	83.0	1.0	35.3	316,734
East New York	86.9	1.2	32.4	173,716
Greenpoint	46.6	0.7	36.5	124,449
Sunset Park	33.2	0.6	42.5	120,441
Williamsburg - Bushwick	109.1	1.6	41.2	194,305
<b>BRONX<sup>3</sup></b>	<b>101.4</b>	<b>1.4</b>	<b>36.9</b>	<b>1,327,690</b>
Crotona - Tremont	140.8	1.9	39.3	199,530
Fordham - Bronx Park	87.8	1.3	34.1	250,491
High Bridge - Morrisania	159.7	2.2	38.1	189,755
Hunts Point - Mott Haven	176.6	2.2	36.8	122,875
Kingsbridge - Riverdale	23.6	0.5	35.6	88,989
Northeast Bronx	47.8	0.7	36.7	185,998
Pelham - Throgs Neck	60.7	1.0	32.4	290,052
<b>QUEENS<sup>3</sup></b>	<b>33.4</b>	<b>0.5</b>	<b>29.1</b>	<b>2,242,159</b>
Bayside - Little Neck	10.2	0.1	38.7	88,164
Flushing - Clearview	11.0	0.2	32.4	255,542
Fresh Meadows	20.4	0.2	35.8	93,148
Jamaica	53.9	0.8	35.8	285,568
Long Island City - Astoria	33.0	0.6	19.2	220,960
Ridgewood - Forest Hills	22.0	0.3	31.5	240,901
Rockaway	53.4	0.7	40.5	106,738
Southeast Queens	27.5	0.4	30.1	203,670
Southwest Queens	27.4	0.4	26.6	269,952
West Queens	40.2	0.7	24.7	477,516
<b>STATEN ISLAND<sup>3</sup></b>	<b>21.9</b>	<b>0.4</b>	<b>40.0</b>	<b>443,728</b>
Port Richmond	23.9	0.5	31.3	62,788
South Beach - Tottenville	11.1	0.2	8.5	179,892
Stapleton - St. George	42.2	0.6	44.2	116,227
Willowbrook	9.4	0.1	41.1	84,821

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008. Generated November 07, 2008.

<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.<sup>2</sup>Age-adjusted to the city-wide population of PWHA at the end of 2001.<sup>3</sup>Borough-level data include persons residing in unknown UHF neighborhoods.