



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2002

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.5	Upper East Side
	By Gender	Table 1.7.6	Chelsea – Clinton
Table 1.2.1	Males	Table 1.7.7	Gramercy Park – Murray Hill
Table 1.2.2	Females	Table 1.7.8	Greenwich Village – Soho
	By Race/Ethnicity	Table 1.7.9	Union Square – Lower East Side
Table 1.3.1	Black males	Table 1.7.10	Lower Manhattan
Table 1.3.2	Black females		By UHF Neighborhood: Brooklyn
Table 1.3.3	Hispanic males	Table 1.8.1	Greenpoint
Table 1.3.4	Hispanic females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.5	White males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.6	White females	Table 1.8.4	East New York
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.5	Sunset Park
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.6	Borough Park
	By Age	Table 1.8.7	East Flatbush – Flatbush
Table 1.4.1	Males 0-12 years	Table 1.8.8	Canarsie – Flatlands
Table 1.4.2	Females 0-12 years	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.4.3	Males 13+ years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.4	Females 13+ years	Table 1.8.11	Williamsburg – Bushwick
	By Borough		By UHF Neighborhood: Bronx
Table 1.5.1	Manhattan, males	Table 1.9.1	Kingsbridge – Riverdale
Table 1.5.2	Manhattan, females	Table 1.9.2	Northeast Bronx
Table 1.5.3	Brooklyn, males	Table 1.9.3	Fordham – Bronx Park
Table 1.5.4	Brooklyn, females	Table 1.9.4	Pelham – Throgs Neck
Table 1.5.5	Bronx, males	Table 1.9.5	Crotona – Tremont
Table 1.5.6	Bronx, females	Table 1.9.6	High Bridge – Morrisania
Table 1.5.7	Queens, males	Table 1.9.7	Hunts Point – Mott Haven
Table 1.5.8	Queens, females		By UHF Neighborhood: Queens
Table 1.5.9	Staten Island, males	Table 1.10.1	Long Island City – Astoria
Table 1.5.10	Staten Island, females	Table 1.10.2	West Queens
	By Transmission Risk	Table 1.10.3	Flushing – Clearview
Table 1.6.1	Men who have sex with men	Table 1.10.4	Bayside – Little Neck
Table 1.6.2	Injection drug users, males	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.3	Injection drug users, females	Table 1.10.6	Fresh Meadows
Table 1.6.4	Heterosexuals, males	Table 1.10.7	Southwest Queens
Table 1.6.5	Heterosexuals, females	Table 1.10.8	Jamaica
	By UHF Neighborhood: Manhattan	Table 1.10.9	Southeast Queens
Table 1.7.1	Washington Heights – Inwood	Table 1.10.10	Rockaway
Table 1.7.2	Central Harlem – Morningside Heights		By UHF Neighborhood: Staten Island
Table 1.7.3	East Harlem	Table 1.11.1	Port Richmond
Table 1.7.4	Upper West Side	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2002, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5,091	100.0	3,992	78.4	1,099	21.6	4,730	100.0	90,063	100.0	2,878	100.0
SEX												
Male	3,399	66.8	2,636	66.0	763	69.4	3,198	67.6	62,438	69.3	1,988	69.1
Female	1,692	33.2	1,356	34.0	336	30.6	1,532	32.4	27,625	30.7	890	30.9
RACE/ETHNICITY												
Black	2,728	53.6	2,106	52.8	622	56.6	2,508	53.0	40,257	44.7	1,484	51.6
Hispanic	1,427	28.0	1,116	28.0	311	28.3	1,422	30.1	29,285	32.5	898	31.2
White	833	16.4	689	17.3	144	13.1	720	15.2	18,902	21.0	463	16.1
Asian/Pacific Islander	89	1.7	70	1.8	19	1.7	69	1.5	902	1.0	20	0.7
Native American	5	0.1	4	0.1	1	0.1	5	0.1	69	0.1	2	0.1
Other/unknown	9	0.2	7	0.2	2	0.2	6	0.1	648	0.7	11	0.4
AGE GROUP (YEARS)												
0-12	47	0.9	45	1.1	2	0.2	8	0.2	1,504	1.7	6	0.2
13-19	145	2.8	129	3.2	16	1.5	74	1.6	1,174	1.3	14	0.5
20-29	963	18.9	847	21.2	116	10.6	469	9.9	5,776	6.4	66	2.3
30-39	1,825	35.8	1,454	36.4	371	33.8	1,558	32.9	25,827	28.7	567	19.7
40-49	1,377	27.0	1,020	25.6	357	32.5	1,662	35.1	34,793	38.6	1,180	41.0
50-59	550	10.8	377	9.4	173	15.7	731	15.5	16,354	18.2	751	26.1
60+	184	3.6	120	3.0	64	5.8	228	4.8	4,635	5.1	294	10.2
BOROUGH OF RESIDENCE												
Manhattan	1,436	28.2	1,155	28.9	281	25.6	1,163	24.6	27,372	30.4	818	28.4
Brooklyn	1,402	27.5	1,073	26.9	329	29.9	1,400	29.6	22,373	24.8	836	29.0
Bronx	1,187	23.3	924	23.1	263	23.9	1,080	22.8	19,656	21.8	666	23.1
Queens	736	14.5	561	14.1	175	15.9	644	13.6	12,056	13.4	341	11.8
Staten Island	102	2.0	76	1.9	26	2.4	90	1.9	1,624	1.8	54	1.9
Unknown/outside NYC	228	4.5	203	5.1	25	2.3	353	7.5	6,982	7.8	163	5.7
TRANSMISSION RISK												
Men who have sex with men	1,488	29.2	1,226	30.7	262	23.8	1,073	22.7	24,951	27.7	418	14.5
Injection drug use history	627	12.3	507	12.7	120	10.9	934	19.7	24,181	26.8	1,303	45.3
Heterosexual	1,057	20.8	816	20.4	241	21.9	977	20.7	15,641	17.4	375	13.0
Perinatal	48	0.9	45	1.1	3	0.3	44	0.9	2,412	2.7	21	0.7
Other	2	0.0	2	0.1	0	0.0	11	0.2	346	0.4	19	0.7
Unknown	1,869	36.7	1,396	35.0	473	43.0	1,691	35.8	22,532	25.0	742	25.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37,484	41.6	364	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52,579	58.4	2,514	87.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,399	100.0	2,636	77.6	763	22.4	3,198	100.0	62,438	100.0	1,988	100.0
RACE/ETHNICITY												
Black	1,599	47.0	1,215	46.1	384	50.3	1,524	47.7	24,507	39.3	950	47.8
Hispanic	1,000	29.4	762	28.9	238	31.2	989	30.9	20,274	32.5	630	31.7
White	719	21.2	593	22.5	126	16.5	622	19.4	16,391	26.3	383	19.3
Asian/Pacific Islander	70	2.1	57	2.2	13	1.7	57	1.8	731	1.2	18	0.9
Native American	3	0.1	2	0.1	1	0.1	5	0.2	51	0.1	1	0.1
Other/unknown	8	0.2	7	0.3	1	0.1	1	0.0	484	0.8	6	0.3
AGE GROUP (YEARS)												
0-12	17	0.5	16	0.6	1	0.1	5	0.2	712	1.1	3	0.2
13-19	80	2.4	71	2.7	9	1.2	39	1.2	590	0.9	4	0.2
20-29	609	17.9	532	20.2	77	10.1	298	9.3	3,406	5.5	29	1.5
30-39	1,253	36.9	989	37.5	264	34.6	1,067	33.4	17,270	27.7	361	18.2
40-49	923	27.2	681	25.8	242	31.7	1,120	35.0	24,507	39.3	785	39.5
50-59	386	11.4	260	9.9	126	16.5	511	16.0	12,415	19.9	575	28.9
60+	131	3.9	87	3.3	44	5.8	158	4.9	3,538	5.7	231	11.6
BOROUGH OF RESIDENCE												
Manhattan	1,096	32.2	885	33.6	211	27.7	869	27.2	21,767	34.9	622	31.3
Brooklyn	849	25.0	648	24.6	201	26.3	845	26.4	13,857	22.2	540	27.2
Bronx	689	20.3	508	19.3	181	23.7	670	21.0	11,689	18.7	416	20.9
Queens	518	15.2	391	14.8	127	16.6	465	14.5	8,373	13.4	235	11.8
Staten Island	67	2.0	46	1.7	21	2.8	59	1.8	1,009	1.6	40	2.0
Unknown/outside NYC	180	5.3	158	6.0	22	2.9	290	9.1	5,743	9.2	135	6.8
TRANSMISSION RISK												
Men who have sex with men	1,488	43.8	1,226	46.5	262	34.3	1,073	33.6	24,951	40.0	418	21.0
Injection drug use history	435	12.8	346	13.1	89	11.7	655	20.5	17,099	27.4	910	45.8
Heterosexual	328	9.6	232	8.8	96	12.6	366	11.4	4,435	7.1	108	5.4
Perinatal	17	0.5	16	0.6	1	0.1	22	0.7	1,176	1.9	9	0.5
Other	2	0.1	2	0.1	0	0.0	4	0.1	185	0.3	12	0.6
Unknown	1,129	33.2	814	30.9	315	41.3	1,078	33.7	14,592	23.4	531	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24,888	39.9	246	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37,550	60.1	1,742	87.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,692	100.0	1,356	80.1	336	19.9	1,532	100.0	27,625	100.0	890	100.0
RACE/ETHNICITY												
Black	1,129	66.7	891	65.7	238	70.8	984	64.2	15,750	57.0	534	60.0
Hispanic	427	25.2	354	26.1	73	21.7	433	28.3	9,011	32.6	268	30.1
White	114	6.7	96	7.1	18	5.4	98	6.4	2,511	9.1	80	9.0
Asian/Pacific Islander	19	1.1	13	1.0	6	1.8	12	0.8	171	0.6	2	0.2
Native American	2	0.1	2	0.1	0	0.0	0	0.0	18	0.1	1	0.1
Other/unknown	1	0.1	0	0.0	1	0.3	5	0.3	164	0.6	5	0.6
AGE GROUP (YEARS)												
0-12	30	1.8	29	2.1	1	0.3	3	0.2	792	2.9	3	0.3
13-19	65	3.8	58	4.3	7	2.1	35	2.3	584	2.1	10	1.1
20-29	354	20.9	315	23.2	39	11.6	171	11.2	2,370	8.6	37	4.2
30-39	572	33.8	465	34.3	107	31.8	491	32.0	8,557	31.0	206	23.1
40-49	454	26.8	339	25.0	115	34.2	542	35.4	10,286	37.2	395	44.4
50-59	164	9.7	117	8.6	47	14.0	220	14.4	3,939	14.3	176	19.8
60+	53	3.1	33	2.4	20	6.0	70	4.6	1,097	4.0	63	7.1
BOROUGH OF RESIDENCE												
Manhattan	340	20.1	270	19.9	70	20.8	294	19.2	5,605	20.3	196	22.0
Brooklyn	553	32.7	425	31.3	128	38.1	555	36.2	8,516	30.8	296	33.3
Bronx	498	29.4	416	30.7	82	24.4	410	26.8	7,967	28.8	250	28.1
Queens	218	12.9	170	12.5	48	14.3	179	11.7	3,683	13.3	106	11.9
Staten Island	35	2.1	30	2.2	5	1.5	31	2.0	615	2.2	14	1.6
Unknown/outside NYC	48	2.8	45	3.3	3	0.9	63	4.1	1,239	4.5	28	3.1
TRANSMISSION RISK												
Injection drug use history	192	11.3	161	11.9	31	9.2	279	18.2	7,082	25.6	393	44.2
Heterosexual	729	43.1	584	43.1	145	43.2	611	39.9	11,206	40.6	267	30.0
Perinatal	31	1.8	29	2.1	2	0.6	22	1.4	1,236	4.5	12	1.3
Other	0	0.0	0	0.0	0	0.0	7	0.5	161	0.6	7	0.8
Unknown	740	43.7	582	42.9	158	47.0	613	40.0	7,940	28.7	211	23.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,596	45.6	118	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,029	54.4	772	86.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,599	100.0	1,215	76.0	384	24.0	1,524	100.0	24,507	100.0	950	100.0
AGE GROUP (YEARS)												
0-12	10	0.6	10	0.8	0	0.0	*	*	458	1.9	0	0.0
13-19	41	2.6	37	3.0	*	*	23	1.5	302	1.2	*	*
20-29	256	16.0	219	18.0	37	9.6	132	8.7	1,380	5.6	16	1.7
30-39	544	34.0	414	34.1	130	33.9	463	30.4	6,065	24.7	177	18.6
40-49	462	28.9	337	27.7	125	32.6	559	36.7	9,493	38.7	362	38.1
50-59	218	13.6	151	12.4	67	17.4	263	17.3	5,303	21.6	273	28.7
60+	68	4.3	47	3.9	21	5.5	80	5.2	1,506	6.1	118	12.4
BOROUGH OF RESIDENCE												
Manhattan	409	25.6	322	26.5	87	22.7	339	22.2	6,612	27.0	250	26.3
Brooklyn	568	35.5	429	35.3	139	36.2	547	35.9	7,946	32.4	339	35.7
Bronx	335	21.0	244	20.1	91	23.7	299	19.6	4,752	19.4	175	18.4
Queens	195	12.2	144	11.9	51	13.3	196	12.9	3,098	12.6	117	12.3
Staten Island	27	1.7	20	1.6	7	1.8	25	1.6	334	1.4	9	0.9
Unknown/outside NYC	65	4.1	56	4.6	9	2.3	118	7.7	1,765	7.2	60	6.3
TRANSMISSION RISK												
Men who have sex with men	512	32.0	409	33.7	103	26.8	378	24.8	6,727	27.4	145	15.3
Injection drug use history	213	13.3	164	13.5	49	12.8	290	19.0	7,252	29.6	421	44.3
Heterosexual	187	11.7	139	11.4	48	12.5	207	13.6	2,415	9.9	60	6.3
Perinatal	10	0.6	10	0.8	0	0.0	14	0.9	686	2.8	*	*
Other	*	*	*	*	0	0.0	*	*	62	0.3	*	*
Unknown	676	42.3	492	40.5	184	47.9	634	41.6	7,365	30.1	316	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,304	38.0	112	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,203	62.0	838	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,129	100.0	891	78.9	238	21.1	984	100.0	15,750	100.0	534	100.0
AGE GROUP (YEARS)												
0-12	24	2.1	23	2.6	*	*	*	*	481	3.1	*	*
13-19	45	4.0	39	4.4	6	2.5	20	2.0	346	2.2	*	*
20-29	234	20.7	208	23.3	26	10.9	107	10.9	1,479	9.4	24	4.5
30-39	386	34.2	317	35.6	69	29.0	312	31.7	4,840	30.7	123	23.0
40-49	304	26.9	218	24.5	86	36.1	361	36.7	5,846	37.1	221	41.4
50-59	99	8.8	64	7.2	35	14.7	135	13.7	2,149	13.6	115	21.5
60+	37	3.3	22	2.5	15	6.3	47	4.8	609	3.9	45	8.4
BOROUGH OF RESIDENCE												
Manhattan	212	18.8	167	18.7	45	18.9	181	18.4	3,126	19.8	125	23.4
Brooklyn	422	37.4	317	35.6	105	44.1	421	42.8	5,724	36.3	205	38.4
Bronx	305	27.0	248	27.8	57	23.9	219	22.3	3,925	24.9	120	22.5
Queens	140	12.4	112	12.6	28	11.8	118	12.0	2,140	13.6	63	11.8
Staten Island	20	1.8	18	2.0	*	*	12	1.2	270	1.7	9	1.7
Unknown/outside NYC	30	2.7	29	3.3	*	*	33	3.4	565	3.6	12	2.2
TRANSMISSION RISK												
Injection drug use history	103	9.1	81	9.1	22	9.2	160	16.3	3,546	22.5	210	39.3
Heterosexual	481	42.6	381	42.8	100	42.0	395	40.1	6,401	40.6	168	31.5
Perinatal	25	2.2	23	2.6	*	*	13	1.3	736	4.7	6	1.1
Other	0	0.0	0	0.0	0	0.0	*	*	85	0.5	*	*
Unknown	520	46.1	406	45.6	114	47.9	413	42.0	4,982	31.6	145	27.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,342	46.6	67	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,408	53.4	467	87.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,000	100.0	762	76.2	238	23.8	989	100.0	20,274	100.0	630	100.0
AGE GROUP (YEARS)												
0-12	7	0.7	6	0.8	*	*	*	*	215	1.1	*	*
13-19	29	2.9	24	3.1	*	*	13	1.3	233	1.1	0	0.0
20-29	212	21.2	181	23.8	31	13.0	116	11.7	1,246	6.1	10	1.6
30-39	358	35.8	271	35.6	87	36.6	357	36.1	6,169	30.4	113	17.9
40-49	261	26.1	198	26.0	63	26.5	317	32.1	7,886	38.9	259	41.1
50-59	96	9.6	61	8.0	35	14.7	136	13.8	3,530	17.4	179	28.4
60+	37	3.7	21	2.8	16	6.7	49	5.0	995	4.9	66	10.5
BOROUGH OF RESIDENCE												
Manhattan	277	27.7	221	29.0	56	23.5	232	23.5	5,724	28.2	178	28.3
Brooklyn	163	16.3	121	15.9	42	17.6	196	19.8	3,671	18.1	130	20.6
Bronx	314	31.4	234	30.7	80	33.6	329	33.3	6,166	30.4	216	34.3
Queens	192	19.2	144	18.9	48	20.2	149	15.1	3,200	15.8	59	9.4
Staten Island	12	1.2	6	0.8	6	2.5	18	1.8	234	1.2	8	1.3
Unknown/outside NYC	42	4.2	36	4.7	6	2.5	65	6.6	1,279	6.3	39	6.2
TRANSMISSION RISK												
Men who have sex with men	406	40.6	331	43.4	75	31.5	302	30.5	6,500	32.1	93	14.8
Injection drug use history	169	16.9	137	18.0	32	13.4	279	28.2	7,456	36.8	368	58.4
Heterosexual	103	10.3	66	8.7	37	15.5	103	10.4	1,488	7.3	29	4.6
Perinatal	7	0.7	6	0.8	*	*	7	0.7	406	2.0	*	*
Other	*	*	*	*	0	0.0	*	*	44	0.2	*	*
Unknown	314	31.4	221	29.0	93	39.1	296	29.9	4,380	21.6	132	21.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,546	37.2	76	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,728	62.8	554	87.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	427	100.0	354	82.9	73	17.1	433	100.0	9,011	100.0	268	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	262	2.9	0	0.0
13-19	18	4.2	17	4.8	*	*	12	2.8	195	2.2	6	2.2
20-29	89	20.8	77	21.8	12	16.4	54	12.5	714	7.9	8	3.0
30-39	143	33.5	116	32.8	27	37.0	146	33.7	2,844	31.6	71	26.5
40-49	111	26.0	91	25.7	20	27.4	138	31.9	3,300	36.6	124	46.3
50-59	49	11.5	41	11.6	8	11.0	63	14.5	1,330	14.8	46	17.2
60+	12	2.8	7	2.0	*	*	19	4.4	366	4.1	13	4.9
BOROUGH OF RESIDENCE												
Manhattan	92	21.5	75	21.2	17	23.3	85	19.6	1,795	19.9	54	20.1
Brooklyn	91	21.3	75	21.2	16	21.9	103	23.8	2,093	23.2	64	23.9
Bronx	177	41.5	152	42.9	25	34.2	173	40.0	3,667	40.7	114	42.5
Queens	48	11.2	37	10.5	11	15.1	40	9.2	943	10.5	26	9.7
Staten Island	6	1.4	*	*	*	*	7	1.6	140	1.6	*	*
Unknown/outside NYC	13	3.0	11	3.1	*	*	25	5.8	373	4.1	9	3.4
TRANSMISSION RISK												
Injection drug use history	63	14.8	58	16.4	*	*	96	22.2	2,643	29.3	134	50.0
Heterosexual	204	47.8	167	47.2	37	50.7	170	39.3	3,734	41.4	81	30.2
Perinatal	*	*	*	*	0	0.0	9	2.1	421	4.7	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	40	0.4	*	*
Unknown	155	36.3	124	35.0	31	42.5	156	36.0	2,173	24.1	46	17.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,939	43.7	36	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,072	56.3	232	86.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent with AIDS				N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	719	100.0	593	82.5	126	17.5	622	100.0	16,391	100.0	383	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
13-19	8	1.1	8	1.3	0	0.0	*	*	42	0.3	0	0.0
20-29	125	17.4	116	19.6	9	7.1	46	7.4	670	4.1	*	*
30-39	317	44.1	276	46.5	41	32.5	218	35.0	4,633	28.3	64	16.7
40-49	176	24.5	130	21.9	46	36.5	220	35.4	6,663	40.7	155	40.5
50-59	67	9.3	44	7.4	23	18.3	106	17.0	3,369	20.6	116	30.3
60+	26	3.6	19	3.2	7	5.6	29	4.7	985	6.0	45	11.7
BOROUGH OF RESIDENCE												
Manhattan	384	53.4	319	53.8	65	51.6	286	46.0	8,848	54.0	179	46.7
Brooklyn	105	14.6	87	14.7	18	14.3	89	14.3	2,053	12.5	67	17.5
Bronx	35	4.9	27	4.6	8	6.3	35	5.6	668	4.1	24	6.3
Queens	100	13.9	79	13.3	21	16.7	94	15.1	1,799	11.0	56	14.6
Staten Island	25	3.5	18	3.0	7	5.6	15	2.4	419	2.6	22	5.7
Unknown/outside NYC	70	9.7	63	10.6	7	5.6	103	16.6	2,604	15.9	35	9.1
TRANSMISSION RISK												
Men who have sex with men	532	74.0	450	75.9	82	65.1	367	59.0	11,250	68.6	173	45.2
Injection drug use history	50	7.0	43	7.3	7	5.6	83	13.3	2,304	14.1	117	30.5
Heterosexual	28	3.9	21	3.5	7	5.6	45	7.2	437	2.7	18	4.7
Perinatal	0	0.0	0	0.0	0	0.0	*	*	62	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	71	0.4	*	*
Unknown	109	15.2	79	13.3	30	23.8	126	20.3	2,267	13.8	70	18.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,307	44.6	49	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,084	55.4	334	87.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	114	100.0	96	84.2	18	15.8	98	100.0	2,511	100.0	80	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	40	1.6	0	0.0
13-19	*	*	*	*	0	0.0	*	*	37	1.5	*	*
20-29	24	21.1	24	25.0	0	0.0	7	7.1	137	5.5	*	*
30-39	34	29.8	28	29.2	6	33.3	26	26.5	748	29.8	12	15.0
40-49	35	30.7	26	27.1	9	50.0	42	42.9	1,019	40.6	46	57.5
50-59	14	12.3	11	11.5	*	*	18	18.4	422	16.8	11	13.8
60+	*	*	*	*	0	0.0	*	*	108	4.3	*	*
BOROUGH OF RESIDENCE												
Manhattan	30	26.3	23	24.0	7	38.9	26	26.5	596	23.7	14	17.5
Brooklyn	37	32.5	31	32.3	6	33.3	27	27.6	607	24.2	23	28.8
Bronx	14	12.3	14	14.6	0	0.0	16	16.3	332	13.2	15	18.8
Queens	19	16.7	15	15.6	*	*	13	13.3	503	20.0	17	21.3
Staten Island	9	7.9	8	8.3	*	*	11	11.2	197	7.8	*	*
Unknown/outside NYC	*	*	*	*	0	0.0	*	*	276	11.0	7	8.8
TRANSMISSION RISK												
Injection drug use history	24	21.1	21	21.9	*	*	20	20.4	864	34.4	49	61.3
Heterosexual	38	33.3	34	35.4	*	*	39	39.8	948	37.8	15	18.8
Perinatal	*	*	*	*	0	0.0	0	0.0	68	2.7	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	28	1.1	0	0.0
Unknown	51	44.7	40	41.7	11	61.1	37	37.8	603	24.0	15	18.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,074	42.8	9	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,437	57.2	71	88.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	57	81.4	13	18.6	57	100.0	731	100.0	18	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	14	20.0	14	24.6	0	0.0	*	*	69	9.4	0	0.0
30-39	32	45.7	26	45.6	6	46.2	29	50.9	251	34.3	*	*
40-49	20	28.6	14	24.6	6	46.2	20	35.1	263	36.0	8	44.4
50-59	*	*	*	*	*	*	*	*	114	15.6	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	27	3.7	*	*
BOROUGH OF RESIDENCE												
Manhattan	24	34.3	21	36.8	*	*	11	19.3	287	39.3	9	50.0
Brooklyn	10	14.3	9	15.8	*	*	12	21.1	124	17.0	*	*
Bronx	*	*	*	*	*	*	7	12.3	50	6.8	0	0.0
Queens	28	40.0	21	36.8	7	53.8	24	42.1	211	28.9	*	*
Staten Island	*	*	*	*	0	0.0	0	0.0	*	*	*	*
Unknown/outside NYC	*	*	*	*	0	0.0	*	*	54	7.4	*	*
TRANSMISSION RISK												
Men who have sex with men	31	44.3	29	50.9	*	*	25	43.9	358	49.0	6	33.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	39	5.3	*	*
Heterosexual	10	14.3	6	10.5	*	*	11	19.3	78	10.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	29	41.4	22	38.6	7	53.8	21	36.8	245	33.5	8	44.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	307	42.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	424	58.0	13	72.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	13	68.4	6	31.6	12	100.0	171	100.0	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
20-29	7	36.8	6	46.2	*	*	*	*	27	15.8	0	0.0
30-39	8	42.1	*	*	*	*	*	*	65	38.0	0	0.0
40-49	*	*	*	*	0	0.0	*	*	47	27.5	*	*
50-59	*	*	*	*	*	*	*	*	19	11.1	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	7	4.1	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	*	*	*	*	37	21.6	*	*
Brooklyn	*	*	*	*	0	0.0	*	*	39	22.8	*	*
Bronx	*	*	*	*	0	0.0	*	*	15	8.8	0	0.0
Queens	11	57.9	6	46.2	*	*	8	66.7	66	38.6	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown/outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	12	7.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	*	*	0	0.0	*	*	*	*	9	5.3	0	0.0
Heterosexual	6	31.6	*	*	*	*	7	58.3	84	49.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	12	63.2	11	84.6	*	*	*	*	69	40.4	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	96	56.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	75	43.9	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	16	94.1	*	*	*	*	712	100.0	*	*
RACE/ETHNICITY												
Black	10	58.8	10	62.5	0	0.0	*	*	458	64.3	0	0.0
Hispanic	7	41.2	6	37.5	*	*	*	*	215	30.2	*	*
White	0	0.0	0	0.0	0	0.0	0	0.0	29	4.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	*	*	121	17.0	0	0.0
Brooklyn	*	*	*	*	0	0.0	*	*	247	34.7	0	0.0
Bronx	7	41.2	6	37.5	*	*	*	*	218	30.6	*	*
Queens	*	*	*	*	0	0.0	0	0.0	79	11.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	13	1.8	0	0.0
Unknown/outside NYC	0	0.0	0	0.0	0	0.0	*	*	34	4.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	17	100.0	16	100.0	*	*	*	*	711	99.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	511	71.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	201	28.2	*	*

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	29	96.7	*	*	*	*	792	100.0	*	*
RACE/ETHNICITY												
Black	24	80.0	23	79.3	*	*	*	*	481	60.7	*	*
Hispanic	*	*	*	*	0	0.0	*	*	262	33.1	0	0.0
White	*	*	*	*	0	0.0	0	0.0	40	5.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	0	0.0	155	19.6	0	0.0
Brooklyn	13	43.3	13	44.8	0	0.0	0	0.0	232	29.3	*	*
Bronx	6	20.0	*	*	*	*	*	*	251	31.7	0	0.0
Queens	*	*	*	*	0	0.0	0	0.0	98	12.4	0	0.0
Staten Island	*	*	*	*	0	0.0	0	0.0	16	2.0	0	0.0
Unknown/outside NYC	*	*	*	*	0	0.0	*	*	40	5.1	*	*
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	30	100.0	29	100.0	*	*	*	*	792	100.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	578	73.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	214	27.0	*	*

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,382	100.0	2,620	77.5	762	22.5	3,193	100.0	61,726	100.0	1,985	100.0
RACE/ETHNICITY												
Black	1,589	47.0	1,205	46.0	384	50.4	1,520	47.6	24,049	39.0	950	47.9
Hispanic	993	29.4	756	28.9	237	31.1	988	30.9	20,059	32.5	627	31.6
White	719	21.3	593	22.6	126	16.5	622	19.5	16,362	26.5	383	19.3
Asian/Pacific Islander	70	2.1	57	2.2	13	1.7	57	1.8	728	1.2	18	0.9
Native American	*	*	*	*	*	*	*	*	51	0.1	*	*
Other/unknown	8	0.2	7	0.3	*	*	*	*	477	0.8	6	0.3
AGE GROUP (YEARS)												
13-19	80	2.4	71	2.7	9	1.2	39	1.2	590	1.0	*	*
20-29	609	18.0	532	20.3	77	10.1	298	9.3	3,406	5.5	29	1.5
30-39	1,253	37.0	989	37.7	264	34.6	1,067	33.4	17,270	28.0	361	18.2
40-49	923	27.3	681	26.0	242	31.8	1,120	35.1	24,507	39.7	785	39.5
50-59	386	11.4	260	9.9	126	16.5	511	16.0	12,415	20.1	575	29.0
60+	131	3.9	87	3.3	44	5.8	158	4.9	3,538	5.7	231	11.6
BOROUGH OF RESIDENCE												
Manhattan	1,092	32.3	881	33.6	211	27.7	867	27.2	21,646	35.1	622	31.3
Brooklyn	845	25.0	644	24.6	201	26.4	844	26.4	13,610	22.0	540	27.2
Bronx	682	20.2	502	19.2	180	23.6	669	21.0	11,471	18.6	413	20.8
Queens	516	15.3	389	14.8	127	16.7	465	14.6	8,294	13.4	235	11.8
Staten Island	67	2.0	46	1.8	21	2.8	59	1.8	996	1.6	40	2.0
Unknown/outside NYC	180	5.3	158	6.0	22	2.9	289	9.1	5,709	9.2	135	6.8
TRANSMISSION RISK												
Men who have sex with men	1,488	44.0	1,226	46.8	262	34.4	1,073	33.6	24,951	40.4	418	21.1
Injection drug use history	435	12.9	346	13.2	89	11.7	655	20.5	17,099	27.7	910	45.8
Heterosexual	328	9.7	232	8.9	96	12.6	366	11.5	4,435	7.2	108	5.4
Perinatal	0	0.0	0	0.0	0	0.0	17	0.5	465	0.8	6	0.3
Other	*	*	*	*	0	0.0	*	*	184	0.3	12	0.6
Unknown	1,129	33.4	814	31.1	315	41.3	1,078	33.8	14,592	23.6	531	26.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24,377	39.5	245	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37,349	60.5	1,740	87.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,662	100.0	1,327	79.8	335	20.2	1,529	100.0	26,833	100.0	887	100.0
RACE/ETHNICITY												
Black	1,105	66.5	868	65.4	237	70.7	982	64.2	15,269	56.9	531	59.9
Hispanic	422	25.4	349	26.3	73	21.8	432	28.3	8,749	32.6	268	30.2
White	113	6.8	95	7.2	18	5.4	98	6.4	2,471	9.2	80	9.0
Asian/Pacific Islander	19	1.1	13	1.0	6	1.8	12	0.8	168	0.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	17	0.1	*	*
Other/unknown	*	*	0	0.0	*	*	*	*	159	0.6	*	*
AGE GROUP (YEARS)												
13-19	65	3.9	58	4.4	7	2.1	35	2.3	584	2.2	10	1.1
20-29	354	21.3	315	23.7	39	11.6	171	11.2	2,370	8.8	37	4.2
30-39	572	34.4	465	35.0	107	31.9	491	32.1	8,557	31.9	206	23.2
40-49	454	27.3	339	25.5	115	34.3	542	35.4	10,286	38.3	395	44.5
50-59	164	9.9	117	8.8	47	14.0	220	14.4	3,939	14.7	176	19.8
60+	53	3.2	33	2.5	20	6.0	70	4.6	1,097	4.1	63	7.1
BOROUGH OF RESIDENCE												
Manhattan	335	20.2	265	20.0	70	20.9	294	19.2	5,450	20.3	196	22.1
Brooklyn	540	32.5	412	31.0	128	38.2	555	36.3	8,284	30.9	294	33.1
Bronx	492	29.6	411	31.0	81	24.2	408	26.7	7,716	28.8	250	28.2
Queens	217	13.1	169	12.7	48	14.3	179	11.7	3,585	13.4	106	12.0
Staten Island	33	2.0	28	2.1	*	*	31	2.0	599	2.2	14	1.6
Unknown/outside NYC	45	2.7	42	3.2	*	*	62	4.1	1,199	4.5	27	3.0
TRANSMISSION RISK												
Injection drug use history	192	11.6	161	12.1	31	9.3	279	18.2	7,082	26.4	393	44.3
Heterosexual	729	43.9	584	44.0	145	43.3	611	40.0	11,206	41.8	267	30.1
Perinatal	*	*	0	0.0	*	*	19	1.2	444	1.7	9	1.0
Other	0	0.0	0	0.0	0	0.0	7	0.5	161	0.6	7	0.8
Unknown	740	44.5	582	43.9	158	47.2	613	40.1	7,940	29.6	211	23.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,018	44.8	116	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,815	55.2	771	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.1. Manhattan, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,096	100.0	885	80.7	211	19.3	869	100.0	21,767	100.0	622	100.0
RACE/ETHNICITY												
Black	409	37.3	322	36.4	87	41.2	339	39.0	6,612	30.4	250	40.2
Hispanic	277	25.3	221	25.0	56	26.5	232	26.7	5,724	26.3	178	28.6
White	384	35.0	319	36.0	65	30.8	286	32.9	8,848	40.6	179	28.8
Asian/Pacific Islander	24	2.2	21	2.4	*	*	11	1.3	287	1.3	9	1.4
Native American	*	*	*	*	0	0.0	*	*	17	0.1	*	*
Other/unknown	*	*	*	*	0	0.0	0	0.0	279	1.3	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	121	0.6	0	0.0
13-19	19	1.7	19	2.1	0	0.0	*	*	105	0.5	0	0.0
20-29	181	16.5	158	17.9	23	10.9	74	8.5	997	4.6	7	1.1
30-39	456	41.6	379	42.8	77	36.5	300	34.5	5,966	27.4	103	16.6
40-49	285	26.0	223	25.2	62	29.4	298	34.3	8,535	39.2	236	37.9
50-59	112	10.2	76	8.6	36	17.1	149	17.1	4,616	21.2	189	30.4
60+	39	3.6	26	2.9	13	6.2	41	4.7	1,427	6.6	87	14.0
TRANSMISSION RISK												
Men who have sex with men	615	56.1	508	57.4	107	50.7	397	45.7	11,677	53.6	188	30.2
Injection drug use history	129	11.8	102	11.5	27	12.8	164	18.9	4,578	21.0	271	43.6
Heterosexual	67	6.1	47	5.3	20	9.5	73	8.4	992	4.6	21	3.4
Perinatal	*	*	*	*	0	0.0	*	*	199	0.9	*	*
Other	*	*	*	*	0	0.0	0	0.0	28	0.1	*	*
Unknown	280	25.5	223	25.2	57	27.0	230	26.5	4,293	19.7	138	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,322	42.8	76	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,445	57.2	546	87.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.2. Manhattan, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	340	100.0	270	79.4	70	20.6	294	100.0	5,605	100.0	196	100.0
RACE/ETHNICITY												
Black	212	62.4	167	61.9	45	64.3	181	61.6	3,126	55.8	125	63.8
Hispanic	92	27.1	75	27.8	17	24.3	85	28.9	1,795	32.0	54	27.6
White	30	8.8	23	8.5	7	10.0	26	8.8	596	10.6	14	7.1
Asian/Pacific Islander	*	*	*	*	*	*	*	*	37	0.7	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	48	0.9	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	155	2.8	0	0.0
13-19	8	2.4	7	2.6	*	*	7	2.4	85	1.5	*	*
20-29	62	18.2	55	20.4	7	10.0	27	9.2	410	7.3	*	*
30-39	132	38.8	106	39.3	26	37.1	91	31.0	1,685	30.1	43	21.9
40-49	82	24.1	62	23.0	20	28.6	111	37.8	2,135	38.1	97	49.5
50-59	39	11.5	29	10.7	10	14.3	45	15.3	883	15.8	38	19.4
60+	12	3.5	6	2.2	6	8.6	13	4.4	252	4.5	12	6.1
TRANSMISSION RISK												
Injection drug use history	41	12.1	33	12.2	8	11.4	62	21.1	1,733	30.9	97	49.5
Heterosexual	131	38.5	102	37.8	29	41.4	125	42.5	2,091	37.3	52	26.5
Perinatal	6	1.8	*	*	*	*	6	2.0	228	4.1	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	29	0.5	*	*
Unknown	162	47.6	130	48.1	32	45.7	98	33.3	1,524	27.2	43	21.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,501	44.6	31	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,104	55.4	165	84.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	849	100.0	648	76.3	201	23.7	845	100.0	13,857	100.0	540	100.0
RACE/ETHNICITY												
Black	568	66.9	429	66.2	139	69.2	547	64.7	7,946	57.3	339	62.8
Hispanic	163	19.2	121	18.7	42	20.9	196	23.2	3,671	26.5	130	24.1
White	105	12.4	87	13.4	18	9.0	89	10.5	2,053	14.8	67	12.4
Asian/Pacific Islander	10	1.2	9	1.4	*	*	12	1.4	124	0.9	*	*
Native American	*	*	0	0.0	*	*	*	*	7	0.1	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	56	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	247	1.8	0	0.0
13-19	22	2.6	20	3.1	*	*	9	1.1	183	1.3	*	*
20-29	162	19.1	142	21.9	20	10.0	84	9.9	852	6.1	7	1.3
30-39	277	32.6	206	31.8	71	35.3	269	31.8	3,720	26.8	103	19.1
40-49	222	26.1	156	24.1	66	32.8	286	33.8	5,249	37.9	221	40.9
50-59	119	14.0	85	13.1	34	16.9	147	17.4	2,783	20.1	151	28.0
60+	43	5.1	35	5.4	8	4.0	49	5.8	823	5.9	57	10.6
TRANSMISSION RISK												
Men who have sex with men	304	35.8	248	38.3	56	27.9	213	25.2	4,080	29.4	90	16.7
Injection drug use history	110	13.0	87	13.4	23	11.4	178	21.1	4,173	30.1	232	43.0
Heterosexual	89	10.5	61	9.4	28	13.9	104	12.3	1,270	9.2	36	6.7
Perinatal	*	*	*	*	0	0.0	6	0.7	376	2.7	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	41	0.3	*	*
Unknown	342	40.3	248	38.3	94	46.8	343	40.6	3,917	28.3	180	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,336	38.5	62	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,521	61.5	478	88.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	553	100.0	425	76.9	128	23.1	555	100.0	8,516	100.0	296	100.0
RACE/ETHNICITY												
Black	422	76.3	317	74.6	105	82.0	421	75.9	5,724	67.2	205	69.3
Hispanic	91	16.5	75	17.6	16	12.5	103	18.6	2,093	24.6	64	21.6
White	37	6.7	31	7.3	6	4.7	27	4.9	607	7.1	23	7.8
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	39	0.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	49	0.6	*	*
AGE GROUP (YEARS)												
0-12	13	2.4	13	3.1	0	0.0	0	0.0	232	2.7	*	*
13-19	26	4.7	22	5.2	*	*	14	2.5	191	2.2	0	0.0
20-29	113	20.4	105	24.7	8	6.3	53	9.5	764	9.0	14	4.7
30-39	161	29.1	125	29.4	36	28.1	182	32.8	2,601	30.5	59	19.9
40-49	165	29.8	113	26.6	52	40.6	206	37.1	3,152	37.0	135	45.6
50-59	50	9.0	30	7.1	20	15.6	77	13.9	1,222	14.3	62	20.9
60+	25	4.5	17	4.0	8	6.3	23	4.1	354	4.2	24	8.1
TRANSMISSION RISK												
Injection drug use history	60	10.8	50	11.8	10	7.8	84	15.1	1,946	22.9	117	39.5
Heterosexual	243	43.9	187	44.0	56	43.8	222	40.0	3,544	41.6	92	31.1
Perinatal	13	2.4	13	3.1	0	0.0	*	*	357	4.2	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	48	0.6	*	*
Unknown	237	42.9	175	41.2	62	48.4	244	44.0	2,621	30.8	83	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,779	44.4	40	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,737	55.6	256	86.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.5. Bronx, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	689	100.0	508	73.7	181	26.3	670	100.0	11,689	100.0	416	100.0
RACE/ETHNICITY												
Black	335	48.6	244	48.0	91	50.3	299	44.6	4,752	40.7	175	42.1
Hispanic	314	45.6	234	46.1	80	44.2	329	49.1	6,166	52.8	216	51.9
White	35	5.1	27	5.3	8	4.4	35	5.2	668	5.7	24	5.8
Asian/Pacific Islander	*	*	*	*	*	*	7	1.0	50	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	47	0.4	*	*
AGE GROUP (YEARS)												
0-12	7	1.0	6	1.2	*	*	*	*	218	1.9	*	*
13-19	15	2.2	13	2.6	*	*	7	1.0	167	1.4	*	*
20-29	115	16.7	102	20.1	13	7.2	50	7.5	665	5.7	*	*
30-39	248	36.0	188	37.0	60	33.1	224	33.4	3,052	26.1	65	15.6
40-49	200	29.0	140	27.6	60	33.1	244	36.4	4,633	39.6	168	40.4
50-59	80	11.6	48	9.4	32	17.7	108	16.1	2,346	20.1	123	29.6
60+	24	3.5	11	2.2	13	7.2	36	5.4	608	5.2	52	12.5
TRANSMISSION RISK												
Men who have sex with men	190	27.6	155	30.5	35	19.3	125	18.7	2,486	21.3	50	12.0
Injection drug use history	116	16.8	94	18.5	22	12.2	163	24.3	4,503	38.5	215	51.7
Heterosexual	78	11.3	55	10.8	23	12.7	78	11.6	1,041	8.9	24	5.8
Perinatal	7	1.0	6	1.2	*	*	*	*	366	3.1	*	*
Other	*	*	*	*	0	0.0	*	*	30	0.3	0	0.0
Unknown	297	43.1	197	38.8	100	55.2	298	44.5	3,263	27.9	123	29.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,609	39.4	66	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,080	60.6	350	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.6. Bronx, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	498	100.0	416	83.5	82	16.5	410	100.0	7,967	100.0	250	100.0
RACE/ETHNICITY												
Black	305	61.2	248	59.6	57	69.5	219	53.4	3,925	49.3	120	48.0
Hispanic	177	35.5	152	36.5	25	30.5	173	42.2	3,667	46.0	114	45.6
White	14	2.8	14	3.4	0	0.0	16	3.9	332	4.2	15	6.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	15	0.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	24	0.3	*	*
AGE GROUP (YEARS)												
0-12	6	1.2	*	*	*	*	*	*	251	3.2	0	0.0
13-19	19	3.8	18	4.3	*	*	7	1.7	175	2.2	*	*
20-29	112	22.5	97	23.3	15	18.3	51	12.4	764	9.6	8	3.2
30-39	174	34.9	149	35.8	25	30.5	127	31.0	2,533	31.8	63	25.2
40-49	133	26.7	105	25.2	28	34.1	140	34.1	2,874	36.1	108	43.2
50-59	44	8.8	35	8.4	9	11.0	62	15.1	1,076	13.5	50	20.0
60+	10	2.0	7	1.7	*	*	21	5.1	294	3.7	16	6.4
TRANSMISSION RISK												
Injection drug use history	60	12.0	51	12.3	9	11.0	89	21.7	2,048	25.7	124	49.6
Heterosexual	208	41.8	177	42.5	31	37.8	130	31.7	3,049	38.3	73	29.2
Perinatal	6	1.2	*	*	*	*	6	1.5	383	4.8	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	34	0.4	*	*
Unknown	224	45.0	183	44.0	41	50.0	183	44.6	2,453	30.8	46	18.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,875	48.6	31	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,092	51.4	219	87.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	518	100.0	391	75.5	127	24.5	465	100.0	8,373	100.0	235	100.0
RACE/ETHNICITY												
Black	195	37.6	144	36.8	51	40.2	196	42.2	3,098	37.0	117	49.8
Hispanic	192	37.1	144	36.8	48	37.8	149	32.0	3,200	38.2	59	25.1
White	100	19.3	79	20.2	21	16.5	94	20.2	1,799	21.5	56	23.8
Asian/Pacific Islander	28	5.4	21	5.4	7	5.5	24	5.2	211	2.5	*	*
Native American	*	*	*	*	0	0.0	*	*	13	0.2	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	52	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	79	0.9	0	0.0
13-19	16	3.1	13	3.3	*	*	10	2.2	74	0.9	*	*
20-29	106	20.5	89	22.8	17	13.4	46	9.9	530	6.3	*	*
30-39	184	35.5	141	36.1	43	33.9	152	32.7	2,459	29.4	51	21.7
40-49	145	28.0	109	27.9	36	28.3	168	36.1	3,353	40.0	93	39.6
50-59	50	9.7	31	7.9	19	15.0	65	14.0	1,497	17.9	59	25.1
60+	15	2.9	6	1.5	9	7.1	24	5.2	381	4.6	25	10.6
TRANSMISSION RISK												
Men who have sex with men	246	47.5	202	51.7	44	34.6	177	38.1	3,284	39.2	39	16.6
Injection drug use history	45	8.7	36	9.2	9	7.1	80	17.2	2,203	26.3	121	51.5
Heterosexual	78	15.1	54	13.8	24	18.9	72	15.5	757	9.0	17	7.2
Perinatal	*	*	*	*	0	0.0	*	*	141	1.7	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	32	0.4	*	*
Unknown	147	28.4	97	24.8	50	39.4	131	28.2	1,956	23.4	54	23.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,068	36.6	24	10.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,305	63.4	211	89.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	218	100.0	170	78.0	48	22.0	179	100.0	3,683	100.0	106	100.0
RACE/ETHNICITY												
Black	140	64.2	112	65.9	28	58.3	118	65.9	2,140	58.1	63	59.4
Hispanic	48	22.0	37	21.8	11	22.9	40	22.3	943	25.6	26	24.5
White	19	8.7	15	8.8	*	*	13	7.3	503	13.7	17	16.0
Asian/Pacific Islander	11	5.0	6	3.5	*	*	8	4.5	66	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	98	2.7	0	0.0
13-19	9	4.1	8	4.7	*	*	*	*	84	2.3	0	0.0
20-29	52	23.9	44	25.9	8	16.7	27	15.1	288	7.8	9	8.5
30-39	84	38.5	66	38.8	18	37.5	66	36.9	1,157	31.4	31	29.2
40-49	47	21.6	35	20.6	12	25.0	47	26.3	1,416	38.4	35	33.0
50-59	21	9.6	13	7.6	8	16.7	27	15.1	503	13.7	20	18.9
60+	*	*	*	*	*	*	8	4.5	137	3.7	11	10.4
TRANSMISSION RISK												
Injection drug use history	18	8.3	14	8.2	*	*	31	17.3	880	23.9	40	37.7
Heterosexual	114	52.3	91	53.5	23	47.9	87	48.6	1,721	46.7	36	34.0
Perinatal	*	*	*	*	0	0.0	*	*	169	4.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	29	0.8	*	*
Unknown	85	39.0	64	37.6	21	43.8	57	31.8	884	24.0	29	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,575	42.8	13	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,108	57.2	93	87.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	46	68.7	21	31.3	59	100.0	1,009	100.0	40	100.0
RACE/ETHNICITY												
Black	27	40.3	20	43.5	7	33.3	25	42.4	334	33.1	9	22.5
Hispanic	12	17.9	6	13.0	6	28.6	18	30.5	234	23.2	8	20.0
White	25	37.3	18	39.1	7	33.3	15	25.4	419	41.5	22	55.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	*	*	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	*	*	*	*	14	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	1.3	0	0.0
13-19	*	*	*	*	*	*	*	*	17	1.7	0	0.0
20-29	*	*	*	*	*	*	*	*	43	4.3	0	0.0
30-39	21	31.3	15	32.6	6	28.6	18	30.5	244	24.2	6	15.0
40-49	26	38.8	18	39.1	8	38.1	24	40.7	461	45.7	17	42.5
50-59	6	9.0	*	*	*	*	10	16.9	181	17.9	16	40.0
60+	*	*	*	*	0	0.0	*	*	50	5.0	*	*
TRANSMISSION RISK												
Men who have sex with men	26	38.8	18	39.1	8	38.1	18	30.5	302	29.9	7	17.5
Injection drug use history	13	19.4	9	19.6	*	*	17	28.8	374	37.1	25	62.5
Heterosexual	6	9.0	*	*	*	*	6	10.2	76	7.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	24	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	*	*
Unknown	22	32.8	14	30.4	8	38.1	17	28.8	225	22.3	6	15.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	371	36.8	6	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	638	63.2	34	85.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	35	100.0	30	85.7	*	*	31	100.0	615	100.0	14	100.0
RACE/ETHNICITY												
Black	20	57.1	18	60.0	*	*	12	38.7	270	43.9	9	64.3
Hispanic	6	17.1	*	*	*	*	7	22.6	140	22.8	*	*
White	9	25.7	8	26.7	*	*	11	35.5	197	32.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	6	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	16	2.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	12	2.0	0	0.0
20-29	6	17.1	*	*	*	*	*	*	39	6.3	0	0.0
30-39	8	22.9	6	20.0	*	*	8	25.8	203	33.0	*	*
40-49	15	42.9	13	43.3	*	*	16	51.6	250	40.7	11	78.6
50-59	*	*	*	*	0	0.0	*	*	76	12.4	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	19	3.1	0	0.0
TRANSMISSION RISK												
Injection drug use history	9	25.7	9	30.0	0	0.0	*	*	169	27.5	*	*
Heterosexual	13	37.1	10	33.3	*	*	15	48.4	262	42.6	6	42.9
Perinatal	*	*	*	*	0	0.0	*	*	25	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	1.8	0	0.0
Unknown	11	31.4	9	30.0	*	*	10	32.3	148	24.1	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	294	47.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	321	52.2	12	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,488	100.0	1,226	82.4	262	17.6	1,073	100.0	24,951	100.0	418	100.0
RACE/ETHNICITY												
Black	512	34.4	409	33.4	103	39.3	378	35.2	6,727	27.0	145	34.7
Hispanic	406	27.3	331	27.0	75	28.6	302	28.1	6,500	26.1	93	22.2
White	532	35.8	450	36.7	82	31.3	367	34.2	11,250	45.1	173	41.4
Asian/Pacific Islander	31	2.1	29	2.4	*	*	25	2.3	358	1.4	6	1.4
Native American	*	*	*	*	0	0.0	*	*	21	0.1	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	95	0.4	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	58	3.9	54	4.4	*	*	14	1.3	105	0.4	0	0.0
20-29	395	26.5	351	28.6	44	16.8	170	15.8	2,105	8.4	12	2.9
30-39	621	41.7	517	42.2	104	39.7	444	41.4	8,701	34.9	118	28.2
40-49	295	19.8	219	17.9	76	29.0	313	29.2	8,947	35.9	149	35.6
50-59	83	5.6	59	4.8	24	9.2	103	9.6	3,871	15.5	92	22.0
60+	36	2.4	26	2.1	10	3.8	29	2.7	1,222	4.9	47	11.2
BOROUGH OF RESIDENCE												
Manhattan	615	41.3	508	41.4	107	40.8	397	37.0	11,677	46.8	188	45.0
Brooklyn	304	20.4	248	20.2	56	21.4	213	19.9	4,080	16.4	90	21.5
Bronx	190	12.8	155	12.6	35	13.4	125	11.6	2,486	10.0	50	12.0
Queens	246	16.5	202	16.5	44	16.8	177	16.5	3,284	13.2	39	9.3
Staten Island	26	1.7	18	1.5	8	3.1	18	1.7	302	1.2	7	1.7
Unknown/outside NYC	107	7.2	95	7.7	12	4.6	143	13.3	3,122	12.5	44	10.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,048	44.3	30	7.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,903	55.7	388	92.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent AIDS		With Concurrent AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	435	100.0	346	79.5	89	20.5	655	100.0	17,099	100.0	910	100.0
RACE/ETHNICITY												
Black	213	49.0	164	47.4	49	55.1	290	44.3	7,252	42.4	421	46.3
Hispanic	169	38.9	137	39.6	32	36.0	279	42.6	7,456	43.6	368	40.4
White	50	11.5	43	12.4	7	7.9	83	12.7	2,304	13.5	117	12.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	39	0.2	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	8	0.0	*	*
Other/unknown	*	*	*	*	*	*	*	*	40	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	8	0.0	0	0.0
20-29	35	8.0	30	8.7	*	*	25	3.8	281	1.6	*	*
30-39	119	27.4	100	28.9	19	21.3	182	27.8	2,933	17.2	111	12.2
40-49	162	37.2	125	36.1	37	41.6	277	42.3	7,913	46.3	389	42.7
50-59	104	23.9	78	22.5	26	29.2	152	23.2	5,076	29.7	338	37.1
60+	10	2.3	8	2.3	*	*	19	2.9	888	5.2	69	7.6
BOROUGH OF RESIDENCE												
Manhattan	129	29.7	102	29.5	27	30.3	164	25.0	4,578	26.8	271	29.8
Brooklyn	110	25.3	87	25.1	23	25.8	178	27.2	4,173	24.4	232	25.5
Bronx	116	26.7	94	27.2	22	24.7	163	24.9	4,503	26.3	215	23.6
Queens	45	10.3	36	10.4	9	10.1	80	12.2	2,203	12.9	121	13.3
Staten Island	13	3.0	9	2.6	*	*	17	2.6	374	2.2	25	2.7
Unknown/outside NYC	22	5.1	18	5.2	*	*	53	8.1	1,268	7.4	46	5.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,387	25.7	92	10.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,712	74.3	818	89.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	192	100.0	161	83.9	31	16.1	279	100.0	7,082	100.0	393	100.0
RACE/ETHNICITY												
Black	103	53.6	81	50.3	22	71.0	160	57.3	3,546	50.1	210	53.4
Hispanic	63	32.8	58	36.0	*	*	96	34.4	2,643	37.3	134	34.1
White	24	12.5	21	13.0	*	*	20	7.2	864	12.2	49	12.5
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	9	0.1	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	*	*	*	*
20-29	15	7.8	13	8.1	*	*	15	5.4	204	2.9	12	3.1
30-39	56	29.2	51	31.7	*	*	91	32.6	1,818	25.7	79	20.1
40-49	94	49.0	73	45.3	21	67.7	129	46.2	3,521	49.7	201	51.1
50-59	21	10.9	19	11.8	*	*	37	13.3	1,349	19.0	88	22.4
60+	*	*	*	*	*	*	6	2.2	185	2.6	12	3.1
BOROUGH OF RESIDENCE												
Manhattan	41	21.4	33	20.5	8	25.8	62	22.2	1,733	24.5	97	24.7
Brooklyn	60	31.3	50	31.1	10	32.3	84	30.1	1,946	27.5	117	29.8
Bronx	60	31.3	51	31.7	9	29.0	89	31.9	2,048	28.9	124	31.6
Queens	18	9.4	14	8.7	*	*	31	11.1	880	12.4	40	10.2
Staten Island	9	4.7	9	5.6	0	0.0	*	*	169	2.4	*	*
Unknown/outside NYC	*	*	*	*	0	0.0	8	2.9	306	4.3	10	2.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,090	29.5	43	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,992	70.5	350	89.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	328	100.0	232	70.7	96	29.3	366	100.0	4,435	100.0	108	100.0
RACE/ETHNICITY												
Black	187	57.0	139	59.9	48	50.0	207	56.6	2,415	54.5	60	55.6
Hispanic	103	31.4	66	28.4	37	38.5	103	28.1	1,488	33.6	29	26.9
White	28	8.5	21	9.1	7	7.3	45	12.3	437	9.9	18	16.7
Asian/Pacific Islander	10	3.0	6	2.6	*	*	11	3.0	78	1.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	*	*	*	*	9	0.2	0	0.0
20-29	36	11.0	32	13.8	*	*	27	7.4	213	4.8	*	*
30-39	119	36.3	81	34.9	38	39.6	131	35.8	1,378	31.1	24	22.2
40-49	114	34.8	81	34.9	33	34.4	125	34.2	1,778	40.1	38	35.2
50-59	40	12.2	27	11.6	13	13.5	56	15.3	768	17.3	23	21.3
60+	15	4.6	8	3.4	7	7.3	26	7.1	289	6.5	20	18.5
BOROUGH OF RESIDENCE												
Manhattan	67	20.4	47	20.3	20	20.8	73	19.9	992	22.4	21	19.4
Brooklyn	89	27.1	61	26.3	28	29.2	104	28.4	1,270	28.6	36	33.3
Bronx	78	23.8	55	23.7	23	24.0	78	21.3	1,041	23.5	24	22.2
Queens	78	23.8	54	23.3	24	25.0	72	19.7	757	17.1	17	15.7
Staten Island	6	1.8	*	*	*	*	6	1.6	76	1.7	*	*
Unknown/outside NYC	10	3.0	10	4.3	0	0.0	33	9.0	299	6.7	9	8.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,850	41.7	15	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,585	58.3	93	86.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent with AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	729	100.0	584	80.1	145	19.9	611	100.0	11,206	100.0	267	100.0
RACE/ETHNICITY												
Black	481	66.0	381	65.2	100	69.0	395	64.6	6,401	57.1	168	62.9
Hispanic	204	28.0	167	28.6	37	25.5	170	27.8	3,734	33.3	81	30.3
White	38	5.2	34	5.8	*	*	39	6.4	948	8.5	15	5.6
Asian/Pacific Islander	6	0.8	*	*	*	*	7	1.1	84	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.3	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	40	5.5	35	6.0	*	*	11	1.8	88	0.8	0	0.0
20-29	183	25.1	159	27.2	24	16.6	87	14.2	1,221	10.9	15	5.6
30-39	240	32.9	193	33.0	47	32.4	203	33.2	3,904	34.8	76	28.5
40-49	176	24.1	138	23.6	38	26.2	198	32.4	4,023	35.9	104	39.0
50-59	65	8.9	44	7.5	21	14.5	80	13.1	1,468	13.1	48	18.0
60+	25	3.4	15	2.6	10	6.9	32	5.2	502	4.5	24	9.0
BOROUGH OF RESIDENCE												
Manhattan	131	18.0	102	17.5	29	20.0	125	20.5	2,091	18.7	52	19.5
Brooklyn	243	33.3	187	32.0	56	38.6	222	36.3	3,544	31.6	92	34.5
Bronx	208	28.5	177	30.3	31	21.4	130	21.3	3,049	27.2	73	27.3
Queens	114	15.6	91	15.6	23	15.9	87	14.2	1,721	15.4	36	13.5
Staten Island	13	1.8	10	1.7	*	*	15	2.5	262	2.3	6	2.2
Unknown/outside NYC	20	2.7	17	2.9	*	*	32	5.2	539	4.8	8	3.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,068	45.2	27	10.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,138	54.8	240	89.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	189	100.0	141	74.6	48	25.4	159	100.0	3,004	100.0	100	100.0
SEX												
Male	133	70.4	96	68.1	37	77.1	113	71.1	2,170	72.2	71	71.0
Female	56	29.6	45	31.9	11	22.9	46	28.9	834	27.8	29	29.0
RACE/ETHNICITY												
Black	87	46.0	65	46.1	22	45.8	79	49.7	1,238	41.2	65	65.0
Hispanic	82	43.4	58	41.1	24	50.0	62	39.0	1,354	45.1	28	28.0
White	20	10.6	18	12.8	*	*	18	11.3	387	12.9	6	6.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	62	2.1	0	0.0
13-19	6	3.2	6	4.3	0	0.0	*	*	35	1.2	0	0.0
20-29	45	23.8	38	27.0	7	14.6	22	13.8	209	7.0	0	0.0
30-39	75	39.7	56	39.7	19	39.6	53	33.3	874	29.1	15	15.0
40-49	36	19.0	26	18.4	10	20.8	55	34.6	1,076	35.8	46	46.0
50-59	17	9.0	9	6.4	8	16.7	18	11.3	572	19.0	27	27.0
60+	7	3.7	*	*	*	*	7	4.4	176	5.9	12	12.0
TRANSMISSION RISK												
Men who have sex with men	66	34.9	50	35.5	16	33.3	46	28.9	943	31.4	12	12.0
Injection drug use history	18	9.5	11	7.8	7	14.6	30	18.9	699	23.3	51	51.0
Heterosexual	35	18.5	24	17.0	11	22.9	36	22.6	548	18.2	12	12.0
Perinatal	*	*	*	*	0	0.0	*	*	90	3.0	0	0.0
Other	*	*	*	*	0	0.0	0	0.0	12	0.4	0	0.0
Unknown	66	34.9	52	36.9	14	29.2	43	27.0	712	23.7	25	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,239	41.2	6	6.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,765	58.8	94	94.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	250	100.0	193	77.2	57	22.8	204	100.0	3,595	100.0	142	100.0
SEX												
Male	152	60.8	115	59.6	37	64.9	129	63.2	2,233	62.1	89	62.7
Female	98	39.2	78	40.4	20	35.1	75	36.8	1,362	37.9	53	37.3
RACE/ETHNICITY												
Black	206	82.4	156	80.8	50	87.7	165	80.9	2,781	77.4	116	81.7
Hispanic	28	11.2	25	13.0	*	*	23	11.3	536	14.9	20	14.1
White	13	5.2	9	4.7	*	*	15	7.4	252	7.0	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	10	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Other/unknown	*	*	*	*	0	0.0	0	0.0	15	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	83	2.3	0	0.0
13-19	*	*	*	*	0	0.0	*	*	38	1.1	*	*
20-29	41	16.4	35	18.1	6	10.5	19	9.3	234	6.5	*	*
30-39	88	35.2	70	36.3	18	31.6	62	30.4	948	26.4	26	18.3
40-49	66	26.4	48	24.9	18	31.6	69	33.8	1,340	37.3	54	38.0
50-59	36	14.4	27	14.0	9	15.8	35	17.2	742	20.6	39	27.5
60+	14	5.6	8	4.1	6	10.5	14	6.9	210	5.8	18	12.7
TRANSMISSION RISK												
Men who have sex with men	52	20.8	39	20.2	13	22.8	42	20.6	746	20.8	16	11.3
Injection drug use history	31	12.4	22	11.4	9	15.8	42	20.6	1,088	30.3	70	49.3
Heterosexual	59	23.6	46	23.8	13	22.8	45	22.1	705	19.6	23	16.2
Perinatal	*	*	*	*	0	0.0	*	*	115	3.2	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	10	0.3	0	0.0
Unknown	106	42.4	84	43.5	22	38.6	70	34.3	931	25.9	32	22.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,494	41.6	16	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,101	58.4	126	88.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	186	100.0	147	79.0	39	21.0	147	100.0	2,640	100.0	105	100.0
SEX												
Male	124	66.7	99	67.3	25	64.1	96	65.3	1,680	63.6	78	74.3
Female	62	33.3	48	32.7	14	35.9	51	34.7	960	36.4	27	25.7
RACE/ETHNICITY												
Black	103	55.4	79	53.7	24	61.5	82	55.8	1,283	48.6	40	38.1
Hispanic	66	35.5	54	36.7	12	30.8	50	34.0	1,168	44.2	52	49.5
White	13	7.0	11	7.5	*	*	14	9.5	174	6.6	12	11.4
Asian/Pacific Islander	*	*	*	*	*	*	*	*	9	0.3	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	60	2.3	0	0.0
13-19	*	*	*	*	*	*	*	*	37	1.4	0	0.0
20-29	34	18.3	32	21.8	*	*	10	6.8	168	6.4	*	*
30-39	65	34.9	52	35.4	13	33.3	49	33.3	711	26.9	25	23.8
40-49	42	22.6	34	23.1	8	20.5	49	33.3	1,007	38.1	39	37.1
50-59	30	16.1	18	12.2	12	30.8	28	19.0	503	19.1	25	23.8
60+	9	4.8	6	4.1	*	*	9	6.1	154	5.8	14	13.3
TRANSMISSION RISK												
Men who have sex with men	43	23.1	38	25.9	*	*	24	16.3	447	16.9	*	*
Injection drug use history	34	18.3	30	20.4	*	*	36	24.5	969	36.7	53	50.5
Heterosexual	36	19.4	25	17.0	11	28.2	39	26.5	502	19.0	14	13.3
Perinatal	*	*	*	*	*	*	*	*	90	3.4	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	*	*
Unknown	69	37.1	51	34.7	18	46.2	46	31.3	623	23.6	31	29.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,077	40.8	17	16.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,563	59.2	88	83.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	127	100.0	101	79.5	26	20.5	120	100.0	2,912	100.0	94	100.0
SEX												
Male	100	78.7	79	78.2	21	80.8	93	77.5	2,453	84.2	77	81.9
Female	27	21.3	22	21.8	*	*	27	22.5	459	15.8	17	18.1
RACE/ETHNICITY												
Black	42	33.1	32	31.7	10	38.5	50	41.7	896	30.8	44	46.8
Hispanic	43	33.9	33	32.7	10	38.5	29	24.2	754	25.9	25	26.6
White	42	33.1	36	35.6	6	23.1	41	34.2	1,211	41.6	24	25.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
13-19	*	*	*	*	0	0.0	*	*	11	0.4	0	0.0
20-29	23	18.1	21	20.8	*	*	8	6.7	120	4.1	0	0.0
30-39	48	37.8	36	35.6	12	46.2	38	31.7	668	22.9	13	13.8
40-49	38	29.9	28	27.7	10	38.5	44	36.7	1,186	40.7	39	41.5
50-59	11	8.7	10	9.9	*	*	24	20.0	696	23.9	35	37.2
60+	6	4.7	*	*	*	*	*	*	219	7.5	7	7.4
TRANSMISSION RISK												
Men who have sex with men	58	45.7	50	49.5	8	30.8	43	35.8	1,463	50.2	26	27.7
Injection drug use history	15	11.8	11	10.9	*	*	24	20.0	620	21.3	45	47.9
Heterosexual	12	9.4	8	7.9	*	*	19	15.8	272	9.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	23	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	7	0.2	0	0.0
Unknown	42	33.1	32	31.7	10	38.5	32	26.7	527	18.1	19	20.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,143	39.3	14	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,769	60.7	80	85.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Upper West Side: 10023, 10024, 10025.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	60	100.0	48	80.0	12	20.0	49	100.0	1,204	100.0	32	100.0
SEX												
Male	49	81.7	38	79.2	11	91.7	38	77.6	1,034	85.9	27	84.4
Female	11	18.3	10	20.8	*	*	11	22.4	170	14.1	*	*
RACE/ETHNICITY												
Black	13	21.7	11	22.9	*	*	12	24.5	235	19.5	8	25.0
Hispanic	12	20.0	8	16.7	*	*	18	36.7	225	18.7	8	25.0
White	31	51.7	26	54.2	*	*	18	36.7	718	59.6	15	46.9
Asian/Pacific Islander	*	*	*	*	*	*	*	*	21	1.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	11	18.3	8	16.7	*	*	7	14.3	44	3.7	*	*
30-39	24	40.0	21	43.8	*	*	9	18.4	315	26.2	8	25.0
40-49	20	33.3	17	35.4	*	*	17	34.7	441	36.6	9	28.1
50-59	*	*	*	*	*	*	14	28.6	279	23.2	6	18.8
60+	*	*	*	*	0	0.0	*	*	112	9.3	8	25.0
TRANSMISSION RISK												
Men who have sex with men	37	61.7	29	60.4	8	66.7	20	40.8	688	57.1	14	43.8
Injection drug use history	*	*	*	*	*	*	10	20.4	176	14.6	8	25.0
Heterosexual	*	*	*	*	*	*	7	14.3	96	8.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	15	25.0	13	27.1	*	*	12	24.5	230	19.1	8	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	514	42.7	6	18.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	690	57.3	26	81.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10128.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	245	100.0	209	85.3	36	14.7	174	100.0	4,844	100.0	84	100.0
SEX												
Male	215	87.8	187	89.5	28	77.8	147	84.5	4,383	90.5	76	90.5
Female	30	12.2	22	10.5	8	22.2	27	15.5	461	9.5	8	9.5
RACE/ETHNICITY												
Black	70	28.6	60	28.7	10	27.8	48	27.6	1,010	20.9	19	22.6
Hispanic	44	18.0	38	18.2	6	16.7	44	25.3	1,050	21.7	16	19.0
White	126	51.4	107	51.2	19	52.8	81	46.6	2,668	55.1	47	56.0
Asian/Pacific Islander	*	*	*	*	*	*	*	*	68	1.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	47	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	9	3.7	9	4.3	0	0.0	*	*	21	0.4	0	0.0
20-29	36	14.7	32	15.3	*	*	13	7.5	213	4.4	0	0.0
30-39	119	48.6	105	50.2	14	38.9	63	36.2	1,515	31.3	13	15.5
40-49	64	26.1	51	24.4	13	36.1	64	36.8	2,008	41.5	41	48.8
50-59	14	5.7	10	4.8	*	*	26	14.9	841	17.4	21	25.0
60+	*	*	*	*	*	*	7	4.0	236	4.9	9	10.7
TRANSMISSION RISK												
Men who have sex with men	155	63.3	133	63.6	22	61.1	93	53.4	3,044	62.8	44	52.4
Injection drug use history	19	7.8	16	7.7	*	*	31	17.8	755	15.6	24	28.6
Heterosexual	19	7.8	14	6.7	*	*	16	9.2	252	5.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	19	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	52	21.2	46	22.0	6	16.7	33	19.0	771	15.9	13	15.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,258	46.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,586	53.4	80	95.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	86	100.0	70	81.4	16	18.6	62	100.0	1,822	100.0	47	100.0
SEX												
Male	72	83.7	58	82.9	14	87.5	54	87.1	1,631	89.5	41	87.2
Female	14	16.3	12	17.1	*	*	8	12.9	191	10.5	6	12.8
RACE/ETHNICITY												
Black	23	26.7	21	30.0	*	*	18	29.0	435	23.9	15	31.9
Hispanic	17	19.8	15	21.4	*	*	17	27.4	400	22.0	8	17.0
White	44	51.2	33	47.1	11	68.8	25	40.3	945	51.9	24	51.1
Asian/Pacific Islander	*	*	*	*	*	*	*	*	26	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	7	8.1	7	10.0	0	0.0	*	*	69	3.8	0	0.0
30-39	42	48.8	35	50.0	7	43.8	22	35.5	453	24.9	6	12.8
40-49	27	31.4	21	30.0	6	37.5	25	40.3	709	38.9	21	44.7
50-59	8	9.3	*	*	*	*	13	21.0	432	23.7	14	29.8
60+	*	*	*	*	0	0.0	0	0.0	149	8.2	6	12.8
TRANSMISSION RISK												
Men who have sex with men	43	50.0	32	45.7	11	68.8	33	53.2	990	54.3	24	51.1
Injection drug use history	10	11.6	9	12.9	*	*	11	17.7	402	22.1	12	25.5
Heterosexual	10	11.6	9	12.9	*	*	9	14.5	110	6.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	23	26.7	20	28.6	*	*	9	14.5	306	16.8	9	19.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	769	42.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,053	57.8	43	91.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	88	100.0	76	86.4	12	13.6	61	100.0	1,776	100.0	39	100.0
SEX												
Male	86	97.7	75	98.7	11	91.7	57	93.4	1,703	95.9	37	94.9
Female	*	*	*	*	*	*	*	*	73	4.1	*	*
RACE/ETHNICITY												
Black	15	17.0	12	15.8	*	*	8	13.1	288	16.2	6	15.4
Hispanic	15	17.0	15	19.7	0	0.0	11	18.0	290	16.3	8	20.5
White	56	63.6	47	61.8	9	75.0	40	65.6	1,157	65.1	24	61.5
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	34	1.9	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	10	11.4	10	13.2	0	0.0	*	*	78	4.4	*	*
30-39	42	47.7	37	48.7	*	*	21	34.4	496	27.9	8	20.5
40-49	20	22.7	16	21.1	*	*	19	31.1	676	38.1	14	35.9
50-59	13	14.8	10	13.2	*	*	14	23.0	404	22.7	15	38.5
60+	*	*	*	*	0	0.0	*	*	120	6.8	*	*
TRANSMISSION RISK												
Men who have sex with men	65	73.9	57	75.0	8	66.7	38	62.3	1,233	69.4	17	43.6
Injection drug use history	6	6.8	*	*	*	*	7	11.5	230	13.0	14	35.9
Heterosexual	*	*	*	*	0	0.0	*	*	52	2.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	13	14.8	10	13.2	*	*	14	23.0	258	14.5	7	17.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	750	42.2	6	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,026	57.8	33	84.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	105	84.0	20	16.0	99	100.0	2,902	100.0	102	100.0
SEX												
Male	101	80.8	86	81.9	15	75.0	75	75.8	2,340	80.6	72	70.6
Female	24	19.2	19	18.1	*	*	24	24.2	562	19.4	30	29.4
RACE/ETHNICITY												
Black	32	25.6	28	26.7	*	*	24	24.2	609	21.0	22	21.6
Hispanic	42	33.6	34	32.4	8	40.0	35	35.4	1,038	35.8	49	48.0
White	42	33.6	34	32.4	8	40.0	37	37.4	1,149	39.6	26	25.5
Asian/Pacific Islander	8	6.4	8	7.6	0	0.0	*	*	81	2.8	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.7	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	20	0.7	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	22	0.8	*	*
20-29	25	20.0	23	21.9	*	*	*	*	113	3.9	*	*
30-39	52	41.6	43	41.0	9	45.0	37	37.4	833	28.7	18	17.6
40-49	29	23.2	25	23.8	*	*	40	40.4	1,179	40.6	39	38.2
50-59	12	9.6	11	10.5	*	*	12	12.1	570	19.6	26	25.5
60+	*	*	*	*	*	*	6	6.1	165	5.7	15	14.7
TRANSMISSION RISK												
Men who have sex with men	67	53.6	58	55.2	9	45.0	36	36.4	1,266	43.6	20	19.6
Injection drug use history	16	12.8	13	12.4	*	*	24	24.2	805	27.7	59	57.8
Heterosexual	13	10.4	11	10.5	*	*	13	13.1	291	10.0	8	7.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	1.4	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	29	23.2	23	21.9	6	30.0	26	26.3	494	17.0	12	11.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,171	40.4	12	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,731	59.6	90	88.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.7.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent AIDS diagnoses		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	20	71.4	8	28.6	20	100.0	352	100.0	6	100.0
SEX												
Male	25	89.3	19	95.0	6	75.0	17	85.0	279	79.3	6	100.0
Female	*	*	*	*	*	*	*	*	73	20.7	0	0.0
RACE/ETHNICITY												
Black	8	28.6	*	*	*	*	6	30.0	92	26.1	*	*
Hispanic	*	*	*	*	*	*	*	*	94	26.7	*	*
White	13	46.4	9	45.0	*	*	9	45.0	148	42.0	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	14	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	2.0	0	0.0
20-29	*	*	*	*	*	*	*	*	17	4.8	0	0.0
30-39	11	39.3	10	50.0	*	*	7	35.0	124	35.2	*	*
40-49	9	32.1	*	*	*	*	8	40.0	143	40.6	*	*
50-59	*	*	0	0.0	*	*	*	*	50	14.2	*	*
60+	*	*	*	*	0	0.0	*	*	7	2.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	15	53.6	12	60.0	*	*	7	35.0	154	43.8	*	*
Injection drug use history	*	*	*	*	*	*	*	*	78	22.2	*	*
Heterosexual	*	*	*	*	*	*	*	*	47	13.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	28.6	6	30.0	*	*	6	30.0	65	18.5	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	167	47.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	185	52.6	6	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10280.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	32	78.0	9	22.0	34	100.0	836	100.0	27	100.0
SEX												
Male	32	78.0	25	78.1	7	77.8	25	73.5	599	71.7	23	85.2
Female	9	22.0	7	21.9	*	*	9	26.5	237	28.3	*	*
RACE/ETHNICITY												
Black	11	26.8	7	21.9	*	*	12	35.3	175	20.9	7	25.9
Hispanic	13	31.7	11	34.4	*	*	13	38.2	442	52.9	14	51.9
White	14	34.1	11	34.4	*	*	9	26.5	210	25.1	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	8	1.0	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	16	1.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0	0.0
20-29	10	24.4	9	28.1	*	*	6	17.6	52	6.2	0	0.0
30-39	16	39.0	11	34.4	*	*	14	41.2	284	34.0	*	*
40-49	11	26.8	8	25.0	*	*	10	29.4	303	36.2	15	55.6
50-59	*	*	*	*	0	0.0	*	*	140	16.7	9	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	32	3.8	*	*
TRANSMISSION RISK												
Men who have sex with men	16	39.0	11	34.4	*	*	11	32.4	224	26.8	*	*
Injection drug use history	6	14.6	*	*	*	*	*	*	265	31.7	17	63.0
Heterosexual	*	*	*	*	*	*	8	23.5	126	15.1	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	24	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	14	34.1	12	37.5	*	*	10	29.4	194	23.2	6	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	306	36.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	530	63.4	24	88.9

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	126	100.0	94	74.6	32	25.4	131	100.0	2,648	100.0	106	100.0
SEX												
Male	102	81.0	78	83.0	24	75.0	94	71.8	1,945	73.5	83	78.3
Female	24	19.0	16	17.0	8	25.0	37	28.2	703	26.5	23	21.7
RACE/ETHNICITY												
Black	64	50.8	48	51.1	16	50.0	68	51.9	1,162	43.9	56	52.8
Hispanic	29	23.0	19	20.2	10	31.3	42	32.1	755	28.5	33	31.1
White	33	26.2	27	28.7	6	18.8	21	16.0	700	26.4	16	15.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	30	1.1	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	32	1.2	0	0.0
20-29	21	16.7	18	19.1	*	*	10	7.6	139	5.2	*	*
30-39	49	38.9	36	38.3	13	40.6	45	34.4	782	29.5	27	25.5
40-49	26	20.6	18	19.1	8	25.0	43	32.8	981	37.0	34	32.1
50-59	23	18.3	16	17.0	7	21.9	27	20.6	529	20.0	31	29.2
60+	*	*	*	*	*	*	6	4.6	155	5.9	11	10.4
TRANSMISSION RISK												
Men who have sex with men	52	41.3	45	47.9	7	21.9	29	22.1	925	34.9	21	19.8
Injection drug use history	20	15.9	14	14.9	6	18.8	38	29.0	721	27.2	48	45.3
Heterosexual	17	13.5	12	12.8	*	*	22	16.8	380	14.4	15	14.2
Perinatal	*	*	*	*	0	0.0	*	*	57	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	36	28.6	22	23.4	14	43.8	41	31.3	562	21.2	21	19.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,070	40.4	13	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,578	59.6	93	87.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	389	100.0	284	73.0	105	27.0	383	100.0	5,402	100.0	220	100.0
SEX												
Male	223	57.3	161	56.7	62	59.0	215	56.1	3,239	60.0	137	62.3
Female	166	42.7	123	43.3	43	41.0	168	43.9	2,163	40.0	83	37.7
RACE/ETHNICITY												
Black	336	86.4	241	84.9	95	90.5	329	85.9	4,442	82.2	193	87.7
Hispanic	36	9.3	28	9.9	8	7.6	40	10.4	694	12.8	23	10.5
White	17	4.4	15	5.3	*	*	12	3.1	240	4.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	12	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	12	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	136	2.5	0	0.0
13-19	10	2.6	9	3.2	*	*	6	1.6	79	1.5	0	0.0
20-29	72	18.5	63	22.2	9	8.6	35	9.1	410	7.6	*	*
30-39	122	31.4	88	31.0	34	32.4	116	30.3	1,461	27.0	44	20.0
40-49	115	29.6	76	26.8	39	37.1	130	33.9	2,018	37.4	89	40.5
50-59	44	11.3	28	9.9	16	15.2	68	17.8	999	18.5	59	26.8
60+	22	5.7	16	5.6	6	5.7	27	7.0	299	5.5	24	10.9
TRANSMISSION RISK												
Men who have sex with men	73	18.8	55	19.4	18	17.1	51	13.3	876	16.2	19	8.6
Injection drug use history	41	10.5	35	12.3	6	5.7	64	16.7	1,467	27.2	92	41.8
Heterosexual	110	28.3	79	27.8	31	29.5	95	24.8	1,186	22.0	29	13.2
Perinatal	*	*	*	*	0	0.0	*	*	191	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	16	0.3	*	*
Unknown	161	41.4	111	39.1	50	47.6	169	44.1	1,666	30.8	78	35.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,181	40.4	22	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,221	59.6	198	90.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	150	100.0	117	78.0	33	22.0	161	100.0	2,211	100.0	90	100.0
SEX												
Male	79	52.7	62	53.0	17	51.5	77	47.8	1,183	53.5	52	57.8
Female	71	47.3	55	47.0	16	48.5	84	52.2	1,028	46.5	38	42.2
RACE/ETHNICITY												
Black	109	72.7	83	70.9	26	78.8	110	68.3	1,394	63.0	59	65.6
Hispanic	34	22.7	27	23.1	7	21.2	43	26.7	715	32.3	22	24.4
White	*	*	*	*	0	0.0	7	4.3	81	3.7	9	10.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	11	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	8	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	64	2.9	*	*
13-19	9	6.0	9	7.7	0	0.0	*	*	47	2.1	0	0.0
20-29	31	20.7	30	25.6	*	*	13	8.1	185	8.4	*	*
30-39	43	28.7	30	25.6	13	39.4	56	34.8	624	28.2	15	16.7
40-49	42	28.0	31	26.5	11	33.3	56	34.8	805	36.4	43	47.8
50-59	18	12.0	11	9.4	7	21.2	29	18.0	381	17.2	21	23.3
60+	*	*	*	*	*	*	6	3.7	105	4.7	8	8.9
TRANSMISSION RISK												
Men who have sex with men	26	17.3	22	18.8	*	*	18	11.2	230	10.4	6	6.7
Injection drug use history	23	15.3	17	14.5	6	18.2	30	18.6	639	28.9	34	37.8
Heterosexual	34	22.7	26	22.2	8	24.2	37	23.0	554	25.1	19	21.1
Perinatal	*	*	*	*	0	0.0	*	*	92	4.2	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	65	43.3	50	42.7	15	45.5	75	46.6	689	31.2	30	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	929	42.0	8	8.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,282	58.0	82	91.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East New York: 11207, 11208.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	19	86.4	*	*	25	100.0	679	100.0	17	100.0
SEX												
Male	15	68.2	13	68.4	*	*	19	76.0	460	67.7	11	64.7
Female	7	31.8	6	31.6	*	*	6	24.0	219	32.3	6	35.3
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	*	*	89	13.1	*	*
Hispanic	13	59.1	12	63.2	*	*	18	72.0	435	64.1	10	58.8
White	*	*	*	*	*	*	*	*	134	19.7	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	19	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	14	2.1	0	0.0
20-29	*	*	*	*	*	*	*	*	47	6.9	0	0.0
30-39	7	31.8	6	31.6	*	*	10	40.0	203	29.9	*	*
40-49	6	27.3	6	31.6	0	0.0	7	28.0	245	36.1	11	64.7
50-59	*	*	*	*	*	*	*	*	127	18.7	*	*
60+	*	*	*	*	0	0.0	0	0.0	33	4.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	*	*	8	32.0	143	21.1	*	*
Injection drug use history	*	*	*	*	0	0.0	8	32.0	250	36.8	8	47.1
Heterosexual	6	27.3	*	*	*	*	7	28.0	145	21.4	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	8	36.4	7	36.8	*	*	*	*	119	17.5	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	283	41.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	396	58.3	13	76.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	46	100.0	40	87.0	6	13.0	33	100.0	822	100.0	26	100.0
SEX												
Male	33	71.7	28	70.0	*	*	23	69.7	560	68.1	16	61.5
Female	13	28.3	12	30.0	*	*	10	30.3	262	31.9	10	38.5
RACE/ETHNICITY												
Black	17	37.0	16	40.0	*	*	15	45.5	254	30.9	14	53.8
Hispanic	11	23.9	8	20.0	*	*	9	27.3	273	33.2	*	*
White	16	34.8	14	35.0	*	*	7	21.2	272	33.1	7	26.9
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	21	2.6	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	9	1.1	*	*
13-19	*	*	*	*	0	0.0	*	*	16	1.9	0	0.0
20-29	11	23.9	10	25.0	*	*	*	*	48	5.8	0	0.0
30-39	15	32.6	13	32.5	*	*	11	33.3	229	27.9	*	*
40-49	7	15.2	6	15.0	*	*	11	33.3	310	37.7	11	42.3
50-59	6	13.0	*	*	*	*	*	*	169	20.6	9	34.6
60+	*	*	*	*	*	*	*	*	41	5.0	*	*
TRANSMISSION RISK												
Men who have sex with men	16	34.8	15	37.5	*	*	*	*	198	24.1	*	*
Injection drug use history	*	*	*	*	*	*	9	27.3	240	29.2	12	46.2
Heterosexual	8	17.4	7	17.5	*	*	9	27.3	183	22.3	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	22	2.7	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	16	34.8	13	32.5	*	*	11	33.3	176	21.4	8	30.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	318	38.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	504	61.3	23	88.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	239	100.0	177	74.1	62	25.9	221	100.0	3,352	100.0	116	100.0
SEX												
Male	133	55.6	100	56.5	33	53.2	127	57.5	1,997	59.6	72	62.1
Female	106	44.4	77	43.5	29	46.8	94	42.5	1,355	40.4	44	37.9
RACE/ETHNICITY												
Black	209	87.4	156	88.1	53	85.5	188	85.1	2,824	84.2	96	82.8
Hispanic	20	8.4	13	7.3	7	11.3	20	9.0	353	10.5	12	10.3
White	8	3.3	7	4.0	*	*	10	4.5	140	4.2	8	6.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	20	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	*	*	*	*	14	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	79	2.4	0	0.0
13-19	10	4.2	9	5.1	*	*	6	2.7	66	2.0	*	*
20-29	51	21.3	45	25.4	6	9.7	29	13.1	278	8.3	7	6.0
30-39	85	35.6	64	36.2	21	33.9	73	33.0	959	28.6	25	21.6
40-49	55	23.0	30	16.9	25	40.3	73	33.0	1,237	36.9	48	41.4
50-59	24	10.0	16	9.0	8	12.9	30	13.6	556	16.6	18	15.5
60+	9	3.8	8	4.5	*	*	10	4.5	177	5.3	17	14.7
TRANSMISSION RISK												
Men who have sex with men	49	20.5	40	22.6	9	14.5	33	14.9	573	17.1	12	10.3
Injection drug use history	17	7.1	13	7.3	*	*	22	10.0	554	16.5	39	33.6
Heterosexual	65	27.2	50	28.2	15	24.2	60	27.1	871	26.0	20	17.2
Perinatal	*	*	*	*	0	0.0	*	*	120	3.6	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.7	0	0.0
Unknown	103	43.1	69	39.0	34	54.8	103	46.6	1,212	36.2	44	37.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,305	38.9	9	7.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,047	61.1	107	92.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	83	100.0	58	69.9	25	30.1	72	100.0	929	100.0	28	100.0
SEX												
Male	43	51.8	24	41.4	19	76.0	43	59.7	501	53.9	17	60.7
Female	40	48.2	34	58.6	6	24.0	29	40.3	428	46.1	11	39.3
RACE/ETHNICITY												
Black	65	78.3	44	75.9	21	84.0	56	77.8	660	71.0	15	53.6
Hispanic	8	9.6	7	12.1	*	*	*	*	122	13.1	6	21.4
White	9	10.8	6	10.3	*	*	11	15.3	135	14.5	7	25.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	7	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	33	3.6	0	0.0
13-19	*	*	*	*	*	*	*	*	17	1.8	0	0.0
20-29	20	24.1	16	27.6	*	*	*	*	73	7.9	*	*
30-39	21	25.3	16	27.6	*	*	23	31.9	262	28.2	*	*
40-49	21	25.3	12	20.7	9	36.0	25	34.7	352	37.9	14	50.0
50-59	9	10.8	6	10.3	*	*	12	16.7	135	14.5	9	32.1
60+	7	8.4	*	*	*	*	6	8.3	57	6.1	*	*
TRANSMISSION RISK												
Men who have sex with men	11	13.3	8	13.8	*	*	*	*	111	11.9	*	*
Injection drug use history	10	12.0	7	12.1	*	*	14	19.4	189	20.3	14	50.0
Heterosexual	25	30.1	18	31.0	7	28.0	21	29.2	278	29.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	43	4.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Unknown	37	44.6	25	43.1	12	48.0	34	47.2	300	32.3	9	32.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	421	45.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	508	54.7	28	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	15	65.2	8	34.8	30	100.0	464	100.0	16	100.0
SEX												
Male	17	73.9	11	73.3	6	75.0	20	66.7	330	71.1	12	75.0
Female	6	26.1	*	*	*	*	10	33.3	134	28.9	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	8	26.7	60	12.9	*	*
Hispanic	*	*	*	*	*	*	7	23.3	123	26.5	*	*
White	11	47.8	9	60.0	*	*	13	43.3	264	56.9	10	62.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	16	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	6	26.1	6	40.0	0	0.0	*	*	35	7.5	0	0.0
30-39	8	34.8	6	40.0	*	*	8	26.7	126	27.2	*	*
40-49	*	*	*	*	*	*	15	50.0	185	39.9	8	50.0
50-59	*	*	*	*	*	*	*	*	88	19.0	*	*
60+	*	*	*	*	*	*	*	*	22	4.7	*	*
TRANSMISSION RISK												
Men who have sex with men	10	43.5	8	53.3	*	*	8	26.7	148	31.9	*	*
Injection drug use history	*	*	*	*	*	*	7	23.3	147	31.7	*	*
Heterosexual	*	*	*	*	*	*	*	*	83	17.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	11	36.7	77	16.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	196	42.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	268	57.8	11	68.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	54	100.0	42	77.8	12	22.2	70	100.0	975	100.0	32	100.0
SEX												
Male	32	59.3	25	59.5	7	58.3	42	60.0	580	59.5	17	53.1
Female	22	40.7	17	40.5	*	*	28	40.0	395	40.5	15	46.9
RACE/ETHNICITY												
Black	26	48.1	20	47.6	6	50.0	30	42.9	372	38.2	13	40.6
Hispanic	15	27.8	12	28.6	*	*	26	37.1	320	32.8	9	28.1
White	13	24.1	10	23.8	*	*	13	18.6	263	27.0	9	28.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	1.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	18	1.8	0	0.0
13-19	*	*	*	*	*	*	*	*	19	1.9	0	0.0
20-29	9	16.7	8	19.0	*	*	8	11.4	76	7.8	*	*
30-39	15	27.8	13	31.0	*	*	22	31.4	266	27.3	7	21.9
40-49	17	31.5	13	31.0	*	*	26	37.1	366	37.5	14	43.8
50-59	7	13.0	*	*	*	*	8	11.4	179	18.4	8	25.0
60+	*	*	*	*	*	*	*	*	51	5.2	*	*
TRANSMISSION RISK												
Men who have sex with men	8	14.8	6	14.3	*	*	12	17.1	163	16.7	*	*
Injection drug use history	11	20.4	8	19.0	*	*	13	18.6	303	31.1	18	56.3
Heterosexual	12	22.2	10	23.8	*	*	22	31.4	238	24.4	8	25.0
Perinatal	*	*	*	*	0	0.0	0	0.0	28	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	10	1.0	0	0.0
Unknown	22	40.7	17	40.5	*	*	22	31.4	233	23.9	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	376	38.6	8	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	599	61.4	24	75.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	194	100.0	166	85.6	28	14.4	198	100.0	3,116	100.0	110	100.0
SEX												
Male	117	60.3	101	60.8	16	57.1	136	68.7	1,873	60.1	75	68.2
Female	77	39.7	65	39.2	12	42.9	62	31.3	1,243	39.9	35	31.8
RACE/ETHNICITY												
Black	126	64.9	112	67.5	14	50.0	120	60.6	1,660	53.3	52	47.3
Hispanic	63	32.5	50	30.1	13	46.4	68	34.3	1,310	42.0	50	45.5
White	*	*	*	*	0	0.0	9	4.5	127	4.1	6	5.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Native American	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	63	2.0	0	0.0
13-19	6	3.1	*	*	*	*	*	*	49	1.6	0	0.0
20-29	38	19.6	37	22.3	*	*	18	9.1	223	7.2	*	*
30-39	43	22.2	37	22.3	6	21.4	59	29.8	857	27.5	22	20.0
40-49	71	36.6	58	34.9	13	46.4	78	39.4	1,224	39.3	50	45.5
50-59	25	12.9	19	11.4	6	21.4	29	14.6	542	17.4	27	24.5
60+	9	4.6	8	4.8	*	*	10	5.1	158	5.1	10	9.1
TRANSMISSION RISK												
Men who have sex with men	31	16.0	28	16.9	*	*	32	16.2	390	12.5	10	9.1
Injection drug use history	23	11.9	21	12.7	*	*	45	22.7	1,084	34.8	48	43.6
Heterosexual	42	21.6	33	19.9	9	32.1	36	18.2	615	19.7	16	14.5
Perinatal	*	*	*	*	0	0.0	*	*	95	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	96	49.5	82	49.4	14	50.0	83	41.9	923	29.6	36	32.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,267	40.7	16	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,849	59.3	94	85.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Williamsburg - Bushwick: 11206, 11221, 11237.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	22	71.0	9	29.0	28	100.0	430	100.0	19	100.0
SEX												
Male	24	77.4	16	72.7	8	88.9	18	64.3	282	65.6	12	63.2
Female	7	22.6	6	27.3	*	*	10	35.7	148	34.4	7	36.8
RACE/ETHNICITY												
Black	12	38.7	6	27.3	6	66.7	10	35.7	146	34.0	6	31.6
Hispanic	11	35.5	10	45.5	*	*	13	46.4	192	44.7	7	36.8
White	7	22.6	*	*	*	*	*	*	86	20.0	6	31.6
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	0	0.0
20-29	8	25.8	6	27.3	*	*	*	*	26	6.0	*	*
30-39	7	22.6	*	*	*	*	*	*	103	24.0	*	*
40-49	7	22.6	*	*	*	*	10	35.7	168	39.1	8	42.1
50-59	6	19.4	*	*	*	*	8	28.6	89	20.7	*	*
60+	*	*	*	*	*	*	*	*	28	6.5	*	*
TRANSMISSION RISK												
Men who have sex with men	11	35.5	9	40.9	*	*	*	*	105	24.4	*	*
Injection drug use history	8	25.8	6	27.3	*	*	7	25.0	126	29.3	9	47.4
Heterosexual	*	*	*	*	*	*	9	32.1	71	16.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	8	25.8	*	*	*	*	7	25.0	111	25.8	6	31.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	178	41.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	252	58.6	18	94.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	73	75.3	24	24.7	89	100.0	1,296	100.0	31	100.0
SEX												
Male	49	50.5	32	43.8	17	70.8	57	64.0	724	55.9	21	67.7
Female	48	49.5	41	56.2	7	29.2	32	36.0	572	44.1	10	32.3
RACE/ETHNICITY												
Black	70	72.2	53	72.6	17	70.8	52	58.4	814	62.8	15	48.4
Hispanic	21	21.6	16	21.9	*	*	26	29.2	367	28.3	13	41.9
White	6	6.2	*	*	*	*	10	11.2	105	8.1	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	30	2.3	0	0.0
13-19	*	*	*	*	*	*	*	*	28	2.2	0	0.0
20-29	19	19.6	17	23.3	*	*	*	*	101	7.8	0	0.0
30-39	31	32.0	24	32.9	7	29.2	32	36.0	358	27.6	6	19.4
40-49	33	34.0	22	30.1	11	45.8	37	41.6	487	37.6	15	48.4
50-59	*	*	*	*	*	*	9	10.1	230	17.7	8	25.8
60+	*	*	*	*	*	*	*	*	62	4.8	*	*
TRANSMISSION RISK												
Men who have sex with men	11	11.3	8	11.0	*	*	13	14.6	178	13.7	*	*
Injection drug use history	12	12.4	8	11.0	*	*	13	14.6	314	24.2	15	48.4
Heterosexual	30	30.9	23	31.5	7	29.2	19	21.3	298	23.0	*	*
Perinatal	*	*	*	*	0	0.0	*	*	54	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	43	44.3	33	45.2	10	41.7	42	47.2	449	34.6	12	38.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	592	45.7	6	19.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	704	54.3	25	80.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	184	100.0	148	80.4	36	19.6	176	100.0	3,414	100.0	102	100.0
SEX												
Male	107	58.2	82	55.4	25	69.4	119	67.6	2,123	62.2	69	67.6
Female	77	41.8	66	44.6	11	30.6	57	32.4	1,291	37.8	33	32.4
RACE/ETHNICITY												
Black	83	45.1	68	45.9	15	41.7	70	39.8	1,331	39.0	45	44.1
Hispanic	92	50.0	71	48.0	21	58.3	99	56.3	1,870	54.8	51	50.0
White	9	4.9	9	6.1	0	0.0	6	3.4	188	5.5	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	17	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	77	2.3	0	0.0
13-19	7	3.8	6	4.1	*	*	*	*	51	1.5	0	0.0
20-29	46	25.0	39	26.4	7	19.4	22	12.5	285	8.3	0	0.0
30-39	67	36.4	59	39.9	8	22.2	52	29.5	1,016	29.8	18	17.6
40-49	46	25.0	35	23.6	11	30.6	64	36.4	1,323	38.8	53	52.0
50-59	13	7.1	7	4.7	6	16.7	23	13.1	539	15.8	22	21.6
60+	*	*	*	*	*	*	13	7.4	123	3.6	9	8.8
TRANSMISSION RISK												
Men who have sex with men	31	16.8	28	18.9	*	*	19	10.8	543	15.9	9	8.8
Injection drug use history	21	11.4	19	12.8	*	*	37	21.0	1,060	31.0	58	56.9
Heterosexual	50	27.2	44	29.7	6	16.7	33	18.8	720	21.1	13	12.7
Perinatal	0	0.0	0	0.0	0	0.0	*	*	118	3.5	0	0.0
Other	*	*	*	*	0	0.0	*	*	8	0.2	*	*
Unknown	81	44.0	56	37.8	25	69.4	85	48.3	965	28.3	21	20.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,501	44.0	8	7.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,913	56.0	94	92.2

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	175	100.0	126	72.0	49	28.0	162	100.0	2,924	100.0	93	100.0
SEX												
Male	107	61.1	75	59.5	32	65.3	97	59.9	1,668	57.0	55	59.1
Female	68	38.9	51	40.5	17	34.7	65	40.1	1,256	43.0	38	40.9
RACE/ETHNICITY												
Black	88	50.3	63	50.0	25	51.0	67	41.4	1,150	39.3	38	40.9
Hispanic	72	41.1	53	42.1	19	38.8	78	48.1	1,496	51.2	47	50.5
White	11	6.3	8	6.3	*	*	13	8.0	259	8.9	8	8.6
Asian/Pacific Islander	*	*	*	*	*	*	*	*	15	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	69	2.4	*	*
13-19	7	4.0	7	5.6	0	0.0	*	*	69	2.4	*	*
20-29	30	17.1	25	19.8	*	*	13	8.0	195	6.7	*	*
30-39	67	38.3	52	41.3	15	30.6	47	29.0	825	28.2	16	17.2
40-49	48	27.4	31	24.6	17	34.7	56	34.6	1,147	39.2	38	40.9
50-59	15	8.6	7	5.6	8	16.3	31	19.1	490	16.8	19	20.4
60+	*	*	*	*	*	*	9	5.6	129	4.4	13	14.0
TRANSMISSION RISK												
Men who have sex with men	38	21.7	30	23.8	8	16.3	20	12.3	384	13.1	12	12.9
Injection drug use history	22	12.6	17	13.5	*	*	39	24.1	937	32.0	39	41.9
Heterosexual	42	24.0	28	22.2	14	28.6	38	23.5	658	22.5	15	16.1
Perinatal	*	*	*	*	*	*	*	*	124	4.2	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	*	*
Unknown	70	40.0	49	38.9	21	42.9	62	38.3	808	27.6	24	25.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,291	44.2	17	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,633	55.8	76	81.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	243	100.0	197	81.1	46	18.9	196	100.0	3,939	100.0	142	100.0
SEX												
Male	134	55.1	103	52.3	31	67.4	117	59.7	2,301	58.4	89	62.7
Female	109	44.9	94	47.7	15	32.6	79	40.3	1,638	41.6	53	37.3
RACE/ETHNICITY												
Black	137	56.4	105	53.3	32	69.6	108	55.1	1,769	44.9	62	43.7
Hispanic	98	40.3	84	42.6	14	30.4	83	42.3	2,028	51.5	73	51.4
White	7	2.9	7	3.6	0	0.0	*	*	124	3.1	7	4.9
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	7	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	103	2.6	0	0.0
13-19	6	2.5	*	*	*	*	*	*	68	1.7	*	*
20-29	34	14.0	31	15.7	*	*	18	9.2	271	6.9	*	*
30-39	87	35.8	74	37.6	13	28.3	71	36.2	1,134	28.8	28	19.7
40-49	71	29.2	59	29.9	12	26.1	63	32.1	1,471	37.3	53	37.3
50-59	35	14.4	22	11.2	13	28.3	28	14.3	694	17.6	40	28.2
60+	*	*	*	*	*	*	13	6.6	198	5.0	17	12.0
TRANSMISSION RISK												
Men who have sex with men	35	14.4	30	15.2	*	*	23	11.7	426	10.8	10	7.0
Injection drug use history	36	14.8	30	15.2	6	13.0	40	20.4	1,421	36.1	64	45.1
Heterosexual	57	23.5	51	25.9	6	13.0	32	16.3	789	20.0	24	16.9
Perinatal	*	*	*	*	*	*	*	*	156	4.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	*	*
Unknown	110	45.3	82	41.6	28	60.9	99	50.5	1,135	28.8	41	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,645	41.8	24	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,294	58.2	118	83.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	256	100.0	201	78.5	55	21.5	246	100.0	4,221	100.0	138	100.0
SEX												
Male	145	56.6	110	54.7	35	63.6	140	56.9	2,469	58.5	74	53.6
Female	111	43.4	91	45.3	20	36.4	106	43.1	1,752	41.5	64	46.4
RACE/ETHNICITY												
Black	158	61.7	124	61.7	34	61.8	140	56.9	2,194	52.0	78	56.5
Hispanic	92	35.9	72	35.8	20	36.4	98	39.8	1,893	44.8	56	40.6
White	6	2.3	*	*	*	*	8	3.3	111	2.6	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	103	2.4	0	0.0
13-19	6	2.3	6	3.0	0	0.0	*	*	69	1.6	*	*
20-29	57	22.3	52	25.9	*	*	29	11.8	324	7.7	*	*
30-39	87	34.0	65	32.3	22	40.0	79	32.1	1,175	27.8	31	22.5
40-49	72	28.1	51	25.4	21	38.2	94	38.2	1,581	37.5	53	38.4
50-59	25	9.8	21	10.4	*	*	34	13.8	758	18.0	33	23.9
60+	8	3.1	*	*	*	*	9	3.7	211	5.0	17	12.3
TRANSMISSION RISK												
Men who have sex with men	36	14.1	28	13.9	8	14.5	26	10.6	508	12.0	9	6.5
Injection drug use history	36	14.1	30	14.9	6	10.9	59	24.0	1,394	33.0	77	55.8
Heterosexual	59	23.0	48	23.9	11	20.0	50	20.3	893	21.2	23	16.7
Perinatal	*	*	*	*	0	0.0	*	*	156	3.7	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Unknown	124	48.4	94	46.8	30	54.5	110	44.7	1,259	29.8	28	20.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,769	41.9	17	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,452	58.1	121	87.7

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.9.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	156	100.0	120	76.9	36	23.1	147	100.0	2,678	100.0	112	100.0
SEX												
Male	94	60.3	68	56.7	26	72.2	94	63.9	1,632	60.9	73	65.2
Female	62	39.7	52	43.3	10	27.8	53	36.1	1,046	39.1	39	34.8
RACE/ETHNICITY												
Black	60	38.5	48	40.0	12	33.3	51	34.7	927	34.6	37	33.0
Hispanic	93	59.6	69	57.5	24	66.7	92	62.6	1,660	62.0	72	64.3
White	*	*	*	*	0	0.0	*	*	78	2.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	71	2.7	*	*
13-19	*	*	*	*	0	0.0	*	*	43	1.6	*	*
20-29	27	17.3	23	19.2	*	*	10	6.8	172	6.4	*	*
30-39	56	35.9	40	33.3	16	44.4	54	36.7	758	28.3	19	17.0
40-49	44	28.2	34	28.3	10	27.8	48	32.7	1,022	38.2	44	39.3
50-59	19	12.2	14	11.7	*	*	27	18.4	498	18.6	36	32.1
60+	*	*	*	*	*	*	6	4.1	114	4.3	8	7.1
TRANSMISSION RISK												
Men who have sex with men	19	12.2	14	11.7	*	*	16	10.9	258	9.6	*	*
Injection drug use history	28	17.9	25	20.8	*	*	43	29.3	1,037	38.7	65	58.0
Heterosexual	36	23.1	29	24.2	7	19.4	20	13.6	546	20.4	14	12.5
Perinatal	*	*	*	*	0	0.0	*	*	113	4.2	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	14	0.5	0	0.0
Unknown	70	44.9	49	40.8	21	58.3	65	44.2	710	26.5	25	22.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,126	42.0	20	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,552	58.0	92	82.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	83	100.0	66	79.5	17	20.5	64	100.0	1,337	100.0	40	100.0
SEX												
Male	67	80.7	53	80.3	14	82.4	51	79.7	1,039	77.7	29	72.5
Female	16	19.3	13	19.7	*	*	13	20.3	298	22.3	11	27.5
RACE/ETHNICITY												
Black	10	12.0	10	15.2	0	0.0	14	21.9	331	24.8	11	27.5
Hispanic	35	42.2	26	39.4	9	52.9	21	32.8	527	39.4	12	30.0
White	31	37.3	26	39.4	*	*	23	35.9	435	32.5	17	42.5
Asian/Pacific Islander	7	8.4	*	*	*	*	*	*	34	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
13-19	*	*	*	*	*	*	*	*	10	0.7	0	0.0
20-29	18	21.7	17	25.8	*	*	6	9.4	101	7.6	0	0.0
30-39	28	33.7	20	30.3	8	47.1	28	43.8	453	33.9	11	27.5
40-49	30	36.1	25	37.9	*	*	19	29.7	518	38.7	13	32.5
50-59	*	*	*	*	*	*	9	14.1	193	14.4	12	30.0
60+	0	0.0	0	0.0	0	0.0	*	*	49	3.7	*	*
TRANSMISSION RISK												
Men who have sex with men	42	50.6	35	53.0	7	41.2	27	42.2	588	44.0	10	25.0
Injection drug use history	*	*	*	*	0	0.0	8	12.5	257	19.2	20	50.0
Heterosexual	15	18.1	10	15.2	*	*	14	21.9	213	15.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
Unknown	21	25.3	16	24.2	*	*	14	21.9	254	19.0	6	15.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	563	42.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	774	57.9	37	92.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	180	100.0	136	75.6	44	24.4	150	100.0	3,435	100.0	65	100.0
SEX												
Male	145	80.6	110	80.9	35	79.5	123	82.0	2,669	77.7	47	72.3
Female	35	19.4	26	19.1	9	20.5	27	18.0	766	22.3	18	27.7
RACE/ETHNICITY												
Black	46	25.6	36	26.5	10	22.7	50	33.3	1,054	30.7	29	44.6
Hispanic	102	56.7	76	55.9	26	59.1	73	48.7	1,782	51.9	27	41.5
White	20	11.1	17	12.5	*	*	18	12.0	502	14.6	8	12.3
Asian/Pacific Islander	12	6.7	7	5.1	*	*	9	6.0	82	2.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.6	0	0.0
13-19	*	*	*	*	*	*	*	*	19	0.6	0	0.0
20-29	44	24.4	38	27.9	6	13.6	26	17.3	227	6.6	*	*
30-39	77	42.8	57	41.9	20	45.5	53	35.3	1,158	33.7	20	30.8
40-49	41	22.8	30	22.1	11	25.0	47	31.3	1,364	39.7	22	33.8
50-59	12	6.7	8	5.9	*	*	17	11.3	516	15.0	11	16.9
60+	*	*	0	0.0	*	*	6	4.0	130	3.8	7	10.8
TRANSMISSION RISK												
Men who have sex with men	75	41.7	60	44.1	15	34.1	54	36.0	1,116	32.5	11	16.9
Injection drug use history	15	8.3	12	8.8	*	*	26	17.3	999	29.1	30	46.2
Heterosexual	51	28.3	35	25.7	16	36.4	42	28.0	601	17.5	13	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	39	21.7	29	21.3	10	22.7	28	18.7	677	19.7	11	16.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,178	34.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,257	65.7	61	93.8

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	27	81.8	6	18.2	26	100.0	565	100.0	21	100.0
SEX												
Male	23	69.7	19	70.4	*	*	20	76.9	405	71.7	17	81.0
Female	10	30.3	8	29.6	*	*	6	23.1	160	28.3	*	*
RACE/ETHNICITY												
Black	11	33.3	11	40.7	0	0.0	6	23.1	154	27.3	6	28.6
Hispanic	11	33.3	10	37.0	*	*	8	30.8	197	34.9	6	28.6
White	8	24.2	*	*	*	*	9	34.6	184	32.6	9	42.9
Asian/Pacific Islander	*	*	*	*	*	*	*	*	27	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	1.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	8	24.2	8	29.6	0	0.0	*	*	34	6.0	*	*
30-39	7	21.2	6	22.2	*	*	7	26.9	169	29.9	*	*
40-49	13	39.4	9	33.3	*	*	11	42.3	220	38.9	8	38.1
50-59	*	*	*	*	*	*	*	*	100	17.7	7	33.3
60+	*	*	*	*	0	0.0	*	*	31	5.5	*	*
TRANSMISSION RISK												
Men who have sex with men	13	39.4	12	44.4	*	*	8	30.8	188	33.3	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	140	24.8	11	52.4
Heterosexual	9	27.3	7	25.9	*	*	9	34.6	129	22.8	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	21.2	*	*	*	*	7	26.9	94	16.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	195	34.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	370	65.5	21	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Flushing - Clearview: 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	7	100.0	0	0.0	6	100.0	110	100.0	*	*
SEX												
Male	7	100.0	7	100.0	0	0.0	*	*	82	74.5	*	*
Female	0	0.0	0	0.0	0	0.0	*	*	28	25.5	0	0.0
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	*	*	15	13.6	*	*
Hispanic	*	*	*	*	0	0.0	0	0.0	19	17.3	*	*
White	*	*	*	*	0	0.0	*	*	67	60.9	0	0.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	7	6.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	0	0.0	0	0.0	0	0.0	*	*	7	6.4	0	0.0
30-39	*	*	*	*	0	0.0	*	*	21	19.1	*	*
40-49	*	*	*	*	0	0.0	*	*	46	41.8	0	0.0
50-59	*	*	*	*	0	0.0	*	*	27	24.5	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
TRANSMISSION RISK												
Men who have sex with men	6	85.7	6	85.7	0	0.0	*	*	37	33.6	*	*
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	25	22.7	*	*
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	15	13.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	24	21.8	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	42.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	63	57.3	*	*

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	28	75.7	9	24.3	46	100.0	779	100.0	25	100.0
SEX												
Male	31	83.8	23	82.1	8	88.9	36	78.3	550	70.6	17	68.0
Female	6	16.2	*	*	*	*	10	21.7	229	29.4	8	32.0
RACE/ETHNICITY												
Black	6	16.2	*	*	*	*	*	*	90	11.6	*	*
Hispanic	15	40.5	11	39.3	*	*	22	47.8	352	45.2	15	60.0
White	13	35.1	10	35.7	*	*	18	39.1	309	39.7	9	36.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	17	2.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	8	1.0	0	0.0
20-29	9	24.3	9	32.1	0	0.0	*	*	54	6.9	0	0.0
30-39	11	29.7	9	32.1	*	*	18	39.1	239	30.7	9	36.0
40-49	12	32.4	7	25.0	*	*	18	39.1	312	40.1	7	28.0
50-59	*	*	*	*	*	*	8	17.4	126	16.2	8	32.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	30	3.9	*	*
TRANSMISSION RISK												
Men who have sex with men	18	48.6	16	57.1	*	*	18	39.1	267	34.3	*	*
Injection drug use history	*	*	*	*	*	*	14	30.4	161	20.7	11	44.0
Heterosexual	*	*	*	*	*	*	*	*	147	18.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	9	24.3	*	*	*	*	9	19.6	179	23.0	8	32.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	303	38.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	476	61.1	23	92.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	*	*	10	100.0	214	100.0	6	100.0
SEX												
Male	17	68.0	16	72.7	*	*	7	70.0	138	64.5	*	*
Female	8	32.0	6	27.3	*	*	*	*	76	35.5	*	*
RACE/ETHNICITY												
Black	11	44.0	9	40.9	*	*	*	*	91	42.5	*	*
Hispanic	*	*	*	*	0	0.0	*	*	58	27.1	*	*
White	8	32.0	8	36.4	0	0.0	*	*	54	25.2	0	0.0
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	7	3.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	3.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	0	0.0	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	17	7.9	0	0.0
30-39	13	52.0	12	54.5	*	*	*	*	59	27.6	*	*
40-49	*	*	*	*	*	*	*	*	78	36.4	*	*
50-59	*	*	*	*	0	0.0	*	*	42	19.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	11	5.1	*	*
TRANSMISSION RISK												
Men who have sex with men	14	56.0	14	63.6	0	0.0	*	*	60	28.0	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	42	19.6	*	*
Heterosexual	8	32.0	6	27.3	*	*	*	*	49	22.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	2.8	0	0.0
Unknown	*	*	*	*	*	*	*	*	50	23.4	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	97	45.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	117	54.7	6	100.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	75	100.0	52	69.3	23	30.7	57	100.0	1,091	100.0	36	100.0
SEX												
Male	50	66.7	32	61.5	18	78.3	40	70.2	754	69.1	25	69.4
Female	25	33.3	20	38.5	*	*	17	29.8	337	30.9	11	30.6
RACE/ETHNICITY												
Black	30	40.0	18	34.6	12	52.2	26	45.6	353	32.4	15	41.7
Hispanic	25	33.3	20	38.5	*	*	12	21.1	399	36.6	10	27.8
White	14	18.7	9	17.3	*	*	14	24.6	285	26.1	9	25.0
Asian/Pacific Islander	6	8.0	*	*	*	*	*	*	43	3.9	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	1.6	0	0.0
13-19	*	*	*	*	0	0.0	*	*	17	1.6	0	0.0
20-29	16	21.3	13	25.0	*	*	*	*	76	7.0	*	*
30-39	31	41.3	24	46.2	7	30.4	19	33.3	343	31.4	8	22.2
40-49	17	22.7	11	21.2	6	26.1	19	33.3	423	38.8	15	41.7
50-59	8	10.7	*	*	*	*	8	14.0	175	16.0	7	19.4
60+	*	*	0	0.0	*	*	*	*	39	3.6	*	*
TRANSMISSION RISK												
Men who have sex with men	22	29.3	15	28.8	7	30.4	14	24.6	304	27.9	*	*
Injection drug use history	6	8.0	*	*	*	*	7	12.3	268	24.6	10	27.8
Heterosexual	21	28.0	14	26.9	7	30.4	18	31.6	229	21.0	8	22.2
Perinatal	0	0.0	0	0.0	0	0.0	*	*	36	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	26	34.7	19	36.5	7	30.4	17	29.8	251	23.0	15	41.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	443	40.6	6	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	648	59.4	30	83.3

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	139	100.0	108	77.7	31	22.3	142	100.0	2,270	100.0	67	100.0
SEX												
Male	81	58.3	61	56.5	20	64.5	90	63.4	1,351	59.5	47	70.1
Female	58	41.7	47	43.5	11	35.5	52	36.6	919	40.5	20	29.9
RACE/ETHNICITY												
Black	112	80.6	90	83.3	22	71.0	105	73.9	1,767	77.8	57	85.1
Hispanic	16	11.5	10	9.3	6	19.4	26	18.3	327	14.4	*	*
White	7	5.0	*	*	*	*	7	4.9	137	6.0	6	9.0
Asian/Pacific Islander	*	*	*	*	*	*	*	*	30	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	50	2.2	0	0.0
13-19	8	5.8	8	7.4	0	0.0	6	4.2	46	2.0	*	*
20-29	24	17.3	16	14.8	8	25.8	16	11.3	149	6.6	*	*
30-39	49	35.3	37	34.3	12	38.7	45	31.7	580	25.6	14	20.9
40-49	32	23.0	27	25.0	*	*	48	33.8	885	39.0	28	41.8
50-59	15	10.8	11	10.2	*	*	18	12.7	436	19.2	15	22.4
60+	9	6.5	7	6.5	*	*	9	6.3	124	5.5	6	9.0
TRANSMISSION RISK												
Men who have sex with men	27	19.4	22	20.4	*	*	26	18.3	375	16.5	*	*
Injection drug use history	15	10.8	11	10.2	*	*	26	18.3	633	27.9	34	50.7
Heterosexual	39	28.1	34	31.5	*	*	29	20.4	537	23.7	12	17.9
Perinatal	*	*	*	*	0	0.0	*	*	86	3.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	56	40.3	39	36.1	17	54.8	57	40.1	630	27.8	16	23.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	896	39.5	11	16.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,374	60.5	56	83.6

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.
The following zip codes are included in Jamaica: 11412, 11423, 11432, 11433, 11434, 11435, 11436.
Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	62	100.0	43	69.4	19	30.6	55	100.0	814	100.0	20	100.0
SEX												
Male	37	59.7	23	53.5	14	73.7	37	67.3	485	59.6	13	65.0
Female	25	40.3	20	46.5	*	*	18	32.7	329	40.4	7	35.0
RACE/ETHNICITY												
Black	46	74.2	28	65.1	18	94.7	47	85.5	631	77.5	17	85.0
Hispanic	6	9.7	*	*	*	*	6	10.9	92	11.3	0	0.0
White	7	11.3	7	16.3	0	0.0	*	*	76	9.3	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	11	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	29	3.6	0	0.0
13-19	*	*	*	*	*	*	*	*	23	2.8	0	0.0
20-29	15	24.2	12	27.9	*	*	7	12.7	57	7.0	*	*
30-39	17	27.4	14	32.6	*	*	13	23.6	201	24.7	*	*
40-49	14	22.6	11	25.6	*	*	17	30.9	330	40.5	*	*
50-59	8	12.9	*	*	6	31.6	11	20.0	126	15.5	7	35.0
60+	*	*	*	*	*	*	6	10.9	48	5.9	*	*
TRANSMISSION RISK												
Men who have sex with men	15	24.2	11	25.6	*	*	11	20.0	117	14.4	0	0.0
Injection drug use history	*	*	*	*	0	0.0	7	12.7	159	19.5	8	40.0
Heterosexual	15	24.2	12	27.9	*	*	15	27.3	219	26.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	50	6.1	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
Unknown	29	46.8	17	39.5	12	63.2	22	40.0	261	32.1	8	40.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	293	36.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	521	64.0	18	90.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	40	76.9	12	23.1	47	100.0	723	100.0	29	100.0
SEX												
Male	29	55.8	23	57.5	6	50.0	28	59.6	387	53.5	15	51.7
Female	23	44.2	17	42.5	6	50.0	19	40.4	336	46.5	14	48.3
RACE/ETHNICITY												
Black	41	78.8	32	80.0	9	75.0	32	68.1	480	66.4	18	62.1
Hispanic	8	15.4	6	15.0	*	*	9	19.1	140	19.4	*	*
White	*	*	*	*	*	*	6	12.8	94	13.0	6	20.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	18	2.5	0	0.0
13-19	*	*	*	*	*	*	*	*	16	2.2	*	*
20-29	*	*	*	*	0	0.0	*	*	38	5.3	*	*
30-39	20	38.5	16	40.0	*	*	16	34.0	189	26.1	7	24.1
40-49	18	34.6	13	32.5	*	*	15	31.9	299	41.4	13	44.8
50-59	6	11.5	*	*	*	*	10	21.3	143	19.8	7	24.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	20	2.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	68	9.4	*	*
Injection drug use history	6	11.5	*	*	*	*	15	31.9	223	30.8	16	55.2
Heterosexual	19	36.5	16	40.0	*	*	12	25.5	214	29.6	*	*
Perinatal	*	*	*	*	0	0.0	*	*	31	4.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	*	*
Unknown	24	46.2	16	40.0	8	66.7	15	31.9	181	25.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	337	46.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	386	53.4	27	93.1

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11695, 11697.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent AIDS diagnoses		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	14	77.8	*	*	22	100.0	331	100.0	14	100.0
SEX												
Male	14	77.8	11	78.6	*	*	16	72.7	205	61.9	12	85.7
Female	*	*	*	*	*	*	6	27.3	126	38.1	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	9	40.9	157	47.4	6	42.9
Hispanic	7	38.9	*	*	*	*	9	40.9	88	26.6	*	*
White	*	*	*	*	*	*	*	*	82	24.8	7	50.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	1.8	0	0.0
13-19	*	*	*	*	0	0.0	*	*	8	2.4	0	0.0
20-29	*	*	*	*	*	*	*	*	12	3.6	0	0.0
30-39	8	44.4	6	42.9	*	*	*	*	86	26.0	*	*
40-49	6	33.3	6	42.9	0	0.0	9	40.9	143	43.2	*	*
50-59	*	*	0	0.0	*	*	*	*	56	16.9	8	57.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	20	6.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	*	*	*	*	54	16.3	0	0.0
Injection drug use history	*	*	*	*	0	0.0	*	*	118	35.6	11	78.6
Heterosexual	*	*	*	*	0	0.0	*	*	70	21.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	12	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	9	50.0	7	50.0	*	*	8	36.4	73	22.1	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	128	38.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	203	61.3	13	92.9

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	60	100.0	43	71.7	17	28.3	45	100.0	733	100.0	25	100.0
SEX												
Male	38	63.3	24	55.8	14	82.4	31	68.9	455	62.1	18	72.0
Female	22	36.7	19	44.2	*	*	14	31.1	278	37.9	7	28.0
RACE/ETHNICITY												
Black	30	50.0	23	53.5	7	41.2	21	46.7	306	41.7	8	32.0
Hispanic	9	15.0	*	*	*	*	11	24.4	168	22.9	6	24.0
White	19	31.7	14	32.6	*	*	11	24.4	247	33.7	11	44.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	*	*	*	*	10	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	14	1.9	0	0.0
13-19	*	*	0	0.0	*	*	*	*	10	1.4	0	0.0
20-29	8	13.3	6	14.0	*	*	*	*	42	5.7	0	0.0
30-39	19	31.7	14	32.6	*	*	15	33.3	202	27.6	*	*
40-49	19	31.7	13	30.2	6	35.3	20	44.4	317	43.2	14	56.0
50-59	8	13.3	6	14.0	*	*	*	*	116	15.8	7	28.0
60+	*	*	*	*	0	0.0	*	*	32	4.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	18	30.0	13	30.2	*	*	10	22.2	159	21.7	6	24.0
Injection drug use history	12	20.0	10	23.3	*	*	12	26.7	242	33.0	13	52.0
Heterosexual	14	23.3	11	25.6	*	*	12	26.7	161	22.0	*	*
Perinatal	*	*	*	*	0	0.0	*	*	20	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	*	*
Unknown	15	25.0	8	18.6	7	41.2	10	22.2	144	19.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	295	40.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	438	59.8	21	84.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002		
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%	
	N	%	N	%	N	%							
TOTAL	*	*	*	*	*	*	*	*	*	119	100.0	*	*
SEX													
Male	*	*	*	*	0	0.0	*	*	80	67.2	*	*	
Female	*	*	*	*	*	*	*	*	39	32.8	*	*	
RACE/ETHNICITY													
Black	*	*	*	*	0	0.0	0	0.0	17	14.3	*	*	
Hispanic	0	0.0	0	0.0	0	0.0	*	*	25	21.0	*	*	
White	*	*	*	*	*	*	*	*	72	60.5	*	*	
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*	
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0	
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0	
AGE GROUP (YEARS)													
0-12	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0	
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0	
20-29	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0	
30-39	0	0.0	0	0.0	0	0.0	*	*	31	26.1	*	*	
40-49	*	*	*	*	*	*	*	*	56	47.1	*	*	
50-59	0	0.0	0	0.0	0	0.0	0	0.0	14	11.8	*	*	
60+	0	0.0	0	0.0	0	0.0	0	0.0	7	5.9	0	0.0	
TRANSMISSION RISK													
Men who have sex with men	0	0.0	0	0.0	0	0.0	*	*	35	29.4	0	0.0	
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	26	21.8	*	*	
Heterosexual	*	*	0	0.0	*	*	*	*	22	18.5	*	*	
Perinatal	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0	
Unknown	*	*	*	*	0	0.0	*	*	29	24.4	*	*	
CLINICAL STATUS													
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	49	41.2	0	0.0	
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	58.8	*	*	

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2002 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2002, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2002						AIDS DIAGNOSES, 2002		PLWHA AS OF 12/31/2002		DEATHS, 2002	
	Total HIV diagnoses		Without Concurrent AIDS diagnoses		Concurrent AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	11	78.6	*	*	14	100.0	278	100.0	8	100.0
SEX												
Male	10	71.4	7	63.6	*	*	8	57.1	175	62.9	*	*
Female	*	*	*	*	0	0.0	6	42.9	103	37.1	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	*	*	53	19.1	*	*
Hispanic	*	*	*	*	*	*	*	*	54	19.4	0	0.0
White	7	50.0	6	54.5	*	*	6	42.9	169	60.8	6	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	2.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	0	0.0	0	0.0	0	0.0	*	*	17	6.1	0	0.0
30-39	*	*	0	0.0	*	*	*	*	81	29.1	0	0.0
40-49	11	78.6	9	81.8	*	*	6	42.9	126	45.3	*	*
50-59	*	*	*	*	0	0.0	*	*	41	14.7	*	*
60+	*	*	*	*	0	0.0	0	0.0	*	*	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	*	*	*	*	39	14.0	*	*
Injection drug use history	6	42.9	*	*	*	*	*	*	97	34.9	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	62	22.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	64	23.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	36.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	176	63.3	6	75.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated November 07, 2008.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2002**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	63.6	1.2	31.0	8,008,278
SEX				
Male	89.6	1.7	29.9	3,794,204
Female	40.2	0.7	33.0	4,214,074
RACE/ETHNICITY				
Black	139.0	2.1	35.7	1,962,154
Hispanic	66.0	1.4	30.4	2,160,554
White	29.7	0.7	22.9	2,801,267
Asian/Pacific Islander	11.4	0.1	23.5	783,058
Native American	28.9	0.4	32.9	17,321
AGE GROUP (YEARS)				
0-12	3.3	0.1	4.0	1,429,677
13-19	20.0	0.2	11.8	723,773
20-29	75.8	0.5	11.3	1,270,490
30-39	135.4	2.0	21.5	1,348,263
40-49	121.5	3.2	32.8	1,133,497
50-59	64.7	2.0	43.9	850,372
60+	14.7	0.4	59.6	1,252,206

As reported to the New York City Department of Health and Mental Hygiene by September 30, 20087. Generated November 07, 2008.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the city-wide population of PWHA at the end of 2002, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2002**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	63.6	1.2	31.0	8,008,278
MANHATTAN³	93.9	1.8	27.9	1,529,375
Central Harlem - Morningside Heights	165.4	2.5	37.3	151,113
Chelsea - Clinton	199.2	4.0	16.6	122,998
East Harlem	172.1	2.5	38.0	108,092
Gramercy Park - Murray Hill	69.1	1.5	22.7	124,477
Greenwich Village - Soho	105.1	2.2	20.2	83,709
Lower Manhattan	90.6	1.2	16.5	30,895
Union Square - Lower East Side	63.4	1.5	33.0	197,138
Upper East Side	27.5	0.6	23.6	218,167
Upper West Side	57.2	1.4	28.2	222,109
Washington Heights - Inwood	69.8	1.1	32.3	270,677
BROOKLYN³	56.9	0.9	36.4	2,465,326
Bedford Stuyvesant - Crown Heights	122.6	1.8	39.5	317,296
Bensonhurst - Bay Ridge	11.8	0.2	32.7	194,558
Borough Park	14.2	0.3	29.5	324,411
Canarsie - Flatlands	42.0	0.5	31.1	197,819
Coney Island - Sheepshead Bay	18.8	0.4	32.2	286,901
Downtown - Heights - Park Slope	58.7	1.3	37.5	214,696
East Flatbush - Flatbush	75.5	1.1	33.8	316,734
East New York	86.3	1.3	40.6	173,716
Greenpoint	32.9	0.7	33.0	124,449
Sunset Park	18.3	0.6	25.0	120,441
Williamsburg - Bushwick	99.8	1.7	34.5	194,305
BRONX³	89.4	1.5	33.5	1,327,690
Crotona - Tremont	121.8	2.0	35.4	199,530
Fordham - Bronx Park	73.5	1.4	30.7	250,491
High Bridge - Morrisania	134.9	2.3	32.3	189,755
Hunts Point - Mott Haven	127.0	2.3	40.3	122,875
Kingsbridge - Riverdale	34.8	0.5	42.0	88,989
Northeast Bronx	52.2	0.7	24.1	185,998
Pelham - Throgs Neck	60.3	1.0	31.4	290,052
QUEENS³	32.8	0.6	28.1	2,242,159
Bayside - Little Neck	7.9	0.1	24.7	88,164
Flushing - Clearview	12.9	0.2	35.6	255,542
Fresh Meadows	26.8	0.2	28.1	93,148
Jamaica	48.7	0.8	28.6	285,568
Long Island City - Astoria	37.6	0.6	31.0	220,960
Ridgewood - Forest Hills	15.4	0.3	31.5	240,901
Rockaway	48.7	0.7	37.3	106,738
Southeast Queens	30.4	0.4	24.3	203,670
Southwest Queens	27.8	0.4	33.6	269,952
West Queens	37.7	0.7	18.9	477,516
STATEN ISLAND³	23.0	0.4	31.8	443,728
Port Richmond	28.7	0.5	39.3	62,788
South Beach - Tottenville	7.8	0.2	36.6	179,892
Stapleton - St. George	51.6	0.7	32.4	116,227
Willowbrook	5.9	0.1	42.8	84,821

As reported to the New York City Department of Health and Mental Hygiene by September 30, 20087. Generated November 07, 2008.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the city-wide population of PWHA at the end of 2002.³Borough-level data include persons residing in unknown UHF neighborhoods.