



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2014

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/data/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexuals, females	Table 1.10.10	Rockaway
	By UHF Neighborhood: Bronx		By UHF Neighborhood: Staten Island
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.1	Port Richmond
Table 1.7.2	Northeast Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.3	Fordham – Bronx Park	Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/data/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2016. Accessed [access date] at <http://www.nyc.gov/html/doh/html/data/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,718	100.0	2,230	82.0	488	18.0	1,432	100.0	119,550	100.0	1,473	100.0
SEX AT BIRTH												
Male	2,194	80.7	1,822	81.7	372	76.2	1,040	72.6	86,651	72.5	1,019	69.2
Female	524	19.3	408	18.3	116	23.8	392	27.4	32,899	27.5	454	30.8
RACE/ETHNICITY												
Black	1,193	43.9	961	43.1	232	47.5	745	52.0	52,792	44.2	755	51.3
Latino/Hispanic	875	32.2	721	32.3	154	31.6	434	30.3	38,795	32.5	515	35.0
White	500	18.4	421	18.9	79	16.2	198	13.8	24,775	20.7	188	12.8
Asian/Pacific Islander	117	4.3	99	4.4	18	3.7	41	2.9	2,343	2.0	12	0.8
Native American	7	0.3	7	0.3	0	0.0	3	0.2	261	0.2	2	0.1
Multiracial	26	1.0	21	0.9	5	1.0	11	0.8	212	0.2	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	372	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	5	0.2	5	0.2	0	0.0	2	0.1	142	0.1	0	0.0
13-19	104	3.8	101	4.5	3	0.6	16	1.1	802	0.7	0	0.0
20-29	915	33.7	833	37.4	82	16.8	228	15.9	9,488	7.9	34	2.3
30-39	719	26.5	594	26.6	125	25.6	342	23.9	17,177	14.4	91	6.2
40-49	515	18.9	382	17.1	133	27.3	394	27.5	31,084	26.0	258	17.5
50-59	316	11.6	221	9.9	95	19.5	320	22.3	38,727	32.4	562	38.2
60+	144	5.3	94	4.2	50	10.2	130	9.1	22,130	18.5	528	35.8
BOROUGH OF RESIDENCE												
Bronx	520	19.1	428	19.2	92	18.9	334	23.3	28,416	23.8	481	32.7
Brooklyn	747	27.5	593	26.6	154	31.6	386	27.0	29,111	24.4	411	27.9
Manhattan	668	24.6	554	24.8	114	23.4	294	20.5	31,776	26.6	303	20.6
Queens	464	17.1	386	17.3	78	16.0	194	13.5	17,613	14.7	157	10.7
Staten Island	45	1.7	33	1.5	12	2.5	25	1.7	2,301	1.9	57	3.9
Outside NYC	262	9.6	224	10.0	38	7.8	178	12.4	10,152	8.5	52	3.5
Unknown	12	0.4	12	0.5	0	0.0	21	1.5	181	0.2	12	0.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	258	9.5	204	9.1	54	11.1	124	8.7	12,509	10.5	97	6.6
Medium poverty (10 to <20% below FPL)	646	23.8	543	24.3	103	21.1	278	19.4	27,798	23.3	261	17.7
High poverty (20 to <30% below FPL)	846	31.1	685	30.7	161	33.0	415	29.0	35,099	29.4	449	30.5
Very high poverty (≥30% below FPL)	678	24.9	548	24.6	130	26.6	411	28.7	32,343	27.1	578	39.2
Area-based poverty level not available	290	10.7	250	11.2	40	8.2	204	14.2	11,801	9.9	88	6.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,620	59.6	1,387	62.2	233	47.7	580	40.5	46,153	38.6	271	18.4
Injection drug use history (IDU)	54	2.0	38	1.7	16	3.3	102	7.1	16,191	13.5	450	30.5
MSM-IDU	38	1.4	36	1.6	2	0.4	19	1.3	2,635	2.2	54	3.7
Heterosexual	501	18.4	385	17.3	116	23.8	346	24.2	23,665	19.8	296	20.1
Perinatal	5	0.2	5	0.2	0	0.0	19	1.3	2,507	2.1	15	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	209	0.2	3	0.2
Unknown	500	18.4	379	17.0	121	24.8	366	25.6	28,190	23.6	384	26.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	51,170	42.8	270	18.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	68,380	57.2	1,203	81.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,194	100.0	1,822	83.0	372	17.0	1,040	100.0	86,651	100.0	1,019	100.0
RACE/ETHNICITY												
Black	847	38.6	695	38.1	152	40.9	481	46.3	33,549	38.7	487	47.8
Latino/Hispanic	743	33.9	614	33.7	129	34.7	335	32.2	28,167	32.5	358	35.1
White	467	21.3	397	21.8	70	18.8	175	16.8	22,325	25.8	162	15.9
Asian/Pacific Islander	109	5.0	92	5.0	17	4.6	37	3.6	1,962	2.3	10	1.0
Native American	6	0.3	6	0.3	0	0.0	2	0.2	190	0.2	1	0.1
Multiracial	22	1.0	18	1.0	4	1.1	10	1.0	171	0.2	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	287	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.2	4	0.2	0	0.0	2	0.2	67	0.1	0	0.0
13-19	81	3.7	79	4.3	2	0.5	13	1.3	415	0.5	0	0.0
20-29	815	37.1	740	40.6	75	20.2	192	18.5	7,439	8.6	25	2.5
30-39	586	26.7	490	26.9	96	25.8	254	24.4	12,928	14.9	57	5.6
40-49	387	17.6	283	15.5	104	28.0	272	26.2	21,998	25.4	178	17.5
50-59	229	10.4	168	9.2	61	16.4	225	21.6	27,490	31.7	376	36.9
60+	92	4.2	58	3.2	34	9.1	82	7.9	16,314	18.8	383	37.6
BOROUGH OF RESIDENCE												
Bronx	370	16.9	305	16.7	65	17.5	212	20.4	17,754	20.5	317	31.1
Brooklyn	568	25.9	462	25.4	106	28.5	272	26.2	19,329	22.3	274	26.9
Manhattan	592	27.0	497	27.3	95	25.5	237	22.8	26,749	30.9	233	22.9
Queens	395	18.0	330	18.1	65	17.5	148	14.2	12,934	14.9	112	11.0
Staten Island	32	1.5	26	1.4	6	1.6	19	1.8	1,510	1.7	35	3.4
Outside NYC	226	10.3	191	10.5	35	9.4	137	13.2	8,229	9.5	40	3.9
Unknown	11	0.5	11	0.6	0	0.0	15	1.4	146	0.2	8	0.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	227	10.3	185	10.2	42	11.3	99	9.5	10,558	12.2	72	7.1
Medium poverty (10 to <20% below FPL)	539	24.6	458	25.1	81	21.8	205	19.7	21,215	24.5	200	19.6
High poverty (20 to <30% below FPL)	680	31.0	561	30.8	119	32.0	306	29.4	24,815	28.6	296	29.0
Very high poverty (≥30% below FPL)	499	22.7	405	22.2	94	25.3	274	26.3	20,520	23.7	384	37.7
Area-based poverty level not available	249	11.3	213	11.7	36	9.7	156	15.0	9,543	11.0	67	6.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,620	73.8	1,387	76.1	233	62.6	580	55.8	46,153	53.3	271	26.6
Injection drug use history (IDU)	28	1.3	19	1.0	9	2.4	63	6.1	10,780	12.4	305	29.9
MSM-IDU	38	1.7	36	2.0	2	0.5	19	1.8	2,635	3.0	54	5.3
Heterosexual	108	4.9	77	4.2	31	8.3	89	8.6	6,007	6.9	96	9.4
Perinatal	4	0.2	4	0.2	0	0.0	12	1.2	1,224	1.4	9	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	2	0.2
Unknown	396	18.0	299	16.4	97	26.1	277	26.6	19,742	22.8	282	27.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37,649	43.4	181	17.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	49,002	56.6	838	82.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	524	100.0	408	77.9	116	22.1	392	100.0	32,899	100.0	454	100.0
RACE/ETHNICITY												
Black	346	66.0	266	65.2	80	69.0	264	67.3	19,243	58.5	268	59.0
Latino/Hispanic	132	25.2	107	26.2	25	21.6	99	25.3	10,628	32.3	157	34.6
White	33	6.3	24	5.9	9	7.8	23	5.9	2,450	7.4	26	5.7
Asian/Pacific Islander	8	1.5	7	1.7	1	0.9	4	1.0	381	1.2	2	0.4
Native American	1	0.2	1	0.2	0	0.0	1	0.3	71	0.2	1	0.2
Multiracial	4	0.8	3	0.7	1	0.9	1	0.3	41	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	85	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	75	0.2	0	0.0
13-19	23	4.4	22	5.4	1	0.9	3	0.8	387	1.2	0	0.0
20-29	100	19.1	93	22.8	7	6.0	36	9.2	2,049	6.2	9	2.0
30-39	133	25.4	104	25.5	29	25.0	88	22.4	4,249	12.9	34	7.5
40-49	128	24.4	99	24.3	29	25.0	122	31.1	9,086	27.6	80	17.6
50-59	87	16.6	53	13.0	34	29.3	95	24.2	11,237	34.2	186	41.0
60+	52	9.9	36	8.8	16	13.8	48	12.2	5,816	17.7	145	31.9
BOROUGH OF RESIDENCE												
Bronx	150	28.6	123	30.1	27	23.3	122	31.1	10,662	32.4	164	36.1
Brooklyn	179	34.2	131	32.1	48	41.4	114	29.1	9,782	29.7	137	30.2
Manhattan	76	14.5	57	14.0	19	16.4	57	14.5	5,027	15.3	70	15.4
Queens	69	13.2	56	13.7	13	11.2	46	11.7	4,679	14.2	45	9.9
Staten Island	13	2.5	7	1.7	6	5.2	6	1.5	791	2.4	22	4.8
Outside NYC	36	6.9	33	8.1	3	2.6	41	10.5	1,923	5.8	12	2.6
Unknown	1	0.2	1	0.2	0	0.0	6	1.5	35	0.1	4	0.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	5.9	19	4.7	12	10.3	25	6.4	1,951	5.9	25	5.5
Medium poverty (10 to <20% below FPL)	107	20.4	85	20.8	22	19.0	73	18.6	6,583	20.0	61	13.4
High poverty (20 to <30% below FPL)	166	31.7	124	30.4	42	36.2	109	27.8	10,284	31.3	153	33.7
Very high poverty (≥30% below FPL)	179	34.2	143	35.0	36	31.0	137	34.9	11,823	35.9	194	42.7
Area-based poverty level not available	41	7.8	37	9.1	4	3.4	48	12.2	2,258	6.9	21	4.6
TRANSMISSION RISK												
Injection drug use history (IDU)	26	5.0	19	4.7	7	6.0	39	9.9	5,411	16.4	145	31.9
Heterosexual	393	75.0	308	75.5	85	73.3	257	65.6	17,658	53.7	200	44.1
Perinatal	1	0.2	1	0.2	0	0.0	7	1.8	1,283	3.9	6	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	99	0.3	1	0.2
Unknown	104	19.8	80	19.6	24	20.7	89	22.7	8,448	25.7	102	22.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,521	41.1	89	19.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,378	58.9	365	80.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.1. Black males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	847	100.0	695	82.1	152	17.9	481	100.0	33,549	100.0	487	100.0
AGE GROUP (YEARS)												
0-12	4	0.5	4	0.6	0	0.0	2	0.4	43	0.1	0	0.0
13-19	43	5.1	42	6.0	1	0.7	10	2.1	254	0.8	0	0.0
20-29	344	40.6	311	44.7	33	21.7	103	21.4	3,743	11.2	16	3.3
30-39	191	22.6	158	22.7	33	21.7	113	23.5	4,961	14.8	22	4.5
40-49	118	13.9	77	11.1	41	27.0	116	24.1	7,659	22.8	72	14.8
50-59	94	11.1	70	10.1	24	15.8	99	20.6	10,356	30.9	171	35.1
60+	53	6.3	33	4.7	20	13.2	38	7.9	6,533	19.5	206	42.3
BOROUGH OF RESIDENCE												
Bronx	170	20.1	141	20.3	29	19.1	101	21.0	7,949	23.7	141	29.0
Brooklyn	324	38.3	270	38.8	54	35.5	154	32.0	11,031	32.9	167	34.3
Manhattan	159	18.8	124	17.8	35	23.0	94	19.5	7,165	21.4	99	20.3
Queens	101	11.9	83	11.9	18	11.8	52	10.8	4,404	13.1	50	10.3
Staten Island	9	1.1	9	1.3	0	0.0	4	0.8	537	1.6	11	2.3
Outside NYC	82	9.7	66	9.5	16	10.5	66	13.7	2,417	7.2	17	3.5
Unknown	2	0.2	2	0.3	0	0.0	10	2.1	46	0.1	2	0.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	61	7.2	48	6.9	13	8.6	33	6.9	2,117	6.3	22	4.5
Medium poverty (10 to <20% below FPL)	165	19.5	137	19.7	28	18.4	81	16.8	7,200	21.5	79	16.2
High poverty (20 to <30% below FPL)	291	34.4	243	35.0	48	31.6	146	30.4	11,410	34.0	155	31.8
Very high poverty (≥30% below FPL)	240	28.3	193	27.8	47	30.9	144	29.9	9,925	29.6	201	41.3
Area-based poverty level not available	90	10.6	74	10.6	16	10.5	77	16.0	2,897	8.6	30	6.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	537	63.4	458	65.9	79	52.0	241	50.1	14,121	42.1	117	24.0
Injection drug use history (IDU)	9	1.1	7	1.0	2	1.3	23	4.8	4,396	13.1	134	27.5
MSM-IDU	13	1.5	13	1.9	0	0.0	5	1.0	926	2.8	22	4.5
Heterosexual	67	7.9	47	6.8	20	13.2	55	11.4	3,274	9.8	58	11.9
Perinatal	4	0.5	4	0.6	0	0.0	7	1.5	689	2.1	3	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	1	0.2
Unknown	217	25.6	166	23.9	51	33.6	150	31.2	10,110	30.1	152	31.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,638	40.7	85	17.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,911	59.3	402	82.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.2. Black females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	346	100.0	266	76.9	80	23.1	264	100.0	19,243	100.0	268	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	0	0.0
13-19	18	5.2	17	6.4	1	1.3	2	0.8	239	1.2	0	0.0
20-29	68	19.7	62	23.3	6	7.5	28	10.6	1,242	6.5	5	1.9
30-39	89	25.7	68	25.6	21	26.3	64	24.2	2,652	13.8	21	7.8
40-49	89	25.7	70	26.3	19	23.8	74	28.0	5,431	28.2	45	16.8
50-59	47	13.6	26	9.8	21	26.3	60	22.7	6,395	33.2	116	43.3
60+	35	10.1	23	8.6	12	15.0	36	13.6	3,239	16.8	81	30.2
BOROUGH OF RESIDENCE												
Bronx	85	24.6	71	26.7	14	17.5	68	25.8	5,478	28.5	93	34.7
Brooklyn	139	40.2	99	37.2	40	50.0	95	36.0	6,858	35.6	100	37.3
Manhattan	51	14.7	36	13.5	15	18.8	38	14.4	2,778	14.4	32	11.9
Queens	39	11.3	32	12.0	7	8.8	33	12.5	2,737	14.2	21	7.8
Staten Island	7	2.0	5	1.9	2	2.5	2	0.8	368	1.9	12	4.5
Outside NYC	24	6.9	22	8.3	2	2.5	26	9.8	1,010	5.2	7	2.6
Unknown	1	0.3	1	0.4	0	0.0	2	0.8	14	0.1	3	1.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	22	6.4	15	5.6	7	8.8	18	6.8	1,085	5.6	8	3.0
Medium poverty (10 to <20% below FPL)	71	20.5	55	20.7	16	20.0	54	20.5	3,898	20.3	37	13.8
High poverty (20 to <30% below FPL)	118	34.1	87	32.7	31	38.8	79	29.9	6,376	33.1	92	34.3
Very high poverty (≥30% below FPL)	108	31.2	84	31.6	24	30.0	85	32.2	6,690	34.8	119	44.4
Area-based poverty level not available	27	7.8	25	9.4	2	2.5	28	10.6	1,194	6.2	12	4.5
TRANSMISSION RISK												
Injection drug use history (IDU)	9	2.6	6	2.3	3	3.8	23	8.7	2,605	13.5	68	25.4
Heterosexual	267	77.2	209	78.6	58	72.5	180	68.2	10,515	54.6	130	48.5
Perinatal	0	0.0	0	0.0	0	0.0	4	1.5	747	3.9	3	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	51	0.3	1	0.4
Unknown	70	20.2	51	19.2	19	23.8	57	21.6	5,325	27.7	66	24.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,073	42.0	53	19.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,170	58.0	215	80.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.3. Latino/Hispanic males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	743	100.0	614	82.6	129	17.4	335	100.0	28,167	100.0	358	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	0	0.0
13-19	35	4.7	34	5.5	1	0.8	3	0.9	130	0.5	0	0.0
20-29	279	37.6	246	40.1	33	25.6	70	20.9	2,501	8.9	7	2.0
30-39	213	28.7	180	29.3	33	25.6	86	25.7	4,538	16.1	26	7.3
40-49	133	17.9	100	16.3	33	25.6	86	25.7	7,704	27.4	71	19.8
50-59	68	9.2	45	7.3	23	17.8	68	20.3	8,619	30.6	140	39.1
60+	15	2.0	9	1.5	6	4.7	22	6.6	4,657	16.5	114	31.8
BOROUGH OF RESIDENCE												
Bronx	176	23.7	147	23.9	29	22.5	91	27.2	8,616	30.6	157	43.9
Brooklyn	115	15.5	86	14.0	29	22.5	69	20.6	4,757	16.9	75	20.9
Manhattan	181	24.4	152	24.8	29	22.5	70	20.9	7,240	25.7	66	18.4
Queens	185	24.9	151	24.6	34	26.4	69	20.6	5,373	19.1	33	9.2
Staten Island	12	1.6	10	1.6	2	1.6	8	2.4	432	1.5	12	3.4
Outside NYC	67	9.0	61	9.9	6	4.7	26	7.8	1,703	6.0	11	3.1
Unknown	7	0.9	7	1.1	0	0.0	2	0.6	46	0.2	4	1.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	51	6.9	44	7.2	7	5.4	17	5.1	2,195	7.8	12	3.4
Medium poverty (10 to <20% below FPL)	168	22.6	137	22.3	31	24.0	71	21.2	6,401	22.7	64	17.9
High poverty (20 to <30% below FPL)	242	32.6	196	31.9	46	35.7	111	33.1	8,582	30.5	96	26.8
Very high poverty (≥30% below FPL)	203	27.3	165	26.9	38	29.5	107	31.9	8,874	31.5	165	46.1
Area-based poverty level not available	79	10.6	72	11.7	7	5.4	29	8.7	2,115	7.5	21	5.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	587	79.0	500	81.4	87	67.4	194	57.9	13,586	48.2	79	22.1
Injection drug use history (IDU)	10	1.3	7	1.1	3	2.3	30	9.0	5,056	18.0	132	36.9
MSM-IDU	13	1.7	12	2.0	1	0.8	8	2.4	1,099	3.9	22	6.1
Heterosexual	27	3.6	20	3.3	7	5.4	28	8.4	2,033	7.2	31	8.7
Perinatal	0	0.0	0	0.0	0	0.0	5	1.5	447	1.6	5	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	1	0.3
Unknown	106	14.3	75	12.2	31	24.0	70	20.9	5,922	21.0	88	24.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,381	40.4	62	17.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,786	59.6	296	82.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.4. Latino/Hispanic females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	132	100.0	107	81.1	25	18.9	99	100.0	10,628	100.0	157	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
13-19	5	3.8	5	4.7	0	0.0	0	0.0	130	1.2	0	0.0
20-29	23	17.4	22	20.6	1	4.0	8	8.1	646	6.1	4	2.5
30-39	30	22.7	22	20.6	8	32.0	18	18.2	1,242	11.7	12	7.6
40-49	27	20.5	24	22.4	3	12.0	36	36.4	2,861	26.9	30	19.1
50-59	32	24.2	22	20.6	10	40.0	26	26.3	3,733	35.1	62	39.5
60+	15	11.4	12	11.2	3	12.0	11	11.1	1,990	18.7	49	31.2
BOROUGH OF RESIDENCE												
Bronx	60	45.5	47	43.9	13	52.0	51	51.5	4,762	44.8	68	43.3
Brooklyn	29	22.0	25	23.4	4	16.0	12	12.1	2,228	21.0	33	21.0
Manhattan	19	14.4	17	15.9	2	8.0	14	14.1	1,644	15.5	28	17.8
Queens	16	12.1	12	11.2	4	16.0	8	8.1	1,311	12.3	21	13.4
Staten Island	3	2.3	2	1.9	1	4.0	1	1.0	230	2.2	5	3.2
Outside NYC	5	3.8	4	3.7	1	4.0	10	10.1	442	4.2	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	3	3.0	11	0.1	1	0.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	2.3	1	0.9	2	8.0	4	4.0	377	3.5	9	5.7
Medium poverty (10 to <20% below FPL)	22	16.7	17	15.9	5	20.0	10	10.1	1,818	17.1	18	11.5
High poverty (20 to <30% below FPL)	38	28.8	33	30.8	5	20.0	22	22.2	3,216	30.3	54	34.4
Very high poverty (≥30% below FPL)	62	47.0	51	47.7	11	44.0	49	49.5	4,693	44.2	71	45.2
Area-based poverty level not available	7	5.3	5	4.7	2	8.0	14	14.1	524	4.9	5	3.2
TRANSMISSION RISK												
Injection drug use history (IDU)	12	9.1	9	8.4	3	12.0	15	15.2	2,153	20.3	63	40.1
Heterosexual	97	73.5	78	72.9	19	76.0	60	60.6	5,654	53.2	62	39.5
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	454	4.3	3	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
Unknown	23	17.4	20	18.7	3	12.0	22	22.2	2,341	22.0	29	18.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,043	38.0	33	21.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,585	62.0	124	79.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.5. White males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	467	100.0	397	85.0	70	15.0	175	100.0	22,325	100.0	162	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	1	0.2	1	0.3	0	0.0	0	0.0	23	0.1	0	0.0
20-29	151	32.3	143	36.0	8	11.4	12	6.9	932	4.2	2	1.2
30-39	130	27.8	113	28.5	17	24.3	37	21.1	2,894	13.0	8	4.9
40-49	110	23.6	85	21.4	25	35.7	55	31.4	5,840	26.2	33	20.4
50-59	52	11.1	40	10.1	12	17.1	51	29.1	7,843	35.1	62	38.3
60+	23	4.9	15	3.8	8	11.4	20	11.4	4,790	21.5	57	35.2
BOROUGH OF RESIDENCE												
Bronx	21	4.5	15	3.8	6	8.6	16	9.1	972	4.4	17	10.5
Brooklyn	98	21.0	80	20.2	18	25.7	38	21.7	3,098	13.9	28	17.3
Manhattan	210	45.0	184	46.3	26	37.1	61	34.9	11,404	51.1	65	40.1
Queens	62	13.3	56	14.1	6	8.6	14	8.0	2,402	10.8	26	16.0
Staten Island	10	2.1	6	1.5	4	5.7	7	4.0	507	2.3	12	7.4
Outside NYC	64	13.7	54	13.6	10	14.3	36	20.6	3,895	17.4	12	7.4
Unknown	2	0.4	2	0.5	0	0.0	3	1.7	47	0.2	2	1.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	97	20.8	77	19.4	20	28.6	43	24.6	5,845	26.2	37	22.8
Medium poverty (10 to <20% below FPL)	161	34.5	142	35.8	19	27.1	44	25.1	6,769	30.3	55	34.0
High poverty (20 to <30% below FPL)	100	21.4	86	21.7	14	20.0	31	17.7	4,068	18.2	38	23.5
Very high poverty (≥30% below FPL)	42	9.0	35	8.8	7	10.0	16	9.1	1,422	6.4	17	10.5
Area-based poverty level not available	67	14.3	57	14.4	10	14.3	41	23.4	4,221	18.9	15	9.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	384	82.2	333	83.9	51	72.9	113	64.6	16,938	75.9	73	45.1
Injection drug use history (IDU)	5	1.1	2	0.5	3	4.3	8	4.6	1,250	5.6	37	22.8
MSM-IDU	11	2.4	10	2.5	1	1.4	6	3.4	570	2.6	10	6.2
Heterosexual	8	1.7	4	1.0	4	5.7	6	3.4	507	2.3	4	2.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	66	0.3	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	0	0.0
Unknown	59	12.6	48	12.1	11	15.7	42	24.0	2,948	13.2	37	22.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,138	49.9	32	19.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,187	50.1	130	80.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.6. White females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	24	72.7	9	27.3	23	100.0	2,450	100.0	26	100.0
AGE GROUP (YEARS)												
0-12	1	3.0	1	4.2	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	14	0.6	0	0.0
20-29	6	18.2	6	25.0	0	0.0	0	0.0	119	4.9	0	0.0
30-39	8	24.2	8	33.3	0	0.0	5	21.7	256	10.4	1	3.8
40-49	9	27.3	4	16.7	5	55.6	9	39.1	618	25.2	5	19.2
50-59	7	21.2	4	16.7	3	33.3	8	34.8	941	38.4	6	23.1
60+	2	6.1	1	4.2	1	11.1	1	4.3	499	20.4	14	53.8
BOROUGH OF RESIDENCE												
Bronx	5	15.2	5	20.8	0	0.0	3	13.0	338	13.8	3	11.5
Brooklyn	8	24.2	4	16.7	4	44.4	4	17.4	542	22.1	3	11.5
Manhattan	3	9.1	2	8.3	1	11.1	4	17.4	507	20.7	9	34.6
Queens	8	24.2	6	25.0	2	22.2	5	21.7	436	17.8	2	7.7
Staten Island	2	6.1	0	0.0	2	22.2	2	8.7	183	7.5	5	19.2
Outside NYC	7	21.2	7	29.2	0	0.0	4	17.4	437	17.8	4	15.4
Unknown	0	0.0	0	0.0	0	0.0	1	4.3	7	0.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	15.2	2	8.3	3	33.3	3	13.0	438	17.9	8	30.8
Medium poverty (10 to <20% below FPL)	8	24.2	8	33.3	0	0.0	7	30.4	680	27.8	6	23.1
High poverty (20 to <30% below FPL)	6	18.2	1	4.2	5	55.6	6	26.1	529	21.6	5	19.2
Very high poverty (≥30% below FPL)	7	21.2	6	25.0	1	11.1	2	8.7	336	13.7	3	11.5
Area-based poverty level not available	7	21.2	7	29.2	0	0.0	5	21.7	467	19.1	4	15.4
TRANSMISSION RISK												
Injection drug use history (IDU)	3	9.1	2	8.3	1	11.1	1	4.3	623	25.4	14	53.8
Heterosexual	19	57.6	13	54.2	6	66.7	14	60.9	1,167	47.6	6	23.1
Perinatal	1	3.0	1	4.2	0	0.0	0	0.0	70	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.8	0	0.0
Unknown	10	30.3	8	33.3	2	22.2	8	34.8	571	23.3	6	23.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,064	43.4	2	7.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,386	56.6	24	92.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	109	100.0	92	84.4	17	15.6	37	100.0	1,962	100.0	10	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	1.8	2	2.2	0	0.0	0	0.0	2	0.1	0	0.0
20-29	30	27.5	30	32.6	0	0.0	3	8.1	194	9.9	0	0.0
30-39	42	38.5	30	32.6	12	70.6	16	43.2	438	22.3	1	10.0
40-49	20	18.3	16	17.4	4	23.5	12	32.4	633	32.3	2	20.0
50-59	14	12.8	13	14.1	1	5.9	4	10.8	476	24.3	3	30.0
60+	1	0.9	1	1.1	0	0.0	2	5.4	216	11.0	4	40.0
BOROUGH OF RESIDENCE												
Bronx	1	0.9	1	1.1	0	0.0	2	5.4	125	6.4	2	20.0
Brooklyn	26	23.9	22	23.9	4	23.5	8	21.6	337	17.2	4	40.0
Manhattan	33	30.3	29	31.5	4	23.5	10	27.0	672	34.3	1	10.0
Queens	41	37.6	34	37.0	7	41.2	13	35.1	658	33.5	3	30.0
Staten Island	1	0.9	1	1.1	0	0.0	0	0.0	21	1.1	0	0.0
Outside NYC	7	6.4	5	5.4	2	11.8	4	10.8	148	7.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	16	14.7	14	15.2	2	11.8	4	10.8	303	15.4	0	0.0
Medium poverty (10 to <20% below FPL)	36	33.0	33	35.9	3	17.6	9	24.3	682	34.8	2	20.0
High poverty (20 to <30% below FPL)	39	35.8	30	32.6	9	52.9	16	43.2	608	31.0	6	60.0
Very high poverty (≥30% below FPL)	11	10.1	10	10.9	1	5.9	4	10.8	198	10.1	1	10.0
Area-based poverty level not available	7	6.4	5	5.4	2	11.8	4	10.8	171	8.7	1	10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	90	82.6	76	82.6	14	82.4	25	67.6	1,242	63.3	2	20.0
Injection drug use history (IDU)	3	2.8	2	2.2	1	5.9	1	2.7	49	2.5	2	20.0
MSM-IDU	1	0.9	1	1.1	0	0.0	0	0.0	31	1.6	0	0.0
Heterosexual	4	3.7	4	4.3	0	0.0	0	0.0	168	8.6	3	30.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	11	10.1	9	9.8	2	11.8	11	29.7	458	23.3	3	30.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,026	52.3	2	20.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	936	47.7	8	80.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	1	12.5	4	100.0	381	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	25.0	2	0.5	0	0.0
20-29	1	12.5	1	14.3	0	0.0	0	0.0	26	6.8	0	0.0
30-39	5	62.5	5	71.4	0	0.0	1	25.0	80	21.0	0	0.0
40-49	1	12.5	0	0.0	1	100.0	2	50.0	116	30.4	0	0.0
50-59	1	12.5	1	14.3	0	0.0	0	0.0	97	25.5	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	60	15.7	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	36	9.4	0	0.0
Brooklyn	2	25.0	2	28.6	0	0.0	2	50.0	91	23.9	0	0.0
Manhattan	2	25.0	1	14.3	1	100.0	1	25.0	62	16.3	1	50.0
Queens	4	50.0	4	57.1	0	0.0	0	0.0	157	41.2	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	25.0	30	7.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	12.5	1	14.3	0	0.0	0	0.0	39	10.2	0	0.0
Medium poverty (10 to <20% below FPL)	4	50.0	3	42.9	1	100.0	2	50.0	140	36.7	0	0.0
High poverty (20 to <30% below FPL)	2	25.0	2	28.6	0	0.0	0	0.0	105	27.6	2	100.0
Very high poverty (≥30% below FPL)	1	12.5	1	14.3	0	0.0	1	25.0	61	16.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	25.0	36	9.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	1	12.5	1	14.3	0	0.0	0	0.0	16	4.2	0	0.0
Heterosexual	6	75.0	5	71.4	1	100.0	1	25.0	232	60.9	1	50.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	4	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	1	12.5	1	14.3	0	0.0	2	50.0	128	33.6	1	50.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	205	53.8	1	50.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	176	46.2	1	50.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.9. Native American males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	2	100.0	190	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	33.3	2	33.3	0	0.0	1	50.0	11	5.8	0	0.0
30-39	1	16.7	1	16.7	0	0.0	0	0.0	35	18.4	0	0.0
40-49	3	50.0	3	50.0	0	0.0	0	0.0	59	31.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	51	26.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	33	17.4	1	100.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	35	18.4	0	0.0
Brooklyn	1	16.7	1	16.7	0	0.0	1	50.0	46	24.2	0	0.0
Manhattan	2	33.3	2	33.3	0	0.0	0	0.0	43	22.6	1	100.0
Queens	2	33.3	2	33.3	0	0.0	0	0.0	45	23.7	0	0.0
Other/Unknown	1	16.7	1	16.7	0	0.0	1	50.0	21	11.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	8.4	0	0.0
Medium poverty (10 to <20% below FPL)	2	33.3	2	33.3	0	0.0	0	0.0	45	23.7	0	0.0
High poverty (20 to <30% below FPL)	3	50.0	3	50.0	0	0.0	0	0.0	59	31.1	1	100.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	50	26.3	0	0.0
Area-based poverty level not available	1	16.7	1	16.7	0	0.0	1	50.0	20	10.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	66.7	4	66.7	0	0.0	2	100.0	98	51.6	0	0.0
Injection drug use history (IDU)	1	16.7	1	16.7	0	0.0	0	0.0	16	8.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	4.2	0	0.0
Heterosexual	1	16.7	1	16.7	0	0.0	0	0.0	17	8.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	49	25.8	1	100.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	85	44.7	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	105	55.3	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.10. Native American females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	71	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
30-39	1	100.0	1	100.0	0	0.0	0	0.0	8	11.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	29	40.8	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	100.0	22	31.0	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	7	9.9	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	21	29.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	28	39.4	1	100.0
Manhattan	1	100.0	1	100.0	0	0.0	0	0.0	11	15.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	9	12.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	2.8	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	2.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	19	26.8	0	0.0
High poverty (20 to <30% below FPL)	1	100.0	1	100.0	0	0.0	1	100.0	24	33.8	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	25	35.2	1	100.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.6	0	0.0
Heterosexual	1	100.0	1	100.0	0	0.0	1	100.0	48	67.6	1	100.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	21.1	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	47.9	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37	52.1	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	67	100.0	0	0.0
RACE/ETHNICITY												
Black	4	100.0	4	100.0	0	0.0	2	100.0	43	64.2	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	18	26.9	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	4.5	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	4.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	75.0	3	75.0	0	0.0	0	0.0	23	34.3	0	0.0
Brooklyn	1	25.0	1	25.0	0	0.0	1	50.0	15	22.4	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	11	16.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	50.0	13	19.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	6.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	7.5	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	13	19.4	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	20	29.9	0	0.0
Very high poverty (≥30% below FPL)	4	100.0	4	100.0	0	0.0	0	0.0	25	37.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	6.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	4	100.0	0	0.0	2	100.0	67	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62	92.5	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	7.5	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	75	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	45	60.0	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	26	34.7	0	0.0
White	1	100.0	1	100.0	0	0.0	0	0.0	3	4.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	26	34.7	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	21	28.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	16.0	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	9	12.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	8	10.7	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	27	36.0	0	0.0
Very high poverty (≥30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	30	40.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	0	0.0	75	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	72	96.0	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3	4.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.3. Males 13+ Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,190	100.0	1,818	83.0	372	17.0	1,038	100.0	86,584	100.0	1,019	100.0
RACE/ETHNICITY												
Black	843	38.5	691	38.0	152	40.9	479	46.1	33,506	38.7	487	47.8
Latino/Hispanic	743	33.9	614	33.8	129	34.7	335	32.3	28,149	32.5	358	35.1
White	467	21.3	397	21.8	70	18.8	175	16.9	22,322	25.8	162	15.9
Asian/Pacific Islander	109	5.0	92	5.1	17	4.6	37	3.6	1,959	2.3	10	1.0
Native American	6	0.3	6	0.3	0	0.0	2	0.2	190	0.2	1	0.1
Multiracial	22	1.0	18	1.0	4	1.1	10	1.0	171	0.2	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	287	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	81	3.7	79	4.3	2	0.5	13	1.3	415	0.5	0	0.0
20-29	815	37.2	740	40.7	75	20.2	192	18.5	7,439	8.6	25	2.5
30-39	586	26.8	490	27.0	96	25.8	254	24.5	12,928	14.9	57	5.6
40-49	387	17.7	283	15.6	104	28.0	272	26.2	21,998	25.4	178	17.5
50-59	229	10.5	168	9.2	61	16.4	225	21.7	27,490	31.7	376	36.9
60+	92	4.2	58	3.2	34	9.1	82	7.9	16,314	18.8	383	37.6
BOROUGH OF RESIDENCE												
Bronx	367	16.8	302	16.6	65	17.5	212	20.4	17,731	20.5	317	31.1
Brooklyn	567	25.9	461	25.4	106	28.5	271	26.1	19,314	22.3	274	26.9
Manhattan	592	27.0	497	27.3	95	25.5	237	22.8	26,738	30.9	233	22.9
Queens	395	18.0	330	18.2	65	17.5	147	14.2	12,921	14.9	112	11.0
Staten Island	32	1.5	26	1.4	6	1.6	19	1.8	1,509	1.7	35	3.4
Outside NYC	226	10.3	191	10.5	35	9.4	137	13.2	8,225	9.5	40	3.9
Unknown	11	0.5	11	0.6	0	0.0	15	1.4	146	0.2	8	0.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	227	10.4	185	10.2	42	11.3	99	9.5	10,553	12.2	72	7.1
Medium poverty (10 to <20% below FPL)	539	24.6	458	25.2	81	21.8	204	19.7	21,202	24.5	200	19.6
High poverty (20 to <30% below FPL)	680	31.1	561	30.9	119	32.0	305	29.4	24,795	28.6	296	29.0
Very high poverty (≥30% below FPL)	495	22.6	401	22.1	94	25.3	274	26.4	20,495	23.7	384	37.7
Area-based poverty level not available	249	11.4	213	11.7	36	9.7	156	15.0	9,539	11.0	67	6.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,620	74.0	1,387	76.3	233	62.6	580	55.9	46,153	53.3	271	26.6
Injection drug use history (IDU)	28	1.3	19	1.0	9	2.4	63	6.1	10,780	12.5	305	29.9
MSM-IDU	38	1.7	36	2.0	2	0.5	19	1.8	2,635	3.0	54	5.3
Heterosexual	108	4.9	77	4.2	31	8.3	89	8.6	6,007	6.9	96	9.4
Perinatal	0	0.0	0	0.0	0	0.0	10	1.0	1,157	1.3	9	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	2	0.2
Unknown	396	18.1	299	16.4	97	26.1	277	26.7	19,742	22.8	282	27.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37,587	43.4	181	17.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	48,997	56.6	838	82.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.4. Females 13+ Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	523	100.0	407	77.8	116	22.2	392	100.0	32,824	100.0	454	100.0
RACE/ETHNICITY												
Black	346	66.2	266	65.4	80	69.0	264	67.3	19,198	58.5	268	59.0
Latino/Hispanic	132	25.2	107	26.3	25	21.6	99	25.3	10,602	32.3	157	34.6
White	32	6.1	23	5.7	9	7.8	23	5.9	2,447	7.5	26	5.7
Asian/Pacific Islander	8	1.5	7	1.7	1	0.9	4	1.0	381	1.2	2	0.4
Native American	1	0.2	1	0.2	0	0.0	1	0.3	70	0.2	1	0.2
Multiracial	4	0.8	3	0.7	1	0.9	1	0.3	41	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	85	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	23	4.4	22	5.4	1	0.9	3	0.8	387	1.2	0	0.0
20-29	100	19.1	93	22.9	7	6.0	36	9.2	2,049	6.2	9	2.0
30-39	133	25.4	104	25.6	29	25.0	88	22.4	4,249	12.9	34	7.5
40-49	128	24.5	99	24.3	29	25.0	122	31.1	9,086	27.7	80	17.6
50-59	87	16.6	53	13.0	34	29.3	95	24.2	11,237	34.2	186	41.0
60+	52	9.9	36	8.8	16	13.8	48	12.2	5,816	17.7	145	31.9
BOROUGH OF RESIDENCE												
Bronx	149	28.5	122	30.0	27	23.3	122	31.1	10,636	32.4	164	36.1
Brooklyn	179	34.2	131	32.2	48	41.4	114	29.1	9,761	29.7	137	30.2
Manhattan	76	14.5	57	14.0	19	16.4	57	14.5	5,015	15.3	70	15.4
Queens	69	13.2	56	13.8	13	11.2	46	11.7	4,670	14.2	45	9.9
Staten Island	13	2.5	7	1.7	6	5.2	6	1.5	788	2.4	22	4.8
Outside NYC	36	6.9	33	8.1	3	2.6	41	10.5	1,920	5.8	12	2.6
Unknown	1	0.2	1	0.2	0	0.0	6	1.5	34	0.1	4	0.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	5.9	19	4.7	12	10.3	25	6.4	1,945	5.9	25	5.5
Medium poverty (10 to <20% below FPL)	107	20.5	85	20.9	22	19.0	73	18.6	6,575	20.0	61	13.4
High poverty (20 to <30% below FPL)	166	31.7	124	30.5	42	36.2	109	27.8	10,257	31.2	153	33.7
Very high poverty (≥30% below FPL)	178	34.0	142	34.9	36	31.0	137	34.9	11,793	35.9	194	42.7
Area-based poverty level not available	41	7.8	37	9.1	4	3.4	48	12.2	2,254	6.9	21	4.6
TRANSMISSION RISK												
Injection drug use history (IDU)	26	5.0	19	4.7	7	6.0	39	9.9	5,411	16.5	145	31.9
Heterosexual	393	75.1	308	75.7	85	73.3	257	65.6	17,658	53.8	200	44.1
Perinatal	0	0.0	0	0.0	0	0.0	7	1.8	1,208	3.7	6	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	99	0.3	1	0.2
Unknown	104	19.9	80	19.7	24	20.7	89	22.7	8,448	25.7	102	22.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,449	41.0	89	19.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,375	59.0	365	80.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.1. Bronx, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	370	100.0	305	82.4	65	17.6	212	100.0	17,754	100.0	317	100.0
RACE/ETHNICITY												
Black	170	45.9	141	46.2	29	44.6	101	47.6	7,949	44.8	141	44.5
Latino/Hispanic	176	47.6	147	48.2	29	44.6	91	42.9	8,616	48.5	157	49.5
White	21	5.7	15	4.9	6	9.2	16	7.5	972	5.5	17	5.4
Asian/Pacific Islander	1	0.3	1	0.3	0	0.0	2	0.9	125	0.7	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	0	0.0
Multiracial	2	0.5	1	0.3	1	1.5	2	0.9	31	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.8	3	1.0	0	0.0	0	0.0	23	0.1	0	0.0
13-19	18	4.9	18	5.9	0	0.0	4	1.9	126	0.7	0	0.0
20-29	153	41.4	143	46.9	10	15.4	41	19.3	1,939	10.9	5	1.6
30-39	72	19.5	56	18.4	16	24.6	49	23.1	2,517	14.2	19	6.0
40-49	59	15.9	39	12.8	20	30.8	52	24.5	4,274	24.1	54	17.0
50-59	46	12.4	33	10.8	13	20.0	49	23.1	5,678	32.0	115	36.3
60+	19	5.1	13	4.3	6	9.2	17	8.0	3,197	18.0	124	39.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	1.4	3	1.0	2	3.1	4	1.9	99	0.6	6	1.9
Medium poverty (10 to <20% below FPL)	35	9.5	30	9.8	5	7.7	16	7.5	1,680	9.5	27	8.5
High poverty (20 to <30% below FPL)	80	21.6	67	22.0	13	20.0	47	22.2	3,239	18.2	41	12.9
Very high poverty (≥30% below FPL)	250	67.6	205	67.2	45	69.2	145	68.4	12,613	71.0	238	75.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	123	0.7	5	1.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	227	61.4	201	65.9	26	40.0	83	39.2	6,522	36.7	56	17.7
Injection drug use history (IDU)	6	1.6	6	2.0	0	0.0	16	7.5	3,459	19.5	124	39.1
MSM-IDU	4	1.1	4	1.3	0	0.0	4	1.9	743	4.2	17	5.4
Heterosexual	31	8.4	20	6.6	11	16.9	26	12.3	1,668	9.4	27	8.5
Perinatal	3	0.8	3	1.0	0	0.0	6	2.8	424	2.4	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.3
Unknown	99	26.8	71	23.3	28	43.1	77	36.3	4,917	27.7	90	28.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,811	38.4	47	14.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,943	61.6	270	85.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.2. Bronx, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	150	100.0	123	82.0	27	18.0	122	100.0	10,662	100.0	164	100.0
RACE/ETHNICITY												
Black	85	56.7	71	57.7	14	51.9	68	55.7	5,478	51.4	93	56.7
Latino/Hispanic	60	40.0	47	38.2	13	48.1	51	41.8	4,762	44.7	68	41.5
White	5	3.3	5	4.1	0	0.0	3	2.5	338	3.2	3	1.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	0.8	0	0.0	0	0.0	26	0.2	0	0.0
13-19	5	3.3	5	4.1	0	0.0	0	0.0	128	1.2	0	0.0
20-29	28	18.7	25	20.3	3	11.1	11	9.0	700	6.6	5	3.0
30-39	41	27.3	36	29.3	5	18.5	24	19.7	1,491	14.0	14	8.5
40-49	33	22.0	25	20.3	8	29.6	40	32.8	3,019	28.3	27	16.5
50-59	26	17.3	19	15.4	7	25.9	32	26.2	3,609	33.8	79	48.2
60+	16	10.7	12	9.8	4	14.8	15	12.3	1,689	15.8	39	23.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.7	1	0.8	0	0.0	0	0.0	42	0.4	0	0.0
Medium poverty (10 to <20% below FPL)	16	10.7	12	9.8	4	14.8	12	9.8	1,103	10.3	14	8.5
High poverty (20 to <30% below FPL)	19	12.7	15	12.2	4	14.8	20	16.4	2,058	19.3	28	17.1
Very high poverty (≥30% below FPL)	113	75.3	94	76.4	19	70.4	90	73.8	7,423	69.6	122	74.4
Area-based poverty level not available	1	0.7	1	0.8	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	10	6.7	8	6.5	2	7.4	18	14.8	1,936	18.2	58	35.4
Heterosexual	125	83.3	102	82.9	23	85.2	85	69.7	5,664	53.1	68	41.5
Perinatal	1	0.7	1	0.8	0	0.0	0	0.0	420	3.9	3	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	14	9.3	12	9.8	2	7.4	19	15.6	2,620	24.6	35	21.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,339	40.7	30	18.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,323	59.3	134	81.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.3. Brooklyn, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	568	100.0	462	81.3	106	18.7	272	100.0	19,329	100.0	274	100.0
RACE/ETHNICITY												
Black	324	57.0	270	58.4	54	50.9	154	56.6	11,031	57.1	167	60.9
Latino/Hispanic	115	20.2	86	18.6	29	27.4	69	25.4	4,757	24.6	75	27.4
White	98	17.3	80	17.3	18	17.0	38	14.0	3,098	16.0	28	10.2
Asian/Pacific Islander	26	4.6	22	4.8	4	3.8	8	2.9	337	1.7	4	1.5
Native American	1	0.2	1	0.2	0	0.0	1	0.4	46	0.2	0	0.0
Multiracial	4	0.7	3	0.6	1	0.9	2	0.7	26	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	1	0.4	15	0.1	0	0.0
13-19	27	4.8	25	5.4	2	1.9	6	2.2	138	0.7	0	0.0
20-29	212	37.3	195	42.2	17	16.0	52	19.1	2,022	10.5	6	2.2
30-39	145	25.5	123	26.6	22	20.8	47	17.3	3,228	16.7	7	2.6
40-49	96	16.9	66	14.3	30	28.3	79	29.0	4,766	24.7	54	19.7
50-59	56	9.9	34	7.4	22	20.8	62	22.8	5,672	29.3	111	40.5
60+	31	5.5	18	3.9	13	12.3	25	9.2	3,488	18.0	96	35.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	5.5	22	4.8	9	8.5	14	5.1	685	3.5	8	2.9
Medium poverty (10 to <20% below FPL)	133	23.4	114	24.7	19	17.9	52	19.1	4,570	23.6	57	20.8
High poverty (20 to <30% below FPL)	177	31.2	143	31.0	34	32.1	90	33.1	6,819	35.3	79	28.8
Very high poverty (≥30% below FPL)	227	40.0	183	39.6	44	41.5	115	42.3	7,075	36.6	124	45.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.4	180	0.9	6	2.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	382	67.3	322	69.7	60	56.6	138	50.7	9,205	47.6	61	22.3
Injection drug use history (IDU)	11	1.9	7	1.5	4	3.8	19	7.0	2,521	13.0	79	28.8
MSM-IDU	10	1.8	8	1.7	2	1.9	8	2.9	567	2.9	18	6.6
Heterosexual	37	6.5	28	6.1	9	8.5	22	8.1	1,638	8.5	28	10.2
Perinatal	1	0.2	1	0.2	0	0.0	2	0.7	331	1.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	1	0.4
Unknown	127	22.4	96	20.8	31	29.2	83	30.5	5,047	26.1	86	31.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,944	41.1	55	20.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,385	58.9	219	79.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.4. Brooklyn, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	179	100.0	131	73.2	48	26.8	114	100.0	9,782	100.0	137	100.0
RACE/ETHNICITY												
Black	139	77.7	99	75.6	40	83.3	95	83.3	6,858	70.1	100	73.0
Latino/Hispanic	29	16.2	25	19.1	4	8.3	12	10.5	2,228	22.8	33	24.1
White	8	4.5	4	3.1	4	8.3	4	3.5	542	5.5	3	2.2
Asian/Pacific Islander	2	1.1	2	1.5	0	0.0	2	1.8	91	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.9	28	0.3	1	0.7
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	10	5.6	10	7.6	0	0.0	2	1.8	116	1.2	0	0.0
20-29	34	19.0	31	23.7	3	6.3	10	8.8	600	6.1	4	2.9
30-39	51	28.5	37	28.2	14	29.2	30	26.3	1,335	13.6	13	9.5
40-49	39	21.8	31	23.7	8	16.7	32	28.1	2,659	27.2	26	19.0
50-59	30	16.8	14	10.7	16	33.3	26	22.8	3,273	33.5	51	37.2
60+	15	8.4	8	6.1	7	14.6	14	12.3	1,778	18.2	43	31.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	4.5	3	2.3	5	10.4	6	5.3	315	3.2	2	1.5
Medium poverty (10 to <20% below FPL)	46	25.7	35	26.7	11	22.9	32	28.1	2,117	21.6	24	17.5
High poverty (20 to <30% below FPL)	62	34.6	47	35.9	15	31.3	37	32.5	3,243	33.2	43	31.4
Very high poverty (≥30% below FPL)	61	34.1	45	34.4	16	33.3	38	33.3	4,040	41.3	66	48.2
Area-based poverty level not available	2	1.1	1	0.8	1	2.1	1	0.9	67	0.7	2	1.5
TRANSMISSION RISK												
Injection drug use history (IDU)	9	5.0	8	6.1	1	2.1	6	5.3	1,440	14.7	36	26.3
Heterosexual	128	71.5	93	71.0	35	72.9	76	66.7	5,379	55.0	65	47.4
Perinatal	0	0.0	0	0.0	0	0.0	3	2.6	356	3.6	3	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	42	23.5	30	22.9	12	25.0	29	25.4	2,581	26.4	33	24.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,966	40.5	23	16.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,816	59.5	114	83.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.5. Manhattan, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	592	100.0	497	84.0	95	16.0	237	100.0	26,749	100.0	233	100.0
RACE/ETHNICITY												
Black	159	26.9	124	24.9	35	36.8	94	39.7	7,165	26.8	99	42.5
Latino/Hispanic	181	30.6	152	30.6	29	30.5	70	29.5	7,240	27.1	66	28.3
White	210	35.5	184	37.0	26	27.4	61	25.7	11,404	42.6	65	27.9
Asian/Pacific Islander	33	5.6	29	5.8	4	4.2	10	4.2	672	2.5	1	0.4
Native American	2	0.3	2	0.4	0	0.0	0	0.0	43	0.2	1	0.4
Multiracial	7	1.2	6	1.2	1	1.1	2	0.8	55	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	170	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
13-19	8	1.4	8	1.6	0	0.0	0	0.0	49	0.2	0	0.0
20-29	217	36.7	195	39.2	22	23.2	39	16.5	1,682	6.3	3	1.3
30-39	162	27.4	136	27.4	26	27.4	63	26.6	3,874	14.5	18	7.7
40-49	120	20.3	93	18.7	27	28.4	61	25.7	7,010	26.2	37	15.9
50-59	60	10.1	48	9.7	12	12.6	55	23.2	8,565	32.0	75	32.2
60+	25	4.2	17	3.4	8	8.4	19	8.0	5,558	20.8	100	42.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	122	20.6	99	19.9	23	24.2	55	23.2	7,475	27.9	34	14.6
Medium poverty (10 to <20% below FPL)	187	31.6	161	32.4	26	27.4	60	25.3	7,892	29.5	65	27.9
High poverty (20 to <30% below FPL)	250	42.2	210	42.3	40	42.1	105	44.3	9,847	36.8	107	45.9
Very high poverty (≥30% below FPL)	22	3.7	17	3.4	5	5.3	14	5.9	832	3.1	22	9.4
Area-based poverty level not available	11	1.9	10	2.0	1	1.1	3	1.3	703	2.6	5	2.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	490	82.8	417	83.9	73	76.8	165	69.6	17,869	66.8	82	35.2
Injection drug use history (IDU)	5	0.8	2	0.4	3	3.2	10	4.2	2,265	8.5	60	25.8
MSM-IDU	13	2.2	13	2.6	0	0.0	3	1.3	744	2.8	11	4.7
Heterosexual	12	2.0	8	1.6	4	4.2	15	6.3	1,004	3.8	20	8.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	170	0.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	72	12.2	57	11.5	15	15.8	44	18.6	4,680	17.5	59	25.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,464	46.6	39	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,285	53.4	194	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.6. Manhattan, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	57	75.0	19	25.0	57	100.0	5,027	100.0	70	100.0
RACE/ETHNICITY												
Black	51	67.1	36	63.2	15	78.9	38	66.7	2,778	55.3	32	45.7
Latino/Hispanic	19	25.0	17	29.8	2	10.5	14	24.6	1,644	32.7	28	40.0
White	3	3.9	2	3.5	1	5.3	4	7.0	507	10.1	9	12.9
Asian/Pacific Islander	2	2.6	1	1.8	1	5.3	1	1.8	62	1.2	1	1.4
Native American	1	1.3	1	1.8	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	2	2.6	1	1.8	1	5.3	1	1.8	48	1.0	0	0.0
20-29	15	19.7	14	24.6	1	5.3	5	8.8	289	5.7	0	0.0
30-39	16	21.1	9	15.8	7	36.8	13	22.8	529	10.5	0	0.0
40-49	27	35.5	21	36.8	6	31.6	18	31.6	1,300	25.9	11	15.7
50-59	11	14.5	8	14.0	3	15.8	13	22.8	1,775	35.3	26	37.1
60+	5	6.6	4	7.0	1	5.3	7	12.3	1,074	21.4	33	47.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	7.9	5	8.8	1	5.3	3	5.3	534	10.6	13	18.6
Medium poverty (10 to <20% below FPL)	12	15.8	10	17.5	2	10.5	9	15.8	849	16.9	7	10.0
High poverty (20 to <30% below FPL)	53	69.7	38	66.7	15	78.9	36	63.2	3,163	62.9	43	61.4
Very high poverty (≥30% below FPL)	5	6.6	4	7.0	1	5.3	9	15.8	360	7.2	6	8.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	121	2.4	1	1.4
TRANSMISSION RISK												
Injection drug use history (IDU)	4	5.3	2	3.5	2	10.5	9	15.8	1,004	20.0	28	40.0
Heterosexual	55	72.4	41	71.9	14	73.7	37	64.9	2,431	48.4	27	38.6
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	195	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	17	22.4	14	24.6	3	15.8	10	17.5	1,380	27.5	15	21.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,016	40.1	19	27.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,011	59.9	51	72.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.7. Queens, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	395	100.0	330	83.5	65	16.5	148	100.0	12,934	100.0	112	100.0
RACE/ETHNICITY												
Black	101	25.6	83	25.2	18	27.7	52	35.1	4,404	34.0	50	44.6
Latino/Hispanic	185	46.8	151	45.8	34	52.3	69	46.6	5,373	41.5	33	29.5
White	62	15.7	56	17.0	6	9.2	14	9.5	2,402	18.6	26	23.2
Asian/Pacific Islander	41	10.4	34	10.3	7	10.8	13	8.8	658	5.1	3	2.7
Native American	2	0.5	2	0.6	0	0.0	0	0.0	45	0.3	0	0.0
Multiracial	4	1.0	4	1.2	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.7	13	0.1	0	0.0
13-19	12	3.0	12	3.6	0	0.0	2	1.4	55	0.4	0	0.0
20-29	135	34.2	120	36.4	15	23.1	24	16.2	1,111	8.6	6	5.4
30-39	130	32.9	109	33.0	21	32.3	45	30.4	2,128	16.5	6	5.4
40-49	73	18.5	55	16.7	18	27.7	42	28.4	3,497	27.0	22	19.6
50-59	37	9.4	29	8.8	8	12.3	28	18.9	4,085	31.6	33	29.5
60+	8	2.0	5	1.5	3	4.6	6	4.1	2,045	15.8	45	40.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	56	14.2	50	15.2	6	9.2	19	12.8	1,881	14.5	16	14.3
Medium poverty (10 to <20% below FPL)	181	45.8	151	45.8	30	46.2	76	51.4	6,987	54.0	47	42.0
High poverty (20 to <30% below FPL)	157	39.7	128	38.8	29	44.6	53	35.8	3,921	30.3	46	41.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.3	1	0.3	0	0.0	0	0.0	145	1.1	3	2.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	317	80.3	269	81.5	48	73.8	90	60.8	6,665	51.5	49	43.8
Injection drug use history (IDU)	3	0.8	2	0.6	1	1.5	5	3.4	1,565	12.1	22	19.6
MSM-IDU	4	1.0	4	1.2	0	0.0	1	0.7	354	2.7	3	2.7
Heterosexual	21	5.3	14	4.2	7	10.8	17	11.5	1,151	8.9	14	12.5
Perinatal	0	0.0	0	0.0	0	0.0	3	2.0	180	1.4	3	2.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	50	12.7	41	12.4	9	13.8	32	21.6	2,997	23.2	21	18.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,607	43.4	25	22.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,327	56.6	87	77.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.8. Queens, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	56	81.2	13	18.8	46	100.0	4,679	100.0	45	100.0
RACE/ETHNICITY												
Black	39	56.5	32	57.1	7	53.8	33	71.7	2,737	58.5	21	46.7
Latino/Hispanic	16	23.2	12	21.4	4	30.8	8	17.4	1,311	28.0	21	46.7
White	8	11.6	6	10.7	2	15.4	5	10.9	436	9.3	2	4.4
Asian/Pacific Islander	4	5.8	4	7.1	0	0.0	0	0.0	157	3.4	1	2.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	2	2.9	2	3.6	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19	4	5.8	4	7.1	0	0.0	0	0.0	50	1.1	0	0.0
20-29	13	18.8	13	23.2	0	0.0	7	15.2	294	6.3	0	0.0
30-39	18	26.1	16	28.6	2	15.4	9	19.6	562	12.0	4	8.9
40-49	15	21.7	10	17.9	5	38.5	14	30.4	1,340	28.6	8	17.8
50-59	10	14.5	6	10.7	4	30.8	11	23.9	1,629	34.8	16	35.6
60+	9	13.0	7	12.5	2	15.4	5	10.9	795	17.0	17	37.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	20.3	10	17.9	4	30.8	14	30.4	868	18.6	6	13.3
Medium poverty (10 to <20% below FPL)	33	47.8	28	50.0	5	38.5	20	43.5	2,456	52.5	15	33.3
High poverty (20 to <30% below FPL)	21	30.4	17	30.4	4	30.8	12	26.1	1,283	27.4	22	48.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.4	1	1.8	0	0.0	0	0.0	72	1.5	2	4.4
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.9	1	1.8	1	7.7	2	4.3	667	14.3	10	22.2
Heterosexual	52	75.4	42	75.0	10	76.9	33	71.7	2,719	58.1	24	53.3
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	170	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	2.2
Unknown	15	21.7	13	23.2	2	15.4	9	19.6	1,104	23.6	10	22.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,959	41.9	8	17.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,720	58.1	37	82.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.9. Staten Island, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	26	81.3	6	18.8	19	100.0	1,510	100.0	35	100.0
RACE/ETHNICITY												
Black	9	28.1	9	34.6	0	0.0	4	21.1	537	35.6	11	31.4
Latino/Hispanic	12	37.5	10	38.5	2	33.3	8	42.1	432	28.6	12	34.3
White	10	31.3	6	23.1	4	66.7	7	36.8	507	33.6	12	34.3
Asian/Pacific Islander	1	3.1	1	3.8	0	0.0	0	0.0	21	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.1	1	3.8	0	0.0	0	0.0	11	0.7	0	0.0
20-29	11	34.4	10	38.5	1	16.7	2	10.5	111	7.4	2	5.7
30-39	9	28.1	8	30.8	1	16.7	3	15.8	188	12.5	2	5.7
40-49	8	25.0	5	19.2	3	50.0	5	26.3	358	23.7	5	14.3
50-59	2	6.3	2	7.7	0	0.0	5	26.3	551	36.5	18	51.4
60+	1	3.1	0	0.0	1	16.7	4	21.1	290	19.2	8	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	40.6	11	42.3	2	33.3	7	36.8	418	27.7	8	22.9
Medium poverty (10 to <20% below FPL)	3	9.4	2	7.7	1	16.7	1	5.3	86	5.7	4	11.4
High poverty (20 to <30% below FPL)	16	50.0	13	50.0	3	50.0	11	57.9	989	65.5	23	65.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	17	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	71.9	20	76.9	3	50.0	6	31.6	609	40.3	7	20.0
Injection drug use history (IDU)	1	3.1	0	0.0	1	16.7	6	31.6	284	18.8	11	31.4
MSM-IDU	1	3.1	1	3.8	0	0.0	0	0.0	69	4.6	5	14.3
Heterosexual	3	9.4	3	11.5	0	0.0	2	10.5	132	8.7	2	5.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	2.2	2	5.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	12.5	2	7.7	2	33.3	5	26.3	383	25.4	8	22.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	600	39.7	3	8.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	910	60.3	32	91.4

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.10. Staten Island, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	7	53.8	6	46.2	6	100.0	791	100.0	22	100.0
RACE/ETHNICITY												
Black	7	53.8	5	71.4	2	33.3	2	33.3	368	46.5	12	54.5
Latino/Hispanic	3	23.1	2	28.6	1	16.7	1	16.7	230	29.1	5	22.7
White	2	15.4	0	0.0	2	33.3	2	33.3	183	23.1	5	22.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Other/Unknown	1	7.7	0	0.0	1	16.7	1	16.7	6	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	1	7.7	1	14.3	0	0.0	0	0.0	11	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	41	5.2	0	0.0
30-39	3	23.1	2	28.6	1	16.7	1	16.7	109	13.8	1	4.5
40-49	5	38.5	3	42.9	2	33.3	2	33.3	213	26.9	4	18.2
50-59	3	23.1	1	14.3	2	33.3	2	33.3	286	36.2	9	40.9
60+	1	7.7	0	0.0	1	16.7	1	16.7	128	16.2	8	36.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	15.4	0	0.0	2	33.3	2	33.3	192	24.3	4	18.2
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	58	7.3	1	4.5
High poverty (20 to <30% below FPL)	11	84.6	7	100.0	4	66.7	4	66.7	537	67.9	17	77.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	133	16.8	9	40.9
Heterosexual	8	61.5	6	85.7	2	33.3	2	33.3	441	55.8	9	40.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	5	38.5	1	14.3	4	66.7	4	66.7	177	22.4	4	18.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	302	38.2	4	18.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	489	61.8	18	81.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,620	100.0	1,387	85.6	233	14.4	580	100.0	46,153	100.0	271	100.0
RACE/ETHNICITY												
Black	537	33.1	458	33.0	79	33.9	241	41.6	14,121	30.6	117	43.2
Latino/Hispanic	587	36.2	500	36.0	87	37.3	194	33.4	13,586	29.4	79	29.2
White	384	23.7	333	24.0	51	21.9	113	19.5	16,938	36.7	73	26.9
Asian/Pacific Islander	90	5.6	76	5.5	14	6.0	25	4.3	1,242	2.7	2	0.7
Native American	4	0.2	4	0.3	0	0.0	2	0.3	98	0.2	0	0.0
Multiracial	18	1.1	16	1.2	2	0.9	5	0.9	132	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	36	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	68	4.2	66	4.8	2	0.9	7	1.2	112	0.2	0	0.0
20-29	707	43.6	647	46.6	60	25.8	150	25.9	5,652	12.2	9	3.3
30-39	455	28.1	379	27.3	76	32.6	177	30.5	9,495	20.6	25	9.2
40-49	257	15.9	197	14.2	60	25.8	142	24.5	12,807	27.7	70	25.8
50-59	106	6.5	81	5.8	25	10.7	78	13.4	12,108	26.2	95	35.1
60+	27	1.7	17	1.2	10	4.3	26	4.5	5,979	13.0	72	26.6
BOROUGH OF RESIDENCE												
Bronx	227	14.0	201	14.5	26	11.2	83	14.3	6,522	14.1	56	20.7
Brooklyn	382	23.6	322	23.2	60	25.8	138	23.8	9,205	19.9	61	22.5
Manhattan	490	30.2	417	30.1	73	31.3	165	28.4	17,869	38.7	82	30.3
Queens	317	19.6	269	19.4	48	20.6	90	15.5	6,665	14.4	49	18.1
Staten Island	23	1.4	20	1.4	3	1.3	6	1.0	609	1.3	7	2.6
Outside NYC	172	10.6	149	10.7	23	9.9	89	15.3	5,217	11.3	15	5.5
Unknown	9	0.6	9	0.6	0	0.0	9	1.6	66	0.1	1	0.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	176	10.9	150	10.8	26	11.2	55	9.5	7,310	15.8	29	10.7
Medium poverty (10 to <20% below FPL)	430	26.5	371	26.7	59	25.3	122	21.0	11,971	25.9	80	29.5
High poverty (20 to <30% below FPL)	509	31.4	431	31.1	78	33.5	176	30.3	13,115	28.4	81	29.9
Very high poverty (≥30% below FPL)	316	19.5	270	19.5	46	19.7	127	21.9	8,042	17.4	61	22.5
Area-based poverty level not available	189	11.7	165	11.9	24	10.3	100	17.2	5,715	12.4	20	7.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23,565	51.1	46	17.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22,588	48.9	225	83.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.2. Injection drug use history (IDU), males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	19	67.9	9	32.1	63	100.0	10,780	100.0	305	100.0
RACE/ETHNICITY												
Black	9	32.1	7	36.8	2	22.2	23	36.5	4,396	40.8	134	43.9
Latino/Hispanic	10	35.7	7	36.8	3	33.3	30	47.6	5,056	46.9	132	43.3
White	5	17.9	2	10.5	3	33.3	8	12.7	1,250	11.6	37	12.1
Asian/Pacific Islander	3	10.7	2	10.5	1	11.1	1	1.6	49	0.5	2	0.7
Native American	1	3.6	1	5.3	0	0.0	0	0.0	16	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.6	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.6	1	5.3	0	0.0	0	0.0	1	0.0	0	0.0
20-29	4	14.3	4	21.1	0	0.0	1	1.6	34	0.3	0	0.0
30-39	4	14.3	2	10.5	2	22.2	4	6.3	286	2.7	5	1.6
40-49	11	39.3	5	26.3	6	66.7	15	23.8	1,513	14.0	33	10.8
50-59	5	17.9	5	26.3	0	0.0	32	50.8	4,607	42.7	130	42.6
60+	3	10.7	2	10.5	1	11.1	11	17.5	4,339	40.3	137	44.9
BOROUGH OF RESIDENCE												
Bronx	6	21.4	6	31.6	0	0.0	16	25.4	3,459	32.1	124	40.7
Brooklyn	11	39.3	7	36.8	4	44.4	19	30.2	2,521	23.4	79	25.9
Manhattan	5	17.9	2	10.5	3	33.3	10	15.9	2,265	21.0	60	19.7
Queens	3	10.7	2	10.5	1	11.1	5	7.9	1,565	14.5	22	7.2
Staten Island	1	3.6	0	0.0	1	11.1	6	9.5	284	2.6	11	3.6
Outside NYC	2	7.1	2	10.5	0	0.0	5	7.9	667	6.2	6	2.0
Unknown	0	0.0	0	0.0	0	0.0	2	3.2	19	0.2	3	1.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	10.7	1	5.3	2	22.2	7	11.1	672	6.2	19	6.2
Medium poverty (10 to <20% below FPL)	5	17.9	3	15.8	2	22.2	8	12.7	2,388	22.2	38	12.5
High poverty (20 to <30% below FPL)	7	25.0	5	26.3	2	22.2	18	28.6	2,955	27.4	91	29.8
Very high poverty (≥30% below FPL)	11	39.3	8	42.1	3	33.3	23	36.5	3,833	35.6	143	46.9
Area-based poverty level not available	2	7.1	2	10.5	0	0.0	7	11.1	932	8.6	14	4.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,166	20.1	36	11.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,614	79.9	269	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.3. Injection drug use history (IDU), females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	19	73.1	7	26.9	39	100.0	5,411	100.0	145	100.0
RACE/ETHNICITY												
Black	9	34.6	6	31.6	3	42.9	23	59.0	2,605	48.1	68	46.9
Latino/Hispanic	12	46.2	9	47.4	3	42.9	15	38.5	2,153	39.8	63	43.4
White	3	11.5	2	10.5	1	14.3	1	2.6	623	11.5	14	9.7
Asian/Pacific Islander	1	3.8	1	5.3	0	0.0	0	0.0	16	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	1	3.8	1	5.3	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	2.6	1	0.0	0	0.0
20-29	2	7.7	2	10.5	0	0.0	1	2.6	33	0.6	2	1.4
30-39	5	19.2	4	21.1	1	14.3	3	7.7	256	4.7	3	2.1
40-49	11	42.3	8	42.1	3	42.9	14	35.9	1,216	22.5	26	17.9
50-59	6	23.1	3	15.8	3	42.9	16	41.0	2,546	47.1	75	51.7
60+	2	7.7	2	10.5	0	0.0	4	10.3	1,359	25.1	39	26.9
BOROUGH OF RESIDENCE												
Bronx	10	38.5	8	42.1	2	28.6	18	46.2	1,936	35.8	58	40.0
Brooklyn	9	34.6	8	42.1	1	14.3	6	15.4	1,440	26.6	36	24.8
Manhattan	4	15.4	2	10.5	2	28.6	9	23.1	1,004	18.6	28	19.3
Queens	2	7.7	1	5.3	1	14.3	2	5.1	667	12.3	10	6.9
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	133	2.5	9	6.2
Outside NYC	1	3.8	0	0.0	1	14.3	2	5.1	224	4.1	3	2.1
Unknown	0	0.0	0	0.0	0	0.0	2	5.1	7	0.1	1	0.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	3.8	0	0.0	1	14.3	2	5.1	271	5.0	12	8.3
Medium poverty (10 to <20% below FPL)	4	15.4	2	10.5	2	28.6	7	17.9	1,022	18.9	15	10.3
High poverty (20 to <30% below FPL)	5	19.2	2	10.5	3	42.9	6	15.4	1,653	30.5	43	29.7
Very high poverty (≥30% below FPL)	15	57.7	15	78.9	0	0.0	20	51.3	2,166	40.0	71	49.0
Area-based poverty level not available	1	3.8	0	0.0	1	14.3	4	10.3	299	5.5	4	2.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,275	23.6	21	14.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,136	76.4	124	85.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	36	94.7	2	5.3	19	100.0	2,635	100.0	54	100.0
RACE/ETHNICITY												
Black	13	34.2	13	36.1	0	0.0	5	26.3	926	35.1	22	40.7
Latino/Hispanic	13	34.2	12	33.3	1	50.0	8	42.1	1,099	41.7	22	40.7
White	11	28.9	10	27.8	1	50.0	6	31.6	570	21.6	10	18.5
Asian/Pacific Islander	1	2.6	1	2.8	0	0.0	0	0.0	31	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.6	1	2.8	0	0.0	0	0.0	2	0.1	0	0.0
20-29	11	28.9	10	27.8	1	50.0	2	10.5	123	4.7	0	0.0
30-39	15	39.5	14	38.9	1	50.0	6	31.6	349	13.2	5	9.3
40-49	3	7.9	3	8.3	0	0.0	3	15.8	727	27.6	8	14.8
50-59	7	18.4	7	19.4	0	0.0	6	31.6	952	36.1	21	38.9
60+	1	2.6	1	2.8	0	0.0	2	10.5	482	18.3	20	37.0
BOROUGH OF RESIDENCE												
Bronx	4	10.5	4	11.1	0	0.0	4	21.1	743	28.2	17	31.5
Brooklyn	10	26.3	8	22.2	2	100.0	8	42.1	567	21.5	18	33.3
Manhattan	13	34.2	13	36.1	0	0.0	3	15.8	744	28.2	11	20.4
Queens	4	10.5	4	11.1	0	0.0	1	5.3	354	13.4	3	5.6
Staten Island	1	2.6	1	2.8	0	0.0	0	0.0	69	2.6	5	9.3
Outside NYC	5	13.2	5	13.9	0	0.0	2	10.5	154	5.8	0	0.0
Unknown	1	2.6	1	2.8	0	0.0	1	5.3	4	0.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	18.4	6	16.7	1	50.0	2	10.5	241	9.1	2	3.7
Medium poverty (10 to <20% below FPL)	12	31.6	11	30.6	1	50.0	6	31.6	626	23.8	9	16.7
High poverty (20 to <30% below FPL)	6	15.8	6	16.7	0	0.0	5	26.3	781	29.6	19	35.2
Very high poverty (≥30% below FPL)	7	18.4	7	19.4	0	0.0	3	15.8	808	30.7	22	40.7
Area-based poverty level not available	6	15.8	6	16.7	0	0.0	3	15.8	179	6.8	2	3.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	837	31.8	9	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,798	68.2	45	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.5. Heterosexual, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	108	100.0	77	71.3	31	28.7	89	100.0	6,007	100.0	96	100.0
RACE/ETHNICITY												
Black	67	62.0	47	61.0	20	64.5	55	61.8	3,274	54.5	58	60.4
Latino/Hispanic	27	25.0	20	26.0	7	22.6	28	31.5	2,033	33.8	31	32.3
White	8	7.4	4	5.2	4	12.9	6	6.7	507	8.4	4	4.2
Asian/Pacific Islander	4	3.7	4	5.2	0	0.0	0	0.0	168	2.8	3	3.1
Native American	1	0.9	1	1.3	0	0.0	0	0.0	17	0.3	0	0.0
Multiracial	1	0.9	1	1.3	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.9	1	1.3	0	0.0	0	0.0	1	0.0	0	0.0
20-29	13	12.0	11	14.3	2	6.5	7	7.9	128	2.1	1	1.0
30-39	25	23.1	23	29.9	2	6.5	13	14.6	550	9.2	4	4.2
40-49	29	26.9	16	20.8	13	41.9	33	37.1	1,743	29.0	19	19.8
50-59	32	29.6	23	29.9	9	29.0	27	30.3	2,394	39.9	25	26.0
60+	8	7.4	3	3.9	5	16.1	9	10.1	1,191	19.8	47	49.0
BOROUGH OF RESIDENCE												
Bronx	31	28.7	20	26.0	11	35.5	26	29.2	1,668	27.8	27	28.1
Brooklyn	37	34.3	28	36.4	9	29.0	22	24.7	1,638	27.3	28	29.2
Manhattan	12	11.1	8	10.4	4	12.9	15	16.9	1,004	16.7	20	20.8
Queens	21	19.4	14	18.2	7	22.6	17	19.1	1,151	19.2	14	14.6
Staten Island	3	2.8	3	3.9	0	0.0	2	2.2	132	2.2	2	2.1
Outside NYC	4	3.7	4	5.2	0	0.0	6	6.7	410	6.8	3	3.1
Unknown	0	0.0	0	0.0	0	0.0	1	1.1	4	0.1	2	2.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	7.4	3	3.9	5	16.1	8	9.0	392	6.5	3	3.1
Medium poverty (10 to <20% below FPL)	15	13.9	10	13.0	5	16.1	16	18.0	1,340	22.3	16	16.7
High poverty (20 to <30% below FPL)	41	38.0	31	40.3	10	32.3	28	31.5	1,898	31.6	27	28.1
Very high poverty (≥30% below FPL)	40	37.0	29	37.7	11	35.5	29	32.6	1,921	32.0	43	44.8
Area-based poverty level not available	4	3.7	4	5.2	0	0.0	8	9.0	456	7.6	7	7.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,057	34.2	14	14.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,950	65.8	82	85.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.6. Heterosexual, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	393	100.0	308	78.4	85	21.6	257	100.0	17,658	100.0	200	100.0
RACE/ETHNICITY												
Black	267	67.9	209	67.9	58	68.2	180	70.0	10,515	59.5	130	65.0
Latino/Hispanic	97	24.7	78	25.3	19	22.4	60	23.3	5,654	32.0	62	31.0
White	19	4.8	13	4.2	6	7.1	14	5.4	1,167	6.6	6	3.0
Asian/Pacific Islander	6	1.5	5	1.6	1	1.2	1	0.4	232	1.3	1	0.5
Native American	1	0.3	1	0.3	0	0.0	1	0.4	48	0.3	1	0.5
Multiracial	3	0.8	2	0.6	1	1.2	1	0.4	31	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	17	4.3	16	5.2	1	1.2	1	0.4	46	0.3	0	0.0
20-29	83	21.1	77	25.0	6	7.1	25	9.7	1,008	5.7	1	0.5
30-39	106	27.0	85	27.6	21	24.7	63	24.5	2,808	15.9	21	10.5
40-49	92	23.4	69	22.4	23	27.1	74	28.8	5,181	29.3	34	17.0
50-59	58	14.8	35	11.4	23	27.1	64	24.9	5,801	32.9	81	40.5
60+	37	9.4	26	8.4	11	12.9	30	11.7	2,814	15.9	63	31.5
BOROUGH OF RESIDENCE												
Bronx	125	31.8	102	33.1	23	27.1	85	33.1	5,664	32.1	68	34.0
Brooklyn	128	32.6	93	30.2	35	41.2	76	29.6	5,379	30.5	65	32.5
Manhattan	55	14.0	41	13.3	14	16.5	37	14.4	2,431	13.8	27	13.5
Queens	52	13.2	42	13.6	10	11.8	33	12.8	2,719	15.4	24	12.0
Staten Island	8	2.0	6	1.9	2	2.4	2	0.8	441	2.5	9	4.5
Outside NYC	25	6.4	24	7.8	1	1.2	21	8.2	1,017	5.8	5	2.5
Unknown	0	0.0	0	0.0	0	0.0	3	1.2	7	0.0	2	1.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	22	5.6	15	4.9	7	8.2	15	5.8	1,059	6.0	10	5.0
Medium poverty (10 to <20% below FPL)	87	22.1	70	22.7	17	20.0	53	20.6	3,587	20.3	29	14.5
High poverty (20 to <30% below FPL)	119	30.3	92	29.9	27	31.8	71	27.6	5,573	31.6	75	37.5
Very high poverty (≥30% below FPL)	137	34.9	105	34.1	32	37.6	93	36.2	6,326	35.8	79	39.5
Area-based poverty level not available	28	7.1	26	8.4	2	2.4	25	9.7	1,113	6.3	7	3.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,569	42.9	35	17.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,089	57.1	165	82.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	15	88.2	2	11.8	9	100.0	693	100.0	15	100.0
SEX AT BIRTH												
Male	11	64.7	10	66.7	1	50.0	7	77.8	470	67.8	12	80.0
Female	6	35.3	5	33.3	1	50.0	2	22.2	223	32.2	3	20.0
RACE/ETHNICITY												
Black	7	41.2	7	46.7	0	0.0	1	11.1	242	34.9	5	33.3
Latino/Hispanic	9	52.9	7	46.7	2	100.0	5	55.6	312	45.0	6	40.0
White	1	5.9	1	6.7	0	0.0	2	22.2	127	18.3	4	26.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	11.1	8	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.9	1	6.7	0	0.0	0	0.0	5	0.7	0	0.0
20-29	6	35.3	6	40.0	0	0.0	1	11.1	57	8.2	0	0.0
30-39	3	17.6	2	13.3	1	50.0	1	11.1	75	10.8	0	0.0
40-49	4	23.5	4	26.7	0	0.0	3	33.3	166	24.0	3	20.0
50-59	2	11.8	2	13.3	0	0.0	3	33.3	224	32.3	7	46.7
60+	1	5.9	0	0.0	1	50.0	1	11.1	166	24.0	5	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	47.1	7	46.7	1	50.0	4	44.4	242	34.9	4	26.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	108	15.6	5	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	8	1.2	0	0.0
Heterosexual	6	35.3	5	33.3	1	50.0	2	22.2	152	21.9	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	17.6	3	20.0	0	0.0	2	22.2	169	24.4	5	33.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	278	40.1	4	26.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	415	59.9	11	73.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.
The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	46	82.1	10	17.9	31	100.0	2,545	100.0	39	100.0
SEX AT BIRTH												
Male	41	73.2	35	76.1	6	60.0	18	58.1	1,428	56.1	24	61.5
Female	15	26.8	11	23.9	4	40.0	13	41.9	1,117	43.9	15	38.5
RACE/ETHNICITY												
Black	41	73.2	34	73.9	7	70.0	25	80.6	1,619	63.6	16	41.0
Latino/Hispanic	11	19.6	9	19.6	2	20.0	4	12.9	754	29.6	22	56.4
White	4	7.1	3	6.5	1	10.0	2	6.5	133	5.2	1	2.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	2	3.6	2	4.3	0	0.0	0	0.0	44	1.7	0	0.0
20-29	20	35.7	19	41.3	1	10.0	5	16.1	251	9.9	0	0.0
30-39	11	19.6	10	21.7	1	10.0	7	22.6	361	14.2	7	17.9
40-49	8	14.3	6	13.0	2	20.0	8	25.8	664	26.1	6	15.4
50-59	9	16.1	3	6.5	6	60.0	10	32.3	789	31.0	15	38.5
60+	6	10.7	6	13.0	0	0.0	1	3.2	429	16.9	11	28.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	42.9	22	47.8	2	20.0	5	16.1	542	21.3	7	17.9
Injection drug use history (IDU)	1	1.8	0	0.0	1	10.0	2	6.5	347	13.6	10	25.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	55	2.2	1	2.6
Heterosexual	17	30.4	13	28.3	4	40.0	14	45.2	764	30.0	9	23.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	102	4.0	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	14	25.0	11	23.9	3	30.0	10	32.3	731	28.7	11	28.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,061	41.7	9	23.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,484	58.3	30	76.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	84	79.2	22	20.8	69	100.0	5,451	100.0	73	100.0
SEX AT BIRTH												
Male	89	84.0	70	83.3	19	86.4	47	68.1	3,591	65.9	51	69.9
Female	17	16.0	14	16.7	3	13.6	22	31.9	1,860	34.1	22	30.1
RACE/ETHNICITY												
Black	43	40.6	35	41.7	8	36.4	32	46.4	2,408	44.2	37	50.7
Latino/Hispanic	53	50.0	42	50.0	11	50.0	31	44.9	2,711	49.7	32	43.8
White	8	7.5	6	7.1	2	9.1	4	5.8	280	5.1	3	4.1
Asian/Pacific Islander	1	0.9	1	1.2	0	0.0	1	1.4	31	0.6	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	1	0.9	0	0.0	1	4.5	1	1.4	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	5	4.7	5	6.0	0	0.0	0	0.0	42	0.8	0	0.0
20-29	44	41.5	40	47.6	4	18.2	11	15.9	555	10.2	3	4.1
30-39	22	20.8	16	19.0	6	27.3	13	18.8	800	14.7	6	8.2
40-49	18	17.0	12	14.3	6	27.3	19	27.5	1,435	26.3	15	20.5
50-59	12	11.3	7	8.3	5	22.7	16	23.2	1,783	32.7	28	38.4
60+	5	4.7	4	4.8	1	4.5	10	14.5	831	15.2	21	28.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	54	50.9	49	58.3	5	22.7	16	23.2	1,498	27.5	9	12.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	7.2	958	17.6	23	31.5
MSM-IDU	1	0.9	1	1.2	0	0.0	1	1.4	147	2.7	4	5.5
Heterosexual	25	23.6	17	20.2	8	36.4	23	33.3	1,302	23.9	14	19.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	129	2.4	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	26	24.5	17	20.2	9	40.9	24	34.8	1,412	25.9	22	30.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,157	39.6	7	9.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,294	60.4	66	90.4

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	51	81.0	12	19.0	42	100.0	4,269	100.0	50	100.0
SEX AT BIRTH												
Male	45	71.4	35	68.6	10	83.3	29	69.0	2,645	62.0	35	70.0
Female	18	28.6	16	31.4	2	16.7	13	31.0	1,624	38.0	15	30.0
RACE/ETHNICITY												
Black	30	47.6	25	49.0	5	41.7	17	40.5	1,735	40.6	21	42.0
Latino/Hispanic	29	46.0	24	47.1	5	41.7	20	47.6	2,194	51.4	24	48.0
White	4	6.3	2	3.9	2	16.7	5	11.9	291	6.8	5	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	32	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	6.3	4	7.8	0	0.0	1	2.4	30	0.7	0	0.0
20-29	22	34.9	22	43.1	0	0.0	5	11.9	385	9.0	0	0.0
30-39	16	25.4	13	25.5	3	25.0	9	21.4	560	13.1	1	2.0
40-49	8	12.7	5	9.8	3	25.0	10	23.8	1,111	26.0	10	20.0
50-59	10	15.9	6	11.8	4	33.3	11	26.2	1,455	34.1	19	38.0
60+	3	4.8	1	2.0	2	16.7	6	14.3	723	16.9	20	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	57.1	31	60.8	5	41.7	14	33.3	1,019	23.9	7	14.0
Injection drug use history (IDU)	2	3.2	1	2.0	1	8.3	4	9.5	765	17.9	20	40.0
MSM-IDU	1	1.6	1	2.0	0	0.0	1	2.4	93	2.2	1	2.0
Heterosexual	16	25.4	13	25.5	3	25.0	14	33.3	1,092	25.6	9	18.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	152	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	8	12.7	5	9.8	3	25.0	8	19.0	1,134	26.6	13	26.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,709	40.0	8	16.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,560	60.0	42	84.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	110	100.0	96	87.3	14	12.7	61	100.0	5,653	100.0	103	100.0
SEX AT BIRTH												
Male	75	68.2	66	68.8	9	64.3	36	59.0	3,457	61.2	69	67.0
Female	35	31.8	30	31.3	5	35.7	25	41.0	2,196	38.8	34	33.0
RACE/ETHNICITY												
Black	48	43.6	42	43.8	6	42.9	28	45.9	2,659	47.0	54	52.4
Latino/Hispanic	59	53.6	51	53.1	8	57.1	30	49.2	2,778	49.1	46	44.7
White	2	1.8	2	2.1	0	0.0	2	3.3	156	2.8	3	2.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	1	0.9	1	1.0	0	0.0	1	1.6	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.8	2	2.1	0	0.0	0	0.0	12	0.2	0	0.0
13-19	2	1.8	2	2.1	0	0.0	2	3.3	54	1.0	0	0.0
20-29	39	35.5	37	38.5	2	14.3	10	16.4	544	9.6	2	1.9
30-39	28	25.5	24	25.0	4	28.6	11	18.0	785	13.9	9	8.7
40-49	19	17.3	14	14.6	5	35.7	22	36.1	1,443	25.5	13	12.6
50-59	13	11.8	12	12.5	1	7.1	11	18.0	1,832	32.4	45	43.7
60+	7	6.4	5	5.2	2	14.3	5	8.2	983	17.4	34	33.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	47	42.7	44	45.8	3	21.4	14	23.0	1,179	20.9	10	9.7
Injection drug use history (IDU)	5	4.5	5	5.2	0	0.0	8	13.1	1,145	20.3	42	40.8
MSM-IDU	2	1.8	2	2.1	0	0.0	0	0.0	160	2.8	2	1.9
Heterosexual	36	32.7	30	31.3	6	42.9	20	32.8	1,544	27.3	18	17.5
Perinatal	2	1.8	2	2.1	0	0.0	2	3.3	174	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	1.0
Unknown	18	16.4	13	13.5	5	35.7	17	27.9	1,444	25.5	30	29.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,200	38.9	12	11.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,453	61.1	91	88.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	96	100.0	75	78.1	21	21.9	70	100.0	5,892	100.0	119	100.0
SEX AT BIRTH												
Male	57	59.4	44	58.7	13	61.9	39	55.7	3,686	62.6	72	60.5
Female	39	40.6	31	41.3	8	38.1	31	44.3	2,206	37.4	47	39.5
RACE/ETHNICITY												
Black	57	59.4	44	58.7	13	61.9	45	64.3	3,067	52.1	70	58.8
Latino/Hispanic	36	37.5	29	38.7	7	33.3	23	32.9	2,593	44.0	48	40.3
White	3	3.1	2	2.7	1	4.8	2	2.9	186	3.2	1	0.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	4	4.2	4	5.3	0	0.0	1	1.4	45	0.8	0	0.0
20-29	28	29.2	25	33.3	3	14.3	9	12.9	466	7.9	3	2.5
30-39	21	21.9	18	24.0	3	14.3	16	22.9	836	14.2	4	3.4
40-49	21	21.9	13	17.3	8	38.1	18	25.7	1,496	25.4	20	16.8
50-59	14	14.6	10	13.3	4	19.0	21	30.0	1,933	32.8	49	41.2
60+	8	8.3	5	6.7	3	14.3	5	7.1	1,104	18.7	43	36.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	33.3	27	36.0	5	23.8	13	18.6	1,238	21.0	12	10.1
Injection drug use history (IDU)	3	3.1	3	4.0	0	0.0	8	11.4	1,212	20.6	48	40.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	171	2.9	6	5.0
Heterosexual	37	38.5	29	38.7	8	38.1	21	30.0	1,521	25.8	31	26.1
Perinatal	0	0.0	0	0.0	0	0.0	2	2.9	149	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	24	25.0	16	21.3	8	38.1	26	37.1	1,593	27.0	21	17.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,189	37.2	21	17.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,703	62.8	98	82.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	71	100.0	60	84.5	11	15.5	52	100.0	3,754	100.0	77	100.0
SEX AT BIRTH												
Male	52	73.2	45	75.0	7	63.6	36	69.2	2,354	62.7	49	63.6
Female	19	26.8	15	25.0	4	36.4	16	30.8	1,400	37.3	28	36.4
RACE/ETHNICITY												
Black	29	40.8	25	41.7	4	36.4	21	40.4	1,646	43.8	30	39.0
Latino/Hispanic	38	53.5	31	51.7	7	63.6	29	55.8	1,959	52.2	44	57.1
White	4	5.6	4	6.7	0	0.0	2	3.8	122	3.2	3	3.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	2	2.8	2	3.3	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	7.0	5	8.3	0	0.0	0	0.0	34	0.9	0	0.0
20-29	22	31.0	19	31.7	3	27.3	11	21.2	380	10.1	2	2.6
30-39	12	16.9	9	15.0	3	27.3	16	30.8	583	15.5	5	6.5
40-49	14	19.7	10	16.7	4	36.4	12	23.1	936	24.9	14	18.2
50-59	11	15.5	11	18.3	0	0.0	9	17.3	1,212	32.3	29	37.7
60+	5	7.0	4	6.7	1	9.1	4	7.7	601	16.0	27	35.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	26	36.6	21	35.0	5	45.5	17	32.7	792	21.1	6	7.8
Injection drug use history (IDU)	5	7.0	5	8.3	0	0.0	7	13.5	806	21.5	33	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.9	107	2.9	2	2.6
Heterosexual	18	25.4	14	23.3	4	36.4	17	32.7	948	25.3	13	16.9
Perinatal	2	2.8	2	3.3	0	0.0	1	1.9	124	3.3	2	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	20	28.2	18	30.0	2	18.2	9	17.3	973	25.9	21	27.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,487	39.6	14	18.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,267	60.4	63	81.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	15	83.3	3	16.7	7	100.0	899	100.0	5	100.0
SEX AT BIRTH												
Male	17	94.4	14	93.3	3	100.0	7	100.0	720	80.1	5	100.0
Female	1	5.6	1	6.7	0	0.0	0	0.0	179	19.9	0	0.0
RACE/ETHNICITY												
Black	1	5.6	1	6.7	0	0.0	0	0.0	138	15.4	1	20.0
Latino/Hispanic	5	27.8	5	33.3	0	0.0	2	28.6	400	44.5	3	60.0
White	11	61.1	9	60.0	2	66.7	4	57.1	344	38.3	1	20.0
Asian/Pacific Islander	1	5.6	0	0.0	1	33.3	1	14.3	15	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	81	9.0	0	0.0
30-39	9	50.0	7	46.7	2	66.7	3	42.9	197	21.9	0	0.0
40-49	5	27.8	4	26.7	1	33.3	2	28.6	268	29.8	1	20.0
50-59	0	0.0	0	0.0	0	0.0	2	28.6	242	26.9	4	80.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	108	12.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	88.9	13	86.7	3	100.0	4	57.1	477	53.1	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	117	13.0	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	1	20.0
Heterosexual	1	5.6	1	6.7	0	0.0	0	0.0	115	12.8	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	1	5.6	1	6.7	0	0.0	2	28.6	154	17.1	2	40.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	455	50.6	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	444	49.4	5	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	52	77.6	15	22.4	35	100.0	2,751	100.0	38	100.0
SEX AT BIRTH												
Male	58	86.6	46	88.5	12	80.0	27	77.1	2,095	76.2	28	73.7
Female	9	13.4	6	11.5	3	20.0	8	22.9	656	23.8	10	26.3
RACE/ETHNICITY												
Black	30	44.8	22	42.3	8	53.3	17	48.6	1,119	40.7	24	63.2
Latino/Hispanic	15	22.4	13	25.0	2	13.3	6	17.1	710	25.8	9	23.7
White	21	31.3	16	30.8	5	33.3	10	28.6	850	30.9	5	13.2
Asian/Pacific Islander	1	1.5	1	1.9	0	0.0	1	2.9	52	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.9	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.9	5	0.2	0	0.0
13-19	3	4.5	3	5.8	0	0.0	1	2.9	14	0.5	0	0.0
20-29	30	44.8	26	50.0	4	26.7	6	17.1	188	6.8	2	5.3
30-39	10	14.9	6	11.5	4	26.7	7	20.0	341	12.4	1	2.6
40-49	10	14.9	9	17.3	1	6.7	10	28.6	716	26.0	8	21.1
50-59	9	13.4	5	9.6	4	26.7	7	20.0	906	32.9	15	39.5
60+	5	7.5	3	5.8	2	13.3	3	8.6	581	21.1	12	31.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	65.7	35	67.3	9	60.0	19	54.3	1,307	47.5	13	34.2
Injection drug use history (IDU)	2	3.0	2	3.8	0	0.0	1	2.9	363	13.2	7	18.4
MSM-IDU	3	4.5	1	1.9	2	13.3	3	8.6	57	2.1	2	5.3
Heterosexual	7	10.4	5	9.6	2	13.3	4	11.4	425	15.4	7	18.4
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	44	1.6	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	11	16.4	9	17.3	2	13.3	6	17.1	552	20.1	8	21.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,224	44.5	9	23.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,527	55.5	29	76.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	162	100.0	137	84.6	25	15.4	91	100.0	7,530	100.0	122	100.0
SEX AT BIRTH												
Male	119	73.5	103	75.2	16	64.0	65	71.4	4,875	64.7	79	64.8
Female	43	26.5	34	24.8	9	36.0	26	28.6	2,655	35.3	43	35.2
RACE/ETHNICITY												
Black	123	75.9	103	75.2	20	80.0	75	82.4	5,915	78.6	97	79.5
Latino/Hispanic	22	13.6	18	13.1	4	16.0	11	12.1	1,066	14.2	21	17.2
White	14	8.6	13	9.5	1	4.0	3	3.3	458	6.1	4	3.3
Asian/Pacific Islander	3	1.9	3	2.2	0	0.0	1	1.1	50	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.1	22	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	11	0.1	0	0.0
13-19	9	5.6	8	5.8	1	4.0	2	2.2	73	1.0	0	0.0
20-29	60	37.0	52	38.0	8	32.0	23	25.3	685	9.1	2	1.6
30-39	43	26.5	38	27.7	5	20.0	16	17.6	1,240	16.5	8	6.6
40-49	29	17.9	23	16.8	6	24.0	25	27.5	1,939	25.8	22	18.0
50-59	14	8.6	10	7.3	4	16.0	18	19.8	2,259	30.0	51	41.8
60+	6	3.7	5	3.6	1	4.0	7	7.7	1,323	17.6	39	32.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	86	53.1	74	54.0	12	48.0	36	39.6	2,275	30.2	15	12.3
Injection drug use history (IDU)	3	1.9	2	1.5	1	4.0	8	8.8	1,016	13.5	33	27.0
MSM-IDU	1	0.6	1	0.7	0	0.0	1	1.1	156	2.1	5	4.1
Heterosexual	37	22.8	30	21.9	7	28.0	23	25.3	1,880	25.0	26	21.3
Perinatal	1	0.6	1	0.7	0	0.0	1	1.1	190	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	34	21.0	29	21.2	5	20.0	22	24.2	2,005	26.6	42	34.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,078	40.9	20	16.4
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,452	59.1	102	83.6

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.
The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	115	100.0	90	78.3	25	21.7	58	100.0	3,327	100.0	58	100.0
SEX AT BIRTH												
Male	89	77.4	72	80.0	17	68.0	41	70.7	1,929	58.0	39	67.2
Female	26	22.6	18	20.0	8	32.0	17	29.3	1,398	42.0	19	32.8
RACE/ETHNICITY												
Black	72	62.6	53	58.9	19	76.0	46	79.3	2,148	64.6	37	63.8
Latino/Hispanic	31	27.0	26	28.9	5	20.0	10	17.2	1,025	30.8	18	31.0
White	5	4.3	4	4.4	1	4.0	1	1.7	98	2.9	2	3.4
Asian/Pacific Islander	6	5.2	6	6.7	0	0.0	1	1.7	38	1.1	1	1.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	10	8.7	10	11.1	0	0.0	0	0.0	53	1.6	0	0.0
20-29	39	33.9	38	42.2	1	4.0	8	13.8	386	11.6	1	1.7
30-39	25	21.7	16	17.8	9	36.0	16	27.6	536	16.1	4	6.9
40-49	25	21.7	18	20.0	7	28.0	14	24.1	817	24.6	8	13.8
50-59	8	7.0	4	4.4	4	16.0	12	20.7	1,055	31.7	26	44.8
60+	8	7.0	4	4.4	4	16.0	8	13.8	474	14.2	19	32.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	57	49.6	49	54.4	8	32.0	18	31.0	794	23.9	8	13.8
Injection drug use history (IDU)	5	4.3	4	4.4	1	4.0	5	8.6	478	14.4	22	37.9
MSM-IDU	2	1.7	2	2.2	0	0.0	0	0.0	52	1.6	1	1.7
Heterosexual	25	21.7	17	18.9	8	32.0	17	29.3	1,015	30.5	18	31.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	100	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	26	22.6	18	20.0	8	32.0	17	29.3	883	26.5	9	15.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,312	39.4	8	13.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,015	60.6	50	86.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	10	76.9	3	23.1	7	100.0	831	100.0	6	100.0
SEX AT BIRTH												
Male	11	84.6	9	90.0	2	66.7	6	85.7	619	74.5	3	50.0
Female	2	15.4	1	10.0	1	33.3	1	14.3	212	25.5	3	50.0
RACE/ETHNICITY												
Black	3	23.1	2	20.0	1	33.3	1	14.3	151	18.2	1	16.7
Latino/Hispanic	5	38.5	3	30.0	2	66.7	5	71.4	471	56.7	5	83.3
White	2	15.4	2	20.0	0	0.0	1	14.3	157	18.9	0	0.0
Asian/Pacific Islander	3	23.1	3	30.0	0	0.0	0	0.0	50	6.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	14.3	57	6.9	0	0.0
30-39	4	30.8	4	40.0	0	0.0	1	14.3	125	15.0	0	0.0
40-49	2	15.4	1	10.0	1	33.3	2	28.6	251	30.2	1	16.7
50-59	6	46.2	4	40.0	2	66.7	3	42.9	251	30.2	1	16.7
60+	1	7.7	1	10.0	0	0.0	0	0.0	144	17.3	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	5	50.0	1	33.3	3	42.9	268	32.3	0	0.0
Injection drug use history (IDU)	1	7.7	1	10.0	0	0.0	1	14.3	155	18.7	2	33.3
MSM-IDU	1	7.7	1	10.0	0	0.0	0	0.0	35	4.2	0	0.0
Heterosexual	1	7.7	0	0.0	1	33.3	1	14.3	179	21.5	2	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	30.8	3	30.0	1	33.3	2	28.6	183	22.0	2	33.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	355	42.7	2	33.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	476	57.3	4	66.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.
The following ZIP codes are included in Sunset Park: 11220, 11232.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	21	72.4	8	27.6	11	100.0	1,116	100.0	18	100.0
SEX AT BIRTH												
Male	26	89.7	18	85.7	8	100.0	11	100.0	826	74.0	18	100.0
Female	3	10.3	3	14.3	0	0.0	0	0.0	290	26.0	0	0.0
RACE/ETHNICITY												
Black	5	17.2	5	23.8	0	0.0	0	0.0	320	28.7	5	27.8
Latino/Hispanic	9	31.0	4	19.0	5	62.5	6	54.5	409	36.6	7	38.9
White	9	31.0	7	33.3	2	25.0	5	45.5	331	29.7	5	27.8
Asian/Pacific Islander	5	17.2	4	19.0	1	12.5	0	0.0	52	4.7	1	5.6
Other/Unknown	1	3.4	1	4.8	0	0.0	0	0.0	4	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.4	1	4.8	0	0.0	0	0.0	4	0.4	0	0.0
20-29	8	27.6	7	33.3	1	12.5	1	9.1	76	6.8	0	0.0
30-39	9	31.0	8	38.1	1	12.5	0	0.0	169	15.1	2	11.1
40-49	9	31.0	5	23.8	4	50.0	6	54.5	301	27.0	4	22.2
50-59	2	6.9	0	0.0	2	25.0	4	36.4	349	31.3	8	44.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	216	19.4	4	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	58.6	13	61.9	4	50.0	4	36.4	432	38.7	4	22.2
Injection drug use history (IDU)	2	6.9	1	4.8	1	12.5	1	9.1	183	16.4	7	38.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	9.1	24	2.2	1	5.6
Heterosexual	2	6.9	2	9.5	0	0.0	0	0.0	219	19.6	1	5.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	27.6	5	23.8	3	37.5	5	45.5	237	21.2	5	27.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	455	40.8	3	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	661	59.2	15	83.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	99	79.2	26	20.8	53	100.0	5,215	100.0	53	100.0
SEX AT BIRTH												
Male	83	66.4	68	68.7	15	57.7	36	67.9	3,347	64.2	36	67.9
Female	42	33.6	31	31.3	11	42.3	17	32.1	1,868	35.8	17	32.1
RACE/ETHNICITY												
Black	107	85.6	85	85.9	22	84.6	42	79.2	4,151	79.6	42	79.2
Latino/Hispanic	9	7.2	7	7.1	2	7.7	6	11.3	697	13.4	7	13.2
White	5	4.0	4	4.0	1	3.8	1	1.9	288	5.5	2	3.8
Asian/Pacific Islander	3	2.4	2	2.0	1	3.8	3	5.7	48	0.9	2	3.8
Native American	0	0.0	0	0.0	0	0.0	1	1.9	17	0.3	0	0.0
Multiracial	1	0.8	1	1.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	5	4.0	5	5.1	0	0.0	2	3.8	36	0.7	0	0.0
20-29	40	32.0	38	38.4	2	7.7	5	9.4	452	8.7	2	3.8
30-39	31	24.8	26	26.3	5	19.2	10	18.9	798	15.3	2	3.8
40-49	15	12.0	12	12.1	3	11.5	10	18.9	1,334	25.6	9	17.0
50-59	16	12.8	8	8.1	8	30.8	17	32.1	1,563	30.0	20	37.7
60+	18	14.4	10	10.1	8	30.8	9	17.0	1,027	19.7	20	37.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	47	37.6	42	42.4	5	19.2	14	26.4	1,506	28.9	11	20.8
Injection drug use history (IDU)	2	1.6	2	2.0	0	0.0	0	0.0	515	9.9	14	26.4
MSM-IDU	1	0.8	1	1.0	0	0.0	1	1.9	87	1.7	1	1.9
Heterosexual	35	28.0	27	27.3	8	30.8	14	26.4	1,400	26.8	14	26.4
Perinatal	0	0.0	0	0.0	0	0.0	1	1.9	107	2.1	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	40	32.0	27	27.3	13	50.0	23	43.4	1,588	30.5	12	22.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,016	38.7	9	17.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,199	61.3	44	83.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	61	100.0	45	73.8	16	26.2	34	100.0	1,623	100.0	21	100.0
SEX AT BIRTH												
Male	41	67.2	33	73.3	8	50.0	15	44.1	872	53.7	14	66.7
Female	20	32.8	12	26.7	8	50.0	19	55.9	751	46.3	7	33.3
RACE/ETHNICITY												
Black	54	88.5	39	86.7	15	93.8	30	88.2	1,296	79.9	19	90.5
Latino/Hispanic	2	3.3	1	2.2	1	6.3	3	8.8	190	11.7	2	9.5
White	3	4.9	3	6.7	0	0.0	1	2.9	113	7.0	0	0.0
Asian/Pacific Islander	2	3.3	2	4.4	0	0.0	0	0.0	15	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.3	2	4.4	0	0.0	1	2.9	27	1.7	0	0.0
20-29	18	29.5	17	37.8	1	6.3	4	11.8	153	9.4	0	0.0
30-39	18	29.5	15	33.3	3	18.8	7	20.6	237	14.6	1	4.8
40-49	8	13.1	5	11.1	3	18.8	7	20.6	373	23.0	3	14.3
50-59	10	16.4	4	8.9	6	37.5	9	26.5	521	32.1	9	42.9
60+	5	8.2	2	4.4	3	18.8	6	17.6	312	19.2	8	38.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	37.7	21	46.7	2	12.5	3	8.8	290	17.9	3	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.9	149	9.2	4	19.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
Heterosexual	23	37.7	14	31.1	9	56.3	18	52.9	566	34.9	5	23.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	63	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	15	24.6	10	22.2	5	31.3	12	35.3	538	33.1	9	42.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	663	40.9	6	28.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	960	59.1	15	71.4

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	12	100.0	654	100.0	11	100.0
SEX AT BIRTH												
Male	12	80.0	10	83.3	2	66.7	9	75.0	486	74.3	7	63.6
Female	3	20.0	2	16.7	1	33.3	3	25.0	168	25.7	4	36.4
RACE/ETHNICITY												
Black	1	6.7	1	8.3	0	0.0	2	16.7	84	12.8	3	27.3
Latino/Hispanic	6	40.0	4	33.3	2	66.7	3	25.0	193	29.5	3	27.3
White	6	40.0	5	41.7	1	33.3	5	41.7	336	51.4	5	45.5
Asian/Pacific Islander	1	6.7	1	8.3	0	0.0	2	16.7	38	5.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	6.7	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	6.7	0	0.0	1	33.3	1	8.3	1	0.2	0	0.0
20-29	3	20.0	3	25.0	0	0.0	0	0.0	28	4.3	0	0.0
30-39	5	33.3	4	33.3	1	33.3	3	25.0	108	16.5	0	0.0
40-49	6	40.0	5	41.7	1	33.3	5	41.7	169	25.8	2	18.2
50-59	0	0.0	0	0.0	0	0.0	2	16.7	214	32.7	2	18.2
60+	0	0.0	0	0.0	0	0.0	1	8.3	133	20.3	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	73.3	10	83.3	1	33.3	5	41.7	272	41.6	1	9.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	100	15.3	4	36.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.4	2	18.2
Heterosexual	3	20.0	2	16.7	1	33.3	2	16.7	115	17.6	1	9.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	1	6.7	0	0.0	1	33.3	4	33.3	143	21.9	3	27.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	268	41.0	3	27.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	386	59.0	8	72.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	33	76.7	10	23.3	24	100.0	1,139	100.0	20	100.0
SEX AT BIRTH												
Male	30	69.8	24	72.7	6	60.0	17	70.8	731	64.2	10	50.0
Female	13	30.2	9	27.3	4	40.0	7	29.2	408	35.8	10	50.0
RACE/ETHNICITY												
Black	17	39.5	14	42.4	3	30.0	10	41.7	468	41.1	7	35.0
Latino/Hispanic	7	16.3	6	18.2	1	10.0	7	29.2	349	30.6	8	40.0
White	15	34.9	10	30.3	5	50.0	6	25.0	283	24.8	5	25.0
Asian/Pacific Islander	3	7.0	2	6.1	1	10.0	1	4.2	29	2.5	0	0.0
Other/Unknown	1	2.3	1	3.0	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.3	1	3.0	0	0.0	0	0.0	13	1.1	0	0.0
20-29	13	30.2	13	39.4	0	0.0	3	12.5	99	8.7	2	10.0
30-39	10	23.3	9	27.3	1	10.0	5	20.8	168	14.7	1	5.0
40-49	11	25.6	7	21.2	4	40.0	9	37.5	282	24.8	6	30.0
50-59	6	14.0	3	9.1	3	30.0	6	25.0	358	31.4	7	35.0
60+	2	4.7	0	0.0	2	20.0	1	4.2	218	19.1	4	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	34.9	13	39.4	2	20.0	6	25.0	308	27.0	0	0.0
Injection drug use history (IDU)	2	4.7	1	3.0	1	10.0	3	12.5	193	16.9	5	25.0
MSM-IDU	1	2.3	1	3.0	0	0.0	1	4.2	18	1.6	3	15.0
Heterosexual	11	25.6	8	24.2	3	30.0	4	16.7	297	26.1	5	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.5	1	5.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	14	32.6	10	30.3	4	40.0	10	41.7	290	25.5	6	30.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	455	39.9	3	15.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	684	60.1	17	85.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	78	80.4	19	19.6	53	100.0	3,785	100.0	55	100.0
SEX AT BIRTH												
Male	82	84.5	65	83.3	17	89.5	38	71.7	2,654	70.1	31	56.4
Female	15	15.5	13	16.7	2	10.5	15	28.3	1,131	29.9	24	43.6
RACE/ETHNICITY												
Black	49	50.5	43	55.1	6	31.6	26	49.1	1,963	51.9	28	50.9
Latino/Hispanic	32	33.0	24	30.8	8	42.1	21	39.6	1,415	37.4	24	43.6
White	15	15.5	11	14.1	4	21.1	5	9.4	349	9.2	2	3.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	40	1.1	0	0.0
Other/Unknown	1	1.0	0	0.0	1	5.3	1	1.9	18	0.5	1	1.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	5	5.2	5	6.4	0	0.0	1	1.9	28	0.7	0	0.0
20-29	31	32.0	28	35.9	3	15.8	11	20.8	408	10.8	1	1.8
30-39	30	30.9	26	33.3	4	21.1	8	15.1	618	16.3	1	1.8
40-49	15	15.5	8	10.3	7	36.8	21	39.6	924	24.4	15	27.3
50-59	15	15.5	10	12.8	5	26.3	8	15.1	1,146	30.3	17	30.9
60+	1	1.0	1	1.3	0	0.0	4	7.5	656	17.3	21	38.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	60	61.9	47	60.3	13	68.4	26	49.1	1,236	32.7	5	9.1
Injection drug use history (IDU)	3	3.1	2	2.6	1	5.3	3	5.7	625	16.5	14	25.5
MSM-IDU	1	1.0	1	1.3	0	0.0	1	1.9	87	2.3	2	3.6
Heterosexual	18	18.6	14	17.9	4	21.1	14	26.4	780	20.6	13	23.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	96	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.8
Unknown	15	15.5	14	17.9	1	5.3	9	17.0	958	25.3	20	36.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,523	40.2	15	27.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,262	59.8	40	72.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	96	100.0	84	87.5	12	12.5	42	100.0	4,424	100.0	29	100.0
SEX AT BIRTH												
Male	83	86.5	72	85.7	11	91.7	35	83.3	3,594	81.2	22	75.9
Female	13	13.5	12	14.3	1	8.3	7	16.7	830	18.8	7	24.1
RACE/ETHNICITY												
Black	30	31.3	25	29.8	5	41.7	15	35.7	1,488	33.6	16	55.2
Latino/Hispanic	40	41.7	35	41.7	5	41.7	20	47.6	1,913	43.2	8	27.6
White	22	22.9	20	23.8	2	16.7	7	16.7	933	21.1	3	10.3
Asian/Pacific Islander	2	2.1	2	2.4	0	0.0	0	0.0	60	1.4	1	3.4
Other/Unknown	2	2.1	2	2.4	0	0.0	0	0.0	30	0.7	1	3.4
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	2	2.1	2	2.4	0	0.0	0	0.0	19	0.4	0	0.0
20-29	39	40.6	35	41.7	4	33.3	8	19.0	383	8.7	1	3.4
30-39	24	25.0	19	22.6	5	41.7	12	28.6	724	16.4	3	10.3
40-49	19	19.8	18	21.4	1	8.3	8	19.0	1,220	27.6	10	34.5
50-59	9	9.4	9	10.7	0	0.0	11	26.2	1,270	28.7	10	34.5
60+	3	3.1	1	1.2	2	16.7	3	7.1	798	18.0	5	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	68	70.8	60	71.4	8	66.7	23	54.8	2,296	51.9	8	27.6
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	2	4.8	391	8.8	7	24.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	90	2.0	0	0.0
Heterosexual	13	13.5	12	14.3	1	8.3	8	19.0	642	14.5	4	13.8
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	71	1.6	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	14	14.6	11	13.1	3	25.0	8	19.0	928	21.0	9	31.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,061	46.6	5	17.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,363	53.4	24	82.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	130	100.0	104	80.0	26	20.0	56	100.0	4,684	100.0	50	100.0
SEX AT BIRTH												
Male	100	76.9	85	81.7	15	57.7	38	67.9	3,365	71.8	35	70.0
Female	30	23.1	19	18.3	11	42.3	18	32.1	1,319	28.2	15	30.0
RACE/ETHNICITY												
Black	84	64.6	62	59.6	22	84.6	43	76.8	3,066	65.5	37	74.0
Latino/Hispanic	30	23.1	26	25.0	4	15.4	11	19.6	928	19.8	12	24.0
White	15	11.5	15	14.4	0	0.0	2	3.6	611	13.0	1	2.0
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	55	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.1	3	2.9	1	3.8	1	1.8	27	0.6	0	0.0
20-29	57	43.8	52	50.0	5	19.2	11	19.6	418	8.9	1	2.0
30-39	29	22.3	23	22.1	6	23.1	14	25.0	770	16.4	3	6.0
40-49	16	12.3	12	11.5	4	15.4	9	16.1	1,265	27.0	4	8.0
50-59	14	10.8	9	8.7	5	19.2	11	19.6	1,365	29.1	21	42.0
60+	10	7.7	5	4.8	5	19.2	10	17.9	834	17.8	21	42.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	74	56.9	66	63.5	8	30.8	24	42.9	1,849	39.5	7	14.0
Injection drug use history (IDU)	3	2.3	1	1.0	2	7.7	3	5.4	607	13.0	18	36.0
MSM-IDU	1	0.8	1	1.0	0	0.0	0	0.0	103	2.2	2	4.0
Heterosexual	26	20.0	17	16.3	9	34.6	13	23.2	859	18.3	13	26.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	81	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	26	20.0	19	18.3	7	26.9	16	28.6	1,178	25.1	10	20.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,084	44.5	7	14.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,600	55.5	43	86.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	52	76.5	16	23.5	45	100.0	2,976	100.0	66	100.0
SEX AT BIRTH												
Male	57	83.8	43	82.7	14	87.5	31	68.9	2,064	69.4	51	77.3
Female	11	16.2	9	17.3	2	12.5	14	31.1	912	30.6	15	22.7
RACE/ETHNICITY												
Black	32	47.1	24	46.2	8	50.0	24	53.3	1,410	47.4	34	51.5
Latino/Hispanic	24	35.3	19	36.5	5	31.3	15	33.3	1,185	39.8	24	36.4
White	9	13.2	7	13.5	2	12.5	4	8.9	337	11.3	8	12.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.2	28	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	3	4.4	2	3.8	1	6.3	1	2.2	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	4.4	3	5.8	0	0.0	0	0.0	18	0.6	0	0.0
20-29	27	39.7	19	36.5	8	50.0	11	24.4	258	8.7	1	1.5
30-39	12	17.6	12	23.1	0	0.0	9	20.0	389	13.1	2	3.0
40-49	14	20.6	8	15.4	6	37.5	16	35.6	755	25.4	6	9.1
50-59	8	11.8	6	11.5	2	12.5	6	13.3	912	30.6	21	31.8
60+	4	5.9	4	7.7	0	0.0	3	6.7	641	21.5	36	54.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	61.8	33	63.5	9	56.3	18	40.0	974	32.7	11	16.7
Injection drug use history (IDU)	3	4.4	2	3.8	1	6.3	4	8.9	587	19.7	23	34.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	71	2.4	3	4.5
Heterosexual	8	11.8	5	9.6	3	18.8	13	28.9	617	20.7	14	21.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	89	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	15	22.1	12	23.1	3	18.8	10	22.2	635	21.3	15	22.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,164	39.1	11	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,812	60.9	55	83.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in East Harlem: 10029, 10035.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	39	79.6	10	20.4	24	100.0	3,121	100.0	34	100.0
SEX AT BIRTH												
Male	45	91.8	36	92.3	9	90.0	22	91.7	2,708	86.8	28	82.4
Female	4	8.2	3	7.7	1	10.0	2	8.3	413	13.2	6	17.6
RACE/ETHNICITY												
Black	12	24.5	5	12.8	7	70.0	11	45.8	848	27.2	20	58.8
Latino/Hispanic	13	26.5	13	33.3	0	0.0	4	16.7	804	25.8	7	20.6
White	22	44.9	19	48.7	3	30.0	8	33.3	1,381	44.2	7	20.6
Asian/Pacific Islander	2	4.1	2	5.1	0	0.0	1	4.2	61	2.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	12	24.5	12	30.8	0	0.0	1	4.2	142	4.5	0	0.0
30-39	12	24.5	9	23.1	3	30.0	4	16.7	330	10.6	3	8.8
40-49	18	36.7	11	28.2	7	70.0	8	33.3	658	21.1	11	32.4
50-59	4	8.2	4	10.3	0	0.0	8	33.3	1,098	35.2	5	14.7
60+	3	6.1	3	7.7	0	0.0	3	12.5	885	28.4	15	44.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	87.8	35	89.7	8	80.0	15	62.5	1,830	58.6	9	26.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	305	9.8	9	26.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.2	79	2.5	1	2.9
Heterosexual	3	6.1	2	5.1	1	10.0	2	8.3	291	9.3	7	20.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	3	6.1	2	5.1	1	10.0	4	16.7	580	18.6	8	23.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,293	41.4	8	23.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,828	58.6	26	76.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	20	80.0	5	20.0	10	100.0	1,451	100.0	9	100.0
SEX AT BIRTH												
Male	24	96.0	19	95.0	5	100.0	9	90.0	1,264	87.1	7	77.8
Female	1	4.0	1	5.0	0	0.0	1	10.0	187	12.9	2	22.2
RACE/ETHNICITY												
Black	2	8.0	2	10.0	0	0.0	4	40.0	284	19.6	2	22.2
Latino/Hispanic	6	24.0	4	20.0	2	40.0	3	30.0	322	22.2	3	33.3
White	13	52.0	10	50.0	3	60.0	3	30.0	782	53.9	4	44.4
Asian/Pacific Islander	4	16.0	4	20.0	0	0.0	0	0.0	55	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	24.0	6	30.0	0	0.0	0	0.0	64	4.4	0	0.0
30-39	9	36.0	6	30.0	3	60.0	4	40.0	181	12.5	0	0.0
40-49	6	24.0	4	20.0	2	40.0	2	20.0	336	23.2	1	11.1
50-59	2	8.0	2	10.0	0	0.0	3	30.0	505	34.8	2	22.2
60+	2	8.0	2	10.0	0	0.0	1	10.0	363	25.0	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	80.0	15	75.0	5	100.0	8	80.0	896	61.8	4	44.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	101	7.0	3	33.3
MSM-IDU	2	8.0	2	10.0	0	0.0	1	10.0	30	2.1	0	0.0
Heterosexual	1	4.0	1	5.0	0	0.0	1	10.0	125	8.6	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	2	8.0	2	10.0	0	0.0	0	0.0	287	19.8	1	11.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	645	44.5	2	22.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	806	55.5	7	77.8

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	140	100.0	119	85.0	21	15.0	47	100.0	6,622	100.0	42	100.0
SEX AT BIRTH												
Male	135	96.4	114	95.8	21	100.0	44	93.6	6,231	94.1	36	85.7
Female	5	3.6	5	4.2	0	0.0	3	6.4	391	5.9	6	14.3
RACE/ETHNICITY												
Black	21	15.0	18	15.1	3	14.3	17	36.2	1,036	15.6	3	7.1
Latino/Hispanic	37	26.4	31	26.1	6	28.6	9	19.1	1,434	21.7	11	26.2
White	70	50.0	60	50.4	10	47.6	18	38.3	3,893	58.8	27	64.3
Asian/Pacific Islander	9	6.4	7	5.9	2	9.5	3	6.4	182	2.7	0	0.0
Other/Unknown	3	2.1	3	2.5	0	0.0	0	0.0	77	1.2	1	2.4
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
20-29	38	27.1	35	29.4	3	14.3	5	10.6	313	4.7	0	0.0
30-39	48	34.3	41	34.5	7	33.3	14	29.8	1,024	15.5	3	7.1
40-49	36	25.7	31	26.1	5	23.8	13	27.7	1,899	28.7	9	21.4
50-59	15	10.7	10	8.4	5	23.8	13	27.7	2,267	34.2	14	33.3
60+	3	2.1	2	1.7	1	4.8	2	4.3	1,109	16.7	16	38.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	121	86.4	103	86.6	18	85.7	36	76.6	4,981	75.2	23	54.8
Injection drug use history (IDU)	1	0.7	0	0.0	1	4.8	3	6.4	350	5.3	9	21.4
MSM-IDU	3	2.1	3	2.5	0	0.0	1	2.1	156	2.4	1	2.4
Heterosexual	6	4.3	5	4.2	1	4.8	5	10.6	261	3.9	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	9	6.4	8	6.7	1	4.8	2	4.3	852	12.9	8	19.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,432	51.8	10	23.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,190	48.2	32	76.2

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	41	82.0	9	18.0	20	100.0	2,011	100.0	14	100.0
SEX AT BIRTH												
Male	45	90.0	37	90.2	8	88.9	18	90.0	1,852	92.1	12	85.7
Female	5	10.0	4	9.8	1	11.1	2	10.0	159	7.9	2	14.3
RACE/ETHNICITY												
Black	10	20.0	7	17.1	3	33.3	6	30.0	395	19.6	2	14.3
Latino/Hispanic	16	32.0	14	34.1	2	22.2	4	20.0	468	23.3	2	14.3
White	19	38.0	16	39.0	3	33.3	8	40.0	1,064	52.9	10	71.4
Asian/Pacific Islander	5	10.0	4	9.8	1	11.1	1	5.0	68	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	5.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.0	1	2.4	0	0.0	0	0.0	3	0.1	0	0.0
20-29	17	34.0	15	36.6	2	22.2	2	10.0	72	3.6	0	0.0
30-39	13	26.0	10	24.4	3	33.3	5	25.0	239	11.9	0	0.0
40-49	12	24.0	9	22.0	3	33.3	8	40.0	501	24.9	0	0.0
50-59	6	12.0	5	12.2	1	11.1	4	20.0	666	33.1	5	35.7
60+	1	2.0	1	2.4	0	0.0	1	5.0	530	26.4	9	64.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	72.0	28	68.3	8	88.9	12	60.0	1,297	64.5	6	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.0	177	8.8	2	14.3
MSM-IDU	3	6.0	3	7.3	0	0.0	0	0.0	57	2.8	0	0.0
Heterosexual	5	10.0	4	9.8	1	11.1	1	5.0	127	6.3	2	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	12.0	6	14.6	0	0.0	6	30.0	340	16.9	4	28.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	904	45.0	4	28.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,107	55.0	10	71.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	22	84.6	4	15.4	15	100.0	1,967	100.0	7	100.0
SEX AT BIRTH												
Male	23	88.5	20	90.9	3	75.0	13	86.7	1,900	96.6	6	85.7
Female	3	11.5	2	9.1	1	25.0	2	13.3	67	3.4	1	14.3
RACE/ETHNICITY												
Black	3	11.5	3	13.6	0	0.0	3	20.0	384	19.5	0	0.0
Latino/Hispanic	4	15.4	3	13.6	1	25.0	3	20.0	392	19.9	4	57.1
White	16	61.5	14	63.6	2	50.0	8	53.3	1,127	57.3	3	42.9
Asian/Pacific Islander	3	11.5	2	9.1	1	25.0	1	6.7	49	2.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	3	11.5	3	13.6	0	0.0	1	6.7	84	4.3	0	0.0
30-39	11	42.3	10	45.5	1	25.0	4	26.7	221	11.2	1	14.3
40-49	7	26.9	5	22.7	2	50.0	7	46.7	528	26.8	0	0.0
50-59	4	15.4	3	13.6	1	25.0	3	20.0	670	34.1	3	42.9
60+	1	3.8	1	4.5	0	0.0	0	0.0	461	23.4	3	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	76.9	17	77.3	3	75.0	12	80.0	1,346	68.4	4	57.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	142	7.2	1	14.3
MSM-IDU	1	3.8	1	4.5	0	0.0	0	0.0	51	2.6	0	0.0
Heterosexual	2	7.7	1	4.5	1	25.0	2	13.3	61	3.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	11.5	3	13.6	0	0.0	1	6.7	363	18.5	2	28.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	938	47.7	1	14.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,029	52.3	6	85.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	56	88.9	7	11.1	24	100.0	3,138	100.0	42	100.0
SEX AT BIRTH												
Male	59	93.7	54	96.4	5	71.4	17	70.8	2,582	82.3	27	64.3
Female	4	6.3	2	3.6	2	28.6	7	29.2	556	17.7	15	35.7
RACE/ETHNICITY												
Black	8	12.7	7	12.5	1	14.3	7	29.2	619	19.7	14	33.3
Latino/Hispanic	22	34.9	18	32.1	4	57.1	10	41.7	1,079	34.4	18	42.9
White	22	34.9	21	37.5	1	14.3	3	12.5	1,270	40.5	9	21.4
Asian/Pacific Islander	9	14.3	8	14.3	1	14.3	4	16.7	137	4.4	1	2.4
Other/Unknown	2	3.2	2	3.6	0	0.0	0	0.0	33	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
20-29	27	42.9	26	46.4	1	14.3	4	16.7	191	6.1	0	0.0
30-39	13	20.6	10	17.9	3	42.9	6	25.0	353	11.2	2	4.8
40-49	12	19.0	11	19.6	1	14.3	5	20.8	766	24.4	2	4.8
50-59	8	12.7	7	12.5	1	14.3	7	29.2	1,112	35.4	18	42.9
60+	3	4.8	2	3.6	1	14.3	2	8.3	705	22.5	20	47.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	81.0	49	87.5	2	28.6	10	41.7	1,707	54.4	8	19.0
Injection drug use history (IDU)	1	1.6	0	0.0	1	14.3	3	12.5	428	13.6	15	35.7
MSM-IDU	2	3.2	2	3.6	0	0.0	0	0.0	84	2.7	3	7.1
Heterosexual	3	4.8	2	3.6	1	14.3	6	25.0	356	11.3	4	9.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	6	9.5	3	5.4	3	42.9	5	20.8	516	16.4	12	28.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,317	42.0	7	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,821	58.0	35	83.3

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	7	70.0	3	30.0	8	100.0	576	100.0	4	100.0
SEX AT BIRTH												
Male	10	100.0	7	100.0	3	100.0	7	87.5	499	86.6	4	100.0
Female	0	0.0	0	0.0	0	0.0	1	12.5	77	13.4	0	0.0
RACE/ETHNICITY												
Black	2	20.0	1	14.3	1	33.3	2	25.0	117	20.3	0	0.0
Latino/Hispanic	4	40.0	3	42.9	1	33.3	4	50.0	139	24.1	3	75.0
White	4	40.0	3	42.9	1	33.3	2	25.0	296	51.4	1	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	3.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	2	20.0	2	28.6	0	0.0	1	12.5	29	5.0	0	0.0
30-39	4	40.0	2	28.6	2	66.7	2	25.0	88	15.3	0	0.0
40-49	3	30.0	2	28.6	1	33.3	2	25.0	184	31.9	3	75.0
50-59	1	10.0	1	14.3	0	0.0	2	25.0	191	33.2	1	25.0
60+	0	0.0	0	0.0	0	0.0	1	12.5	83	14.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	80.0	5	71.4	3	100.0	5	62.5	358	62.2	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	40	6.9	1	25.0
MSM-IDU	1	10.0	1	14.3	0	0.0	0	0.0	10	1.7	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	1	12.5	50	8.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	10.0	1	14.3	0	0.0	1	12.5	112	19.4	2	50.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	290	50.3	2	50.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	286	49.7	2	50.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	55	80.9	13	19.1	23	100.0	1,976	100.0	10	100.0
SEX AT BIRTH												
Male	63	92.6	51	92.7	12	92.3	21	91.3	1,681	85.1	8	80.0
Female	5	7.4	4	7.3	1	7.7	2	8.7	295	14.9	2	20.0
RACE/ETHNICITY												
Black	11	16.2	8	14.5	3	23.1	5	21.7	341	17.3	3	30.0
Latino/Hispanic	31	45.6	24	43.6	7	53.8	12	52.2	787	39.8	6	60.0
White	21	30.9	19	34.5	2	15.4	5	21.7	750	38.0	1	10.0
Asian/Pacific Islander	5	7.4	4	7.3	1	7.7	1	4.3	83	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	19	27.9	17	30.9	2	15.4	2	8.7	138	7.0	0	0.0
30-39	27	39.7	23	41.8	4	30.8	12	52.2	413	20.9	1	10.0
40-49	15	22.1	10	18.2	5	38.5	6	26.1	596	30.2	2	20.0
50-59	5	7.4	3	5.5	2	15.4	3	13.0	585	29.6	4	40.0
60+	2	2.9	2	3.6	0	0.0	0	0.0	239	12.1	3	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	55	80.9	46	83.6	9	69.2	13	56.5	1,216	61.5	6	60.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	119	6.0	0	0.0
MSM-IDU	1	1.5	1	1.8	0	0.0	1	4.3	38	1.9	0	0.0
Heterosexual	6	8.8	3	5.5	3	23.1	5	21.7	249	12.6	3	30.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	8.8	5	9.1	1	7.7	4	17.4	339	17.2	1	10.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,003	50.8	4	40.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	973	49.2	6	60.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	149	100.0	122	81.9	27	18.1	58	100.0	5,857	100.0	30	100.0
SEX AT BIRTH												
Male	132	88.6	107	87.7	25	92.6	50	86.2	4,846	82.7	23	76.7
Female	17	11.4	15	12.3	2	7.4	8	13.8	1,011	17.3	7	23.3
RACE/ETHNICITY												
Black	14	9.4	11	9.0	3	11.1	15	25.9	1,708	29.2	10	33.3
Latino/Hispanic	100	67.1	82	67.2	18	66.7	32	55.2	3,179	54.3	17	56.7
White	15	10.1	14	11.5	1	3.7	3	5.2	666	11.4	2	6.7
Asian/Pacific Islander	20	13.4	15	12.3	5	18.5	8	13.8	279	4.8	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.7	4	0.1	0	0.0
13-19	6	4.0	6	4.9	0	0.0	0	0.0	19	0.3	0	0.0
20-29	45	30.2	38	31.1	7	25.9	13	22.4	441	7.5	2	6.7
30-39	62	41.6	50	41.0	12	44.4	22	37.9	988	16.9	2	6.7
40-49	26	17.4	20	16.4	6	22.2	14	24.1	1,754	29.9	5	16.7
50-59	7	4.7	6	4.9	1	3.7	6	10.3	1,840	31.4	7	23.3
60+	3	2.0	2	1.6	1	3.7	2	3.4	811	13.8	14	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	116	77.9	93	76.2	23	85.2	37	63.8	2,450	41.8	15	50.0
Injection drug use history (IDU)	1	0.7	1	0.8	0	0.0	1	1.7	979	16.7	4	13.3
MSM-IDU	1	0.7	1	0.8	0	0.0	0	0.0	169	2.9	0	0.0
Heterosexual	21	14.1	18	14.8	3	11.1	10	17.2	960	16.4	7	23.3
Perinatal	0	0.0	0	0.0	0	0.0	2	3.4	65	1.1	1	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	6.7	9	7.4	1	3.7	8	13.8	1,229	21.0	3	10.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,493	42.6	7	23.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,364	57.4	23	76.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	16	88.9	2	11.1	6	100.0	645	100.0	16	100.0
SEX AT BIRTH												
Male	17	94.4	15	93.8	2	100.0	6	100.0	482	74.7	14	87.5
Female	1	5.6	1	6.3	0	0.0	0	0.0	163	25.3	2	12.5
RACE/ETHNICITY												
Black	3	16.7	3	18.8	0	0.0	0	0.0	104	16.1	5	31.3
Latino/Hispanic	7	38.9	6	37.5	1	50.0	3	50.0	242	37.5	2	12.5
White	2	11.1	1	6.3	1	50.0	2	33.3	191	29.6	9	56.3
Asian/Pacific Islander	5	27.8	5	31.3	0	0.0	1	16.7	97	15.0	0	0.0
Other/Unknown	1	5.6	1	6.3	0	0.0	0	0.0	11	1.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	6	33.3	5	31.3	1	50.0	2	33.3	43	6.7	0	0.0
30-39	3	16.7	3	18.8	0	0.0	0	0.0	77	11.9	0	0.0
40-49	5	27.8	4	25.0	1	50.0	3	50.0	162	25.1	4	25.0
50-59	4	22.2	4	25.0	0	0.0	1	16.7	240	37.2	5	31.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	122	18.9	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	83.3	13	81.3	2	100.0	4	66.7	267	41.4	7	43.8
Injection drug use history (IDU)	1	5.6	1	6.3	0	0.0	0	0.0	68	10.5	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	1	6.3
Heterosexual	0	0.0	0	0.0	0	0.0	1	16.7	145	22.5	3	18.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	11.1	2	12.5	0	0.0	1	16.7	143	22.2	1	6.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	290	45.0	2	12.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	355	55.0	14	87.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	140	100.0	2	100.0
SEX AT BIRTH												
Male	3	100.0	3	100.0	0	0.0	0	0.0	112	80.0	2	100.0
Female	0	0.0	0	0.0	0	0.0	0	0.0	28	20.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	30	21.4	1	50.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0	0	0.0	27	19.3	0	0.0
White	1	33.3	1	33.3	0	0.0	0	0.0	71	50.7	1	50.0
Asian/Pacific Islander	1	33.3	1	33.3	0	0.0	0	0.0	11	7.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	6	4.3	0	0.0
30-39	2	66.7	2	66.7	0	0.0	0	0.0	14	10.0	0	0.0
40-49	1	33.3	1	33.3	0	0.0	0	0.0	38	27.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	47	33.6	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	34	24.3	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	0	0.0	63	45.0	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	11	7.9	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	23	16.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Unknown	1	33.3	1	33.3	0	0.0	0	0.0	35	25.0	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	61	43.6	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	79	56.4	2	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	31	79.5	8	20.5	18	100.0	1,204	100.0	7	100.0
SEX AT BIRTH												
Male	34	87.2	28	90.3	6	75.0	16	88.9	919	76.3	4	57.1
Female	5	12.8	3	9.7	2	25.0	2	11.1	285	23.7	3	42.9
RACE/ETHNICITY												
Black	2	5.1	1	3.2	1	12.5	1	5.6	168	14.0	0	0.0
Latino/Hispanic	19	48.7	15	48.4	4	50.0	12	66.7	566	47.0	4	57.1
White	14	35.9	11	35.5	3	37.5	5	27.8	409	34.0	3	42.9
Asian/Pacific Islander	3	7.7	3	9.7	0	0.0	0	0.0	52	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	2.6	1	3.2	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.6	1	3.2	0	0.0	0	0.0	8	0.7	0	0.0
20-29	14	35.9	14	45.2	0	0.0	1	5.6	86	7.1	0	0.0
30-39	6	15.4	6	19.4	0	0.0	1	5.6	162	13.5	1	14.3
40-49	11	28.2	7	22.6	4	50.0	8	44.4	346	28.7	1	14.3
50-59	5	12.8	3	9.7	2	25.0	6	33.3	393	32.6	4	57.1
60+	2	5.1	0	0.0	2	25.0	2	11.1	208	17.3	1	14.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	61.5	22	71.0	2	25.0	9	50.0	575	47.8	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.6	101	8.4	1	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.7	0	0.0
Heterosexual	5	12.8	2	6.5	3	37.5	3	16.7	245	20.3	2	28.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	10	25.6	7	22.6	3	37.5	5	27.8	227	18.9	2	28.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	511	42.4	2	28.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	693	57.6	5	71.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	6	85.7	1	14.3	4	100.0	266	100.0	5	100.0
SEX AT BIRTH												
Male	5	71.4	4	66.7	1	100.0	2	50.0	166	62.4	3	60.0
Female	2	28.6	2	33.3	0	0.0	2	50.0	100	37.6	2	40.0
RACE/ETHNICITY												
Black	3	42.9	3	50.0	0	0.0	3	75.0	125	47.0	2	40.0
Latino/Hispanic	2	28.6	1	16.7	1	100.0	1	25.0	69	25.9	1	20.0
White	1	14.3	1	16.7	0	0.0	0	0.0	53	19.9	2	40.0
Asian/Pacific Islander	1	14.3	1	16.7	0	0.0	0	0.0	18	6.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	16.7	0	0.0	0	0.0	4	1.5	0	0.0
20-29	2	28.6	1	16.7	1	100.0	2	50.0	21	7.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	23	8.6	1	20.0
40-49	1	14.3	1	16.7	0	0.0	1	25.0	63	23.7	1	20.0
50-59	3	42.9	3	50.0	0	0.0	1	25.0	97	36.5	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	58	21.8	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	42.9	2	33.3	1	100.0	1	25.0	76	28.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	9.0	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Heterosexual	2	28.6	2	33.3	0	0.0	0	0.0	75	28.2	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	9	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	2	28.6	2	33.3	0	0.0	2	50.0	79	29.7	3	60.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	114	42.9	2	40.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	152	57.1	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	41	85.4	7	14.6	13	100.0	1,756	100.0	10	100.0
SEX AT BIRTH												
Male	42	87.5	35	85.4	7	100.0	11	84.6	1,251	71.2	8	80.0
Female	6	12.5	6	14.6	0	0.0	2	15.4	505	28.8	2	20.0
RACE/ETHNICITY												
Black	12	25.0	10	24.4	2	28.6	4	30.8	521	29.7	5	50.0
Latino/Hispanic	20	41.7	16	39.0	4	57.1	7	53.8	764	43.5	5	50.0
White	10	20.8	10	24.4	0	0.0	1	7.7	299	17.0	0	0.0
Asian/Pacific Islander	4	8.3	3	7.3	1	14.3	1	7.7	145	8.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Multiracial	2	4.2	2	4.9	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	2.4	0	0.0	0	0.0	16	0.9	0	0.0
20-29	20	41.7	20	48.8	0	0.0	0	0.0	145	8.3	1	10.0
30-39	14	29.2	11	26.8	3	42.9	3	23.1	275	15.7	2	20.0
40-49	5	10.4	3	7.3	2	28.6	4	30.8	482	27.4	2	20.0
50-59	6	12.5	5	12.2	1	14.3	5	38.5	576	32.8	2	20.0
60+	2	4.2	1	2.4	1	14.3	1	7.7	259	14.7	3	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	68.8	29	70.7	4	57.1	5	38.5	663	37.8	3	30.0
Injection drug use history (IDU)	2	4.2	1	2.4	1	14.3	2	15.4	192	10.9	2	20.0
MSM-IDU	2	4.2	2	4.9	0	0.0	0	0.0	20	1.1	0	0.0
Heterosexual	5	10.4	5	12.2	0	0.0	4	30.8	420	23.9	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	12.5	4	9.8	2	28.6	2	15.4	415	23.6	3	30.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	755	43.0	2	20.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,001	57.0	8	80.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	56	82.4	12	17.6	39	100.0	3,114	100.0	42	100.0
SEX AT BIRTH												
Male	51	75.0	43	76.8	8	66.7	23	59.0	1,921	61.7	27	64.3
Female	17	25.0	13	23.2	4	33.3	16	41.0	1,193	38.3	15	35.7
RACE/ETHNICITY												
Black	51	75.0	40	71.4	11	91.7	32	82.1	2,303	74.0	27	64.3
Latino/Hispanic	10	14.7	9	16.1	1	8.3	4	10.3	551	17.7	12	28.6
White	0	0.0	0	0.0	0	0.0	1	2.6	162	5.2	1	2.4
Asian/Pacific Islander	5	7.4	5	8.9	0	0.0	2	5.1	78	2.5	2	4.8
Native American	1	1.5	1	1.8	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	1.5	1	1.8	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	6	8.8	6	10.7	0	0.0	1	2.6	26	0.8	0	0.0
20-29	23	33.8	20	35.7	3	25.0	5	12.8	288	9.2	3	7.1
30-39	16	23.5	13	23.2	3	25.0	10	25.6	385	12.4	1	2.4
40-49	9	13.2	7	12.5	2	16.7	9	23.1	750	24.1	11	26.2
50-59	9	13.2	6	10.7	3	25.0	10	25.6	1,053	33.8	12	28.6
60+	5	7.4	4	7.1	1	8.3	4	10.3	605	19.4	15	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	54.4	33	58.9	4	33.3	10	25.6	786	25.2	7	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	387	12.4	10	23.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	50	1.6	0	0.0
Heterosexual	17	25.0	12	21.4	5	41.7	15	38.5	917	29.4	11	26.2
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	91	2.9	2	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	14	20.6	11	19.6	3	25.0	13	33.3	874	28.1	12	28.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,263	40.6	6	14.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,851	59.4	36	85.7

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	29	90.6	3	9.4	19	100.0	1,281	100.0	11	100.0
SEX AT BIRTH												
Male	23	71.9	21	72.4	2	66.7	10	52.6	736	57.5	9	81.8
Female	9	28.1	8	27.6	1	33.3	9	47.4	545	42.5	2	18.2
RACE/ETHNICITY												
Black	23	71.9	21	72.4	2	66.7	16	84.2	994	77.6	9	81.8
Latino/Hispanic	3	9.4	3	10.3	0	0.0	2	10.5	153	11.9	0	0.0
White	3	9.4	2	6.9	1	33.3	1	5.3	95	7.4	2	18.2
Asian/Pacific Islander	1	3.1	1	3.4	0	0.0	0	0.0	33	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	2	6.3	2	6.9	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
20-29	9	28.1	8	27.6	1	33.3	5	26.3	123	9.6	0	0.0
30-39	11	34.4	11	37.9	0	0.0	3	15.8	180	14.1	2	18.2
40-49	9	28.1	7	24.1	2	66.7	8	42.1	303	23.7	0	0.0
50-59	2	6.3	2	6.9	0	0.0	2	10.5	419	32.7	6	54.5
60+	1	3.1	1	3.4	0	0.0	1	5.3	242	18.9	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	40.6	12	41.4	1	33.3	4	21.1	268	20.9	4	36.4
Injection drug use history (IDU)	1	3.1	0	0.0	1	33.3	1	5.3	138	10.8	3	27.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.2	1	9.1
Heterosexual	9	28.1	8	27.6	1	33.3	8	42.1	394	30.8	3	27.3
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	9	28.1	9	31.0	0	0.0	5	26.3	408	31.9	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	517	40.4	3	27.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	764	59.6	8	72.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	25	83.3	5	16.7	14	100.0	1,159	100.0	19	100.0
SEX AT BIRTH												
Male	24	80.0	22	88.0	2	40.0	9	64.3	677	58.4	11	57.9
Female	6	20.0	3	12.0	3	60.0	5	35.7	482	41.6	8	42.1
RACE/ETHNICITY												
Black	20	66.7	17	68.0	3	60.0	9	64.3	747	64.5	6	31.6
Latino/Hispanic	7	23.3	5	20.0	2	40.0	4	28.6	279	24.1	5	26.3
White	3	10.0	3	12.0	0	0.0	1	7.1	114	9.8	7	36.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	1	5.3
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	4.0	0	0.0	1	7.1	16	1.4	0	0.0
20-29	9	30.0	9	36.0	0	0.0	1	7.1	102	8.8	0	0.0
30-39	7	23.3	6	24.0	1	20.0	3	21.4	152	13.1	0	0.0
40-49	6	20.0	5	20.0	1	20.0	3	21.4	286	24.7	2	10.5
50-59	6	20.0	3	12.0	3	60.0	5	35.7	386	33.3	8	42.1
60+	1	3.3	1	4.0	0	0.0	1	7.1	217	18.7	9	47.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	60.0	16	64.0	2	40.0	7	50.0	262	22.6	3	15.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	14.3	173	14.9	6	31.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	2.1	1	5.3
Heterosexual	8	26.7	6	24.0	2	40.0	4	28.6	400	34.5	5	26.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	5.3
Unknown	4	13.3	3	12.0	1	20.0	1	7.1	263	22.7	3	15.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	41.2	3	15.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	682	58.8	16	84.2

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	10	71.4	4	28.6	6	100.0	590	100.0	16	100.0
SEX AT BIRTH												
Male	10	71.4	7	70.0	3	75.0	6	100.0	363	61.5	8	50.0
Female	4	28.6	3	30.0	1	25.0	0	0.0	227	38.5	8	50.0
RACE/ETHNICITY												
Black	6	42.9	6	60.0	0	0.0	1	16.7	294	49.8	9	56.3
Latino/Hispanic	5	35.7	4	40.0	1	25.0	3	50.0	195	33.1	4	25.0
White	2	14.3	0	0.0	2	50.0	2	33.3	89	15.1	3	18.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Other/Unknown	1	7.1	0	0.0	1	25.0	0	0.0	8	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.1	1	10.0	0	0.0	0	0.0	7	1.2	0	0.0
20-29	3	21.4	2	20.0	1	25.0	1	16.7	49	8.3	0	0.0
30-39	4	28.6	4	40.0	0	0.0	1	16.7	98	16.6	1	6.3
40-49	6	42.9	3	30.0	3	75.0	2	33.3	142	24.1	1	6.3
50-59	0	0.0	0	0.0	0	0.0	1	16.7	199	33.7	10	62.5
60+	0	0.0	0	0.0	0	0.0	1	16.7	94	15.9	4	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	50.0	5	50.0	2	50.0	4	66.7	140	23.7	1	6.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	16.7	115	19.5	6	37.5
MSM-IDU	1	7.1	1	10.0	0	0.0	0	0.0	15	2.5	1	6.3
Heterosexual	5	35.7	4	40.0	1	25.0	0	0.0	166	28.1	5	31.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	7.1	0	0.0	1	25.0	1	16.7	133	22.5	3	18.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	236	40.0	2	12.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	354	60.0	14	87.5

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	12	75.0	4	25.0	10	100.0	1,080	100.0	29	100.0
SEX AT BIRTH												
Male	9	56.3	8	66.7	1	25.0	6	60.0	712	65.9	19	65.5
Female	7	43.8	4	33.3	3	75.0	4	40.0	368	34.1	10	34.5
RACE/ETHNICITY												
Black	8	50.0	6	50.0	2	50.0	4	40.0	488	45.2	14	48.3
Latino/Hispanic	7	43.8	6	50.0	1	25.0	4	40.0	307	28.4	9	31.0
White	1	6.3	0	0.0	1	25.0	1	10.0	265	24.5	6	20.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	10.0	8	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	6.3	1	8.3	0	0.0	0	0.0	8	0.7	0	0.0
20-29	2	12.5	2	16.7	0	0.0	1	10.0	73	6.8	1	3.4
30-39	5	31.3	4	33.3	1	25.0	1	10.0	131	12.1	1	3.4
40-49	4	25.0	3	25.0	1	25.0	3	30.0	263	24.4	6	20.7
50-59	3	18.8	2	16.7	1	25.0	3	30.0	395	36.6	12	41.4
60+	1	6.3	0	0.0	1	25.0	2	20.0	209	19.4	9	31.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	43.8	6	50.0	1	25.0	2	20.0	305	28.2	6	20.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	20.0	189	17.5	8	27.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	40	3.7	3	10.3
Heterosexual	6	37.5	5	41.7	1	25.0	3	30.0	262	24.3	5	17.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.8	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	3	18.8	1	8.3	2	50.0	3	30.0	252	23.3	6	20.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	403	37.3	2	6.9
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	677	62.7	27	93.1

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	3	100.0	196	100.0	4	100.0
SEX AT BIRTH												
Male	6	85.7	5	100.0	1	50.0	2	66.7	138	70.4	2	50.0
Female	1	14.3	0	0.0	1	50.0	1	33.3	58	29.6	2	50.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	0	0.0	35	17.9	0	0.0
Latino/Hispanic	1	14.3	1	20.0	0	0.0	0	0.0	56	28.6	1	25.0
White	4	57.1	2	40.0	2	100.0	3	100.0	98	50.0	3	75.0
Asian/Pacific Islander	1	14.3	1	20.0	0	0.0	0	0.0	6	3.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0
20-29	2	28.6	2	40.0	0	0.0	0	0.0	10	5.1	0	0.0
30-39	1	14.3	1	20.0	0	0.0	0	0.0	25	12.8	0	0.0
40-49	2	28.6	1	20.0	1	50.0	2	66.7	47	24.0	2	50.0
50-59	1	14.3	1	20.0	0	0.0	0	0.0	75	38.3	1	25.0
60+	1	14.3	0	0.0	1	50.0	1	33.3	36	18.4	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	57.1	4	80.0	0	0.0	0	0.0	69	35.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	32	16.3	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.6	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	40	20.4	1	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	3	42.9	1	20.0	2	100.0	3	100.0	45	23.0	1	25.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	83	42.3	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	113	57.7	4	100.0

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

The following ZIP code is included in Willowbrook: 10314.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	6	75.0	2	25.0	6	100.0	414	100.0	8	100.0
SEX AT BIRTH												
Male	7	87.5	6	100.0	1	50.0	5	83.3	280	67.6	6	75.0
Female	1	12.5	0	0.0	1	50.0	1	16.7	134	32.4	2	25.0
RACE/ETHNICITY												
Black	1	12.5	1	16.7	0	0.0	1	16.7	79	19.1	0	0.0
Latino/Hispanic	2	25.0	1	16.7	1	50.0	2	33.3	97	23.4	3	37.5
White	5	62.5	4	66.7	1	50.0	3	50.0	234	56.5	5	62.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
20-29	4	50.0	4	66.7	0	0.0	0	0.0	20	4.8	1	12.5
30-39	2	25.0	1	16.7	1	50.0	2	33.3	41	9.9	1	12.5
40-49	1	12.5	1	16.7	0	0.0	0	0.0	110	26.6	0	0.0
50-59	1	12.5	0	0.0	1	50.0	3	50.0	161	38.9	4	50.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	76	18.4	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	62.5	5	83.3	0	0.0	0	0.0	95	22.9	0	0.0
Injection drug use history (IDU)	1	12.5	0	0.0	1	50.0	3	50.0	76	18.4	4	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	1	12.5
Heterosexual	0	0.0	0	0.0	0	0.0	1	16.7	103	24.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	3.1	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	2	25.0	1	16.7	1	50.0	2	33.3	116	28.0	2	25.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	172	41.5	3	37.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	242	58.5	5	62.5

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.1. Overall and by sex, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	32.0	1.4	8.5	8,491,079
SEX AT BIRTH				
Male	54.2	2.1	8.1	4,048,444
Female	11.8	0.7	9.5	4,442,635
RACE/ETHNICITY				
Black	62.4	2.8	10.1	1,912,525
Latino/Hispanic	35.6	1.6	9.2	2,460,898
White	18.1	0.9	4.5	2,760,391
Asian/Pacific Islander	9.8	0.2	4.3*	1,199,433
Native American	35.5*	1.3	6.0*	19,696
AGE GROUP (YEARS)				
0 - 12	0.4*	0.0	0.0*	1,326,571
13 - 19	15.6	0.1	0.0*	664,544
20 - 29	64.9	0.7	3.2	1,410,859
30 - 39	54.0	1.3	5.0	1,331,921
40 - 49	45.7	2.8	7.9	1,125,982
50 - 59	29.1	3.6	14.4	1,084,127
60+	9.3	1.4	25.1	1,547,075

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2014 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator. 2014 death data are incomplete.

⁴Population from NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION^{1,2}	PLWHA AS PERCENT OF POPULATION²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2014 NEW YORK CITY POPULATION⁴
TOTAL	32.0	1.4	8.5	8,491,079
BRONX⁵	36.2	2.0	11.9	1,435,582
Crotona - Tremont	51.2	2.6	12.9	214,779
Fordham - Bronx Park	40.3	2.1	10.0	263,268
High Bridge - Morrisania	44.3	2.7	13.4	216,512
Hunts Point - Mott Haven	49.5	2.6	15.3	143,331
Kingsbridge - Riverdale	18.3	0.7	11.3	93,007
Northeast Bronx	28.6	1.3	11.2	195,795
Pelham - Throgs Neck	20.4	1.4	8.2	308,890
BROOKLYN⁵	28.5	1.1	9.7	2,621,793
Bedford Stuyvesant - Crown Heights	50.1	2.3	11.1	323,543
Bensonhurst - Bay Ridge	6.7	0.3	12.2	224,057
Borough Park	8.2	0.3	9.0	355,233
Canarsie - Flatlands	30.6	0.8	8.5	199,391
Coney Island - Sheepshead Bay	14.0	0.4	11.3	306,828
Downtown - Heights - Park Slope	28.5	1.2	9.3	235,220
East Flatbush - Flatbush	41.2	1.7	7.1	303,405
East New York	60.4	1.7	13.2	190,415
Greenpoint	13.7	0.7	2.6*	131,151
Sunset Park	9.5	0.6	5.5*	137,285
Williamsburg - Bushwick	45.1	1.8	10.5	215,266
MANHATTAN⁵	41.0	2.0	6.3	1,627,453
Central Harlem - Morningside Heights	78.4	2.8	8.0	165,729
Chelsea - Clinton	93.6	4.4	4.0	149,543
East Harlem	59.9	2.6	15.1	113,613
Gramercy Park - Murray Hill	36.3	1.5	3.7	137,558
Greenwich Village - Soho	30.1	2.3	1.7*	86,418
Lower Manhattan	18.0*	1.0	2.1*	55,414
Union Square - Lower East Side	30.6	1.5	8.1	206,172
Upper East Side	10.9	0.6	3.9*	228,644
Upper West Side	21.6	1.4	7.0	227,129
Washington Heights - Inwood	37.3	1.7	4.3	257,233
QUEENS⁵	19.9	0.8	7.0	2,328,608
Bayside - Little Neck	3.3*	0.2	7.9*	90,461
Flushing - Clearview	6.6	0.2	16.0	273,031
Fresh Meadows	7.0*	0.3	18.1*	99,882
Jamaica	22.8	1.0	9.9	298,722
Long Island City - Astoria	31.2	0.9	4.1*	217,941
Ridgewood - Forest Hills	15.7	0.5	3.5*	248,934
Rockaway	25.9	1.0	10.4	115,916
Southeast Queens	16.3	0.7	5.8	196,710
Southwest Queens	17.5	0.6	5.4*	275,024
West Queens	29.1	1.1	4.8	511,985
STATEN ISLAND⁵	9.5	0.5	16.9	473,279
Port Richmond	19.4	0.8	16.6	72,044
South Beach - Tottenville	4.2*	0.2	18.6*	188,319
Stapleton - St. George	12.7	0.9	18.2	126,220
Willowbrook	8.1*	0.2	12.6*	86,695

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2014 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator. 2014 death data are incomplete.

⁴Population from NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.