



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2014

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, females	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2018. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,805	100.0	2,324	82.9	481	17.1	1,529	100.0	122,623	100.0	1,798	100.0
GENDER												
Male	2,222	79.2	1,862	80.1	360	74.8	1,085	71.0	88,123	71.9	1,253	69.7
Female	528	18.8	412	17.7	116	24.1	420	27.5	33,225	27.1	533	29.6
Transgender	55	2.0	50	2.2	5	1.0	24	1.6	1,275	1.0	12	0.7
RACE/ETHNICITY												
Black	1,192	42.5	969	41.7	223	46.4	772	50.5	53,917	44.0	892	49.6
Latino/Hispanic	932	33.2	776	33.4	156	32.4	479	31.3	40,018	32.6	600	33.4
White	522	18.6	444	19.1	78	16.2	208	13.6	25,322	20.7	284	15.8
Asian/Pacific Islander	124	4.4	105	4.5	19	4.0	48	3.1	2,475	2.0	16	0.9
Native American	8	0.3	8	0.3	0	0.0	4	0.3	291	0.2	3	0.2
Multiracial	27	1.0	22	0.9	5	1.0	18	1.2	262	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	338	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	6	0.2	6	0.3	0	0.0	2	0.1	152	0.1	0	0.0
13-19	112	4.0	109	4.7	3	0.6	18	1.2	851	0.7	0	0.0
20-29	968	34.5	883	38.0	85	17.7	274	17.9	10,671	8.7	44	2.4
30-39	748	26.7	626	26.9	122	25.4	359	23.5	18,250	14.9	116	6.5
40-49	504	18.0	381	16.4	123	25.6	413	27.0	31,686	25.8	320	17.8
50-59	323	11.5	223	9.6	100	20.8	329	21.5	38,935	31.8	677	37.7
60+	144	5.1	96	4.1	48	10.0	134	8.8	22,078	18.0	641	35.7
BOROUGH OF RESIDENCE												
Bronx	503	17.9	415	17.9	88	18.3	332	21.7	28,253	23.0	494	27.5
Brooklyn	733	26.1	581	25.0	152	31.6	391	25.6	28,909	23.6	419	23.3
Manhattan	651	23.2	541	23.3	110	22.9	292	19.1	31,581	25.8	314	17.5
Queens	459	16.4	382	16.4	77	16.0	189	12.4	17,499	14.3	165	9.2
Staten Island	42	1.5	32	1.4	10	2.1	32	2.1	2,280	1.9	58	3.2
Outside NYC	335	11.9	291	12.5	44	9.1	261	17.1	12,079	9.9	82	4.6
Unknown	82	2.9	82	3.5	0	0.0	32	2.1	2,022	1.6	266	14.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	242	8.6	197	8.5	45	9.4	109	7.1	11,951	9.7	99	5.5
Medium poverty (10 to <20% below FPL)	822	29.3	674	29.0	148	30.8	384	25.1	35,764	29.2	381	21.2
High poverty (20 to <30% below FPL)	686	24.5	559	24.1	127	26.4	361	23.6	28,151	23.0	391	21.7
Very high poverty (≥30% below FPL)	623	22.2	507	21.8	116	24.1	378	24.7	31,244	25.5	578	32.1
Area-based poverty level not available	432	15.4	387	16.7	45	9.4	297	19.4	15,513	12.7	349	19.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,659	59.1	1,435	61.7	224	46.6	631	41.3	47,970	39.1	383	21.3
Injection drug use history (IDU)	60	2.1	48	2.1	12	2.5	102	6.7	16,483	13.4	518	28.8
MSM-IDU	49	1.7	45	1.9	4	0.8	27	1.8	3,104	2.5	61	3.4
Heterosexual contact	512	18.3	388	16.7	124	25.8	381	24.9	24,310	19.8	355	19.7
Transgender people with sexual contact	49	1.7	45	1.9	4	0.8	20	1.3	1,067	0.9	9	0.5
Perinatal	6	0.2	6	0.3	0	0.0	21	1.4	2,565	2.1	17	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	204	0.2	6	0.3
Unknown	470	16.8	357	15.4	113	23.5	347	22.7	26,920	22.0	449	25.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.1. Males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,223	100.0	1,863	83.8	360	16.2	1,085	100.0	88,138	100.0	1,253	100.0
RACE/ETHNICITY												
Black	830	37.3	686	36.8	144	40.0	490	45.2	33,959	38.5	571	45.6
Latino/Hispanic	762	34.3	636	34.1	126	35.0	351	32.4	28,680	32.5	419	33.4
White	489	22.0	420	22.5	69	19.2	184	17.0	22,782	25.8	245	19.6
Asian/Pacific Islander	113	5.1	96	5.2	17	4.7	41	3.8	2,045	2.3	13	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	212	0.2	2	0.2
Multiracial	23	1.0	19	1.0	4	1.1	16	1.5	201	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	259	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.2	4	0.2	0	0.0	2	0.2	72	0.1	0	0.0
13-19	85	3.8	83	4.5	2	0.6	14	1.3	441	0.5	0	0.0
20-29	829	37.3	756	40.6	73	20.3	222	20.5	8,204	9.3	32	2.6
30-39	597	26.9	508	27.3	89	24.7	254	23.4	13,447	15.3	72	5.7
40-49	382	17.2	284	15.2	98	27.2	277	25.5	22,217	25.2	217	17.3
50-59	233	10.5	168	9.0	65	18.1	230	21.2	27,540	31.2	455	36.3
60+	93	4.2	60	3.2	33	9.2	86	7.9	16,217	18.4	477	38.1
BOROUGH OF RESIDENCE												
Bronx	357	16.1	294	15.8	63	17.5	204	18.8	17,324	19.7	324	25.9
Brooklyn	548	24.7	445	23.9	103	28.6	265	24.4	18,975	21.5	278	22.2
Manhattan	562	25.3	474	25.4	88	24.4	231	21.3	26,374	29.9	239	19.1
Queens	377	17.0	314	16.9	63	17.5	141	13.0	12,687	14.4	115	9.2
Staten Island	29	1.3	23	1.2	6	1.7	20	1.8	1,476	1.7	35	2.8
Outside NYC	283	12.7	246	13.2	37	10.3	197	18.2	9,813	11.1	62	4.9
Unknown	67	3.0	67	3.6	0	0.0	27	2.5	1,489	1.7	200	16.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	215	9.7	180	9.7	35	9.7	85	7.8	10,097	11.5	72	5.7
Medium poverty (10 to <20% below FPL)	654	29.4	542	29.1	112	31.1	277	25.5	26,244	29.8	279	22.3
High poverty (20 to <30% below FPL)	545	24.5	449	24.1	96	26.7	259	23.9	19,476	22.1	254	20.3
Very high poverty (≥30% below FPL)	447	20.1	368	19.8	79	21.9	237	21.8	19,905	22.6	386	30.8
Area-based poverty level not available	362	16.3	324	17.4	38	10.6	227	20.9	12,416	14.1	262	20.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,659	74.6	1,435	77.0	224	62.2	631	58.2	47,970	54.4	383	30.6
Injection drug use history (IDU)	30	1.3	20	1.1	10	2.8	56	5.2	10,804	12.3	353	28.2
MSM-IDU	49	2.2	45	2.4	4	1.1	27	2.5	3,104	3.5	61	4.9
Heterosexual contact	109	4.9	75	4.0	34	9.4	99	9.1	6,104	6.9	113	9.0
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	11	0.0	0	0.0
Perinatal	4	0.2	4	0.2	0	0.0	13	1.2	1,253	1.4	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	3	0.2
Unknown	371	16.7	283	15.2	88	24.4	259	23.9	18,782	21.3	330	26.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.2. Females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	582	100.0	461	79.2	121	20.8	444	100.0	34,485	100.0	545	100.0
RACE/ETHNICITY												
Black	362	62.2	283	61.4	79	65.3	282	63.5	19,958	57.9	321	58.9
Latino/Hispanic	170	29.2	140	30.4	30	24.8	128	28.8	11,338	32.9	181	33.2
White	33	5.7	24	5.2	9	7.4	24	5.4	2,540	7.4	39	7.2
Asian/Pacific Islander	11	1.9	9	2.0	2	1.7	7	1.6	430	1.2	3	0.6
Native American	2	0.3	2	0.4	0	0.0	1	0.2	79	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.8	2	0.5	61	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	79	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.3	2	0.4	0	0.0	0	0.0	80	0.2	0	0.0
13-19	27	4.6	26	5.6	1	0.8	4	0.9	410	1.2	0	0.0
20-29	139	23.9	127	27.5	12	9.9	52	11.7	2,467	7.2	12	2.2
30-39	151	25.9	118	25.6	33	27.3	105	23.6	4,803	13.9	44	8.1
40-49	122	21.0	97	21.0	25	20.7	136	30.6	9,469	27.5	103	18.9
50-59	90	15.5	55	11.9	35	28.9	99	22.3	11,395	33.0	222	40.7
60+	51	8.8	36	7.8	15	12.4	48	10.8	5,861	17.0	164	30.1
BOROUGH OF RESIDENCE												
Bronx	146	25.1	121	26.2	25	20.7	128	28.8	10,929	31.7	170	31.2
Brooklyn	185	31.8	136	29.5	49	40.5	126	28.4	9,934	28.8	141	25.9
Manhattan	89	15.3	67	14.5	22	18.2	61	13.7	5,207	15.1	75	13.8
Queens	82	14.1	68	14.8	14	11.6	48	10.8	4,812	14.0	50	9.2
Staten Island	13	2.2	9	2.0	4	3.3	12	2.7	804	2.3	23	4.2
Outside NYC	52	8.9	45	9.8	7	5.8	64	14.4	2,266	6.6	20	3.7
Unknown	15	2.6	15	3.3	0	0.0	5	1.1	533	1.5	66	12.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	4.6	17	3.7	10	8.3	24	5.4	1,854	5.4	27	5.0
Medium poverty (10 to <20% below FPL)	168	28.9	132	28.6	36	29.8	107	24.1	9,520	27.6	102	18.7
High poverty (20 to <30% below FPL)	141	24.2	110	23.9	31	25.6	102	23.0	8,675	25.2	137	25.1
Very high poverty (≥30% below FPL)	176	30.2	139	30.2	37	30.6	141	31.8	11,339	32.9	192	35.2
Area-based poverty level not available	70	12.0	63	13.7	7	5.8	70	15.8	3,097	9.0	87	16.0
TRANSMISSION RISK												
Injection drug use history (IDU)	30	5.2	28	6.1	2	1.7	46	10.4	5,679	16.5	165	30.3
Heterosexual contact	403	69.2	313	67.9	90	74.4	282	63.5	18,206	52.8	242	44.4
Transgender people with sexual contact	48	8.2	44	9.5	4	3.3	20	4.5	1,056	3.1	9	1.7
Perinatal	2	0.3	2	0.4	0	0.0	8	1.8	1,312	3.8	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	94	0.3	3	0.6
Unknown	99	17.0	74	16.1	25	20.7	88	19.8	8,138	23.6	119	21.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.1. Black males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	830	100.0	686	82.7	144	17.3	490	100.0	33,959	100.0	571	100.0
AGE GROUP (YEARS)												
0-12	4	0.5	4	0.6	0	0.0	2	0.4	45	0.1	0	0.0
13-19	43	5.2	42	6.1	1	0.7	8	1.6	268	0.8	0	0.0
20-29	330	39.8	299	43.6	31	21.5	112	22.9	4,068	12.0	19	3.3
30-39	189	22.8	158	23.0	31	21.5	110	22.4	5,068	14.9	28	4.9
40-49	113	13.6	77	11.2	36	25.0	119	24.3	7,705	22.7	86	15.1
50-59	101	12.2	74	10.8	27	18.8	100	20.4	10,335	30.4	199	34.9
60+	50	6.0	32	4.7	18	12.5	39	8.0	6,470	19.1	239	41.9
BOROUGH OF RESIDENCE												
Bronx	163	19.6	137	20.0	26	18.1	90	18.4	7,705	22.7	146	25.6
Brooklyn	308	37.1	252	36.7	56	38.9	155	31.6	10,760	31.7	171	29.9
Manhattan	142	17.1	110	16.0	32	22.2	87	17.8	6,985	20.6	99	17.3
Queens	93	11.2	77	11.2	16	11.1	48	9.8	4,288	12.6	52	9.1
Staten Island	8	1.0	8	1.2	0	0.0	5	1.0	517	1.5	12	2.1
Outside NYC	98	11.8	84	12.2	14	9.7	88	18.0	3,175	9.3	21	3.7
Unknown	18	2.2	18	2.6	0	0.0	17	3.5	529	1.6	70	12.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	56	6.7	44	6.4	12	8.3	28	5.7	1,900	5.6	22	3.9
Medium poverty (10 to <20% below FPL)	229	27.6	186	27.1	43	29.9	122	24.9	9,925	29.2	124	21.7
High poverty (20 to <30% below FPL)	225	27.1	185	27.0	40	27.8	124	25.3	8,677	25.6	135	23.6
Very high poverty (≥30% below FPL)	197	23.7	162	23.6	35	24.3	110	22.4	9,341	27.5	199	34.9
Area-based poverty level not available	123	14.8	109	15.9	14	9.7	106	21.6	4,116	12.1	91	15.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	530	63.9	456	66.5	74	51.4	257	52.4	14,761	43.5	156	27.3
Injection drug use history (IDU)	12	1.4	8	1.2	4	2.8	22	4.5	4,394	12.9	155	27.1
MSM-IDU	16	1.9	16	2.3	0	0.0	7	1.4	1,116	3.3	21	3.7
Heterosexual contact	68	8.2	46	6.7	22	15.3	65	13.3	3,336	9.8	69	12.1
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	9	0.0	0	0.0
Perinatal	4	0.5	4	0.6	0	0.0	6	1.2	704	2.1	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.1	1	0.2
Unknown	199	24.0	155	22.6	44	30.6	133	27.1	9,605	28.3	165	28.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	362	100.0	283	78.2	79	21.8	282	100.0	19,958	100.0	321	100.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	49	0.2	0	0.0
13-19	20	5.5	19	6.7	1	1.3	2	0.7	253	1.3	0	0.0
20-29	81	22.4	72	25.4	9	11.4	38	13.5	1,464	7.3	6	1.9
30-39	93	25.7	70	24.7	23	29.1	72	25.5	2,942	14.7	25	7.8
40-49	82	22.7	67	23.7	15	19.0	79	28.0	5,585	28.0	60	18.7
50-59	50	13.8	29	10.2	21	26.6	58	20.6	6,418	32.2	135	42.1
60+	35	9.7	25	8.8	10	12.7	33	11.7	3,247	16.3	95	29.6
BOROUGH OF RESIDENCE												
Bronx	79	21.8	67	23.7	12	15.2	68	24.1	5,572	27.9	95	29.6
Brooklyn	139	38.4	102	36.0	37	46.8	96	34.0	6,921	34.7	104	32.4
Manhattan	56	15.5	40	14.1	16	20.3	36	12.8	2,834	14.2	38	11.8
Queens	44	12.2	36	12.7	8	10.1	31	11.0	2,747	13.8	23	7.2
Staten Island	6	1.7	6	2.1	0	0.0	6	2.1	373	1.9	13	4.0
Outside NYC	33	9.1	27	9.5	6	7.6	42	14.9	1,206	6.0	10	3.1
Unknown	5	1.4	5	1.8	0	0.0	3	1.1	305	1.5	38	11.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	20	5.5	14	4.9	6	7.6	18	6.4	1,025	5.1	10	3.1
Medium poverty (10 to <20% below FPL)	110	30.4	85	30.0	25	31.6	71	25.2	5,848	29.3	62	19.3
High poverty (20 to <30% below FPL)	88	24.3	70	24.7	18	22.8	69	24.5	5,156	25.8	89	27.7
Very high poverty (≥30% below FPL)	104	28.7	80	28.3	24	30.4	79	28.0	6,252	31.3	111	34.6
Area-based poverty level not available	40	11.0	34	12.0	6	7.6	45	16.0	1,677	8.4	49	15.3
TRANSMISSION RISK												
Injection drug use history (IDU)	12	3.3	10	3.5	2	2.5	22	7.8	2,682	13.4	78	24.3
Heterosexual contact	261	72.1	203	71.7	58	73.4	191	67.7	10,816	54.2	157	48.9
Transgender people with sexual contact	21	5.8	19	6.7	2	2.5	11	3.9	527	2.6	4	1.2
Perinatal	1	0.3	1	0.4	0	0.0	4	1.4	761	3.8	4	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	2	0.6
Unknown	67	18.5	50	17.7	17	21.5	54	19.1	5,124	25.7	76	23.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.3. Latino/Hispanic males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	762	100.0	636	83.5	126	16.5	351	100.0	28,680	100.0	419	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
13-19	37	4.9	36	5.7	1	0.8	5	1.4	144	0.5	0	0.0
20-29	287	37.7	256	40.3	31	24.6	82	23.4	2,693	9.4	9	2.1
30-39	223	29.3	194	30.5	29	23.0	85	24.2	4,743	16.5	30	7.2
40-49	129	16.9	95	14.9	34	27.0	84	23.9	7,776	27.1	78	18.6
50-59	68	8.9	44	6.9	24	19.0	73	20.8	8,666	30.2	164	39.1
60+	18	2.4	11	1.7	7	5.6	22	6.3	4,637	16.2	138	32.9
BOROUGH OF RESIDENCE												
Bronx	172	22.6	142	22.3	30	23.8	94	26.8	8,473	29.5	159	37.9
Brooklyn	111	14.6	85	13.4	26	20.6	63	17.9	4,729	16.5	76	18.1
Manhattan	171	22.4	144	22.6	27	21.4	68	19.4	7,194	25.1	66	15.8
Queens	174	22.8	141	22.2	33	26.2	66	18.8	5,269	18.4	33	7.9
Staten Island	11	1.4	9	1.4	2	1.6	8	2.3	425	1.5	11	2.6
Outside NYC	96	12.6	88	13.8	8	6.3	48	13.7	2,064	7.2	19	4.5
Unknown	27	3.5	27	4.2	0	0.0	4	1.1	526	1.8	55	13.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	44	5.8	39	6.1	5	4.0	15	4.3	1,993	6.9	9	2.1
Medium poverty (10 to <20% below FPL)	198	26.0	159	25.0	39	31.0	89	25.4	8,151	28.4	94	22.4
High poverty (20 to <30% below FPL)	199	26.1	162	25.5	37	29.4	88	25.1	6,860	23.9	78	18.6
Very high poverty (≥30% below FPL)	194	25.5	158	24.8	36	28.6	106	30.2	8,731	30.4	164	39.1
Area-based poverty level not available	127	16.7	118	18.6	9	7.1	53	15.1	2,945	10.3	74	17.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	601	78.9	517	81.3	84	66.7	210	59.8	14,163	49.4	90	21.5
Injection drug use history (IDU)	11	1.4	8	1.3	3	2.4	26	7.4	5,089	17.7	151	36.0
MSM-IDU	16	2.1	14	2.2	2	1.6	9	2.6	1,206	4.2	30	7.2
Heterosexual contact	28	3.7	20	3.1	8	6.3	28	8.0	2,052	7.2	35	8.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	7	2.0	459	1.6	5	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	1	0.2
Unknown	106	13.9	77	12.1	29	23.0	71	20.2	5,686	19.8	107	25.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	140	82.4	30	17.6	128	100.0	11,338	100.0	181	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
13-19	7	4.1	7	5.0	0	0.0	0	0.0	137	1.2	0	0.0
20-29	45	26.5	42	30.0	3	10.0	14	10.9	802	7.1	6	3.3
30-39	42	24.7	33	23.6	9	30.0	26	20.3	1,449	12.8	16	8.8
40-49	29	17.1	26	18.6	3	10.0	43	33.6	3,056	27.0	33	18.2
50-59	32	18.8	21	15.0	11	36.7	31	24.2	3,847	33.9	75	41.4
60+	15	8.8	11	7.9	4	13.3	14	10.9	2,021	17.8	51	28.2
BOROUGH OF RESIDENCE												
Bronx	62	36.5	49	35.0	13	43.3	58	45.3	4,920	43.4	71	39.2
Brooklyn	36	21.2	30	21.4	6	20.0	20	15.6	2,311	20.4	32	17.7
Manhattan	26	15.3	22	15.7	4	13.3	18	14.1	1,740	15.3	27	14.9
Queens	23	13.5	18	12.9	5	16.7	12	9.4	1,419	12.5	23	12.7
Staten Island	4	2.4	3	2.1	1	3.3	2	1.6	241	2.1	5	2.8
Outside NYC	10	5.9	9	6.4	1	3.3	16	12.5	542	4.8	5	2.8
Unknown	9	5.3	9	6.4	0	0.0	2	1.6	165	1.5	18	9.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	2.4	2	1.4	2	6.7	4	3.1	368	3.2	9	5.0
Medium poverty (10 to <20% below FPL)	44	25.9	34	24.3	10	33.3	23	18.0	2,629	23.2	34	18.8
High poverty (20 to <30% below FPL)	38	22.4	32	22.9	6	20.0	24	18.8	2,891	25.5	41	22.7
Very high poverty (≥30% below FPL)	64	37.6	53	37.9	11	36.7	59	46.1	4,672	41.2	74	40.9
Area-based poverty level not available	20	11.8	19	13.6	1	3.3	18	14.1	778	6.9	23	12.7
TRANSMISSION RISK												
Injection drug use history (IDU)	12	7.1	12	8.6	0	0.0	20	15.6	2,316	20.4	68	37.6
Heterosexual contact	111	65.3	89	63.6	22	73.3	74	57.8	5,864	51.7	73	40.3
Transgender people with sexual contact	24	14.1	22	15.7	2	6.7	8	6.3	420	3.7	4	2.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.6	465	4.1	3	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.6
Unknown	23	13.5	17	12.1	6	20.0	24	18.8	2,250	19.8	32	17.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.5. White males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	489	100.0	420	85.9	69	14.1	184	100.0	22,782	100.0	245	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	2	0.4	2	0.5	0	0.0	0	0.0	22	0.1	0	0.0
20-29	166	33.9	156	37.1	10	14.5	18	9.8	1,118	4.9	3	1.2
30-39	134	27.4	117	27.9	17	24.6	41	22.3	3,072	13.5	13	5.3
40-49	113	23.1	91	21.7	22	31.9	54	29.3	5,932	26.0	47	19.2
50-59	50	10.2	38	9.0	12	17.4	50	27.2	7,859	34.5	89	36.3
60+	24	4.9	16	3.8	8	11.6	21	11.4	4,776	21.0	93	38.0
BOROUGH OF RESIDENCE												
Bronx	18	3.7	12	2.9	6	8.7	15	8.2	927	4.1	16	6.5
Brooklyn	99	20.2	82	19.5	17	24.6	34	18.5	3,045	13.4	26	10.6
Manhattan	208	42.5	184	43.8	24	34.8	64	34.8	11,274	49.5	70	28.6
Queens	61	12.5	55	13.1	6	8.7	13	7.1	2,373	10.4	27	11.0
Staten Island	10	2.0	6	1.4	4	5.8	7	3.8	498	2.2	12	4.9
Outside NYC	73	14.9	61	14.5	12	17.4	45	24.5	4,305	18.9	22	9.0
Unknown	20	4.1	20	4.8	0	0.0	6	3.3	360	1.6	72	29.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	100	20.4	82	19.5	18	26.1	39	21.2	5,832	25.6	40	16.3
Medium poverty (10 to <20% below FPL)	171	35.0	150	35.7	21	30.4	48	26.1	7,162	31.4	55	22.4
High poverty (20 to <30% below FPL)	78	16.0	66	15.7	12	17.4	31	16.8	3,319	14.6	35	14.3
Very high poverty (≥30% below FPL)	46	9.4	40	9.5	6	8.7	14	7.6	1,539	6.8	21	8.6
Area-based poverty level not available	94	19.2	82	19.5	12	17.4	52	28.3	4,930	21.6	94	38.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	413	84.5	362	86.2	51	73.9	126	68.5	17,435	76.5	132	53.9
Injection drug use history (IDU)	3	0.6	1	0.2	2	2.9	5	2.7	1,239	5.4	45	18.4
MSM-IDU	16	3.3	14	3.3	2	2.9	11	6.0	726	3.2	10	4.1
Heterosexual contact	6	1.2	2	0.5	4	5.8	6	3.3	512	2.2	6	2.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	68	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	1	0.4
Unknown	51	10.4	41	9.8	10	14.5	36	19.6	2,756	12.1	50	20.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.6. White females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	24	72.7	9	27.3	24	100.0	2,540	100.0	39	100.0
AGE GROUP (YEARS)												
0-12	1	3.0	1	4.2	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	14	0.6	0	0.0
20-29	8	24.2	8	33.3	0	0.0	0	0.0	139	5.5	0	0.0
30-39	9	27.3	8	33.3	1	11.1	6	25.0	290	11.4	2	5.1
40-49	7	21.2	3	12.5	4	44.4	10	41.7	636	25.0	10	25.6
50-59	7	21.2	4	16.7	3	33.3	7	29.2	956	37.6	10	25.6
60+	1	3.0	0	0.0	1	11.1	1	4.2	502	19.8	17	43.6
BOROUGH OF RESIDENCE												
Bronx	5	15.2	5	20.8	0	0.0	2	8.3	343	13.5	4	10.3
Brooklyn	6	18.2	1	4.2	5	55.6	6	25.0	540	21.3	4	10.3
Manhattan	4	12.1	3	12.5	1	11.1	5	20.8	525	20.7	9	23.1
Queens	8	24.2	7	29.2	1	11.1	5	20.8	438	17.2	3	7.7
Staten Island	2	6.1	0	0.0	2	22.2	2	8.3	180	7.1	5	12.8
Outside NYC	7	21.2	7	29.2	0	0.0	4	16.7	472	18.6	5	12.8
Unknown	1	3.0	1	4.2	0	0.0	0	0.0	42	1.7	9	23.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	9.1	1	4.2	2	22.2	2	8.3	420	16.5	8	20.5
Medium poverty (10 to <20% below FPL)	7	21.2	7	29.2	0	0.0	8	33.3	786	30.9	6	15.4
High poverty (20 to <30% below FPL)	7	21.2	2	8.3	5	55.6	7	29.2	473	18.6	5	12.8
Very high poverty (≥30% below FPL)	8	24.2	6	25.0	2	22.2	2	8.3	321	12.6	6	15.4
Area-based poverty level not available	8	24.2	8	33.3	0	0.0	5	20.8	540	21.3	14	35.9
TRANSMISSION RISK												
Injection drug use history (IDU)	4	12.1	4	16.7	0	0.0	3	12.5	645	25.4	19	48.7
Heterosexual contact	18	54.5	11	45.8	7	77.8	13	54.2	1,179	46.4	9	23.1
Transgender people with sexual contact	2	6.1	2	8.3	0	0.0	1	4.2	70	2.8	1	2.6
Perinatal	1	3.0	1	4.2	0	0.0	0	0.0	71	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.8	0	0.0
Unknown	8	24.2	6	25.0	2	22.2	7	29.2	555	21.9	10	25.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	113	100.0	96	85.0	17	15.0	41	100.0	2,045	100.0	13	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	1.8	2	2.1	0	0.0	0	0.0	2	0.1	0	0.0
20-29	34	30.1	34	35.4	0	0.0	4	9.8	238	11.6	1	7.7
30-39	42	37.2	31	32.3	11	64.7	16	39.0	458	22.4	1	7.7
40-49	21	18.6	16	16.7	5	29.4	14	34.1	636	31.1	4	30.8
50-59	13	11.5	12	12.5	1	5.9	4	9.8	486	23.8	3	23.1
60+	1	0.9	1	1.0	0	0.0	3	7.3	222	10.9	4	30.8
BOROUGH OF RESIDENCE												
Bronx	2	1.8	2	2.1	0	0.0	2	4.9	128	6.3	2	15.4
Brooklyn	24	21.2	21	21.9	3	17.6	9	22.0	341	16.7	4	30.8
Manhattan	32	28.3	28	29.2	4	23.5	9	22.0	665	32.5	2	15.4
Queens	43	38.1	35	36.5	8	47.1	14	34.1	656	32.1	3	23.1
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	21	1.0	0	0.0
Outside NYC	10	8.8	8	8.3	2	11.8	7	17.1	174	8.5	0	0.0
Unknown	2	1.8	2	2.1	0	0.0	0	0.0	60	2.9	2	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	11.5	13	13.5	0	0.0	2	4.9	279	13.6	0	0.0
Medium poverty (10 to <20% below FPL)	47	41.6	38	39.6	9	52.9	17	41.5	812	39.7	6	46.2
High poverty (20 to <30% below FPL)	36	31.9	30	31.3	6	35.3	13	31.7	508	24.8	4	30.8
Very high poverty (≥30% below FPL)	5	4.4	5	5.2	0	0.0	2	4.9	192	9.4	1	7.7
Area-based poverty level not available	12	10.6	10	10.4	2	11.8	7	17.1	254	12.4	2	15.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	93	82.3	80	83.3	13	76.5	27	65.9	1,310	64.1	4	30.8
Injection drug use history (IDU)	3	2.7	2	2.1	1	5.9	1	2.4	50	2.4	2	15.4
MSM-IDU	1	0.9	1	1.0	0	0.0	0	0.0	39	1.9	0	0.0
Heterosexual contact	4	3.5	4	4.2	0	0.0	0	0.0	177	8.7	3	23.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	12	10.6	9	9.4	3	17.6	13	31.7	454	22.2	4	30.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	9	81.8	2	18.2	7	100.0	430	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	14.3	2	0.5	0	0.0
20-29	2	18.2	2	22.2	0	0.0	0	0.0	33	7.7	0	0.0
30-39	6	54.5	6	66.7	0	0.0	1	14.3	97	22.6	1	33.3
40-49	2	18.2	0	0.0	2	100.0	3	42.9	129	30.0	0	0.0
50-59	1	9.1	1	11.1	0	0.0	2	28.6	105	24.4	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	64	14.9	1	33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	41	9.5	0	0.0
Brooklyn	3	27.3	2	22.2	1	50.0	3	42.9	97	22.6	0	0.0
Manhattan	2	18.2	1	11.1	1	50.0	2	28.6	66	15.3	1	33.3
Queens	5	45.5	5	55.6	0	0.0	0	0.0	170	39.5	1	33.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Outside NYC	1	9.1	1	11.1	0	0.0	2	28.6	36	8.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	3.7	1	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	30	7.0	0	0.0
Medium poverty (10 to <20% below FPL)	5	45.5	4	44.4	1	50.0	3	42.9	189	44.0	0	0.0
High poverty (20 to <30% below FPL)	5	45.5	4	44.4	1	50.0	1	14.3	100	23.3	2	66.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	14.3	53	12.3	0	0.0
Area-based poverty level not available	1	9.1	1	11.1	0	0.0	2	28.6	58	13.5	1	33.3
TRANSMISSION RISK												
Injection drug use history (IDU)	1	9.1	1	11.1	0	0.0	1	14.3	19	4.4	0	0.0
Heterosexual contact	9	81.8	7	77.8	2	100.0	2	28.6	252	58.6	2	66.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	5.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	9.1	1	11.1	0	0.0	3	42.9	131	30.5	1	33.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.9. Native American males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	3	100.0	212	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	16.7	1	16.7	0	0.0	1	33.3	18	8.5	0	0.0
30-39	1	16.7	1	16.7	0	0.0	0	0.0	40	18.9	0	0.0
40-49	3	50.0	3	50.0	0	0.0	1	33.3	65	30.7	1	50.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	56	26.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	33	15.6	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	37	17.5	0	0.0
Brooklyn	1	16.7	1	16.7	0	0.0	2	66.7	49	23.1	0	0.0
Manhattan	2	33.3	2	33.3	0	0.0	0	0.0	48	22.6	1	50.0
Queens	2	33.3	2	33.3	0	0.0	0	0.0	49	23.1	0	0.0
Other/Unknown	1	16.7	1	16.7	0	0.0	1	33.3	29	13.7	1	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	7.1	0	0.0
Medium poverty (10 to <20% below FPL)	2	33.3	2	33.3	0	0.0	0	0.0	68	32.1	0	0.0
High poverty (20 to <30% below FPL)	3	50.0	3	50.0	0	0.0	1	33.3	51	24.1	1	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	50	23.6	0	0.0
Area-based poverty level not available	1	16.7	1	16.7	0	0.0	1	33.3	28	13.2	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	66.7	4	66.7	0	0.0	2	66.7	114	53.8	1	50.0
Injection drug use history (IDU)	1	16.7	1	16.7	0	0.0	1	33.3	16	7.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	10	4.7	0	0.0
Heterosexual contact	1	16.7	1	16.7	0	0.0	0	0.0	18	8.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	52	24.5	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.10. Native American females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	79	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	0	0.0
20-29	1	50.0	1	50.0	0	0.0	0	0.0	6	7.6	0	0.0
30-39	1	50.0	1	50.0	0	0.0	0	0.0	11	13.9	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	29	36.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	100.0	22	27.8	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	8	10.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	29.1	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	30	38.0	1	100.0
Manhattan	1	50.0	1	50.0	0	0.0	0	0.0	12	15.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	12.7	0	0.0
Other/Unknown	1	50.0	1	50.0	0	0.0	0	0.0	4	5.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	33	41.8	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	21	26.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	22	27.8	1	100.0
Area-based poverty level not available	1	50.0	1	50.0	0	0.0	0	0.0	3	3.8	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
Heterosexual contact	1	50.0	1	50.0	0	0.0	1	100.0	50	63.3	1	100.0
Transgender people with sexual contact	1	50.0	1	50.0	0	0.0	0	0.0	6	7.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	19.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	72	100.0	0	0.0
RACE/ETHNICITY												
Black	4	100.0	4	100.0	0	0.0	2	100.0	45	62.5	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	21	29.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	75.0	3	75.0	0	0.0	0	0.0	24	33.3	0	0.0
Brooklyn	1	25.0	1	25.0	0	0.0	1	50.0	16	22.2	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	11	15.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	50.0	13	18.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	5	6.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	2.8	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.9	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	18	25.0	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	14	19.4	0	0.0
Very high poverty (≥30% below FPL)	4	100.0	4	100.0	0	0.0	0	0.0	28	38.9	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	7	9.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	4	100.0	0	0.0	2	100.0	72	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	0	0.0	80	100.0	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	0	0.0	49	61.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	26	32.5	0	0.0
White	1	50.0	1	50.0	0	0.0	0	0.0	3	3.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	100.0	2	100.0	0	0.0	0	0.0	27	33.8	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	21	26.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	15.0	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	12.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	5.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	8.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	20.0	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	24	30.0	0	0.0
Very high poverty (≥30% below FPL)	2	100.0	2	100.0	0	0.0	0	0.0	26	32.5	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	7	8.8	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	0	0.0	80	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.4.3. Males 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,219	100.0	1,859	83.8	360	16.2	1,083	100.0	88,066	100.0	1,253	100.0
RACE/ETHNICITY												
Black	826	37.2	682	36.7	144	40.0	488	45.1	33,914	38.5	571	45.6
Latino/Hispanic	762	34.3	636	34.2	126	35.0	351	32.4	28,659	32.5	419	33.4
White	489	22.0	420	22.6	69	19.2	184	17.0	22,779	25.9	245	19.6
Asian/Pacific Islander	113	5.1	96	5.2	17	4.7	41	3.8	2,042	2.3	13	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	212	0.2	2	0.2
Multiracial	23	1.0	19	1.0	4	1.1	16	1.5	201	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	259	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	85	3.8	83	4.5	2	0.6	14	1.3	441	0.5	0	0.0
20-29	829	37.4	756	40.7	73	20.3	222	20.5	8,204	9.3	32	2.6
30-39	597	26.9	508	27.3	89	24.7	254	23.5	13,447	15.3	72	5.7
40-49	382	17.2	284	15.3	98	27.2	277	25.6	22,217	25.2	217	17.3
50-59	233	10.5	168	9.0	65	18.1	230	21.2	27,540	31.3	455	36.3
60+	93	4.2	60	3.2	33	9.2	86	7.9	16,217	18.4	477	38.1
BOROUGH OF RESIDENCE												
Bronx	354	16.0	291	15.7	63	17.5	204	18.8	17,300	19.6	324	25.9
Brooklyn	547	24.7	444	23.9	103	28.6	264	24.4	18,959	21.5	278	22.2
Manhattan	562	25.3	474	25.5	88	24.4	231	21.3	26,363	29.9	239	19.1
Queens	377	17.0	314	16.9	63	17.5	140	12.9	12,674	14.4	115	9.2
Staten Island	29	1.3	23	1.2	6	1.7	20	1.8	1,475	1.7	35	2.8
Outside NYC	283	12.8	246	13.2	37	10.3	197	18.2	9,808	11.1	62	4.9
Unknown	67	3.0	67	3.6	0	0.0	27	2.5	1,487	1.7	200	16.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	215	9.7	180	9.7	35	9.7	85	7.8	10,092	11.5	72	5.7
Medium poverty (10 to <20% below FPL)	654	29.5	542	29.2	112	31.1	276	25.5	26,226	29.8	279	22.3
High poverty (20 to <30% below FPL)	545	24.6	449	24.2	96	26.7	258	23.8	19,462	22.1	254	20.3
Very high poverty (≥30% below FPL)	443	20.0	364	19.6	79	21.9	237	21.9	19,877	22.6	386	30.8
Area-based poverty level not available	362	16.3	324	17.4	38	10.6	227	21.0	12,409	14.1	262	20.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,659	74.8	1,435	77.2	224	62.2	631	58.3	47,970	54.5	383	30.6
Injection drug use history (IDU)	30	1.4	20	1.1	10	2.8	56	5.2	10,804	12.3	353	28.2
MSM-IDU	49	2.2	45	2.4	4	1.1	27	2.5	3,104	3.5	61	4.9
Heterosexual contact	109	4.9	75	4.0	34	9.4	99	9.1	6,104	6.9	113	9.0
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	11	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	1.0	1,181	1.3	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	3	0.2
Unknown	371	16.7	283	15.2	88	24.4	259	23.9	18,782	21.3	330	26.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.4. Females 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	580	100.0	459	79.1	121	20.9	444	100.0	34,405	100.0	545	100.0
RACE/ETHNICITY												
Black	361	62.2	282	61.4	79	65.3	282	63.5	19,909	57.9	321	58.9
Latino/Hispanic	170	29.3	140	30.5	30	24.8	128	28.8	11,312	32.9	181	33.2
White	32	5.5	23	5.0	9	7.4	24	5.4	2,537	7.4	39	7.2
Asian/Pacific Islander	11	1.9	9	2.0	2	1.7	7	1.6	430	1.2	3	0.6
Native American	2	0.3	2	0.4	0	0.0	1	0.2	78	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.8	2	0.5	60	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	79	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	27	4.7	26	5.7	1	0.8	4	0.9	410	1.2	0	0.0
20-29	139	24.0	127	27.7	12	9.9	52	11.7	2,467	7.2	12	2.2
30-39	151	26.0	118	25.7	33	27.3	105	23.6	4,803	14.0	44	8.1
40-49	122	21.0	97	21.1	25	20.7	136	30.6	9,469	27.5	103	18.9
50-59	90	15.5	55	12.0	35	28.9	99	22.3	11,395	33.1	222	40.7
60+	51	8.8	36	7.8	15	12.4	48	10.8	5,861	17.0	164	30.1
BOROUGH OF RESIDENCE												
Bronx	144	24.8	119	25.9	25	20.7	128	28.8	10,902	31.7	170	31.2
Brooklyn	185	31.9	136	29.6	49	40.5	126	28.4	9,913	28.8	141	25.9
Manhattan	89	15.3	67	14.6	22	18.2	61	13.7	5,195	15.1	75	13.8
Queens	82	14.1	68	14.8	14	11.6	48	10.8	4,802	14.0	50	9.2
Staten Island	13	2.2	9	2.0	4	3.3	12	2.7	801	2.3	23	4.2
Outside NYC	52	9.0	45	9.8	7	5.8	64	14.4	2,262	6.6	20	3.7
Unknown	15	2.6	15	3.3	0	0.0	5	1.1	530	1.5	66	12.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	4.7	17	3.7	10	8.3	24	5.4	1,847	5.4	27	5.0
Medium poverty (10 to <20% below FPL)	168	29.0	132	28.8	36	29.8	107	24.1	9,504	27.6	102	18.7
High poverty (20 to <30% below FPL)	141	24.3	110	24.0	31	25.6	102	23.0	8,651	25.1	137	25.1
Very high poverty (≥30% below FPL)	174	30.0	137	29.8	37	30.6	141	31.8	11,313	32.9	192	35.2
Area-based poverty level not available	70	12.1	63	13.7	7	5.8	70	15.8	3,090	9.0	87	16.0
TRANSMISSION RISK												
Injection drug use history (IDU)	30	5.2	28	6.1	2	1.7	46	10.4	5,679	16.5	165	30.3
Heterosexual contact	403	69.5	313	68.2	90	74.4	282	63.5	18,206	52.9	242	44.4
Transgender people with sexual contact	48	8.3	44	9.6	4	3.3	20	4.5	1,056	3.1	9	1.7
Perinatal	0	0.0	0	0.0	0	0.0	8	1.8	1,232	3.6	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	94	0.3	3	0.6
Unknown	99	17.1	74	16.1	25	20.7	88	19.8	8,138	23.7	119	21.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.1. Bronx, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	357	100.0	294	82.4	63	17.6	204	100.0	17,324	100.0	324	100.0
RACE/ETHNICITY												
Black	163	45.7	137	46.6	26	41.3	90	44.1	7,705	44.5	146	45.1
Latino/Hispanic	172	48.2	142	48.3	30	47.6	94	46.1	8,473	48.9	159	49.1
White	18	5.0	12	4.1	6	9.5	15	7.4	927	5.4	16	4.9
Asian/Pacific Islander	2	0.6	2	0.7	0	0.0	2	1.0	128	0.7	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	37	0.2	0	0.0
Multiracial	2	0.6	1	0.3	1	1.6	3	1.5	30	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.8	3	1.0	0	0.0	0	0.0	24	0.1	0	0.0
13-19	19	5.3	19	6.5	0	0.0	4	2.0	122	0.7	0	0.0
20-29	140	39.2	128	43.5	12	19.0	37	18.1	1,843	10.6	5	1.5
30-39	72	20.2	57	19.4	15	23.8	46	22.5	2,404	13.9	17	5.2
40-49	57	16.0	39	13.3	18	28.6	55	27.0	4,179	24.1	57	17.6
50-59	47	13.2	34	11.6	13	20.6	47	23.0	5,588	32.3	117	36.1
60+	19	5.3	14	4.8	5	7.9	15	7.4	3,164	18.3	128	39.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	0.6	1	0.3	1	1.6	1	0.5	28	0.2	1	0.3
Medium poverty (10 to <20% below FPL)	70	19.6	58	19.7	12	19.0	42	20.6	3,103	17.9	54	16.7
High poverty (20 to <30% below FPL)	45	12.6	38	12.9	7	11.1	24	11.8	1,794	10.4	24	7.4
Very high poverty (≥30% below FPL)	240	67.2	197	67.0	43	68.3	137	67.2	12,279	70.9	245	75.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	120	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	217	60.8	190	64.6	27	42.9	81	39.7	6,356	36.7	57	17.6
Injection drug use history (IDU)	8	2.2	8	2.7	0	0.0	15	7.4	3,417	19.7	128	39.5
MSM-IDU	4	1.1	4	1.4	0	0.0	4	2.0	791	4.6	16	4.9
Heterosexual contact	31	8.7	20	6.8	11	17.5	26	12.7	1,658	9.6	29	9.0
Transgender people with sexual contact	1	0.3	1	0.3	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	3	0.8	3	1.0	0	0.0	6	2.9	422	2.4	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	1	0.3
Unknown	93	26.1	68	23.1	25	39.7	72	35.3	4,654	26.9	91	28.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.2. Bronx, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	121	82.9	25	17.1	128	100.0	10,929	100.0	170	100.0
RACE/ETHNICITY												
Black	79	54.1	67	55.4	12	48.0	68	53.1	5,572	51.0	95	55.9
Latino/Hispanic	62	42.5	49	40.5	13	52.0	58	45.3	4,920	45.0	71	41.8
White	5	3.4	5	4.1	0	0.0	2	1.6	343	3.1	4	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.4	2	1.7	0	0.0	0	0.0	27	0.2	0	0.0
13-19	3	2.1	3	2.5	0	0.0	0	0.0	127	1.2	0	0.0
20-29	29	19.9	25	20.7	4	16.0	15	11.7	795	7.3	4	2.4
30-39	40	27.4	34	28.1	6	24.0	28	21.9	1,597	14.6	15	8.8
40-49	31	21.2	25	20.7	6	24.0	42	32.8	3,080	28.2	29	17.1
50-59	25	17.1	19	15.7	6	24.0	29	22.7	3,614	33.1	83	48.8
60+	16	11.0	13	10.7	3	12.0	14	10.9	1,689	15.5	39	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Medium poverty (10 to <20% below FPL)	28	19.2	22	18.2	6	24.0	20	15.6	2,075	19.0	26	15.3
High poverty (20 to <30% below FPL)	4	2.7	3	2.5	1	4.0	14	10.9	1,180	10.8	20	11.8
Very high poverty (≥30% below FPL)	113	77.4	95	78.5	18	72.0	94	73.4	7,623	69.8	124	72.9
Area-based poverty level not available	1	0.7	1	0.8	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	9	6.2	9	7.4	0	0.0	21	16.4	2,010	18.4	61	35.9
Heterosexual contact	120	82.2	96	79.3	24	96.0	88	68.8	5,688	52.0	68	40.0
Transgender people with sexual contact	4	2.7	4	3.3	0	0.0	4	3.1	285	2.6	3	1.8
Perinatal	2	1.4	2	1.7	0	0.0	0	0.0	423	3.9	3	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Unknown	11	7.5	10	8.3	1	4.0	15	11.7	2,503	22.9	35	20.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.3. Brooklyn, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	548	100.0	445	81.2	103	18.8	265	100.0	18,975	100.0	278	100.0
RACE/ETHNICITY												
Black	308	56.2	252	56.6	56	54.4	155	58.5	10,760	56.7	171	61.5
Latino/Hispanic	111	20.3	85	19.1	26	25.2	63	23.8	4,729	24.9	76	27.3
White	99	18.1	82	18.4	17	16.5	34	12.8	3,045	16.0	26	9.4
Asian/Pacific Islander	24	4.4	21	4.7	3	2.9	9	3.4	341	1.8	4	1.4
Native American	1	0.2	1	0.2	0	0.0	2	0.8	49	0.3	0	0.0
Multiracial	5	0.9	4	0.9	1	1.0	2	0.8	26	0.1	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	1	0.4	16	0.1	0	0.0
13-19	25	4.6	23	5.2	2	1.9	5	1.9	137	0.7	0	0.0
20-29	204	37.2	187	42.0	17	16.5	49	18.5	1,977	10.4	6	2.2
30-39	139	25.4	120	27.0	19	18.4	48	18.1	3,122	16.5	7	2.5
40-49	93	17.0	64	14.4	29	28.2	76	28.7	4,671	24.6	53	19.1
50-59	57	10.4	35	7.9	22	21.4	61	23.0	5,610	29.6	113	40.6
60+	29	5.3	15	3.4	14	13.6	25	9.4	3,442	18.1	99	35.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	6.0	23	5.2	10	9.7	15	5.7	679	3.6	7	2.5
Medium poverty (10 to <20% below FPL)	174	31.8	144	32.4	30	29.1	71	26.8	6,547	34.5	83	29.9
High poverty (20 to <30% below FPL)	249	45.4	205	46.1	44	42.7	125	47.2	8,089	42.6	121	43.5
Very high poverty (≥30% below FPL)	92	16.8	73	16.4	19	18.4	54	20.4	3,490	18.4	67	24.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	170	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	374	68.2	316	71.0	58	56.3	143	54.0	9,155	48.2	65	23.4
Injection drug use history (IDU)	13	2.4	9	2.0	4	3.9	15	5.7	2,498	13.2	80	28.8
MSM-IDU	14	2.6	12	2.7	2	1.9	8	3.0	632	3.3	16	5.8
Heterosexual contact	37	6.8	26	5.8	11	10.7	27	10.2	1,633	8.6	28	10.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	1	0.4	331	1.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
Unknown	109	19.9	81	18.2	28	27.2	71	26.8	4,702	24.8	87	31.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.4. Brooklyn, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	185	100.0	136	73.5	49	26.5	126	100.0	9,934	100.0	141	100.0
RACE/ETHNICITY												
Black	139	75.1	102	75.0	37	75.5	96	76.2	6,921	69.7	104	73.8
Latino/Hispanic	36	19.5	30	22.1	6	12.2	20	15.9	2,311	23.3	32	22.7
White	6	3.2	1	0.7	5	10.2	6	4.8	540	5.4	4	2.8
Asian/Pacific Islander	3	1.6	2	1.5	1	2.0	3	2.4	97	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	30	0.3	1	0.7
Multiracial	1	0.5	1	0.7	0	0.0	0	0.0	13	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	12	6.5	12	8.8	0	0.0	2	1.6	120	1.2	0	0.0
20-29	41	22.2	37	27.2	4	8.2	16	12.7	654	6.6	4	2.8
30-39	50	27.0	35	25.7	15	30.6	31	24.6	1,423	14.3	13	9.2
40-49	36	19.5	30	22.1	6	12.2	31	24.6	2,685	27.0	28	19.9
50-59	31	16.8	14	10.3	17	34.7	31	24.6	3,262	32.8	52	36.9
60+	15	8.1	8	5.9	7	14.3	15	11.9	1,769	17.8	44	31.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	4.3	3	2.2	5	10.2	6	4.8	317	3.2	3	2.1
Medium poverty (10 to <20% below FPL)	66	35.7	49	36.0	17	34.7	46	36.5	3,273	32.9	39	27.7
High poverty (20 to <30% below FPL)	80	43.2	61	44.9	19	38.8	53	42.1	4,372	44.0	61	43.3
Very high poverty (≥30% below FPL)	30	16.2	22	16.2	8	16.3	21	16.7	1,906	19.2	38	27.0
Area-based poverty level not available	1	0.5	1	0.7	0	0.0	0	0.0	66	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	9	4.9	9	6.6	0	0.0	7	5.6	1,476	14.9	37	26.2
Heterosexual contact	130	70.3	93	68.4	37	75.5	84	66.7	5,432	54.7	68	48.2
Transgender people with sexual contact	9	4.9	8	5.9	1	2.0	6	4.8	231	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.4	358	3.6	3	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	37	20.0	26	19.1	11	22.4	26	20.6	2,411	24.3	33	23.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.5. Manhattan, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	562	100.0	474	84.3	88	15.7	231	100.0	26,374	100.0	239	100.0
RACE/ETHNICITY												
Black	142	25.3	110	23.2	32	36.4	87	37.7	6,985	26.5	99	41.4
Latino/Hispanic	171	30.4	144	30.4	27	30.7	68	29.4	7,194	27.3	66	27.6
White	208	37.0	184	38.8	24	27.3	64	27.7	11,274	42.7	70	29.3
Asian/Pacific Islander	32	5.7	28	5.9	4	4.5	9	3.9	665	2.5	2	0.8
Native American	2	0.4	2	0.4	0	0.0	0	0.0	48	0.2	1	0.4
Multiracial	7	1.2	6	1.3	1	1.1	3	1.3	54	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	154	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
13-19	7	1.2	7	1.5	0	0.0	0	0.0	46	0.2	0	0.0
20-29	197	35.1	176	37.1	21	23.9	39	16.9	1,643	6.2	4	1.7
30-39	159	28.3	135	28.5	24	27.3	58	25.1	3,790	14.4	18	7.5
40-49	115	20.5	91	19.2	24	27.3	56	24.2	6,917	26.2	37	15.5
50-59	59	10.5	47	9.9	12	13.6	58	25.1	8,480	32.2	75	31.4
60+	25	4.4	18	3.8	7	8.0	20	8.7	5,487	20.8	105	43.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	130	23.1	112	23.6	18	20.5	48	20.8	7,500	28.4	39	16.3
Medium poverty (10 to <20% below FPL)	162	28.8	135	28.5	27	30.7	67	29.0	7,674	29.1	67	28.0
High poverty (20 to <30% below FPL)	144	25.6	119	25.1	25	28.4	67	29.0	6,396	24.3	59	24.7
Very high poverty (≥30% below FPL)	115	20.5	98	20.7	17	19.3	46	19.9	4,136	15.7	74	31.0
Area-based poverty level not available	11	2.0	10	2.1	1	1.1	3	1.3	668	2.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	471	83.8	404	85.2	67	76.1	162	70.1	17,744	67.3	89	37.2
Injection drug use history (IDU)	3	0.5	1	0.2	2	2.3	9	3.9	2,267	8.6	60	25.1
MSM-IDU	17	3.0	16	3.4	1	1.1	4	1.7	865	3.3	12	5.0
Heterosexual contact	12	2.1	8	1.7	4	4.5	15	6.5	984	3.7	18	7.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	171	0.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	59	10.5	45	9.5	14	15.9	41	17.7	4,324	16.4	59	24.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.6. Manhattan, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	67	75.3	22	24.7	61	100.0	5,207	100.0	75	100.0
RACE/ETHNICITY												
Black	56	62.9	40	59.7	16	72.7	36	59.0	2,834	54.4	38	50.7
Latino/Hispanic	26	29.2	22	32.8	4	18.2	18	29.5	1,740	33.4	27	36.0
White	4	4.5	3	4.5	1	4.5	5	8.2	525	10.1	9	12.0
Asian/Pacific Islander	2	2.2	1	1.5	1	4.5	2	3.3	66	1.3	1	1.3
Native American	1	1.1	1	1.5	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	4	4.5	3	4.5	1	4.5	1	1.6	51	1.0	0	0.0
20-29	25	28.1	23	34.3	2	9.1	6	9.8	346	6.6	0	0.0
30-39	18	20.2	11	16.4	7	31.8	15	24.6	586	11.3	2	2.7
40-49	27	30.3	21	31.3	6	27.3	18	29.5	1,338	25.7	13	17.3
50-59	11	12.4	7	10.4	4	18.2	14	23.0	1,790	34.4	27	36.0
60+	4	4.5	2	3.0	2	9.1	7	11.5	1,084	20.8	33	44.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	5.6	5	7.5	0	0.0	3	4.9	604	11.6	15	20.0
Medium poverty (10 to <20% below FPL)	21	23.6	17	25.4	4	18.2	11	18.0	902	17.3	6	8.0
High poverty (20 to <30% below FPL)	30	33.7	23	34.3	7	31.8	20	32.8	1,772	34.0	24	32.0
Very high poverty (≥30% below FPL)	33	37.1	22	32.8	11	50.0	26	42.6	1,810	34.8	30	40.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	1.6	119	2.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	5.6	4	6.0	1	4.5	7	11.5	1,037	19.9	30	40.0
Heterosexual contact	53	59.6	39	58.2	14	63.6	39	63.9	2,435	46.8	29	38.7
Transgender people with sexual contact	16	18.0	14	20.9	2	9.1	4	6.6	200	3.8	3	4.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.6	194	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	15	16.9	10	14.9	5	22.7	10	16.4	1,325	25.4	13	17.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.7. Queens, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	377	100.0	314	83.3	63	16.7	141	100.0	12,687	100.0	115	100.0
RACE/ETHNICITY												
Black	93	24.7	77	24.5	16	25.4	48	34.0	4,288	33.8	52	45.2
Latino/Hispanic	174	46.2	141	44.9	33	52.4	66	46.8	5,269	41.5	33	28.7
White	61	16.2	55	17.5	6	9.5	13	9.2	2,373	18.7	27	23.5
Asian/Pacific Islander	43	11.4	35	11.1	8	12.7	14	9.9	656	5.2	3	2.6
Native American	2	0.5	2	0.6	0	0.0	0	0.0	49	0.4	0	0.0
Multiracial	4	1.1	4	1.3	0	0.0	0	0.0	24	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.7	13	0.1	0	0.0
13-19	13	3.4	13	4.1	0	0.0	1	0.7	55	0.4	0	0.0
20-29	127	33.7	114	36.3	13	20.6	24	17.0	1,068	8.4	5	4.3
30-39	126	33.4	105	33.4	21	33.3	42	29.8	2,068	16.3	6	5.2
40-49	68	18.0	50	15.9	18	28.6	42	29.8	3,433	27.1	23	20.0
50-59	34	9.0	26	8.3	8	12.7	25	17.7	4,027	31.7	33	28.7
60+	9	2.4	6	1.9	3	4.8	6	4.3	2,023	15.9	48	41.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	38	10.1	34	10.8	4	6.3	14	9.9	1,476	11.6	17	14.8
Medium poverty (10 to <20% below FPL)	242	64.2	201	64.0	41	65.1	95	67.4	8,722	68.7	70	60.9
High poverty (20 to <30% below FPL)	96	25.5	78	24.8	18	28.6	32	22.7	2,349	18.5	28	24.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.3	1	0.3	0	0.0	0	0.0	140	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	308	81.7	261	83.1	47	74.6	87	61.7	6,592	52.0	48	41.7
Injection drug use history (IDU)	2	0.5	1	0.3	1	1.6	3	2.1	1,554	12.2	25	21.7
MSM-IDU	3	0.8	3	1.0	0	0.0	1	0.7	373	2.9	3	2.6
Heterosexual contact	20	5.3	13	4.1	7	11.1	19	13.5	1,142	9.0	14	12.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.1	182	1.4	3	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	44	11.7	36	11.5	8	12.7	28	19.9	2,822	22.2	22	19.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.8. Queens, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	68	82.9	14	17.1	48	100.0	4,812	100.0	50	100.0
RACE/ETHNICITY												
Black	44	53.7	36	52.9	8	57.1	31	64.6	2,747	57.1	23	46.0
Latino/Hispanic	23	28.0	18	26.5	5	35.7	12	25.0	1,419	29.5	23	46.0
White	8	9.8	7	10.3	1	7.1	5	10.4	438	9.1	3	6.0
Asian/Pacific Islander	5	6.1	5	7.4	0	0.0	0	0.0	170	3.5	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	2	2.4	2	2.9	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	4	4.9	4	5.9	0	0.0	0	0.0	49	1.0	0	0.0
20-29	18	22.0	17	25.0	1	7.1	7	14.6	330	6.9	1	2.0
30-39	26	31.7	24	35.3	2	14.3	11	22.9	623	12.9	5	10.0
40-49	14	17.1	10	14.7	4	28.6	14	29.2	1,379	28.7	9	18.0
50-59	11	13.4	6	8.8	5	35.7	12	25.0	1,636	34.0	18	36.0
60+	9	11.0	7	10.3	2	14.3	4	8.3	785	16.3	17	34.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	14.6	9	13.2	3	21.4	12	25.0	724	15.0	5	10.0
Medium poverty (10 to <20% below FPL)	51	62.2	42	61.8	9	64.3	29	60.4	3,153	65.5	29	58.0
High poverty (20 to <30% below FPL)	18	22.0	16	23.5	2	14.3	7	14.6	861	17.9	15	30.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.2	1	1.5	0	0.0	0	0.0	74	1.5	1	2.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.4	2	2.9	0	0.0	3	6.3	699	14.5	10	20.0
Heterosexual contact	56	68.3	46	67.6	10	71.4	30	62.5	2,724	56.6	25	50.0
Transgender people with sexual contact	8	9.8	7	10.3	1	7.1	3	6.3	152	3.2	2	4.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.2	171	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	1	2.0
Unknown	16	19.5	13	19.1	3	21.4	10	20.8	1,048	21.8	12	24.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.9. Staten Island, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	20	100.0	1,476	100.0	35	100.0
RACE/ETHNICITY												
Black	8	27.6	8	34.8	0	0.0	5	25.0	517	35.0	12	34.3
Latino/Hispanic	11	37.9	9	39.1	2	33.3	8	40.0	425	28.8	11	31.4
White	10	34.5	6	26.1	4	66.7	7	35.0	498	33.7	12	34.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.4	1	4.3	0	0.0	0	0.0	11	0.7	0	0.0
20-29	10	34.5	9	39.1	1	16.7	1	5.0	106	7.2	2	5.7
30-39	8	27.6	7	30.4	1	16.7	4	20.0	182	12.3	2	5.7
40-49	7	24.1	4	17.4	3	50.0	6	30.0	348	23.6	5	14.3
50-59	2	6.9	2	8.7	0	0.0	5	25.0	543	36.8	18	51.4
60+	1	3.4	0	0.0	1	16.7	4	20.0	285	19.3	8	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	41.4	10	43.5	2	33.3	7	35.0	414	28.0	8	22.9
Medium poverty (10 to <20% below FPL)	6	20.7	4	17.4	2	33.3	2	10.0	198	13.4	5	14.3
High poverty (20 to <30% below FPL)	11	37.9	9	39.1	2	33.3	11	55.0	848	57.5	22	62.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	16	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	69.0	17	73.9	3	50.0	6	30.0	598	40.5	6	17.1
Injection drug use history (IDU)	1	3.4	0	0.0	1	16.7	6	30.0	279	18.9	11	31.4
MSM-IDU	1	3.4	1	4.3	0	0.0	0	0.0	73	4.9	6	17.1
Heterosexual contact	3	10.3	3	13.0	0	0.0	3	15.0	134	9.1	2	5.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.3	2	5.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	13.8	2	8.7	2	33.3	5	25.0	358	24.3	8	22.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.10. Staten Island, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	9	69.2	4	30.8	12	100.0	804	100.0	23	100.0
RACE/ETHNICITY												
Black	6	46.2	6	66.7	0	0.0	6	50.0	373	46.4	13	56.5
Latino/Hispanic	4	30.8	3	33.3	1	25.0	2	16.7	241	30.0	5	21.7
White	2	15.4	0	0.0	2	50.0	2	16.7	180	22.4	5	21.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Other/Unknown	1	7.7	0	0.0	1	25.0	2	16.7	6	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	1	7.7	1	11.1	0	0.0	1	8.3	11	1.4	0	0.0
20-29	1	7.7	1	11.1	0	0.0	2	16.7	45	5.6	0	0.0
30-39	2	15.4	2	22.2	0	0.0	1	8.3	115	14.3	1	4.3
40-49	5	38.5	3	33.3	2	50.0	5	41.7	218	27.1	4	17.4
50-59	3	23.1	1	11.1	2	50.0	2	16.7	288	35.8	9	39.1
60+	1	7.7	1	11.1	0	0.0	1	8.3	124	15.4	9	39.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	15.4	0	0.0	2	50.0	3	25.0	194	24.1	4	17.4
Medium poverty (10 to <20% below FPL)	2	15.4	2	22.2	0	0.0	1	8.3	117	14.6	2	8.7
High poverty (20 to <30% below FPL)	9	69.2	7	77.8	2	50.0	8	66.7	490	60.9	17	73.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	139	17.3	9	39.1
Heterosexual contact	9	69.2	7	77.8	2	50.0	4	33.3	437	54.4	10	43.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	8.3	19	2.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	8.3	34	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	4	30.8	2	22.2	2	50.0	6	50.0	170	21.1	4	17.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,659	100.0	1,435	86.5	224	13.5	631	100.0	47,970	100.0	383	100.0
RACE/ETHNICITY												
Black	530	31.9	456	31.8	74	33.0	257	40.7	14,761	30.8	156	40.7
Latino/Hispanic	601	36.2	517	36.0	84	37.5	210	33.3	14,163	29.5	90	23.5
White	413	24.9	362	25.2	51	22.8	126	20.0	17,435	36.3	132	34.5
Asian/Pacific Islander	93	5.6	80	5.6	13	5.8	27	4.3	1,310	2.7	4	1.0
Native American	4	0.2	4	0.3	0	0.0	2	0.3	114	0.2	1	0.3
Multiracial	18	1.1	16	1.1	2	0.9	9	1.4	154	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	75	4.5	73	5.1	2	0.9	9	1.4	134	0.3	0	0.0
20-29	734	44.2	675	47.0	59	26.3	180	28.5	6,386	13.3	13	3.4
30-39	462	27.8	392	27.3	70	31.3	180	28.5	10,027	20.9	37	9.7
40-49	254	15.3	196	13.7	58	25.9	151	23.9	13,124	27.4	97	25.3
50-59	107	6.4	81	5.6	26	11.6	86	13.6	12,316	25.7	128	33.4
60+	27	1.6	18	1.3	9	4.0	25	4.0	5,983	12.5	108	28.2
BOROUGH OF RESIDENCE												
Bronx	217	13.1	190	13.2	27	12.1	81	12.8	6,356	13.2	57	14.9
Brooklyn	374	22.5	316	22.0	58	25.9	143	22.7	9,155	19.1	65	17.0
Manhattan	471	28.4	404	28.2	67	29.9	162	25.7	17,744	37.0	89	23.2
Queens	308	18.6	261	18.2	47	21.0	87	13.8	6,592	13.7	48	12.5
Staten Island	20	1.2	17	1.2	3	1.3	6	1.0	598	1.2	6	1.6
Outside NYC	223	13.4	201	14.0	22	9.8	138	21.9	6,474	13.5	27	7.0
Unknown	46	2.8	46	3.2	0	0.0	14	2.2	1,051	2.2	91	23.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	174	10.5	151	10.5	23	10.3	53	8.4	7,220	15.1	28	7.3
Medium poverty (10 to <20% below FPL)	523	31.5	443	30.9	80	35.7	165	26.1	14,565	30.4	108	28.2
High poverty (20 to <30% below FPL)	389	23.4	331	23.1	58	25.9	144	22.8	10,287	21.4	58	15.1
Very high poverty (≥30% below FPL)	296	17.8	256	17.8	40	17.9	115	18.2	7,955	16.6	71	18.5
Area-based poverty level not available	277	16.7	254	17.7	23	10.3	154	24.4	7,943	16.6	118	30.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	20	66.7	10	33.3	56	100.0	10,804	100.0	353	100.0
RACE/ETHNICITY												
Black	12	40.0	8	40.0	4	40.0	22	39.3	4,394	40.7	155	43.9
Latino/Hispanic	11	36.7	8	40.0	3	30.0	26	46.4	5,089	47.1	151	42.8
White	3	10.0	1	5.0	2	20.0	5	8.9	1,239	11.5	45	12.7
Asian/Pacific Islander	3	10.0	2	10.0	1	10.0	1	1.8	50	0.5	2	0.6
Native American	1	3.3	1	5.0	0	0.0	1	1.8	16	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.8	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	5.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	16.7	5	25.0	0	0.0	1	1.8	36	0.3	0	0.0
30-39	5	16.7	3	15.0	2	20.0	4	7.1	301	2.8	5	1.4
40-49	11	36.7	5	25.0	6	60.0	13	23.2	1,532	14.2	34	9.6
50-59	5	16.7	5	25.0	0	0.0	27	48.2	4,621	42.8	148	41.9
60+	3	10.0	1	5.0	2	20.0	11	19.6	4,313	39.9	166	47.0
BOROUGH OF RESIDENCE												
Bronx	8	26.7	8	40.0	0	0.0	15	26.8	3,417	31.6	128	36.3
Brooklyn	13	43.3	9	45.0	4	40.0	15	26.8	2,498	23.1	80	22.7
Manhattan	3	10.0	1	5.0	2	20.0	9	16.1	2,267	21.0	60	17.0
Queens	2	6.7	1	5.0	1	10.0	3	5.4	1,554	14.4	25	7.1
Staten Island	1	3.3	0	0.0	1	10.0	6	10.7	279	2.6	11	3.1
Outside NYC	3	10.0	1	5.0	2	20.0	7	12.5	734	6.8	9	2.5
Unknown	0	0.0	0	0.0	0	0.0	1	1.8	55	0.5	40	11.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	6.7	1	5.0	1	10.0	5	8.9	573	5.3	20	5.7
Medium poverty (10 to <20% below FPL)	4	13.3	3	15.0	1	10.0	6	10.7	2,979	27.6	62	17.6
High poverty (20 to <30% below FPL)	10	33.3	6	30.0	4	40.0	21	37.5	2,457	22.7	79	22.4
Very high poverty (≥30% below FPL)	11	36.7	9	45.0	2	20.0	16	28.6	3,769	34.9	143	40.5
Area-based poverty level not available	3	10.0	1	5.0	2	20.0	8	14.3	1,026	9.5	49	13.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	28	93.3	2	6.7	46	100.0	5,679	100.0	165	100.0
RACE/ETHNICITY												
Black	12	40.0	10	35.7	2	100.0	22	47.8	2,682	47.2	78	47.3
Latino/Hispanic	12	40.0	12	42.9	0	0.0	20	43.5	2,316	40.8	68	41.2
White	4	13.3	4	14.3	0	0.0	3	6.5	645	11.4	19	11.5
Asian/Pacific Islander	1	3.3	1	3.6	0	0.0	1	2.2	19	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	1	3.3	1	3.6	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.7	2	7.1	0	0.0	1	2.2	3	0.1	0	0.0
20-29	5	16.7	5	17.9	0	0.0	1	2.2	52	0.9	2	1.2
30-39	9	30.0	8	28.6	1	50.0	4	8.7	312	5.5	4	2.4
40-49	8	26.7	8	28.6	0	0.0	18	39.1	1,307	23.0	32	19.4
50-59	4	13.3	3	10.7	1	50.0	18	39.1	2,631	46.3	84	50.9
60+	2	6.7	2	7.1	0	0.0	4	8.7	1,374	24.2	43	26.1
BOROUGH OF RESIDENCE												
Bronx	9	30.0	9	32.1	0	0.0	21	45.7	2,010	35.4	61	37.0
Brooklyn	9	30.0	9	32.1	0	0.0	7	15.2	1,476	26.0	37	22.4
Manhattan	5	16.7	4	14.3	1	50.0	7	15.2	1,037	18.3	30	18.2
Queens	2	6.7	2	7.1	0	0.0	3	6.5	699	12.3	10	6.1
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	139	2.4	9	5.5
Outside NYC	5	16.7	4	14.3	1	50.0	7	15.2	295	5.2	5	3.0
Unknown	0	0.0	0	0.0	0	0.0	1	2.2	23	0.4	13	7.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	2.2	280	4.9	13	7.9
Medium poverty (10 to <20% below FPL)	3	10.0	3	10.7	0	0.0	10	21.7	1,439	25.3	26	15.8
High poverty (20 to <30% below FPL)	7	23.3	7	25.0	0	0.0	8	17.4	1,388	24.4	38	23.0
Very high poverty (≥30% below FPL)	15	50.0	14	50.0	1	50.0	19	41.3	2,188	38.5	70	42.4
Area-based poverty level not available	5	16.7	4	14.3	1	50.0	8	17.4	384	6.8	18	10.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	45	91.8	4	8.2	27	100.0	3,104	100.0	61	100.0
RACE/ETHNICITY												
Black	16	32.7	16	35.6	0	0.0	7	25.9	1,116	36.0	21	34.4
Latino/Hispanic	16	32.7	14	31.1	2	50.0	9	33.3	1,206	38.9	30	49.2
White	16	32.7	14	31.1	2	50.0	11	40.7	726	23.4	10	16.4
Asian/Pacific Islander	1	2.0	1	2.2	0	0.0	0	0.0	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.0	1	2.2	0	0.0	0	0.0	4	0.1	0	0.0
20-29	17	34.7	15	33.3	2	50.0	9	33.3	223	7.2	1	1.6
30-39	19	38.8	18	40.0	1	25.0	7	25.9	484	15.6	4	6.6
40-49	3	6.1	3	6.7	0	0.0	2	7.4	845	27.2	9	14.8
50-59	7	14.3	7	15.6	0	0.0	7	25.9	1,024	33.0	25	41.0
60+	2	4.1	1	2.2	1	25.0	2	7.4	524	16.9	22	36.1
BOROUGH OF RESIDENCE												
Bronx	4	8.2	4	8.9	0	0.0	4	14.8	791	25.5	16	26.2
Brooklyn	14	28.6	12	26.7	2	50.0	8	29.6	632	20.4	16	26.2
Manhattan	17	34.7	16	35.6	1	25.0	4	14.8	865	27.9	12	19.7
Queens	3	6.1	3	6.7	0	0.0	1	3.7	373	12.0	3	4.9
Staten Island	1	2.0	1	2.2	0	0.0	0	0.0	73	2.4	6	9.8
Outside NYC	9	18.4	8	17.8	1	25.0	8	29.6	332	10.7	1	1.6
Unknown	1	2.0	1	2.2	0	0.0	2	7.4	38	1.2	7	11.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	16.3	7	15.6	1	25.0	2	7.4	259	8.3	3	4.9
Medium poverty (10 to <20% below FPL)	11	22.4	10	22.2	1	25.0	7	25.9	889	28.6	9	14.8
High poverty (20 to <30% below FPL)	14	28.6	14	31.1	0	0.0	4	14.8	688	22.2	18	29.5
Very high poverty (≥30% below FPL)	6	12.2	5	11.1	1	25.0	4	14.8	876	28.2	23	37.7
Area-based poverty level not available	10	20.4	9	20.0	1	25.0	10	37.0	392	12.6	8	13.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.5. Heterosexual contact, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	109	100.0	75	68.8	34	31.2	99	100.0	6,104	100.0	113	100.0
RACE/ETHNICITY												
Black	68	62.4	46	61.3	22	64.7	65	65.7	3,336	54.7	69	61.1
Latino/Hispanic	28	25.7	20	26.7	8	23.5	28	28.3	2,052	33.6	35	31.0
White	6	5.5	2	2.7	4	11.8	6	6.1	512	8.4	6	5.3
Asian/Pacific Islander	4	3.7	4	5.3	0	0.0	0	0.0	177	2.9	3	2.7
Native American	1	0.9	1	1.3	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	2	1.8	2	2.7	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.9	1	1.3	0	0.0	0	0.0	3	0.0	0	0.0
20-29	12	11.0	10	13.3	2	5.9	7	7.1	135	2.2	2	1.8
30-39	27	24.8	23	30.7	4	11.8	14	14.1	575	9.4	4	3.5
40-49	30	27.5	17	22.7	13	38.2	38	38.4	1,765	28.9	21	18.6
50-59	31	28.4	21	28.0	10	29.4	30	30.3	2,428	39.8	33	29.2
60+	8	7.3	3	4.0	5	14.7	10	10.1	1,198	19.6	53	46.9
BOROUGH OF RESIDENCE												
Bronx	31	28.4	20	26.7	11	32.4	26	26.3	1,658	27.2	29	25.7
Brooklyn	37	33.9	26	34.7	11	32.4	27	27.3	1,633	26.8	28	24.8
Manhattan	12	11.0	8	10.7	4	11.8	15	15.2	984	16.1	18	15.9
Queens	20	18.3	13	17.3	7	20.6	19	19.2	1,142	18.7	14	12.4
Staten Island	3	2.8	3	4.0	0	0.0	3	3.0	134	2.2	2	1.8
Outside NYC	5	4.6	4	5.3	1	2.9	7	7.1	498	8.2	6	5.3
Unknown	1	0.9	1	1.3	0	0.0	2	2.0	55	0.9	16	14.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	7.3	3	4.0	5	14.7	7	7.1	343	5.6	3	2.7
Medium poverty (10 to <20% below FPL)	22	20.2	13	17.3	9	26.5	30	30.3	1,799	29.5	23	20.4
High poverty (20 to <30% below FPL)	42	38.5	32	42.7	10	29.4	29	29.3	1,571	25.7	28	24.8
Very high poverty (≥30% below FPL)	31	28.4	22	29.3	9	26.5	24	24.2	1,803	29.5	37	32.7
Area-based poverty level not available	6	5.5	5	6.7	1	2.9	9	9.1	588	9.6	22	19.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.6. Heterosexual contact, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	403	100.0	313	77.7	90	22.3	282	100.0	18,206	100.0	242	100.0
RACE/ETHNICITY												
Black	261	64.8	203	64.9	58	64.4	191	67.7	10,816	59.4	157	64.9
Latino/Hispanic	111	27.5	89	28.4	22	24.4	74	26.2	5,864	32.2	73	30.2
White	18	4.5	11	3.5	7	7.8	13	4.6	1,179	6.5	9	3.7
Asian/Pacific Islander	9	2.2	7	2.2	2	2.2	2	0.7	252	1.4	2	0.8
Native American	1	0.2	1	0.3	0	0.0	1	0.4	50	0.3	1	0.4
Multiracial	3	0.7	2	0.6	1	1.1	1	0.4	35	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	15	3.7	14	4.5	1	1.1	1	0.4	48	0.3	0	0.0
20-29	88	21.8	80	25.6	8	8.9	27	9.6	1,066	5.9	2	0.8
30-39	111	27.5	87	27.8	24	26.7	74	26.2	2,997	16.5	25	10.3
40-49	90	22.3	68	21.7	22	24.4	85	30.1	5,341	29.3	45	18.6
50-59	63	15.6	39	12.5	24	26.7	64	22.7	5,879	32.3	97	40.1
60+	36	8.9	25	8.0	11	12.2	31	11.0	2,875	15.8	73	30.2
BOROUGH OF RESIDENCE												
Bronx	120	29.8	96	30.7	24	26.7	88	31.2	5,688	31.2	68	28.1
Brooklyn	130	32.3	93	29.7	37	41.1	84	29.8	5,432	29.8	68	28.1
Manhattan	53	13.2	39	12.5	14	15.6	39	13.8	2,435	13.4	29	12.0
Queens	56	13.9	46	14.7	10	11.1	30	10.6	2,724	15.0	25	10.3
Staten Island	9	2.2	7	2.2	2	2.2	4	1.4	437	2.4	10	4.1
Outside NYC	30	7.4	27	8.6	3	3.3	35	12.4	1,165	6.4	10	4.1
Unknown	5	1.2	5	1.6	0	0.0	2	0.7	325	1.8	32	13.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	4.7	13	4.2	6	6.7	13	4.6	972	5.3	10	4.1
Medium poverty (10 to <20% below FPL)	127	31.5	100	31.9	27	30.0	72	25.5	5,150	28.3	50	20.7
High poverty (20 to <30% below FPL)	95	23.6	73	23.3	22	24.4	67	23.8	4,644	25.5	62	25.6
Very high poverty (≥30% below FPL)	125	31.0	93	29.7	32	35.6	93	33.0	5,863	32.2	78	32.2
Area-based poverty level not available	37	9.2	34	10.9	3	3.3	37	13.1	1,577	8.7	42	17.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	45	91.8	4	8.2	20	100.0	1,067	100.0	9	100.0
GENDER												
Male	1	2.0	1	2.2	0	0.0	0	0.0	11	1.0	0	0.0
Female	48	98.0	44	97.8	4	100.0	20	100.0	1,056	99.0	9	100.0
RACE/ETHNICITY												
Black	22	44.9	20	44.4	2	50.0	11	55.0	536	50.2	4	44.4
Latino/Hispanic	24	49.0	22	48.9	2	50.0	8	40.0	421	39.5	4	44.4
White	2	4.1	2	4.4	0	0.0	1	5.0	71	6.7	1	11.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	2.2	0	0.0
Native American	1	2.0	1	2.2	0	0.0	0	0.0	6	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	8.2	4	8.9	0	0.0	0	0.0	13	1.2	0	0.0
20-29	34	69.4	31	68.9	3	75.0	14	70.0	329	30.8	1	11.1
30-39	10	20.4	9	20.0	1	25.0	6	30.0	359	33.6	3	33.3
40-49	1	2.0	1	2.2	0	0.0	0	0.0	240	22.5	2	22.2
50-59	0	0.0	0	0.0	0	0.0	0	0.0	97	9.1	3	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	29	2.7	0	0.0
BOROUGH OF RESIDENCE												
Bronx	5	10.2	5	11.1	0	0.0	4	20.0	291	27.3	3	33.3
Brooklyn	9	18.4	8	17.8	1	25.0	6	30.0	234	21.9	0	0.0
Manhattan	16	32.7	14	31.1	2	50.0	4	20.0	202	18.9	3	33.3
Queens	8	16.3	7	15.6	1	25.0	3	15.0	152	14.2	2	22.2
Staten Island	0	0.0	0	0.0	0	0.0	1	5.0	19	1.8	0	0.0
Outside NYC	7	14.3	7	15.6	0	0.0	2	10.0	113	10.6	0	0.0
Unknown	4	8.2	4	8.9	0	0.0	0	0.0	56	5.2	1	11.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	2.0	1	2.2	0	0.0	1	5.0	50	4.7	0	0.0
Medium poverty (10 to <20% below FPL)	16	32.7	14	31.1	2	50.0	3	15.0	284	26.6	3	33.3
High poverty (20 to <30% below FPL)	7	14.3	6	13.3	1	25.0	5	25.0	264	24.7	3	33.3
Very high poverty (≥30% below FPL)	14	28.6	13	28.9	1	25.0	8	40.0	292	27.4	2	22.2
Area-based poverty level not available	11	22.4	11	24.4	0	0.0	3	15.0	177	16.6	1	11.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	2	13.3	9	100.0	686	100.0	16	100.0
GENDER												
Male	9	60.0	8	61.5	1	50.0	7	77.8	464	67.6	13	81.3
Female	6	40.0	5	38.5	1	50.0	2	22.2	222	32.4	3	18.8
RACE/ETHNICITY												
Black	5	33.3	5	38.5	0	0.0	1	11.1	234	34.1	5	31.3
Latino/Hispanic	9	60.0	7	53.8	2	100.0	5	55.6	312	45.5	7	43.8
White	1	6.7	1	7.7	0	0.0	2	22.2	128	18.7	4	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	11.1	8	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.7	1	7.7	0	0.0	0	0.0	5	0.7	0	0.0
20-29	6	40.0	6	46.2	0	0.0	1	11.1	57	8.3	0	0.0
30-39	3	20.0	2	15.4	1	50.0	1	11.1	74	10.8	0	0.0
40-49	2	13.3	2	15.4	0	0.0	3	33.3	164	23.9	3	18.8
50-59	2	13.3	2	15.4	0	0.0	3	33.3	221	32.2	7	43.8
60+	1	6.7	0	0.0	1	50.0	1	11.1	165	24.1	6	37.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Medium poverty (10 to <20% below FPL)	15	100.0	13	100.0	2	100.0	9	100.0	686	100.0	16	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	46.7	6	46.2	1	50.0	4	44.4	243	35.4	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	106	15.5	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	11	1.6	0	0.0
Heterosexual contact	6	40.0	5	38.5	1	50.0	2	22.2	153	22.3	1	6.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	13.3	2	15.4	0	0.0	2	22.2	157	22.9	6	37.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	53	100.0	44	83.0	9	17.0	33	100.0	2,540	100.0	42	100.0
GENDER												
Male	40	75.5	34	77.3	6	66.7	20	60.6	1,398	55.0	27	64.3
Female	13	24.5	10	22.7	3	33.3	13	39.4	1,142	45.0	15	35.7
RACE/ETHNICITY												
Black	40	75.5	33	75.0	7	77.8	26	78.8	1,606	63.2	18	42.9
Latino/Hispanic	9	17.0	8	18.2	1	11.1	5	15.2	760	29.9	23	54.8
White	4	7.5	3	6.8	1	11.1	2	6.1	132	5.2	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	24	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	2	3.8	2	4.5	0	0.0	0	0.0	43	1.7	0	0.0
20-29	17	32.1	16	36.4	1	11.1	5	15.2	248	9.8	0	0.0
30-39	11	20.8	10	22.7	1	11.1	7	21.2	361	14.2	7	16.7
40-49	8	15.1	6	13.6	2	22.2	9	27.3	666	26.2	7	16.7
50-59	9	17.0	4	9.1	5	55.6	11	33.3	785	30.9	16	38.1
60+	6	11.3	6	13.6	0	0.0	1	3.0	430	16.9	12	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	41.5	20	45.5	2	22.2	5	15.2	524	20.6	8	19.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	6.1	354	13.9	11	26.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.0	65	2.6	1	2.4
Heterosexual contact	16	30.2	12	27.3	4	44.4	14	42.4	771	30.4	9	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	22	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	100	3.9	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	15	28.3	12	27.3	3	33.3	11	33.3	700	27.6	12	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	81	80.2	20	19.8	66	100.0	5,429	100.0	80	100.0
GENDER												
Male	84	83.2	67	82.7	17	85.0	42	63.6	3,496	64.4	55	68.8
Female	17	16.8	14	17.3	3	15.0	24	36.4	1,933	35.6	25	31.3
RACE/ETHNICITY												
Black	41	40.6	34	42.0	7	35.0	27	40.9	2,379	43.8	40	50.0
Latino/Hispanic	52	51.5	42	51.9	10	50.0	32	48.5	2,727	50.2	34	42.5
White	6	5.9	4	4.9	2	10.0	4	6.1	268	4.9	4	5.0
Asian/Pacific Islander	1	1.0	1	1.2	0	0.0	1	1.5	30	0.6	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	1	1.0	0	0.0	1	5.0	2	3.0	8	0.1	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	5	5.0	5	6.2	0	0.0	0	0.0	40	0.7	0	0.0
20-29	40	39.6	35	43.2	5	25.0	12	18.2	550	10.1	3	3.8
30-39	21	20.8	16	19.8	5	25.0	13	19.7	802	14.8	7	8.8
40-49	19	18.8	14	17.3	5	25.0	20	30.3	1,434	26.4	18	22.5
50-59	12	11.9	7	8.6	5	25.0	14	21.2	1,766	32.5	30	37.5
60+	4	4.0	4	4.9	0	0.0	7	10.6	831	15.3	22	27.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	52	51.5	47	58.0	5	25.0	17	25.8	1,459	26.9	12	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	10.6	966	17.8	23	28.8
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	158	2.9	5	6.3
Heterosexual contact	24	23.8	17	21.0	7	35.0	24	36.4	1,306	24.1	16	20.0
Transgender people with sexual contact	1	1.0	1	1.2	0	0.0	1	1.5	69	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	129	2.4	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	23	22.8	15	18.5	8	40.0	17	25.8	1,338	24.6	23	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	61	100.0	49	80.3	12	19.7	44	100.0	4,252	100.0	51	100.0
GENDER												
Male	46	75.4	36	73.5	10	83.3	30	68.2	2,607	61.3	34	66.7
Female	15	24.6	13	26.5	2	16.7	14	31.8	1,645	38.7	17	33.3
RACE/ETHNICITY												
Black	28	45.9	24	49.0	4	33.3	18	40.9	1,726	40.6	20	39.2
Latino/Hispanic	29	47.5	23	46.9	6	50.0	22	50.0	2,192	51.6	27	52.9
White	3	4.9	1	2.0	2	16.7	4	9.1	284	6.7	4	7.8
Asian/Pacific Islander	1	1.6	1	2.0	0	0.0	0	0.0	32	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	6.6	4	8.2	0	0.0	1	2.3	30	0.7	0	0.0
20-29	21	34.4	21	42.9	0	0.0	4	9.1	387	9.1	0	0.0
30-39	16	26.2	12	24.5	4	33.3	10	22.7	565	13.3	1	2.0
40-49	7	11.5	5	10.2	2	16.7	11	25.0	1,103	25.9	10	19.6
50-59	10	16.4	6	12.2	4	33.3	12	27.3	1,450	34.1	20	39.2
60+	3	4.9	1	2.0	2	16.7	6	13.6	712	16.7	20	39.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	57.4	30	61.2	5	41.7	14	31.8	1,024	24.1	5	9.8
Injection drug use history (IDU)	1	1.6	1	2.0	0	0.0	4	9.1	769	18.1	22	43.1
MSM-IDU	2	3.3	2	4.1	0	0.0	1	2.3	96	2.3	1	2.0
Heterosexual contact	15	24.6	11	22.4	4	33.3	15	34.1	1,095	25.8	10	19.6
Transgender people with sexual contact	2	3.3	2	4.1	0	0.0	0	0.0	32	0.8	1	2.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	152	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	6	9.8	3	6.1	3	25.0	9	20.5	1,071	25.2	12	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	104	100.0	89	85.6	15	14.4	65	100.0	5,593	100.0	107	100.0
GENDER												
Male	69	66.3	59	66.3	10	66.7	38	58.5	3,334	59.6	71	66.4
Female	35	33.7	30	33.7	5	33.3	27	41.5	2,259	40.4	36	33.6
RACE/ETHNICITY												
Black	44	42.3	38	42.7	6	40.0	26	40.0	2,612	46.7	56	52.3
Latino/Hispanic	57	54.8	48	53.9	9	60.0	37	56.9	2,766	49.5	47	43.9
White	2	1.9	2	2.2	0	0.0	1	1.5	154	2.8	3	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	1	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	1	1.0	1	1.1	0	0.0	1	1.5	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.9	2	2.2	0	0.0	0	0.0	12	0.2	0	0.0
13-19	2	1.9	2	2.2	0	0.0	2	3.1	53	0.9	0	0.0
20-29	34	32.7	31	34.8	3	20.0	11	16.9	540	9.7	2	1.9
30-39	26	25.0	22	24.7	4	26.7	12	18.5	784	14.0	9	8.4
40-49	19	18.3	15	16.9	4	26.7	24	36.9	1,436	25.7	15	14.0
50-59	13	12.5	12	13.5	1	6.7	10	15.4	1,799	32.2	45	42.1
60+	8	7.7	5	5.6	3	20.0	6	9.2	969	17.3	36	33.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	40.4	40	44.9	2	13.3	13	20.0	1,110	19.8	12	11.2
Injection drug use history (IDU)	7	6.7	7	7.9	0	0.0	10	15.4	1,149	20.5	44	41.1
MSM-IDU	1	1.0	1	1.1	0	0.0	0	0.0	166	3.0	0	0.0
Heterosexual contact	33	31.7	27	30.3	6	40.0	20	30.8	1,548	27.7	22	20.6
Transgender people with sexual contact	2	1.9	2	2.2	0	0.0	1	1.5	74	1.3	0	0.0
Perinatal	2	1.9	2	2.2	0	0.0	2	3.1	174	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	0.9
Unknown	17	16.3	10	11.2	7	46.7	19	29.2	1,366	24.4	28	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	79	79.0	21	21.0	67	100.0	5,857	100.0	122	100.0
GENDER												
Male	60	60.0	46	58.2	14	66.7	36	53.7	3,612	61.7	76	62.3
Female	40	40.0	33	41.8	7	33.3	31	46.3	2,245	38.3	46	37.7
RACE/ETHNICITY												
Black	60	60.0	48	60.8	12	57.1	41	61.2	3,041	51.9	72	59.0
Latino/Hispanic	37	37.0	29	36.7	8	38.1	24	35.8	2,595	44.3	49	40.2
White	3	3.0	2	2.5	1	4.8	2	3.0	172	2.9	1	0.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	13	0.2	0	0.0
13-19	3	3.0	3	3.8	0	0.0	1	1.5	44	0.8	0	0.0
20-29	30	30.0	26	32.9	4	19.0	9	13.4	472	8.1	2	1.6
30-39	22	22.0	19	24.1	3	14.3	15	22.4	830	14.2	3	2.5
40-49	21	21.0	13	16.5	8	38.1	19	28.4	1,483	25.3	21	17.2
50-59	14	14.0	10	12.7	4	19.0	19	28.4	1,916	32.7	51	41.8
60+	9	9.0	7	8.9	2	9.5	4	6.0	1,099	18.8	45	36.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	35.0	27	34.2	8	38.1	13	19.4	1,221	20.8	12	9.8
Injection drug use history (IDU)	3	3.0	3	3.8	0	0.0	7	10.4	1,215	20.7	50	41.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	174	3.0	6	4.9
Heterosexual contact	38	38.0	30	38.0	8	38.1	21	31.3	1,513	25.8	29	23.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	2	3.0	46	0.8	0	0.0
Perinatal	1	1.0	1	1.3	0	0.0	2	3.0	149	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	23	23.0	18	22.8	5	23.8	22	32.8	1,531	26.1	24	19.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	59	86.8	9	13.2	48	100.0	3,740	100.0	76	100.0
GENDER												
Male	49	72.1	44	74.6	5	55.6	31	64.6	2,293	61.3	48	63.2
Female	19	27.9	15	25.4	4	44.4	17	35.4	1,447	38.7	28	36.8
RACE/ETHNICITY												
Black	24	35.3	22	37.3	2	22.2	19	39.6	1,627	43.5	30	39.5
Latino/Hispanic	40	58.8	33	55.9	7	77.8	27	56.3	1,968	52.6	43	56.6
White	4	5.9	4	6.8	0	0.0	2	4.2	116	3.1	3	3.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	2	2.9	2	3.4	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	7.4	5	8.5	0	0.0	0	0.0	34	0.9	0	0.0
20-29	21	30.9	18	30.5	3	33.3	10	20.8	383	10.2	2	2.6
30-39	13	19.1	10	16.9	3	33.3	16	33.3	578	15.5	5	6.6
40-49	12	17.6	9	15.3	3	33.3	11	22.9	931	24.9	12	15.8
50-59	11	16.2	11	18.6	0	0.0	7	14.6	1,208	32.3	31	40.8
60+	4	5.9	4	6.8	0	0.0	4	8.3	598	16.0	26	34.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	35.3	20	33.9	4	44.4	15	31.3	761	20.3	4	5.3
Injection drug use history (IDU)	6	8.8	6	10.2	0	0.0	6	12.5	815	21.8	34	44.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.1	119	3.2	3	3.9
Heterosexual contact	18	26.5	13	22.0	5	55.6	18	37.5	952	25.5	10	13.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	46	1.2	2	2.6
Perinatal	2	2.9	2	3.4	0	0.0	1	2.1	127	3.4	2	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	18	26.5	18	30.5	0	0.0	7	14.6	916	24.5	21	27.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	15	83.3	3	16.7	7	100.0	890	100.0	6	100.0
GENDER												
Male	17	94.4	14	93.3	3	100.0	7	100.0	707	79.4	6	100.0
Female	1	5.6	1	6.7	0	0.0	0	0.0	183	20.6	0	0.0
RACE/ETHNICITY												
Black	1	5.6	1	6.7	0	0.0	0	0.0	137	15.4	1	16.7
Latino/Hispanic	5	27.8	5	33.3	0	0.0	2	28.6	397	44.6	4	66.7
White	11	61.1	9	60.0	2	66.7	4	57.1	340	38.2	1	16.7
Asian/Pacific Islander	1	5.6	0	0.0	1	33.3	1	14.3	15	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	82	9.2	0	0.0
30-39	9	50.0	7	46.7	2	66.7	3	42.9	193	21.7	0	0.0
40-49	5	27.8	4	26.7	1	33.3	2	28.6	267	30.0	1	16.7
50-59	0	0.0	0	0.0	0	0.0	2	28.6	238	26.7	5	83.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	107	12.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	88.9	13	86.7	3	100.0	5	71.4	470	52.8	1	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	119	13.4	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	2.4	1	16.7
Heterosexual contact	1	5.6	1	6.7	0	0.0	0	0.0	111	12.5	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	1	5.6	1	6.7	0	0.0	1	14.3	146	16.4	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	50	76.9	15	23.1	35	100.0	2,731	100.0	38	100.0
GENDER												
Male	56	86.2	44	88.0	12	80.0	27	77.1	2,080	76.2	28	73.7
Female	9	13.8	6	12.0	3	20.0	8	22.9	651	23.8	10	26.3
RACE/ETHNICITY												
Black	30	46.2	21	42.0	9	60.0	19	54.3	1,118	40.9	25	65.8
Latino/Hispanic	15	23.1	13	26.0	2	13.3	6	17.1	700	25.6	9	23.7
White	19	29.2	15	30.0	4	26.7	8	22.9	841	30.8	4	10.5
Asian/Pacific Islander	1	1.5	1	2.0	0	0.0	1	2.9	52	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.9	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.9	5	0.2	0	0.0
13-19	3	4.6	3	6.0	0	0.0	1	2.9	15	0.5	0	0.0
20-29	28	43.1	24	48.0	4	26.7	7	20.0	187	6.8	2	5.3
30-39	10	15.4	6	12.0	4	26.7	7	20.0	345	12.6	1	2.6
40-49	10	15.4	9	18.0	1	6.7	9	25.7	709	26.0	8	21.1
50-59	9	13.8	5	10.0	4	26.7	7	20.0	893	32.7	15	39.5
60+	5	7.7	3	6.0	2	13.3	3	8.6	577	21.1	12	31.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	66.2	34	68.0	9	60.0	19	54.3	1,323	48.4	13	34.2
Injection drug use history (IDU)	2	3.1	2	4.0	0	0.0	1	2.9	367	13.4	7	18.4
MSM-IDU	4	6.2	2	4.0	2	13.3	3	8.6	62	2.3	2	5.3
Heterosexual contact	6	9.2	4	8.0	2	13.3	3	8.6	425	15.6	7	18.4
Transgender people with sexual contact	1	1.5	1	2.0	0	0.0	1	2.9	6	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	46	1.7	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	9	13.8	7	14.0	2	13.3	6	17.1	499	18.3	8	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	166	100.0	140	84.3	26	15.7	90	100.0	7,501	100.0	124	100.0
GENDER												
Male	120	72.3	103	73.6	17	65.4	64	71.1	4,782	63.8	81	65.3
Female	46	27.7	37	26.4	9	34.6	26	28.9	2,719	36.2	43	34.7
RACE/ETHNICITY												
Black	125	75.3	105	75.0	20	76.9	73	81.1	5,868	78.2	98	79.0
Latino/Hispanic	24	14.5	19	13.6	5	19.2	12	13.3	1,088	14.5	22	17.7
White	14	8.4	13	9.3	1	3.8	3	3.3	453	6.0	4	3.2
Asian/Pacific Islander	2	1.2	2	1.4	0	0.0	1	1.1	53	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.1	21	0.3	0	0.0
Multiracial	1	0.6	1	0.7	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	11	0.1	0	0.0
13-19	10	6.0	9	6.4	1	3.8	1	1.1	74	1.0	0	0.0
20-29	62	37.3	54	38.6	8	30.8	24	26.7	688	9.2	2	1.6
30-39	45	27.1	39	27.9	6	23.1	16	17.8	1,234	16.5	8	6.5
40-49	25	15.1	21	15.0	4	15.4	24	26.7	1,930	25.7	23	18.5
50-59	17	10.2	11	7.9	6	23.1	19	21.1	2,255	30.1	53	42.7
60+	6	3.6	5	3.6	1	3.8	6	6.7	1,309	17.5	38	30.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	85	51.2	75	53.6	10	38.5	36	40.0	2,254	30.0	15	12.1
Injection drug use history (IDU)	2	1.2	2	1.4	0	0.0	6	6.7	1,014	13.5	34	27.4
MSM-IDU	2	1.2	2	1.4	0	0.0	2	2.2	177	2.4	5	4.0
Heterosexual contact	43	25.9	34	24.3	9	34.6	25	27.8	1,901	25.3	27	21.8
Transgender people with sexual contact	1	0.6	1	0.7	0	0.0	2	2.2	79	1.1	0	0.0
Perinatal	1	0.6	1	0.7	0	0.0	0	0.0	190	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	32	19.3	25	17.9	7	26.9	19	21.1	1,878	25.0	42	33.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	109	100.0	88	80.7	21	19.3	59	100.0	3,309	100.0	61	100.0
GENDER												
Male	80	73.4	68	77.3	12	57.1	38	64.4	1,878	56.8	42	68.9
Female	29	26.6	20	22.7	9	42.9	21	35.6	1,431	43.2	19	31.1
RACE/ETHNICITY												
Black	65	59.6	49	55.7	16	76.2	46	78.0	2,126	64.2	40	65.6
Latino/Hispanic	32	29.4	29	33.0	3	14.3	10	16.9	1,039	31.4	18	29.5
White	4	3.7	3	3.4	1	4.8	1	1.7	87	2.6	2	3.3
Asian/Pacific Islander	7	6.4	6	6.8	1	4.8	2	3.4	39	1.2	1	1.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	10	9.2	10	11.4	0	0.0	0	0.0	54	1.6	0	0.0
20-29	37	33.9	36	40.9	1	4.8	7	11.9	389	11.8	1	1.6
30-39	21	19.3	15	17.0	6	28.6	16	27.1	532	16.1	4	6.6
40-49	25	22.9	18	20.5	7	33.3	13	22.0	807	24.4	9	14.8
50-59	8	7.3	5	5.7	3	14.3	15	25.4	1,050	31.7	26	42.6
60+	8	7.3	4	4.5	4	19.0	8	13.6	471	14.2	21	34.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	50	45.9	45	51.1	5	23.8	17	28.8	766	23.1	9	14.8
Injection drug use history (IDU)	6	5.5	5	5.7	1	4.8	6	10.2	480	14.5	24	39.3
MSM-IDU	4	3.7	4	4.5	0	0.0	0	0.0	64	1.9	1	1.6
Heterosexual contact	24	22.0	16	18.2	8	38.1	18	30.5	1,040	31.4	18	29.5
Transgender people with sexual contact	3	2.8	2	2.3	1	4.8	1	1.7	39	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	102	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	22	20.2	16	18.2	6	28.6	16	27.1	813	24.6	9	14.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	8	72.7	3	27.3	5	100.0	827	100.0	6	100.0
GENDER												
Male	9	81.8	7	87.5	2	66.7	4	80.0	611	73.9	3	50.0
Female	2	18.2	1	12.5	1	33.3	1	20.0	216	26.1	3	50.0
RACE/ETHNICITY												
Black	2	18.2	1	12.5	1	33.3	1	20.0	150	18.1	1	16.7
Latino/Hispanic	4	36.4	2	25.0	2	66.7	3	60.0	469	56.7	5	83.3
White	2	18.2	2	25.0	0	0.0	1	20.0	155	18.7	0	0.0
Asian/Pacific Islander	3	27.3	3	37.5	0	0.0	0	0.0	50	6.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	20.0	56	6.8	0	0.0
30-39	3	27.3	3	37.5	0	0.0	0	0.0	125	15.1	0	0.0
40-49	2	18.2	1	12.5	1	33.3	1	20.0	250	30.2	1	16.7
50-59	5	45.5	3	37.5	2	66.7	3	60.0	252	30.5	1	16.7
60+	1	9.1	1	12.5	0	0.0	0	0.0	141	17.0	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	36.4	3	37.5	1	33.3	3	60.0	266	32.2	0	0.0
Injection drug use history (IDU)	1	9.1	1	12.5	0	0.0	0	0.0	157	19.0	2	33.3
MSM-IDU	1	9.1	1	12.5	0	0.0	0	0.0	43	5.2	0	0.0
Heterosexual contact	1	9.1	0	0.0	1	33.3	1	20.0	179	21.6	2	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	1	20.0	166	20.1	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	22	73.3	8	26.7	13	100.0	1,107	100.0	18	100.0
GENDER												
Male	27	90.0	19	86.4	8	100.0	12	92.3	814	73.5	17	94.4
Female	3	10.0	3	13.6	0	0.0	1	7.7	293	26.5	1	5.6
RACE/ETHNICITY												
Black	5	16.7	5	22.7	0	0.0	1	7.7	313	28.3	4	22.2
Latino/Hispanic	11	36.7	5	22.7	6	75.0	6	46.2	413	37.3	7	38.9
White	9	30.0	7	31.8	2	25.0	5	38.5	324	29.3	5	27.8
Asian/Pacific Islander	4	13.3	4	18.2	0	0.0	0	0.0	53	4.8	1	5.6
Native American	1	3.3	1	4.5	0	0.0	1	7.7	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	5.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.3	1	4.5	0	0.0	0	0.0	4	0.4	0	0.0
20-29	9	30.0	8	36.4	1	12.5	1	7.7	75	6.8	0	0.0
30-39	9	30.0	8	36.4	1	12.5	1	7.7	167	15.1	2	11.1
40-49	9	30.0	5	22.7	4	50.0	7	53.8	299	27.0	3	16.7
50-59	2	6.7	0	0.0	2	25.0	4	30.8	349	31.5	8	44.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	212	19.2	5	27.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	60.0	14	63.6	4	50.0	4	30.8	425	38.4	4	22.2
Injection drug use history (IDU)	2	6.7	1	4.5	1	12.5	3	23.1	185	16.7	7	38.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	7.7	26	2.3	0	0.0
Heterosexual contact	2	6.7	2	9.1	0	0.0	0	0.0	219	19.8	2	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	26.7	5	22.7	3	37.5	5	38.5	225	20.3	5	27.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	123	100.0	94	76.4	29	23.6	56	100.0	5,160	100.0	57	100.0
GENDER												
Male	80	65.0	63	67.0	17	58.6	37	66.1	3,277	63.5	38	66.7
Female	43	35.0	31	33.0	12	41.4	19	33.9	1,883	36.5	19	33.3
RACE/ETHNICITY												
Black	101	82.1	78	83.0	23	79.3	42	75.0	4,084	79.1	46	80.7
Latino/Hispanic	10	8.1	7	7.4	3	10.3	8	14.3	707	13.7	7	12.3
White	8	6.5	6	6.4	2	6.9	2	3.6	288	5.6	2	3.5
Asian/Pacific Islander	3	2.4	2	2.1	1	3.4	3	5.4	50	1.0	2	3.5
Other/Unknown	1	0.8	1	1.1	0	0.0	1	1.8	31	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.3	4	4.3	0	0.0	2	3.6	36	0.7	0	0.0
20-29	41	33.3	38	40.4	3	10.3	6	10.7	455	8.8	2	3.5
30-39	31	25.2	26	27.7	5	17.2	10	17.9	797	15.4	2	3.5
40-49	15	12.2	12	12.8	3	10.3	10	17.9	1,316	25.5	9	15.8
50-59	16	13.0	7	7.4	9	31.0	18	32.1	1,538	29.8	21	36.8
60+	16	13.0	7	7.4	9	31.0	10	17.9	1,013	19.6	23	40.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	41.5	43	45.7	8	27.6	17	30.4	1,495	29.0	11	19.3
Injection drug use history (IDU)	1	0.8	1	1.1	0	0.0	0	0.0	519	10.1	14	24.6
MSM-IDU	1	0.8	1	1.1	0	0.0	0	0.0	93	1.8	1	1.8
Heterosexual contact	36	29.3	26	27.7	10	34.5	18	32.1	1,402	27.2	16	28.1
Transgender people with sexual contact	2	1.6	2	2.1	0	0.0	0	0.0	40	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	107	2.1	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	32	26.0	21	22.3	11	37.9	20	35.7	1,491	28.9	14	24.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	62	100.0	45	72.6	17	27.4	35	100.0	1,612	100.0	22	100.0
GENDER												
Male	42	67.7	33	73.3	9	52.9	16	45.7	864	53.6	14	63.6
Female	20	32.3	12	26.7	8	47.1	19	54.3	748	46.4	8	36.4
RACE/ETHNICITY												
Black	54	87.1	38	84.4	16	94.1	29	82.9	1,282	79.5	20	90.9
Latino/Hispanic	2	3.2	1	2.2	1	5.9	4	11.4	193	12.0	2	9.1
White	4	6.5	4	8.9	0	0.0	1	2.9	113	7.0	0	0.0
Asian/Pacific Islander	2	3.2	2	4.4	0	0.0	1	2.9	16	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.2	2	4.4	0	0.0	1	2.9	27	1.7	0	0.0
20-29	19	30.6	18	40.0	1	5.9	4	11.4	154	9.6	0	0.0
30-39	19	30.6	15	33.3	4	23.5	8	22.9	239	14.8	1	4.5
40-49	7	11.3	4	8.9	3	17.6	7	20.0	368	22.8	3	13.6
50-59	10	16.1	4	8.9	6	35.3	9	25.7	515	31.9	9	40.9
60+	5	8.1	2	4.4	3	17.6	6	17.1	309	19.2	9	40.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	25	40.3	22	48.9	3	17.6	4	11.4	304	18.9	4	18.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.9	147	9.1	4	18.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	13	0.8	0	0.0
Heterosexual contact	23	37.1	14	31.1	9	52.9	21	60.0	572	35.5	5	22.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	14	22.6	9	20.0	5	29.4	9	25.7	505	31.3	9	40.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	12	100.0	657	100.0	11	100.0
GENDER												
Male	13	86.7	11	91.7	2	66.7	8	66.7	486	74.0	7	63.6
Female	2	13.3	1	8.3	1	33.3	4	33.3	171	26.0	4	36.4
RACE/ETHNICITY												
Black	1	6.7	1	8.3	0	0.0	2	16.7	86	13.1	3	27.3
Latino/Hispanic	6	40.0	4	33.3	2	66.7	5	41.7	196	29.8	3	27.3
White	6	40.0	5	41.7	1	33.3	3	25.0	334	50.8	5	45.5
Asian/Pacific Islander	1	6.7	1	8.3	0	0.0	2	16.7	39	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	6.7	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	6.7	0	0.0	1	33.3	1	8.3	1	0.2	0	0.0
20-29	3	20.0	3	25.0	0	0.0	0	0.0	30	4.6	0	0.0
30-39	5	33.3	4	33.3	1	33.3	3	25.0	109	16.6	0	0.0
40-49	6	40.0	5	41.7	1	33.3	5	41.7	170	25.9	2	18.2
50-59	0	0.0	0	0.0	0	0.0	1	8.3	212	32.3	2	18.2
60+	0	0.0	0	0.0	0	0.0	2	16.7	134	20.4	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	86.7	11	91.7	2	66.7	6	50.0	274	41.7	1	9.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	100	15.2	4	36.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	2	18.2
Heterosexual contact	2	13.3	1	8.3	1	33.3	2	16.7	116	17.7	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	4	33.3	139	21.2	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	30	75.0	10	25.0	25	100.0	1,126	100.0	20	100.0
GENDER												
Male	28	70.0	22	73.3	6	60.0	16	64.0	710	63.1	10	50.0
Female	12	30.0	8	26.7	4	40.0	9	36.0	416	36.9	10	50.0
RACE/ETHNICITY												
Black	14	35.0	12	40.0	2	20.0	10	40.0	461	40.9	7	35.0
Latino/Hispanic	7	17.5	6	20.0	1	10.0	7	28.0	349	31.0	8	40.0
White	15	37.5	9	30.0	6	60.0	7	28.0	277	24.6	5	25.0
Asian/Pacific Islander	3	7.5	2	6.7	1	10.0	1	4.0	29	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	2.5	1	3.3	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.5	1	3.3	0	0.0	0	0.0	13	1.2	0	0.0
20-29	13	32.5	13	43.3	0	0.0	3	12.0	100	8.9	2	10.0
30-39	9	22.5	7	23.3	2	20.0	6	24.0	167	14.8	1	5.0
40-49	10	25.0	7	23.3	3	30.0	9	36.0	276	24.5	6	30.0
50-59	5	12.5	2	6.7	3	30.0	6	24.0	354	31.4	7	35.0
60+	2	5.0	0	0.0	2	20.0	1	4.0	215	19.1	4	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	35.0	12	40.0	2	20.0	6	24.0	306	27.2	0	0.0
Injection drug use history (IDU)	3	7.5	2	6.7	1	10.0	3	12.0	192	17.1	5	25.0
MSM-IDU	1	2.5	1	3.3	0	0.0	1	4.0	21	1.9	3	15.0
Heterosexual contact	9	22.5	5	16.7	4	40.0	6	24.0	295	26.2	5	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	4.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.6	1	5.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	13	32.5	10	33.3	3	30.0	8	32.0	272	24.2	6	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	76	81.7	17	18.3	54	100.0	3,753	100.0	56	100.0
GENDER												
Male	76	81.7	61	80.3	15	88.2	36	66.7	2,596	69.2	32	57.1
Female	17	18.3	15	19.7	2	11.8	18	33.3	1,157	30.8	24	42.9
RACE/ETHNICITY												
Black	48	51.6	42	55.3	6	35.3	28	51.9	1,924	51.3	30	53.6
Latino/Hispanic	31	33.3	24	31.6	7	41.2	20	37.0	1,429	38.1	23	41.1
White	13	14.0	10	13.2	3	17.6	5	9.3	340	9.1	2	3.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	1.1	0	0.0
Other/Unknown	1	1.1	0	0.0	1	5.9	1	1.9	19	0.5	1	1.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	5.4	5	6.6	0	0.0	1	1.9	28	0.7	0	0.0
20-29	29	31.2	26	34.2	3	17.6	12	22.2	405	10.8	1	1.8
30-39	27	29.0	24	31.6	3	17.6	9	16.7	611	16.3	1	1.8
40-49	15	16.1	8	10.5	7	41.2	20	37.0	916	24.4	16	28.6
50-59	16	17.2	12	15.8	4	23.5	8	14.8	1,138	30.3	18	32.1
60+	1	1.1	1	1.3	0	0.0	4	7.4	649	17.3	20	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	55	59.1	44	57.9	11	64.7	26	48.1	1,231	32.8	7	12.5
Injection drug use history (IDU)	5	5.4	4	5.3	1	5.9	1	1.9	628	16.7	15	26.8
MSM-IDU	1	1.1	1	1.3	0	0.0	1	1.9	91	2.4	1	1.8
Heterosexual contact	19	20.4	15	19.7	4	23.5	17	31.5	781	20.8	12	21.4
Transgender people with sexual contact	2	2.2	2	2.6	0	0.0	1	1.9	36	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	96	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.8
Unknown	11	11.8	10	13.2	1	5.9	8	14.8	887	23.6	20	35.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	81	87.1	12	12.9	42	100.0	4,406	100.0	31	100.0
GENDER												
Male	78	83.9	68	84.0	10	83.3	33	78.6	3,552	80.6	23	74.2
Female	15	16.1	13	16.0	2	16.7	9	21.4	854	19.4	8	25.8
RACE/ETHNICITY												
Black	28	30.1	22	27.2	6	50.0	14	33.3	1,484	33.7	17	54.8
Latino/Hispanic	43	46.2	37	45.7	6	50.0	22	52.4	1,912	43.4	9	29.0
White	19	20.4	19	23.5	0	0.0	6	14.3	922	20.9	3	9.7
Asian/Pacific Islander	1	1.1	1	1.2	0	0.0	0	0.0	57	1.3	1	3.2
Other/Unknown	2	2.2	2	2.5	0	0.0	0	0.0	31	0.7	1	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	2	2.2	2	2.5	0	0.0	0	0.0	19	0.4	0	0.0
20-29	37	39.8	32	39.5	5	41.7	8	19.0	387	8.8	1	3.2
30-39	24	25.8	19	23.5	5	41.7	13	31.0	718	16.3	5	16.1
40-49	18	19.4	18	22.2	0	0.0	8	19.0	1,214	27.6	11	35.5
50-59	10	10.8	9	11.1	1	8.3	10	23.8	1,266	28.7	9	29.0
60+	2	2.2	1	1.2	1	8.3	3	7.1	792	18.0	5	16.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	65.6	54	66.7	7	58.3	22	52.4	2,286	51.9	8	25.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.8	401	9.1	7	22.6
MSM-IDU	4	4.3	4	4.9	0	0.0	0	0.0	109	2.5	0	0.0
Heterosexual contact	14	15.1	13	16.0	1	8.3	8	19.0	635	14.4	3	9.7
Transgender people with sexual contact	1	1.1	1	1.2	0	0.0	0	0.0	28	0.6	2	6.5
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	71	1.6	1	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	13	14.0	9	11.1	4	33.3	9	21.4	870	19.7	10	32.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	126	100.0	102	81.0	24	19.0	52	100.0	4,655	100.0	51	100.0
GENDER												
Male	97	77.0	84	82.4	13	54.2	35	67.3	3,316	71.2	35	68.6
Female	29	23.0	18	17.6	11	45.8	17	32.7	1,339	28.8	16	31.4
RACE/ETHNICITY												
Black	79	62.7	58	56.9	21	87.5	40	76.9	3,028	65.0	38	74.5
Latino/Hispanic	31	24.6	28	27.5	3	12.5	9	17.3	945	20.3	12	23.5
White	15	11.9	15	14.7	0	0.0	2	3.8	601	12.9	1	2.0
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	55	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	1.9	26	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.2	3	2.9	1	4.2	1	1.9	27	0.6	0	0.0
20-29	53	42.1	49	48.0	4	16.7	10	19.2	417	9.0	1	2.0
30-39	30	23.8	25	24.5	5	20.8	13	25.0	768	16.5	3	5.9
40-49	16	12.7	12	11.8	4	16.7	7	13.5	1,256	27.0	4	7.8
50-59	14	11.1	9	8.8	5	20.8	11	21.2	1,355	29.1	21	41.2
60+	9	7.1	4	3.9	5	20.8	10	19.2	827	17.8	22	43.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	75	59.5	69	67.6	6	25.0	20	38.5	1,848	39.7	7	13.7
Injection drug use history (IDU)	3	2.4	2	2.0	1	4.2	1	1.9	612	13.1	18	35.3
MSM-IDU	1	0.8	1	1.0	0	0.0	0	0.0	117	2.5	2	3.9
Heterosexual contact	24	19.0	15	14.7	9	37.5	15	28.8	857	18.4	14	27.5
Transgender people with sexual contact	2	1.6	1	1.0	1	4.2	1	1.9	32	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	81	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	21	16.7	14	13.7	7	29.2	15	28.8	1,102	23.7	10	19.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	52	77.6	15	22.4	41	100.0	2,950	100.0	72	100.0
GENDER												
Male	52	77.6	40	76.9	12	80.0	27	65.9	2,029	68.8	55	76.4
Female	15	22.4	12	23.1	3	20.0	14	34.1	921	31.2	17	23.6
RACE/ETHNICITY												
Black	30	44.8	22	42.3	8	53.3	20	48.8	1,386	47.0	38	52.8
Latino/Hispanic	25	37.3	21	40.4	4	26.7	15	36.6	1,184	40.1	24	33.3
White	9	13.4	7	13.5	2	13.3	4	9.8	335	11.4	10	13.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.4	27	0.9	0	0.0
Other/Unknown	3	4.5	2	3.8	1	6.7	1	2.4	18	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	4.5	3	5.8	0	0.0	0	0.0	18	0.6	0	0.0
20-29	28	41.8	22	42.3	6	40.0	10	24.4	260	8.8	1	1.4
30-39	11	16.4	11	21.2	0	0.0	8	19.5	387	13.1	2	2.8
40-49	13	19.4	7	13.5	6	40.0	14	34.1	750	25.4	7	9.7
50-59	7	10.4	5	9.6	2	13.3	6	14.6	896	30.4	23	31.9
60+	5	7.5	4	7.7	1	6.7	3	7.3	636	21.6	39	54.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	58.2	33	63.5	6	40.0	14	34.1	961	32.6	15	20.8
Injection drug use history (IDU)	3	4.5	2	3.8	1	6.7	3	7.3	590	20.0	23	31.9
MSM-IDU	1	1.5	0	0.0	1	6.7	1	2.4	78	2.6	4	5.6
Heterosexual contact	8	11.9	5	9.6	3	20.0	12	29.3	613	20.8	15	20.8
Transgender people with sexual contact	5	7.5	5	9.6	0	0.0	0	0.0	20	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	89	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	11	16.4	7	13.5	4	26.7	11	26.8	596	20.2	15	20.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in East Harlem: 10029, 10035.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	46	100.0	38	82.6	8	17.4	24	100.0	3,107	100.0	36	100.0
GENDER												
Male	43	93.5	36	94.7	7	87.5	21	87.5	2,670	85.9	29	80.6
Female	3	6.5	2	5.3	1	12.5	3	12.5	437	14.1	7	19.4
RACE/ETHNICITY												
Black	10	21.7	5	13.2	5	62.5	10	41.7	842	27.1	21	58.3
Latino/Hispanic	13	28.3	13	34.2	0	0.0	4	16.7	809	26.0	7	19.4
White	21	45.7	18	47.4	3	37.5	9	37.5	1,366	44.0	8	22.2
Asian/Pacific Islander	2	4.3	2	5.3	0	0.0	1	4.2	65	2.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	12	26.1	12	31.6	0	0.0	2	8.3	146	4.7	0	0.0
30-39	11	23.9	9	23.7	2	25.0	3	12.5	332	10.7	3	8.3
40-49	16	34.8	10	26.3	6	75.0	6	25.0	652	21.0	12	33.3
50-59	4	8.7	4	10.5	0	0.0	9	37.5	1,093	35.2	5	13.9
60+	3	6.5	3	7.9	0	0.0	4	16.7	876	28.2	16	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	91.3	35	92.1	7	87.5	15	62.5	1,814	58.4	11	30.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	314	10.1	9	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	90	2.9	1	2.8
Heterosexual contact	3	6.5	2	5.3	1	12.5	3	12.5	291	9.4	7	19.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	4.2	20	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	2.2	1	2.6	0	0.0	3	12.5	542	17.4	8	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	21	84.0	4	16.0	9	100.0	1,442	100.0	11	100.0
GENDER												
Male	24	96.0	20	95.2	4	100.0	8	88.9	1,252	86.8	9	81.8
Female	1	4.0	1	4.8	0	0.0	1	11.1	190	13.2	2	18.2
RACE/ETHNICITY												
Black	2	8.0	2	9.5	0	0.0	4	44.4	280	19.4	3	27.3
Latino/Hispanic	5	20.0	4	19.0	1	25.0	2	22.2	325	22.5	3	27.3
White	14	56.0	11	52.4	3	75.0	3	33.3	775	53.7	5	45.5
Asian/Pacific Islander	4	16.0	4	19.0	0	0.0	0	0.0	54	3.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	28.0	7	33.3	0	0.0	0	0.0	65	4.5	0	0.0
30-39	9	36.0	7	33.3	2	50.0	3	33.3	178	12.3	0	0.0
40-49	5	20.0	3	14.3	2	50.0	2	22.2	334	23.2	1	9.1
50-59	2	8.0	2	9.5	0	0.0	3	33.3	503	34.9	3	27.3
60+	2	8.0	2	9.5	0	0.0	1	11.1	360	25.0	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	80.0	16	76.2	4	100.0	7	77.8	897	62.2	4	36.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	104	7.2	4	36.4
MSM-IDU	2	8.0	2	9.5	0	0.0	1	11.1	33	2.3	0	0.0
Heterosexual contact	1	4.0	1	4.8	0	0.0	1	11.1	124	8.6	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	2	8.0	2	9.5	0	0.0	0	0.0	271	18.8	2	18.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	133	100.0	112	84.2	21	15.8	46	100.0	6,594	100.0	45	100.0
GENDER												
Male	123	92.5	103	92.0	20	95.2	43	93.5	6,155	93.3	39	86.7
Female	10	7.5	9	8.0	1	4.8	3	6.5	439	6.7	6	13.3
RACE/ETHNICITY												
Black	19	14.3	16	14.3	3	14.3	17	37.0	1,016	15.4	4	8.9
Latino/Hispanic	35	26.3	29	25.9	6	28.6	9	19.6	1,451	22.0	11	24.4
White	68	51.1	58	51.8	10	47.6	17	37.0	3,869	58.7	29	64.4
Asian/Pacific Islander	8	6.0	6	5.4	2	9.5	3	6.5	185	2.8	0	0.0
Other/Unknown	3	2.3	3	2.7	0	0.0	0	0.0	73	1.1	1	2.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
20-29	34	25.6	30	26.8	4	19.0	5	10.9	315	4.8	0	0.0
30-39	47	35.3	40	35.7	7	33.3	12	26.1	1,018	15.4	4	8.9
40-49	35	26.3	31	27.7	4	19.0	12	26.1	1,888	28.6	10	22.2
50-59	14	10.5	9	8.0	5	23.8	15	32.6	2,258	34.2	14	31.1
60+	3	2.3	2	1.8	1	4.8	2	4.3	1,106	16.8	17	37.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	113	85.0	95	84.8	18	85.7	37	80.4	4,935	74.8	26	57.8
Injection drug use history (IDU)	1	0.8	1	0.9	0	0.0	2	4.3	352	5.3	9	20.0
MSM-IDU	2	1.5	2	1.8	0	0.0	1	2.2	190	2.9	1	2.2
Heterosexual contact	5	3.8	4	3.6	1	4.8	4	8.7	262	4.0	1	2.2
Transgender people with sexual contact	5	3.8	4	3.6	1	4.8	1	2.2	46	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	7	5.3	6	5.4	1	4.8	1	2.2	787	11.9	8	17.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	37	78.7	10	21.3	21	100.0	1,988	100.0	14	100.0
GENDER												
Male	39	83.0	30	81.1	9	90.0	18	85.7	1,819	91.5	12	85.7
Female	8	17.0	7	18.9	1	10.0	3	14.3	169	8.5	2	14.3
RACE/ETHNICITY												
Black	10	21.3	7	18.9	3	30.0	5	23.8	386	19.4	2	14.3
Latino/Hispanic	13	27.7	11	29.7	2	20.0	3	14.3	466	23.4	2	14.3
White	20	42.6	16	43.2	4	40.0	10	47.6	1,053	53.0	10	71.4
Asian/Pacific Islander	4	8.5	3	8.1	1	10.0	2	9.5	66	3.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	4.8	17	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.7	0	0.0	0	0.0	3	0.2	0	0.0
20-29	14	29.8	12	32.4	2	20.0	2	9.5	75	3.8	0	0.0
30-39	12	25.5	8	21.6	4	40.0	6	28.6	234	11.8	0	0.0
40-49	12	25.5	9	24.3	3	30.0	7	33.3	494	24.8	0	0.0
50-59	7	14.9	6	16.2	1	10.0	5	23.8	660	33.2	5	35.7
60+	1	2.1	1	2.7	0	0.0	1	4.8	522	26.3	9	64.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	68.1	23	62.2	9	90.0	13	61.9	1,286	64.7	6	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	9.5	176	8.9	2	14.3
MSM-IDU	3	6.4	3	8.1	0	0.0	1	4.8	67	3.4	0	0.0
Heterosexual contact	5	10.6	4	10.8	1	10.0	1	4.8	127	6.4	2	14.3
Transgender people with sexual contact	3	6.4	3	8.1	0	0.0	0	0.0	11	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	8.5	4	10.8	0	0.0	4	19.0	308	15.5	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	25	86.2	4	13.8	15	100.0	1,949	100.0	7	100.0
GENDER												
Male	25	86.2	22	88.0	3	75.0	13	86.7	1,856	95.2	6	85.7
Female	4	13.8	3	12.0	1	25.0	2	13.3	93	4.8	1	14.3
RACE/ETHNICITY												
Black	4	13.8	4	16.0	0	0.0	2	13.3	377	19.3	0	0.0
Latino/Hispanic	4	13.8	3	12.0	1	25.0	3	20.0	397	20.4	4	57.1
White	17	58.6	15	60.0	2	50.0	9	60.0	1,113	57.1	3	42.9
Asian/Pacific Islander	4	13.8	3	12.0	1	25.0	1	6.7	49	2.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	3	10.3	3	12.0	0	0.0	1	6.7	85	4.4	0	0.0
30-39	13	44.8	12	48.0	1	25.0	3	20.0	217	11.1	1	14.3
40-49	8	27.6	6	24.0	2	50.0	7	46.7	525	26.9	0	0.0
50-59	4	13.8	3	12.0	1	25.0	4	26.7	666	34.2	3	42.9
60+	1	3.4	1	4.0	0	0.0	0	0.0	453	23.2	3	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	75.9	19	76.0	3	75.0	12	80.0	1,321	67.8	4	57.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	150	7.7	1	14.3
MSM-IDU	1	3.4	1	4.0	0	0.0	0	0.0	56	2.9	0	0.0
Heterosexual contact	2	6.9	1	4.0	1	25.0	2	13.3	60	3.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	13.8	4	16.0	0	0.0	1	6.7	333	17.1	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	54	85.7	9	14.3	28	100.0	3,123	100.0	42	100.0
GENDER												
Male	59	93.7	52	96.3	7	77.8	21	75.0	2,554	81.8	26	61.9
Female	4	6.3	2	3.7	2	22.2	7	25.0	569	18.2	16	38.1
RACE/ETHNICITY												
Black	7	11.1	6	11.1	1	11.1	8	28.6	612	19.6	14	33.3
Latino/Hispanic	22	34.9	16	29.6	6	66.7	12	42.9	1,086	34.8	18	42.9
White	23	36.5	22	40.7	1	11.1	5	17.9	1,259	40.3	9	21.4
Asian/Pacific Islander	9	14.3	8	14.8	1	11.1	3	10.7	134	4.3	1	2.4
Other/Unknown	2	3.2	2	3.7	0	0.0	0	0.0	32	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.6	1	1.9	0	0.0	0	0.0	10	0.3	0	0.0
20-29	27	42.9	25	46.3	2	22.2	5	17.9	192	6.1	0	0.0
30-39	12	19.0	9	16.7	3	33.3	7	25.0	353	11.3	2	4.8
40-49	12	19.0	10	18.5	2	22.2	7	25.0	760	24.3	2	4.8
50-59	8	12.7	7	13.0	1	11.1	7	25.0	1,107	35.4	18	42.9
60+	3	4.8	2	3.7	1	11.1	2	7.1	699	22.4	20	47.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	81.0	47	87.0	4	44.4	13	46.4	1,710	54.8	6	14.3
Injection drug use history (IDU)	1	1.6	0	0.0	1	11.1	3	10.7	425	13.6	16	38.1
MSM-IDU	2	3.2	2	3.7	0	0.0	0	0.0	94	3.0	4	9.5
Heterosexual contact	3	4.8	2	3.7	1	11.1	7	25.0	354	11.3	4	9.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	6	9.5	3	5.6	3	33.3	5	17.9	482	15.4	11	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	9	81.8	2	18.2	10	100.0	580	100.0	5	100.0
GENDER												
Male	11	100.0	9	100.0	2	100.0	9	90.0	503	86.7	5	100.0
Female	0	0.0	0	0.0	0	0.0	1	10.0	77	13.3	0	0.0
RACE/ETHNICITY												
Black	2	18.2	1	11.1	1	50.0	2	20.0	119	20.5	0	0.0
Latino/Hispanic	3	27.3	2	22.2	1	50.0	6	60.0	141	24.3	3	60.0
White	5	45.5	5	55.6	0	0.0	2	20.0	296	51.0	1	20.0
Asian/Pacific Islander	1	9.1	1	11.1	0	0.0	0	0.0	20	3.4	1	20.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	27.3	3	33.3	0	0.0	2	20.0	31	5.3	1	20.0
30-39	5	45.5	3	33.3	2	100.0	2	20.0	89	15.3	0	0.0
40-49	3	27.3	3	33.3	0	0.0	3	30.0	185	31.9	3	60.0
50-59	0	0.0	0	0.0	0	0.0	2	20.0	191	32.9	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	83	14.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	81.8	7	77.8	2	100.0	7	70.0	360	62.1	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	41	7.1	1	20.0
MSM-IDU	1	9.1	1	11.1	0	0.0	0	0.0	17	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	10.0	50	8.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	9.1	1	11.1	0	0.0	1	10.0	103	17.8	2	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	66	100.0	53	80.3	13	19.7	23	100.0	1,972	100.0	12	100.0
GENDER												
Male	59	89.4	48	90.6	11	84.6	19	82.6	1,661	84.2	9	75.0
Female	7	10.6	5	9.4	2	15.4	4	17.4	311	15.8	3	25.0
RACE/ETHNICITY												
Black	9	13.6	6	11.3	3	23.1	5	21.7	336	17.0	3	25.0
Latino/Hispanic	30	45.5	23	43.4	7	53.8	12	52.2	791	40.1	7	58.3
White	22	33.3	20	37.7	2	15.4	5	21.7	748	37.9	2	16.7
Asian/Pacific Islander	5	7.6	4	7.5	1	7.7	1	4.3	83	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	18	27.3	16	30.2	2	15.4	2	8.7	138	7.0	0	0.0
30-39	28	42.4	24	45.3	4	30.8	12	52.2	410	20.8	2	16.7
40-49	13	19.7	8	15.1	5	38.5	6	26.1	598	30.3	2	16.7
50-59	5	7.6	3	5.7	2	15.4	3	13.0	584	29.6	5	41.7
60+	2	3.0	2	3.8	0	0.0	0	0.0	237	12.0	3	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	53	80.3	45	84.9	8	61.5	12	52.2	1,213	61.5	6	50.0
Injection drug use history (IDU)	1	1.5	1	1.9	0	0.0	1	4.3	125	6.3	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	43	2.2	0	0.0
Heterosexual contact	7	10.6	4	7.5	3	23.1	6	26.1	247	12.5	3	25.0
Transgender people with sexual contact	1	1.5	0	0.0	1	7.7	1	4.3	18	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	6.1	3	5.7	1	7.7	3	13.0	310	15.7	3	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	118	80.8	28	19.2	58	100.0	5,798	100.0	30	100.0
GENDER												
Male	124	84.9	99	83.9	25	89.3	49	84.5	4,707	81.2	23	76.7
Female	22	15.1	19	16.1	3	10.7	9	15.5	1,091	18.8	7	23.3
RACE/ETHNICITY												
Black	13	8.9	10	8.5	3	10.7	15	25.9	1,670	28.8	10	33.3
Latino/Hispanic	98	67.1	79	66.9	19	67.9	32	55.2	3,165	54.6	17	56.7
White	14	9.6	13	11.0	1	3.6	3	5.2	654	11.3	2	6.7
Asian/Pacific Islander	21	14.4	16	13.6	5	17.9	8	13.8	281	4.8	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.7	4	0.1	0	0.0
13-19	6	4.1	6	5.1	0	0.0	0	0.0	19	0.3	0	0.0
20-29	44	30.1	37	31.4	7	25.0	12	20.7	433	7.5	2	6.7
30-39	62	42.5	50	42.4	12	42.9	22	37.9	987	17.0	2	6.7
40-49	24	16.4	18	15.3	6	21.4	13	22.4	1,733	29.9	5	16.7
50-59	7	4.8	5	4.2	2	7.1	7	12.1	1,824	31.5	7	23.3
60+	3	2.1	2	1.7	1	3.6	3	5.2	798	13.8	14	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	108	74.0	85	72.0	23	82.1	36	62.1	2,381	41.1	15	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	1.7	984	17.0	4	13.3
MSM-IDU	1	0.7	1	0.8	0	0.0	0	0.0	168	2.9	0	0.0
Heterosexual contact	21	14.4	18	15.3	3	10.7	9	15.5	949	16.4	7	23.3
Transgender people with sexual contact	4	2.7	4	3.4	0	0.0	1	1.7	85	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.4	66	1.1	1	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	12	8.2	10	8.5	2	7.1	9	15.5	1,160	20.0	3	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	15	93.8	1	6.3	6	100.0	640	100.0	16	100.0
GENDER												
Male	15	93.8	14	93.3	1	100.0	6	100.0	479	74.8	14	87.5
Female	1	6.3	1	6.7	0	0.0	0	0.0	161	25.2	2	12.5
RACE/ETHNICITY												
Black	1	6.3	1	6.7	0	0.0	0	0.0	101	15.8	5	31.3
Latino/Hispanic	7	43.8	7	46.7	0	0.0	3	50.0	243	38.0	2	12.5
White	2	12.5	1	6.7	1	100.0	2	33.3	189	29.5	9	56.3
Asian/Pacific Islander	5	31.3	5	33.3	0	0.0	1	16.7	96	15.0	0	0.0
Native American	1	6.3	1	6.7	0	0.0	0	0.0	6	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	25.0	4	26.7	0	0.0	2	33.3	43	6.7	0	0.0
30-39	3	18.8	3	20.0	0	0.0	0	0.0	78	12.2	0	0.0
40-49	5	31.3	4	26.7	1	100.0	3	50.0	160	25.0	4	25.0
50-59	4	25.0	4	26.7	0	0.0	1	16.7	236	36.9	5	31.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	122	19.1	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	81.3	12	80.0	1	100.0	3	50.0	270	42.2	7	43.8
Injection drug use history (IDU)	1	6.3	1	6.7	0	0.0	0	0.0	68	10.6	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	16.7	11	1.7	1	6.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	16.7	144	22.5	3	18.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	12.5	2	13.3	0	0.0	1	16.7	135	21.1	1	6.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	142	100.0	2	100.0
GENDER												
Male	5	100.0	5	100.0	0	0.0	0	0.0	114	80.3	2	100.0
Female	0	0.0	0	0.0	0	0.0	0	0.0	28	19.7	0	0.0
RACE/ETHNICITY												
Black	1	20.0	1	20.0	0	0.0	0	0.0	31	21.8	1	50.0
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	29	20.4	0	0.0
White	1	20.0	1	20.0	0	0.0	0	0.0	70	49.3	1	50.0
Asian/Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	11	7.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	20.0	1	20.0	0	0.0	0	0.0	2	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	6	4.2	0	0.0
30-39	3	60.0	3	60.0	0	0.0	0	0.0	15	10.6	0	0.0
40-49	1	20.0	1	20.0	0	0.0	0	0.0	38	26.8	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	47	33.1	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	34	23.9	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	60.0	3	60.0	0	0.0	0	0.0	65	45.8	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	11	7.7	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	17.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	32	22.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	32	80.0	8	20.0	17	100.0	1,205	100.0	8	100.0
GENDER												
Male	35	87.5	29	90.6	6	75.0	15	88.2	907	75.3	4	50.0
Female	5	12.5	3	9.4	2	25.0	2	11.8	298	24.7	4	50.0
RACE/ETHNICITY												
Black	2	5.0	1	3.1	1	12.5	1	5.9	162	13.4	0	0.0
Latino/Hispanic	20	50.0	16	50.0	4	50.0	11	64.7	565	46.9	5	62.5
White	14	35.0	11	34.4	3	37.5	5	29.4	416	34.5	3	37.5
Asian/Pacific Islander	3	7.5	3	9.4	0	0.0	0	0.0	52	4.3	0	0.0
Other/Unknown	1	2.5	1	3.1	0	0.0	0	0.0	10	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.5	1	3.1	0	0.0	0	0.0	7	0.6	0	0.0
20-29	15	37.5	15	46.9	0	0.0	1	5.9	85	7.1	0	0.0
30-39	6	15.0	6	18.8	0	0.0	0	0.0	164	13.6	1	12.5
40-49	11	27.5	7	21.9	4	50.0	8	47.1	347	28.8	2	25.0
50-59	5	12.5	3	9.4	2	25.0	6	35.3	391	32.4	4	50.0
60+	2	5.0	0	0.0	2	25.0	2	11.8	210	17.4	1	12.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	26	65.0	24	75.0	2	25.0	8	47.1	572	47.5	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	101	8.4	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.1	0	0.0
Heterosexual contact	5	12.5	2	6.3	3	37.5	3	17.6	251	20.8	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	9	22.5	6	18.8	3	37.5	5	29.4	214	17.8	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	5	100.0	265	100.0	5	100.0
GENDER												
Male	4	57.1	2	40.0	2	100.0	3	60.0	168	63.4	3	60.0
Female	3	42.9	3	60.0	0	0.0	2	40.0	97	36.6	2	40.0
RACE/ETHNICITY												
Black	4	57.1	3	60.0	1	50.0	4	80.0	125	47.2	2	40.0
Latino/Hispanic	2	28.6	1	20.0	1	50.0	1	20.0	70	26.4	1	20.0
White	0	0.0	0	0.0	0	0.0	0	0.0	51	19.2	2	40.0
Asian/Pacific Islander	1	14.3	1	20.0	0	0.0	0	0.0	18	6.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	20.0	0	0.0	0	0.0	4	1.5	0	0.0
20-29	2	28.6	1	20.0	1	50.0	2	40.0	20	7.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	24	9.1	1	20.0
40-49	1	14.3	1	20.0	0	0.0	1	20.0	62	23.4	1	20.0
50-59	3	42.9	2	40.0	1	50.0	2	40.0	97	36.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	58	21.9	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	28.6	1	20.0	1	50.0	1	20.0	76	28.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	9.4	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0
Heterosexual contact	3	42.9	2	40.0	1	50.0	1	20.0	75	28.3	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	20.0	9	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	2	28.6	2	40.0	0	0.0	2	40.0	75	28.3	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	41	85.4	7	14.6	14	100.0	1,747	100.0	11	100.0
GENDER												
Male	42	87.5	35	85.4	7	100.0	12	85.7	1,227	70.2	8	72.7
Female	6	12.5	6	14.6	0	0.0	2	14.3	520	29.8	3	27.3
RACE/ETHNICITY												
Black	11	22.9	10	24.4	1	14.3	4	28.6	511	29.3	6	54.5
Latino/Hispanic	19	39.6	15	36.6	4	57.1	7	50.0	767	43.9	5	45.5
White	10	20.8	10	24.4	0	0.0	1	7.1	290	16.6	0	0.0
Asian/Pacific Islander	6	12.5	4	9.8	2	28.6	2	14.3	152	8.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Multiracial	2	4.2	2	4.9	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	2.4	0	0.0	0	0.0	15	0.9	0	0.0
20-29	20	41.7	20	48.8	0	0.0	0	0.0	148	8.5	1	9.1
30-39	15	31.3	12	29.3	3	42.9	3	21.4	274	15.7	2	18.2
40-49	4	8.3	2	4.9	2	28.6	5	35.7	478	27.4	2	18.2
50-59	6	12.5	5	12.2	1	14.3	5	35.7	573	32.8	3	27.3
60+	2	4.2	1	2.4	1	14.3	1	7.1	256	14.7	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	68.8	29	70.7	4	57.1	5	35.7	656	37.6	2	18.2
Injection drug use history (IDU)	2	4.2	1	2.4	1	14.3	2	14.3	192	11.0	3	27.3
MSM-IDU	2	4.2	2	4.9	0	0.0	0	0.0	23	1.3	0	0.0
Heterosexual contact	7	14.6	7	17.1	0	0.0	5	35.7	422	24.2	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	0.8	1	9.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	8.3	2	4.9	2	28.6	2	14.3	395	22.6	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	57	83.8	11	16.2	38	100.0	3,083	100.0	46	100.0
GENDER												
Male	49	72.1	42	73.7	7	63.6	22	57.9	1,888	61.2	31	67.4
Female	19	27.9	15	26.3	4	36.4	16	42.1	1,195	38.8	15	32.6
RACE/ETHNICITY												
Black	52	76.5	42	73.7	10	90.9	30	78.9	2,273	73.7	29	63.0
Latino/Hispanic	9	13.2	8	14.0	1	9.1	5	13.2	555	18.0	14	30.4
White	0	0.0	0	0.0	0	0.0	1	2.6	155	5.0	1	2.2
Asian/Pacific Islander	5	7.4	5	8.8	0	0.0	2	5.3	78	2.5	2	4.3
Native American	1	1.5	1	1.8	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	1.5	1	1.8	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	6	8.8	6	10.5	0	0.0	1	2.6	26	0.8	0	0.0
20-29	24	35.3	21	36.8	3	27.3	5	13.2	290	9.4	3	6.5
30-39	16	23.5	13	22.8	3	27.3	11	28.9	384	12.5	1	2.2
40-49	9	13.2	7	12.3	2	18.2	9	23.7	744	24.1	13	28.3
50-59	8	11.8	6	10.5	2	18.2	8	21.1	1,036	33.6	12	26.1
60+	5	7.4	4	7.0	1	9.1	4	10.5	595	19.3	17	37.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	57.4	34	59.6	5	45.5	12	31.6	793	25.7	9	19.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	390	12.7	10	21.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	51	1.7	0	0.0
Heterosexual contact	17	25.0	13	22.8	4	36.4	14	36.8	919	29.8	11	23.9
Transgender people with sexual contact	1	1.5	1	1.8	0	0.0	0	0.0	11	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	94	3.0	2	4.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	11	16.2	9	15.8	2	18.2	11	28.9	817	26.5	14	30.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	30	93.8	2	6.3	16	100.0	1,281	100.0	13	100.0
GENDER												
Male	22	68.8	20	66.7	2	100.0	9	56.3	733	57.2	9	69.2
Female	10	31.3	10	33.3	0	0.0	7	43.8	548	42.8	4	30.8
RACE/ETHNICITY												
Black	24	75.0	22	73.3	2	100.0	13	81.3	994	77.6	11	84.6
Latino/Hispanic	3	9.4	3	10.0	0	0.0	2	12.5	153	11.9	0	0.0
White	2	6.3	2	6.7	0	0.0	1	6.3	94	7.3	2	15.4
Asian/Pacific Islander	1	3.1	1	3.3	0	0.0	0	0.0	34	2.7	0	0.0
Other/Unknown	2	6.3	2	6.7	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	25.0	7	23.3	1	50.0	5	31.3	121	9.4	0	0.0
30-39	12	37.5	12	40.0	0	0.0	2	12.5	183	14.3	2	15.4
40-49	8	25.0	7	23.3	1	50.0	8	50.0	308	24.0	0	0.0
50-59	2	6.3	2	6.7	0	0.0	1	6.3	416	32.5	7	53.8
60+	2	6.3	2	6.7	0	0.0	0	0.0	239	18.7	4	30.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	40.6	12	40.0	1	50.0	4	25.0	267	20.8	3	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	138	10.8	4	30.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	1.5	1	7.7
Heterosexual contact	10	31.3	9	30.0	1	50.0	6	37.5	396	30.9	3	23.1
Transgender people with sexual contact	1	3.1	1	3.3	0	0.0	0	0.0	5	0.4	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	8	25.0	8	26.7	0	0.0	4	25.0	399	31.1	1	7.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	24	82.8	5	17.2	12	100.0	1,152	100.0	21	100.0
GENDER												
Male	21	72.4	19	79.2	2	40.0	6	50.0	663	57.6	12	57.1
Female	8	27.6	5	20.8	3	60.0	6	50.0	489	42.4	9	42.9
RACE/ETHNICITY												
Black	19	65.5	16	66.7	3	60.0	7	58.3	735	63.8	7	33.3
Latino/Hispanic	6	20.7	4	16.7	2	40.0	5	41.7	282	24.5	5	23.8
White	4	13.8	4	16.7	0	0.0	0	0.0	115	10.0	8	38.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	1	4.8
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.4	1	4.2	0	0.0	0	0.0	16	1.4	0	0.0
20-29	9	31.0	9	37.5	0	0.0	2	16.7	102	8.9	0	0.0
30-39	7	24.1	6	25.0	1	20.0	3	25.0	152	13.2	0	0.0
40-49	6	20.7	5	20.8	1	20.0	3	25.0	285	24.7	3	14.3
50-59	5	17.2	2	8.3	3	60.0	4	33.3	384	33.3	7	33.3
60+	1	3.4	1	4.2	0	0.0	0	0.0	213	18.5	11	52.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	58.6	15	62.5	2	40.0	6	50.0	262	22.7	3	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	178	15.5	7	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	2.1	1	4.8
Heterosexual contact	6	20.7	4	16.7	2	40.0	4	33.3	395	34.3	6	28.6
Transgender people with sexual contact	1	3.4	1	4.2	0	0.0	1	8.3	8	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	4.8
Unknown	5	17.2	4	16.7	1	20.0	1	8.3	248	21.5	3	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	9	69.2	4	30.8	7	100.0	581	100.0	17	100.0
GENDER												
Male	9	69.2	6	66.7	3	75.0	6	85.7	353	60.8	8	47.1
Female	4	30.8	3	33.3	1	25.0	1	14.3	228	39.2	9	52.9
RACE/ETHNICITY												
Black	5	38.5	5	55.6	0	0.0	2	28.6	288	49.6	10	58.8
Latino/Hispanic	5	38.5	4	44.4	1	25.0	3	42.9	194	33.4	4	23.5
White	2	15.4	0	0.0	2	50.0	2	28.6	85	14.6	3	17.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other/Unknown	1	7.7	0	0.0	1	25.0	0	0.0	9	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.7	1	11.1	0	0.0	0	0.0	7	1.2	0	0.0
20-29	2	15.4	1	11.1	1	25.0	1	14.3	47	8.1	0	0.0
30-39	4	30.8	4	44.4	0	0.0	1	14.3	99	17.0	1	5.9
40-49	6	46.2	3	33.3	3	75.0	3	42.9	142	24.4	1	5.9
50-59	0	0.0	0	0.0	0	0.0	1	14.3	195	33.6	10	58.8
60+	0	0.0	0	0.0	0	0.0	1	14.3	90	15.5	5	29.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	4	44.4	2	50.0	4	57.1	139	23.9	1	5.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	116	20.0	6	35.3
MSM-IDU	1	7.7	1	11.1	0	0.0	0	0.0	18	3.1	1	5.9
Heterosexual contact	5	38.5	4	44.4	1	25.0	1	14.3	164	28.2	6	35.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	7.7	0	0.0	1	25.0	1	14.3	120	20.7	3	17.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	118	80.8	28	19.2	58	100.0	5,798	100.0	30	100.0
GENDER												
Male	124	84.9	99	83.9	25	89.3	49	84.5	4,707	81.2	23	76.7
Female	22	15.1	19	16.1	3	10.7	9	15.5	1,091	18.8	7	23.3
RACE/ETHNICITY												
Black	13	8.9	10	8.5	3	10.7	15	25.9	1,670	28.8	10	33.3
Latino/Hispanic	98	67.1	79	66.9	19	67.9	32	55.2	3,165	54.6	17	56.7
White	14	9.6	13	11.0	1	3.6	3	5.2	654	11.3	2	6.7
Asian/Pacific Islander	21	14.4	16	13.6	5	17.9	8	13.8	281	4.8	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.7	4	0.1	0	0.0
13-19	6	4.1	6	5.1	0	0.0	0	0.0	19	0.3	0	0.0
20-29	44	30.1	37	31.4	7	25.0	12	20.7	433	7.5	2	6.7
30-39	62	42.5	50	42.4	12	42.9	22	37.9	987	17.0	2	6.7
40-49	24	16.4	18	15.3	6	21.4	13	22.4	1,733	29.9	5	16.7
50-59	7	4.8	5	4.2	2	7.1	7	12.1	1,824	31.5	7	23.3
60+	3	2.1	2	1.7	1	3.6	3	5.2	798	13.8	14	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	108	74.0	85	72.0	23	82.1	36	62.1	2,381	41.1	15	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	1.7	984	17.0	4	13.3
MSM-IDU	1	0.7	1	0.8	0	0.0	0	0.0	168	2.9	0	0.0
Heterosexual contact	21	14.4	18	15.3	3	10.7	9	15.5	949	16.4	7	23.3
Transgender people with sexual contact	4	2.7	4	3.4	0	0.0	1	1.7	85	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.4	66	1.1	1	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	12	8.2	10	8.5	2	7.1	9	15.5	1,160	20.0	3	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	196	100.0	4	100.0
GENDER												
Male	6	85.7	5	100.0	1	50.0	2	50.0	137	69.9	2	50.0
Female	1	14.3	0	0.0	1	50.0	2	50.0	59	30.1	2	50.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	1	25.0	35	17.9	0	0.0
Latino/Hispanic	2	28.6	2	40.0	0	0.0	0	0.0	57	29.1	1	25.0
White	4	57.1	2	40.0	2	100.0	3	75.0	97	49.5	3	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	2.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0
20-29	2	28.6	2	40.0	0	0.0	0	0.0	10	5.1	0	0.0
30-39	1	14.3	1	20.0	0	0.0	0	0.0	25	12.8	0	0.0
40-49	2	28.6	1	20.0	1	50.0	3	75.0	47	24.0	2	50.0
50-59	1	14.3	1	20.0	0	0.0	0	0.0	75	38.3	1	25.0
60+	1	14.3	0	0.0	1	50.0	1	25.0	36	18.4	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	57.1	4	80.0	0	0.0	0	0.0	68	34.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	32	16.3	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.4	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	3	42.9	1	20.0	2	100.0	4	100.0	45	23.0	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP code is included in Willowbrook: 10314.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	6	100.0	412	100.0	8	100.0
GENDER												
Male	6	85.7	5	100.0	1	50.0	5	83.3	277	67.2	6	75.0
Female	1	14.3	0	0.0	1	50.0	1	16.7	135	32.8	2	25.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	1	16.7	77	18.7	0	0.0
Latino/Hispanic	1	14.3	0	0.0	1	50.0	2	33.3	99	24.0	3	37.5
White	5	71.4	4	80.0	1	50.0	3	50.0	232	56.3	5	62.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
20-29	4	57.1	4	80.0	0	0.0	0	0.0	20	4.9	1	12.5
30-39	1	14.3	0	0.0	1	50.0	2	33.3	41	10.0	1	12.5
40-49	1	14.3	1	20.0	0	0.0	0	0.0	108	26.2	0	0.0
50-59	1	14.3	0	0.0	1	50.0	3	50.0	162	39.3	4	50.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	75	18.2	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	57.1	4	80.0	0	0.0	0	0.0	94	22.8	0	0.0
Injection drug use history (IDU)	1	14.3	0	0.0	1	50.0	3	50.0	78	18.9	4	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	1	12.5
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	16.7	103	25.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	3.2	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	2	28.6	1	20.0	1	50.0	2	33.3	110	26.7	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	33.1	1.4	10.2	8,471,990
GENDER				
Male	55.1	2.2	9.9	4,037,839
Female	13.1	0.8	11.0	4,434,151
RACE/ETHNICITY				
Black	62.6	2.8	11.8	1,905,300
Latino/Hispanic	37.9	1.6	10.6	2,461,770
White	18.9	0.9	7.1	2,757,050
Asian/Pacific Islander	10.4	0.2	4.9	1,191,050
Native American	41.0*	1.5	7.2*	19,494
AGE GROUP (YEARS)				
0 - 12	0.5*	0.0	0.0*	1,322,268
13 - 19	16.8	0.1	0.0*	665,210
20 - 29	68.6	0.8	3.6	1,410,854
30 - 39	56.3	1.4	6.0	1,328,277
40 - 49	45.0	2.8	9.6	1,120,290
50 - 59	29.9	3.6	17.3	1,080,800
60+	9.3	1.4	30.2	1,544,291

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018.

Male category includes transgender men and female category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2014 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	33.1	1.4	10.2	8,471,990
BRONX⁵	35.0	2.0	12.2	1,438,009
Crotona - Tremont	48.0	2.6	13.4	216,766
Fordham - Bronx Park	39.4	2.1	10.9	256,231
High Bridge - Morrisania	45.6	2.7	13.5	219,065
Hunts Point - Mott Haven	47.4	2.6	15.0	143,469
Kingsbridge - Riverdale	16.3	0.7	11.8	92,217
Northeast Bronx	26.1	1.2	11.9	203,280
Pelham - Throgs Neck	19.9	1.4	8.1	306,980
BROOKLYN⁵	28.1	1.1	9.8	2,612,544
Bedford Stuyvesant - Crown Heights	50.2	2.3	11.2	330,477
Bensonhurst - Bay Ridge	7.1	0.3	12.1	210,967
Borough Park	8.7	0.3	9.5	345,466
Canarsie - Flatlands	29.9	0.8	9.2	207,396
Coney Island - Sheepshead Bay	14.1	0.4	11.4	284,007
Downtown - Heights - Park Slope	25.6	1.1	8.4	253,589
East Flatbush - Flatbush	40.8	1.7	7.7	301,625
East New York	58.0	1.8	14.1	187,840
Greenpoint	13.0	0.6	3.2*	138,465
Sunset Park	8.4	0.6	5.6*	131,651
Williamsburg - Bushwick	42.1	1.7	10.3	221,062
MANHATTAN⁵	40.2	2.0	6.5	1,618,842
Central Harlem - Morningside Heights	71.7	2.6	8.1	175,812
Chelsea - Clinton	86.3	4.3	4.4	154,064
East Harlem	59.5	2.6	16.2	112,589
Gramercy Park - Murray Hill	36.0	1.5	3.7	130,409
Greenwich Village - Soho	35.6	2.4	1.8*	81,556
Lower Manhattan	18.2	1.0	2.8*	60,389
Union Square - Lower East Side	32.1	1.6	8.2	196,413
Upper East Side	11.4	0.7	4.7	219,243
Upper West Side	20.9	1.4	7.5	219,654
Washington Heights - Inwood	34.6	1.6	4.6	268,714
QUEENS⁵	19.7	0.8	7.3	2,325,137
Bayside - Little Neck	5.5*	0.2	7.9*	90,656
Flushing - Clearview	6.2	0.2	16.1	259,886
Fresh Meadows	7.0*	0.3	17.9*	100,704
Jamaica	21.6	1.0	11.0	314,578
Long Island City - Astoria	30.9	0.9	3.5*	213,503
Ridgewood - Forest Hills	15.9	0.5	3.9*	252,331
Rockaway	24.0	1.0	12.4	121,061
Southeast Queens	15.4	0.6	6.8	207,196
Southwest Queens	16.5	0.6	5.6	290,526
West Queens	30.8	1.2	4.8	474,696
STATEN ISLAND⁵	8.9	0.5	17.3	473,142
Port Richmond	19.4	0.9	19.0	66,901
South Beach - Tottenville	3.6*	0.2	18.6*	195,361
Stapleton - St. George	12.2	0.9	17.8	123,424
Willowbrook	8.0*	0.2	12.6*	87,456

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2014 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.