



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2014

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, females	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2017. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,775	100.0	2,283	82.3	492	17.7	1,553	100.0	121,516	100.0	1,762	100.0
GENDER												
Male	2,202	79.4	1,833	80.3	369	75.0	1,110	71.5	87,252	71.8	1,226	69.6
Female	523	18.8	405	17.7	118	24.0	424	27.3	33,114	27.3	524	29.7
Transgender	50	1.8	45	2.0	5	1.0	19	1.2	1,150	0.9	12	0.7
RACE/ETHNICITY												
Black	1,186	42.7	962	42.1	224	45.5	790	50.9	53,547	44.1	875	49.7
Latino/Hispanic	908	32.7	747	32.7	161	32.7	486	31.3	39,514	32.5	589	33.4
White	521	18.8	439	19.2	82	16.7	214	13.8	25,161	20.7	277	15.7
Asian/Pacific Islander	126	4.5	106	4.6	20	4.1	45	2.9	2,426	2.0	15	0.9
Native American	8	0.3	8	0.4	0	0.0	4	0.3	275	0.2	3	0.2
Multiracial	26	0.9	21	0.9	5	1.0	14	0.9	236	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	357	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	6	0.2	6	0.3	0	0.0	2	0.1	145	0.1	0	0.0
13-19	110	4.0	107	4.7	3	0.6	15	1.0	826	0.7	0	0.0
20-29	952	34.3	867	38.0	85	17.3	267	17.2	10,234	8.4	42	2.4
30-39	745	26.8	620	27.2	125	25.4	372	24.0	17,899	14.7	112	6.4
40-49	504	18.2	378	16.6	126	25.6	420	27.0	31,498	25.9	314	17.8
50-59	315	11.4	214	9.4	101	20.5	337	21.7	38,839	32.0	660	37.5
60+	143	5.2	91	4.0	52	10.6	140	9.0	22,075	18.2	634	36.0
BOROUGH OF RESIDENCE												
Bronx	509	18.3	419	18.4	90	18.3	350	22.5	28,324	23.3	491	27.9
Brooklyn	724	26.1	571	25.0	153	31.1	398	25.6	28,984	23.9	416	23.6
Manhattan	654	23.6	539	23.6	115	23.4	302	19.4	31,650	26.0	309	17.5
Queens	457	16.5	379	16.6	78	15.9	200	12.9	17,552	14.4	165	9.4
Staten Island	42	1.5	31	1.4	11	2.2	31	2.0	2,284	1.9	58	3.3
Outside NYC	326	11.7	281	12.3	45	9.1	243	15.6	11,291	9.3	79	4.5
Unknown	63	2.3	63	2.8	0	0.0	29	1.9	1,431	1.2	244	13.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	248	8.9	193	8.5	55	11.2	133	8.6	12,716	10.5	109	6.2
Medium poverty (10 to <20% below FPL)	769	27.7	635	27.8	134	27.2	355	22.9	33,360	27.5	346	19.6
High poverty (20 to <30% below FPL)	593	21.4	482	21.1	111	22.6	314	20.2	24,875	20.5	307	17.4
Very high poverty (≥30% below FPL)	761	27.4	615	26.9	146	29.7	474	30.5	36,412	30.0	672	38.1
Area-based poverty level not available	404	14.6	358	15.7	46	9.3	277	17.8	14,153	11.6	328	18.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,634	58.9	1,403	61.5	231	47.0	634	40.8	46,905	38.6	372	21.1
Injection drug use history (IDU)	58	2.1	46	2.0	12	2.4	109	7.0	16,403	13.5	509	28.9
MSM-IDU	44	1.6	40	1.8	4	0.8	26	1.7	2,819	2.3	58	3.3
Heterosexual contact	509	18.3	387	17.0	122	24.8	381	24.5	24,085	19.8	348	19.8
Transgender people with sexual contact	45	1.6	41	1.8	4	0.8	15	1.0	960	0.8	9	0.5
Perinatal	6	0.2	6	0.3	0	0.0	20	1.3	2,535	2.1	17	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	207	0.2	6	0.3
Unknown	479	17.3	360	15.8	119	24.2	368	23.7	27,602	22.7	443	25.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.1. Males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,203	100.0	1,834	83.3	369	16.7	1,110	100.0	87,267	100.0	1,226	100.0
RACE/ETHNICITY												
Black	826	37.5	682	37.2	144	39.0	507	45.7	33,682	38.6	559	45.6
Latino/Hispanic	746	33.9	616	33.6	130	35.2	362	32.6	28,291	32.4	411	33.5
White	488	22.2	415	22.6	73	19.8	187	16.8	22,632	25.9	239	19.5
Asian/Pacific Islander	115	5.2	97	5.3	18	4.9	38	3.4	2,004	2.3	12	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	199	0.2	2	0.2
Multiracial	22	1.0	18	1.0	4	1.1	13	1.2	183	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	276	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.2	4	0.2	0	0.0	2	0.2	68	0.1	0	0.0
13-19	83	3.8	81	4.4	2	0.5	12	1.1	428	0.5	0	0.0
20-29	813	36.9	739	40.3	74	20.1	218	19.6	7,829	9.0	31	2.5
30-39	595	27.0	502	27.4	93	25.2	263	23.7	13,163	15.1	68	5.5
40-49	384	17.4	284	15.5	100	27.1	287	25.9	22,091	25.3	213	17.4
50-59	231	10.5	165	9.0	66	17.9	238	21.4	27,478	31.5	441	36.0
60+	93	4.2	59	3.2	34	9.2	90	8.1	16,210	18.6	473	38.6
BOROUGH OF RESIDENCE												
Bronx	361	16.4	298	16.2	63	17.1	218	19.6	17,388	19.9	322	26.3
Brooklyn	539	24.5	435	23.7	104	28.2	275	24.8	19,027	21.8	275	22.4
Manhattan	564	25.6	471	25.7	93	25.2	240	21.6	26,425	30.3	236	19.2
Queens	379	17.2	315	17.2	64	17.3	149	13.4	12,736	14.6	115	9.4
Staten Island	29	1.3	23	1.3	6	1.6	22	2.0	1,479	1.7	35	2.9
Outside NYC	276	12.5	237	12.9	39	10.6	184	16.6	9,156	10.5	59	4.8
Unknown	55	2.5	55	3.0	0	0.0	22	2.0	1,056	1.2	184	15.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	215	9.8	172	9.4	43	11.7	104	9.4	10,523	12.1	80	6.5
Medium poverty (10 to <20% below FPL)	617	28.0	515	28.1	102	27.6	258	23.2	24,658	28.3	253	20.6
High poverty (20 to <30% below FPL)	478	21.7	394	21.5	84	22.8	228	20.5	17,649	20.2	194	15.8
Very high poverty (≥30% below FPL)	550	25.0	450	24.5	100	27.1	310	27.9	23,096	26.5	454	37.0
Area-based poverty level not available	343	15.6	303	16.5	40	10.8	210	18.9	11,341	13.0	245	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,634	74.2	1,403	76.5	231	62.6	634	57.1	46,905	53.7	372	30.3
Injection drug use history (IDU)	31	1.4	21	1.1	10	2.7	66	5.9	10,787	12.4	348	28.4
MSM-IDU	44	2.0	40	2.2	4	1.1	26	2.3	2,819	3.2	58	4.7
Heterosexual contact	110	5.0	77	4.2	33	8.9	97	8.7	6,093	7.0	111	9.1
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	4	0.2	4	0.2	0	0.0	13	1.2	1,234	1.4	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	112	0.1	3	0.2
Unknown	379	17.2	288	15.7	91	24.7	274	24.7	19,307	22.1	324	26.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.2. Females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	572	100.0	449	78.5	123	21.5	443	100.0	34,249	100.0	536	100.0
RACE/ETHNICITY												
Black	360	62.9	280	62.4	80	65.0	283	63.9	19,865	58.0	316	59.0
Latino/Hispanic	162	28.3	131	29.2	31	25.2	124	28.0	11,223	32.8	178	33.2
White	33	5.8	24	5.3	9	7.3	27	6.1	2,529	7.4	38	7.1
Asian/Pacific Islander	11	1.9	9	2.0	2	1.6	7	1.6	422	1.2	3	0.6
Native American	2	0.3	2	0.4	0	0.0	1	0.2	76	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.8	1	0.2	53	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	81	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.3	2	0.4	0	0.0	0	0.0	77	0.2	0	0.0
13-19	27	4.7	26	5.8	1	0.8	3	0.7	398	1.2	0	0.0
20-29	139	24.3	128	28.5	11	8.9	49	11.1	2,405	7.0	11	2.1
30-39	150	26.2	118	26.3	32	26.0	109	24.6	4,736	13.8	44	8.2
40-49	120	21.0	94	20.9	26	21.1	133	30.0	9,407	27.5	101	18.8
50-59	84	14.7	49	10.9	35	28.5	99	22.3	11,361	33.2	219	40.9
60+	50	8.7	32	7.1	18	14.6	50	11.3	5,865	17.1	161	30.0
BOROUGH OF RESIDENCE												
Bronx	148	25.9	121	26.9	27	22.0	132	29.8	10,936	31.9	169	31.5
Brooklyn	185	32.3	136	30.3	49	39.8	123	27.8	9,957	29.1	141	26.3
Manhattan	90	15.7	68	15.1	22	17.9	62	14.0	5,225	15.3	73	13.6
Queens	78	13.6	64	14.3	14	11.4	51	11.5	4,816	14.1	50	9.3
Staten Island	13	2.3	8	1.8	5	4.1	9	2.0	805	2.4	23	4.3
Outside NYC	50	8.7	44	9.8	6	4.9	59	13.3	2,135	6.2	20	3.7
Unknown	8	1.4	8	1.8	0	0.0	7	1.6	375	1.1	60	11.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	5.8	21	4.7	12	9.8	29	6.5	2,193	6.4	29	5.4
Medium poverty (10 to <20% below FPL)	152	26.6	120	26.7	32	26.0	97	21.9	8,702	25.4	93	17.4
High poverty (20 to <30% below FPL)	115	20.1	88	19.6	27	22.0	86	19.4	7,226	21.1	113	21.1
Very high poverty (≥30% below FPL)	211	36.9	165	36.7	46	37.4	164	37.0	13,316	38.9	218	40.7
Area-based poverty level not available	61	10.7	55	12.2	6	4.9	67	15.1	2,812	8.2	83	15.5
TRANSMISSION RISK												
Injection drug use history (IDU)	27	4.7	25	5.6	2	1.6	43	9.7	5,616	16.4	161	30.0
Heterosexual contact	399	69.8	310	69.0	89	72.4	284	64.1	17,992	52.5	237	44.2
Transgender people with sexual contact	44	7.7	40	8.9	4	3.3	15	3.4	950	2.8	9	1.7
Perinatal	2	0.3	2	0.4	0	0.0	7	1.6	1,301	3.8	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	95	0.3	3	0.6
Unknown	100	17.5	72	16.0	28	22.8	94	21.2	8,295	24.2	119	22.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.1. Black males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	826	100.0	682	82.6	144	17.4	507	100.0	33,682	100.0	559	100.0
AGE GROUP (YEARS)												
0-12	4	0.5	4	0.6	0	0.0	2	0.4	43	0.1	0	0.0
13-19	42	5.1	41	6.0	1	0.7	8	1.6	260	0.8	0	0.0
20-29	327	39.6	296	43.4	31	21.5	114	22.5	3,903	11.6	19	3.4
30-39	189	22.9	157	23.0	32	22.2	113	22.3	4,998	14.8	26	4.7
40-49	115	13.9	77	11.3	38	26.4	123	24.3	7,676	22.8	85	15.2
50-59	97	11.7	73	10.7	24	16.7	102	20.1	10,322	30.6	194	34.7
60+	52	6.3	34	5.0	18	12.5	45	8.9	6,480	19.2	235	42.0
BOROUGH OF RESIDENCE												
Bronx	169	20.5	143	21.0	26	18.1	100	19.7	7,761	23.0	144	25.8
Brooklyn	303	36.7	248	36.4	55	38.2	159	31.4	10,812	32.1	168	30.1
Manhattan	144	17.4	112	16.4	32	22.2	91	17.9	7,032	20.9	97	17.4
Queens	94	11.4	79	11.6	15	10.4	51	10.1	4,319	12.8	52	9.3
Staten Island	8	1.0	8	1.2	0	0.0	6	1.2	521	1.5	12	2.1
Outside NYC	96	11.6	80	11.7	16	11.1	86	17.0	2,852	8.5	22	3.9
Unknown	12	1.5	12	1.8	0	0.0	14	2.8	385	1.1	64	11.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	60	7.3	47	6.9	13	9.0	34	6.7	2,236	6.6	23	4.1
Medium poverty (10 to <20% below FPL)	196	23.7	162	23.8	34	23.6	104	20.5	9,152	27.2	113	20.2
High poverty (20 to <30% below FPL)	203	24.6	167	24.5	36	25.0	112	22.1	7,740	23.0	103	18.4
Very high poverty (≥30% below FPL)	252	30.5	207	30.4	45	31.3	155	30.6	10,898	32.4	232	41.5
Area-based poverty level not available	115	13.9	99	14.5	16	11.1	102	20.1	3,656	10.9	88	15.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	524	63.4	448	65.7	76	52.8	261	51.5	14,331	42.5	150	26.8
Injection drug use history (IDU)	13	1.6	9	1.3	4	2.8	28	5.5	4,392	13.0	152	27.2
MSM-IDU	15	1.8	15	2.2	0	0.0	6	1.2	1,015	3.0	21	3.8
Heterosexual contact	69	8.4	48	7.0	21	14.6	63	12.4	3,322	9.9	68	12.2
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	8	0.0	0	0.0
Perinatal	4	0.5	4	0.6	0	0.0	6	1.2	696	2.1	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.1	1	0.2
Unknown	200	24.2	157	23.0	43	29.9	143	28.2	9,884	29.3	163	29.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	360	100.0	280	77.8	80	22.2	283	100.0	19,865	100.0	316	100.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	47	0.2	0	0.0
13-19	20	5.6	19	6.8	1	1.3	2	0.7	245	1.2	0	0.0
20-29	84	23.3	76	27.1	8	10.0	34	12.0	1,429	7.2	6	1.9
30-39	95	26.4	73	26.1	22	27.5	74	26.1	2,915	14.7	25	7.9
40-49	82	22.8	66	23.6	16	20.0	78	27.6	5,564	28.0	58	18.4
50-59	45	12.5	24	8.6	21	26.3	60	21.2	6,413	32.3	134	42.4
60+	33	9.2	21	7.5	12	15.0	35	12.4	3,252	16.4	93	29.4
BOROUGH OF RESIDENCE												
Bronx	80	22.2	67	23.9	13	16.3	72	25.4	5,581	28.1	95	30.1
Brooklyn	141	39.2	104	37.1	37	46.3	94	33.2	6,949	35.0	104	32.9
Manhattan	57	15.8	41	14.6	16	20.0	36	12.7	2,848	14.3	36	11.4
Queens	42	11.7	34	12.1	8	10.0	35	12.4	2,760	13.9	23	7.3
Staten Island	6	1.7	5	1.8	1	1.3	5	1.8	374	1.9	13	4.1
Outside NYC	32	8.9	27	9.6	5	6.3	39	13.8	1,128	5.7	10	3.2
Unknown	2	0.6	2	0.7	0	0.0	2	0.7	225	1.1	35	11.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	26	7.2	18	6.4	8	10.0	22	7.8	1,267	6.4	10	3.2
Medium poverty (10 to <20% below FPL)	98	27.2	76	27.1	22	27.5	66	23.3	5,260	26.5	58	18.4
High poverty (20 to <30% below FPL)	77	21.4	59	21.1	18	22.5	57	20.1	4,363	22.0	73	23.1
Very high poverty (≥30% below FPL)	123	34.2	96	34.3	27	33.8	97	34.3	7,452	37.5	128	40.5
Area-based poverty level not available	36	10.0	31	11.1	5	6.3	41	14.5	1,523	7.7	47	14.9
TRANSMISSION RISK												
Injection drug use history (IDU)	10	2.8	8	2.9	2	2.5	22	7.8	2,663	13.4	75	23.7
Heterosexual contact	258	71.7	201	71.8	57	71.3	192	67.8	10,699	53.9	155	49.1
Transgender people with sexual contact	21	5.8	19	6.8	2	2.5	8	2.8	471	2.4	4	1.3
Perinatal	1	0.3	1	0.4	0	0.0	4	1.4	754	3.8	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	2	0.6
Unknown	70	19.4	51	18.2	19	23.8	57	20.1	5,230	26.3	76	24.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.3. Latino/Hispanic males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	746	100.0	616	82.6	130	17.4	362	100.0	28,291	100.0	411	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
13-19	36	4.8	35	5.7	1	0.8	4	1.1	139	0.5	0	0.0
20-29	279	37.4	248	40.3	31	23.8	80	22.1	2,563	9.1	9	2.2
30-39	220	29.5	190	30.8	30	23.1	88	24.3	4,603	16.3	28	6.8
40-49	129	17.3	94	15.3	35	26.9	92	25.4	7,718	27.3	77	18.7
50-59	66	8.8	40	6.5	26	20.0	75	20.7	8,619	30.5	159	38.7
60+	16	2.1	9	1.5	7	5.4	23	6.4	4,630	16.4	138	33.6
BOROUGH OF RESIDENCE												
Bronx	169	22.7	139	22.6	30	23.1	97	26.8	8,464	29.9	159	38.7
Brooklyn	108	14.5	82	13.3	26	20.0	66	18.2	4,703	16.6	76	18.5
Manhattan	168	22.5	139	22.6	29	22.3	71	19.6	7,150	25.3	66	16.1
Queens	175	23.5	141	22.9	34	26.2	69	19.1	5,280	18.7	33	8.0
Staten Island	10	1.3	8	1.3	2	1.5	9	2.5	420	1.5	11	2.7
Outside NYC	89	11.9	80	13.0	9	6.9	46	12.7	1,902	6.7	16	3.9
Unknown	27	3.6	27	4.4	0	0.0	4	1.1	372	1.3	50	12.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	42	5.6	35	5.7	7	5.4	18	5.0	2,143	7.6	16	3.9
Medium poverty (10 to <20% below FPL)	193	25.9	153	24.8	40	30.8	92	25.4	7,699	27.2	78	19.0
High poverty (20 to <30% below FPL)	171	22.9	139	22.6	32	24.6	79	21.8	5,989	21.2	58	14.1
Very high poverty (≥30% below FPL)	220	29.5	179	29.1	41	31.5	122	33.7	9,827	34.7	193	47.0
Area-based poverty level not available	120	16.1	110	17.9	10	7.7	51	14.1	2,633	9.3	66	16.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	586	78.6	501	81.3	85	65.4	214	59.1	13,752	48.6	89	21.7
Injection drug use history (IDU)	11	1.5	8	1.3	3	2.3	29	8.0	5,077	17.9	149	36.3
MSM-IDU	15	2.0	13	2.1	2	1.5	10	2.8	1,107	3.9	28	6.8
Heterosexual contact	27	3.6	19	3.1	8	6.2	28	7.7	2,053	7.3	34	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	7	1.9	449	1.6	5	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.1	1	0.2
Unknown	107	14.3	75	12.2	32	24.6	74	20.4	5,826	20.6	105	25.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	162	100.0	131	80.9	31	19.1	124	100.0	11,223	100.0	178	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
13-19	7	4.3	7	5.3	0	0.0	0	0.0	134	1.2	0	0.0
20-29	42	25.9	39	29.8	3	9.7	14	11.3	781	7.0	5	2.8
30-39	40	24.7	31	23.7	9	29.0	27	21.8	1,423	12.7	16	9.0
40-49	27	16.7	24	18.3	3	9.7	40	32.3	3,022	26.9	33	18.5
50-59	31	19.1	20	15.3	11	35.5	29	23.4	3,819	34.0	74	41.6
60+	15	9.3	10	7.6	5	16.1	14	11.3	2,018	18.0	50	28.1
BOROUGH OF RESIDENCE												
Bronx	63	38.9	49	37.4	14	45.2	57	46.0	4,917	43.8	70	39.3
Brooklyn	33	20.4	27	20.6	6	19.4	18	14.5	2,300	20.5	32	18.0
Manhattan	26	16.0	22	16.8	4	12.9	19	15.3	1,745	15.5	27	15.2
Queens	22	13.6	17	13.0	5	16.1	11	8.9	1,407	12.5	23	12.9
Staten Island	4	2.5	3	2.3	1	3.2	1	0.8	241	2.1	5	2.8
Outside NYC	8	4.9	7	5.3	1	3.2	14	11.3	503	4.5	5	2.8
Unknown	6	3.7	6	4.6	0	0.0	4	3.2	110	1.0	16	9.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	2.5	2	1.5	2	6.5	4	3.2	434	3.9	11	6.2
Medium poverty (10 to <20% below FPL)	39	24.1	30	22.9	9	29.0	18	14.5	2,432	21.7	27	15.2
High poverty (20 to <30% below FPL)	29	17.9	26	19.8	3	9.7	22	17.7	2,347	20.9	36	20.2
Very high poverty (≥30% below FPL)	75	46.3	59	45.0	16	51.6	62	50.0	5,325	47.4	82	46.1
Area-based poverty level not available	15	9.3	14	10.7	1	3.2	18	14.5	685	6.1	22	12.4
TRANSMISSION RISK												
Injection drug use history (IDU)	11	6.8	11	8.4	0	0.0	17	13.7	2,282	20.3	68	38.2
Heterosexual contact	108	66.7	86	65.6	22	71.0	73	58.9	5,779	51.5	70	39.3
Transgender people with sexual contact	20	12.3	18	13.7	2	6.5	6	4.8	380	3.4	4	2.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.6	463	4.1	3	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.6
Unknown	23	14.2	16	12.2	7	22.6	26	21.0	2,295	20.4	32	18.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.5. White males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	488	100.0	415	85.0	73	15.0	187	100.0	22,632	100.0	239	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	2	0.4	2	0.5	0	0.0	0	0.0	22	0.1	0	0.0
20-29	162	33.2	151	36.4	11	15.1	17	9.1	1,066	4.7	2	0.8
30-39	134	27.5	116	28.0	18	24.7	43	23.0	3,007	13.3	13	5.4
40-49	113	23.2	92	22.2	21	28.8	54	28.9	5,904	26.1	46	19.2
50-59	53	10.9	39	9.4	14	19.2	54	28.9	7,864	34.7	85	35.6
60+	24	4.9	15	3.6	9	12.3	19	10.2	4,766	21.1	93	38.9
BOROUGH OF RESIDENCE												
Bronx	19	3.9	13	3.1	6	8.2	16	8.6	944	4.2	16	6.7
Brooklyn	98	20.1	80	19.3	18	24.7	37	19.8	3,076	13.6	26	10.9
Manhattan	210	43.0	183	44.1	27	37.0	66	35.3	11,316	50.0	69	28.9
Queens	61	12.5	54	13.0	7	9.6	15	8.0	2,385	10.5	27	11.3
Staten Island	10	2.0	6	1.4	4	5.5	7	3.7	502	2.2	12	5.0
Outside NYC	75	15.4	64	15.4	11	15.1	42	22.5	4,155	18.4	21	8.8
Unknown	15	3.1	15	3.6	0	0.0	4	2.1	254	1.1	68	28.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	98	20.1	76	18.3	22	30.1	47	25.1	5,769	25.5	40	16.7
Medium poverty (10 to <20% below FPL)	172	35.2	152	36.6	20	27.4	47	25.1	6,847	30.3	56	23.4
High poverty (20 to <30% below FPL)	68	13.9	58	14.0	10	13.7	24	12.8	3,361	14.9	28	11.7
Very high poverty (≥30% below FPL)	59	12.1	49	11.8	10	13.7	22	11.8	1,978	8.7	26	10.9
Area-based poverty level not available	91	18.6	80	19.3	11	15.1	47	25.1	4,677	20.7	89	37.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	408	83.6	354	85.3	54	74.0	126	67.4	17,262	76.3	128	53.6
Injection drug use history (IDU)	3	0.6	1	0.2	2	2.7	6	3.2	1,239	5.5	45	18.8
MSM-IDU	13	2.7	11	2.7	2	2.7	10	5.3	650	2.9	9	3.8
Heterosexual contact	7	1.4	3	0.7	4	5.5	6	3.2	517	2.3	6	2.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	67	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	1	0.4
Unknown	57	11.7	46	11.1	11	15.1	39	20.9	2,851	12.6	49	20.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.6. White females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	24	72.7	9	27.3	27	100.0	2,529	100.0	38	100.0
AGE GROUP (YEARS)												
0-12	1	3.0	1	4.2	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	14	0.6	0	0.0
20-29	8	24.2	8	33.3	0	0.0	1	3.7	136	5.4	0	0.0
30-39	8	24.2	7	29.2	1	11.1	7	25.9	283	11.2	2	5.3
40-49	7	21.2	3	12.5	4	44.4	11	40.7	630	24.9	10	26.3
50-59	7	21.2	4	16.7	3	33.3	7	25.9	958	37.9	9	23.7
60+	2	6.1	1	4.2	1	11.1	1	3.7	505	20.0	17	44.7
BOROUGH OF RESIDENCE												
Bronx	5	15.2	5	20.8	0	0.0	3	11.1	346	13.7	4	10.5
Brooklyn	7	21.2	2	8.3	5	55.6	7	25.9	546	21.6	4	10.5
Manhattan	4	12.1	3	12.5	1	11.1	5	18.5	527	20.8	9	23.7
Queens	7	21.2	6	25.0	1	11.1	5	18.5	440	17.4	3	7.9
Staten Island	2	6.1	0	0.0	2	22.2	2	7.4	180	7.1	5	13.2
Outside NYC	8	24.2	8	33.3	0	0.0	4	14.8	463	18.3	5	13.2
Unknown	0	0.0	0	0.0	0	0.0	1	3.7	27	1.1	8	21.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	9.1	1	4.2	2	22.2	2	7.4	442	17.5	8	21.1
Medium poverty (10 to <20% below FPL)	8	24.2	8	33.3	0	0.0	9	33.3	771	30.5	8	21.1
High poverty (20 to <30% below FPL)	6	18.2	1	4.2	5	55.6	7	25.9	395	15.6	3	7.9
Very high poverty (≥30% below FPL)	8	24.2	6	25.0	2	22.2	3	11.1	406	16.1	6	15.8
Area-based poverty level not available	8	24.2	8	33.3	0	0.0	6	22.2	515	20.4	13	34.2
TRANSMISSION RISK												
Injection drug use history (IDU)	4	12.1	4	16.7	0	0.0	3	11.1	640	25.3	18	47.4
Heterosexual contact	20	60.6	13	54.2	7	77.8	15	55.6	1,173	46.4	9	23.7
Transgender people with sexual contact	2	6.1	2	8.3	0	0.0	1	3.7	63	2.5	1	2.6
Perinatal	1	3.0	1	4.2	0	0.0	0	0.0	71	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.8	0	0.0
Unknown	6	18.2	4	16.7	2	22.2	8	29.6	562	22.2	10	26.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	115	100.0	97	84.3	18	15.7	38	100.0	2,004	100.0	12	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	1.7	2	2.1	0	0.0	0	0.0	2	0.1	0	0.0
20-29	34	29.6	34	35.1	0	0.0	2	5.3	220	11.0	1	8.3
30-39	43	37.4	31	32.0	12	66.7	17	44.7	454	22.7	1	8.3
40-49	21	18.3	16	16.5	5	27.8	13	34.2	629	31.4	3	25.0
50-59	14	12.2	13	13.4	1	5.6	4	10.5	479	23.9	3	25.0
60+	1	0.9	1	1.0	0	0.0	2	5.3	217	10.8	4	33.3
BOROUGH OF RESIDENCE												
Bronx	2	1.7	2	2.1	0	0.0	2	5.3	129	6.4	2	16.7
Brooklyn	25	21.7	21	21.6	4	22.2	9	23.7	335	16.7	4	33.3
Manhattan	33	28.7	29	29.9	4	22.2	9	23.7	667	33.3	2	16.7
Queens	43	37.4	35	36.1	8	44.4	14	36.8	652	32.5	3	25.0
Staten Island	1	0.9	1	1.0	0	0.0	0	0.0	22	1.1	0	0.0
Outside NYC	10	8.7	8	8.2	2	11.1	4	10.5	164	8.2	0	0.0
Unknown	1	0.9	1	1.0	0	0.0	0	0.0	35	1.7	1	8.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	12.2	13	13.4	1	5.6	3	7.9	289	14.4	0	0.0
Medium poverty (10 to <20% below FPL)	47	40.9	39	40.2	8	44.4	15	39.5	770	38.4	6	50.0
High poverty (20 to <30% below FPL)	29	25.2	24	24.7	5	27.8	9	23.7	442	22.1	3	25.0
Very high poverty (≥30% below FPL)	14	12.2	12	12.4	2	11.1	7	18.4	284	14.2	2	16.7
Area-based poverty level not available	11	9.6	9	9.3	2	11.1	4	10.5	219	10.9	1	8.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	95	82.6	81	83.5	14	77.8	25	65.8	1,280	63.9	4	33.3
Injection drug use history (IDU)	3	2.6	2	2.1	1	5.6	1	2.6	48	2.4	2	16.7
MSM-IDU	1	0.9	1	1.0	0	0.0	0	0.0	33	1.6	0	0.0
Heterosexual contact	4	3.5	4	4.1	0	0.0	0	0.0	175	8.7	3	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	12	10.4	9	9.3	3	16.7	12	31.6	454	22.7	3	25.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	9	81.8	2	18.2	7	100.0	422	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	14.3	2	0.5	0	0.0
20-29	2	18.2	2	22.2	0	0.0	0	0.0	34	8.1	0	0.0
30-39	6	54.5	6	66.7	0	0.0	1	14.3	91	21.6	1	33.3
40-49	2	18.2	0	0.0	2	100.0	3	42.9	129	30.6	0	0.0
50-59	1	9.1	1	11.1	0	0.0	2	28.6	103	24.4	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	63	14.9	1	33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	41	9.7	0	0.0
Brooklyn	3	27.3	2	22.2	1	50.0	3	42.9	96	22.7	0	0.0
Manhattan	2	18.2	1	11.1	1	50.0	2	28.6	66	15.6	1	33.3
Queens	5	45.5	5	55.6	0	0.0	0	0.0	172	40.8	1	33.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Outside NYC	1	9.1	1	11.1	0	0.0	2	28.6	35	8.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.9	1	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	14.3	39	9.2	0	0.0
Medium poverty (10 to <20% below FPL)	5	45.5	4	44.4	1	50.0	2	28.6	180	42.7	0	0.0
High poverty (20 to <30% below FPL)	2	18.2	2	22.2	0	0.0	0	0.0	73	17.3	1	33.3
Very high poverty (≥30% below FPL)	3	27.3	2	22.2	1	50.0	2	28.6	81	19.2	1	33.3
Area-based poverty level not available	1	9.1	1	11.1	0	0.0	2	28.6	49	11.6	1	33.3
TRANSMISSION RISK												
Injection drug use history (IDU)	1	9.1	1	11.1	0	0.0	1	14.3	17	4.0	0	0.0
Heterosexual contact	9	81.8	7	77.8	2	100.0	2	28.6	250	59.2	2	66.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	20	4.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	9.1	1	11.1	0	0.0	3	42.9	130	30.8	1	33.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.9. Native American males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	3	100.0	199	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	16.7	1	16.7	0	0.0	1	33.3	15	7.5	0	0.0
30-39	1	16.7	1	16.7	0	0.0	0	0.0	36	18.1	0	0.0
40-49	3	50.0	3	50.0	0	0.0	1	33.3	62	31.2	1	50.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	53	26.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	33	16.6	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	35	17.6	0	0.0
Brooklyn	1	16.7	1	16.7	0	0.0	2	66.7	46	23.1	0	0.0
Manhattan	2	33.3	2	33.3	0	0.0	0	0.0	44	22.1	1	50.0
Queens	2	33.3	2	33.3	0	0.0	0	0.0	48	24.1	0	0.0
Other/Unknown	1	16.7	1	16.7	0	0.0	1	33.3	26	13.1	1	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	5.0	0	0.0
Medium poverty (10 to <20% below FPL)	1	16.7	1	16.7	0	0.0	0	0.0	65	32.7	0	0.0
High poverty (20 to <30% below FPL)	4	66.7	4	66.7	0	0.0	1	33.3	44	22.1	1	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	55	27.6	0	0.0
Area-based poverty level not available	1	16.7	1	16.7	0	0.0	1	33.3	25	12.6	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	66.7	4	66.7	0	0.0	2	66.7	105	52.8	1	50.0
Injection drug use history (IDU)	1	16.7	1	16.7	0	0.0	1	33.3	16	8.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	4.5	0	0.0
Heterosexual contact	1	16.7	1	16.7	0	0.0	0	0.0	17	8.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	50	25.1	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.10. Native American females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	76	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
20-29	1	50.0	1	50.0	0	0.0	0	0.0	5	6.6	0	0.0
30-39	1	50.0	1	50.0	0	0.0	0	0.0	11	14.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	29	38.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	100.0	21	27.6	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	7	9.2	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	22	28.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	30	39.5	1	100.0
Manhattan	1	50.0	1	50.0	0	0.0	0	0.0	11	14.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	9	11.8	0	0.0
Other/Unknown	1	50.0	1	50.0	0	0.0	0	0.0	4	5.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	28	36.8	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	19.7	0	0.0
Very high poverty (≥30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	29	38.2	1	100.0
Area-based poverty level not available	1	50.0	1	50.0	0	0.0	0	0.0	3	3.9	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
Heterosexual contact	1	50.0	1	50.0	0	0.0	1	100.0	49	64.5	1	100.0
Transgender people with sexual contact	1	50.0	1	50.0	0	0.0	0	0.0	6	7.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	18.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**

Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	68	100.0	0	0.0
RACE/ETHNICITY												
Black	4	100.0	4	100.0	0	0.0	2	100.0	43	63.2	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	19	27.9	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	4.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	4.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	75.0	3	75.0	0	0.0	0	0.0	23	33.8	0	0.0
Brooklyn	1	25.0	1	25.0	0	0.0	1	50.0	16	23.5	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	11	16.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	50.0	13	19.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	5.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	6	8.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	15	22.1	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	12	17.6	0	0.0
Very high poverty (≥30% below FPL)	4	100.0	4	100.0	0	0.0	0	0.0	31	45.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	5.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	4	100.0	0	0.0	2	100.0	68	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	0	0.0	77	100.0	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	0	0.0	47	61.0	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	26	33.8	0	0.0
White	1	50.0	1	50.0	0	0.0	0	0.0	3	3.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	100.0	2	100.0	0	0.0	0	0.0	27	35.1	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	21	27.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	15.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	13.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	13.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	12	15.6	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	17	22.1	0	0.0
Very high poverty (≥30% below FPL)	2	100.0	2	100.0	0	0.0	0	0.0	34	44.2	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	5.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	0	0.0	77	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.4.3. Males 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,199	100.0	1,830	83.2	369	16.8	1,108	100.0	87,199	100.0	1,226	100.0
RACE/ETHNICITY												
Black	822	37.4	678	37.0	144	39.0	505	45.6	33,639	38.6	559	45.6
Latino/Hispanic	746	33.9	616	33.7	130	35.2	362	32.7	28,272	32.4	411	33.5
White	488	22.2	415	22.7	73	19.8	187	16.9	22,629	26.0	239	19.5
Asian/Pacific Islander	115	5.2	97	5.3	18	4.9	38	3.4	2,001	2.3	12	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	199	0.2	2	0.2
Multiracial	22	1.0	18	1.0	4	1.1	13	1.2	183	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	276	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	83	3.8	81	4.4	2	0.5	12	1.1	428	0.5	0	0.0
20-29	813	37.0	739	40.4	74	20.1	218	19.7	7,829	9.0	31	2.5
30-39	595	27.1	502	27.4	93	25.2	263	23.7	13,163	15.1	68	5.5
40-49	384	17.5	284	15.5	100	27.1	287	25.9	22,091	25.3	213	17.4
50-59	231	10.5	165	9.0	66	17.9	238	21.5	27,478	31.5	441	36.0
60+	93	4.2	59	3.2	34	9.2	90	8.1	16,210	18.6	473	38.6
BOROUGH OF RESIDENCE												
Bronx	358	16.3	295	16.1	63	17.1	218	19.7	17,365	19.9	322	26.3
Brooklyn	538	24.5	434	23.7	104	28.2	274	24.7	19,011	21.8	275	22.4
Manhattan	564	25.6	471	25.7	93	25.2	240	21.7	26,414	30.3	236	19.2
Queens	379	17.2	315	17.2	64	17.3	148	13.4	12,723	14.6	115	9.4
Staten Island	29	1.3	23	1.3	6	1.6	22	2.0	1,478	1.7	35	2.9
Outside NYC	276	12.6	237	13.0	39	10.6	184	16.6	9,152	10.5	59	4.8
Unknown	55	2.5	55	3.0	0	0.0	22	2.0	1,056	1.2	184	15.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	215	9.8	172	9.4	43	11.7	104	9.4	10,517	12.1	80	6.5
Medium poverty (10 to <20% below FPL)	617	28.1	515	28.1	102	27.6	257	23.2	24,643	28.3	253	20.6
High poverty (20 to <30% below FPL)	478	21.7	394	21.5	84	22.8	227	20.5	17,637	20.2	194	15.8
Very high poverty (≥30% below FPL)	546	24.8	446	24.4	100	27.1	310	28.0	23,065	26.5	454	37.0
Area-based poverty level not available	343	15.6	303	16.6	40	10.8	210	19.0	11,337	13.0	245	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,634	74.3	1,403	76.7	231	62.6	634	57.2	46,905	53.8	372	30.3
Injection drug use history (IDU)	31	1.4	21	1.1	10	2.7	66	6.0	10,787	12.4	348	28.4
MSM-IDU	44	2.0	40	2.2	4	1.1	26	2.3	2,819	3.2	58	4.7
Heterosexual contact	110	5.0	77	4.2	33	8.9	97	8.8	6,093	7.0	111	9.1
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	1.0	1,166	1.3	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	112	0.1	3	0.2
Unknown	379	17.2	288	15.7	91	24.7	274	24.7	19,307	22.1	324	26.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.4. Females 13+ Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	570	100.0	447	78.4	123	21.6	443	100.0	34,172	100.0	536	100.0
RACE/ETHNICITY												
Black	359	63.0	279	62.4	80	65.0	283	63.9	19,818	58.0	316	59.0
Latino/Hispanic	162	28.4	131	29.3	31	25.2	124	28.0	11,197	32.8	178	33.2
White	32	5.6	23	5.1	9	7.3	27	6.1	2,526	7.4	38	7.1
Asian/Pacific Islander	11	1.9	9	2.0	2	1.6	7	1.6	422	1.2	3	0.6
Native American	2	0.4	2	0.4	0	0.0	1	0.2	75	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.8	1	0.2	53	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	81	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	27	4.7	26	5.8	1	0.8	3	0.7	398	1.2	0	0.0
20-29	139	24.4	128	28.6	11	8.9	49	11.1	2,405	7.0	11	2.1
30-39	150	26.3	118	26.4	32	26.0	109	24.6	4,736	13.9	44	8.2
40-49	120	21.1	94	21.0	26	21.1	133	30.0	9,407	27.5	101	18.8
50-59	84	14.7	49	11.0	35	28.5	99	22.3	11,361	33.2	219	40.9
60+	50	8.8	32	7.2	18	14.6	50	11.3	5,865	17.2	161	30.0
BOROUGH OF RESIDENCE												
Bronx	146	25.6	119	26.6	27	22.0	132	29.8	10,909	31.9	169	31.5
Brooklyn	185	32.5	136	30.4	49	39.8	123	27.8	9,936	29.1	141	26.3
Manhattan	90	15.8	68	15.2	22	17.9	62	14.0	5,213	15.3	73	13.6
Queens	78	13.7	64	14.3	14	11.4	51	11.5	4,806	14.1	50	9.3
Staten Island	13	2.3	8	1.8	5	4.1	9	2.0	802	2.3	23	4.3
Outside NYC	50	8.8	44	9.8	6	4.9	59	13.3	2,133	6.2	20	3.7
Unknown	8	1.4	8	1.8	0	0.0	7	1.6	373	1.1	60	11.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	5.8	21	4.7	12	9.8	29	6.5	2,183	6.4	29	5.4
Medium poverty (10 to <20% below FPL)	152	26.7	120	26.8	32	26.0	97	21.9	8,690	25.4	93	17.4
High poverty (20 to <30% below FPL)	115	20.2	88	19.7	27	22.0	86	19.4	7,209	21.1	113	21.1
Very high poverty (≥30% below FPL)	209	36.7	163	36.5	46	37.4	164	37.0	13,282	38.9	218	40.7
Area-based poverty level not available	61	10.7	55	12.3	6	4.9	67	15.1	2,808	8.2	83	15.5
TRANSMISSION RISK												
Injection drug use history (IDU)	27	4.7	25	5.6	2	1.6	43	9.7	5,616	16.4	161	30.0
Heterosexual contact	399	70.0	310	69.4	89	72.4	284	64.1	17,992	52.7	237	44.2
Transgender people with sexual contact	44	7.7	40	8.9	4	3.3	15	3.4	950	2.8	9	1.7
Perinatal	0	0.0	0	0.0	0	0.0	7	1.6	1,224	3.6	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	95	0.3	3	0.6
Unknown	100	17.5	72	16.1	28	22.8	94	21.2	8,295	24.3	119	22.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.1. Bronx, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	361	100.0	298	82.5	63	17.5	218	100.0	17,388	100.0	322	100.0
RACE/ETHNICITY												
Black	169	46.8	143	48.0	26	41.3	100	45.9	7,761	44.6	144	44.7
Latino/Hispanic	169	46.8	139	46.6	30	47.6	97	44.5	8,464	48.7	159	49.4
White	19	5.3	13	4.4	6	9.5	16	7.3	944	5.4	16	5.0
Asian/Pacific Islander	2	0.6	2	0.7	0	0.0	2	0.9	129	0.7	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	0	0.0
Multiracial	2	0.6	1	0.3	1	1.6	3	1.4	29	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.8	3	1.0	0	0.0	0	0.0	23	0.1	0	0.0
13-19	18	5.0	18	6.0	0	0.0	4	1.8	124	0.7	0	0.0
20-29	143	39.6	132	44.3	11	17.5	40	18.3	1,853	10.7	5	1.6
30-39	72	19.9	57	19.1	15	23.8	49	22.5	2,411	13.9	17	5.3
40-49	58	16.1	39	13.1	19	30.2	60	27.5	4,194	24.1	57	17.7
50-59	48	13.3	35	11.7	13	20.6	49	22.5	5,611	32.3	115	35.7
60+	19	5.3	14	4.7	5	7.9	16	7.3	3,172	18.2	128	39.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	3.0	7	2.3	4	6.3	7	3.2	319	1.8	11	3.4
Medium poverty (10 to <20% below FPL)	41	11.4	35	11.7	6	9.5	24	11.0	2,234	12.8	33	10.2
High poverty (20 to <30% below FPL)	67	18.6	57	19.1	10	15.9	39	17.9	2,388	13.7	35	10.9
Very high poverty (≥30% below FPL)	242	67.0	199	66.8	43	68.3	148	67.9	12,327	70.9	243	75.5
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	120	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	219	60.7	191	64.1	28	44.4	88	40.4	6,302	36.2	57	17.7
Injection drug use history (IDU)	8	2.2	8	2.7	0	0.0	16	7.3	3,439	19.8	126	39.1
MSM-IDU	4	1.1	4	1.3	0	0.0	4	1.8	739	4.3	16	5.0
Heterosexual contact	33	9.1	21	7.0	12	19.0	28	12.8	1,665	9.6	29	9.0
Transgender people with sexual contact	1	0.3	1	0.3	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	3	0.8	3	1.0	0	0.0	6	2.8	421	2.4	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.3
Unknown	93	25.8	70	23.5	23	36.5	76	34.9	4,795	27.6	91	28.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.2. Bronx, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	148	100.0	121	81.8	27	18.2	132	100.0	10,936	100.0	169	100.0
RACE/ETHNICITY												
Black	80	54.1	67	55.4	13	48.1	72	54.5	5,581	51.0	95	56.2
Latino/Hispanic	63	42.6	49	40.5	14	51.9	57	43.2	4,917	45.0	70	41.4
White	5	3.4	5	4.1	0	0.0	3	2.3	346	3.2	4	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.4	2	1.7	0	0.0	0	0.0	27	0.2	0	0.0
13-19	3	2.0	3	2.5	0	0.0	0	0.0	126	1.2	0	0.0
20-29	30	20.3	27	22.3	3	11.1	14	10.6	791	7.2	4	2.4
30-39	41	27.7	35	28.9	6	22.2	30	22.7	1,594	14.6	15	8.9
40-49	31	20.9	24	19.8	7	25.9	40	30.3	3,077	28.1	29	17.2
50-59	25	16.9	19	15.7	6	22.2	31	23.5	3,626	33.2	82	48.5
60+	16	10.8	11	9.1	5	18.5	17	12.9	1,695	15.5	39	23.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.4	4	3.3	1	3.7	3	2.3	222	2.0	2	1.2
Medium poverty (10 to <20% below FPL)	17	11.5	14	11.6	3	11.1	13	9.8	1,383	12.6	18	10.7
High poverty (20 to <30% below FPL)	11	7.4	8	6.6	3	11.1	19	14.4	1,669	15.3	25	14.8
Very high poverty (≥30% below FPL)	114	77.0	94	77.7	20	74.1	97	73.5	7,626	69.7	124	73.4
Area-based poverty level not available	1	0.7	1	0.8	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	9	6.1	9	7.4	0	0.0	20	15.2	2,002	18.3	61	36.1
Heterosexual contact	119	80.4	95	78.5	24	88.9	88	66.7	5,664	51.8	67	39.6
Transgender people with sexual contact	4	2.7	4	3.3	0	0.0	3	2.3	267	2.4	3	1.8
Perinatal	2	1.4	2	1.7	0	0.0	0	0.0	423	3.9	3	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	14	9.5	11	9.1	3	11.1	21	15.9	2,559	23.4	35	20.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.3. Brooklyn, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	539	100.0	435	80.7	104	19.3	275	100.0	19,027	100.0	275	100.0
RACE/ETHNICITY												
Black	303	56.2	248	57.0	55	52.9	159	57.8	10,812	56.8	168	61.1
Latino/Hispanic	108	20.0	82	18.9	26	25.0	66	24.0	4,703	24.7	76	27.6
White	98	18.2	80	18.4	18	17.3	37	13.5	3,076	16.2	26	9.5
Asian/Pacific Islander	25	4.6	21	4.8	4	3.8	9	3.3	335	1.8	4	1.5
Native American	1	0.2	1	0.2	0	0.0	2	0.7	46	0.2	0	0.0
Multiracial	4	0.7	3	0.7	1	1.0	2	0.7	24	0.1	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	1	0.4	16	0.1	0	0.0
13-19	24	4.5	22	5.1	2	1.9	5	1.8	136	0.7	0	0.0
20-29	200	37.1	182	41.8	18	17.3	49	17.8	1,972	10.4	6	2.2
30-39	136	25.2	117	26.9	19	18.3	48	17.5	3,127	16.4	7	2.5
40-49	93	17.3	64	14.7	29	27.9	82	29.8	4,694	24.7	53	19.3
50-59	55	10.2	33	7.6	22	21.2	64	23.3	5,623	29.6	112	40.7
60+	30	5.6	16	3.7	14	13.5	26	9.5	3,459	18.2	97	35.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	32	5.9	22	5.1	10	9.6	15	5.5	677	3.6	7	2.5
Medium poverty (10 to <20% below FPL)	176	32.7	145	33.3	31	29.8	75	27.3	6,761	35.5	81	29.5
High poverty (20 to <30% below FPL)	118	21.9	92	21.1	26	25.0	72	26.2	4,439	23.3	58	21.1
Very high poverty (≥30% below FPL)	213	39.5	176	40.5	37	35.6	112	40.7	6,975	36.7	127	46.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.4	175	0.9	2	0.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	363	67.3	306	70.3	57	54.8	143	52.0	9,034	47.5	63	22.9
Injection drug use history (IDU)	13	2.4	9	2.1	4	3.8	20	7.3	2,504	13.2	79	28.7
MSM-IDU	11	2.0	9	2.1	2	1.9	7	2.5	590	3.1	16	5.8
Heterosexual contact	37	6.9	27	6.2	10	9.6	25	9.1	1,655	8.7	29	10.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	1	0.4	332	1.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
Unknown	114	21.2	83	19.1	31	29.8	79	28.7	4,889	25.7	86	31.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.4. Brooklyn, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	185	100.0	136	73.5	49	26.5	123	100.0	9,957	100.0	141	100.0
RACE/ETHNICITY												
Black	141	76.2	104	76.5	37	75.5	94	76.4	6,949	69.8	104	73.8
Latino/Hispanic	33	17.8	27	19.9	6	12.2	18	14.6	2,300	23.1	32	22.7
White	7	3.8	2	1.5	5	10.2	7	5.7	546	5.5	4	2.8
Asian/Pacific Islander	3	1.6	2	1.5	1	2.0	3	2.4	96	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	30	0.3	1	0.7
Multiracial	1	0.5	1	0.7	0	0.0	0	0.0	12	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	12	6.5	12	8.8	0	0.0	2	1.6	118	1.2	0	0.0
20-29	41	22.2	37	27.2	4	8.2	16	13.0	655	6.6	4	2.8
30-39	53	28.6	38	27.9	15	30.6	31	25.2	1,432	14.4	13	9.2
40-49	35	18.9	29	21.3	6	12.2	33	26.8	2,691	27.0	28	19.9
50-59	29	15.7	12	8.8	17	34.7	27	22.0	3,270	32.8	52	36.9
60+	15	8.1	8	5.9	7	14.3	14	11.4	1,770	17.8	44	31.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	4.3	3	2.2	5	10.2	6	4.9	316	3.2	3	2.1
Medium poverty (10 to <20% below FPL)	70	37.8	53	39.0	17	34.7	45	36.6	3,390	34.0	40	28.4
High poverty (20 to <30% below FPL)	38	20.5	29	21.3	9	18.4	28	22.8	2,080	20.9	30	21.3
Very high poverty (≥30% below FPL)	68	36.8	50	36.8	18	36.7	44	35.8	4,103	41.2	66	46.8
Area-based poverty level not available	1	0.5	1	0.7	0	0.0	0	0.0	68	0.7	2	1.4
TRANSMISSION RISK												
Injection drug use history (IDU)	6	3.2	6	4.4	0	0.0	6	4.9	1,465	14.7	37	26.2
Heterosexual contact	131	70.8	94	69.1	37	75.5	84	68.3	5,408	54.3	67	47.5
Transgender people with sexual contact	10	5.4	9	6.6	1	2.0	5	4.1	219	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.4	356	3.6	3	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	38	20.5	27	19.9	11	22.4	25	20.3	2,483	24.9	34	24.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.5. Manhattan, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	564	100.0	471	83.5	93	16.5	240	100.0	26,425	100.0	236	100.0
RACE/ETHNICITY												
Black	144	25.5	112	23.8	32	34.4	91	37.9	7,032	26.6	97	41.1
Latino/Hispanic	168	29.8	139	29.5	29	31.2	71	29.6	7,150	27.1	66	28.0
White	210	37.2	183	38.9	27	29.0	66	27.5	11,316	42.8	69	29.2
Asian/Pacific Islander	33	5.9	29	6.2	4	4.3	9	3.8	667	2.5	2	0.8
Native American	2	0.4	2	0.4	0	0.0	0	0.0	44	0.2	1	0.4
Multiracial	7	1.2	6	1.3	1	1.1	3	1.3	54	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	162	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
13-19	7	1.2	7	1.5	0	0.0	0	0.0	46	0.2	0	0.0
20-29	200	35.5	178	37.8	22	23.7	40	16.7	1,644	6.2	4	1.7
30-39	160	28.4	134	28.5	26	28.0	62	25.8	3,806	14.4	17	7.2
40-49	115	20.4	90	19.1	25	26.9	59	24.6	6,929	26.2	37	15.7
50-59	57	10.1	45	9.6	12	12.9	59	24.6	8,486	32.1	74	31.4
60+	25	4.4	17	3.6	8	8.6	20	8.3	5,503	20.8	104	44.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	117	20.7	95	20.2	22	23.7	58	24.2	7,443	28.2	36	15.3
Medium poverty (10 to <20% below FPL)	163	28.9	140	29.7	23	24.7	54	22.5	6,851	25.9	64	27.1
High poverty (20 to <30% below FPL)	178	31.6	151	32.1	27	29.0	75	31.3	7,661	29.0	52	22.0
Very high poverty (≥30% below FPL)	95	16.8	75	15.9	20	21.5	50	20.8	3,794	14.4	84	35.6
Area-based poverty level not available	11	2.0	10	2.1	1	1.1	3	1.3	676	2.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	471	83.5	399	84.7	72	77.4	165	68.8	17,697	67.0	87	36.9
Injection drug use history (IDU)	3	0.5	1	0.2	2	2.2	10	4.2	2,268	8.6	60	25.4
MSM-IDU	15	2.7	14	3.0	1	1.1	5	2.1	781	3.0	12	5.1
Heterosexual contact	12	2.1	8	1.7	4	4.3	15	6.3	993	3.8	18	7.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	169	0.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	63	11.2	49	10.4	14	15.1	45	18.8	4,498	17.0	58	24.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.6. Manhattan, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	90	100.0	68	75.6	22	24.4	62	100.0	5,225	100.0	73	100.0
RACE/ETHNICITY												
Black	57	63.3	41	60.3	16	72.7	36	58.1	2,848	54.5	36	49.3
Latino/Hispanic	26	28.9	22	32.4	4	18.2	19	30.6	1,745	33.4	27	37.0
White	4	4.4	3	4.4	1	4.5	5	8.1	527	10.1	9	12.3
Asian/Pacific Islander	2	2.2	1	1.5	1	4.5	2	3.2	66	1.3	1	1.4
Native American	1	1.1	1	1.5	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	4	4.4	3	4.4	1	4.5	1	1.6	51	1.0	0	0.0
20-29	25	27.8	23	33.8	2	9.1	5	8.1	342	6.5	0	0.0
30-39	19	21.1	12	17.6	7	31.8	14	22.6	590	11.3	2	2.7
40-49	27	30.0	21	30.9	6	27.3	20	32.3	1,344	25.7	11	15.1
50-59	11	12.2	7	10.3	4	18.2	15	24.2	1,796	34.4	27	37.0
60+	4	4.4	2	2.9	2	9.1	7	11.3	1,090	20.9	33	45.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	7.8	6	8.8	1	4.5	4	6.5	582	11.1	13	17.8
Medium poverty (10 to <20% below FPL)	16	17.8	13	19.1	3	13.6	9	14.5	827	15.8	5	6.8
High poverty (20 to <30% below FPL)	38	42.2	28	41.2	10	45.5	25	40.3	2,109	40.4	27	37.0
Very high poverty (≥30% below FPL)	29	32.2	21	30.9	8	36.4	23	37.1	1,587	30.4	28	38.4
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	1.6	120	2.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	5.6	4	5.9	1	4.5	8	12.9	1,035	19.8	29	39.7
Heterosexual contact	54	60.0	40	58.8	14	63.6	38	61.3	2,430	46.5	28	38.4
Transgender people with sexual contact	15	16.7	13	19.1	2	9.1	3	4.8	194	3.7	3	4.1
Perinatal	0	0.0	0	0.0	0	0.0	1	1.6	194	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	16	17.8	11	16.2	5	22.7	12	19.4	1,356	26.0	13	17.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.7. Queens, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	379	100.0	315	83.1	64	16.9	149	100.0	12,736	100.0	115	100.0
RACE/ETHNICITY												
Black	94	24.8	79	25.1	15	23.4	51	34.2	4,319	33.9	52	45.2
Latino/Hispanic	175	46.2	141	44.8	34	53.1	69	46.3	5,280	41.5	33	28.7
White	61	16.1	54	17.1	7	10.9	15	10.1	2,385	18.7	27	23.5
Asian/Pacific Islander	43	11.3	35	11.1	8	12.5	14	9.4	652	5.1	3	2.6
Native American	2	0.5	2	0.6	0	0.0	0	0.0	48	0.4	0	0.0
Multiracial	4	1.1	4	1.3	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.7	13	0.1	0	0.0
13-19	13	3.4	13	4.1	0	0.0	1	0.7	56	0.4	0	0.0
20-29	127	33.5	114	36.2	13	20.3	26	17.4	1,073	8.4	5	4.3
30-39	127	33.5	106	33.7	21	32.8	44	29.5	2,083	16.4	6	5.2
40-49	69	18.2	51	16.2	18	28.1	42	28.2	3,447	27.1	23	20.0
50-59	34	9.0	25	7.9	9	14.1	28	18.8	4,038	31.7	33	28.7
60+	9	2.4	6	1.9	3	4.7	7	4.7	2,026	15.9	48	41.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	11.3	38	12.1	5	7.8	17	11.4	1,669	13.1	18	15.7
Medium poverty (10 to <20% below FPL)	227	59.9	187	59.4	40	62.5	98	65.8	8,330	65.4	61	53.0
High poverty (20 to <30% below FPL)	108	28.5	89	28.3	19	29.7	34	22.8	2,595	20.4	36	31.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.3	1	0.3	0	0.0	0	0.0	142	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	307	81.0	258	81.9	49	76.6	93	62.4	6,570	51.6	48	41.7
Injection drug use history (IDU)	2	0.5	1	0.3	1	1.6	4	2.7	1,555	12.2	25	21.7
MSM-IDU	3	0.8	3	1.0	0	0.0	1	0.7	354	2.8	3	2.6
Heterosexual contact	19	5.0	13	4.1	6	9.4	19	12.8	1,143	9.0	14	12.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.0	180	1.4	3	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	48	12.7	40	12.7	8	12.5	29	19.5	2,911	22.9	22	19.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.8. Queens, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	78	100.0	64	82.1	14	17.9	51	100.0	4,816	100.0	50	100.0
RACE/ETHNICITY												
Black	42	53.8	34	53.1	8	57.1	35	68.6	2,760	57.3	23	46.0
Latino/Hispanic	22	28.2	17	26.6	5	35.7	11	21.6	1,407	29.2	23	46.0
White	7	9.0	6	9.4	1	7.1	5	9.8	440	9.1	3	6.0
Asian/Pacific Islander	5	6.4	5	7.8	0	0.0	0	0.0	172	3.6	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	2	2.6	2	3.1	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	4	5.1	4	6.3	0	0.0	0	0.0	50	1.0	0	0.0
20-29	18	23.1	17	26.6	1	7.1	7	13.7	334	6.9	1	2.0
30-39	23	29.5	21	32.8	2	14.3	13	25.5	616	12.8	5	10.0
40-49	14	17.9	10	15.6	4	28.6	14	27.5	1,377	28.6	9	18.0
50-59	10	12.8	5	7.8	5	35.7	13	25.5	1,638	34.0	18	36.0
60+	9	11.5	7	10.9	2	14.3	4	7.8	791	16.4	17	34.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	14.1	8	12.5	3	21.4	13	25.5	879	18.3	7	14.0
Medium poverty (10 to <20% below FPL)	46	59.0	37	57.8	9	64.3	28	54.9	2,795	58.0	22	44.0
High poverty (20 to <30% below FPL)	20	25.6	18	28.1	2	14.3	10	19.6	1,068	22.2	20	40.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.3	1	1.6	0	0.0	0	0.0	74	1.5	1	2.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.6	2	3.1	0	0.0	3	5.9	694	14.4	10	20.0
Heterosexual contact	53	67.9	43	67.2	10	71.4	34	66.7	2,719	56.5	25	50.0
Transgender people with sexual contact	7	9.0	6	9.4	1	7.1	2	3.9	141	2.9	2	4.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.9	172	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	1	2.0
Unknown	16	20.5	13	20.3	3	21.4	10	19.6	1,072	22.3	12	24.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.9. Staten Island, males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	22	100.0	1,479	100.0	35	100.0
RACE/ETHNICITY												
Black	8	27.6	8	34.8	0	0.0	6	27.3	521	35.2	12	34.3
Latino/Hispanic	10	34.5	8	34.8	2	33.3	9	40.9	420	28.4	11	31.4
White	10	34.5	6	26.1	4	66.7	7	31.8	502	33.9	12	34.3
Asian/Pacific Islander	1	3.4	1	4.3	0	0.0	0	0.0	22	1.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.4	1	4.3	0	0.0	0	0.0	11	0.7	0	0.0
20-29	10	34.5	9	39.1	1	16.7	2	9.1	106	7.2	2	5.7
30-39	8	27.6	7	30.4	1	16.7	4	18.2	182	12.3	2	5.7
40-49	7	24.1	4	17.4	3	50.0	6	27.3	349	23.6	5	14.3
50-59	2	6.9	2	8.7	0	0.0	5	22.7	542	36.6	18	51.4
60+	1	3.4	0	0.0	1	16.7	5	22.7	288	19.5	8	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	41.4	10	43.5	2	33.3	7	31.8	415	28.1	8	22.9
Medium poverty (10 to <20% below FPL)	10	34.5	8	34.8	2	33.3	7	31.8	482	32.6	14	40.0
High poverty (20 to <30% below FPL)	7	24.1	5	21.7	2	33.3	8	36.4	566	38.3	13	37.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	16	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	69.0	17	73.9	3	50.0	7	31.8	589	39.8	6	17.1
Injection drug use history (IDU)	1	3.4	0	0.0	1	16.7	6	27.3	280	18.9	11	31.4
MSM-IDU	1	3.4	1	4.3	0	0.0	0	0.0	71	4.8	6	17.1
Heterosexual contact	3	10.3	3	13.0	0	0.0	3	13.6	134	9.1	2	5.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.3	2	5.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	13.8	2	8.7	2	33.3	6	27.3	371	25.1	8	22.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.10. Staten Island, females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	8	61.5	5	38.5	9	100.0	805	100.0	23	100.0
RACE/ETHNICITY												
Black	6	46.2	5	62.5	1	20.0	5	55.6	374	46.5	13	56.5
Latino/Hispanic	4	30.8	3	37.5	1	20.0	1	11.1	241	29.9	5	21.7
White	2	15.4	0	0.0	2	40.0	2	22.2	180	22.4	5	21.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Other/Unknown	1	7.7	0	0.0	1	20.0	1	11.1	6	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	1	7.7	1	12.5	0	0.0	0	0.0	11	1.4	0	0.0
20-29	1	7.7	1	12.5	0	0.0	1	11.1	45	5.6	0	0.0
30-39	2	15.4	2	25.0	0	0.0	1	11.1	114	14.2	1	4.3
40-49	5	38.5	3	37.5	2	40.0	4	44.4	220	27.3	4	17.4
50-59	3	23.1	1	12.5	2	40.0	2	22.2	288	35.8	9	39.1
60+	1	7.7	0	0.0	1	20.0	1	11.1	124	15.4	9	39.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	15.4	0	0.0	2	40.0	3	33.3	194	24.1	4	17.4
Medium poverty (10 to <20% below FPL)	3	23.1	3	37.5	0	0.0	2	22.2	307	38.1	8	34.8
High poverty (20 to <30% below FPL)	8	61.5	5	62.5	3	60.0	4	44.4	300	37.3	11	47.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	137	17.0	9	39.1
Heterosexual contact	9	69.2	7	87.5	2	40.0	3	33.3	439	54.5	10	43.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	18	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	4	30.8	1	12.5	3	60.0	6	66.7	172	21.4	4	17.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,634	100.0	1,403	85.9	231	14.1	634	100.0	46,905	100.0	372	100.0
RACE/ETHNICITY												
Black	524	32.1	448	31.9	76	32.9	261	41.2	14,331	30.6	150	40.3
Latino/Hispanic	586	35.9	501	35.7	85	36.8	214	33.8	13,752	29.3	89	23.9
White	408	25.0	354	25.2	54	23.4	126	19.9	17,262	36.8	128	34.4
Asian/Pacific Islander	95	5.8	81	5.8	14	6.1	25	3.9	1,280	2.7	4	1.1
Native American	4	0.2	4	0.3	0	0.0	2	0.3	105	0.2	1	0.3
Multiracial	17	1.0	15	1.1	2	0.9	6	0.9	140	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	71	4.3	69	4.9	2	0.9	7	1.1	126	0.3	0	0.0
20-29	715	43.8	656	46.8	59	25.5	175	27.6	6,016	12.8	13	3.5
30-39	461	28.2	388	27.7	73	31.6	182	28.7	9,715	20.7	34	9.1
40-49	255	15.6	196	14.0	59	25.5	151	23.8	12,905	27.5	95	25.5
50-59	106	6.5	78	5.6	28	12.1	90	14.2	12,193	26.0	123	33.1
60+	26	1.6	16	1.1	10	4.3	29	4.6	5,950	12.7	107	28.8
BOROUGH OF RESIDENCE												
Bronx	219	13.4	191	13.6	28	12.1	88	13.9	6,302	13.4	57	15.3
Brooklyn	363	22.2	306	21.8	57	24.7	143	22.6	9,034	19.3	63	16.9
Manhattan	471	28.8	399	28.4	72	31.2	165	26.0	17,697	37.7	87	23.4
Queens	307	18.8	258	18.4	49	21.2	93	14.7	6,570	14.0	48	12.9
Staten Island	20	1.2	17	1.2	3	1.3	7	1.1	589	1.3	6	1.6
Outside NYC	215	13.2	193	13.8	22	9.5	127	20.0	5,971	12.7	28	7.5
Unknown	39	2.4	39	2.8	0	0.0	11	1.7	742	1.6	83	22.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	169	10.3	139	9.9	30	13.0	64	10.1	7,227	15.4	36	9.7
Medium poverty (10 to <20% below FPL)	494	30.2	422	30.1	72	31.2	154	24.3	13,679	29.2	90	24.2
High poverty (20 to <30% below FPL)	350	21.4	296	21.1	54	23.4	128	20.2	9,544	20.3	53	14.2
Very high poverty (≥30% below FPL)	359	22.0	307	21.9	52	22.5	148	23.3	9,322	19.9	82	22.0
Area-based poverty level not available	262	16.0	239	17.0	23	10.0	140	22.1	7,133	15.2	111	29.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	21	67.7	10	32.3	66	100.0	10,787	100.0	348	100.0
RACE/ETHNICITY												
Black	13	41.9	9	42.9	4	40.0	28	42.4	4,392	40.7	152	43.7
Latino/Hispanic	11	35.5	8	38.1	3	30.0	29	43.9	5,077	47.1	149	42.8
White	3	9.7	1	4.8	2	20.0	6	9.1	1,239	11.5	45	12.9
Asian/Pacific Islander	3	9.7	2	9.5	1	10.0	1	1.5	48	0.4	2	0.6
Native American	1	3.2	1	4.8	0	0.0	1	1.5	16	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.5	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.2	1	4.8	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	16.1	5	23.8	0	0.0	1	1.5	36	0.3	0	0.0
30-39	5	16.1	3	14.3	2	20.0	4	6.1	299	2.8	5	1.4
40-49	12	38.7	6	28.6	6	60.0	16	24.2	1,526	14.1	34	9.8
50-59	5	16.1	5	23.8	0	0.0	33	50.0	4,623	42.9	144	41.4
60+	3	9.7	1	4.8	2	20.0	12	18.2	4,302	39.9	165	47.4
BOROUGH OF RESIDENCE												
Bronx	8	25.8	8	38.1	0	0.0	16	24.2	3,439	31.9	126	36.2
Brooklyn	13	41.9	9	42.9	4	40.0	20	30.3	2,504	23.2	79	22.7
Manhattan	3	9.7	1	4.8	2	20.0	10	15.2	2,268	21.0	60	17.2
Queens	2	6.5	1	4.8	1	10.0	4	6.1	1,555	14.4	25	7.2
Staten Island	1	3.2	0	0.0	1	10.0	6	9.1	280	2.6	11	3.2
Outside NYC	2	6.5	0	0.0	2	20.0	8	12.1	699	6.5	9	2.6
Unknown	2	6.5	2	9.5	0	0.0	2	3.0	42	0.4	38	10.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	6.5	1	4.8	1	10.0	6	9.1	688	6.4	21	6.0
Medium poverty (10 to <20% below FPL)	5	16.1	3	14.3	2	20.0	12	18.2	2,793	25.9	55	15.8
High poverty (20 to <30% below FPL)	6	19.4	5	23.8	1	10.0	13	19.7	2,059	19.1	61	17.5
Very high poverty (≥30% below FPL)	14	45.2	10	47.6	4	40.0	25	37.9	4,267	39.6	162	46.6
Area-based poverty level not available	4	12.9	2	9.5	2	20.0	10	15.2	980	9.1	49	14.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	25	92.6	2	7.4	43	100.0	5,616	100.0	161	100.0
RACE/ETHNICITY												
Black	10	37.0	8	32.0	2	100.0	22	51.2	2,663	47.4	75	46.6
Latino/Hispanic	11	40.7	11	44.0	0	0.0	17	39.5	2,282	40.6	68	42.2
White	4	14.8	4	16.0	0	0.0	3	7.0	640	11.4	18	11.2
Asian/Pacific Islander	1	3.7	1	4.0	0	0.0	1	2.3	17	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Multiracial	1	3.7	1	4.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	4.0	0	0.0	1	2.3	2	0.0	0	0.0
20-29	4	14.8	4	16.0	0	0.0	1	2.3	45	0.8	2	1.2
30-39	9	33.3	8	32.0	1	50.0	5	11.6	302	5.4	4	2.5
40-49	8	29.6	8	32.0	0	0.0	15	34.9	1,281	22.8	31	19.3
50-59	3	11.1	2	8.0	1	50.0	17	39.5	2,613	46.5	82	50.9
60+	2	7.4	2	8.0	0	0.0	4	9.3	1,373	24.4	42	26.1
BOROUGH OF RESIDENCE												
Bronx	9	33.3	9	36.0	0	0.0	20	46.5	2,002	35.6	61	37.9
Brooklyn	6	22.2	6	24.0	0	0.0	6	14.0	1,465	26.1	37	23.0
Manhattan	5	18.5	4	16.0	1	50.0	8	18.6	1,035	18.4	29	18.0
Queens	2	7.4	2	8.0	0	0.0	3	7.0	694	12.4	10	6.2
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	137	2.4	9	5.6
Outside NYC	5	18.5	4	16.0	1	50.0	4	9.3	265	4.7	5	3.1
Unknown	0	0.0	0	0.0	0	0.0	2	4.7	18	0.3	10	6.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	4.7	309	5.5	12	7.5
Medium poverty (10 to <20% below FPL)	3	11.1	3	12.0	0	0.0	9	20.9	1,342	23.9	26	16.1
High poverty (20 to <30% below FPL)	2	7.4	2	8.0	0	0.0	5	11.6	1,124	20.0	26	16.1
Very high poverty (≥30% below FPL)	17	63.0	16	64.0	1	50.0	21	48.8	2,491	44.4	82	50.9
Area-based poverty level not available	5	18.5	4	16.0	1	50.0	6	14.0	350	6.2	15	9.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	40	90.9	4	9.1	26	100.0	2,819	100.0	58	100.0
RACE/ETHNICITY												
Black	15	34.1	15	37.5	0	0.0	6	23.1	1,015	36.0	21	36.2
Latino/Hispanic	15	34.1	13	32.5	2	50.0	10	38.5	1,107	39.3	28	48.3
White	13	29.5	11	27.5	2	50.0	10	38.5	650	23.1	9	15.5
Asian/Pacific Islander	1	2.3	1	2.5	0	0.0	0	0.0	33	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.3	1	2.5	0	0.0	0	0.0	3	0.1	0	0.0
20-29	15	34.1	13	32.5	2	50.0	6	23.1	161	5.7	0	0.0
30-39	16	36.4	15	37.5	1	25.0	7	26.9	387	13.7	4	6.9
40-49	3	6.8	3	7.5	0	0.0	5	19.2	776	27.5	8	13.8
50-59	7	15.9	7	17.5	0	0.0	6	23.1	981	34.8	24	41.4
60+	2	4.5	1	2.5	1	25.0	2	7.7	511	18.1	22	37.9
BOROUGH OF RESIDENCE												
Bronx	4	9.1	4	10.0	0	0.0	4	15.4	739	26.2	16	27.6
Brooklyn	11	25.0	9	22.5	2	50.0	7	26.9	590	20.9	16	27.6
Manhattan	15	34.1	14	35.0	1	25.0	5	19.2	781	27.7	12	20.7
Queens	3	6.8	3	7.5	0	0.0	1	3.8	354	12.6	3	5.2
Staten Island	1	2.3	1	2.5	0	0.0	0	0.0	71	2.5	6	10.3
Outside NYC	8	18.2	7	17.5	1	25.0	6	23.1	263	9.3	0	0.0
Unknown	2	4.5	2	5.0	0	0.0	3	11.5	21	0.7	5	8.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	13.6	5	12.5	1	25.0	3	11.5	264	9.4	2	3.4
Medium poverty (10 to <20% below FPL)	12	27.3	11	27.5	1	25.0	6	23.1	757	26.9	12	20.7
High poverty (20 to <30% below FPL)	7	15.9	7	17.5	0	0.0	3	11.5	558	19.8	11	19.0
Very high poverty (≥30% below FPL)	9	20.5	8	20.0	1	25.0	5	19.2	934	33.1	28	48.3
Area-based poverty level not available	10	22.7	9	22.5	1	25.0	9	34.6	306	10.9	5	8.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.5. Heterosexual contact, males

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	110	100.0	77	70.0	33	30.0	97	100.0	6,093	100.0	111	100.0
RACE/ETHNICITY												
Black	69	62.7	48	62.3	21	63.6	63	64.9	3,322	54.5	68	61.3
Latino/Hispanic	27	24.5	19	24.7	8	24.2	28	28.9	2,053	33.7	34	30.6
White	7	6.4	3	3.9	4	12.1	6	6.2	517	8.5	6	5.4
Asian/Pacific Islander	4	3.6	4	5.2	0	0.0	0	0.0	175	2.9	3	2.7
Native American	1	0.9	1	1.3	0	0.0	0	0.0	17	0.3	0	0.0
Multiracial	2	1.8	2	2.6	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.9	1	1.3	0	0.0	0	0.0	1	0.0	0	0.0
20-29	12	10.9	10	13.0	2	6.1	8	8.2	132	2.2	2	1.8
30-39	29	26.4	25	32.5	4	12.1	15	15.5	573	9.4	4	3.6
40-49	30	27.3	16	20.8	14	42.4	38	39.2	1,770	29.0	21	18.9
50-59	30	27.3	22	28.6	8	24.2	25	25.8	2,415	39.6	31	27.9
60+	8	7.3	3	3.9	5	15.2	11	11.3	1,202	19.7	53	47.7
BOROUGH OF RESIDENCE												
Bronx	33	30.0	21	27.3	12	36.4	28	28.9	1,665	27.3	29	26.1
Brooklyn	37	33.6	27	35.1	10	30.3	25	25.8	1,655	27.2	29	26.1
Manhattan	12	10.9	8	10.4	4	12.1	15	15.5	993	16.3	18	16.2
Queens	19	17.3	13	16.9	6	18.2	19	19.6	1,143	18.8	14	12.6
Staten Island	3	2.7	3	3.9	0	0.0	3	3.1	134	2.2	2	1.8
Outside NYC	6	5.5	5	6.5	1	3.0	5	5.2	464	7.6	5	4.5
Unknown	0	0.0	0	0.0	0	0.0	2	2.1	39	0.6	14	12.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	7.3	3	3.9	5	15.2	7	7.2	409	6.7	2	1.8
Medium poverty (10 to <20% below FPL)	21	19.1	15	19.5	6	18.2	25	25.8	1,660	27.2	25	22.5
High poverty (20 to <30% below FPL)	29	26.4	21	27.3	8	24.2	22	22.7	1,353	22.2	14	12.6
Very high poverty (≥30% below FPL)	46	41.8	33	42.9	13	39.4	35	36.1	2,130	35.0	51	45.9
Area-based poverty level not available	6	5.5	5	6.5	1	3.0	8	8.2	541	8.9	19	17.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.6. Heterosexual contact, females

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	399	100.0	310	77.7	89	22.3	284	100.0	17,992	100.0	237	100.0
RACE/ETHNICITY												
Black	258	64.7	201	64.8	57	64.0	192	67.6	10,699	59.5	155	65.4
Latino/Hispanic	108	27.1	86	27.7	22	24.7	73	25.7	5,779	32.1	70	29.5
White	20	5.0	13	4.2	7	7.9	15	5.3	1,173	6.5	9	3.8
Asian/Pacific Islander	9	2.3	7	2.3	2	2.2	2	0.7	250	1.4	2	0.8
Native American	1	0.3	1	0.3	0	0.0	1	0.4	49	0.3	1	0.4
Multiracial	3	0.8	2	0.6	1	1.1	1	0.4	32	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	16	4.0	15	4.8	1	1.1	1	0.4	48	0.3	0	0.0
20-29	89	22.3	82	26.5	7	7.9	27	9.5	1,043	5.8	1	0.4
30-39	111	27.8	88	28.4	23	25.8	76	26.8	2,933	16.3	24	10.1
40-49	89	22.3	66	21.3	23	25.8	85	29.9	5,279	29.3	44	18.6
50-59	58	14.5	34	11.0	24	27.0	65	22.9	5,835	32.4	96	40.5
60+	36	9.0	25	8.1	11	12.4	30	10.6	2,854	15.9	72	30.4
BOROUGH OF RESIDENCE												
Bronx	119	29.8	95	30.6	24	27.0	88	31.0	5,664	31.5	67	28.3
Brooklyn	131	32.8	94	30.3	37	41.6	84	29.6	5,408	30.1	67	28.3
Manhattan	54	13.5	40	12.9	14	15.7	38	13.4	2,430	13.5	28	11.8
Queens	53	13.3	43	13.9	10	11.2	34	12.0	2,719	15.1	25	10.5
Staten Island	9	2.3	7	2.3	2	2.2	3	1.1	439	2.4	10	4.2
Outside NYC	30	7.5	28	9.0	2	2.2	34	12.0	1,102	6.1	10	4.2
Unknown	3	0.8	3	1.0	0	0.0	3	1.1	230	1.3	30	12.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	6.3	17	5.5	8	9.0	17	6.0	1,166	6.5	11	4.6
Medium poverty (10 to <20% below FPL)	112	28.1	89	28.7	23	25.8	67	23.6	4,658	25.9	43	18.1
High poverty (20 to <30% below FPL)	84	21.1	63	20.3	21	23.6	59	20.8	3,820	21.2	57	24.1
Very high poverty (≥30% below FPL)	143	35.8	108	34.8	35	39.3	104	36.6	6,928	38.5	86	36.3
Area-based poverty level not available	35	8.8	33	10.6	2	2.2	37	13.0	1,420	7.9	40	16.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	41	91.1	4	8.9	15	100.0	960	100.0	9	100.0
GENDER												
Male	1	2.2	1	2.4	0	0.0	0	0.0	10	1.0	0	0.0
Female	44	97.8	40	97.6	4	100.0	15	100.0	950	99.0	9	100.0
RACE/ETHNICITY												
Black	22	48.9	20	48.8	2	50.0	8	53.3	479	49.9	4	44.4
Latino/Hispanic	20	44.4	18	43.9	2	50.0	6	40.0	381	39.7	4	44.4
White	2	4.4	2	4.9	0	0.0	1	6.7	64	6.7	1	11.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	2.1	0	0.0
Native American	1	2.2	1	2.4	0	0.0	0	0.0	6	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	8.9	4	9.8	0	0.0	0	0.0	8	0.8	0	0.0
20-29	32	71.1	29	70.7	3	75.0	10	66.7	285	29.7	1	11.1
30-39	8	17.8	7	17.1	1	25.0	5	33.3	330	34.4	3	33.3
40-49	1	2.2	1	2.4	0	0.0	0	0.0	222	23.1	2	22.2
50-59	0	0.0	0	0.0	0	0.0	0	0.0	88	9.2	3	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	27	2.8	0	0.0
BOROUGH OF RESIDENCE												
Bronx	5	11.1	5	12.2	0	0.0	3	20.0	273	28.4	3	33.3
Brooklyn	10	22.2	9	22.0	1	25.0	5	33.3	221	23.0	0	0.0
Manhattan	15	33.3	13	31.7	2	50.0	3	20.0	196	20.4	3	33.3
Queens	7	15.6	6	14.6	1	25.0	2	13.3	141	14.7	2	22.2
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	18	1.9	0	0.0
Outside NYC	6	13.3	6	14.6	0	0.0	2	13.3	78	8.1	0	0.0
Unknown	2	4.4	2	4.9	0	0.0	0	0.0	33	3.4	1	11.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	2.2	1	2.4	0	0.0	0	0.0	49	5.1	0	0.0
Medium poverty (10 to <20% below FPL)	14	31.1	12	29.3	2	50.0	2	13.3	250	26.0	3	33.3
High poverty (20 to <30% below FPL)	5	11.1	5	12.2	0	0.0	3	20.0	221	23.0	2	22.2
Very high poverty (≥30% below FPL)	17	37.8	15	36.6	2	50.0	7	46.7	321	33.4	3	33.3
Area-based poverty level not available	8	17.8	8	19.5	0	0.0	3	20.0	119	12.4	1	11.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	14	87.5	2	12.5	9	100.0	690	100.0	16	100.0
GENDER												
Male	10	62.5	9	64.3	1	50.0	7	77.8	467	67.7	13	81.3
Female	6	37.5	5	35.7	1	50.0	2	22.2	223	32.3	3	18.8
RACE/ETHNICITY												
Black	6	37.5	6	42.9	0	0.0	1	11.1	239	34.6	5	31.3
Latino/Hispanic	9	56.3	7	50.0	2	100.0	5	55.6	309	44.8	7	43.8
White	1	6.3	1	7.1	0	0.0	2	22.2	130	18.8	4	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	11.1	8	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.3	1	7.1	0	0.0	0	0.0	5	0.7	0	0.0
20-29	6	37.5	6	42.9	0	0.0	1	11.1	58	8.4	0	0.0
30-39	3	18.8	2	14.3	1	50.0	1	11.1	73	10.6	0	0.0
40-49	3	18.8	3	21.4	0	0.0	3	33.3	165	23.9	3	18.8
50-59	2	12.5	2	14.3	0	0.0	3	33.3	223	32.3	7	43.8
60+	1	6.3	0	0.0	1	50.0	1	11.1	166	24.1	6	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	50.0	7	50.0	1	50.0	4	44.4	242	35.1	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	108	15.7	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	10	1.4	0	0.0
Heterosexual contact	6	37.5	5	35.7	1	50.0	2	22.2	152	22.0	1	6.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	12.5	2	14.3	0	0.0	2	22.2	162	23.5	6	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	46	83.6	9	16.4	32	100.0	2,544	100.0	42	100.0
GENDER												
Male	41	74.5	35	76.1	6	66.7	19	59.4	1,404	55.2	27	64.3
Female	14	25.5	11	23.9	3	33.3	13	40.6	1,140	44.8	15	35.7
RACE/ETHNICITY												
Black	42	76.4	35	76.1	7	77.8	26	81.3	1,614	63.4	18	42.9
Latino/Hispanic	9	16.4	8	17.4	1	11.1	4	12.5	756	29.7	23	54.8
White	4	7.3	3	6.5	1	11.1	2	6.3	133	5.2	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	2	3.6	2	4.3	0	0.0	0	0.0	43	1.7	0	0.0
20-29	19	34.5	18	39.1	1	11.1	5	15.6	250	9.8	0	0.0
30-39	11	20.0	10	21.7	1	11.1	7	21.9	362	14.2	7	16.7
40-49	8	14.5	6	13.0	2	22.2	9	28.1	664	26.1	7	16.7
50-59	9	16.4	4	8.7	5	55.6	10	31.3	789	31.0	16	38.1
60+	6	10.9	6	13.0	0	0.0	1	3.1	429	16.9	12	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	41.8	21	45.7	2	22.2	6	18.8	521	20.5	8	19.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	6.3	351	13.8	11	26.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	58	2.3	1	2.4
Heterosexual contact	17	30.9	13	28.3	4	44.4	14	43.8	765	30.1	9	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	21	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	101	4.0	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	15	27.3	12	26.1	3	33.3	10	31.3	723	28.4	12	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	81	80.2	20	19.8	74	100.0	5,448	100.0	80	100.0
GENDER												
Male	84	83.2	67	82.7	17	85.0	48	64.9	3,515	64.5	55	68.8
Female	17	16.8	14	17.3	3	15.0	26	35.1	1,933	35.5	25	31.3
RACE/ETHNICITY												
Black	41	40.6	34	42.0	7	35.0	31	41.9	2,398	44.0	40	50.0
Latino/Hispanic	52	51.5	42	51.9	10	50.0	36	48.6	2,722	50.0	34	42.5
White	6	5.9	4	4.9	2	10.0	4	5.4	273	5.0	4	5.0
Asian/Pacific Islander	1	1.0	1	1.2	0	0.0	1	1.4	31	0.6	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	1	1.0	0	0.0	1	5.0	2	2.7	8	0.1	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	5	5.0	5	6.2	0	0.0	0	0.0	40	0.7	0	0.0
20-29	40	39.6	36	44.4	4	20.0	12	16.2	554	10.2	3	3.8
30-39	21	20.8	16	19.8	5	25.0	15	20.3	805	14.8	7	8.8
40-49	19	18.8	13	16.0	6	30.0	22	29.7	1,436	26.4	18	22.5
50-59	12	11.9	7	8.6	5	25.0	16	21.6	1,774	32.6	30	37.5
60+	4	4.0	4	4.9	0	0.0	9	12.2	834	15.3	22	27.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	52	51.5	47	58.0	5	25.0	20	27.0	1,453	26.7	12	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	9.5	966	17.7	23	28.8
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	149	2.7	5	6.3
Heterosexual contact	24	23.8	16	19.8	8	40.0	25	33.8	1,306	24.0	16	20.0
Transgender people with sexual contact	1	1.0	1	1.2	0	0.0	1	1.4	64	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	127	2.3	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	23	22.8	16	19.8	7	35.0	21	28.4	1,379	25.3	23	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	61	100.0	49	80.3	12	19.7	44	100.0	4,258	100.0	50	100.0
GENDER												
Male	45	73.8	35	71.4	10	83.3	30	68.2	2,605	61.2	34	68.0
Female	16	26.2	14	28.6	2	16.7	14	31.8	1,653	38.8	16	32.0
RACE/ETHNICITY												
Black	27	44.3	23	46.9	4	33.3	19	43.2	1,731	40.7	20	40.0
Latino/Hispanic	29	47.5	23	46.9	6	50.0	21	47.7	2,192	51.5	26	52.0
White	4	6.6	2	4.1	2	16.7	4	9.1	285	6.7	4	8.0
Asian/Pacific Islander	1	1.6	1	2.0	0	0.0	0	0.0	33	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	4.9	3	6.1	0	0.0	1	2.3	30	0.7	0	0.0
20-29	21	34.4	21	42.9	0	0.0	4	9.1	387	9.1	0	0.0
30-39	17	27.9	13	26.5	4	33.3	10	22.7	563	13.2	1	2.0
40-49	7	11.5	5	10.2	2	16.7	11	25.0	1,105	26.0	10	20.0
50-59	10	16.4	6	12.2	4	33.3	12	27.3	1,453	34.1	19	38.0
60+	3	4.9	1	2.0	2	16.7	6	13.6	715	16.8	20	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	55.7	29	59.2	5	41.7	14	31.8	1,005	23.6	5	10.0
Injection drug use history (IDU)	1	1.6	1	2.0	0	0.0	5	11.4	768	18.0	22	44.0
MSM-IDU	1	1.6	1	2.0	0	0.0	1	2.3	87	2.0	1	2.0
Heterosexual contact	15	24.6	11	22.4	4	33.3	15	34.1	1,101	25.9	9	18.0
Transgender people with sexual contact	2	3.3	2	4.1	0	0.0	0	0.0	30	0.7	1	2.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	152	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	8	13.1	5	10.2	3	25.0	8	18.2	1,101	25.9	12	24.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	91	85.8	15	14.2	65	100.0	5,617	100.0	107	100.0
GENDER												
Male	71	67.0	61	67.0	10	66.7	41	63.1	3,350	59.6	71	66.4
Female	35	33.0	30	33.0	5	33.3	24	36.9	2,267	40.4	36	33.6
RACE/ETHNICITY												
Black	47	44.3	41	45.1	6	40.0	30	46.2	2,631	46.8	56	52.3
Latino/Hispanic	56	52.8	47	51.6	9	60.0	33	50.8	2,768	49.3	47	43.9
White	2	1.9	2	2.2	0	0.0	1	1.5	155	2.8	3	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	1	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	1	0.9	1	1.1	0	0.0	1	1.5	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.9	2	2.2	0	0.0	0	0.0	12	0.2	0	0.0
13-19	2	1.9	2	2.2	0	0.0	2	3.1	53	0.9	0	0.0
20-29	36	34.0	34	37.4	2	13.3	12	18.5	540	9.6	2	1.9
30-39	26	24.5	22	24.2	4	26.7	12	18.5	787	14.0	9	8.4
40-49	19	17.9	14	15.4	5	33.3	23	35.4	1,441	25.7	15	14.0
50-59	13	12.3	12	13.2	1	6.7	10	15.4	1,811	32.2	45	42.1
60+	8	7.5	5	5.5	3	20.0	6	9.2	973	17.3	36	33.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	40.6	40	44.0	3	20.0	16	24.6	1,106	19.7	12	11.2
Injection drug use history (IDU)	7	6.6	7	7.7	0	0.0	8	12.3	1,153	20.5	44	41.1
MSM-IDU	2	1.9	2	2.2	0	0.0	0	0.0	156	2.8	0	0.0
Heterosexual contact	33	31.1	27	29.7	6	40.0	20	30.8	1,548	27.6	22	20.6
Transgender people with sexual contact	2	1.9	2	2.2	0	0.0	0	0.0	68	1.2	0	0.0
Perinatal	2	1.9	2	2.2	0	0.0	2	3.1	175	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	0.9
Unknown	17	16.0	11	12.1	6	40.0	19	29.2	1,405	25.0	28	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	79	78.2	22	21.8	73	100.0	5,862	100.0	121	100.0
GENDER												
Male	61	60.4	47	59.5	14	63.6	40	54.8	3,625	61.8	75	62.0
Female	40	39.6	32	40.5	8	36.4	33	45.2	2,237	38.2	46	38.0
RACE/ETHNICITY												
Black	61	60.4	48	60.8	13	59.1	46	63.0	3,047	52.0	71	58.7
Latino/Hispanic	37	36.6	29	36.7	8	36.4	24	32.9	2,590	44.2	49	40.5
White	3	3.0	2	2.5	1	4.5	3	4.1	179	3.1	1	0.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	13	0.2	0	0.0
13-19	3	3.0	3	3.8	0	0.0	1	1.4	45	0.8	0	0.0
20-29	30	29.7	26	32.9	4	18.2	9	12.3	472	8.1	2	1.7
30-39	22	21.8	19	24.1	3	13.6	16	21.9	830	14.2	3	2.5
40-49	21	20.8	13	16.5	8	36.4	20	27.4	1,483	25.3	21	17.4
50-59	15	14.9	11	13.9	4	18.2	21	28.8	1,920	32.8	50	41.3
60+	9	8.9	6	7.6	3	13.6	6	8.2	1,099	18.7	45	37.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	34.7	27	34.2	8	36.4	12	16.4	1,205	20.6	12	9.9
Injection drug use history (IDU)	3	3.0	3	3.8	0	0.0	8	11.0	1,222	20.8	49	40.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.4	170	2.9	6	5.0
Heterosexual contact	38	37.6	30	38.0	8	36.4	21	28.8	1,498	25.6	29	24.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	2	2.7	45	0.8	0	0.0
Perinatal	1	1.0	1	1.3	0	0.0	2	2.7	149	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	24	23.8	18	22.8	6	27.3	27	37.0	1,564	26.7	24	19.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	58	85.3	10	14.7	53	100.0	3,749	100.0	75	100.0
GENDER												
Male	49	72.1	44	75.9	5	50.0	33	62.3	2,302	61.4	47	62.7
Female	19	27.9	14	24.1	5	50.0	20	37.7	1,447	38.6	28	37.3
RACE/ETHNICITY												
Black	25	36.8	23	39.7	2	20.0	19	35.8	1,630	43.5	29	38.7
Latino/Hispanic	39	57.4	31	53.4	8	80.0	31	58.5	1,970	52.5	43	57.3
White	4	5.9	4	6.9	0	0.0	3	5.7	120	3.2	3	4.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	2	2.9	2	3.4	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	7.4	5	8.6	0	0.0	0	0.0	34	0.9	0	0.0
20-29	21	30.9	18	31.0	3	30.0	11	20.8	382	10.2	2	2.7
30-39	13	19.1	10	17.2	3	30.0	18	34.0	578	15.4	5	6.7
40-49	12	17.6	9	15.5	3	30.0	12	22.6	934	24.9	12	16.0
50-59	11	16.2	11	19.0	0	0.0	8	15.1	1,211	32.3	30	40.0
60+	4	5.9	3	5.2	1	10.0	4	7.5	602	16.1	26	34.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	35.3	20	34.5	4	40.0	16	30.2	758	20.2	4	5.3
Injection drug use history (IDU)	6	8.8	6	10.3	0	0.0	6	11.3	819	21.8	33	44.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.9	107	2.9	3	4.0
Heterosexual contact	18	26.5	13	22.4	5	50.0	19	35.8	951	25.4	10	13.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	43	1.1	2	2.7
Perinatal	2	2.9	2	3.4	0	0.0	1	1.9	126	3.4	2	2.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	18	26.5	17	29.3	1	10.0	10	18.9	941	25.1	21	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	15	83.3	3	16.7	7	100.0	895	100.0	6	100.0
GENDER												
Male	17	94.4	14	93.3	3	100.0	7	100.0	711	79.4	6	100.0
Female	1	5.6	1	6.7	0	0.0	0	0.0	184	20.6	0	0.0
RACE/ETHNICITY												
Black	1	5.6	1	6.7	0	0.0	0	0.0	137	15.3	1	16.7
Latino/Hispanic	5	27.8	5	33.3	0	0.0	2	28.6	399	44.6	4	66.7
White	11	61.1	9	60.0	2	66.7	4	57.1	342	38.2	1	16.7
Asian/Pacific Islander	1	5.6	0	0.0	1	33.3	1	14.3	15	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	82	9.2	0	0.0
30-39	9	50.0	7	46.7	2	66.7	3	42.9	195	21.8	0	0.0
40-49	5	27.8	4	26.7	1	33.3	2	28.6	268	29.9	1	16.7
50-59	0	0.0	0	0.0	0	0.0	2	28.6	240	26.8	5	83.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	107	12.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	88.9	13	86.7	3	100.0	4	57.1	469	52.4	1	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	119	13.3	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	2.2	1	16.7
Heterosexual contact	1	5.6	1	6.7	0	0.0	0	0.0	114	12.7	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	1	5.6	1	6.7	0	0.0	2	28.6	151	16.9	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	50	76.9	15	23.1	35	100.0	2,733	100.0	38	100.0
GENDER												
Male	56	86.2	44	88.0	12	80.0	27	77.1	2,078	76.0	28	73.7
Female	9	13.8	6	12.0	3	20.0	8	22.9	655	24.0	10	26.3
RACE/ETHNICITY												
Black	29	44.6	21	42.0	8	53.3	18	51.4	1,118	40.9	25	65.8
Latino/Hispanic	15	23.1	13	26.0	2	13.3	6	17.1	700	25.6	9	23.7
White	20	30.8	15	30.0	5	33.3	9	25.7	844	30.9	4	10.5
Asian/Pacific Islander	1	1.5	1	2.0	0	0.0	1	2.9	51	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.9	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.9	5	0.2	0	0.0
13-19	3	4.6	3	6.0	0	0.0	1	2.9	14	0.5	0	0.0
20-29	28	43.1	24	48.0	4	26.7	6	17.1	186	6.8	2	5.3
30-39	10	15.4	6	12.0	4	26.7	7	20.0	343	12.6	1	2.6
40-49	10	15.4	9	18.0	1	6.7	10	28.6	710	26.0	8	21.1
50-59	9	13.8	5	10.0	4	26.7	7	20.0	898	32.9	15	39.5
60+	5	7.7	3	6.0	2	13.3	3	8.6	577	21.1	12	31.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	64.6	33	66.0	9	60.0	19	54.3	1,310	47.9	13	34.2
Injection drug use history (IDU)	2	3.1	2	4.0	0	0.0	1	2.9	364	13.3	7	18.4
MSM-IDU	3	4.6	1	2.0	2	13.3	3	8.6	57	2.1	2	5.3
Heterosexual contact	6	9.2	4	8.0	2	13.3	4	11.4	422	15.4	7	18.4
Transgender people with sexual contact	1	1.5	1	2.0	0	0.0	0	0.0	6	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	44	1.6	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	11	16.9	9	18.0	2	13.3	6	17.1	527	19.3	8	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	161	100.0	135	83.9	26	16.1	97	100.0	7,515	100.0	124	100.0
GENDER												
Male	115	71.4	98	72.6	17	65.4	69	71.1	4,788	63.7	81	65.3
Female	46	28.6	37	27.4	9	34.6	28	28.9	2,727	36.3	43	34.7
RACE/ETHNICITY												
Black	123	76.4	103	76.3	20	76.9	79	81.4	5,889	78.4	98	79.0
Latino/Hispanic	23	14.3	18	13.3	5	19.2	12	12.4	1,077	14.3	22	17.7
White	13	8.1	12	8.9	1	3.8	3	3.1	460	6.1	4	3.2
Asian/Pacific Islander	2	1.2	2	1.5	0	0.0	2	2.1	50	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.0	21	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	11	0.1	0	0.0
13-19	9	5.6	8	5.9	1	3.8	1	1.0	73	1.0	0	0.0
20-29	61	37.9	52	38.5	9	34.6	25	25.8	686	9.1	2	1.6
30-39	43	26.7	37	27.4	6	23.1	18	18.6	1,240	16.5	8	6.5
40-49	25	15.5	21	15.6	4	15.4	25	25.8	1,936	25.8	23	18.5
50-59	16	9.9	11	8.1	5	19.2	22	22.7	2,257	30.0	53	42.7
60+	6	3.7	5	3.7	1	3.8	6	6.2	1,312	17.5	38	30.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	81	50.3	70	51.9	11	42.3	40	41.2	2,212	29.4	15	12.1
Injection drug use history (IDU)	2	1.2	2	1.5	0	0.0	7	7.2	1,015	13.5	34	27.4
MSM-IDU	1	0.6	1	0.7	0	0.0	1	1.0	160	2.1	5	4.0
Heterosexual contact	42	26.1	34	25.2	8	30.8	25	25.8	1,900	25.3	26	21.0
Transgender people with sexual contact	1	0.6	1	0.7	0	0.0	2	2.1	78	1.0	0	0.0
Perinatal	1	0.6	1	0.7	0	0.0	0	0.0	190	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	33	20.5	26	19.3	7	26.9	22	22.7	1,952	26.0	43	34.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	85	80.2	21	19.8	58	100.0	3,310	100.0	60	100.0
GENDER												
Male	79	74.5	67	78.8	12	57.1	40	69.0	1,888	57.0	41	68.3
Female	27	25.5	18	21.2	9	42.9	18	31.0	1,422	43.0	19	31.7
RACE/ETHNICITY												
Black	65	61.3	49	57.6	16	76.2	44	75.9	2,132	64.4	39	65.0
Latino/Hispanic	29	27.4	26	30.6	3	14.3	11	19.0	1,026	31.0	18	30.0
White	4	3.8	3	3.5	1	4.8	1	1.7	94	2.8	2	3.3
Asian/Pacific Islander	7	6.6	6	7.1	1	4.8	2	3.4	39	1.2	1	1.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	0.9	1	1.2	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	10	9.4	10	11.8	0	0.0	0	0.0	53	1.6	0	0.0
20-29	36	34.0	35	41.2	1	4.8	7	12.1	388	11.7	1	1.7
30-39	21	19.8	15	17.6	6	28.6	15	25.9	535	16.2	4	6.7
40-49	24	22.6	17	20.0	7	33.3	15	25.9	810	24.5	9	15.0
50-59	7	6.6	4	4.7	3	14.3	12	20.7	1,049	31.7	26	43.3
60+	8	7.5	4	4.7	4	19.0	9	15.5	469	14.2	20	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	50	47.2	45	52.9	5	23.8	18	31.0	761	23.0	9	15.0
Injection drug use history (IDU)	4	3.8	3	3.5	1	4.8	6	10.3	474	14.3	23	38.3
MSM-IDU	3	2.8	3	3.5	0	0.0	0	0.0	60	1.8	1	1.7
Heterosexual contact	24	22.6	16	18.8	8	38.1	17	29.3	1,028	31.1	18	30.0
Transgender people with sexual contact	3	2.8	2	2.4	1	4.8	1	1.7	34	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	102	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	22	20.8	16	18.8	6	28.6	15	25.9	846	25.6	9	15.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	8	72.7	3	27.3	6	100.0	829	100.0	6	100.0
GENDER												
Male	9	81.8	7	87.5	2	66.7	5	83.3	611	73.7	3	50.0
Female	2	18.2	1	12.5	1	33.3	1	16.7	218	26.3	3	50.0
RACE/ETHNICITY												
Black	2	18.2	1	12.5	1	33.3	1	16.7	151	18.2	1	16.7
Latino/Hispanic	4	36.4	2	25.0	2	66.7	4	66.7	469	56.6	5	83.3
White	2	18.2	2	25.0	0	0.0	1	16.7	157	18.9	0	0.0
Asian/Pacific Islander	3	27.3	3	37.5	0	0.0	0	0.0	50	6.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	16.7	57	6.9	0	0.0
30-39	3	27.3	3	37.5	0	0.0	0	0.0	124	15.0	0	0.0
40-49	2	18.2	1	12.5	1	33.3	2	33.3	251	30.3	1	16.7
50-59	5	45.5	3	37.5	2	66.7	3	50.0	252	30.4	1	16.7
60+	1	9.1	1	12.5	0	0.0	0	0.0	142	17.1	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	36.4	3	37.5	1	33.3	3	50.0	264	31.8	0	0.0
Injection drug use history (IDU)	1	9.1	1	12.5	0	0.0	1	16.7	157	18.9	2	33.3
MSM-IDU	1	9.1	1	12.5	0	0.0	0	0.0	39	4.7	0	0.0
Heterosexual contact	1	9.1	0	0.0	1	33.3	1	16.7	181	21.8	2	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	1	16.7	172	20.7	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Sunset Park: 11220, 11232.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	21	72.4	8	27.6	12	100.0	1,114	100.0	18	100.0
GENDER												
Male	26	89.7	18	85.7	8	100.0	11	91.7	819	73.5	17	94.4
Female	3	10.3	3	14.3	0	0.0	1	8.3	295	26.5	1	5.6
RACE/ETHNICITY												
Black	5	17.2	5	23.8	0	0.0	0	0.0	317	28.5	4	22.2
Latino/Hispanic	9	31.0	4	19.0	5	62.5	6	50.0	414	37.2	7	38.9
White	9	31.0	7	33.3	2	25.0	5	41.7	326	29.3	5	27.8
Asian/Pacific Islander	5	17.2	4	19.0	1	12.5	0	0.0	53	4.8	1	5.6
Other/Unknown	1	3.4	1	4.8	0	0.0	1	8.3	4	0.4	1	5.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.4	1	4.8	0	0.0	0	0.0	4	0.4	0	0.0
20-29	8	27.6	7	33.3	1	12.5	1	8.3	76	6.8	0	0.0
30-39	9	31.0	8	38.1	1	12.5	0	0.0	168	15.1	2	11.1
40-49	9	31.0	5	23.8	4	50.0	7	58.3	301	27.0	3	16.7
50-59	2	6.9	0	0.0	2	25.0	4	33.3	349	31.3	8	44.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	215	19.3	5	27.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	58.6	13	61.9	4	50.0	4	33.3	424	38.1	4	22.2
Injection drug use history (IDU)	2	6.9	1	4.8	1	12.5	3	25.0	184	16.5	7	38.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.2	0	0.0
Heterosexual contact	2	6.9	2	9.5	0	0.0	0	0.0	221	19.8	2	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	27.6	5	23.8	3	37.5	5	41.7	233	20.9	5	27.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	121	100.0	92	76.0	29	24.0	57	100.0	5,184	100.0	56	100.0
GENDER												
Male	78	64.5	61	66.3	17	58.6	38	66.7	3,291	63.5	37	66.1
Female	43	35.5	31	33.7	12	41.4	19	33.3	1,893	36.5	19	33.9
RACE/ETHNICITY												
Black	100	82.6	77	83.7	23	79.3	42	73.7	4,116	79.4	45	80.4
Latino/Hispanic	10	8.3	7	7.6	3	10.3	8	14.0	700	13.5	7	12.5
White	7	5.8	5	5.4	2	6.9	3	5.3	287	5.5	2	3.6
Asian/Pacific Islander	3	2.5	2	2.2	1	3.4	3	5.3	49	0.9	2	3.6
Native American	0	0.0	0	0.0	0	0.0	1	1.8	18	0.3	0	0.0
Multiracial	1	0.8	1	1.1	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.3	4	4.3	0	0.0	2	3.5	36	0.7	0	0.0
20-29	40	33.1	37	40.2	3	10.3	6	10.5	454	8.8	2	3.6
30-39	30	24.8	25	27.2	5	17.2	10	17.5	797	15.4	2	3.6
40-49	15	12.4	12	13.0	3	10.3	12	21.1	1,323	25.5	9	16.1
50-59	15	12.4	6	6.5	9	31.0	17	29.8	1,549	29.9	21	37.5
60+	17	14.0	8	8.7	9	31.0	10	17.5	1,020	19.7	22	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	39.7	41	44.6	7	24.1	16	28.1	1,478	28.5	11	19.6
Injection drug use history (IDU)	1	0.8	1	1.1	0	0.0	0	0.0	521	10.1	14	25.0
MSM-IDU	1	0.8	1	1.1	0	0.0	1	1.8	88	1.7	1	1.8
Heterosexual contact	36	29.8	26	28.3	10	34.5	18	31.6	1,402	27.0	16	28.6
Transgender people with sexual contact	2	1.7	2	2.2	0	0.0	0	0.0	36	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	107	2.1	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	33	27.3	21	22.8	12	41.4	21	36.8	1,539	29.7	13	23.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	62	100.0	45	72.6	17	27.4	34	100.0	1,615	100.0	22	100.0
GENDER												
Male	41	66.1	32	71.1	9	52.9	16	47.1	864	53.5	14	63.6
Female	21	33.9	13	28.9	8	47.1	18	52.9	751	46.5	8	36.4
RACE/ETHNICITY												
Black	55	88.7	39	86.7	16	94.1	30	88.2	1,284	79.5	20	90.9
Latino/Hispanic	2	3.2	1	2.2	1	5.9	3	8.8	194	12.0	2	9.1
White	3	4.8	3	6.7	0	0.0	1	2.9	114	7.1	0	0.0
Asian/Pacific Islander	2	3.2	2	4.4	0	0.0	0	0.0	15	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.2	2	4.4	0	0.0	1	2.9	27	1.7	0	0.0
20-29	18	29.0	17	37.8	1	5.9	4	11.8	153	9.5	0	0.0
30-39	20	32.3	16	35.6	4	23.5	8	23.5	241	14.9	1	4.5
40-49	7	11.3	4	8.9	3	17.6	7	20.6	369	22.8	3	13.6
50-59	10	16.1	4	8.9	6	35.3	8	23.5	514	31.8	9	40.9
60+	5	8.1	2	4.4	3	17.6	6	17.6	311	19.3	9	40.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	38.7	21	46.7	3	17.6	4	11.8	293	18.1	3	13.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.9	149	9.2	4	18.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
Heterosexual contact	24	38.7	15	33.3	9	52.9	20	58.8	572	35.4	6	27.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	63	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	14	22.6	9	20.0	5	29.4	9	26.5	516	32.0	9	40.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	13	81.3	3	18.8	12	100.0	657	100.0	11	100.0
GENDER												
Male	13	81.3	11	84.6	2	66.7	9	75.0	485	73.8	7	63.6
Female	3	18.8	2	15.4	1	33.3	3	25.0	172	26.2	4	36.4
RACE/ETHNICITY												
Black	1	6.3	1	7.7	0	0.0	2	16.7	86	13.1	3	27.3
Latino/Hispanic	6	37.5	4	30.8	2	66.7	3	25.0	195	29.7	3	27.3
White	7	43.8	6	46.2	1	33.3	5	41.7	337	51.3	5	45.5
Asian/Pacific Islander	1	6.3	1	7.7	0	0.0	2	16.7	37	5.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	6.3	1	7.7	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	6.3	0	0.0	1	33.3	1	8.3	1	0.2	0	0.0
20-29	3	18.8	3	23.1	0	0.0	0	0.0	30	4.6	0	0.0
30-39	6	37.5	5	38.5	1	33.3	3	25.0	110	16.7	0	0.0
40-49	6	37.5	5	38.5	1	33.3	5	41.7	169	25.7	2	18.2
50-59	0	0.0	0	0.0	0	0.0	2	16.7	212	32.3	2	18.2
60+	0	0.0	0	0.0	0	0.0	1	8.3	134	20.4	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	75.0	11	84.6	1	33.3	5	41.7	273	41.6	1	9.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	99	15.1	4	36.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	2	18.2
Heterosexual contact	3	18.8	2	15.4	1	33.3	2	16.7	117	17.8	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	1	6.3	0	0.0	1	33.3	4	33.3	140	21.3	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	30	75.0	10	25.0	25	100.0	1,134	100.0	20	100.0
GENDER												
Male	28	70.0	22	73.3	6	60.0	16	64.0	717	63.2	10	50.0
Female	12	30.0	8	26.7	4	40.0	9	36.0	417	36.8	10	50.0
RACE/ETHNICITY												
Black	14	35.0	12	40.0	2	20.0	10	40.0	463	40.8	7	35.0
Latino/Hispanic	7	17.5	6	20.0	1	10.0	7	28.0	349	30.8	8	40.0
White	15	37.5	9	30.0	6	60.0	7	28.0	283	25.0	5	25.0
Asian/Pacific Islander	3	7.5	2	6.7	1	10.0	1	4.0	29	2.6	0	0.0
Other/Unknown	1	2.5	1	3.3	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.5	1	3.3	0	0.0	0	0.0	13	1.1	0	0.0
20-29	13	32.5	13	43.3	0	0.0	3	12.0	100	8.8	2	10.0
30-39	9	22.5	7	23.3	2	20.0	6	24.0	168	14.8	1	5.0
40-49	10	25.0	7	23.3	3	30.0	9	36.0	282	24.9	6	30.0
50-59	5	12.5	2	6.7	3	30.0	6	24.0	355	31.3	7	35.0
60+	2	5.0	0	0.0	2	20.0	1	4.0	215	19.0	4	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	32.5	11	36.7	2	20.0	5	20.0	298	26.3	0	0.0
Injection drug use history (IDU)	2	5.0	1	3.3	1	10.0	3	12.0	193	17.0	5	25.0
MSM-IDU	1	2.5	1	3.3	0	0.0	1	4.0	20	1.8	3	15.0
Heterosexual contact	10	25.0	6	20.0	4	40.0	6	24.0	297	26.2	5	25.0
Transgender people with sexual contact	1	2.5	1	3.3	0	0.0	1	4.0	8	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.6	1	5.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	13	32.5	10	33.3	3	30.0	9	36.0	285	25.1	6	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	94	100.0	76	80.9	18	19.1	55	100.0	3,761	100.0	55	100.0
GENDER												
Male	77	81.9	61	80.3	16	88.9	37	67.3	2,605	69.3	31	56.4
Female	17	18.1	15	19.7	2	11.1	18	32.7	1,156	30.7	24	43.6
RACE/ETHNICITY												
Black	48	51.1	42	55.3	6	33.3	27	49.1	1,935	51.4	29	52.7
Latino/Hispanic	31	33.0	23	30.3	8	44.4	22	40.0	1,420	37.8	23	41.8
White	14	14.9	11	14.5	3	16.7	5	9.1	345	9.2	2	3.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	42	1.1	0	0.0
Other/Unknown	1	1.1	0	0.0	1	5.6	1	1.8	19	0.5	1	1.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	5.3	5	6.6	0	0.0	1	1.8	28	0.7	0	0.0
20-29	30	31.9	27	35.5	3	16.7	12	21.8	406	10.8	1	1.8
30-39	28	29.8	25	32.9	3	16.7	9	16.4	611	16.2	1	1.8
40-49	15	16.0	8	10.5	7	38.9	21	38.2	917	24.4	16	29.1
50-59	15	16.0	10	13.2	5	27.8	8	14.5	1,140	30.3	17	30.9
60+	1	1.1	1	1.3	0	0.0	4	7.3	653	17.4	20	36.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	56	59.6	45	59.2	11	61.1	25	45.5	1,211	32.2	6	10.9
Injection drug use history (IDU)	5	5.3	4	5.3	1	5.6	2	3.6	628	16.7	15	27.3
MSM-IDU	1	1.1	1	1.3	0	0.0	1	1.8	87	2.3	1	1.8
Heterosexual contact	18	19.1	14	18.4	4	22.2	16	29.1	784	20.8	12	21.8
Transgender people with sexual contact	2	2.1	2	2.6	0	0.0	1	1.8	34	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	96	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.8
Unknown	12	12.8	10	13.2	2	11.1	10	18.2	918	24.4	20	36.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	80	86.0	13	14.0	41	100.0	4,411	100.0	31	100.0
GENDER												
Male	78	83.9	67	83.8	11	84.6	32	78.0	3,556	80.6	23	74.2
Female	15	16.1	13	16.3	2	15.4	9	22.0	855	19.4	8	25.8
RACE/ETHNICITY												
Black	29	31.2	23	28.8	6	46.2	14	34.1	1,485	33.7	17	54.8
Latino/Hispanic	41	44.1	35	43.8	6	46.2	22	53.7	1,911	43.3	9	29.0
White	20	21.5	19	23.8	1	7.7	5	12.2	926	21.0	3	9.7
Asian/Pacific Islander	1	1.1	1	1.3	0	0.0	0	0.0	57	1.3	1	3.2
Other/Unknown	2	2.2	2	2.5	0	0.0	0	0.0	32	0.7	1	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	2	2.2	2	2.5	0	0.0	0	0.0	19	0.4	0	0.0
20-29	37	39.8	32	40.0	5	38.5	8	19.5	388	8.8	1	3.2
30-39	24	25.8	19	23.8	5	38.5	12	29.3	722	16.4	5	16.1
40-49	19	20.4	19	23.8	0	0.0	8	19.5	1,215	27.5	11	35.5
50-59	9	9.7	8	10.0	1	7.7	10	24.4	1,266	28.7	9	29.0
60+	2	2.2	0	0.0	2	15.4	3	7.3	791	17.9	5	16.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	62	66.7	54	67.5	8	61.5	21	51.2	2,272	51.5	8	25.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.9	399	9.0	7	22.6
MSM-IDU	2	2.2	2	2.5	0	0.0	0	0.0	93	2.1	0	0.0
Heterosexual contact	14	15.1	13	16.3	1	7.7	8	19.5	641	14.5	3	9.7
Transgender people with sexual contact	1	1.1	1	1.3	0	0.0	0	0.0	25	0.6	2	6.5
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	71	1.6	1	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	14	15.1	10	12.5	4	30.8	9	22.0	904	20.5	10	32.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	128	100.0	103	80.5	25	19.5	55	100.0	4,673	100.0	51	100.0
GENDER												
Male	98	76.6	84	81.6	14	56.0	37	67.3	3,325	71.2	35	68.6
Female	30	23.4	19	18.4	11	44.0	18	32.7	1,348	28.8	16	31.4
RACE/ETHNICITY												
Black	81	63.3	60	58.3	21	84.0	41	74.5	3,048	65.2	38	74.5
Latino/Hispanic	30	23.4	27	26.2	3	12.0	11	20.0	939	20.1	12	23.5
White	16	12.5	15	14.6	1	4.0	2	3.6	607	13.0	1	2.0
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	54	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.8	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.1	3	2.9	1	4.0	1	1.8	27	0.6	0	0.0
20-29	53	41.4	49	47.6	4	16.0	11	20.0	421	9.0	1	2.0
30-39	32	25.0	26	25.2	6	24.0	13	23.6	771	16.5	3	5.9
40-49	16	12.5	12	11.7	4	16.0	8	14.5	1,260	27.0	4	7.8
50-59	14	10.9	9	8.7	5	20.0	12	21.8	1,359	29.1	21	41.2
60+	9	7.0	4	3.9	5	20.0	10	18.2	830	17.8	22	43.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	74	57.8	67	65.0	7	28.0	22	40.0	1,832	39.2	7	13.7
Injection drug use history (IDU)	3	2.3	2	1.9	1	4.0	2	3.6	614	13.1	18	35.3
MSM-IDU	1	0.8	1	1.0	0	0.0	0	0.0	112	2.4	2	3.9
Heterosexual contact	25	19.5	16	15.5	9	36.0	14	25.5	859	18.4	14	27.5
Transgender people with sexual contact	1	0.8	0	0.0	1	4.0	1	1.8	31	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	81	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	24	18.8	17	16.5	7	28.0	16	29.1	1,138	24.4	10	19.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	52	77.6	15	22.4	45	100.0	2,957	100.0	71	100.0
GENDER												
Male	52	77.6	40	76.9	12	80.0	30	66.7	2,029	68.6	55	77.5
Female	15	22.4	12	23.1	3	20.0	15	33.3	928	31.4	16	22.5
RACE/ETHNICITY												
Black	30	44.8	22	42.3	8	53.3	23	51.1	1,394	47.1	37	52.1
Latino/Hispanic	25	37.3	21	40.4	4	26.7	16	35.6	1,181	39.9	24	33.8
White	9	13.4	7	13.5	2	13.3	4	8.9	336	11.4	10	14.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.2	28	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Multiracial	3	4.5	2	3.8	1	6.7	1	2.2	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	4.5	3	5.8	0	0.0	0	0.0	18	0.6	0	0.0
20-29	28	41.8	22	42.3	6	40.0	11	24.4	259	8.8	1	1.4
30-39	11	16.4	11	21.2	0	0.0	8	17.8	389	13.2	2	2.8
40-49	13	19.4	7	13.5	6	40.0	16	35.6	752	25.4	6	8.5
50-59	7	10.4	5	9.6	2	13.3	6	13.3	900	30.4	23	32.4
60+	5	7.5	4	7.7	1	6.7	4	8.9	636	21.5	39	54.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	38	56.7	32	61.5	6	40.0	14	31.1	957	32.4	15	21.1
Injection drug use history (IDU)	3	4.5	2	3.8	1	6.7	3	6.7	589	19.9	23	32.4
MSM-IDU	1	1.5	0	0.0	1	6.7	1	2.2	72	2.4	4	5.6
Heterosexual contact	8	11.9	5	9.6	3	20.0	14	31.1	615	20.8	14	19.7
Transgender people with sexual contact	5	7.5	5	9.6	0	0.0	0	0.0	20	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	17.9	8	15.4	4	26.7	13	28.9	613	20.7	15	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	38	80.9	9	19.1	24	100.0	3,115	100.0	34	100.0
GENDER												
Male	44	93.6	36	94.7	8	88.9	22	91.7	2,679	86.0	28	82.4
Female	3	6.4	2	5.3	1	11.1	2	8.3	436	14.0	6	17.6
RACE/ETHNICITY												
Black	11	23.4	6	15.8	5	55.6	9	37.5	850	27.3	20	58.8
Latino/Hispanic	13	27.7	12	31.6	1	11.1	5	20.8	807	25.9	7	20.6
White	21	44.7	18	47.4	3	33.3	9	37.5	1,369	43.9	7	20.6
Asian/Pacific Islander	2	4.3	2	5.3	0	0.0	1	4.2	64	2.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	13	27.7	13	34.2	0	0.0	1	4.2	145	4.7	0	0.0
30-39	11	23.4	9	23.7	2	22.2	4	16.7	333	10.7	3	8.8
40-49	16	34.0	9	23.7	7	77.8	8	33.3	653	21.0	11	32.4
50-59	4	8.5	4	10.5	0	0.0	8	33.3	1,094	35.1	4	11.8
60+	3	6.4	3	7.9	0	0.0	3	12.5	882	28.3	16	47.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	91.5	35	92.1	8	88.9	16	66.7	1,815	58.3	10	29.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	313	10.0	8	23.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.2	84	2.7	1	2.9
Heterosexual contact	3	6.4	2	5.3	1	11.1	2	8.3	292	9.4	7	20.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	18	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	2.1	1	2.6	0	0.0	3	12.5	557	17.9	8	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	19	79.2	5	20.8	10	100.0	1,443	100.0	10	100.0
GENDER												
Male	23	95.8	18	94.7	5	100.0	9	90.0	1,253	86.8	8	80.0
Female	1	4.2	1	5.3	0	0.0	1	10.0	190	13.2	2	20.0
RACE/ETHNICITY												
Black	2	8.3	2	10.5	0	0.0	4	40.0	283	19.6	2	20.0
Latino/Hispanic	5	20.8	3	15.8	2	40.0	3	30.0	323	22.4	3	30.0
White	13	54.2	10	52.6	3	60.0	3	30.0	775	53.7	5	50.0
Asian/Pacific Islander	4	16.7	4	21.1	0	0.0	0	0.0	55	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	25.0	6	31.6	0	0.0	0	0.0	63	4.4	0	0.0
30-39	9	37.5	6	31.6	3	60.0	4	40.0	180	12.5	0	0.0
40-49	5	20.8	3	15.8	2	40.0	2	20.0	334	23.1	1	10.0
50-59	2	8.3	2	10.5	0	0.0	3	30.0	500	34.7	3	30.0
60+	2	8.3	2	10.5	0	0.0	1	10.0	364	25.2	6	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	79.2	14	73.7	5	100.0	8	80.0	891	61.7	4	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	104	7.2	4	40.0
MSM-IDU	2	8.3	2	10.5	0	0.0	1	10.0	30	2.1	0	0.0
Heterosexual contact	1	4.2	1	5.3	0	0.0	1	10.0	123	8.5	1	10.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	2	8.3	2	10.5	0	0.0	0	0.0	282	19.5	1	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	135	100.0	114	84.4	21	15.6	49	100.0	6,596	100.0	44	100.0
GENDER												
Male	125	92.6	105	92.1	20	95.2	46	93.9	6,156	93.3	38	86.4
Female	10	7.4	9	7.9	1	4.8	3	6.1	440	6.7	6	13.6
RACE/ETHNICITY												
Black	19	14.1	16	14.0	3	14.3	17	34.7	1,024	15.5	3	6.8
Latino/Hispanic	35	25.9	29	25.4	6	28.6	10	20.4	1,433	21.7	11	25.0
White	70	51.9	60	52.6	10	47.6	19	38.8	3,879	58.8	29	65.9
Asian/Pacific Islander	8	5.9	6	5.3	2	9.5	3	6.1	184	2.8	0	0.0
Other/Unknown	3	2.2	3	2.6	0	0.0	0	0.0	76	1.2	1	2.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
20-29	36	26.7	32	28.1	4	19.0	5	10.2	314	4.8	0	0.0
30-39	47	34.8	40	35.1	7	33.3	14	28.6	1,021	15.5	3	6.8
40-49	35	25.9	31	27.2	4	19.0	12	24.5	1,893	28.7	10	22.7
50-59	14	10.4	9	7.9	5	23.8	16	32.7	2,255	34.2	14	31.8
60+	3	2.2	2	1.8	1	4.8	2	4.1	1,104	16.7	17	38.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	115	85.2	97	85.1	18	85.7	39	79.6	4,931	74.8	25	56.8
Injection drug use history (IDU)	1	0.7	1	0.9	0	0.0	2	4.1	353	5.4	9	20.5
MSM-IDU	2	1.5	2	1.8	0	0.0	1	2.0	162	2.5	1	2.3
Heterosexual contact	5	3.7	4	3.5	1	4.8	4	8.2	260	3.9	1	2.3
Transgender people with sexual contact	5	3.7	4	3.5	1	4.8	1	2.0	46	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	7	5.2	6	5.3	1	4.8	2	4.1	822	12.5	8	18.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	46	100.0	36	78.3	10	21.7	23	100.0	1,996	100.0	14	100.0
GENDER												
Male	38	82.6	29	80.6	9	90.0	20	87.0	1,825	91.4	12	85.7
Female	8	17.4	7	19.4	1	10.0	3	13.0	171	8.6	2	14.3
RACE/ETHNICITY												
Black	9	19.6	6	16.7	3	30.0	6	26.1	391	19.6	2	14.3
Latino/Hispanic	13	28.3	11	30.6	2	20.0	3	13.0	467	23.4	2	14.3
White	19	41.3	15	41.7	4	40.0	11	47.8	1,054	52.8	10	71.4
Asian/Pacific Islander	5	10.9	4	11.1	1	10.0	2	8.7	68	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	4.3	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.2	1	2.8	0	0.0	0	0.0	3	0.2	0	0.0
20-29	15	32.6	13	36.1	2	20.0	2	8.7	74	3.7	0	0.0
30-39	12	26.1	8	22.2	4	40.0	6	26.1	236	11.8	0	0.0
40-49	11	23.9	8	22.2	3	30.0	8	34.8	495	24.8	0	0.0
50-59	6	13.0	5	13.9	1	10.0	6	26.1	662	33.2	5	35.7
60+	1	2.2	1	2.8	0	0.0	1	4.3	526	26.4	9	64.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	69.6	23	63.9	9	90.0	13	56.5	1,286	64.4	6	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	13.0	176	8.8	2	14.3
MSM-IDU	3	6.5	3	8.3	0	0.0	1	4.3	63	3.2	0	0.0
Heterosexual contact	5	10.9	4	11.1	1	10.0	1	4.3	128	6.4	2	14.3
Transgender people with sexual contact	3	6.5	3	8.3	0	0.0	0	0.0	12	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	6.5	3	8.3	0	0.0	5	21.7	318	15.9	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	25	86.2	4	13.8	15	100.0	1,956	100.0	7	100.0
GENDER												
Male	25	86.2	22	88.0	3	75.0	13	86.7	1,862	95.2	6	85.7
Female	4	13.8	3	12.0	1	25.0	2	13.3	94	4.8	1	14.3
RACE/ETHNICITY												
Black	4	13.8	4	16.0	0	0.0	2	13.3	382	19.5	0	0.0
Latino/Hispanic	4	13.8	3	12.0	1	25.0	3	20.0	393	20.1	4	57.1
White	17	58.6	15	60.0	2	50.0	9	60.0	1,120	57.3	3	42.9
Asian/Pacific Islander	4	13.8	3	12.0	1	25.0	1	6.7	49	2.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	3	10.3	3	12.0	0	0.0	1	6.7	85	4.3	0	0.0
30-39	13	44.8	12	48.0	1	25.0	3	20.0	218	11.1	1	14.3
40-49	8	27.6	6	24.0	2	50.0	7	46.7	524	26.8	0	0.0
50-59	4	13.8	3	12.0	1	25.0	4	26.7	668	34.2	3	42.9
60+	1	3.4	1	4.0	0	0.0	0	0.0	458	23.4	3	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	72.4	18	72.0	3	75.0	12	80.0	1,318	67.4	4	57.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	148	7.6	1	14.3
MSM-IDU	1	3.4	1	4.0	0	0.0	0	0.0	53	2.7	0	0.0
Heterosexual contact	2	6.9	1	4.0	1	25.0	2	13.3	59	3.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	17.2	5	20.0	0	0.0	1	6.7	349	17.8	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	53	84.1	10	15.9	28	100.0	3,127	100.0	42	100.0
GENDER												
Male	59	93.7	51	96.2	8	80.0	21	75.0	2,561	81.9	26	61.9
Female	4	6.3	2	3.8	2	20.0	7	25.0	566	18.1	16	38.1
RACE/ETHNICITY												
Black	7	11.1	6	11.3	1	10.0	8	28.6	612	19.6	14	33.3
Latino/Hispanic	22	34.9	16	30.2	6	60.0	12	42.9	1,082	34.6	18	42.9
White	23	36.5	21	39.6	2	20.0	5	17.9	1,266	40.5	9	21.4
Asian/Pacific Islander	9	14.3	8	15.1	1	10.0	3	10.7	135	4.3	1	2.4
Other/Unknown	2	3.2	2	3.8	0	0.0	0	0.0	32	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.6	1	1.9	0	0.0	0	0.0	10	0.3	0	0.0
20-29	27	42.9	24	45.3	3	30.0	5	17.9	191	6.1	0	0.0
30-39	12	19.0	9	17.0	3	30.0	7	25.0	353	11.3	2	4.8
40-49	12	19.0	10	18.9	2	20.0	7	25.0	763	24.4	2	4.8
50-59	8	12.7	7	13.2	1	10.0	7	25.0	1,108	35.4	18	42.9
60+	3	4.8	2	3.8	1	10.0	2	7.1	700	22.4	20	47.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	81.0	46	86.8	5	50.0	13	46.4	1,706	54.6	6	14.3
Injection drug use history (IDU)	1	1.6	0	0.0	1	10.0	3	10.7	426	13.6	16	38.1
MSM-IDU	2	3.2	2	3.8	0	0.0	0	0.0	84	2.7	4	9.5
Heterosexual contact	3	4.8	2	3.8	1	10.0	6	21.4	351	11.2	4	9.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	6	9.5	3	5.7	3	30.0	6	21.4	504	16.1	11	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	9	81.8	2	18.2	8	100.0	580	100.0	5	100.0
GENDER												
Male	11	100.0	9	100.0	2	100.0	7	87.5	503	86.7	5	100.0
Female	0	0.0	0	0.0	0	0.0	1	12.5	77	13.3	0	0.0
RACE/ETHNICITY												
Black	2	18.2	1	11.1	1	50.0	2	25.0	119	20.5	0	0.0
Latino/Hispanic	3	27.3	2	22.2	1	50.0	4	50.0	139	24.0	3	60.0
White	5	45.5	5	55.6	0	0.0	2	25.0	298	51.4	1	20.0
Asian/Pacific Islander	1	9.1	1	11.1	0	0.0	0	0.0	20	3.4	1	20.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	27.3	3	33.3	0	0.0	1	12.5	30	5.2	1	20.0
30-39	5	45.5	3	33.3	2	100.0	2	25.0	90	15.5	0	0.0
40-49	3	27.3	3	33.3	0	0.0	2	25.0	185	31.9	3	60.0
50-59	0	0.0	0	0.0	0	0.0	2	25.0	191	32.9	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	12.5	83	14.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	81.8	7	77.8	2	100.0	5	62.5	360	62.1	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	41	7.1	1	20.0
MSM-IDU	1	9.1	1	11.1	0	0.0	0	0.0	14	2.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	12.5	50	8.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	9.1	1	11.1	0	0.0	1	12.5	106	18.3	2	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	66	100.0	53	80.3	13	19.7	23	100.0	1,977	100.0	12	100.0
GENDER												
Male	59	89.4	48	90.6	11	84.6	19	82.6	1,667	84.3	9	75.0
Female	7	10.6	5	9.4	2	15.4	4	17.4	310	15.7	3	25.0
RACE/ETHNICITY												
Black	9	13.6	6	11.3	3	23.1	5	21.7	339	17.1	3	25.0
Latino/Hispanic	30	45.5	23	43.4	7	53.8	12	52.2	791	40.0	7	58.3
White	22	33.3	20	37.7	2	15.4	5	21.7	749	37.9	2	16.7
Asian/Pacific Islander	5	7.6	4	7.5	1	7.7	1	4.3	83	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	18	27.3	16	30.2	2	15.4	2	8.7	139	7.0	0	0.0
30-39	28	42.4	24	45.3	4	30.8	12	52.2	415	21.0	2	16.7
40-49	13	19.7	8	15.1	5	38.5	6	26.1	597	30.2	2	16.7
50-59	5	7.6	3	5.7	2	15.4	3	13.0	584	29.5	5	41.7
60+	2	3.0	2	3.8	0	0.0	0	0.0	237	12.0	3	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	52	78.8	44	83.0	8	61.5	12	52.2	1,210	61.2	6	50.0
Injection drug use history (IDU)	1	1.5	1	1.9	0	0.0	1	4.3	120	6.1	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	40	2.0	0	0.0
Heterosexual contact	7	10.6	4	7.5	3	23.1	6	26.1	247	12.5	3	25.0
Transgender people with sexual contact	1	1.5	0	0.0	1	7.7	1	4.3	16	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	7.6	4	7.5	1	7.7	3	13.0	329	16.6	3	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	147	100.0	119	81.0	28	19.0	59	100.0	5,827	100.0	30	100.0
GENDER												
Male	126	85.7	101	84.9	25	89.3	51	86.4	4,739	81.3	23	76.7
Female	21	14.3	18	15.1	3	10.7	8	13.6	1,088	18.7	7	23.3
RACE/ETHNICITY												
Black	14	9.5	11	9.2	3	10.7	15	25.4	1,683	28.9	10	33.3
Latino/Hispanic	98	66.7	79	66.4	19	67.9	33	55.9	3,173	54.5	17	56.7
White	14	9.5	13	10.9	1	3.6	3	5.1	664	11.4	2	6.7
Asian/Pacific Islander	21	14.3	16	13.4	5	17.9	8	13.6	280	4.8	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.7	4	0.1	0	0.0
13-19	6	4.1	6	5.0	0	0.0	0	0.0	19	0.3	0	0.0
20-29	44	29.9	37	31.1	7	25.0	13	22.0	435	7.5	2	6.7
30-39	63	42.9	51	42.9	12	42.9	22	37.3	991	17.0	2	6.7
40-49	24	16.3	18	15.1	6	21.4	13	22.0	1,745	29.9	5	16.7
50-59	7	4.8	5	4.2	2	7.1	7	11.9	1,829	31.4	7	23.3
60+	3	2.0	2	1.7	1	3.6	3	5.1	804	13.8	14	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	110	74.8	87	73.1	23	82.1	38	64.4	2,385	40.9	15	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	1.7	988	17.0	4	13.3
MSM-IDU	1	0.7	1	0.8	0	0.0	0	0.0	160	2.7	0	0.0
Heterosexual contact	21	14.3	18	15.1	3	10.7	9	15.3	955	16.4	7	23.3
Transgender people with sexual contact	3	2.0	3	2.5	0	0.0	0	0.0	78	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.4	65	1.1	1	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	12	8.2	10	8.4	2	7.1	9	15.3	1,190	20.4	3	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	15	93.8	1	6.3	6	100.0	641	100.0	16	100.0
GENDER												
Male	15	93.8	14	93.3	1	100.0	6	100.0	479	74.7	14	87.5
Female	1	6.3	1	6.7	0	0.0	0	0.0	162	25.3	2	12.5
RACE/ETHNICITY												
Black	2	12.5	2	13.3	0	0.0	0	0.0	103	16.1	5	31.3
Latino/Hispanic	6	37.5	6	40.0	0	0.0	3	50.0	242	37.8	2	12.5
White	2	12.5	1	6.7	1	100.0	2	33.3	189	29.5	9	56.3
Asian/Pacific Islander	5	31.3	5	33.3	0	0.0	1	16.7	96	15.0	0	0.0
Other/Unknown	1	6.3	1	6.7	0	0.0	0	0.0	11	1.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	25.0	4	26.7	0	0.0	2	33.3	43	6.7	0	0.0
30-39	3	18.8	3	20.0	0	0.0	0	0.0	78	12.2	0	0.0
40-49	5	31.3	4	26.7	1	100.0	3	50.0	162	25.3	4	25.0
50-59	4	25.0	4	26.7	0	0.0	1	16.7	236	36.8	5	31.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	121	18.9	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	81.3	12	80.0	1	100.0	3	50.0	270	42.1	7	43.8
Injection drug use history (IDU)	1	6.3	1	6.7	0	0.0	0	0.0	68	10.6	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	16.7	11	1.7	1	6.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	16.7	144	22.5	3	18.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	12.5	2	13.3	0	0.0	1	16.7	136	21.2	1	6.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	143	100.0	2	100.0
GENDER												
Male	5	100.0	5	100.0	0	0.0	0	0.0	115	80.4	2	100.0
Female	0	0.0	0	0.0	0	0.0	0	0.0	28	19.6	0	0.0
RACE/ETHNICITY												
Black	1	20.0	1	20.0	0	0.0	0	0.0	31	21.7	1	50.0
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	29	20.3	0	0.0
White	1	20.0	1	20.0	0	0.0	0	0.0	71	49.7	1	50.0
Asian/Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	11	7.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	20.0	1	20.0	0	0.0	0	0.0	2	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	6	4.2	0	0.0
30-39	3	60.0	3	60.0	0	0.0	0	0.0	15	10.5	0	0.0
40-49	1	20.0	1	20.0	0	0.0	0	0.0	38	26.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	48	33.6	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	34	23.8	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	60.0	3	60.0	0	0.0	0	0.0	65	45.5	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	12	8.4	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	24	16.8	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	33	23.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	30	75.0	10	25.0	20	100.0	1,205	100.0	8	100.0
GENDER												
Male	35	87.5	27	90.0	8	80.0	18	90.0	909	75.4	4	50.0
Female	5	12.5	3	10.0	2	20.0	2	10.0	296	24.6	4	50.0
RACE/ETHNICITY												
Black	2	5.0	1	3.3	1	10.0	1	5.0	167	13.9	0	0.0
Latino/Hispanic	20	50.0	15	50.0	5	50.0	13	65.0	564	46.8	5	62.5
White	14	35.0	10	33.3	4	40.0	6	30.0	413	34.3	3	37.5
Asian/Pacific Islander	3	7.5	3	10.0	0	0.0	0	0.0	52	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	2.5	1	3.3	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.5	1	3.3	0	0.0	0	0.0	8	0.7	0	0.0
20-29	15	37.5	15	50.0	0	0.0	1	5.0	86	7.1	0	0.0
30-39	6	15.0	6	20.0	0	0.0	1	5.0	163	13.5	1	12.5
40-49	11	27.5	7	23.3	4	40.0	8	40.0	347	28.8	2	25.0
50-59	5	12.5	1	3.3	4	40.0	8	40.0	391	32.4	4	50.0
60+	2	5.0	0	0.0	2	20.0	2	10.0	209	17.3	1	12.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	25	62.5	21	70.0	4	40.0	11	55.0	569	47.2	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.0	102	8.5	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	1.9	0	0.0
Heterosexual contact	5	12.5	2	6.7	3	30.0	3	15.0	247	20.5	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	10	25.0	7	23.3	3	30.0	5	25.0	222	18.4	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	5	83.3	1	16.7	4	100.0	265	100.0	5	100.0
GENDER												
Male	4	66.7	3	60.0	1	100.0	2	50.0	168	63.4	3	60.0
Female	2	33.3	2	40.0	0	0.0	2	50.0	97	36.6	2	40.0
RACE/ETHNICITY												
Black	3	50.0	3	60.0	0	0.0	3	75.0	124	46.8	2	40.0
Latino/Hispanic	2	33.3	1	20.0	1	100.0	1	25.0	70	26.4	1	20.0
White	0	0.0	0	0.0	0	0.0	0	0.0	52	19.6	2	40.0
Asian/Pacific Islander	1	16.7	1	20.0	0	0.0	0	0.0	18	6.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	20.0	0	0.0	0	0.0	4	1.5	0	0.0
20-29	2	33.3	1	20.0	1	100.0	2	50.0	21	7.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	24	9.1	1	20.0
40-49	1	16.7	1	20.0	0	0.0	1	25.0	62	23.4	1	20.0
50-59	2	33.3	2	40.0	0	0.0	1	25.0	96	36.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	58	21.9	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	33.3	1	20.0	1	100.0	1	25.0	76	28.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	9.4	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Heterosexual contact	2	33.3	2	40.0	0	0.0	0	0.0	75	28.3	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	9	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	2	33.3	2	40.0	0	0.0	2	50.0	76	28.7	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	41	85.4	7	14.6	15	100.0	1,751	100.0	11	100.0
GENDER												
Male	42	87.5	35	85.4	7	100.0	12	80.0	1,232	70.4	8	72.7
Female	6	12.5	6	14.6	0	0.0	3	20.0	519	29.6	3	27.3
RACE/ETHNICITY												
Black	10	20.8	9	22.0	1	14.3	5	33.3	518	29.6	6	54.5
Latino/Hispanic	20	41.7	16	39.0	4	57.1	7	46.7	766	43.7	5	45.5
White	10	20.8	10	24.4	0	0.0	1	6.7	291	16.6	0	0.0
Asian/Pacific Islander	6	12.5	4	9.8	2	28.6	2	13.3	149	8.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Multiracial	2	4.2	2	4.9	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	2.4	0	0.0	0	0.0	16	0.9	0	0.0
20-29	20	41.7	20	48.8	0	0.0	0	0.0	149	8.5	1	9.1
30-39	14	29.2	11	26.8	3	42.9	3	20.0	275	15.7	2	18.2
40-49	5	10.4	3	7.3	2	28.6	5	33.3	477	27.2	2	18.2
50-59	6	12.5	5	12.2	1	14.3	6	40.0	574	32.8	3	27.3
60+	2	4.2	1	2.4	1	14.3	1	6.7	257	14.7	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	70.8	30	73.2	4	57.1	5	33.3	654	37.4	2	18.2
Injection drug use history (IDU)	2	4.2	1	2.4	1	14.3	2	13.3	191	10.9	3	27.3
MSM-IDU	2	4.2	2	4.9	0	0.0	0	0.0	21	1.2	0	0.0
Heterosexual contact	5	10.4	5	12.2	0	0.0	6	40.0	422	24.1	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.7	1	9.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	10.4	3	7.3	2	28.6	2	13.3	405	23.1	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	57	83.8	11	16.2	39	100.0	3,097	100.0	46	100.0
GENDER												
Male	50	73.5	43	75.4	7	63.6	23	59.0	1,894	61.2	31	67.4
Female	18	26.5	14	24.6	4	36.4	16	41.0	1,203	38.8	15	32.6
RACE/ETHNICITY												
Black	52	76.5	42	73.7	10	90.9	31	79.5	2,286	73.8	29	63.0
Latino/Hispanic	9	13.2	8	14.0	1	9.1	4	10.3	552	17.8	14	30.4
White	0	0.0	0	0.0	0	0.0	2	5.1	158	5.1	1	2.2
Asian/Pacific Islander	5	7.4	5	8.8	0	0.0	2	5.1	80	2.6	2	4.3
Native American	1	1.5	1	1.8	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	1.5	1	1.8	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	6	8.8	6	10.5	0	0.0	1	2.6	26	0.8	0	0.0
20-29	24	35.3	21	36.8	3	27.3	5	12.8	292	9.4	3	6.5
30-39	16	23.5	13	22.8	3	27.3	11	28.2	384	12.4	1	2.2
40-49	9	13.2	7	12.3	2	18.2	9	23.1	745	24.1	13	28.3
50-59	8	11.8	6	10.5	2	18.2	8	20.5	1,042	33.6	12	26.1
60+	5	7.4	4	7.0	1	9.1	5	12.8	600	19.4	17	37.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	38	55.9	33	57.9	5	45.5	12	30.8	784	25.3	9	19.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	391	12.6	10	21.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	50	1.6	0	0.0
Heterosexual contact	16	23.5	12	21.1	4	36.4	15	38.5	918	29.6	11	23.9
Transgender people with sexual contact	1	1.5	1	1.8	0	0.0	0	0.0	11	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	93	3.0	2	4.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	13	19.1	11	19.3	2	18.2	11	28.2	842	27.2	14	30.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	29	93.5	2	6.5	18	100.0	1,279	100.0	13	100.0
GENDER												
Male	21	67.7	19	65.5	2	100.0	9	50.0	730	57.1	9	69.2
Female	10	32.3	10	34.5	0	0.0	9	50.0	549	42.9	4	30.8
RACE/ETHNICITY												
Black	23	74.2	21	72.4	2	100.0	15	83.3	993	77.6	11	84.6
Latino/Hispanic	3	9.7	3	10.3	0	0.0	2	11.1	151	11.8	0	0.0
White	2	6.5	2	6.9	0	0.0	1	5.6	95	7.4	2	15.4
Asian/Pacific Islander	1	3.2	1	3.4	0	0.0	0	0.0	34	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	2	6.5	2	6.9	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	25.8	7	24.1	1	50.0	5	27.8	122	9.5	0	0.0
30-39	11	35.5	11	37.9	0	0.0	4	22.2	182	14.2	2	15.4
40-49	8	25.8	7	24.1	1	50.0	8	44.4	305	23.8	0	0.0
50-59	2	6.5	2	6.9	0	0.0	1	5.6	418	32.7	7	53.8
60+	2	6.5	2	6.9	0	0.0	0	0.0	238	18.6	4	30.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	38.7	11	37.9	1	50.0	4	22.2	263	20.6	3	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.6	136	10.6	4	30.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.3	1	7.7
Heterosexual contact	10	32.3	9	31.0	1	50.0	8	44.4	396	31.0	3	23.1
Transgender people with sexual contact	1	3.2	1	3.4	0	0.0	0	0.0	5	0.4	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	1	5.6	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	8	25.8	8	27.6	0	0.0	4	22.2	405	31.7	1	7.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	23	82.1	5	17.9	16	100.0	1,153	100.0	21	100.0
GENDER												
Male	21	75.0	19	82.6	2	40.0	9	56.3	663	57.5	12	57.1
Female	7	25.0	4	17.4	3	60.0	7	43.8	490	42.5	9	42.9
RACE/ETHNICITY												
Black	19	67.9	16	69.6	3	60.0	11	68.8	737	63.9	7	33.3
Latino/Hispanic	6	21.4	4	17.4	2	40.0	5	31.3	281	24.4	5	23.8
White	3	10.7	3	13.0	0	0.0	0	0.0	115	10.0	8	38.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	1	4.8
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.6	1	4.3	0	0.0	0	0.0	16	1.4	0	0.0
20-29	9	32.1	9	39.1	0	0.0	3	18.8	102	8.8	0	0.0
30-39	6	21.4	5	21.7	1	20.0	4	25.0	152	13.2	0	0.0
40-49	6	21.4	5	21.7	1	20.0	3	18.8	287	24.9	3	14.3
50-59	5	17.9	2	8.7	3	60.0	6	37.5	383	33.2	7	33.3
60+	1	3.6	1	4.3	0	0.0	0	0.0	213	18.5	11	52.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	60.7	15	65.2	2	40.0	7	43.8	257	22.3	3	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	176	15.3	7	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	2.1	1	4.8
Heterosexual contact	6	21.4	4	17.4	2	40.0	5	31.3	391	33.9	6	28.6
Transgender people with sexual contact	1	3.6	1	4.3	0	0.0	1	6.3	9	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	4.8
Unknown	4	14.3	3	13.0	1	20.0	2	12.5	259	22.5	3	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	9	69.2	4	30.8	7	100.0	583	100.0	17	100.0
GENDER												
Male	9	69.2	6	66.7	3	75.0	7	100.0	354	60.7	8	47.1
Female	4	30.8	3	33.3	1	25.0	0	0.0	229	39.3	9	52.9
RACE/ETHNICITY												
Black	5	38.5	5	55.6	0	0.0	2	28.6	290	49.7	10	58.8
Latino/Hispanic	5	38.5	4	44.4	1	25.0	3	42.9	194	33.3	4	23.5
White	2	15.4	0	0.0	2	50.0	2	28.6	85	14.6	3	17.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other/Unknown	1	7.7	0	0.0	1	25.0	0	0.0	9	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.7	1	11.1	0	0.0	0	0.0	7	1.2	0	0.0
20-29	2	15.4	1	11.1	1	25.0	1	14.3	47	8.1	0	0.0
30-39	4	30.8	4	44.4	0	0.0	1	14.3	99	17.0	1	5.9
40-49	6	46.2	3	33.3	3	75.0	2	28.6	143	24.5	1	5.9
50-59	0	0.0	0	0.0	0	0.0	1	14.3	196	33.6	10	58.8
60+	0	0.0	0	0.0	0	0.0	2	28.6	90	15.4	5	29.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	4	44.4	2	50.0	4	57.1	137	23.5	1	5.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	115	19.7	6	35.3
MSM-IDU	1	7.7	1	11.1	0	0.0	0	0.0	16	2.7	1	5.9
Heterosexual contact	5	38.5	4	44.4	1	25.0	0	0.0	167	28.6	6	35.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	7.7	0	0.0	1	25.0	2	28.6	125	21.4	3	17.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	14	100.0	1,072	100.0	29	100.0
GENDER												
Male	8	53.3	7	58.3	1	33.3	8	57.1	694	64.7	19	65.5
Female	7	46.7	5	41.7	2	66.7	6	42.9	378	35.3	10	34.5
RACE/ETHNICITY												
Black	7	46.7	6	50.0	1	33.3	7	50.0	484	45.1	15	51.7
Latino/Hispanic	7	46.7	6	50.0	1	33.3	5	35.7	306	28.5	8	27.6
White	1	6.7	0	0.0	1	33.3	1	7.1	263	24.5	6	20.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	7.1	7	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	6.7	1	8.3	0	0.0	0	0.0	8	0.7	0	0.0
20-29	3	20.0	3	25.0	0	0.0	2	14.3	74	6.9	1	3.4
30-39	4	26.7	4	33.3	0	0.0	2	14.3	130	12.1	1	3.4
40-49	3	20.0	2	16.7	1	33.3	5	35.7	261	24.3	6	20.7
50-59	3	20.0	2	16.7	1	33.3	3	21.4	391	36.5	12	41.4
60+	1	6.7	0	0.0	1	33.3	2	14.3	207	19.3	9	31.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	40.0	5	41.7	1	33.3	3	21.4	292	27.2	5	17.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	14.3	187	17.4	8	27.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	41	3.8	4	13.8
Heterosexual contact	7	46.7	6	50.0	1	33.3	5	35.7	263	24.5	5	17.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.9	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	2	13.3	1	8.3	1	33.3	4	28.6	245	22.9	6	20.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	196	100.0	4	100.0
GENDER												
Male	6	85.7	5	100.0	1	50.0	2	50.0	137	69.9	2	50.0
Female	1	14.3	0	0.0	1	50.0	2	50.0	59	30.1	2	50.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	1	25.0	35	17.9	0	0.0
Latino/Hispanic	1	14.3	1	20.0	0	0.0	0	0.0	56	28.6	1	25.0
White	4	57.1	2	40.0	2	100.0	3	75.0	97	49.5	3	75.0
Asian/Pacific Islander	1	14.3	1	20.0	0	0.0	0	0.0	6	3.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0
20-29	2	28.6	2	40.0	0	0.0	0	0.0	10	5.1	0	0.0
30-39	1	14.3	1	20.0	0	0.0	0	0.0	25	12.8	0	0.0
40-49	2	28.6	1	20.0	1	50.0	3	75.0	47	24.0	2	50.0
50-59	1	14.3	1	20.0	0	0.0	0	0.0	75	38.3	1	25.0
60+	1	14.3	0	0.0	1	50.0	1	25.0	36	18.4	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	57.1	4	80.0	0	0.0	0	0.0	68	34.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	32	16.3	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.4	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	3	42.9	1	20.0	2	100.0	4	100.0	45	23.0	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP code is included in Willowbrook: 10314.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2014, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWHA AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	6	100.0	413	100.0	8	100.0
GENDER												
Male	6	85.7	5	100.0	1	50.0	5	83.3	278	67.3	6	75.0
Female	1	14.3	0	0.0	1	50.0	1	16.7	135	32.7	2	25.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	1	16.7	77	18.6	0	0.0
Latino/Hispanic	1	14.3	0	0.0	1	50.0	2	33.3	98	23.7	3	37.5
White	5	71.4	4	80.0	1	50.0	3	50.0	234	56.7	5	62.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
20-29	4	57.1	4	80.0	0	0.0	0	0.0	20	4.8	1	12.5
30-39	1	14.3	0	0.0	1	50.0	2	33.3	40	9.7	1	12.5
40-49	1	14.3	1	20.0	0	0.0	0	0.0	109	26.4	0	0.0
50-59	1	14.3	0	0.0	1	50.0	3	50.0	162	39.2	4	50.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	76	18.4	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	57.1	4	80.0	0	0.0	0	0.0	92	22.3	0	0.0
Injection drug use history (IDU)	1	14.3	0	0.0	1	50.0	3	50.0	79	19.1	4	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	1	12.5
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	16.7	101	24.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	3.1	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	2	28.6	1	20.0	1	50.0	2	33.3	114	27.6	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	32.7	1.4	10.1	8,495,193
GENDER				
Male	54.4	2.2	9.8	4,050,594
Female	12.9	0.8	10.8	4,444,599
RACE/ETHNICITY				
Black	62.2	2.8	11.6	1,905,649
Latino/Hispanic	36.8	1.6	10.4	2,464,334
White	18.8	0.9	6.9	2,763,947
Asian/Pacific Islander	10.5	0.2	4.8	1,203,517
Native American	40.7*	1.4	7.5*	19,663
AGE GROUP (YEARS)				
0 - 12	0.5*	0.0	0.0*	1,325,512
13 - 19	16.5	0.1	0.0*	665,052
20 - 29	67.3	0.7	3.6	1,415,268
30 - 39	55.9	1.3	5.9	1,332,910
40 - 49	44.7	2.8	9.5	1,126,824
50 - 59	29.0	3.6	16.9	1,084,527
60+	9.3	1.4	29.9	1,545,100

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017.

Male category includes transgender men and female category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2014 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2014**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION^{1,2}	PLWHA AS PERCENT OF POPULATION²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2014 NEW YORK CITY POPULATION⁴
TOTAL	32.7	1.4	10.1	8,495,193
BRONX⁵	35.4	2.0	12.1	1,439,141
Crotona - Tremont	49.4	2.6	13.4	214,774
Fordham - Bronx Park	38.4	2.1	10.8	263,343
High Bridge - Morrisania	45.9	2.7	13.4	220,121
Hunts Point - Mott Haven	47.4	2.6	14.8	143,609
Kingsbridge - Riverdale	17.2	0.7	11.8	92,927
Northeast Bronx	28.1	1.3	12.0	195,487
Pelham - Throgs Neck	19.7	1.4	8.0	308,880
BROOKLYN⁵	27.6	1.1	9.7	2,620,720
Bedford Stuyvesant - Crown Heights	50.1	2.3	11.2	321,324
Bensonhurst - Bay Ridge	7.2	0.3	12.1	222,504
Borough Park	8.2	0.3	9.4	352,981
Canarsie - Flatlands	31.3	0.8	9.1	197,893
Coney Island - Sheepshead Bay	13.1	0.4	11.3	304,512
Downtown - Heights - Park Slope	27.5	1.2	8.4	236,303
East Flatbush - Flatbush	40.2	1.7	7.5	301,154
East New York	56.1	1.8	13.8	188,898
Greenpoint	12.5	0.6	3.2*	144,397
Sunset Park	8.1	0.6	5.6*	136,537
Williamsburg - Bushwick	43.9	1.8	10.2	214,215
MANHATTAN⁵	40.2	1.9	6.4	1,628,162
Central Harlem - Morningside Heights	77.9	2.8	8.0	164,328
Chelsea - Clinton	84.5	4.1	4.2	159,779
East Harlem	59.0	2.6	16.0	113,514
Gramercy Park - Murray Hill	33.8	1.5	3.7	136,055
Greenwich Village - Soho	33.9	2.3	1.7*	85,459
Lower Manhattan	19.0	1.0	2.8*	57,768
Union Square - Lower East Side	30.9	1.5	8.2	203,909
Upper East Side	10.6	0.6	4.2*	226,236
Upper West Side	20.8	1.4	7.1	225,935
Washington Heights - Inwood	36.4	1.7	4.5	255,178
QUEENS⁵	19.6	0.8	7.2	2,329,514
Bayside - Little Neck	5.5*	0.2	7.8*	90,265
Flushing - Clearview	5.9	0.2	16.1	272,652
Fresh Meadows	6.0*	0.3	17.9*	99,657
Jamaica	22.8	1.0	10.9	297,623
Long Island City - Astoria	29.4	0.9	3.5*	224,444
Ridgewood - Forest Hills	16.1	0.5	3.9*	248,090
Rockaway	24.2	1.0	12.4	115,467
Southeast Queens	15.8	0.7	6.9	195,955
Southwest Queens	17.5	0.6	5.6	274,365
West Queens	28.8	1.1	4.8	510,997
STATEN ISLAND⁵	8.9	0.5	17.2	473,300
Port Richmond	18.1	0.8	19.0	72,008
South Beach - Tottenville	3.7*	0.2	18.7*	188,329
Stapleton - St. George	11.9	0.8	17.8	126,211
Willowbrook	8.1*	0.2	12.6*	86,752

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2014 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.