



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2015

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, females	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2015

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2018. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,494	100.0	2,064	82.8	430	17.2	1,419	100.0	123,863	100.0	1,764	100.0
GENDER												
Male	2,007	80.5	1,670	80.9	337	78.4	1,063	74.9	89,300	72.1	1,248	70.7
Female	432	17.3	345	16.7	87	20.2	332	23.4	33,237	26.8	503	28.5
Transgender	55	2.2	49	2.4	6	1.4	24	1.7	1,326	1.1	13	0.7
RACE/ETHNICITY												
Black	1,014	40.7	818	39.6	196	45.6	716	50.5	54,237	43.8	909	51.5
Latino/Hispanic	930	37.3	784	38.0	146	34.0	442	31.1	40,551	32.7	542	30.7
White	409	16.4	349	16.9	60	14.0	192	13.5	25,571	20.6	274	15.5
Asian/Pacific Islander	114	4.6	92	4.5	22	5.1	56	3.9	2,595	2.1	27	1.5
Native American	4	0.2	4	0.2	0	0.0	4	0.3	290	0.2	6	0.3
Multiracial	23	0.9	17	0.8	6	1.4	9	0.6	281	0.2	6	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	338	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.1	0	0.0	2	0.1	125	0.1	0	0.0
13-19	84	3.4	81	3.9	3	0.7	24	1.7	681	0.5	0	0.0
20-29	917	36.8	851	41.2	66	15.3	241	17.0	10,471	8.5	38	2.2
30-39	616	24.7	505	24.5	111	25.8	344	24.2	18,398	14.9	112	6.3
40-49	417	16.7	309	15.0	108	25.1	356	25.1	29,570	23.9	297	16.8
50-59	317	12.7	220	10.7	97	22.6	299	21.1	40,083	32.4	626	35.5
60+	141	5.7	96	4.7	45	10.5	153	10.8	24,535	19.8	691	39.2
BOROUGH OF RESIDENCE												
Bronx	494	19.8	404	19.6	90	20.9	295	20.8	28,957	23.4	463	26.2
Brooklyn	639	25.6	524	25.4	115	26.7	356	25.1	29,195	23.6	407	23.1
Manhattan	575	23.1	494	23.9	81	18.8	239	16.8	31,936	25.8	320	18.1
Queens	435	17.4	339	16.4	96	22.3	246	17.3	17,850	14.4	165	9.4
Staten Island	43	1.7	34	1.6	9	2.1	23	1.6	2,355	1.9	41	2.3
Outside NYC	245	9.8	206	10.0	39	9.1	214	15.1	11,913	9.6	73	4.1
Unknown	63	2.5	63	3.1	0	0.0	46	3.2	1,657	1.3	295	16.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	193	7.7	161	7.8	32	7.4	92	6.5	11,991	9.7	97	5.5
Medium poverty (10 to <20% below FPL)	720	28.9	586	28.4	134	31.2	391	27.6	36,408	29.4	362	20.5
High poverty (20 to <30% below FPL)	672	26.9	541	26.2	131	30.5	329	23.2	28,518	23.0	375	21.3
Very high poverty (≥30% below FPL)	596	23.9	503	24.4	93	21.6	344	24.2	31,972	25.8	562	31.9
Area-based poverty level not available	313	12.6	273	13.2	40	9.3	263	18.5	14,974	12.1	368	20.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,466	58.8	1,267	61.4	199	46.3	620	43.7	49,371	39.9	388	22.0
Injection drug use history (IDU)	48	1.9	44	2.1	4	0.9	69	4.9	16,059	13.0	480	27.2
MSM-IDU	49	2.0	48	2.3	1	0.2	28	2.0	3,092	2.5	73	4.1
Heterosexual contact	420	16.8	325	15.7	95	22.1	289	20.4	24,452	19.7	354	20.1
Transgender people with sexual contact	53	2.1	47	2.3	6	1.4	22	1.6	1,122	0.9	7	0.4
Perinatal	2	0.1	2	0.1	0	0.0	36	2.5	2,551	2.1	19	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	200	0.2	4	0.2
Unknown	456	18.3	331	16.0	125	29.1	355	25.0	27,016	21.8	439	24.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.2.1. Males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,009	100.0	1,672	83.2	337	16.8	1,063	100.0	89,315	100.0	1,250	100.0
RACE/ETHNICITY												
Black	728	36.2	592	35.4	136	40.4	493	46.4	34,232	38.3	612	49.0
Latino/Hispanic	774	38.5	655	39.2	119	35.3	339	31.9	29,199	32.7	377	30.2
White	384	19.1	327	19.6	57	16.9	173	16.3	23,043	25.8	229	18.3
Asian/Pacific Islander	99	4.9	80	4.8	19	5.6	47	4.4	2,152	2.4	22	1.8
Native American	3	0.1	3	0.2	0	0.0	3	0.3	211	0.2	5	0.4
Multiracial	21	1.0	15	0.9	6	1.8	8	0.8	219	0.2	5	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	259	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.1	0	0.0	1	0.1	65	0.1	0	0.0
13-19	72	3.6	69	4.1	3	0.9	16	1.5	359	0.4	0	0.0
20-29	787	39.2	728	43.5	59	17.5	197	18.5	8,058	9.0	28	2.2
30-39	510	25.4	419	25.1	91	27.0	267	25.1	13,814	15.5	71	5.7
40-49	314	15.6	234	14.0	80	23.7	256	24.1	20,804	23.3	200	16.0
50-59	234	11.6	158	9.4	76	22.6	228	21.4	28,292	31.7	428	34.2
60+	90	4.5	62	3.7	28	8.3	98	9.2	17,923	20.1	523	41.8
BOROUGH OF RESIDENCE												
Bronx	343	17.1	282	16.9	61	18.1	197	18.5	17,913	20.1	291	23.3
Brooklyn	498	24.8	417	24.9	81	24.0	248	23.3	19,245	21.5	285	22.8
Manhattan	517	25.7	443	26.5	74	22.0	198	18.6	26,734	29.9	260	20.8
Queens	365	18.2	283	16.9	82	24.3	198	18.6	12,977	14.5	110	8.8
Staten Island	30	1.5	23	1.4	7	2.1	15	1.4	1,522	1.7	26	2.1
Outside NYC	206	10.3	174	10.4	32	9.5	173	16.3	9,673	10.8	57	4.6
Unknown	50	2.5	50	3.0	0	0.0	34	3.2	1,251	1.4	221	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	166	8.3	140	8.4	26	7.7	72	6.8	10,128	11.3	71	5.7
Medium poverty (10 to <20% below FPL)	590	29.4	482	28.8	108	32.0	312	29.4	26,877	30.1	265	21.2
High poverty (20 to <30% below FPL)	553	27.5	451	27.0	102	30.3	243	22.9	19,831	22.2	261	20.9
Very high poverty (≥30% below FPL)	441	22.0	373	22.3	68	20.2	227	21.4	20,443	22.9	375	30.0
Area-based poverty level not available	259	12.9	226	13.5	33	9.8	209	19.7	12,036	13.5	278	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,466	73.0	1,267	75.8	199	59.1	620	58.3	49,371	55.3	388	31.0
Injection drug use history (IDU)	30	1.5	28	1.7	2	0.6	37	3.5	10,504	11.8	335	26.8
MSM-IDU	49	2.4	48	2.9	1	0.3	28	2.6	3,092	3.5	73	5.8
Heterosexual contact	93	4.6	62	3.7	31	9.2	85	8.0	6,107	6.8	104	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
Perinatal	2	0.1	2	0.1	0	0.0	19	1.8	1,245	1.4	11	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	1	0.1
Unknown	369	18.4	265	15.8	104	30.9	274	25.8	18,876	21.1	338	27.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.2.2. Females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	485	100.0	392	80.8	93	19.2	356	100.0	34,548	100.0	514	100.0
RACE/ETHNICITY												
Black	286	59.0	226	57.7	60	64.5	223	62.6	20,005	57.9	297	57.8
Latino/Hispanic	156	32.2	129	32.9	27	29.0	103	28.9	11,352	32.9	165	32.1
White	25	5.2	22	5.6	3	3.2	19	5.3	2,528	7.3	45	8.8
Asian/Pacific Islander	15	3.1	12	3.1	3	3.2	9	2.5	443	1.3	5	1.0
Native American	1	0.2	1	0.3	0	0.0	1	0.3	79	0.2	1	0.2
Multiracial	2	0.4	2	0.5	0	0.0	1	0.3	62	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	79	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.3	60	0.2	0	0.0
13-19	12	2.5	12	3.1	0	0.0	8	2.2	322	0.9	0	0.0
20-29	130	26.8	123	31.4	7	7.5	44	12.4	2,413	7.0	10	1.9
30-39	106	21.9	86	21.9	20	21.5	77	21.6	4,584	13.3	41	8.0
40-49	103	21.2	75	19.1	28	30.1	100	28.1	8,766	25.4	97	18.9
50-59	83	17.1	62	15.8	21	22.6	71	19.9	11,791	34.1	198	38.5
60+	51	10.5	34	8.7	17	18.3	55	15.4	6,612	19.1	168	32.7
BOROUGH OF RESIDENCE												
Bronx	151	31.1	122	31.1	29	31.2	98	27.5	11,044	32.0	172	33.5
Brooklyn	141	29.1	107	27.3	34	36.6	108	30.3	9,950	28.8	122	23.7
Manhattan	58	12.0	51	13.0	7	7.5	41	11.5	5,202	15.1	60	11.7
Queens	70	14.4	56	14.3	14	15.1	48	13.5	4,873	14.1	55	10.7
Staten Island	13	2.7	11	2.8	2	2.2	8	2.2	833	2.4	15	2.9
Outside NYC	39	8.0	32	8.2	7	7.5	41	11.5	2,240	6.5	16	3.1
Unknown	13	2.7	13	3.3	0	0.0	12	3.4	406	1.2	74	14.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	5.6	21	5.4	6	6.5	20	5.6	1,863	5.4	26	5.1
Medium poverty (10 to <20% below FPL)	130	26.8	104	26.5	26	28.0	79	22.2	9,531	27.6	97	18.9
High poverty (20 to <30% below FPL)	119	24.5	90	23.0	29	31.2	86	24.2	8,687	25.1	114	22.2
Very high poverty (≥30% below FPL)	155	32.0	130	33.2	25	26.9	117	32.9	11,529	33.4	187	36.4
Area-based poverty level not available	54	11.1	47	12.0	7	7.5	54	15.2	2,938	8.5	90	17.5
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.7	16	4.1	2	2.2	32	9.0	5,555	16.1	145	28.2
Heterosexual contact	327	67.4	263	67.1	64	68.8	204	57.3	18,345	53.1	250	48.6
Transgender people with sexual contact	53	10.9	47	12.0	6	6.5	22	6.2	1,111	3.2	7	1.4
Perinatal	0	0.0	0	0.0	0	0.0	17	4.8	1,306	3.8	8	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	91	0.3	3	0.6
Unknown	87	17.9	66	16.8	21	22.6	81	22.8	8,140	23.6	101	19.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.1. Black males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	728	100.0	592	81.3	136	18.7	493	100.0	34,232	100.0	612	100.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	1	0.2	41	0.1	0	0.0
13-19	36	4.9	33	5.6	3	2.2	11	2.2	208	0.6	0	0.0
20-29	307	42.2	285	48.1	22	16.2	90	18.3	3,967	11.6	13	2.1
30-39	145	19.9	112	18.9	33	24.3	117	23.7	5,282	15.4	36	5.9
40-49	102	14.0	69	11.7	33	24.3	122	24.7	7,165	20.9	74	12.1
50-59	89	12.2	60	10.1	29	21.3	99	20.1	10,457	30.5	217	35.5
60+	48	6.6	32	5.4	16	11.8	53	10.8	7,112	20.8	272	44.4
BOROUGH OF RESIDENCE												
Bronx	156	21.4	124	20.9	32	23.5	96	19.5	8,017	23.4	139	22.7
Brooklyn	264	36.3	210	35.5	54	39.7	164	33.3	10,824	31.6	177	28.9
Manhattan	130	17.9	111	18.8	19	14.0	61	12.4	7,056	20.6	113	18.5
Queens	77	10.6	60	10.1	17	12.5	61	12.4	4,301	12.6	51	8.3
Staten Island	12	1.6	9	1.5	3	2.2	6	1.2	545	1.6	8	1.3
Outside NYC	68	9.3	57	9.6	11	8.1	91	18.5	3,066	9.0	25	4.1
Unknown	21	2.9	21	3.5	0	0.0	14	2.8	423	1.2	99	16.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	36	4.9	30	5.1	6	4.4	28	5.7	1,881	5.5	17	2.8
Medium poverty (10 to <20% below FPL)	187	25.7	143	24.2	44	32.4	143	29.0	10,116	29.6	123	20.1
High poverty (20 to <30% below FPL)	216	29.7	174	29.4	42	30.9	104	21.1	8,766	25.6	139	22.7
Very high poverty (≥30% below FPL)	200	27.5	167	28.2	33	24.3	113	22.9	9,572	28.0	209	34.2
Area-based poverty level not available	89	12.2	78	13.2	11	8.1	105	21.3	3,897	11.4	124	20.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	443	60.9	381	64.4	62	45.6	241	48.9	15,168	44.3	152	24.8
Injection drug use history (IDU)	7	1.0	7	1.2	0	0.0	13	2.6	4,234	12.4	168	27.5
MSM-IDU	13	1.8	12	2.0	1	0.7	12	2.4	1,107	3.2	27	4.4
Heterosexual contact	64	8.8	44	7.4	20	14.7	62	12.6	3,339	9.8	69	11.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
Perinatal	1	0.1	1	0.2	0	0.0	10	2.0	700	2.0	6	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	1	0.2
Unknown	200	27.5	147	24.8	53	39.0	155	31.4	9,642	28.2	189	30.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	286	100.0	226	79.0	60	21.0	223	100.0	20,005	100.0	297	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.4	33	0.2	0	0.0
13-19	5	1.7	5	2.2	0	0.0	7	3.1	200	1.0	0	0.0
20-29	82	28.7	78	34.5	4	6.7	27	12.1	1,426	7.1	7	2.4
30-39	68	23.8	55	24.3	13	21.7	50	22.4	2,818	14.1	25	8.4
40-49	53	18.5	37	16.4	16	26.7	62	27.8	5,188	25.9	59	19.9
50-59	48	16.8	34	15.0	14	23.3	45	20.2	6,678	33.4	104	35.0
60+	30	10.5	17	7.5	13	21.7	31	13.9	3,662	18.3	102	34.3
BOROUGH OF RESIDENCE												
Bronx	75	26.2	58	25.7	17	28.3	57	25.6	5,645	28.2	87	29.3
Brooklyn	108	37.8	81	35.8	27	45.0	83	37.2	6,942	34.7	80	26.9
Manhattan	31	10.8	27	11.9	4	6.7	22	9.9	2,850	14.2	35	11.8
Queens	34	11.9	27	11.9	7	11.7	29	13.0	2,747	13.7	39	13.1
Staten Island	8	2.8	7	3.1	1	1.7	3	1.3	397	2.0	6	2.0
Outside NYC	23	8.0	19	8.4	4	6.7	21	9.4	1,198	6.0	10	3.4
Unknown	7	2.4	7	3.1	0	0.0	8	3.6	226	1.1	40	13.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	4.9	11	4.9	3	5.0	12	5.4	1,029	5.1	14	4.7
Medium poverty (10 to <20% below FPL)	76	26.6	59	26.1	17	28.3	52	23.3	5,861	29.3	53	17.8
High poverty (20 to <30% below FPL)	82	28.7	61	27.0	21	35.0	56	25.1	5,185	25.9	69	23.2
Very high poverty (≥30% below FPL)	82	28.7	67	29.6	15	25.0	73	32.7	6,345	31.7	111	37.4
Area-based poverty level not available	32	11.2	28	12.4	4	6.7	30	13.5	1,585	7.9	50	16.8
TRANSMISSION RISK												
Injection drug use history (IDU)	8	2.8	7	3.1	1	1.7	16	7.2	2,627	13.1	64	21.5
Heterosexual contact	207	72.4	159	70.4	48	80.0	140	62.8	10,911	54.5	156	52.5
Transgender people with sexual contact	17	5.9	16	7.1	1	1.7	8	3.6	544	2.7	2	0.7
Perinatal	0	0.0	0	0.0	0	0.0	11	4.9	759	3.8	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	1	0.3
Unknown	54	18.9	44	19.5	10	16.7	48	21.5	5,117	25.6	70	23.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.3. Latino/Hispanic males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	774	100.0	655	84.6	119	15.4	339	100.0	29,199	100.0	377	100.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	18	0.1	0	0.0
13-19	22	2.8	22	3.4	0	0.0	4	1.2	116	0.4	0	0.0
20-29	310	40.1	285	43.5	25	21.0	71	20.9	2,713	9.3	12	3.2
30-39	225	29.1	185	28.2	40	33.6	101	29.8	4,867	16.7	18	4.8
40-49	117	15.1	92	14.0	25	21.0	72	21.2	7,351	25.2	82	21.8
50-59	74	9.6	50	7.6	24	20.2	67	19.8	8,934	30.6	134	35.5
60+	25	3.2	20	3.1	5	4.2	24	7.1	5,200	17.8	131	34.7
BOROUGH OF RESIDENCE												
Bronx	170	22.0	144	22.0	26	21.8	89	26.3	8,709	29.8	129	34.2
Brooklyn	141	18.2	122	18.6	19	16.0	54	15.9	4,801	16.4	76	20.2
Manhattan	192	24.8	168	25.6	24	20.2	63	18.6	7,327	25.1	71	18.8
Queens	182	23.5	141	21.5	41	34.5	84	24.8	5,434	18.6	28	7.4
Staten Island	9	1.2	7	1.1	2	1.7	6	1.8	442	1.5	8	2.1
Outside NYC	63	8.1	56	8.5	7	5.9	32	9.4	2,034	7.0	9	2.4
Unknown	17	2.2	17	2.6	0	0.0	11	3.2	452	1.5	56	14.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	52	6.7	47	7.2	5	4.2	13	3.8	2,046	7.0	11	2.9
Medium poverty (10 to <20% below FPL)	221	28.6	184	28.1	37	31.1	94	27.7	8,361	28.6	80	21.2
High poverty (20 to <30% below FPL)	217	28.0	176	26.9	41	34.5	94	27.7	6,997	24.0	83	22.0
Very high poverty (≥30% below FPL)	204	26.4	175	26.7	29	24.4	94	27.7	8,956	30.7	138	36.6
Area-based poverty level not available	80	10.3	73	11.1	7	5.9	44	13.0	2,839	9.7	65	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	607	78.4	530	80.9	77	64.7	212	62.5	14,766	50.6	97	25.7
Injection drug use history (IDU)	16	2.1	16	2.4	0	0.0	15	4.4	4,976	17.0	131	34.7
MSM-IDU	22	2.8	22	3.4	0	0.0	10	2.9	1,197	4.1	33	8.8
Heterosexual contact	18	2.3	9	1.4	9	7.6	19	5.6	2,052	7.0	22	5.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.1	1	0.2	0	0.0	9	2.7	456	1.6	4	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
Unknown	110	14.2	77	11.8	33	27.7	74	21.8	5,727	19.6	90	23.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	156	100.0	129	82.7	27	17.3	103	100.0	11,352	100.0	165	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
13-19	7	4.5	7	5.4	0	0.0	1	1.0	107	0.9	0	0.0
20-29	38	24.4	35	27.1	3	11.1	15	14.6	792	7.0	3	1.8
30-39	28	17.9	23	17.8	5	18.5	21	20.4	1,368	12.1	12	7.3
40-49	42	26.9	32	24.8	10	37.0	30	29.1	2,806	24.7	32	19.4
50-59	28	17.9	22	17.1	6	22.2	21	20.4	3,981	35.1	71	43.0
60+	13	8.3	10	7.8	3	11.1	15	14.6	2,275	20.0	47	28.5
BOROUGH OF RESIDENCE												
Bronx	72	46.2	60	46.5	12	44.4	39	37.9	4,951	43.6	76	46.1
Brooklyn	28	17.9	22	17.1	6	22.2	20	19.4	2,302	20.3	34	20.6
Manhattan	20	12.8	17	13.2	3	11.1	16	15.5	1,727	15.2	16	9.7
Queens	17	10.9	14	10.9	3	11.1	10	9.7	1,465	12.9	9	5.5
Staten Island	2	1.3	1	0.8	1	3.7	2	1.9	244	2.1	5	3.0
Outside NYC	11	7.1	9	7.0	2	7.4	14	13.6	529	4.7	4	2.4
Unknown	6	3.8	6	4.7	0	0.0	2	1.9	134	1.2	21	12.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	1.9	2	1.6	1	3.7	3	2.9	377	3.3	6	3.6
Medium poverty (10 to <20% below FPL)	37	23.7	30	23.3	7	25.9	19	18.4	2,632	23.2	33	20.0
High poverty (20 to <30% below FPL)	31	19.9	24	18.6	7	25.9	22	21.4	2,854	25.1	29	17.6
Very high poverty (≥30% below FPL)	68	43.6	58	45.0	10	37.0	43	41.7	4,758	41.9	72	43.6
Area-based poverty level not available	17	10.9	15	11.6	2	7.4	16	15.5	731	6.4	25	15.2
TRANSMISSION RISK												
Injection drug use history (IDU)	6	3.8	5	3.9	1	3.7	14	13.6	2,265	20.0	58	35.2
Heterosexual contact	94	60.3	80	62.0	14	51.9	50	48.5	5,897	51.9	73	44.2
Transgender people with sexual contact	33	21.2	29	22.5	4	14.8	10	9.7	457	4.0	3	1.8
Perinatal	0	0.0	0	0.0	0	0.0	6	5.8	461	4.1	4	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	23	14.7	15	11.6	8	29.6	23	22.3	2,249	19.8	27	16.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.5. White males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	384	100.0	327	85.2	57	14.8	173	100.0	23,043	100.0	229	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	6	1.6	6	1.8	0	0.0	0	0.0	21	0.1	0	0.0
20-29	119	31.0	114	34.9	5	8.8	23	13.3	1,025	4.4	2	0.9
30-39	108	28.1	96	29.4	12	21.1	34	19.7	3,092	13.4	13	5.7
40-49	77	20.1	60	18.3	17	29.8	49	28.3	5,497	23.9	36	15.7
50-59	58	15.1	41	12.5	17	29.8	48	27.7	8,163	35.4	67	29.3
60+	16	4.2	10	3.1	6	10.5	19	11.0	5,242	22.7	111	48.5
BOROUGH OF RESIDENCE												
Bronx	9	2.3	6	1.8	3	5.3	7	4.0	953	4.1	19	8.3
Brooklyn	79	20.6	73	22.3	6	10.5	24	13.9	3,154	13.7	29	12.7
Manhattan	164	42.7	140	42.8	24	42.1	61	35.3	11,408	49.5	68	29.7
Queens	53	13.8	43	13.1	10	17.5	23	13.3	2,429	10.5	23	10.0
Staten Island	7	1.8	5	1.5	2	3.5	3	1.7	498	2.2	9	3.9
Outside NYC	61	15.9	49	15.0	12	21.1	46	26.6	4,298	18.7	21	9.2
Unknown	11	2.9	11	3.4	0	0.0	9	5.2	303	1.3	60	26.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	63	16.4	52	15.9	11	19.3	24	13.9	5,819	25.3	40	17.5
Medium poverty (10 to <20% below FPL)	133	34.6	116	35.5	17	29.8	49	28.3	7,351	31.9	50	21.8
High poverty (20 to <30% below FPL)	84	21.9	73	22.3	11	19.3	29	16.8	3,399	14.8	36	15.7
Very high poverty (≥30% below FPL)	29	7.6	24	7.3	5	8.8	15	8.7	1,603	7.0	22	9.6
Area-based poverty level not available	75	19.5	62	19.0	13	22.8	56	32.4	4,871	21.1	81	35.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	317	82.6	278	85.0	39	68.4	128	74.0	17,715	76.9	124	54.1
Injection drug use history (IDU)	4	1.0	3	0.9	1	1.8	7	4.0	1,212	5.3	33	14.4
MSM-IDU	11	2.9	11	3.4	0	0.0	5	2.9	729	3.2	13	5.7
Heterosexual contact	6	1.6	4	1.2	2	3.5	4	2.3	511	2.2	9	3.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	67	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	0	0.0
Unknown	46	12.0	31	9.5	15	26.3	29	16.8	2,763	12.0	49	21.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.6. White females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	3	12.0	19	100.0	2,528	100.0	45	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	7	28.0	7	31.8	0	0.0	1	5.3	136	5.4	0	0.0
30-39	5	20.0	3	13.6	2	66.7	5	26.3	273	10.8	3	6.7
40-49	4	16.0	4	18.2	0	0.0	3	15.8	580	22.9	4	8.9
50-59	5	20.0	5	22.7	0	0.0	4	21.1	955	37.8	22	48.9
60+	4	16.0	3	13.6	1	33.3	6	31.6	569	22.5	16	35.6
BOROUGH OF RESIDENCE												
Bronx	3	12.0	3	13.6	0	0.0	2	10.5	351	13.9	9	20.0
Brooklyn	2	8.0	1	4.5	1	33.3	3	15.8	541	21.4	6	13.3
Manhattan	6	24.0	6	27.3	0	0.0	1	5.3	519	20.5	8	17.8
Queens	6	24.0	5	22.7	1	33.3	3	15.8	438	17.3	4	8.9
Staten Island	3	12.0	3	13.6	0	0.0	2	10.5	181	7.2	4	8.9
Outside NYC	5	20.0	4	18.2	1	33.3	6	31.6	466	18.4	2	4.4
Unknown	0	0.0	0	0.0	0	0.0	2	10.5	32	1.3	12	26.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	20.0	4	18.2	1	33.3	3	15.8	413	16.3	5	11.1
Medium poverty (10 to <20% below FPL)	9	36.0	9	40.9	0	0.0	3	15.8	776	30.7	11	24.4
High poverty (20 to <30% below FPL)	3	12.0	2	9.1	1	33.3	5	26.3	484	19.1	12	26.7
Very high poverty (≥30% below FPL)	3	12.0	3	13.6	0	0.0	0	0.0	329	13.0	3	6.7
Area-based poverty level not available	5	20.0	4	18.2	1	33.3	8	42.1	526	20.8	14	31.1
TRANSMISSION RISK												
Injection drug use history (IDU)	4	16.0	4	18.2	0	0.0	1	5.3	628	24.8	22	48.9
Heterosexual contact	14	56.0	13	59.1	1	33.3	8	42.1	1,181	46.7	17	37.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	2	10.5	69	2.7	1	2.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	71	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.7	2	4.4
Unknown	7	28.0	5	22.7	2	66.7	8	42.1	561	22.2	3	6.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	99	100.0	80	80.8	19	19.2	47	100.0	2,152	100.0	22	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	5	5.1	5	6.3	0	0.0	0	0.0	7	0.3	0	0.0
20-29	43	43.4	37	46.3	6	31.6	11	23.4	263	12.2	1	4.5
30-39	25	25.3	20	25.0	5	26.3	12	25.5	461	21.4	4	18.2
40-49	14	14.1	12	15.0	2	10.5	11	23.4	637	29.6	4	18.2
50-59	11	11.1	6	7.5	5	26.3	11	23.4	532	24.7	7	31.8
60+	1	1.0	0	0.0	1	5.3	2	4.3	249	11.6	6	27.3
BOROUGH OF RESIDENCE												
Bronx	8	8.1	8	10.0	0	0.0	3	6.4	137	6.4	2	9.1
Brooklyn	9	9.1	8	10.0	1	5.3	5	10.6	364	16.9	2	9.1
Manhattan	22	22.2	18	22.5	4	21.1	8	17.0	673	31.3	6	27.3
Queens	52	52.5	39	48.8	13	68.4	28	59.6	708	32.9	6	27.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	22	1.0	0	0.0
Outside NYC	7	7.1	6	7.5	1	5.3	3	6.4	188	8.7	2	9.1
Unknown	1	1.0	1	1.3	0	0.0	0	0.0	60	2.8	4	18.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	10.1	8	10.0	2	10.5	5	10.6	285	13.2	3	13.6
Medium poverty (10 to <20% below FPL)	42	42.4	34	42.5	8	42.1	23	48.9	846	39.3	8	36.4
High poverty (20 to <30% below FPL)	33	33.3	25	31.3	8	42.1	15	31.9	548	25.5	3	13.6
Very high poverty (≥30% below FPL)	6	6.1	6	7.5	0	0.0	1	2.1	205	9.5	2	9.1
Area-based poverty level not available	8	8.1	7	8.8	1	5.3	3	6.4	268	12.5	6	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	80	80.8	63	78.8	17	89.5	34	72.3	1,405	65.3	10	45.5
Injection drug use history (IDU)	3	3.0	2	2.5	1	5.3	1	2.1	52	2.4	1	4.5
MSM-IDU	1	1.0	1	1.3	0	0.0	1	2.1	40	1.9	0	0.0
Heterosexual contact	5	5.1	5	6.3	0	0.0	0	0.0	178	8.3	4	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	10	10.1	9	11.3	1	5.3	11	23.4	462	21.5	7	31.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	9	100.0	443	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	20.0	3	25.0	0	0.0	1	11.1	30	6.8	0	0.0
30-39	3	20.0	3	25.0	0	0.0	1	11.1	101	22.8	1	20.0
40-49	4	26.7	2	16.7	2	66.7	4	44.4	128	28.9	2	40.0
50-59	2	13.3	1	8.3	1	33.3	1	11.1	110	24.8	0	0.0
60+	3	20.0	3	25.0	0	0.0	2	22.2	73	16.5	2	40.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	40	9.0	0	0.0
Brooklyn	2	13.3	2	16.7	0	0.0	1	11.1	101	22.8	1	20.0
Manhattan	1	6.7	1	8.3	0	0.0	2	22.2	69	15.6	0	0.0
Queens	12	80.0	9	75.0	3	100.0	6	66.7	183	41.3	3	60.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	34	7.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	2.7	1	20.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	26.7	3	25.0	1	33.3	2	22.2	32	7.2	1	20.0
Medium poverty (10 to <20% below FPL)	7	46.7	5	41.7	2	66.7	4	44.4	200	45.1	0	0.0
High poverty (20 to <30% below FPL)	3	20.0	3	25.0	0	0.0	2	22.2	107	24.2	3	60.0
Very high poverty (≥30% below FPL)	1	6.7	1	8.3	0	0.0	1	11.1	52	11.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	52	11.7	1	20.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	4.3	0	0.0
Heterosexual contact	11	73.3	10	83.3	1	33.3	5	55.6	261	58.9	3	60.0
Transgender people with sexual contact	3	20.0	2	16.7	1	33.3	2	22.2	25	5.6	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	6.7	0	0.0	1	33.3	2	22.2	133	30.0	1	20.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.3.9. Native American males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	3	100.0	211	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	33.3	16	7.6	0	0.0
30-39	3	100.0	3	100.0	0	0.0	1	33.3	38	18.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	62	29.4	3	60.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	60	28.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	35	16.6	2	40.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	40	19.0	2	40.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	43	20.4	0	0.0
Manhattan	2	66.7	2	66.7	0	0.0	2	66.7	54	25.6	2	40.0
Queens	0	0.0	0	0.0	0	0.0	1	33.3	49	23.2	1	20.0
Other/Unknown	1	33.3	1	33.3	0	0.0	0	0.0	25	11.8	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	17	8.1	0	0.0
Medium poverty (10 to <20% below FPL)	1	33.3	1	33.3	0	0.0	1	33.3	67	31.8	1	20.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	54	25.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	50	23.7	4	80.0
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	0	0.0	23	10.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	1	33.3	114	54.0	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	7.1	1	20.0
MSM-IDU	1	33.3	1	33.3	0	0.0	0	0.0	11	5.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	18	8.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	66.7	51	24.2	2	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.10. Native American females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	79	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	8	10.1	0	0.0
30-39	1	100.0	1	100.0	0	0.0	0	0.0	10	12.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	27	34.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	23	29.1	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	100.0	10	12.7	1	100.0
BOROUGH OF RESIDENCE												
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	25	31.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	28	35.4	1	100.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	10	12.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	13.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	100.0	5	6.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	27	34.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	24	30.4	1	100.0
Very high poverty (≥30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	25	31.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	100.0	49	62.0	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	7.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	1	100.0	1	100.0	0	0.0	0	0.0	16	20.3	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	65	100.0	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	1	100.0	41	63.1	0	0.0
Latino/Hispanic	1	50.0	1	50.0	0	0.0	0	0.0	18	27.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	4.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	19	29.2	0	0.0
Brooklyn	1	50.0	1	50.0	0	0.0	0	0.0	15	23.1	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	18.5	0	0.0
Queens	1	50.0	1	50.0	0	0.0	0	0.0	12	18.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	1	100.0	1	1.5	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	5	7.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	4	6.2	0	0.0
Medium poverty (10 to <20% below FPL)	2	100.0	2	100.0	0	0.0	0	0.0	17	26.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	24.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	22	33.8	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	6	9.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	1	100.0	65	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	60	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	100.0	33	55.0	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	23	38.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	3.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	21	35.0	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	18	30.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	1	100.0	9	15.0	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	4	6.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	5.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	6.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	5.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	13	21.7	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	17	28.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	22	36.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	8.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	60	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.4.3. Males 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,007	100.0	1,670	83.2	337	16.8	1,062	100.0	89,250	100.0	1,250	100.0
RACE/ETHNICITY												
Black	727	36.2	591	35.4	136	40.4	492	46.3	34,191	38.3	612	49.0
Latino/Hispanic	773	38.5	654	39.2	119	35.3	339	31.9	29,181	32.7	377	30.2
White	384	19.1	327	19.6	57	16.9	173	16.3	23,040	25.8	229	18.3
Asian/Pacific Islander	99	4.9	80	4.8	19	5.6	47	4.4	2,149	2.4	22	1.8
Native American	3	0.1	3	0.2	0	0.0	3	0.3	211	0.2	5	0.4
Multiracial	21	1.0	15	0.9	6	1.8	8	0.8	219	0.2	5	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	259	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	72	3.6	69	4.1	3	0.9	16	1.5	359	0.4	0	0.0
20-29	787	39.2	728	43.6	59	17.5	197	18.5	8,058	9.0	28	2.2
30-39	510	25.4	419	25.1	91	27.0	267	25.1	13,814	15.5	71	5.7
40-49	314	15.6	234	14.0	80	23.7	256	24.1	20,804	23.3	200	16.0
50-59	234	11.7	158	9.5	76	22.6	228	21.5	28,292	31.7	428	34.2
60+	90	4.5	62	3.7	28	8.3	98	9.2	17,923	20.1	523	41.8
BOROUGH OF RESIDENCE												
Bronx	343	17.1	282	16.9	61	18.1	197	18.5	17,894	20.0	291	23.3
Brooklyn	497	24.8	416	24.9	81	24.0	248	23.4	19,230	21.5	285	22.8
Manhattan	517	25.8	443	26.5	74	22.0	198	18.6	26,722	29.9	260	20.8
Queens	364	18.1	282	16.9	82	24.3	198	18.6	12,965	14.5	110	8.8
Staten Island	30	1.5	23	1.4	7	2.1	14	1.3	1,521	1.7	26	2.1
Outside NYC	206	10.3	174	10.4	32	9.5	173	16.3	9,668	10.8	57	4.6
Unknown	50	2.5	50	3.0	0	0.0	34	3.2	1,250	1.4	221	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	166	8.3	140	8.4	26	7.7	71	6.7	10,124	11.3	71	5.7
Medium poverty (10 to <20% below FPL)	588	29.3	480	28.7	108	32.0	312	29.4	26,860	30.1	265	21.2
High poverty (20 to <30% below FPL)	553	27.6	451	27.0	102	30.3	243	22.9	19,815	22.2	261	20.9
Very high poverty (≥30% below FPL)	441	22.0	373	22.3	68	20.2	227	21.4	20,421	22.9	375	30.0
Area-based poverty level not available	259	12.9	226	13.5	33	9.8	209	19.7	12,030	13.5	278	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,466	73.0	1,267	75.9	199	59.1	620	58.4	49,371	55.3	388	31.0
Injection drug use history (IDU)	30	1.5	28	1.7	2	0.6	37	3.5	10,504	11.8	335	26.8
MSM-IDU	49	2.4	48	2.9	1	0.3	28	2.6	3,092	3.5	73	5.8
Heterosexual contact	93	4.6	62	3.7	31	9.2	85	8.0	6,107	6.8	104	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	18	1.7	1,180	1.3	11	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	1	0.1
Unknown	369	18.4	265	15.9	104	30.9	274	25.8	18,876	21.1	338	27.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.4.4. Females 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	485	100.0	392	80.8	93	19.2	355	100.0	34,488	100.0	514	100.0
RACE/ETHNICITY												
Black	286	59.0	226	57.7	60	64.5	222	62.5	19,972	57.9	297	57.8
Latino/Hispanic	156	32.2	129	32.9	27	29.0	103	29.0	11,329	32.8	165	32.1
White	25	5.2	22	5.6	3	3.2	19	5.4	2,526	7.3	45	8.8
Asian/Pacific Islander	15	3.1	12	3.1	3	3.2	9	2.5	443	1.3	5	1.0
Native American	1	0.2	1	0.3	0	0.0	1	0.3	78	0.2	1	0.2
Multiracial	2	0.4	2	0.5	0	0.0	1	0.3	61	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	79	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	12	2.5	12	3.1	0	0.0	8	2.3	322	0.9	0	0.0
20-29	130	26.8	123	31.4	7	7.5	44	12.4	2,413	7.0	10	1.9
30-39	106	21.9	86	21.9	20	21.5	77	21.7	4,584	13.3	41	8.0
40-49	103	21.2	75	19.1	28	30.1	100	28.2	8,766	25.4	97	18.9
50-59	83	17.1	62	15.8	21	22.6	71	20.0	11,791	34.2	198	38.5
60+	51	10.5	34	8.7	17	18.3	55	15.5	6,612	19.2	168	32.7
BOROUGH OF RESIDENCE												
Bronx	151	31.1	122	31.1	29	31.2	98	27.6	11,023	32.0	172	33.5
Brooklyn	141	29.1	107	27.3	34	36.6	108	30.4	9,932	28.8	122	23.7
Manhattan	58	12.0	51	13.0	7	7.5	40	11.3	5,193	15.1	60	11.7
Queens	70	14.4	56	14.3	14	15.1	48	13.5	4,869	14.1	55	10.7
Staten Island	13	2.7	11	2.8	2	2.2	8	2.3	830	2.4	15	2.9
Outside NYC	39	8.0	32	8.2	7	7.5	41	11.5	2,236	6.5	16	3.1
Unknown	13	2.7	13	3.3	0	0.0	12	3.4	405	1.2	74	14.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	5.6	21	5.4	6	6.5	20	5.6	1,860	5.4	26	5.1
Medium poverty (10 to <20% below FPL)	130	26.8	104	26.5	26	28.0	79	22.3	9,518	27.6	97	18.9
High poverty (20 to <30% below FPL)	119	24.5	90	23.0	29	31.2	86	24.2	8,670	25.1	114	22.2
Very high poverty (≥30% below FPL)	155	32.0	130	33.2	25	26.9	116	32.7	11,507	33.4	187	36.4
Area-based poverty level not available	54	11.1	47	12.0	7	7.5	54	15.2	2,933	8.5	90	17.5
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.7	16	4.1	2	2.2	32	9.0	5,555	16.1	145	28.2
Heterosexual contact	327	67.4	263	67.1	64	68.8	204	57.5	18,345	53.2	250	48.6
Transgender people with sexual contact	53	10.9	47	12.0	6	6.5	22	6.2	1,111	3.2	7	1.4
Perinatal	0	0.0	0	0.0	0	0.0	16	4.5	1,246	3.6	8	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	91	0.3	3	0.6
Unknown	87	17.9	66	16.8	21	22.6	81	22.8	8,140	23.6	101	19.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.5.1. Bronx, males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	343	100.0	282	82.2	61	17.8	197	100.0	17,913	100.0	291	100.0
RACE/ETHNICITY												
Black	156	45.5	124	44.0	32	52.5	96	48.7	8,017	44.8	139	47.8
Latino/Hispanic	170	49.6	144	51.1	26	42.6	89	45.2	8,709	48.6	129	44.3
White	9	2.6	6	2.1	3	4.9	7	3.6	953	5.3	19	6.5
Asian/Pacific Islander	8	2.3	8	2.8	0	0.0	3	1.5	137	0.8	2	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	40	0.2	2	0.7
Multiracial	0	0.0	0	0.0	0	0.0	2	1.0	32	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
13-19	16	4.7	16	5.7	0	0.0	6	3.0	106	0.6	0	0.0
20-29	134	39.1	126	44.7	8	13.1	24	12.2	1,863	10.4	6	2.1
30-39	71	20.7	55	19.5	16	26.2	45	22.8	2,601	14.5	11	3.8
40-49	57	16.6	39	13.8	18	29.5	51	25.9	3,957	22.1	58	19.9
50-59	48	14.0	34	12.1	14	23.0	47	23.9	5,855	32.7	103	35.4
60+	17	5.0	12	4.3	5	8.2	24	12.2	3,512	19.6	113	38.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	0.6	1	0.4	1	1.6	1	0.5	30	0.2	0	0.0
Medium poverty (10 to <20% below FPL)	56	16.3	48	17.0	8	13.1	34	17.3	3,246	18.1	37	12.7
High poverty (20 to <30% below FPL)	47	13.7	35	12.4	12	19.7	27	13.7	1,880	10.5	25	8.6
Very high poverty (≥30% below FPL)	238	69.4	198	70.2	40	65.6	135	68.5	12,640	70.6	229	78.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	117	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	206	60.1	184	65.2	22	36.1	74	37.6	6,818	38.1	61	21.0
Injection drug use history (IDU)	10	2.9	10	3.5	0	0.0	16	8.1	3,343	18.7	102	35.1
MSM-IDU	7	2.0	7	2.5	0	0.0	5	2.5	805	4.5	25	8.6
Heterosexual contact	33	9.6	19	6.7	14	23.0	28	14.2	1,708	9.5	23	7.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	9	4.6	415	2.3	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	1	0.3
Unknown	87	25.4	62	22.0	25	41.0	65	33.0	4,798	26.8	78	26.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.2. Bronx, females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	151	100.0	122	80.8	29	19.2	98	100.0	11,044	100.0	172	100.0
RACE/ETHNICITY												
Black	75	49.7	58	47.5	17	58.6	57	58.2	5,645	51.1	87	50.6
Latino/Hispanic	72	47.7	60	49.2	12	41.4	39	39.8	4,951	44.8	76	44.2
White	3	2.0	3	2.5	0	0.0	2	2.0	351	3.2	9	5.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	40	0.4	0	0.0
Native American	1	0.7	1	0.8	0	0.0	0	0.0	25	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	7	4.6	7	5.7	0	0.0	2	2.0	98	0.9	0	0.0
20-29	37	24.5	32	26.2	5	17.2	13	13.3	802	7.3	2	1.2
30-39	34	22.5	29	23.8	5	17.2	23	23.5	1,530	13.9	12	7.0
40-49	36	23.8	25	20.5	11	37.9	30	30.6	2,915	26.4	34	19.8
50-59	28	18.5	22	18.0	6	20.7	18	18.4	3,773	34.2	72	41.9
60+	9	6.0	7	5.7	2	6.9	12	12.2	1,905	17.2	52	30.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.7	0	0.0	1	3.4	1	1.0	16	0.1	0	0.0
Medium poverty (10 to <20% below FPL)	31	20.5	22	18.0	9	31.0	13	13.3	2,077	18.8	28	16.3
High poverty (20 to <30% below FPL)	13	8.6	12	9.8	1	3.4	11	11.2	1,195	10.8	18	10.5
Very high poverty (≥30% below FPL)	106	70.2	88	72.1	18	62.1	73	74.5	7,720	69.9	126	73.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	2.6	4	3.3	0	0.0	9	9.2	1,973	17.9	55	32.0
Heterosexual contact	113	74.8	92	75.4	21	72.4	62	63.3	5,812	52.6	81	47.1
Transgender people with sexual contact	13	8.6	12	9.8	1	3.4	6	6.1	295	2.7	4	2.3
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	432	3.9	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	2	1.2
Unknown	21	13.9	14	11.5	7	24.1	19	19.4	2,514	22.8	29	16.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.3. Brooklyn, males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	498	100.0	417	83.7	81	16.3	248	100.0	19,245	100.0	285	100.0
RACE/ETHNICITY												
Black	264	53.0	210	50.4	54	66.7	164	66.1	10,824	56.2	177	62.1
Latino/Hispanic	141	28.3	122	29.3	19	23.5	54	21.8	4,801	24.9	76	26.7
White	79	15.9	73	17.5	6	7.4	24	9.7	3,154	16.4	29	10.2
Asian/Pacific Islander	9	1.8	8	1.9	1	1.2	5	2.0	364	1.9	2	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	43	0.2	0	0.0
Multiracial	5	1.0	4	1.0	1	1.2	1	0.4	33	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	15	0.1	0	0.0
13-19	24	4.8	23	5.5	1	1.2	3	1.2	116	0.6	0	0.0
20-29	204	41.0	184	44.1	20	24.7	56	22.6	1,979	10.3	9	3.2
30-39	108	21.7	87	20.9	21	25.9	67	27.0	3,293	17.1	18	6.3
40-49	71	14.3	58	13.9	13	16.0	44	17.7	4,382	22.8	38	13.3
50-59	56	11.2	39	9.4	17	21.0	54	21.8	5,675	29.5	95	33.3
60+	34	6.8	25	6.0	9	11.1	24	9.7	3,785	19.7	125	43.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	2.4	11	2.6	1	1.2	7	2.8	679	3.5	5	1.8
Medium poverty (10 to <20% below FPL)	147	29.5	114	27.3	33	40.7	94	37.9	6,660	34.6	87	30.5
High poverty (20 to <30% below FPL)	235	47.2	199	47.7	36	44.4	98	39.5	8,184	42.5	124	43.5
Very high poverty (≥30% below FPL)	103	20.7	92	22.1	11	13.6	49	19.8	3,551	18.5	69	24.2
Area-based poverty level not available	1	0.2	1	0.2	0	0.0	0	0.0	171	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	342	68.7	300	71.9	42	51.9	125	50.4	9,547	49.6	70	24.6
Injection drug use history (IDU)	9	1.8	8	1.9	1	1.2	6	2.4	2,405	12.5	85	29.8
MSM-IDU	8	1.6	7	1.7	1	1.2	8	3.2	612	3.2	13	4.6
Heterosexual contact	27	5.4	20	4.8	7	8.6	23	9.3	1,634	8.5	29	10.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	5	2.0	325	1.7	5	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	111	22.3	81	19.4	30	37.0	81	32.7	4,698	24.4	83	29.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.4. Brooklyn, females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	107	75.9	34	24.1	108	100.0	9,950	100.0	122	100.0
RACE/ETHNICITY												
Black	108	76.6	81	75.7	27	79.4	83	76.9	6,942	69.8	80	65.6
Latino/Hispanic	28	19.9	22	20.6	6	17.6	20	18.5	2,302	23.1	34	27.9
White	2	1.4	1	0.9	1	2.9	3	2.8	541	5.4	6	4.9
Asian/Pacific Islander	2	1.4	2	1.9	0	0.0	1	0.9	101	1.0	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	28	0.3	1	0.8
Multiracial	1	0.7	1	0.9	0	0.0	1	0.9	14	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
13-19	3	2.1	3	2.8	0	0.0	2	1.9	93	0.9	0	0.0
20-29	35	24.8	35	32.7	0	0.0	9	8.3	639	6.4	4	3.3
30-39	38	27.0	31	29.0	7	20.6	20	18.5	1,369	13.8	8	6.6
40-49	23	16.3	15	14.0	8	23.5	27	25.0	2,478	24.9	18	14.8
50-59	21	14.9	13	12.1	8	23.5	29	26.9	3,344	33.6	49	40.2
60+	21	14.9	10	9.3	11	32.4	21	19.4	2,009	20.2	43	35.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	4.3	4	3.7	2	5.9	4	3.7	336	3.4	4	3.3
Medium poverty (10 to <20% below FPL)	44	31.2	36	33.6	8	23.5	30	27.8	3,263	32.8	27	22.1
High poverty (20 to <30% below FPL)	65	46.1	45	42.1	20	58.8	48	44.4	4,311	43.3	58	47.5
Very high poverty (≥30% below FPL)	26	18.4	22	20.6	4	11.8	25	23.1	1,972	19.8	33	27.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	68	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	2.1	2	1.9	1	2.9	11	10.2	1,435	14.4	25	20.5
Heterosexual contact	98	69.5	71	66.4	27	79.4	64	59.3	5,461	54.9	65	53.3
Transgender people with sexual contact	13	9.2	12	11.2	1	2.9	4	3.7	256	2.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	3.7	353	3.5	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	0	0.0
Unknown	27	19.1	22	20.6	5	14.7	25	23.1	2,418	24.3	30	24.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.5. Manhattan, males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	517	100.0	443	85.7	74	14.3	198	100.0	26,734	100.0	260	100.0
RACE/ETHNICITY												
Black	130	25.1	111	25.1	19	25.7	61	30.8	7,056	26.4	113	43.5
Latino/Hispanic	192	37.1	168	37.9	24	32.4	63	31.8	7,327	27.4	71	27.3
White	164	31.7	140	31.6	24	32.4	61	30.8	11,408	42.7	68	26.2
Asian/Pacific Islander	22	4.3	18	4.1	4	5.4	8	4.0	673	2.5	6	2.3
Native American	2	0.4	2	0.5	0	0.0	2	1.0	54	0.2	2	0.8
Multiracial	7	1.4	4	0.9	3	4.1	3	1.5	61	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	155	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
13-19	11	2.1	10	2.3	1	1.4	3	1.5	41	0.2	0	0.0
20-29	198	38.3	187	42.2	11	14.9	31	15.7	1,684	6.3	3	1.2
30-39	150	29.0	131	29.6	19	25.7	48	24.2	3,868	14.5	14	5.4
40-49	84	16.2	66	14.9	18	24.3	55	27.8	6,413	24.0	36	13.8
50-59	58	11.2	37	8.4	21	28.4	44	22.2	8,744	32.7	80	30.8
60+	16	3.1	12	2.7	4	5.4	17	8.6	5,972	22.3	127	48.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	105	20.3	89	20.1	16	21.6	35	17.7	7,486	28.0	48	18.5
Medium poverty (10 to <20% below FPL)	143	27.7	124	28.0	19	25.7	57	28.8	7,834	29.3	61	23.5
High poverty (20 to <30% below FPL)	167	32.3	146	33.0	21	28.4	61	30.8	6,492	24.3	74	28.5
Very high poverty (≥30% below FPL)	100	19.3	83	18.7	17	23.0	43	21.7	4,252	15.9	77	29.6
Area-based poverty level not available	2	0.4	1	0.2	1	1.4	2	1.0	670	2.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	424	82.0	369	83.3	55	74.3	141	71.2	18,173	68.0	98	37.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	2.0	2,196	8.2	56	21.5
MSM-IDU	18	3.5	18	4.1	0	0.0	6	3.0	894	3.3	16	6.2
Heterosexual contact	8	1.5	5	1.1	3	4.1	6	3.0	968	3.6	21	8.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.5	179	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	67	13.0	51	11.5	16	21.6	40	20.2	4,306	16.1	69	26.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.6. Manhattan, females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	58	100.0	51	87.9	7	12.1	41	100.0	5,202	100.0	60	100.0
RACE/ETHNICITY												
Black	31	53.4	27	52.9	4	57.1	22	53.7	2,850	54.8	35	58.3
Latino/Hispanic	20	34.5	17	33.3	3	42.9	16	39.0	1,727	33.2	16	26.7
White	6	10.3	6	11.8	0	0.0	1	2.4	519	10.0	8	13.3
Asian/Pacific Islander	1	1.7	1	2.0	0	0.0	2	4.9	69	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.4	9	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	41	0.8	0	0.0
20-29	17	29.3	17	33.3	0	0.0	6	14.6	332	6.4	1	1.7
30-39	11	19.0	8	15.7	3	42.9	8	19.5	588	11.3	6	10.0
40-49	14	24.1	12	23.5	2	28.6	12	29.3	1,198	23.0	9	15.0
50-59	7	12.1	6	11.8	1	14.3	5	12.2	1,847	35.5	20	33.3
60+	9	15.5	8	15.7	1	14.3	9	22.0	1,187	22.8	24	40.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	6.9	4	7.8	0	0.0	1	2.4	588	11.3	5	8.3
Medium poverty (10 to <20% below FPL)	8	13.8	7	13.7	1	14.3	7	17.1	902	17.3	9	15.0
High poverty (20 to <30% below FPL)	22	37.9	19	37.3	3	42.9	14	34.1	1,760	33.8	18	30.0
Very high poverty (≥30% below FPL)	23	39.7	20	39.2	3	42.9	19	46.3	1,837	35.3	28	46.7
Area-based poverty level not available	1	1.7	1	2.0	0	0.0	0	0.0	115	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	7	12.1	7	13.7	0	0.0	8	19.5	1,017	19.6	27	45.0
Heterosexual contact	29	50.0	26	51.0	3	42.9	18	43.9	2,441	46.9	23	38.3
Transgender people with sexual contact	7	12.1	6	11.8	1	14.3	3	7.3	216	4.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	9.8	189	3.6	2	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	15	25.9	12	23.5	3	42.9	8	19.5	1,323	25.4	8	13.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.7. Queens, males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	365	100.0	283	77.5	82	22.5	198	100.0	12,977	100.0	110	100.0
RACE/ETHNICITY												
Black	77	21.1	60	21.2	17	20.7	61	30.8	4,301	33.1	51	46.4
Latino/Hispanic	182	49.9	141	49.8	41	50.0	84	42.4	5,434	41.9	28	25.5
White	53	14.5	43	15.2	10	12.2	23	11.6	2,429	18.7	23	20.9
Asian/Pacific Islander	52	14.2	39	13.8	13	15.9	28	14.1	708	5.5	6	5.5
Native American	0	0.0	0	0.0	0	0.0	1	0.5	49	0.4	1	0.9
Multiracial	1	0.3	0	0.0	1	1.2	1	0.5	28	0.2	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	12	0.1	0	0.0
13-19	5	1.4	5	1.8	0	0.0	0	0.0	46	0.4	0	0.0
20-29	137	37.5	123	43.5	14	17.1	36	18.2	1,096	8.4	2	1.8
30-39	112	30.7	84	29.7	28	34.1	57	28.8	2,098	16.2	9	8.2
40-49	57	15.6	38	13.4	19	23.2	52	26.3	3,303	25.5	17	15.5
50-59	43	11.8	27	9.5	16	19.5	37	18.7	4,166	32.1	37	33.6
60+	10	2.7	5	1.8	5	6.1	16	8.1	2,256	17.4	45	40.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	40	11.0	33	11.7	7	8.5	25	12.6	1,508	11.6	13	11.8
Medium poverty (10 to <20% below FPL)	240	65.8	192	67.8	48	58.5	127	64.1	8,929	68.8	78	70.9
High poverty (20 to <30% below FPL)	85	23.3	58	20.5	27	32.9	46	23.2	2,402	18.5	19	17.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	138	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	274	75.1	220	77.7	54	65.9	124	62.6	6,908	53.2	38	34.5
Injection drug use history (IDU)	8	2.2	7	2.5	1	1.2	5	2.5	1,517	11.7	26	23.6
MSM-IDU	6	1.6	6	2.1	0	0.0	3	1.5	376	2.9	2	1.8
Heterosexual contact	18	4.9	13	4.6	5	6.1	16	8.1	1,129	8.7	7	6.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	0	0.0	184	1.4	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	58	15.9	36	12.7	22	26.8	50	25.3	2,841	21.9	36	32.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.8. Queens, females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	56	80.0	14	20.0	48	100.0	4,873	100.0	55	100.0
RACE/ETHNICITY												
Black	34	48.6	27	48.2	7	50.0	29	60.4	2,747	56.4	39	70.9
Latino/Hispanic	17	24.3	14	25.0	3	21.4	10	20.8	1,465	30.1	9	16.4
White	6	8.6	5	8.9	1	7.1	3	6.3	438	9.0	4	7.3
Asian/Pacific Islander	12	17.1	9	16.1	3	21.4	6	12.5	183	3.8	3	5.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	1	1.4	1	1.8	0	0.0	0	0.0	15	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.4	1	1.8	0	0.0	3	6.3	45	0.9	0	0.0
20-29	22	31.4	20	35.7	2	14.3	10	20.8	340	7.0	1	1.8
30-39	12	17.1	10	17.9	2	14.3	10	20.8	611	12.5	4	7.3
40-49	15	21.4	10	17.9	5	35.7	10	20.8	1,278	26.2	12	21.8
50-59	10	14.3	7	12.5	3	21.4	7	14.6	1,675	34.4	24	43.6
60+	10	14.3	8	14.3	2	14.3	8	16.7	920	18.9	14	25.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	17.1	9	16.1	3	21.4	12	25.0	731	15.0	13	23.6
Medium poverty (10 to <20% below FPL)	44	62.9	37	66.1	7	50.0	27	56.3	3,169	65.0	30	54.5
High poverty (20 to <30% below FPL)	13	18.6	9	16.1	4	28.6	9	18.8	902	18.5	12	21.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.4	1	1.8	0	0.0	0	0.0	71	1.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	689	14.1	11	20.0
Heterosexual contact	49	70.0	40	71.4	9	64.3	26	54.2	2,759	56.6	34	61.8
Transgender people with sexual contact	11	15.7	9	16.1	2	14.3	5	10.4	167	3.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	12.5	179	3.7	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Unknown	10	14.3	7	12.5	3	21.4	11	22.9	1,061	21.8	9	16.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.9. Staten Island, males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	23	76.7	7	23.3	15	100.0	1,522	100.0	26	100.0
RACE/ETHNICITY												
Black	12	40.0	9	39.1	3	42.9	6	40.0	545	35.8	8	30.8
Latino/Hispanic	9	30.0	7	30.4	2	28.6	6	40.0	442	29.0	8	30.8
White	7	23.3	5	21.7	2	28.6	3	20.0	498	32.7	9	34.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	22	1.4	0	0.0
Other/Unknown	2	6.7	2	8.7	0	0.0	0	0.0	15	1.0	1	3.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	6.7	1	0.1	0	0.0
13-19	1	3.3	1	4.3	0	0.0	1	6.7	6	0.4	0	0.0
20-29	13	43.3	13	56.5	0	0.0	1	6.7	119	7.8	0	0.0
30-39	6	20.0	4	17.4	2	28.6	3	20.0	197	12.9	0	0.0
40-49	6	20.0	5	21.7	1	14.3	2	13.3	318	20.9	2	7.7
50-59	1	3.3	0	0.0	1	14.3	2	13.3	553	36.3	13	50.0
60+	3	10.0	0	0.0	3	42.9	5	33.3	328	21.6	11	42.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	23.3	6	26.1	1	14.3	4	26.7	425	27.9	5	19.2
Medium poverty (10 to <20% below FPL)	4	13.3	4	17.4	0	0.0	0	0.0	208	13.7	2	7.7
High poverty (20 to <30% below FPL)	19	63.3	13	56.5	6	85.7	11	73.3	873	57.4	19	73.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	16	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	56.7	14	60.9	3	42.9	6	40.0	629	41.3	10	38.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.7	278	18.3	10	38.5
MSM-IDU	1	3.3	1	4.3	0	0.0	0	0.0	72	4.7	1	3.8
Heterosexual contact	2	6.7	1	4.3	1	14.3	2	13.3	139	9.1	1	3.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	13.3	36	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	10	33.3	7	30.4	3	42.9	4	26.7	368	24.2	4	15.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.10. Staten Island, females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	8	100.0	833	100.0	15	100.0
RACE/ETHNICITY												
Black	8	61.5	7	63.6	1	50.0	3	37.5	397	47.7	6	40.0
Latino/Hispanic	2	15.4	1	9.1	1	50.0	2	25.0	244	29.3	5	33.3
White	3	23.1	3	27.3	0	0.0	2	25.0	181	21.7	4	26.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	12.5	7	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
20-29	2	15.4	2	18.2	0	0.0	0	0.0	48	5.8	1	6.7
30-39	0	0.0	0	0.0	0	0.0	2	25.0	101	12.1	2	13.3
40-49	4	30.8	3	27.3	1	50.0	1	12.5	209	25.1	3	20.0
50-59	7	53.8	6	54.5	1	50.0	4	50.0	320	38.4	4	26.7
60+	0	0.0	0	0.0	0	0.0	1	12.5	142	17.0	5	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	30.8	4	36.4	0	0.0	2	25.0	192	23.0	4	26.7
Medium poverty (10 to <20% below FPL)	3	23.1	2	18.2	1	50.0	2	25.0	120	14.4	3	20.0
High poverty (20 to <30% below FPL)	6	46.2	5	45.5	1	50.0	4	50.0	519	62.3	8	53.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	15.4	2	18.2	0	0.0	0	0.0	139	16.7	5	33.3
Heterosexual contact	7	53.8	6	54.5	1	50.0	6	75.0	458	55.0	7	46.7
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	24	2.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	4.1	1	6.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	3	23.1	2	18.2	1	50.0	2	25.0	174	20.9	2	13.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,466	100.0	1,267	86.4	199	13.6	620	100.0	49,371	100.0	388	100.0
RACE/ETHNICITY												
Black	443	30.2	381	30.1	62	31.2	241	38.9	15,168	30.7	152	39.2
Latino/Hispanic	607	41.4	530	41.8	77	38.7	212	34.2	14,766	29.9	97	25.0
White	317	21.6	278	21.9	39	19.6	128	20.6	17,715	35.9	124	32.0
Asian/Pacific Islander	80	5.5	63	5.0	17	8.5	34	5.5	1,405	2.8	10	2.6
Native American	2	0.1	2	0.2	0	0.0	1	0.2	114	0.2	2	0.5
Multiracial	17	1.2	13	1.0	4	2.0	4	0.6	170	0.3	3	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	64	4.4	62	4.9	2	1.0	5	0.8	116	0.2	0	0.0
20-29	666	45.4	617	48.7	49	24.6	160	25.8	6,269	12.7	17	4.4
30-39	408	27.8	342	27.0	66	33.2	200	32.3	10,518	21.3	39	10.1
40-49	189	12.9	150	11.8	39	19.6	135	21.8	12,642	25.6	79	20.4
50-59	110	7.5	76	6.0	34	17.1	94	15.2	13,180	26.7	123	31.7
60+	29	2.0	20	1.6	9	4.5	26	4.2	6,646	13.5	130	33.5
BOROUGH OF RESIDENCE												
Bronx	206	14.1	184	14.5	22	11.1	74	11.9	6,818	13.8	61	15.7
Brooklyn	342	23.3	300	23.7	42	21.1	125	20.2	9,547	19.3	70	18.0
Manhattan	424	28.9	369	29.1	55	27.6	141	22.7	18,173	36.8	98	25.3
Queens	274	18.7	220	17.4	54	27.1	124	20.0	6,908	14.0	38	9.8
Staten Island	17	1.2	14	1.1	3	1.5	6	1.0	629	1.3	10	2.6
Outside NYC	168	11.5	145	11.4	23	11.6	127	20.5	6,395	13.0	22	5.7
Unknown	35	2.4	35	2.8	0	0.0	23	3.7	901	1.8	89	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	130	8.9	112	8.8	18	9.0	47	7.6	7,241	14.7	35	9.0
Medium poverty (10 to <20% below FPL)	431	29.4	370	29.2	61	30.7	176	28.4	15,220	30.8	94	24.2
High poverty (20 to <30% below FPL)	405	27.6	340	26.8	65	32.7	143	23.1	10,735	21.7	74	19.1
Very high poverty (≥30% below FPL)	294	20.1	263	20.8	31	15.6	102	16.5	8,467	17.1	74	19.1
Area-based poverty level not available	206	14.1	182	14.4	24	12.1	152	24.5	7,708	15.6	111	28.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	28	93.3	2	6.7	37	100.0	10,504	100.0	335	100.0
RACE/ETHNICITY												
Black	7	23.3	7	25.0	0	0.0	13	35.1	4,234	40.3	168	50.1
Latino/Hispanic	16	53.3	16	57.1	0	0.0	15	40.5	4,976	47.4	131	39.1
White	4	13.3	3	10.7	1	50.0	7	18.9	1,212	11.5	33	9.9
Asian/Pacific Islander	3	10.0	2	7.1	1	50.0	1	2.7	52	0.5	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	1	2.7	9	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	16.7	5	17.9	0	0.0	0	0.0	34	0.3	0	0.0
30-39	8	26.7	7	25.0	1	50.0	4	10.8	255	2.4	5	1.5
40-49	4	13.3	4	14.3	0	0.0	8	21.6	1,277	12.2	32	9.6
50-59	9	30.0	9	32.1	0	0.0	13	35.1	4,242	40.4	118	35.2
60+	4	13.3	3	10.7	1	50.0	12	32.4	4,695	44.7	180	53.7
BOROUGH OF RESIDENCE												
Bronx	10	33.3	10	35.7	0	0.0	16	43.2	3,343	31.8	102	30.4
Brooklyn	9	30.0	8	28.6	1	50.0	6	16.2	2,405	22.9	85	25.4
Manhattan	0	0.0	0	0.0	0	0.0	4	10.8	2,196	20.9	56	16.7
Queens	8	26.7	7	25.0	1	50.0	5	13.5	1,517	14.4	26	7.8
Staten Island	0	0.0	0	0.0	0	0.0	1	2.7	278	2.6	10	3.0
Outside NYC	2	6.7	2	7.1	0	0.0	4	10.8	722	6.9	14	4.2
Unknown	1	3.3	1	3.6	0	0.0	1	2.7	43	0.4	42	12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	6.7	2	7.1	0	0.0	0	0.0	561	5.3	8	2.4
Medium poverty (10 to <20% below FPL)	7	23.3	7	25.0	0	0.0	8	21.6	2,869	27.3	61	18.2
High poverty (20 to <30% below FPL)	8	26.7	6	21.4	2	100.0	11	29.7	2,381	22.7	82	24.5
Very high poverty (≥30% below FPL)	10	33.3	10	35.7	0	0.0	13	35.1	3,686	35.1	128	38.2
Area-based poverty level not available	3	10.0	3	10.7	0	0.0	5	13.5	1,007	9.6	56	16.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	16	88.9	2	11.1	32	100.0	5,555	100.0	145	100.0
RACE/ETHNICITY												
Black	8	44.4	7	43.8	1	50.0	16	50.0	2,627	47.3	64	44.1
Latino/Hispanic	6	33.3	5	31.3	1	50.0	14	43.8	2,265	40.8	58	40.0
White	4	22.2	4	25.0	0	0.0	1	3.1	628	11.3	22	15.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	3.1	8	0.1	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	4	22.2	4	25.0	0	0.0	0	0.0	45	0.8	0	0.0
30-39	0	0.0	0	0.0	0	0.0	2	6.3	272	4.9	4	2.8
40-49	4	22.2	4	25.0	0	0.0	11	34.4	1,111	20.0	20	13.8
50-59	7	38.9	6	37.5	1	50.0	7	21.9	2,568	46.2	69	47.6
60+	3	16.7	2	12.5	1	50.0	12	37.5	1,557	28.0	52	35.9
BOROUGH OF RESIDENCE												
Bronx	4	22.2	4	25.0	0	0.0	9	28.1	1,973	35.5	55	37.9
Brooklyn	3	16.7	2	12.5	1	50.0	11	34.4	1,435	25.8	25	17.2
Manhattan	7	38.9	7	43.8	0	0.0	8	25.0	1,017	18.3	27	18.6
Queens	0	0.0	0	0.0	0	0.0	0	0.0	689	12.4	11	7.6
Staten Island	2	11.1	2	12.5	0	0.0	0	0.0	139	2.5	5	3.4
Outside NYC	1	5.6	0	0.0	1	50.0	3	9.4	283	5.1	2	1.4
Unknown	1	5.6	1	6.3	0	0.0	1	3.1	19	0.3	20	13.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	1	6.3	0	0.0	0	0.0	268	4.8	9	6.2
Medium poverty (10 to <20% below FPL)	4	22.2	4	25.0	0	0.0	5	15.6	1,399	25.2	24	16.6
High poverty (20 to <30% below FPL)	5	27.8	4	25.0	1	50.0	7	21.9	1,345	24.2	33	22.8
Very high poverty (≥30% below FPL)	6	33.3	6	37.5	0	0.0	16	50.0	2,173	39.1	57	39.3
Area-based poverty level not available	2	11.1	1	6.3	1	50.0	4	12.5	370	6.7	22	15.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	48	98.0	1	2.0	28	100.0	3,092	100.0	73	100.0
RACE/ETHNICITY												
Black	13	26.5	12	25.0	1	100.0	12	42.9	1,107	35.8	27	37.0
Latino/Hispanic	22	44.9	22	45.8	0	0.0	10	35.7	1,197	38.7	33	45.2
White	11	22.4	11	22.9	0	0.0	5	17.9	729	23.6	13	17.8
Asian/Pacific Islander	1	2.0	1	2.1	0	0.0	1	3.6	40	1.3	0	0.0
Native American	1	2.0	1	2.1	0	0.0	0	0.0	11	0.4	0	0.0
Multiracial	1	2.0	1	2.1	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.6	3	0.1	0	0.0
20-29	23	46.9	23	47.9	0	0.0	5	17.9	218	7.1	1	1.4
30-39	13	26.5	13	27.1	0	0.0	3	10.7	477	15.4	2	2.7
40-49	8	16.3	8	16.7	0	0.0	6	21.4	759	24.5	14	19.2
50-59	3	6.1	3	6.3	0	0.0	9	32.1	1,068	34.5	31	42.5
60+	2	4.1	1	2.1	1	100.0	4	14.3	567	18.3	25	34.2
BOROUGH OF RESIDENCE												
Bronx	7	14.3	7	14.6	0	0.0	5	17.9	805	26.0	25	34.2
Brooklyn	8	16.3	7	14.6	1	100.0	8	28.6	612	19.8	13	17.8
Manhattan	18	36.7	18	37.5	0	0.0	6	21.4	894	28.9	16	21.9
Queens	6	12.2	6	12.5	0	0.0	3	10.7	376	12.2	2	2.7
Staten Island	1	2.0	1	2.1	0	0.0	0	0.0	72	2.3	1	1.4
Outside NYC	8	16.3	8	16.7	0	0.0	6	21.4	302	9.8	2	2.7
Unknown	1	2.0	1	2.1	0	0.0	0	0.0	31	1.0	14	19.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	6.1	3	6.3	0	0.0	0	0.0	268	8.7	4	5.5
Medium poverty (10 to <20% below FPL)	14	28.6	13	27.1	1	100.0	11	39.3	907	29.3	7	9.6
High poverty (20 to <30% below FPL)	9	18.4	9	18.8	0	0.0	4	14.3	666	21.5	18	24.7
Very high poverty (≥30% below FPL)	14	28.6	14	29.2	0	0.0	7	25.0	896	29.0	28	38.4
Area-based poverty level not available	9	18.4	9	18.8	0	0.0	6	21.4	355	11.5	16	21.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.5. Heterosexual contact, males

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	62	66.7	31	33.3	85	100.0	6,107	100.0	104	100.0
RACE/ETHNICITY												
Black	64	68.8	44	71.0	20	64.5	62	72.9	3,339	54.7	69	66.3
Latino/Hispanic	18	19.4	9	14.5	9	29.0	19	22.4	2,052	33.6	22	21.2
White	6	6.5	4	6.5	2	6.5	4	4.7	511	8.4	9	8.7
Asian/Pacific Islander	5	5.4	5	8.1	0	0.0	0	0.0	178	2.9	4	3.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.1	1	1.6	0	0.0	0	0.0	4	0.1	0	0.0
20-29	18	19.4	14	22.6	4	12.9	5	5.9	121	2.0	0	0.0
30-39	12	12.9	9	14.5	3	9.7	14	16.5	540	8.8	5	4.8
40-49	25	26.9	15	24.2	10	32.3	29	34.1	1,618	26.5	16	15.4
50-59	22	23.7	12	19.4	10	32.3	28	32.9	2,481	40.6	43	41.3
60+	15	16.1	11	17.7	4	12.9	9	10.6	1,343	22.0	40	38.5
BOROUGH OF RESIDENCE												
Bronx	33	35.5	19	30.6	14	45.2	28	32.9	1,708	28.0	23	22.1
Brooklyn	27	29.0	20	32.3	7	22.6	23	27.1	1,634	26.8	29	27.9
Manhattan	8	8.6	5	8.1	3	9.7	6	7.1	968	15.9	21	20.2
Queens	18	19.4	13	21.0	5	16.1	16	18.8	1,129	18.5	7	6.7
Staten Island	2	2.2	1	1.6	1	3.2	2	2.4	139	2.3	1	1.0
Outside NYC	3	3.2	2	3.2	1	3.2	7	8.2	487	8.0	6	5.8
Unknown	2	2.2	2	3.2	0	0.0	3	3.5	42	0.7	17	16.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	2.2	0	0.0	2	6.5	4	4.7	338	5.5	6	5.8
Medium poverty (10 to <20% below FPL)	25	26.9	20	32.3	5	16.1	23	27.1	1,793	29.4	21	20.2
High poverty (20 to <30% below FPL)	31	33.3	19	30.6	12	38.7	20	23.5	1,564	25.6	21	20.2
Very high poverty (≥30% below FPL)	30	32.3	19	30.6	11	35.5	28	32.9	1,850	30.3	33	31.7
Area-based poverty level not available	5	5.4	4	6.5	1	3.2	10	11.8	562	9.2	23	22.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.6. Heterosexual contact, females

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	327	100.0	263	80.4	64	19.6	204	100.0	18,345	100.0	250	100.0
RACE/ETHNICITY												
Black	207	63.3	159	60.5	48	75.0	140	68.6	10,911	59.5	156	62.4
Latino/Hispanic	94	28.7	80	30.4	14	21.9	50	24.5	5,897	32.1	73	29.2
White	14	4.3	13	4.9	1	1.6	8	3.9	1,181	6.4	17	6.8
Asian/Pacific Islander	11	3.4	10	3.8	1	1.6	5	2.5	261	1.4	3	1.2
Native American	0	0.0	0	0.0	0	0.0	1	0.5	49	0.3	1	0.4
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	36	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	9	2.8	9	3.4	0	0.0	0	0.0	35	0.2	0	0.0
20-29	89	27.2	84	31.9	5	7.8	18	8.8	1,008	5.5	2	0.8
30-39	67	20.5	54	20.5	13	20.3	51	25.0	2,850	15.5	26	10.4
40-49	75	22.9	54	20.5	21	32.8	63	30.9	5,020	27.4	49	19.6
50-59	49	15.0	34	12.9	15	23.4	46	22.5	6,154	33.5	95	38.0
60+	38	11.6	28	10.6	10	15.6	26	12.7	3,278	17.9	78	31.2
BOROUGH OF RESIDENCE												
Bronx	113	34.6	92	35.0	21	32.8	62	30.4	5,812	31.7	81	32.4
Brooklyn	98	30.0	71	27.0	27	42.2	64	31.4	5,461	29.8	65	26.0
Manhattan	29	8.9	26	9.9	3	4.7	18	8.8	2,441	13.3	23	9.2
Queens	49	15.0	40	15.2	9	14.1	26	12.7	2,759	15.0	34	13.6
Staten Island	7	2.1	6	2.3	1	1.6	6	2.9	458	2.5	7	2.8
Outside NYC	24	7.3	21	8.0	3	4.7	21	10.3	1,171	6.4	10	4.0
Unknown	7	2.1	7	2.7	0	0.0	7	3.4	243	1.3	30	12.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	17	5.2	14	5.3	3	4.7	11	5.4	979	5.3	13	5.2
Medium poverty (10 to <20% below FPL)	92	28.1	75	28.5	17	26.6	41	20.1	5,187	28.3	50	20.0
High poverty (20 to <30% below FPL)	76	23.2	54	20.5	22	34.4	57	27.9	4,675	25.5	61	24.4
Very high poverty (≥30% below FPL)	109	33.3	90	34.2	19	29.7	66	32.4	6,012	32.8	86	34.4
Area-based poverty level not available	33	10.1	30	11.4	3	4.7	29	14.2	1,492	8.1	40	16.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	53	100.0	47	88.7	6	11.3	22	100.0	1,122	100.0	7	100.0
GENDER												
Male	0	0.0	0	0.0	0	0.0	0	0.0	11	1.0	0	0.0
Female	53	100.0	47	100.0	6	100.0	22	100.0	1,111	99.0	7	100.0
RACE/ETHNICITY												
Black	17	32.1	16	34.0	1	16.7	8	36.4	553	49.3	2	28.6
Latino/Hispanic	33	62.3	29	61.7	4	66.7	10	45.5	458	40.8	3	42.9
White	0	0.0	0	0.0	0	0.0	2	9.1	70	6.2	1	14.3
Asian/Pacific Islander	3	5.7	2	4.3	1	16.7	2	9.1	25	2.2	1	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	5.7	3	6.4	0	0.0	0	0.0	9	0.8	0	0.0
20-29	24	45.3	24	51.1	0	0.0	6	27.3	321	28.6	0	0.0
30-39	17	32.1	13	27.7	4	66.7	11	50.0	388	34.6	1	14.3
40-49	5	9.4	4	8.5	1	16.7	3	13.6	256	22.8	2	28.6
50-59	4	7.5	3	6.4	1	16.7	2	9.1	120	10.7	3	42.9
60+	0	0.0	0	0.0	0	0.0	0	0.0	28	2.5	1	14.3
BOROUGH OF RESIDENCE												
Bronx	13	24.5	12	25.5	1	16.7	6	27.3	303	27.0	4	57.1
Brooklyn	13	24.5	12	25.5	1	16.7	4	18.2	258	23.0	0	0.0
Manhattan	7	13.2	6	12.8	1	16.7	3	13.6	217	19.3	0	0.0
Queens	11	20.8	9	19.1	2	33.3	5	22.7	167	14.9	0	0.0
Staten Island	1	1.9	1	2.1	0	0.0	0	0.0	24	2.1	0	0.0
Outside NYC	6	11.3	5	10.6	1	16.7	4	18.2	106	9.4	0	0.0
Unknown	2	3.8	2	4.3	0	0.0	0	0.0	47	4.2	3	42.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	1.9	1	2.1	0	0.0	1	4.5	53	4.7	0	0.0
Medium poverty (10 to <20% below FPL)	14	26.4	12	25.5	2	33.3	5	22.7	307	27.4	0	0.0
High poverty (20 to <30% below FPL)	14	26.4	13	27.7	1	16.7	5	22.7	290	25.8	1	14.3
Very high poverty (≥30% below FPL)	16	30.2	14	29.8	2	33.3	7	31.8	313	27.9	3	42.9
Area-based poverty level not available	8	15.1	7	14.9	1	16.7	4	18.2	159	14.2	3	42.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	9	75.0	3	25.0	4	100.0	695	100.0	7	100.0
GENDER												
Male	8	66.7	6	66.7	2	66.7	3	75.0	470	67.6	3	42.9
Female	4	33.3	3	33.3	1	33.3	1	25.0	225	32.4	4	57.1
RACE/ETHNICITY												
Black	3	25.0	3	33.3	0	0.0	0	0.0	237	34.1	3	42.9
Latino/Hispanic	8	66.7	5	55.6	3	100.0	4	100.0	317	45.6	3	42.9
White	1	8.3	1	11.1	0	0.0	0	0.0	130	18.7	1	14.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	4	33.3	4	44.4	0	0.0	1	25.0	51	7.3	0	0.0
30-39	4	33.3	4	44.4	0	0.0	0	0.0	90	12.9	0	0.0
40-49	1	8.3	0	0.0	1	33.3	1	25.0	156	22.4	3	42.9
50-59	3	25.0	1	11.1	2	66.7	2	50.0	212	30.5	2	28.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	183	26.3	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	58.3	6	66.7	1	33.3	1	25.0	260	37.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	96	13.8	3	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	1	14.3
Heterosexual contact	2	16.7	2	22.2	0	0.0	0	0.0	150	21.6	1	14.3
Transgender people with sexual contact	1	8.3	1	11.1	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	12	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	16.7	0	0.0	2	66.7	2	50.0	164	23.6	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	41	78.8	11	21.2	27	100.0	2,604	100.0	34	100.0
GENDER												
Male	33	63.5	29	70.7	4	36.4	18	66.7	1,476	56.7	23	67.6
Female	19	36.5	12	29.3	7	63.6	9	33.3	1,128	43.3	11	32.4
RACE/ETHNICITY												
Black	33	63.5	24	58.5	9	81.8	23	85.2	1,663	63.9	12	35.3
Latino/Hispanic	16	30.8	14	34.1	2	18.2	4	14.8	762	29.3	18	52.9
White	2	3.8	2	4.9	0	0.0	0	0.0	136	5.2	3	8.8
Asian/Pacific Islander	1	1.9	1	2.4	0	0.0	0	0.0	24	0.9	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
13-19	3	5.8	3	7.3	0	0.0	2	7.4	38	1.5	0	0.0
20-29	13	25.0	13	31.7	0	0.0	3	11.1	277	10.6	1	2.9
30-39	9	17.3	8	19.5	1	9.1	3	11.1	375	14.4	2	5.9
40-49	15	28.8	10	24.4	5	45.5	10	37.0	625	24.0	10	29.4
50-59	9	17.3	6	14.6	3	27.3	5	18.5	813	31.2	11	32.4
60+	3	5.8	1	2.4	2	18.2	4	14.8	471	18.1	10	29.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	34.6	17	41.5	1	9.1	6	22.2	577	22.2	6	17.6
Injection drug use history (IDU)	1	1.9	1	2.4	0	0.0	1	3.7	327	12.6	12	35.3
MSM-IDU	1	1.9	1	2.4	0	0.0	0	0.0	64	2.5	0	0.0
Heterosexual contact	19	36.5	12	29.3	7	63.6	10	37.0	786	30.2	7	20.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	22	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	11.1	110	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	13	25.0	10	24.4	3	27.3	7	25.9	715	27.5	9	26.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	81	81.0	19	19.0	56	100.0	5,514	100.0	71	100.0
GENDER												
Male	73	73.0	59	72.8	14	73.7	40	71.4	3,589	65.1	44	62.0
Female	27	27.0	22	27.2	5	26.3	16	28.6	1,925	34.9	27	38.0
RACE/ETHNICITY												
Black	41	41.0	28	34.6	13	68.4	28	50.0	2,424	44.0	28	39.4
Latino/Hispanic	57	57.0	51	63.0	6	31.6	27	48.2	2,775	50.3	35	49.3
White	1	1.0	1	1.2	0	0.0	1	1.8	254	4.6	8	11.3
Asian/Pacific Islander	1	1.0	1	1.2	0	0.0	0	0.0	33	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	3.0	3	3.7	0	0.0	1	1.8	30	0.5	0	0.0
20-29	39	39.0	35	43.2	4	21.1	8	14.3	548	9.9	1	1.4
30-39	24	24.0	17	21.0	7	36.8	16	28.6	853	15.5	3	4.2
40-49	20	20.0	17	21.0	3	15.8	11	19.6	1,358	24.6	13	18.3
50-59	9	9.0	6	7.4	3	15.8	12	21.4	1,797	32.6	33	46.5
60+	5	5.0	3	3.7	2	10.5	8	14.3	923	16.7	21	29.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	48.0	42	51.9	6	31.6	19	33.9	1,553	28.2	10	14.1
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	3	5.4	950	17.2	25	35.2
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	152	2.8	4	5.6
Heterosexual contact	29	29.0	22	27.2	7	36.8	17	30.4	1,294	23.5	18	25.4
Transgender people with sexual contact	1	1.0	1	1.2	0	0.0	0	0.0	71	1.3	2	2.8
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	130	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	20	20.0	14	17.3	6	31.6	16	28.6	1,359	24.6	12	16.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	57	81.4	13	18.6	48	100.0	4,377	100.0	56	100.0
GENDER												
Male	47	67.1	38	66.7	9	69.2	34	70.8	2,704	61.8	30	53.6
Female	23	32.9	19	33.3	4	30.8	14	29.2	1,673	38.2	26	46.4
RACE/ETHNICITY												
Black	33	47.1	27	47.4	6	46.2	20	41.7	1,781	40.7	23	41.1
Latino/Hispanic	30	42.9	25	43.9	5	38.5	22	45.8	2,248	51.4	27	48.2
White	3	4.3	1	1.8	2	15.4	4	8.3	293	6.7	5	8.9
Asian/Pacific Islander	3	4.3	3	5.3	0	0.0	2	4.2	36	0.8	0	0.0
Other/Unknown	1	1.4	1	1.8	0	0.0	0	0.0	19	0.4	1	1.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	7	10.0	7	12.3	0	0.0	2	4.2	29	0.7	0	0.0
20-29	26	37.1	24	42.1	2	15.4	8	16.7	376	8.6	1	1.8
30-39	11	15.7	8	14.0	3	23.1	11	22.9	577	13.2	3	5.4
40-49	13	18.6	9	15.8	4	30.8	11	22.9	1,015	23.2	9	16.1
50-59	11	15.7	7	12.3	4	30.8	9	18.8	1,560	35.6	21	37.5
60+	2	2.9	2	3.5	0	0.0	7	14.6	816	18.6	22	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	42.9	28	49.1	2	15.4	15	31.3	1,070	24.4	5	8.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.2	768	17.5	20	35.7
MSM-IDU	0	0.0	0	0.0	0	0.0	2	4.2	102	2.3	1	1.8
Heterosexual contact	18	25.7	12	21.1	6	46.2	14	29.2	1,124	25.7	15	26.8
Transgender people with sexual contact	3	4.3	3	5.3	0	0.0	1	2.1	38	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	6.3	156	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	2	3.6
Unknown	19	27.1	14	24.6	5	38.5	11	22.9	1,108	25.3	13	23.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	104	100.0	91	87.5	13	12.5	44	100.0	5,834	100.0	92	100.0
GENDER												
Male	77	74.0	68	74.7	9	69.2	24	54.5	3,495	59.9	62	67.4
Female	27	26.0	23	25.3	4	30.8	20	45.5	2,339	40.1	30	32.6
RACE/ETHNICITY												
Black	54	51.9	47	51.6	7	53.8	23	52.3	2,777	47.6	47	51.1
Latino/Hispanic	47	45.2	41	45.1	6	46.2	18	40.9	2,839	48.7	42	45.7
White	1	1.0	1	1.1	0	0.0	1	2.3	154	2.6	3	3.3
Asian/Pacific Islander	2	1.9	2	2.2	0	0.0	1	2.3	35	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.3	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19	3	2.9	3	3.3	0	0.0	2	4.5	43	0.7	0	0.0
20-29	41	39.4	38	41.8	3	23.1	7	15.9	550	9.4	2	2.2
30-39	17	16.3	14	15.4	3	23.1	9	20.5	815	14.0	7	7.6
40-49	15	14.4	12	13.2	3	23.1	12	27.3	1,396	23.9	18	19.6
50-59	19	18.3	17	18.7	2	15.4	10	22.7	1,953	33.5	31	33.7
60+	9	8.7	7	7.7	2	15.4	4	9.1	1,068	18.3	34	37.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	45	43.3	43	47.3	2	15.4	6	13.6	1,235	21.2	13	14.1
Injection drug use history (IDU)	5	4.8	5	5.5	0	0.0	5	11.4	1,156	19.8	30	32.6
MSM-IDU	2	1.9	2	2.2	0	0.0	2	4.5	172	2.9	7	7.6
Heterosexual contact	28	26.9	23	25.3	5	38.5	16	36.4	1,609	27.6	17	18.5
Transgender people with sexual contact	1	1.0	1	1.1	0	0.0	1	2.3	70	1.2	1	1.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	171	2.9	1	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	23	22.1	17	18.7	6	46.2	13	29.5	1,416	24.3	23	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	87	100.0	73	83.9	14	16.1	58	100.0	5,986	100.0	134	100.0
GENDER												
Male	59	67.8	49	67.1	10	71.4	39	67.2	3,716	62.1	84	62.7
Female	28	32.2	24	32.9	4	28.6	19	32.8	2,270	37.9	50	37.3
RACE/ETHNICITY												
Black	39	44.8	33	45.2	6	42.9	31	53.4	3,100	51.8	74	55.2
Latino/Hispanic	45	51.7	37	50.7	8	57.1	25	43.1	2,640	44.1	53	39.6
White	2	2.3	2	2.7	0	0.0	1	1.7	194	3.2	5	3.7
Asian/Pacific Islander	1	1.1	1	1.4	0	0.0	0	0.0	25	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	1.7	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	3	3.4	3	4.1	0	0.0	1	1.7	33	0.6	0	0.0
20-29	27	31.0	25	34.2	2	14.3	3	5.2	489	8.2	2	1.5
30-39	24	27.6	22	30.1	2	14.3	9	15.5	826	13.8	6	4.5
40-49	17	19.5	10	13.7	7	50.0	23	39.7	1,411	23.6	24	17.9
50-59	14	16.1	11	15.1	3	21.4	15	25.9	1,988	33.2	50	37.3
60+	2	2.3	2	2.7	0	0.0	7	12.1	1,229	20.5	52	38.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	36.8	28	38.4	4	28.6	11	19.0	1,295	21.6	18	13.4
Injection drug use history (IDU)	4	4.6	4	5.5	0	0.0	8	13.8	1,172	19.6	47	35.1
MSM-IDU	3	3.4	3	4.1	0	0.0	1	1.7	198	3.3	7	5.2
Heterosexual contact	29	33.3	25	34.2	4	28.6	18	31.0	1,576	26.3	27	20.1
Transgender people with sexual contact	2	2.3	1	1.4	1	7.1	1	1.7	45	0.8	1	0.7
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	145	2.4	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	0.7
Unknown	17	19.5	12	16.4	5	35.7	18	31.0	1,548	25.9	32	23.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	52	75.4	17	24.6	58	100.0	3,794	100.0	69	100.0
GENDER												
Male	46	66.7	33	63.5	13	76.5	39	67.2	2,346	61.8	45	65.2
Female	23	33.3	19	36.5	4	23.5	19	32.8	1,448	38.2	24	34.8
RACE/ETHNICITY												
Black	28	40.6	20	38.5	8	47.1	28	48.3	1,630	43.0	39	56.5
Latino/Hispanic	39	56.5	31	59.6	8	47.1	28	48.3	2,007	52.9	27	39.1
White	2	2.9	1	1.9	1	5.9	2	3.4	127	3.3	3	4.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	4	5.8	4	7.7	0	0.0	0	0.0	28	0.7	0	0.0
20-29	21	30.4	19	36.5	2	11.8	7	12.1	374	9.9	1	1.4
30-39	16	23.2	11	21.2	5	29.4	20	34.5	589	15.5	2	2.9
40-49	12	17.4	6	11.5	6	35.3	13	22.4	873	23.0	15	21.7
50-59	11	15.9	8	15.4	3	17.6	12	20.7	1,247	32.9	27	39.1
60+	5	7.2	4	7.7	1	5.9	6	10.3	676	17.8	24	34.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	26	37.7	20	38.5	6	35.3	16	27.6	815	21.5	9	13.0
Injection drug use history (IDU)	3	4.3	3	5.8	0	0.0	6	10.3	795	21.0	20	29.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	106	2.8	5	7.2
Heterosexual contact	21	30.4	15	28.8	6	35.3	15	25.9	973	25.6	19	27.5
Transgender people with sexual contact	5	7.2	5	9.6	0	0.0	3	5.2	54	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	122	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	14	20.3	9	17.3	5	29.4	17	29.3	925	24.4	16	23.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	19	86.4	3	13.6	10	100.0	888	100.0	8	100.0
GENDER												
Male	20	90.9	18	94.7	2	66.7	9	90.0	715	80.5	7	87.5
Female	2	9.1	1	5.3	1	33.3	1	10.0	173	19.5	1	12.5
RACE/ETHNICITY												
Black	10	45.5	8	42.1	2	66.7	1	10.0	139	15.7	0	0.0
Latino/Hispanic	6	27.3	5	26.3	1	33.3	4	40.0	389	43.8	5	62.5
White	6	27.3	6	31.6	0	0.0	4	40.0	342	38.5	3	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	10.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.5	1	5.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	12	54.5	11	57.9	1	33.3	4	40.0	72	8.1	1	12.5
30-39	1	4.5	1	5.3	0	0.0	1	10.0	191	21.5	0	0.0
40-49	5	22.7	5	26.3	0	0.0	2	20.0	242	27.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	2	20.0	257	28.9	5	62.5
60+	3	13.6	1	5.3	2	66.7	1	10.0	123	13.9	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	68.2	13	68.4	2	66.7	8	80.0	488	55.0	2	25.0
Injection drug use history (IDU)	1	4.5	1	5.3	0	0.0	2	20.0	110	12.4	4	50.0
MSM-IDU	1	4.5	1	5.3	0	0.0	0	0.0	17	1.9	0	0.0
Heterosexual contact	4	18.2	3	15.8	1	33.3	0	0.0	109	12.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	1	4.5	1	5.3	0	0.0	0	0.0	144	16.2	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	44	97.8	1	2.2	13	100.0	2,714	100.0	41	100.0
GENDER												
Male	30	66.7	30	68.2	0	0.0	11	84.6	2,064	76.1	31	75.6
Female	15	33.3	14	31.8	1	100.0	2	15.4	650	23.9	10	24.4
RACE/ETHNICITY												
Black	19	42.2	18	40.9	1	100.0	7	53.8	1,110	40.9	17	41.5
Latino/Hispanic	15	33.3	15	34.1	0	0.0	2	15.4	692	25.5	17	41.5
White	11	24.4	11	25.0	0	0.0	3	23.1	840	31.0	7	17.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.7	53	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
20-29	15	33.3	15	34.1	0	0.0	2	15.4	181	6.7	0	0.0
30-39	12	26.7	12	27.3	0	0.0	5	38.5	366	13.5	2	4.9
40-49	6	13.3	6	13.6	0	0.0	1	7.7	634	23.4	4	9.8
50-59	8	17.8	7	15.9	1	100.0	4	30.8	888	32.7	13	31.7
60+	4	8.9	4	9.1	0	0.0	1	7.7	632	23.3	22	53.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	60.0	27	61.4	0	0.0	7	53.8	1,330	49.0	15	36.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	351	12.9	10	24.4
MSM-IDU	1	2.2	1	2.3	0	0.0	0	0.0	61	2.2	1	2.4
Heterosexual contact	12	26.7	11	25.0	1	100.0	3	23.1	424	15.6	7	17.1
Transgender people with sexual contact	1	2.2	1	2.3	0	0.0	0	0.0	13	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	49	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	8.9	4	9.1	0	0.0	3	23.1	484	17.8	8	19.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	172	100.0	144	83.7	28	16.3	106	100.0	7,654	100.0	128	100.0
GENDER												
Male	131	76.2	113	78.5	18	64.3	68	64.2	4,898	64.0	95	74.2
Female	41	23.8	31	21.5	10	35.7	38	35.8	2,756	36.0	33	25.8
RACE/ETHNICITY												
Black	135	78.5	108	75.0	27	96.4	89	84.0	5,963	77.9	109	85.2
Latino/Hispanic	25	14.5	24	16.7	1	3.6	13	12.3	1,132	14.8	13	10.2
White	11	6.4	11	7.6	0	0.0	2	1.9	472	6.2	4	3.1
Asian/Pacific Islander	1	0.6	1	0.7	0	0.0	2	1.9	49	0.6	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
13-19	10	5.8	10	6.9	0	0.0	1	0.9	64	0.8	0	0.0
20-29	69	40.1	61	42.4	8	28.6	22	20.8	712	9.3	8	6.3
30-39	42	24.4	34	23.6	8	28.6	24	22.6	1,262	16.5	7	5.5
40-49	18	10.5	13	9.0	5	17.9	24	22.6	1,841	24.1	20	15.6
50-59	20	11.6	17	11.8	3	10.7	20	18.9	2,300	30.0	42	32.8
60+	13	7.6	9	6.3	4	14.3	15	14.2	1,467	19.2	51	39.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	88	51.2	78	54.2	10	35.7	32	30.2	2,384	31.1	21	16.4
Injection drug use history (IDU)	2	1.2	2	1.4	0	0.0	8	7.5	998	13.0	35	27.3
MSM-IDU	2	1.2	2	1.4	0	0.0	1	0.9	175	2.3	5	3.9
Heterosexual contact	43	25.0	30	20.8	13	46.4	31	29.2	1,929	25.2	25	19.5
Transgender people with sexual contact	2	1.2	2	1.4	0	0.0	0	0.0	85	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	3.8	183	2.4	4	3.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	35	20.3	30	20.8	5	17.9	30	28.3	1,891	24.7	38	29.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	79	100.0	57	72.2	22	27.8	35	100.0	3,341	100.0	54	100.0
GENDER												
Male	54	68.4	44	77.2	10	45.5	19	54.3	1,911	57.2	30	55.6
Female	25	31.6	13	22.8	12	54.5	16	45.7	1,430	42.8	24	44.4
RACE/ETHNICITY												
Black	51	64.6	33	57.9	18	81.8	26	74.3	2,144	64.2	32	59.3
Latino/Hispanic	25	31.6	21	36.8	4	18.2	8	22.9	1,038	31.1	21	38.9
White	2	2.5	2	3.5	0	0.0	1	2.9	99	3.0	0	0.0
Asian/Pacific Islander	1	1.3	1	1.8	0	0.0	0	0.0	42	1.3	1	1.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	7.6	6	10.5	0	0.0	0	0.0	42	1.3	0	0.0
20-29	27	34.2	24	42.1	3	13.6	4	11.4	381	11.4	2	3.7
30-39	13	16.5	9	15.8	4	18.2	8	22.9	563	16.9	3	5.6
40-49	14	17.7	11	19.3	3	13.6	6	17.1	750	22.4	9	16.7
50-59	8	10.1	3	5.3	5	22.7	8	22.9	1,066	31.9	21	38.9
60+	11	13.9	4	7.0	7	31.8	9	25.7	535	16.0	19	35.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	45.6	30	52.6	6	27.3	8	22.9	829	24.8	2	3.7
Injection drug use history (IDU)	2	2.5	1	1.8	1	4.5	2	5.7	449	13.4	17	31.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	62	1.9	2	3.7
Heterosexual contact	14	17.7	6	10.5	8	36.4	14	40.0	1,027	30.7	18	33.3
Transgender people with sexual contact	4	5.1	3	5.3	1	4.5	1	2.9	47	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	98	2.9	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	23	29.1	17	29.8	6	27.3	10	28.6	823	24.6	14	25.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	20	80.0	5	20.0	8	100.0	853	100.0	9	100.0
GENDER												
Male	24	96.0	19	95.0	5	100.0	8	100.0	639	74.9	8	88.9
Female	1	4.0	1	5.0	0	0.0	0	0.0	214	25.1	1	11.1
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	25.0	151	17.7	0	0.0
Latino/Hispanic	19	76.0	15	75.0	4	80.0	5	62.5	482	56.5	7	77.8
White	4	16.0	3	15.0	1	20.0	1	12.5	162	19.0	2	22.2
Asian/Pacific Islander	2	8.0	2	10.0	0	0.0	0	0.0	55	6.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	8.0	2	10.0	0	0.0	0	0.0	4	0.5	0	0.0
20-29	4	16.0	3	15.0	1	20.0	2	25.0	51	6.0	0	0.0
30-39	10	40.0	8	40.0	2	40.0	4	50.0	141	16.5	2	22.2
40-49	5	20.0	5	25.0	0	0.0	0	0.0	228	26.7	1	11.1
50-59	2	8.0	0	0.0	2	40.0	2	25.0	265	31.1	2	22.2
60+	2	8.0	2	10.0	0	0.0	0	0.0	164	19.2	4	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	68.0	15	75.0	2	40.0	3	37.5	285	33.4	2	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	155	18.2	5	55.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	40	4.7	0	0.0
Heterosexual contact	2	8.0	1	5.0	1	20.0	2	25.0	183	21.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	24.0	4	20.0	2	40.0	2	25.0	172	20.2	2	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	19	67.9	9	32.1	20	100.0	1,093	100.0	16	100.0
GENDER												
Male	24	85.7	16	84.2	8	88.9	17	85.0	812	74.3	10	62.5
Female	4	14.3	3	15.8	1	11.1	3	15.0	281	25.7	6	37.5
RACE/ETHNICITY												
Black	8	28.6	7	36.8	1	11.1	4	20.0	305	27.9	4	25.0
Latino/Hispanic	9	32.1	4	21.1	5	55.6	10	50.0	408	37.3	6	37.5
White	9	32.1	6	31.6	3	33.3	6	30.0	321	29.4	5	31.3
Asian/Pacific Islander	2	7.1	2	10.5	0	0.0	0	0.0	55	5.0	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	13	46.4	11	57.9	2	22.2	7	35.0	71	6.5	0	0.0
30-39	6	21.4	4	21.1	2	22.2	6	30.0	175	16.0	0	0.0
40-49	4	14.3	3	15.8	1	11.1	2	10.0	271	24.8	3	18.8
50-59	5	17.9	1	5.3	4	44.4	5	25.0	356	32.6	6	37.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	218	19.9	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	64.3	14	73.7	4	44.4	13	65.0	426	39.0	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	174	15.9	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.3	1	6.3
Heterosexual contact	3	10.7	2	10.5	1	11.1	2	10.0	207	18.9	4	25.0
Transgender people with sexual contact	1	3.6	1	5.3	0	0.0	0	0.0	9	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.0	20	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	21.4	2	10.5	4	44.4	4	20.0	231	21.1	2	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	92	100.0	72	78.3	20	21.7	71	100.0	5,192	100.0	60	100.0
GENDER												
Male	71	77.2	56	77.8	15	75.0	53	74.6	3,318	63.9	45	75.0
Female	21	22.8	16	22.2	5	25.0	18	25.4	1,874	36.1	15	25.0
RACE/ETHNICITY												
Black	62	67.4	48	66.7	14	70.0	55	77.5	4,093	78.8	45	75.0
Latino/Hispanic	20	21.7	16	22.2	4	20.0	12	16.9	712	13.7	12	20.0
White	5	5.4	4	5.6	1	5.0	2	2.8	302	5.8	2	3.3
Asian/Pacific Islander	1	1.1	1	1.4	0	0.0	1	1.4	53	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	4	4.3	3	4.2	1	5.0	1	1.4	11	0.2	1	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	0	0.0	6	0.1	0	0.0
13-19	4	4.3	4	5.6	0	0.0	0	0.0	31	0.6	0	0.0
20-29	35	38.0	33	45.8	2	10.0	9	12.7	439	8.5	1	1.7
30-39	20	21.7	13	18.1	7	35.0	24	33.8	811	15.6	5	8.3
40-49	11	12.0	6	8.3	5	25.0	18	25.4	1,195	23.0	6	10.0
50-59	11	12.0	8	11.1	3	15.0	15	21.1	1,574	30.3	30	50.0
60+	10	10.9	7	9.7	3	15.0	5	7.0	1,136	21.9	18	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	52.2	38	52.8	10	50.0	30	42.3	1,533	29.5	11	18.3
Injection drug use history (IDU)	3	3.3	3	4.2	0	0.0	1	1.4	506	9.7	8	13.3
MSM-IDU	1	1.1	0	0.0	1	5.0	4	5.6	91	1.8	1	1.7
Heterosexual contact	19	20.7	14	19.4	5	25.0	13	18.3	1,417	27.3	15	25.0
Transgender people with sexual contact	2	2.2	2	2.8	0	0.0	1	1.4	42	0.8	0	0.0
Perinatal	1	1.1	1	1.4	0	0.0	1	1.4	104	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	18	19.6	14	19.4	4	20.0	21	29.6	1,486	28.6	25	41.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	28	63.6	16	36.4	35	100.0	1,670	100.0	17	100.0
GENDER												
Male	33	75.0	21	75.0	12	75.0	22	62.9	906	54.3	11	64.7
Female	11	25.0	7	25.0	4	25.0	13	37.1	764	45.7	6	35.3
RACE/ETHNICITY												
Black	37	84.1	22	78.6	15	93.8	33	94.3	1,331	79.7	13	76.5
Latino/Hispanic	6	13.6	5	17.9	1	6.3	2	5.7	201	12.0	3	17.6
White	0	0.0	0	0.0	0	0.0	0	0.0	113	6.8	1	5.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	1	2.3	1	3.6	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	4.5	1	3.6	1	6.3	3	8.6	24	1.4	0	0.0
20-29	12	27.3	12	42.9	0	0.0	3	8.6	158	9.5	1	5.9
30-39	9	20.5	7	25.0	2	12.5	3	8.6	239	14.3	0	0.0
40-49	8	18.2	4	14.3	4	25.0	8	22.9	374	22.4	1	5.9
50-59	8	18.2	2	7.1	6	37.5	13	37.1	524	31.4	6	35.3
60+	5	11.4	2	7.1	3	18.8	5	14.3	350	21.0	9	52.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	34.1	13	46.4	2	12.5	4	11.4	326	19.5	2	11.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	146	8.7	4	23.5
MSM-IDU	1	2.3	1	3.6	0	0.0	1	2.9	18	1.1	0	0.0
Heterosexual contact	10	22.7	7	25.0	3	18.8	11	31.4	576	34.5	6	35.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	61	3.7	1	5.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	18	40.9	7	25.0	11	68.8	17	48.6	534	32.0	4	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	10	90.9	1	9.1	1	100.0	665	100.0	6	100.0
GENDER												
Male	11	100.0	10	100.0	1	100.0	1	100.0	496	74.6	5	83.3
Female	0	0.0	0	0.0	0	0.0	0	0.0	169	25.4	1	16.7
RACE/ETHNICITY												
Black	3	27.3	3	30.0	0	0.0	0	0.0	80	12.0	0	0.0
Latino/Hispanic	2	18.2	1	10.0	1	100.0	1	100.0	203	30.5	2	33.3
White	6	54.5	6	60.0	0	0.0	0	0.0	339	51.0	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	6.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	27.3	3	30.0	0	0.0	0	0.0	26	3.9	0	0.0
30-39	2	18.2	1	10.0	1	100.0	1	100.0	110	16.5	0	0.0
40-49	4	36.4	4	40.0	0	0.0	0	0.0	162	24.4	0	0.0
50-59	1	9.1	1	10.0	0	0.0	0	0.0	222	33.4	4	66.7
60+	1	9.1	1	10.0	0	0.0	0	0.0	143	21.5	2	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	72.7	7	70.0	1	100.0	1	100.0	292	43.9	1	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	97	14.6	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	114	17.1	2	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	3	27.3	3	30.0	0	0.0	0	0.0	135	20.3	1	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	3	12.0	13	100.0	1,127	100.0	12	100.0
GENDER												
Male	19	76.0	16	72.7	3	100.0	7	53.8	694	61.6	8	66.7
Female	6	24.0	6	27.3	0	0.0	6	46.2	433	38.4	4	33.3
RACE/ETHNICITY												
Black	7	28.0	7	31.8	0	0.0	4	30.8	448	39.8	4	33.3
Latino/Hispanic	7	28.0	6	27.3	1	33.3	4	30.8	343	30.4	3	25.0
White	9	36.0	8	36.4	1	33.3	3	23.1	292	25.9	5	41.7
Asian/Pacific Islander	1	4.0	0	0.0	1	33.3	2	15.4	33	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	4.0	1	4.5	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
20-29	8	32.0	8	36.4	0	0.0	0	0.0	100	8.9	0	0.0
30-39	8	32.0	6	27.3	2	66.7	4	30.8	167	14.8	2	16.7
40-49	4	16.0	4	18.2	0	0.0	2	15.4	259	23.0	2	16.7
50-59	4	16.0	4	18.2	0	0.0	3	23.1	344	30.5	3	25.0
60+	1	4.0	0	0.0	1	33.3	4	30.8	246	21.8	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	32.0	7	31.8	1	33.3	1	7.7	304	27.0	2	16.7
Injection drug use history (IDU)	2	8.0	1	4.5	1	33.3	1	7.7	188	16.7	4	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	0	0.0
Heterosexual contact	4	16.0	4	18.2	0	0.0	3	23.1	298	26.4	4	33.3
Transgender people with sexual contact	1	4.0	1	4.5	0	0.0	1	7.7	8	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	10	40.0	9	40.9	1	33.3	7	53.8	276	24.5	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	88	92.6	7	7.4	43	100.0	3,759	100.0	56	100.0
GENDER												
Male	80	84.2	73	83.0	7	100.0	33	76.7	2,621	69.7	35	62.5
Female	15	15.8	15	17.0	0	0.0	10	23.3	1,138	30.3	21	37.5
RACE/ETHNICITY												
Black	40	42.1	37	42.0	3	42.9	25	58.1	1,869	49.7	33	58.9
Latino/Hispanic	35	36.8	32	36.4	3	42.9	13	30.2	1,442	38.4	21	37.5
White	17	17.9	16	18.2	1	14.3	5	11.6	379	10.1	2	3.6
Asian/Pacific Islander	3	3.2	3	3.4	0	0.0	0	0.0	51	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	2	2.1	2	2.3	0	0.0	1	2.3	21	0.6	0	0.0
20-29	41	43.2	38	43.2	3	42.9	12	27.9	420	11.2	0	0.0
30-39	22	23.2	22	25.0	0	0.0	7	16.3	613	16.3	5	8.9
40-49	15	15.8	12	13.6	3	42.9	8	18.6	863	23.0	10	17.9
50-59	10	10.5	9	10.2	1	14.3	10	23.3	1,138	30.3	12	21.4
60+	5	5.3	5	5.7	0	0.0	5	11.6	698	18.6	29	51.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	64.2	57	64.8	4	57.1	18	41.9	1,308	34.8	8	14.3
Injection drug use history (IDU)	2	2.1	2	2.3	0	0.0	2	4.7	599	15.9	16	28.6
MSM-IDU	2	2.1	2	2.3	0	0.0	2	4.7	87	2.3	3	5.4
Heterosexual contact	14	14.7	13	14.8	1	14.3	7	16.3	788	21.0	13	23.2
Transgender people with sexual contact	2	2.1	2	2.3	0	0.0	1	2.3	34	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	95	2.5	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	14	14.7	12	13.6	2	28.6	12	27.9	845	22.5	15	26.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	106	84.8	19	15.2	45	100.0	4,521	100.0	37	100.0
GENDER												
Male	113	90.4	97	91.5	16	84.2	36	80.0	3,668	81.1	32	86.5
Female	12	9.6	9	8.5	3	15.8	9	20.0	853	18.9	5	13.5
RACE/ETHNICITY												
Black	35	28.0	30	28.3	5	26.3	11	24.4	1,492	33.0	14	37.8
Latino/Hispanic	67	53.6	55	51.9	12	63.2	25	55.6	1,973	43.6	15	40.5
White	19	15.2	18	17.0	1	5.3	6	13.3	964	21.3	8	21.6
Asian/Pacific Islander	3	2.4	2	1.9	1	5.3	3	6.7	62	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	1	0.8	1	0.9	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	1	0.8	1	0.9	0	0.0	0	0.0	19	0.4	0	0.0
20-29	48	38.4	47	44.3	1	5.3	7	15.6	397	8.8	1	2.7
30-39	36	28.8	31	29.2	5	26.3	11	24.4	765	16.9	2	5.4
40-49	16	12.8	11	10.4	5	26.3	11	24.4	1,140	25.2	3	8.1
50-59	15	12.0	9	8.5	6	31.6	10	22.2	1,317	29.1	14	37.8
60+	9	7.2	7	6.6	2	10.5	6	13.3	876	19.4	17	45.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	94	75.2	81	76.4	13	68.4	28	62.2	2,399	53.1	9	24.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.2	393	8.7	12	32.4
MSM-IDU	2	1.6	2	1.9	0	0.0	2	4.4	115	2.5	4	10.8
Heterosexual contact	10	8.0	8	7.5	2	10.5	6	13.3	633	14.0	3	8.1
Transgender people with sexual contact	1	0.8	1	0.9	0	0.0	1	2.2	32	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	70	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	18	14.4	14	13.2	4	21.1	7	15.6	872	19.3	9	24.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	99	100.0	91	91.9	8	8.1	50	100.0	4,746	100.0	67	100.0
GENDER												
Male	81	81.8	73	80.2	8	100.0	36	72.0	3,404	71.7	48	71.6
Female	18	18.2	18	19.8	0	0.0	14	28.0	1,342	28.3	19	28.4
RACE/ETHNICITY												
Black	56	56.6	48	52.7	8	100.0	39	78.0	3,056	64.4	52	77.6
Latino/Hispanic	28	28.3	28	30.8	0	0.0	7	14.0	980	20.6	11	16.4
White	12	12.1	12	13.2	0	0.0	3	6.0	624	13.1	2	3.0
Asian/Pacific Islander	2	2.0	2	2.2	0	0.0	0	0.0	56	1.2	1	1.5
Other/Unknown	1	1.0	1	1.1	0	0.0	1	2.0	30	0.6	1	1.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.0	6	0.1	0	0.0
13-19	4	4.0	3	3.3	1	12.5	1	2.0	22	0.5	0	0.0
20-29	42	42.4	39	42.9	3	37.5	13	26.0	444	9.4	2	3.0
30-39	27	27.3	25	27.5	2	25.0	12	24.0	798	16.8	3	4.5
40-49	12	12.1	11	12.1	1	12.5	13	26.0	1,173	24.7	10	14.9
50-59	9	9.1	8	8.8	1	12.5	6	12.0	1,402	29.5	24	35.8
60+	5	5.1	5	5.5	0	0.0	4	8.0	901	19.0	28	41.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	65	65.7	59	64.8	6	75.0	26	52.0	1,954	41.2	13	19.4
Injection drug use history (IDU)	1	1.0	1	1.1	0	0.0	4	8.0	585	12.3	19	28.4
MSM-IDU	3	3.0	3	3.3	0	0.0	0	0.0	114	2.4	4	6.0
Heterosexual contact	13	13.1	12	13.2	1	12.5	8	16.0	858	18.1	12	17.9
Transgender people with sexual contact	3	3.0	3	3.3	0	0.0	0	0.0	35	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	8.0	90	1.9	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	14	14.1	13	14.3	1	12.5	8	16.0	1,105	23.3	18	26.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	58	100.0	44	75.9	14	24.1	28	100.0	3,010	100.0	62	100.0
GENDER												
Male	48	82.8	37	84.1	11	78.6	20	71.4	2,076	69.0	48	77.4
Female	10	17.2	7	15.9	3	21.4	8	28.6	934	31.0	14	22.6
RACE/ETHNICITY												
Black	24	41.4	19	43.2	5	35.7	10	35.7	1,411	46.9	38	61.3
Latino/Hispanic	26	44.8	21	47.7	5	35.7	14	50.0	1,200	39.9	20	32.3
White	7	12.1	4	9.1	3	21.4	3	10.7	352	11.7	2	3.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Other/Unknown	1	1.7	0	0.0	1	7.1	1	3.6	18	0.6	2	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.4	2	4.5	0	0.0	1	3.6	12	0.4	0	0.0
20-29	23	39.7	20	45.5	3	21.4	7	25.0	256	8.5	0	0.0
30-39	17	29.3	12	27.3	5	35.7	6	21.4	411	13.7	4	6.5
40-49	11	19.0	7	15.9	4	28.6	6	21.4	692	23.0	6	9.7
50-59	2	3.4	1	2.3	1	7.1	2	7.1	955	31.7	19	30.6
60+	3	5.2	2	4.5	1	7.1	6	21.4	681	22.6	33	53.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	62.1	30	68.2	6	42.9	12	42.9	1,008	33.5	8	12.9
Injection drug use history (IDU)	2	3.4	2	4.5	0	0.0	2	7.1	592	19.7	19	30.6
MSM-IDU	3	5.2	3	6.8	0	0.0	1	3.6	80	2.7	1	1.6
Heterosexual contact	4	6.9	3	6.8	1	7.1	2	7.1	615	20.4	14	22.6
Transgender people with sexual contact	1	1.7	0	0.0	1	7.1	1	3.6	26	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	88	2.9	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	20.7	6	13.6	6	42.9	9	32.1	598	19.9	19	30.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in East Harlem: 10029, 10035.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	35	83.3	7	16.7	22	100.0	3,143	100.0	41	100.0
GENDER												
Male	39	92.9	32	91.4	7	100.0	20	90.9	2,702	86.0	35	85.4
Female	3	7.1	3	8.6	0	0.0	2	9.1	441	14.0	6	14.6
RACE/ETHNICITY												
Black	7	16.7	6	17.1	1	14.3	6	27.3	853	27.1	13	31.7
Latino/Hispanic	11	26.2	10	28.6	1	14.3	6	27.3	794	25.3	15	36.6
White	22	52.4	18	51.4	4	57.1	9	40.9	1,405	44.7	12	29.3
Asian/Pacific Islander	2	4.8	1	2.9	1	14.3	1	4.5	64	2.0	1	2.4
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.4	1	2.9	0	0.0	1	4.5	9	0.3	0	0.0
20-29	18	42.9	15	42.9	3	42.9	3	13.6	168	5.3	0	0.0
30-39	11	26.2	10	28.6	1	14.3	5	22.7	321	10.2	3	7.3
40-49	7	16.7	5	14.3	2	28.6	6	27.3	613	19.5	11	26.8
50-59	4	9.5	3	8.6	1	14.3	4	18.2	1,066	33.9	11	26.8
60+	1	2.4	1	2.9	0	0.0	3	13.6	966	30.7	16	39.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	81.0	28	80.0	6	85.7	15	68.2	1,887	60.0	14	34.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.5	293	9.3	8	19.5
MSM-IDU	1	2.4	1	2.9	0	0.0	0	0.0	96	3.1	2	4.9
Heterosexual contact	2	4.8	1	2.9	1	14.3	3	13.6	290	9.2	3	7.3
Transgender people with sexual contact	1	2.4	1	2.9	0	0.0	0	0.0	26	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	4	9.5	4	11.4	0	0.0	3	13.6	518	16.5	14	34.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	29	87.9	4	12.1	9	100.0	1,429	100.0	15	100.0
GENDER												
Male	32	97.0	28	96.6	4	100.0	9	100.0	1,248	87.3	12	80.0
Female	1	3.0	1	3.4	0	0.0	0	0.0	181	12.7	3	20.0
RACE/ETHNICITY												
Black	4	12.1	3	10.3	1	25.0	1	11.1	265	18.5	5	33.3
Latino/Hispanic	12	36.4	10	34.5	2	50.0	3	33.3	340	23.8	2	13.3
White	15	45.5	14	48.3	1	25.0	4	44.4	764	53.5	7	46.7
Asian/Pacific Islander	2	6.1	2	6.9	0	0.0	1	11.1	53	3.7	1	6.7
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	21.2	7	24.1	0	0.0	0	0.0	52	3.6	1	6.7
30-39	9	27.3	8	27.6	1	25.0	3	33.3	172	12.0	1	6.7
40-49	10	30.3	9	31.0	1	25.0	2	22.2	303	21.2	0	0.0
50-59	5	15.2	4	13.8	1	25.0	3	33.3	501	35.1	5	33.3
60+	2	6.1	1	3.4	1	25.0	1	11.1	398	27.9	8	53.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	57.6	17	58.6	2	50.0	5	55.6	887	62.1	6	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	100	7.0	3	20.0
MSM-IDU	2	6.1	2	6.9	0	0.0	0	0.0	35	2.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	117	8.2	1	6.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	36.4	10	34.5	2	50.0	4	44.4	276	19.3	5	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	88	88.0	12	12.0	41	100.0	6,747	100.0	34	100.0
GENDER												
Male	98	98.0	86	97.7	12	100.0	38	92.7	6,305	93.4	31	91.2
Female	2	2.0	2	2.3	0	0.0	3	7.3	442	6.6	3	8.8
RACE/ETHNICITY												
Black	9	9.0	9	10.2	0	0.0	8	19.5	1,077	16.0	9	26.5
Latino/Hispanic	36	36.0	32	36.4	4	33.3	13	31.7	1,490	22.1	8	23.5
White	46	46.0	41	46.6	5	41.7	17	41.5	3,911	58.0	14	41.2
Asian/Pacific Islander	3	3.0	2	2.3	1	8.3	1	2.4	190	2.8	3	8.8
Other/Unknown	6	6.0	4	4.5	2	16.7	2	4.9	79	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
20-29	31	31.0	30	34.1	1	8.3	2	4.9	327	4.8	0	0.0
30-39	40	40.0	37	42.0	3	25.0	10	24.4	1,032	15.3	4	11.8
40-49	17	17.0	14	15.9	3	25.0	15	36.6	1,797	26.6	4	11.8
50-59	12	12.0	7	8.0	5	41.7	11	26.8	2,361	35.0	7	20.6
60+	0	0.0	0	0.0	0	0.0	3	7.3	1,222	18.1	19	55.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	88	88.0	79	89.8	9	75.0	27	65.9	5,071	75.2	22	64.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	7.3	352	5.2	3	8.8
MSM-IDU	2	2.0	2	2.3	0	0.0	2	4.9	204	3.0	1	2.9
Heterosexual contact	2	2.0	2	2.3	0	0.0	1	2.4	263	3.9	5	14.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.4	43	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	8	8.0	5	5.7	3	25.0	7	17.1	792	11.7	3	8.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	28	84.8	5	15.2	13	100.0	1,964	100.0	14	100.0
GENDER												
Male	29	87.9	25	89.3	4	80.0	10	76.9	1,805	91.9	12	85.7
Female	4	12.1	3	10.7	1	20.0	3	23.1	159	8.1	2	14.3
RACE/ETHNICITY												
Black	10	30.3	8	28.6	2	40.0	4	30.8	383	19.5	4	28.6
Latino/Hispanic	8	24.2	7	25.0	1	20.0	3	23.1	455	23.2	4	28.6
White	12	36.4	10	35.7	2	40.0	5	38.5	1,046	53.3	6	42.9
Asian/Pacific Islander	3	9.1	3	10.7	0	0.0	1	7.7	63	3.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	14	42.4	14	50.0	0	0.0	2	15.4	80	4.1	0	0.0
30-39	6	18.2	3	10.7	3	60.0	4	30.8	208	10.6	0	0.0
40-49	6	18.2	6	21.4	0	0.0	3	23.1	444	22.6	3	21.4
50-59	4	12.1	3	10.7	1	20.0	2	15.4	687	35.0	6	42.9
60+	3	9.1	2	7.1	1	20.0	2	15.4	544	27.7	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	63.6	19	67.9	2	40.0	8	61.5	1,283	65.3	5	35.7
Injection drug use history (IDU)	2	6.1	2	7.1	0	0.0	0	0.0	168	8.6	5	35.7
MSM-IDU	2	6.1	2	7.1	0	0.0	0	0.0	65	3.3	0	0.0
Heterosexual contact	1	3.0	1	3.6	0	0.0	1	7.7	116	5.9	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	21.2	4	14.3	3	60.0	4	30.8	311	15.8	3	21.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	18	78.3	5	21.7	10	100.0	1,946	100.0	12	100.0
GENDER												
Male	23	100.0	18	100.0	5	100.0	10	100.0	1,855	95.3	12	100.0
Female	0	0.0	0	0.0	0	0.0	0	0.0	91	4.7	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	10.0	377	19.4	2	16.7
Latino/Hispanic	8	34.8	7	38.9	1	20.0	2	20.0	398	20.5	1	8.3
White	14	60.9	10	55.6	4	80.0	7	70.0	1,108	56.9	9	75.0
Asian/Pacific Islander	1	4.3	1	5.6	0	0.0	0	0.0	51	2.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	8	34.8	8	44.4	0	0.0	3	30.0	93	4.8	0	0.0
30-39	6	26.1	5	27.8	1	20.0	2	20.0	233	12.0	0	0.0
40-49	6	26.1	4	22.2	2	40.0	2	20.0	448	23.0	1	8.3
50-59	3	13.0	1	5.6	2	40.0	3	30.0	695	35.7	4	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	476	24.5	7	58.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	87.0	16	88.9	4	80.0	7	70.0	1,322	67.9	8	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	142	7.3	1	8.3
MSM-IDU	1	4.3	1	5.6	0	0.0	1	10.0	62	3.2	1	8.3
Heterosexual contact	1	4.3	0	0.0	1	20.0	1	10.0	62	3.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	4.3	1	5.6	0	0.0	1	10.0	327	16.8	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	38	92.7	3	7.3	16	100.0	3,058	100.0	36	100.0
GENDER												
Male	35	85.4	32	84.2	3	100.0	14	87.5	2,495	81.6	28	77.8
Female	6	14.6	6	15.8	0	0.0	2	12.5	563	18.4	8	22.2
RACE/ETHNICITY												
Black	11	26.8	11	28.9	0	0.0	1	6.3	588	19.2	10	27.8
Latino/Hispanic	11	26.8	10	26.3	1	33.3	5	31.3	1,067	34.9	10	27.8
White	14	34.1	12	31.6	2	66.7	7	43.8	1,236	40.4	16	44.4
Asian/Pacific Islander	5	12.2	5	13.2	0	0.0	2	12.5	134	4.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	6.3	33	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	4.9	2	5.3	0	0.0	0	0.0	9	0.3	0	0.0
20-29	18	43.9	18	47.4	0	0.0	0	0.0	159	5.2	0	0.0
30-39	5	12.2	4	10.5	1	33.3	3	18.8	351	11.5	2	5.6
40-49	9	22.0	8	21.1	1	33.3	7	43.8	668	21.8	7	19.4
50-59	5	12.2	4	10.5	1	33.3	5	31.3	1,112	36.4	10	27.8
60+	2	4.9	2	5.3	0	0.0	1	6.3	757	24.8	17	47.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	31	75.6	28	73.7	3	100.0	9	56.3	1,678	54.9	12	33.3
Injection drug use history (IDU)	2	4.9	2	5.3	0	0.0	1	6.3	399	13.0	12	33.3
MSM-IDU	1	2.4	1	2.6	0	0.0	0	0.0	92	3.0	3	8.3
Heterosexual contact	3	7.3	3	7.9	0	0.0	1	6.3	357	11.7	5	13.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	4	9.8	4	10.5	0	0.0	5	31.3	475	15.5	4	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	15	83.3	3	16.7	3	100.0	587	100.0	2	100.0
GENDER												
Male	17	94.4	14	93.3	3	100.0	3	100.0	506	86.2	2	100.0
Female	1	5.6	1	6.7	0	0.0	0	0.0	81	13.8	0	0.0
RACE/ETHNICITY												
Black	4	22.2	3	20.0	1	33.3	2	66.7	117	19.9	1	50.0
Latino/Hispanic	5	27.8	5	33.3	0	0.0	0	0.0	143	24.4	1	50.0
White	7	38.9	6	40.0	1	33.3	0	0.0	303	51.6	0	0.0
Asian/Pacific Islander	2	11.1	1	6.7	1	33.3	1	33.3	20	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.6	1	6.7	0	0.0	0	0.0	1	0.2	0	0.0
20-29	5	27.8	5	33.3	0	0.0	0	0.0	27	4.6	0	0.0
30-39	4	22.2	4	26.7	0	0.0	0	0.0	81	13.8	1	50.0
40-49	4	22.2	3	20.0	1	33.3	1	33.3	168	28.6	0	0.0
50-59	4	22.2	2	13.3	2	66.7	2	66.7	210	35.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	100	17.0	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	77.8	11	73.3	3	100.0	2	66.7	362	61.7	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	46	7.8	1	50.0
MSM-IDU	1	5.6	1	6.7	0	0.0	0	0.0	16	2.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	33.3	53	9.0	0	0.0
Transgender people with sexual contact	1	5.6	1	6.7	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	11.1	2	13.3	0	0.0	0	0.0	101	17.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	44	77.2	13	22.8	26	100.0	2,064	100.0	7	100.0
GENDER												
Male	55	96.5	43	97.7	12	92.3	24	92.3	1,746	84.6	7	100.0
Female	2	3.5	1	2.3	1	7.7	2	7.7	318	15.4	0	0.0
RACE/ETHNICITY												
Black	6	10.5	5	11.4	1	7.7	4	15.4	359	17.4	3	42.9
Latino/Hispanic	25	43.9	20	45.5	5	38.5	7	26.9	807	39.1	1	14.3
White	23	40.4	16	36.4	7	53.8	13	50.0	793	38.4	3	42.9
Asian/Pacific Islander	3	5.3	3	6.8	0	0.0	2	7.7	89	4.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
20-29	18	31.6	17	38.6	1	7.7	4	15.4	132	6.4	0	0.0
30-39	25	43.9	18	40.9	7	53.8	12	46.2	430	20.8	0	0.0
40-49	10	17.5	7	15.9	3	23.1	7	26.9	603	29.2	0	0.0
50-59	2	3.5	1	2.3	1	7.7	2	7.7	616	29.8	1	14.3
60+	2	3.5	1	2.3	1	7.7	1	3.8	278	13.5	6	85.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	89.5	41	93.2	10	76.9	21	80.8	1,298	62.9	3	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.8	133	6.4	0	0.0
MSM-IDU	2	3.5	2	4.5	0	0.0	0	0.0	34	1.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	3.8	251	12.2	1	14.3
Transgender people with sexual contact	2	3.5	1	2.3	1	7.7	1	3.8	20	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	2	3.5	0	0.0	2	15.4	2	7.7	308	14.9	3	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	137	100.0	100	73.0	37	27.0	72	100.0	5,820	100.0	27	100.0
GENDER												
Male	121	88.3	88	88.0	33	89.2	66	91.7	4,743	81.5	24	88.9
Female	16	11.7	12	12.0	4	10.8	6	8.3	1,077	18.5	3	11.1
RACE/ETHNICITY												
Black	13	9.5	9	9.0	4	10.8	9	12.5	1,622	27.9	5	18.5
Latino/Hispanic	94	68.6	69	69.0	25	67.6	49	68.1	3,230	55.5	14	51.9
White	11	8.0	10	10.0	1	2.7	1	1.4	645	11.1	5	18.5
Asian/Pacific Islander	19	13.9	12	12.0	7	18.9	12	16.7	295	5.1	3	11.1
Native American	0	0.0	0	0.0	0	0.0	1	1.4	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	1.5	2	2.0	0	0.0	0	0.0	12	0.2	0	0.0
20-29	49	35.8	40	40.0	9	24.3	18	25.0	447	7.7	1	3.7
30-39	43	31.4	31	31.0	12	32.4	22	30.6	969	16.6	1	3.7
40-49	21	15.3	16	16.0	5	13.5	12	16.7	1,626	27.9	6	22.2
50-59	18	13.1	10	10.0	8	21.6	15	20.8	1,858	31.9	11	40.7
60+	4	2.9	1	1.0	3	8.1	5	6.9	904	15.5	8	29.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	101	73.7	75	75.0	26	70.3	47	65.3	2,464	42.3	13	48.1
Injection drug use history (IDU)	5	3.6	4	4.0	1	2.7	1	1.4	934	16.0	7	25.9
MSM-IDU	1	0.7	1	1.0	0	0.0	1	1.4	174	3.0	1	3.7
Heterosexual contact	13	9.5	8	8.0	5	13.5	8	11.1	926	15.9	2	7.4
Transgender people with sexual contact	6	4.4	5	5.0	1	2.7	2	2.8	90	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	1.1	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	11	8.0	7	7.0	4	10.8	13	18.1	1,166	20.0	3	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	20	87.0	3	13.0	10	100.0	665	100.0	8	100.0
GENDER												
Male	22	95.7	19	95.0	3	100.0	10	100.0	499	75.0	5	62.5
Female	1	4.3	1	5.0	0	0.0	0	0.0	166	25.0	3	37.5
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	99	14.9	3	37.5
Latino/Hispanic	12	52.2	11	55.0	1	33.3	5	50.0	256	38.5	2	25.0
White	2	8.7	2	10.0	0	0.0	3	30.0	190	28.6	2	25.0
Asian/Pacific Islander	9	39.1	7	35.0	2	66.7	2	20.0	109	16.4	1	12.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	4.3	1	5.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	4.3	1	5.0	0	0.0	0	0.0	3	0.5	0	0.0
20-29	10	43.5	9	45.0	1	33.3	2	20.0	50	7.5	0	0.0
30-39	4	17.4	3	15.0	1	33.3	3	30.0	79	11.9	0	0.0
40-49	1	4.3	1	5.0	0	0.0	2	20.0	155	23.3	1	12.5
50-59	5	21.7	4	20.0	1	33.3	2	20.0	228	34.3	5	62.5
60+	1	4.3	1	5.0	0	0.0	1	10.0	149	22.4	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	73.9	14	70.0	3	100.0	7	70.0	287	43.2	2	25.0
Injection drug use history (IDU)	1	4.3	1	5.0	0	0.0	0	0.0	68	10.2	1	12.5
MSM-IDU	1	4.3	1	5.0	0	0.0	1	10.0	16	2.4	0	0.0
Heterosexual contact	1	4.3	1	5.0	0	0.0	0	0.0	142	21.4	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	4.3	1	5.0	0	0.0	0	0.0	10	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	8.7	2	10.0	0	0.0	2	20.0	140	21.1	3	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	2	100.0	140	100.0	0	0.0
GENDER												
Male	0	0.0	0	0.0	0	0.0	1	50.0	115	82.1	0	0.0
Female	0	0.0	0	0.0	0	0.0	1	50.0	25	17.9	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	100.0	27	19.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	27	19.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	75	53.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	7.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	15	10.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	100.0	26	18.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	60	42.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	37	26.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	58	41.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	13	9.3	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	50.0	25	17.9	0	0.0
Transgender people with sexual c	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	50.0	36	25.7	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	32	86.5	5	13.5	17	100.0	1,226	100.0	14	100.0
GENDER												
Male	27	73.0	23	71.9	4	80.0	14	82.4	932	76.0	10	71.4
Female	10	27.0	9	28.1	1	20.0	3	17.6	294	24.0	4	28.6
RACE/ETHNICITY												
Black	4	10.8	2	6.3	2	40.0	4	23.5	160	13.1	1	7.1
Latino/Hispanic	12	32.4	12	37.5	0	0.0	5	29.4	573	46.7	8	57.1
White	9	24.3	9	28.1	0	0.0	3	17.6	417	34.0	4	28.6
Asian/Pacific Islander	10	27.0	8	25.0	2	40.0	4	23.5	64	5.2	0	0.0
Other/Unknown	2	5.4	1	3.1	1	20.0	1	5.9	12	1.0	1	7.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
20-29	17	45.9	15	46.9	2	40.0	4	23.5	99	8.1	0	0.0
30-39	6	16.2	6	18.8	0	0.0	3	17.6	157	12.8	1	7.1
40-49	5	13.5	5	15.6	0	0.0	3	17.6	308	25.1	2	14.3
50-59	6	16.2	4	12.5	2	40.0	5	29.4	427	34.8	7	50.0
60+	3	8.1	2	6.3	1	20.0	2	11.8	229	18.7	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	51.4	16	50.0	3	60.0	10	58.8	593	48.4	3	21.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	102	8.3	2	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	29	2.4	1	7.1
Heterosexual contact	10	27.0	9	28.1	1	20.0	3	17.6	250	20.4	2	14.3
Transgender people with sexual contact	1	2.7	1	3.1	0	0.0	0	0.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	7	18.9	6	18.8	1	20.0	4	23.5	213	17.4	6	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	6	66.7	3	33.3	8	100.0	271	100.0	3	100.0
GENDER												
Male	7	77.8	4	66.7	3	100.0	6	75.0	168	62.0	2	66.7
Female	2	22.2	2	33.3	0	0.0	2	25.0	103	38.0	1	33.3
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	25.0	126	46.5	1	33.3
Latino/Hispanic	4	44.4	2	33.3	2	66.7	4	50.0	76	28.0	0	0.0
White	4	44.4	3	50.0	1	33.3	1	12.5	50	18.5	2	66.7
Asian/Pacific Islander	1	11.1	1	16.7	0	0.0	1	12.5	18	6.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	12.5	4	1.5	0	0.0
20-29	3	33.3	3	50.0	0	0.0	1	12.5	24	8.9	0	0.0
30-39	3	33.3	1	16.7	2	66.7	3	37.5	30	11.1	0	0.0
40-49	3	33.3	2	33.3	1	33.3	3	37.5	60	22.1	1	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	92	33.9	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	61	22.5	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	33.3	2	33.3	1	33.3	3	37.5	77	28.4	1	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	8.9	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	12.5	4	1.5	0	0.0
Heterosexual contact	4	44.4	4	66.7	0	0.0	0	0.0	77	28.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	12.5	1	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	10	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Unknown	2	22.2	0	0.0	2	66.7	2	25.0	76	28.0	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	37	84.1	7	15.9	22	100.0	1,814	100.0	18	100.0
GENDER												
Male	37	84.1	31	83.8	6	85.7	16	72.7	1,266	69.8	10	55.6
Female	7	15.9	6	16.2	1	14.3	6	27.3	548	30.2	8	44.4
RACE/ETHNICITY												
Black	6	13.6	6	16.2	0	0.0	6	27.3	509	28.1	11	61.1
Latino/Hispanic	21	47.7	17	45.9	4	57.1	8	36.4	822	45.3	3	16.7
White	5	11.4	5	13.5	0	0.0	1	4.5	295	16.3	2	11.1
Asian/Pacific Islander	12	27.3	9	24.3	3	42.9	7	31.8	162	8.9	2	11.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.3	1	2.7	0	0.0	0	0.0	10	0.6	0	0.0
20-29	12	27.3	11	29.7	1	14.3	4	18.2	164	9.0	1	5.6
30-39	16	36.4	16	43.2	0	0.0	1	4.5	259	14.3	1	5.6
40-49	7	15.9	4	10.8	3	42.9	7	31.8	479	26.4	5	27.8
50-59	5	11.4	3	8.1	2	28.6	6	27.3	602	33.2	7	38.9
60+	3	6.8	2	5.4	1	14.3	4	18.2	297	16.4	4	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	26	59.1	24	64.9	2	28.6	7	31.8	699	38.5	3	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.5	202	11.1	2	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	1.0	0	0.0
Heterosexual contact	11	25.0	9	24.3	2	28.6	6	27.3	427	23.5	11	61.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.5	48	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	15.9	4	10.8	3	42.9	7	31.8	400	22.1	2	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	63	82.9	13	17.1	47	100.0	3,155	100.0	49	100.0
GENDER												
Male	60	78.9	48	76.2	12	92.3	35	74.5	1,934	61.3	33	67.3
Female	16	21.1	15	23.8	1	7.7	12	25.5	1,221	38.7	16	32.7
RACE/ETHNICITY												
Black	47	61.8	39	61.9	8	61.5	30	63.8	2,294	72.7	38	77.6
Latino/Hispanic	23	30.3	18	28.6	5	38.5	11	23.4	592	18.8	7	14.3
White	1	1.3	1	1.6	0	0.0	2	4.3	160	5.1	3	6.1
Asian/Pacific Islander	5	6.6	5	7.9	0	0.0	4	8.5	86	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.3	1	1.6	0	0.0	1	2.1	25	0.8	0	0.0
20-29	32	42.1	31	49.2	1	7.7	6	12.8	291	9.2	1	2.0
30-39	15	19.7	10	15.9	5	38.5	15	31.9	421	13.3	6	12.2
40-49	16	21.1	11	17.5	5	38.5	12	25.5	723	22.9	6	12.2
50-59	9	11.8	7	11.1	2	15.4	9	19.1	1,031	32.7	17	34.7
60+	3	3.9	3	4.8	0	0.0	4	8.5	661	21.0	19	38.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	43.4	29	46.0	4	30.8	17	36.2	846	26.8	6	12.2
Injection drug use history (IDU)	2	2.6	2	3.2	0	0.0	2	4.3	362	11.5	14	28.6
MSM-IDU	2	2.6	2	3.2	0	0.0	0	0.0	53	1.7	0	0.0
Heterosexual contact	11	14.5	11	17.5	0	0.0	9	19.1	931	29.5	12	24.5
Transgender people with sexual contact	1	1.3	1	1.6	0	0.0	1	2.1	18	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	98	3.1	1	2.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	27	35.5	18	28.6	9	69.2	16	34.0	838	26.6	16	32.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	21	70.0	9	30.0	26	100.0	1,293	100.0	14	100.0
GENDER												
Male	20	66.7	13	61.9	7	77.8	17	65.4	747	57.8	7	50.0
Female	10	33.3	8	38.1	2	22.2	9	34.6	546	42.2	7	50.0
RACE/ETHNICITY												
Black	20	66.7	13	61.9	7	77.8	22	84.6	999	77.3	11	78.6
Latino/Hispanic	3	10.0	3	14.3	0	0.0	2	7.7	153	11.8	0	0.0
White	2	6.7	2	9.5	0	0.0	0	0.0	95	7.3	1	7.1
Asian/Pacific Islander	5	16.7	3	14.3	2	22.2	2	7.7	39	3.0	2	14.3
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	3.3	1	4.8	0	0.0	0	0.0	10	0.8	0	0.0
20-29	11	36.7	11	52.4	0	0.0	4	15.4	117	9.0	0	0.0
30-39	5	16.7	3	14.3	2	22.2	6	23.1	171	13.2	2	14.3
40-49	4	13.3	0	0.0	4	44.4	7	26.9	279	21.6	5	35.7
50-59	8	26.7	5	23.8	3	33.3	3	11.5	431	33.3	3	21.4
60+	1	3.3	1	4.8	0	0.0	6	23.1	283	21.9	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	43.3	10	47.6	3	33.3	9	34.6	272	21.0	2	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	140	10.8	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	1.4	0	0.0
Heterosexual contact	10	33.3	7	33.3	3	33.3	7	26.9	411	31.8	4	28.6
Transgender people with sexual contact	1	3.3	1	4.8	0	0.0	0	0.0	7	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.8	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	6	20.0	3	14.3	3	33.3	9	34.6	388	30.0	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	15	71.4	6	28.6	16	100.0	1,193	100.0	25	100.0
GENDER												
Male	16	76.2	14	93.3	2	33.3	9	56.3	689	57.8	12	48.0
Female	5	23.8	1	6.7	4	66.7	7	43.8	504	42.2	13	52.0
RACE/ETHNICITY												
Black	14	66.7	12	80.0	2	33.3	11	68.8	762	63.9	17	68.0
Latino/Hispanic	5	23.8	3	20.0	2	33.3	3	18.8	295	24.7	2	8.0
White	2	9.5	0	0.0	2	33.3	2	12.5	116	9.7	5	20.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	1	4.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	6.3	15	1.3	0	0.0
20-29	6	28.6	5	33.3	1	16.7	3	18.8	102	8.5	0	0.0
30-39	7	33.3	6	40.0	1	16.7	2	12.5	162	13.6	2	8.0
40-49	5	23.8	2	13.3	3	50.0	7	43.8	273	22.9	3	12.0
50-59	0	0.0	0	0.0	0	0.0	2	12.5	414	34.7	9	36.0
60+	3	14.3	2	13.3	1	16.7	1	6.3	226	18.9	11	44.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	52.4	9	60.0	2	33.3	3	18.8	279	23.4	5	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	184	15.4	6	24.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	1.9	0	0.0
Heterosexual contact	6	28.6	3	20.0	3	50.0	7	43.8	413	34.6	7	28.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	37	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	19.0	3	20.0	1	16.7	5	31.3	249	20.9	7	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	7	77.8	2	22.2	5	100.0	593	100.0	3	100.0
GENDER												
Male	5	55.6	4	57.1	1	50.0	4	80.0	361	60.9	1	33.3
Female	4	44.4	3	42.9	1	50.0	1	20.0	232	39.1	2	66.7
RACE/ETHNICITY												
Black	4	44.4	3	42.9	1	50.0	2	40.0	299	50.4	1	33.3
Latino/Hispanic	5	55.6	4	57.1	1	50.0	3	60.0	199	33.6	1	33.3
White	0	0.0	0	0.0	0	0.0	0	0.0	83	14.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	1.2	1	33.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	20.0	6	1.0	0	0.0
20-29	2	22.2	2	28.6	0	0.0	0	0.0	45	7.6	0	0.0
30-39	2	22.2	1	14.3	1	50.0	2	40.0	93	15.7	0	0.0
40-49	2	22.2	2	28.6	0	0.0	0	0.0	137	23.1	1	33.3
50-59	3	33.3	2	28.6	1	50.0	1	20.0	204	34.4	2	66.7
60+	0	0.0	0	0.0	0	0.0	1	20.0	107	18.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	44.4	3	42.9	1	50.0	3	60.0	142	23.9	1	33.3
Injection drug use history (IDU)	2	22.2	2	28.6	0	0.0	0	0.0	118	19.9	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.5	0	0.0
Heterosexual contact	1	11.1	0	0.0	1	50.0	1	20.0	163	27.5	2	66.7
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	6	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	11.1	1	14.3	0	0.0	1	20.0	131	22.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	17	73.9	6	26.1	12	100.0	1,127	100.0	29	100.0
GENDER												
Male	18	78.3	13	76.5	5	83.3	7	58.3	720	63.9	20	69.0
Female	5	21.7	4	23.5	1	16.7	5	41.7	407	36.1	9	31.0
RACE/ETHNICITY												
Black	14	60.9	11	64.7	3	50.0	5	41.7	526	46.7	12	41.4
Latino/Hispanic	3	13.0	1	5.9	2	33.3	5	41.7	315	28.0	8	27.6
White	5	21.7	4	23.5	1	16.7	1	8.3	265	23.5	9	31.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	1.0	0	0.0
Other/Unknown	1	4.3	1	5.9	0	0.0	1	8.3	10	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.3	1	5.9	0	0.0	0	0.0	5	0.4	0	0.0
20-29	8	34.8	8	47.1	0	0.0	0	0.0	85	7.5	1	3.4
30-39	3	13.0	2	11.8	1	16.7	3	25.0	142	12.6	2	6.9
40-49	6	26.1	4	23.5	2	33.3	3	25.0	236	20.9	4	13.8
50-59	3	13.0	2	11.8	1	16.7	2	16.7	428	38.0	9	31.0
60+	2	8.7	0	0.0	2	33.3	4	33.3	230	20.4	13	44.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	34.8	6	35.3	2	33.3	3	25.0	316	28.0	8	27.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	188	16.7	10	34.5
MSM-IDU	1	4.3	1	5.9	0	0.0	0	0.0	43	3.8	1	3.4
Heterosexual contact	6	26.1	5	29.4	1	16.7	5	41.7	291	25.8	5	17.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	2.8	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	34.8	5	29.4	3	50.0	3	25.0	242	21.5	4	13.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	7	100.0	0	0.0	1	100.0	205	100.0	2	100.0
GENDER												
Male	4	57.1	4	57.1	0	0.0	0	0.0	143	69.8	1	50.0
Female	3	42.9	3	42.9	0	0.0	1	100.0	62	30.2	1	50.0
RACE/ETHNICITY												
Black	2	28.6	2	28.6	0	0.0	0	0.0	35	17.1	0	0.0
Latino/Hispanic	2	28.6	2	28.6	0	0.0	0	0.0	62	30.2	2	100.0
White	2	28.6	2	28.6	0	0.0	1	100.0	99	48.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	2.9	0	0.0
Other/Unknown	1	14.3	1	14.3	0	0.0	0	0.0	3	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
20-29	4	57.1	4	57.1	0	0.0	0	0.0	17	8.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	28	13.7	0	0.0
40-49	2	28.6	2	28.6	0	0.0	0	0.0	43	21.0	0	0.0
50-59	1	14.3	1	14.3	0	0.0	1	100.0	70	34.1	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	45	22.0	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	42.9	3	42.9	0	0.0	0	0.0	73	35.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	31	15.1	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.4	0	0.0
Heterosexual contact	2	28.6	2	28.6	0	0.0	1	100.0	39	19.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	2	28.6	2	28.6	0	0.0	0	0.0	48	23.4	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

The following ZIP code is included in Willowbrook: 10314.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWHA AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	3	75.0	1	25.0	5	100.0	412	100.0	7	100.0
GENDER												
Male	3	75.0	2	66.7	1	100.0	4	80.0	282	68.4	4	57.1
Female	1	25.0	1	33.3	0	0.0	1	20.0	130	31.6	3	42.9
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	40.0	74	18.0	1	14.3
Latino/Hispanic	1	25.0	1	33.3	0	0.0	0	0.0	104	25.2	2	28.6
White	3	75.0	2	66.7	1	100.0	3	60.0	229	55.6	4	57.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	20.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
20-29	1	25.0	1	33.3	0	0.0	1	20.0	20	4.9	0	0.0
30-39	1	25.0	1	33.3	0	0.0	0	0.0	33	8.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	104	25.2	0	0.0
50-59	1	25.0	1	33.3	0	0.0	2	40.0	166	40.3	5	71.4
60+	1	25.0	0	0.0	1	100.0	1	20.0	84	20.4	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	50.0	2	66.7	0	0.0	0	0.0	98	23.8	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	76	18.4	4	57.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	20.0	104	25.2	1	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	40.0	13	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	2	50.0	1	33.3	1	100.0	2	40.0	107	26.0	1	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated July 16, 2018.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2015**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2015 NEW YORK CITY POPULATION ⁴
TOTAL	29.3	1.5	9.8	8,516,502
GENDER				
Male	49.5	2.2	9.7	4,062,460
Female	10.9	0.8	10.2	4,454,042
RACE/ETHNICITY				
Black	53.3	2.8	11.8	1,903,429
Latino/Hispanic	37.5	1.6	9.1	2,480,589
White	14.9	0.9	6.9	2,749,364
Asian/Pacific Islander	9.3	0.2	9.0	1,222,070
Native American	20.5*	1.5	16.2*	19,539
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,327,639
13 - 19	12.7	0.1	0.0*	660,203
20 - 29	65.3	0.7	3.5	1,403,720
30 - 39	45.9	1.4	5.8	1,342,825
40 - 49	37.5	2.7	9.6	1,113,048
50 - 59	29.2	3.7	15.7	1,086,599
60+	8.9	1.6	29.5	1,582,468

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018.

Male category includes transgender men and female category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2015 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2015**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2015 NEW YORK CITY POPULATION ⁴
TOTAL	29.3	1.5	9.8	8,516,502
BRONX⁵	34.1	2.0	10.9	1,450,204
Crotona - Tremont	47.5	2.7	11.4	218,912
Fordham - Bronx Park	38.7	2.1	8.6	258,635
High Bridge - Morrisania	39.3	2.7	14.7	221,179
Hunts Point - Mott Haven	47.6	2.6	12.5	145,009
Kingsbridge - Riverdale	13.0	0.8	5.7*	92,514
Northeast Bronx	25.4	1.3	9.0	204,521
Pelham - Throgs Neck	22.6	1.4	8.6	309,434
BROOKLYN⁵	24.3	1.1	9.8	2,624,941
Bedford Stuyvesant - Crown Heights	52.1	2.3	12.6	330,161
Bensonhurst - Bay Ridge	5.2	0.3	3.6*	212,950
Borough Park	8.0	0.3	9.2	347,877
Canarsie - Flatlands	21.2	0.8	7.5	207,122
Coney Island - Sheepshead Bay	8.8	0.4	6.8	285,582
Downtown - Heights - Park Slope	17.5	1.1	9.7	257,765
East Flatbush - Flatbush	30.5	1.7	7.3	301,658
East New York	42.2	1.8	11.6	187,252
Greenpoint	15.6	0.6	7.8*	140,672
Sunset Park	18.8	0.6	7.2*	132,895
Williamsburg - Bushwick	43.0	1.7	11.7	221,007
MANHATTAN⁵	35.4	2.0	6.7	1,625,310
Central Harlem - Morningside Heights	56.4	2.7	10.2	175,640
Chelsea - Clinton	64.2	4.3	4.1	155,858
East Harlem	51.4	2.7	13.8	112,871
Gramercy Park - Murray Hill	25.1	1.5	3.6	131,214
Greenwich Village - Soho	28.1	2.4	3.7	81,731
Lower Manhattan	29.3	1.0	3.7*	61,353
Union Square - Lower East Side	20.8	1.5	7.5	197,381
Upper East Side	15.0	0.7	4.9	219,407
Upper West Side	19.1	1.4	8.1	220,272
Washington Heights - Inwood	46.4	1.7	5.9	269,583
QUEENS⁵	18.6	0.8	6.5	2,337,741
Bayside - Little Neck	0.0*	0.2	0.0*	91,199
Flushing - Clearview	8.8	0.3	5.6*	262,692
Fresh Meadows	8.9*	0.3	6.7*	101,244
Jamaica	24.0	1.0	10.2	316,295
Long Island City - Astoria	26.5	1.0	4.2*	214,976
Ridgewood - Forest Hills	14.7	0.5	7.1	252,250
Rockaway	17.4	1.0	14.9	120,882
Southeast Queens	14.4	0.6	7.5	208,052
Southwest Queens	15.0	0.6	7.0	292,386
West Queens	28.7	1.2	3.4	477,764
STATEN ISLAND⁵	9.1	0.5	12.0	473,969
Port Richmond	13.4*	0.9	2.3*	67,232
South Beach - Tottenville	2.1*	0.2	8.3*	195,027
Stapleton - St. George	18.6	0.9	19.4	123,939
Willowbrook	8.0*	0.2	5.7*	87,770

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Rates calculated using DOHMH 2015 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.⁴Population from DOHMH NYC intercensal estimates.⁵Borough-level data include people residing in unknown UHF neighborhoods.