



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2016

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene <http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	------------------------------------------------	-----------	----------------------------------------------------------

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
 Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2019. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,248	100.0	1,870	83.2	378	16.8	1,392	100.0	126,000	100.0	1,801	100.0
GENDER												
Men	1,726	76.8	1,449	77.5	277	73.3	1,010	72.6	90,784	72.1	1,282	71.2
Women	453	20.2	354	18.9	99	26.2	362	26.0	33,406	26.5	504	28.0
Transgender	69	3.1	67	3.6	2	0.5	20	1.4	1,810	1.4	15	0.8
RACE/ETHNICITY												
Black	948	42.2	774	41.4	174	46.0	669	48.1	55,014	43.7	856	47.5
Latino/Hispanic	792	35.2	673	36.0	119	31.5	468	33.6	41,280	32.8	625	34.7
White	337	15.0	290	15.5	47	12.4	190	13.6	25,956	20.6	286	15.9
Asian/Pacific Islander	145	6.5	113	6.0	32	8.5	52	3.7	2,788	2.2	24	1.3
Native American	6	0.3	4	0.2	2	0.5	5	0.4	298	0.2	5	0.3
Multiracial	20	0.9	16	0.9	4	1.1	8	0.6	336	0.3	5	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	328	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.1	0	0.0	3	0.2	112	0.1	0	0.0
13-19	82	3.6	79	4.2	3	0.8	16	1.1	564	0.4	1	0.1
20-29	809	36.0	735	39.3	74	19.6	240	17.2	10,438	8.3	46	2.6
30-39	598	26.6	496	26.5	102	27.0	331	23.8	19,130	15.2	115	6.4
40-49	384	17.1	271	14.5	113	29.9	358	25.7	27,819	22.1	243	13.5
50-59	258	11.5	207	11.1	51	13.5	290	20.8	40,782	32.4	648	36.0
60+	115	5.1	80	4.3	35	9.3	154	11.1	27,155	21.6	748	41.5
BOROUGH OF RESIDENCE												
Bronx	497	22.1	400	21.4	97	25.7	348	25.0	29,576	23.5	475	26.4
Brooklyn	573	25.5	469	25.1	104	27.5	343	24.6	29,483	23.4	382	21.2
Manhattan	424	18.9	361	19.3	63	16.7	244	17.5	32,260	25.6	289	16.0
Queens	408	18.1	328	17.5	80	21.2	213	15.3	18,139	14.4	179	9.9
Staten Island	77	3.4	61	3.3	16	4.2	36	2.6	2,379	1.9	50	2.8
Outside NYC	214	9.5	196	10.5	18	4.8	181	13.0	12,675	10.1	78	4.3
Unknown	55	2.4	55	2.9	0	0.0	27	1.9	1,488	1.2	348	19.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	198	8.8	160	8.6	38	10.1	89	6.4	10,783	8.6	102	5.7
Medium poverty (10 to <20% below FPL)	694	30.9	573	30.6	121	32.0	407	29.2	41,167	32.7	394	21.9
High poverty (20 to <30% below FPL)	533	23.7	438	23.4	95	25.1	305	21.9	28,043	22.3	352	19.5
Very high poverty (≥30% below FPL)	549	24.4	444	23.7	105	27.8	376	27.0	30,478	24.2	526	29.2
Area-based poverty level not available	274	12.2	255	13.6	19	5.0	215	15.4	15,529	12.3	427	23.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,268	56.4	1,109	59.3	159	42.1	554	39.8	51,184	40.6	404	22.4
Injection drug use history (IDU)	34	1.5	26	1.4	8	2.1	107	7.7	15,656	12.4	513	28.5
MSM-IDU	35	1.6	31	1.7	4	1.1	30	2.2	3,201	2.5	58	3.2
Heterosexual contact	412	18.3	318	17.0	94	24.9	296	21.3	24,744	19.6	345	19.2
Transgender people with sexual contact	66	2.9	64	3.4	2	0.5	18	1.3	1,533	1.2	9	0.5
Perinatal	2	0.1	2	0.1	0	0.0	32	2.3	2,568	2.0	18	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	195	0.2	4	0.2
Unknown	431	19.2	320	17.1	111	29.4	355	25.5	26,919	21.4	450	25.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,726	100.0	1,449	84.0	277	16.0	1,010	100.0	90,809	100.0	1,282	100.0
RACE/ETHNICITY												
Black	650	37.7	531	36.6	119	43.0	445	44.1	34,638	38.1	563	43.9
Latino/Hispanic	621	36.0	536	37.0	85	30.7	347	34.4	29,724	32.7	443	34.6
White	304	17.6	262	18.1	42	15.2	164	16.2	23,397	25.8	246	19.2
Asian/Pacific Islander	127	7.4	101	7.0	26	9.4	43	4.3	2,315	2.5	22	1.7
Native American	6	0.3	4	0.3	2	0.7	4	0.4	218	0.2	4	0.3
Multiracial	18	1.0	15	1.0	3	1.1	7	0.7	265	0.3	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.1	61	0.1	0	0.0
13-19	63	3.7	60	4.1	3	1.1	9	0.9	299	0.3	0	0.0
20-29	702	40.7	636	43.9	66	23.8	183	18.1	7,968	8.8	36	2.8
30-39	464	26.9	389	26.8	75	27.1	249	24.7	14,470	15.9	82	6.4
40-49	277	16.0	197	13.6	80	28.9	259	25.6	19,551	21.5	152	11.9
50-59	152	8.8	117	8.1	35	12.6	199	19.7	28,737	31.6	446	34.8
60+	68	3.9	50	3.5	18	6.5	110	10.9	19,723	21.7	566	44.1
BOROUGH OF RESIDENCE												
Bronx	339	19.6	268	18.5	71	25.6	217	21.5	18,217	20.1	315	24.6
Brooklyn	410	23.8	339	23.4	71	25.6	235	23.3	19,419	21.4	256	20.0
Manhattan	368	21.3	316	21.8	52	18.8	210	20.8	27,025	29.8	209	16.3
Queens	334	19.4	273	18.8	61	22.0	163	16.1	13,232	14.6	132	10.3
Staten Island	56	3.2	46	3.2	10	3.6	26	2.6	1,545	1.7	35	2.7
Outside NYC	172	10.0	160	11.0	12	4.3	142	14.1	10,252	11.3	60	4.7
Unknown	47	2.7	47	3.2	0	0.0	17	1.7	1,119	1.2	275	21.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	163	9.4	136	9.4	27	9.7	74	7.3	8,575	9.4	70	5.5
Medium poverty (10 to <20% below FPL)	543	31.5	453	31.3	90	32.5	298	29.5	31,201	34.4	296	23.1
High poverty (20 to <30% below FPL)	408	23.6	342	23.6	66	23.8	221	21.9	19,443	21.4	240	18.7
Very high poverty (≥30% below FPL)	390	22.6	309	21.3	81	29.2	251	24.9	19,148	21.1	340	26.5
Area-based poverty level not available	222	12.9	209	14.4	13	4.7	166	16.4	12,442	13.7	336	26.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,268	73.5	1,109	76.5	159	57.4	554	54.9	51,184	56.4	404	31.5
Injection drug use history (IDU)	16	0.9	10	0.7	6	2.2	75	7.4	10,179	11.2	348	27.1
MSM-IDU	35	2.0	31	2.1	4	1.4	30	3.0	3,201	3.5	58	4.5
Heterosexual contact	77	4.5	54	3.7	23	8.3	71	7.0	6,123	6.7	113	8.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	10	1.0	1,257	1.4	6	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	106	0.1	3	0.2
Unknown	330	19.1	245	16.9	85	30.7	270	26.7	18,744	20.6	350	27.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	522	100.0	421	80.7	101	19.3	382	100.0	35,191	100.0	519	100.0
RACE/ETHNICITY												
Black	298	57.1	243	57.7	55	54.5	224	58.6	20,376	57.9	293	56.5
Latino/Hispanic	171	32.8	137	32.5	34	33.7	121	31.7	11,556	32.8	182	35.1
White	33	6.3	28	6.7	5	5.0	26	6.8	2,559	7.3	40	7.7
Asian/Pacific Islander	18	3.4	12	2.9	6	5.9	9	2.4	473	1.3	2	0.4
Native American	0	0.0	0	0.0	0	0.0	1	0.3	80	0.2	1	0.2
Multiracial	2	0.4	1	0.2	1	1.0	1	0.3	71	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.4	2	0.5	0	0.0	2	0.5	51	0.1	0	0.0
13-19	19	3.6	19	4.5	0	0.0	7	1.8	265	0.8	1	0.2
20-29	107	20.5	99	23.5	8	7.9	57	14.9	2,470	7.0	10	1.9
30-39	134	25.7	107	25.4	27	26.7	82	21.5	4,660	13.2	33	6.4
40-49	107	20.5	74	17.6	33	32.7	99	25.9	8,268	23.5	91	17.5
50-59	106	20.3	90	21.4	16	15.8	91	23.8	12,045	34.2	202	38.9
60+	47	9.0	30	7.1	17	16.8	44	11.5	7,432	21.1	182	35.1
BOROUGH OF RESIDENCE												
Bronx	158	30.3	132	31.4	26	25.7	131	34.3	11,359	32.3	160	30.8
Brooklyn	163	31.2	130	30.9	33	32.7	108	28.3	10,064	28.6	126	24.3
Manhattan	56	10.7	45	10.7	11	10.9	34	8.9	5,235	14.9	80	15.4
Queens	74	14.2	55	13.1	19	18.8	50	13.1	4,907	13.9	47	9.1
Staten Island	21	4.0	15	3.6	6	5.9	10	2.6	834	2.4	15	2.9
Outside NYC	42	8.0	36	8.6	6	5.9	39	10.2	2,423	6.9	18	3.5
Unknown	8	1.5	8	1.9	0	0.0	10	2.6	369	1.0	73	14.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	35	6.7	24	5.7	11	10.9	15	3.9	2,208	6.3	32	6.2
Medium poverty (10 to <20% below FPL)	151	28.9	120	28.5	31	30.7	109	28.5	9,966	28.3	98	18.9
High poverty (20 to <30% below FPL)	125	23.9	96	22.8	29	28.7	84	22.0	8,600	24.4	112	21.6
Very high poverty (≥30% below FPL)	159	30.5	135	32.1	24	23.8	125	32.7	11,330	32.2	186	35.8
Area-based poverty level not available	52	10.0	46	10.9	6	5.9	49	12.8	3,087	8.8	91	17.5
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.4	16	3.8	2	2.0	32	8.4	5,477	15.6	165	31.8
Heterosexual contact	335	64.2	264	62.7	71	70.3	225	58.9	18,621	52.9	232	44.7
Transgender people with sexual contact	66	12.6	64	15.2	2	2.0	18	4.7	1,518	4.3	9	1.7
Perinatal	2	0.4	2	0.5	0	0.0	22	5.8	1,311	3.7	12	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	89	0.3	1	0.2
Unknown	101	19.3	75	17.8	26	25.7	85	22.3	8,175	23.2	100	19.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	650	100.0	531	81.7	119	18.3	445	100.0	34,638	100.0	563	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.2	40	0.1	0	0.0
13-19	34	5.2	33	6.2	1	0.8	5	1.1	172	0.5	0	0.0
20-29	273	42.0	248	46.7	25	21.0	83	18.7	3,841	11.1	21	3.7
30-39	153	23.5	118	22.2	35	29.4	116	26.1	5,620	16.2	37	6.6
40-49	99	15.2	64	12.1	35	29.4	107	24.0	6,716	19.4	65	11.5
50-59	62	9.5	46	8.7	16	13.4	86	19.3	10,486	30.3	183	32.5
60+	29	4.5	22	4.1	7	5.9	47	10.6	7,763	22.4	257	45.6
BOROUGH OF RESIDENCE												
Bronx	150	23.1	109	20.5	41	34.5	104	23.4	8,200	23.7	139	24.7
Brooklyn	229	35.2	194	36.5	35	29.4	136	30.6	10,857	31.3	151	26.8
Manhattan	93	14.3	69	13.0	24	20.2	80	18.0	7,095	20.5	68	12.1
Queens	73	11.2	61	11.5	12	10.1	51	11.5	4,316	12.5	53	9.4
Staten Island	23	3.5	18	3.4	5	4.2	15	3.4	554	1.6	15	2.7
Outside NYC	60	9.2	58	10.9	2	1.7	55	12.4	3,272	9.4	23	4.1
Unknown	22	3.4	22	4.1	0	0.0	4	0.9	344	1.0	114	20.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	48	7.4	37	7.0	11	9.2	22	4.9	2,038	5.9	23	4.1
Medium poverty (10 to <20% below FPL)	166	25.5	140	26.4	26	21.8	117	26.3	10,953	31.6	110	19.5
High poverty (20 to <30% below FPL)	167	25.7	135	25.4	32	26.9	112	25.2	8,493	24.5	127	22.6
Very high poverty (≥30% below FPL)	185	28.5	138	26.0	47	39.5	131	29.4	9,147	26.4	165	29.3
Area-based poverty level not available	84	12.9	81	15.3	3	2.5	63	14.2	4,007	11.6	138	24.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	424	65.2	368	69.3	56	47.1	219	49.2	15,736	45.4	141	25.0
Injection drug use history (IDU)	7	1.1	5	0.9	2	1.7	27	6.1	4,091	11.8	146	25.9
MSM-IDU	8	1.2	7	1.3	1	0.8	8	1.8	1,128	3.3	29	5.2
Heterosexual contact	40	6.2	25	4.7	15	12.6	41	9.2	3,328	9.6	71	12.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	1.1	705	2.0	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	32	0.1	1	0.2
Unknown	171	26.3	126	23.7	45	37.8	145	32.6	9,606	27.7	171	30.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	298	100.0	243	81.5	55	18.5	224	100.0	20,376	100.0	293	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
13-19	10	3.4	10	4.1	0	0.0	2	0.9	160	0.8	1	0.3
20-29	57	19.1	52	21.4	5	9.1	33	14.7	1,465	7.2	7	2.4
30-39	84	28.2	67	27.6	17	30.9	48	21.4	2,830	13.9	20	6.8
40-49	60	20.1	43	17.7	17	30.9	64	28.6	4,939	24.2	59	20.1
50-59	69	23.2	59	24.3	10	18.2	52	23.2	6,848	33.6	105	35.8
60+	18	6.0	12	4.9	6	10.9	25	11.2	4,109	20.2	101	34.5
BOROUGH OF RESIDENCE												
Bronx	86	28.9	70	28.8	16	29.1	69	30.8	5,843	28.7	80	27.3
Brooklyn	123	41.3	100	41.2	23	41.8	79	35.3	7,023	34.5	82	28.0
Manhattan	24	8.1	21	8.6	3	5.5	17	7.6	2,866	14.1	41	14.0
Queens	26	8.7	20	8.2	6	10.9	22	9.8	2,744	13.5	30	10.2
Staten Island	13	4.4	10	4.1	3	5.5	6	2.7	399	2.0	7	2.4
Outside NYC	22	7.4	18	7.4	4	7.3	26	11.6	1,297	6.4	10	3.4
Unknown	4	1.3	4	1.6	0	0.0	5	2.2	204	1.0	43	14.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	6.4	15	6.2	4	7.3	6	2.7	1,278	6.3	15	5.1
Medium poverty (10 to <20% below FPL)	93	31.2	72	29.6	21	38.2	68	30.4	6,075	29.8	59	20.1
High poverty (20 to <30% below FPL)	71	23.8	56	23.0	15	27.3	52	23.2	5,097	25.0	71	24.2
Very high poverty (≥30% below FPL)	88	29.5	77	31.7	11	20.0	67	29.9	6,260	30.7	95	32.4
Area-based poverty level not available	27	9.1	23	9.5	4	7.3	31	13.8	1,666	8.2	53	18.1
TRANSMISSION RISK												
Injection drug use history (IDU)	6	2.0	5	2.1	1	1.8	18	8.0	2,587	12.7	78	26.6
Heterosexual contact	184	61.7	148	60.9	36	65.5	131	58.5	11,052	54.2	140	47.8
Transgender people with sexual contact	32	10.7	32	13.2	0	0.0	8	3.6	769	3.8	4	1.4
Perinatal	0	0.0	0	0.0	0	0.0	8	3.6	759	3.7	9	3.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	76	25.5	58	23.9	18	32.7	59	26.3	5,162	25.3	62	21.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	621	100.0	536	86.3	85	13.7	347	100.0	29,724	100.0	443	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
13-19	23	3.7	21	3.9	2	2.4	3	0.9	100	0.3	0	0.0
20-29	261	42.0	238	44.4	23	27.1	70	20.2	2,696	9.1	8	1.8
30-39	182	29.3	158	29.5	24	28.2	88	25.4	5,083	17.1	31	7.0
40-49	94	15.1	69	12.9	25	29.4	93	26.8	6,937	23.3	54	12.2
50-59	46	7.4	39	7.3	7	8.2	58	16.7	9,156	30.8	175	39.5
60+	15	2.4	11	2.1	4	4.7	35	10.1	5,736	19.3	175	39.5
BOROUGH OF RESIDENCE												
Bronx	166	26.7	139	25.9	27	31.8	103	29.7	8,767	29.5	161	36.3
Brooklyn	85	13.7	69	12.9	16	18.8	58	16.7	4,804	16.2	70	15.8
Manhattan	130	20.9	120	22.4	10	11.8	64	18.4	7,510	25.3	68	15.3
Queens	161	25.9	136	25.4	25	29.4	71	20.5	5,574	18.8	48	10.8
Staten Island	15	2.4	13	2.4	2	2.4	6	1.7	440	1.5	10	2.3
Outside NYC	51	8.2	46	8.6	5	5.9	39	11.2	2,184	7.3	13	2.9
Unknown	13	2.1	13	2.4	0	0.0	6	1.7	445	1.5	73	16.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	45	7.2	42	7.8	3	3.5	20	5.8	1,872	6.3	17	3.8
Medium poverty (10 to <20% below FPL)	196	31.6	167	31.2	29	34.1	103	29.7	9,567	32.2	105	23.7
High poverty (20 to <30% below FPL)	151	24.3	128	23.9	23	27.1	77	22.2	6,902	23.2	81	18.3
Very high poverty (≥30% below FPL)	165	26.6	140	26.1	25	29.4	101	29.1	8,411	28.3	154	34.8
Area-based poverty level not available	64	10.3	59	11.0	5	5.9	46	13.3	2,972	10.0	86	19.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	476	76.7	425	79.3	51	60.0	189	54.5	15,435	51.9	106	23.9
Injection drug use history (IDU)	5	0.8	3	0.6	2	2.4	29	8.4	4,833	16.3	157	35.4
MSM-IDU	15	2.4	13	2.4	2	2.4	15	4.3	1,234	4.2	19	4.3
Heterosexual contact	29	4.7	23	4.3	6	7.1	26	7.5	2,068	7.0	34	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.2	457	1.5	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	1	0.2
Unknown	96	15.5	72	13.4	24	28.2	84	24.2	5,673	19.1	124	28.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	171	100.0	137	80.1	34	19.9	121	100.0	11,556	100.0	182	100.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	1	0.8	20	0.2	0	0.0
13-19	6	3.5	6	4.4	0	0.0	4	3.3	90	0.8	0	0.0
20-29	41	24.0	38	27.7	3	8.8	21	17.4	810	7.0	3	1.6
30-39	37	21.6	30	21.9	7	20.6	27	22.3	1,412	12.2	11	6.0
40-49	35	20.5	23	16.8	12	35.3	26	21.5	2,607	22.6	27	14.8
50-59	28	16.4	25	18.2	3	8.8	27	22.3	4,052	35.1	78	42.9
60+	23	13.5	14	10.2	9	26.5	15	12.4	2,565	22.2	63	34.6
BOROUGH OF RESIDENCE												
Bronx	70	40.9	60	43.8	10	29.4	57	47.1	5,052	43.7	71	39.0
Brooklyn	25	14.6	19	13.9	6	17.6	16	13.2	2,325	20.1	38	20.9
Manhattan	24	14.0	16	11.7	8	23.5	15	12.4	1,748	15.1	30	16.5
Queens	33	19.3	26	19.0	7	20.6	18	14.9	1,492	12.9	7	3.8
Staten Island	4	2.3	1	0.7	3	8.8	4	3.3	239	2.1	7	3.8
Outside NYC	12	7.0	12	8.8	0	0.0	8	6.6	582	5.0	4	2.2
Unknown	3	1.8	3	2.2	0	0.0	3	2.5	118	1.0	25	13.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	4.7	3	2.2	5	14.7	6	5.0	448	3.9	10	5.5
Medium poverty (10 to <20% below FPL)	39	22.8	32	23.4	7	20.6	27	22.3	2,771	24.0	25	13.7
High poverty (20 to <30% below FPL)	43	25.1	32	23.4	11	32.4	27	22.3	2,940	25.4	35	19.2
Very high poverty (≥30% below FPL)	66	38.6	55	40.1	11	32.4	50	41.3	4,634	40.1	83	45.6
Area-based poverty level not available	15	8.8	15	10.9	0	0.0	11	9.1	763	6.6	29	15.9
TRANSMISSION RISK												
Injection drug use history (IDU)	9	5.3	8	5.8	1	2.9	6	5.0	2,227	19.3	70	38.5
Heterosexual contact	116	67.8	89	65.0	27	79.4	79	65.3	5,992	51.9	76	41.8
Transgender people with sexual contact	26	15.2	24	17.5	2	5.9	9	7.4	602	5.2	4	2.2
Perinatal	1	0.6	1	0.7	0	0.0	11	9.1	466	4.0	3	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	19	11.1	15	10.9	4	11.8	16	13.2	2,246	19.4	29	15.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	304	100.0	262	86.2	42	13.8	164	100.0	23,397	100.0	246	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	0.7	2	0.8	0	0.0	1	0.6	20	0.1	0	0.0
20-29	115	37.8	108	41.2	7	16.7	13	7.9	1,035	4.4	5	2.0
30-39	82	27.0	74	28.2	8	19.0	34	20.7	3,124	13.4	12	4.9
40-49	56	18.4	42	16.0	14	33.3	45	27.4	5,097	21.8	26	10.6
50-59	30	9.9	21	8.0	9	21.4	48	29.3	8,310	35.5	84	34.1
60+	19	6.3	15	5.7	4	9.5	23	14.0	5,809	24.8	119	48.4
BOROUGH OF RESIDENCE												
Bronx	12	3.9	11	4.2	1	2.4	6	3.7	997	4.3	13	5.3
Brooklyn	65	21.4	52	19.8	13	31.0	29	17.7	3,248	13.9	33	13.4
Manhattan	113	37.2	99	37.8	14	33.3	58	35.4	11,435	48.9	66	26.8
Queens	43	14.1	35	13.4	8	19.0	19	11.6	2,465	10.5	20	8.1
Staten Island	15	4.9	12	4.6	3	7.1	5	3.0	515	2.2	9	3.7
Outside NYC	47	15.5	44	16.8	3	7.1	41	25.0	4,489	19.2	23	9.3
Unknown	9	3.0	9	3.4	0	0.0	6	3.7	248	1.1	82	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	53	17.4	41	15.6	12	28.6	30	18.3	4,304	18.4	29	11.8
Medium poverty (10 to <20% below FPL)	115	37.8	98	37.4	17	40.5	50	30.5	9,349	40.0	67	27.2
High poverty (20 to <30% below FPL)	57	18.8	50	19.1	7	16.7	25	15.2	3,445	14.7	28	11.4
Very high poverty (≥30% below FPL)	22	7.2	19	7.3	3	7.1	10	6.1	1,302	5.6	17	6.9
Area-based poverty level not available	57	18.8	54	20.6	3	7.1	49	29.9	4,997	21.4	105	42.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	252	82.9	223	85.1	29	69.0	108	65.9	18,105	77.4	143	58.1
Injection drug use history (IDU)	3	1.0	2	0.8	1	2.4	14	8.5	1,172	5.0	42	17.1
MSM-IDU	10	3.3	9	3.4	1	2.4	7	4.3	778	3.3	9	3.7
Heterosexual contact	4	1.3	2	0.8	2	4.8	4	2.4	519	2.2	5	2.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	72	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	1	0.4
Unknown	35	11.5	26	9.9	9	21.4	30	18.3	2,704	11.6	46	18.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	28	84.8	5	15.2	26	100.0	2,559	100.0	40	100.0
AGE GROUP (YEARS)												
0-12	1	3.0	1	3.6	0	0.0	1	3.8	4	0.2	0	0.0
13-19	2	6.1	2	7.1	0	0.0	1	3.8	13	0.5	0	0.0
20-29	7	21.2	7	25.0	0	0.0	3	11.5	137	5.4	0	0.0
30-39	8	24.2	5	17.9	3	60.0	6	23.1	285	11.1	2	5.0
40-49	5	15.2	4	14.3	1	20.0	5	19.2	529	20.7	4	10.0
50-59	5	15.2	5	17.9	0	0.0	8	30.8	953	37.2	17	42.5
60+	5	15.2	4	14.3	1	20.0	2	7.7	638	24.9	17	42.5
BOROUGH OF RESIDENCE												
Bronx	2	6.1	2	7.1	0	0.0	3	11.5	362	14.1	9	22.5
Brooklyn	8	24.2	5	17.9	3	60.0	11	42.3	542	21.2	6	15.0
Manhattan	8	24.2	8	28.6	0	0.0	2	7.7	517	20.2	8	20.0
Queens	2	6.1	2	7.1	0	0.0	3	11.5	434	17.0	7	17.5
Staten Island	4	12.1	4	14.3	0	0.0	0	0.0	184	7.2	1	2.5
Outside NYC	8	24.2	6	21.4	2	40.0	5	19.2	492	19.2	4	10.0
Unknown	1	3.0	1	3.6	0	0.0	2	7.7	28	1.1	5	12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	18.2	6	21.4	0	0.0	0	0.0	425	16.6	5	12.5
Medium poverty (10 to <20% below FPL)	7	21.2	6	21.4	1	20.0	11	42.3	831	32.5	12	30.0
High poverty (20 to <30% below FPL)	7	21.2	6	21.4	1	20.0	3	11.5	427	16.7	6	15.0
Very high poverty (≥30% below FPL)	3	9.1	2	7.1	1	20.0	5	19.2	324	12.7	8	20.0
Area-based poverty level not available	10	30.3	8	28.6	2	40.0	7	26.9	552	21.6	9	22.5
TRANSMISSION RISK												
Injection drug use history (IDU)	3	9.1	3	10.7	0	0.0	8	30.8	624	24.4	17	42.5
Heterosexual contact	20	60.6	17	60.7	3	60.0	6	23.1	1,194	46.7	14	35.0
Transgender people with sexual contact	5	15.2	5	17.9	0	0.0	1	3.8	98	3.8	1	2.5
Perinatal	1	3.0	1	3.6	0	0.0	3	11.5	72	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.6	1	2.5
Unknown	4	12.1	2	7.1	2	40.0	8	30.8	555	21.7	7	17.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	127	100.0	101	79.5	26	20.5	43	100.0	2,315	100.0	22	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	1.6	2	2.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	40	31.5	33	32.7	7	26.9	13	30.2	293	12.7	2	9.1
30-39	40	31.5	33	32.7	7	26.9	10	23.3	508	21.9	2	9.1
40-49	26	20.5	20	19.8	6	23.1	9	20.9	648	28.0	6	27.3
50-59	14	11.0	11	10.9	3	11.5	7	16.3	576	24.9	3	13.6
60+	5	3.9	2	2.0	3	11.5	4	9.3	284	12.3	9	40.9
BOROUGH OF RESIDENCE												
Bronx	8	6.3	7	6.9	1	3.8	2	4.7	150	6.5	1	4.5
Brooklyn	25	19.7	19	18.8	6	23.1	11	25.6	397	17.1	2	9.1
Manhattan	26	20.5	23	22.8	3	11.5	7	16.3	709	30.6	4	18.2
Queens	56	44.1	41	40.6	15	57.7	20	46.5	767	33.1	11	50.0
Staten Island	1	0.8	1	1.0	0	0.0	0	0.0	22	1.0	0	0.0
Outside NYC	8	6.3	7	6.9	1	3.8	3	7.0	200	8.6	1	4.5
Unknown	3	2.4	3	3.0	0	0.0	0	0.0	70	3.0	3	13.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	15	11.8	14	13.9	1	3.8	2	4.7	290	12.5	1	4.5
Medium poverty (10 to <20% below FPL)	62	48.8	45	44.6	17	65.4	26	60.5	1,074	46.4	13	59.1
High poverty (20 to <30% below FPL)	25	19.7	22	21.8	3	11.5	6	14.0	472	20.4	2	9.1
Very high poverty (≥30% below FPL)	14	11.0	10	9.9	4	15.4	6	14.0	188	8.1	2	9.1
Area-based poverty level not available	11	8.7	10	9.9	1	3.8	3	7.0	291	12.6	4	18.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	95	74.8	77	76.2	18	69.2	29	67.4	1,541	66.6	12	54.5
Injection drug use history (IDU)	1	0.8	0	0.0	1	3.8	4	9.3	55	2.4	0	0.0
MSM-IDU	1	0.8	1	1.0	0	0.0	0	0.0	43	1.9	0	0.0
Heterosexual contact	3	2.4	3	3.0	0	0.0	0	0.0	180	7.8	3	13.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	27	21.3	20	19.8	7	26.9	10	23.3	480	20.7	7	31.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	12	66.7	6	33.3	9	100.0	473	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.6	1	8.3	0	0.0	0	0.0	1	0.2	0	0.0
20-29	2	11.1	2	16.7	0	0.0	0	0.0	31	6.6	0	0.0
30-39	4	22.2	4	33.3	0	0.0	1	11.1	105	22.2	0	0.0
40-49	7	38.9	4	33.3	3	50.0	4	44.4	135	28.5	0	0.0
50-59	3	16.7	1	8.3	2	33.3	3	33.3	118	24.9	1	50.0
60+	1	5.6	0	0.0	1	16.7	1	11.1	83	17.5	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	2	22.2	45	9.5	0	0.0
Brooklyn	6	33.3	5	41.7	1	16.7	1	11.1	108	22.8	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	65	13.7	1	50.0
Queens	12	66.7	7	58.3	5	83.3	6	66.7	197	41.6	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	38	8.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	3.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	0	0.0	1	16.7	2	22.2	46	9.7	1	50.0
Medium poverty (10 to <20% below FPL)	11	61.1	9	75.0	2	33.3	2	22.2	223	47.1	1	50.0
High poverty (20 to <30% below FPL)	4	22.2	2	16.7	2	33.3	2	22.2	82	17.3	0	0.0
Very high poverty (≥30% below FPL)	2	11.1	1	8.3	1	16.7	3	33.3	63	13.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	59	12.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	20	4.2	0	0.0
Heterosexual contact	13	72.2	9	75.0	4	66.7	7	77.8	282	59.6	0	0.0
Transgender people with sexual contact	3	16.7	3	25.0	0	0.0	0	0.0	31	6.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	11.1	0	0.0	2	33.3	2	22.2	135	28.5	2	100.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	4	66.7	2	33.3	4	100.0	218	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	25.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	33.3	1	25.0	1	50.0	1	25.0	15	6.9	0	0.0
30-39	2	33.3	1	25.0	1	50.0	1	25.0	42	19.3	0	0.0
40-49	1	16.7	1	25.0	0	0.0	2	50.0	62	28.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	63	28.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	35	16.1	4	100.0
BOROUGH OF RESIDENCE												
Bronx	2	33.3	2	50.0	0	0.0	0	0.0	45	20.6	0	0.0
Brooklyn	1	16.7	0	0.0	1	50.0	1	25.0	46	21.1	0	0.0
Manhattan	1	16.7	1	25.0	0	0.0	0	0.0	51	23.4	3	75.0
Queens	1	16.7	0	0.0	1	50.0	2	50.0	49	22.5	0	0.0
Other/Unknown	1	16.7	1	25.0	0	0.0	1	25.0	27	12.4	1	25.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	11	5.0	0	0.0
Medium poverty (10 to <20% below FPL)	1	16.7	0	0.0	1	50.0	2	50.0	84	38.5	0	0.0
High poverty (20 to <30% below FPL)	2	33.3	1	25.0	1	50.0	1	25.0	49	22.5	2	50.0
Very high poverty (≥30% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	48	22.0	1	25.0
Area-based poverty level not available	1	16.7	1	25.0	0	0.0	1	25.0	26	11.9	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	3	75.0	2	100.0	4	100.0	123	56.4	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	6.4	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	3.7	1	25.0
Heterosexual contact	1	16.7	1	25.0	0	0.0	0	0.0	19	8.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	52	23.9	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	80	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	8	10.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	8	10.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	25	31.3	1	100.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	27	33.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	100.0	11	13.8	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	25	31.3	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	28	35.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	10	12.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	13.8	1	100.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	7.5	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	29	36.3	1	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	25.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	26	32.5	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	6	7.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	100.0	49	61.3	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	7.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	18.8	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	61	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	100.0	40	65.6	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	16	26.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	3.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	4.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	100.0	17	27.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	14	23.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	19.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	18.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	3.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	6.6	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	6.6	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	26.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	24.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	20	32.8	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	6	9.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	61	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	2	100.0	51	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	25	49.0	0	0.0
Latino/Hispanic	1	50.0	1	50.0	0	0.0	1	50.0	20	39.2	0	0.0
White	1	50.0	1	50.0	0	0.0	1	50.0	4	7.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	14	27.5	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	13	25.5	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	13.7	0	0.0
Queens	1	50.0	1	50.0	0	0.0	1	50.0	4	7.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	5.9	0	0.0
Outside NYC	1	50.0	1	50.0	0	0.0	1	50.0	6	11.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	7.8	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	7.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	11	21.6	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	11	21.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	29.4	0	0.0
Area-based poverty level not available	1	50.0	1	50.0	0	0.0	1	50.0	10	19.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	2	100.0	50	98.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,726	100.0	1,449	84.0	277	16.0	1,009	100.0	90,748	100.0	1,282	100.0
RACE/ETHNICITY												
Black	650	37.7	531	36.6	119	43.0	444	44.0	34,598	38.1	563	43.9
Latino/Hispanic	621	36.0	536	37.0	85	30.7	347	34.4	29,708	32.7	443	34.6
White	304	17.6	262	18.1	42	15.2	164	16.3	23,395	25.8	246	19.2
Asian/Pacific Islander	127	7.4	101	7.0	26	9.4	43	4.3	2,312	2.5	22	1.7
Native American	6	0.3	4	0.3	2	0.7	4	0.4	218	0.2	4	0.3
Multiracial	18	1.0	15	1.0	3	1.1	7	0.7	265	0.3	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	63	3.7	60	4.1	3	1.1	9	0.9	299	0.3	0	0.0
20-29	702	40.7	636	43.9	66	23.8	183	18.1	7,968	8.8	36	2.8
30-39	464	26.9	389	26.8	75	27.1	249	24.7	14,470	15.9	82	6.4
40-49	277	16.0	197	13.6	80	28.9	259	25.7	19,551	21.5	152	11.9
50-59	152	8.8	117	8.1	35	12.6	199	19.7	28,737	31.7	446	34.8
60+	68	3.9	50	3.5	18	6.5	110	10.9	19,723	21.7	566	44.1
BOROUGH OF RESIDENCE												
Bronx	339	19.6	268	18.5	71	25.6	216	21.4	18,200	20.1	315	24.6
Brooklyn	410	23.8	339	23.4	71	25.6	235	23.3	19,405	21.4	256	20.0
Manhattan	368	21.3	316	21.8	52	18.8	210	20.8	27,013	29.8	209	16.3
Queens	334	19.4	273	18.8	61	22.0	163	16.2	13,221	14.6	132	10.3
Staten Island	56	3.2	46	3.2	10	3.6	26	2.6	1,544	1.7	35	2.7
Outside NYC	172	10.0	160	11.0	12	4.3	142	14.1	10,250	11.3	60	4.7
Unknown	47	2.7	47	3.2	0	0.0	17	1.7	1,115	1.2	275	21.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	163	9.4	136	9.4	27	9.7	74	7.3	8,571	9.4	70	5.5
Medium poverty (10 to <20% below FPL)	543	31.5	453	31.3	90	32.5	298	29.5	31,185	34.4	296	23.1
High poverty (20 to <30% below FPL)	408	23.6	342	23.6	66	23.8	221	21.9	19,428	21.4	240	18.7
Very high poverty (≥30% below FPL)	390	22.6	309	21.3	81	29.2	250	24.8	19,128	21.1	340	26.5
Area-based poverty level not available	222	12.9	209	14.4	13	4.7	166	16.5	12,436	13.7	336	26.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,268	73.5	1,109	76.5	159	57.4	554	54.9	51,184	56.4	404	31.5
Injection drug use history (IDU)	16	0.9	10	0.7	6	2.2	75	7.4	10,179	11.2	348	27.1
MSM-IDU	35	2.0	31	2.1	4	1.4	30	3.0	3,201	3.5	58	4.5
Heterosexual contact	77	4.5	54	3.7	23	8.3	71	7.0	6,123	6.7	113	8.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	9	0.9	1,196	1.3	6	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	106	0.1	3	0.2
Unknown	330	19.1	245	16.9	85	30.7	270	26.8	18,744	20.7	350	27.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	520	100.0	419	80.6	101	19.4	380	100.0	35,140	100.0	519	100.0
RACE/ETHNICITY												
Black	298	57.3	243	58.0	55	54.5	224	58.9	20,351	57.9	293	56.5
Latino/Hispanic	170	32.7	136	32.5	34	33.7	120	31.6	11,536	32.8	182	35.1
White	32	6.2	27	6.4	5	5.0	25	6.6	2,555	7.3	40	7.7
Asian/Pacific Islander	18	3.5	12	2.9	6	5.9	9	2.4	473	1.3	2	0.4
Native American	0	0.0	0	0.0	0	0.0	1	0.3	79	0.2	1	0.2
Multiracial	2	0.4	1	0.2	1	1.0	1	0.3	70	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	19	3.7	19	4.5	0	0.0	7	1.8	265	0.8	1	0.2
20-29	107	20.6	99	23.6	8	7.9	57	15.0	2,470	7.0	10	1.9
30-39	134	25.8	107	25.5	27	26.7	82	21.6	4,660	13.3	33	6.4
40-49	107	20.6	74	17.7	33	32.7	99	26.1	8,268	23.5	91	17.5
50-59	106	20.4	90	21.5	16	15.8	91	23.9	12,045	34.3	202	38.9
60+	47	9.0	30	7.2	17	16.8	44	11.6	7,432	21.1	182	35.1
BOROUGH OF RESIDENCE												
Bronx	158	30.4	132	31.5	26	25.7	131	34.5	11,345	32.3	160	30.8
Brooklyn	163	31.3	130	31.0	33	32.7	108	28.4	10,051	28.6	126	24.3
Manhattan	56	10.8	45	10.7	11	10.9	34	8.9	5,228	14.9	80	15.4
Queens	73	14.0	54	12.9	19	18.8	49	12.9	4,903	14.0	47	9.1
Staten Island	21	4.0	15	3.6	6	5.9	10	2.6	831	2.4	15	2.9
Outside NYC	41	7.9	35	8.4	6	5.9	38	10.0	2,417	6.9	18	3.5
Unknown	8	1.5	8	1.9	0	0.0	10	2.6	365	1.0	73	14.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	35	6.7	24	5.7	11	10.9	15	3.9	2,204	6.3	32	6.2
Medium poverty (10 to <20% below FPL)	151	29.0	120	28.6	31	30.7	108	28.4	9,955	28.3	98	18.9
High poverty (20 to <30% below FPL)	124	23.8	95	22.7	29	28.7	84	22.1	8,589	24.4	112	21.6
Very high poverty (≥30% below FPL)	159	30.6	135	32.2	24	23.8	125	32.9	11,315	32.2	186	35.8
Area-based poverty level not available	51	9.8	45	10.7	6	5.9	48	12.6	3,077	8.8	91	17.5
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.5	16	3.8	2	2.0	32	8.4	5,477	15.6	165	31.8
Heterosexual contact	335	64.4	264	63.0	71	70.3	225	59.2	18,621	53.0	232	44.7
Transgender people with sexual contact	66	12.7	64	15.3	2	2.0	18	4.7	1,518	4.3	9	1.7
Perinatal	0	0.0	0	0.0	0	0.0	20	5.3	1,261	3.6	12	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	89	0.3	1	0.2
Unknown	101	19.4	75	17.9	26	25.7	85	22.4	8,174	23.3	100	19.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	339	100.0	268	79.1	71	20.9	217	100.0	18,217	100.0	315	100.0
RACE/ETHNICITY												
Black	150	44.2	109	40.7	41	57.7	104	47.9	8,200	45.0	139	44.1
Latino/Hispanic	166	49.0	139	51.9	27	38.0	103	47.5	8,767	48.1	161	51.1
White	12	3.5	11	4.1	1	1.4	6	2.8	997	5.5	13	4.1
Asian/Pacific Islander	8	2.4	7	2.6	1	1.4	2	0.9	150	0.8	1	0.3
Native American	2	0.6	2	0.7	0	0.0	0	0.0	45	0.2	0	0.0
Multiracial	1	0.3	0	0.0	1	1.4	2	0.9	34	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.5	17	0.1	0	0.0
13-19	12	3.5	11	4.1	1	1.4	3	1.4	90	0.5	0	0.0
20-29	135	39.8	118	44.0	17	23.9	38	17.5	1,849	10.1	6	1.9
30-39	78	23.0	56	20.9	22	31.0	59	27.2	2,767	15.2	17	5.4
40-49	64	18.9	42	15.7	22	31.0	53	24.4	3,689	20.3	35	11.1
50-59	39	11.5	32	11.9	7	9.9	38	17.5	5,883	32.3	123	39.0
60+	11	3.2	9	3.4	2	2.8	25	11.5	3,922	21.5	134	42.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	3.5	6	2.2	6	8.5	12	5.5	364	2.0	6	1.9
Medium poverty (10 to <20% below FPL)	49	14.5	39	14.6	10	14.1	31	14.3	2,943	16.2	51	16.2
High poverty (20 to <30% below FPL)	37	10.9	34	12.7	3	4.2	22	10.1	1,890	10.4	24	7.6
Very high poverty (≥30% below FPL)	241	71.1	189	70.5	52	73.2	152	70.0	12,908	70.9	234	74.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	112	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	198	58.4	168	62.7	30	42.3	86	39.6	7,211	39.6	48	15.2
Injection drug use history (IDU)	8	2.4	4	1.5	4	5.6	20	9.2	3,245	17.8	124	39.4
MSM-IDU	8	2.4	7	2.6	1	1.4	6	2.8	826	4.5	13	4.1
Heterosexual contact	26	7.7	19	7.1	7	9.9	19	8.8	1,726	9.5	31	9.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	0.9	411	2.3	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	1	0.3
Unknown	99	29.2	70	26.1	29	40.8	84	38.7	4,772	26.2	96	30.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	158	100.0	132	83.5	26	16.5	131	100.0	11,359	100.0	160	100.0
RACE/ETHNICITY												
Black	86	54.4	70	53.0	16	61.5	69	52.7	5,843	51.4	80	50.0
Latino/Hispanic	70	44.3	60	45.5	10	38.5	57	43.5	5,052	44.5	71	44.4
White	2	1.3	2	1.5	0	0.0	3	2.3	362	3.2	9	5.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.5	45	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	10	6.3	10	7.6	0	0.0	3	2.3	82	0.7	0	0.0
20-29	31	19.6	28	21.2	3	11.5	24	18.3	803	7.1	2	1.3
30-39	34	21.5	24	18.2	10	38.5	29	22.1	1,588	14.0	6	3.8
40-49	33	20.9	27	20.5	6	23.1	30	22.9	2,772	24.4	31	19.4
50-59	37	23.4	33	25.0	4	15.4	30	22.9	3,900	34.3	71	44.4
60+	13	8.2	10	7.6	3	11.5	15	11.5	2,200	19.4	50	31.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.6	1	0.8	0	0.0	1	0.8	225	2.0	8	5.0
Medium poverty (10 to <20% below FPL)	26	16.5	19	14.4	7	26.9	25	19.1	1,872	16.5	25	15.6
High poverty (20 to <30% below FPL)	21	13.3	16	12.1	5	19.2	10	7.6	1,220	10.7	11	6.9
Very high poverty (≥30% below FPL)	110	69.6	96	72.7	14	53.8	95	72.5	8,004	70.5	116	72.5
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	38	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	3.2	5	3.8	0	0.0	13	9.9	1,978	17.4	55	34.4
Heterosexual contact	117	74.1	95	72.0	22	84.6	83	63.4	5,968	52.5	74	46.3
Transgender people with sexual contact	19	12.0	18	13.6	1	3.8	6	4.6	460	4.0	1	0.6
Perinatal	0	0.0	0	0.0	0	0.0	12	9.2	425	3.7	3	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Unknown	17	10.8	14	10.6	3	11.5	17	13.0	2,510	22.1	27	16.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	410	100.0	339	82.7	71	17.3	235	100.0	19,419	100.0	256	100.0
RACE/ETHNICITY												
Black	229	55.9	194	57.2	35	49.3	136	57.9	10,857	55.9	151	59.0
Latino/Hispanic	85	20.7	69	20.4	16	22.5	58	24.7	4,804	24.7	70	27.3
White	65	15.9	52	15.3	13	18.3	29	12.3	3,248	16.7	33	12.9
Asian/Pacific Islander	25	6.1	19	5.6	6	8.5	11	4.7	397	2.0	2	0.8
Native American	1	0.2	0	0.0	1	1.4	1	0.4	46	0.2	0	0.0
Multiracial	5	1.2	5	1.5	0	0.0	0	0.0	43	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	21	5.1	21	6.2	0	0.0	3	1.3	88	0.5	0	0.0
20-29	179	43.7	158	46.6	21	29.6	46	19.6	1,935	10.0	8	3.1
30-39	106	25.9	90	26.5	16	22.5	54	23.0	3,404	17.5	21	8.2
40-49	50	12.2	33	9.7	17	23.9	53	22.6	4,148	21.4	22	8.6
50-59	38	9.3	26	7.7	12	16.9	47	20.0	5,685	29.3	90	35.2
60+	16	3.9	11	3.2	5	7.0	32	13.6	4,145	21.3	115	44.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	2.0	8	2.4	0	0.0	7	3.0	686	3.5	6	2.3
Medium poverty (10 to <20% below FPL)	152	37.1	125	36.9	27	38.0	88	37.4	8,036	41.4	87	34.0
High poverty (20 to <30% below FPL)	145	35.4	123	36.3	22	31.0	78	33.2	6,407	33.0	93	36.3
Very high poverty (≥30% below FPL)	105	25.6	83	24.5	22	31.0	61	26.0	4,129	21.3	70	27.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.4	161	0.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	293	71.5	252	74.3	41	57.7	115	48.9	9,871	50.8	73	28.5
Injection drug use history (IDU)	6	1.5	5	1.5	1	1.4	27	11.5	2,332	12.0	64	25.0
MSM-IDU	4	1.0	3	0.9	1	1.4	4	1.7	616	3.2	14	5.5
Heterosexual contact	15	3.7	10	2.9	5	7.0	17	7.2	1,613	8.3	26	10.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	2.1	325	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	92	22.4	69	20.4	23	32.4	67	28.5	4,638	23.9	79	30.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	163	100.0	130	79.8	33	20.2	108	100.0	10,064	100.0	126	100.0
RACE/ETHNICITY												
Black	123	75.5	100	76.9	23	69.7	79	73.1	7,023	69.8	82	65.1
Latino/Hispanic	25	15.3	19	14.6	6	18.2	16	14.8	2,325	23.1	38	30.2
White	8	4.9	5	3.8	3	9.1	11	10.2	542	5.4	6	4.8
Asian/Pacific Islander	6	3.7	5	3.8	1	3.0	1	0.9	108	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.9	28	0.3	0	0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	17	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
13-19	5	3.1	5	3.8	0	0.0	2	1.9	66	0.7	0	0.0
20-29	33	20.2	31	23.8	2	6.1	16	14.8	673	6.7	5	4.0
30-39	43	26.4	33	25.4	10	30.3	19	17.6	1,360	13.5	13	10.3
40-49	25	15.3	17	13.1	8	24.2	28	25.9	2,350	23.4	20	15.9
50-59	41	25.2	34	26.2	7	21.2	26	24.1	3,356	33.3	44	34.9
60+	16	9.8	10	7.7	6	18.2	17	15.7	2,246	22.3	44	34.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.1	5	3.8	0	0.0	0	0.0	328	3.3	3	2.4
Medium poverty (10 to <20% below FPL)	67	41.1	55	42.3	12	36.4	44	40.7	3,824	38.0	44	34.9
High poverty (20 to <30% below FPL)	49	30.1	37	28.5	12	36.4	38	35.2	3,435	34.1	34	27.0
Very high poverty (≥30% below FPL)	42	25.8	33	25.4	9	27.3	26	24.1	2,412	24.0	45	35.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	65	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	7	4.3	6	4.6	1	3.0	11	10.2	1,411	14.0	36	28.6
Heterosexual contact	99	60.7	78	60.0	21	63.6	57	52.8	5,519	54.8	54	42.9
Transgender people with sexual contact	14	8.6	14	10.8	0	0.0	1	0.9	340	3.4	6	4.8
Perinatal	0	0.0	0	0.0	0	0.0	4	3.7	349	3.5	6	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	0	0.0
Unknown	43	26.4	32	24.6	11	33.3	35	32.4	2,420	24.0	24	19.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	368	100.0	316	85.9	52	14.1	210	100.0	27,025	100.0	209	100.0
RACE/ETHNICITY												
Black	93	25.3	69	21.8	24	46.2	80	38.1	7,095	26.3	68	32.5
Latino/Hispanic	130	35.3	120	38.0	10	19.2	64	30.5	7,510	27.8	68	32.5
White	113	30.7	99	31.3	14	26.9	58	27.6	11,435	42.3	66	31.6
Asian/Pacific Islander	26	7.1	23	7.3	3	5.8	7	3.3	709	2.6	4	1.9
Native American	1	0.3	1	0.3	0	0.0	0	0.0	51	0.2	3	1.4
Multiracial	5	1.4	4	1.3	1	1.9	1	0.5	78	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	147	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
13-19	10	2.7	8	2.5	2	3.8	1	0.5	35	0.1	0	0.0
20-29	135	36.7	127	40.2	8	15.4	26	12.4	1,615	6.0	7	3.3
30-39	116	31.5	98	31.0	18	34.6	56	26.7	4,014	14.9	12	5.7
40-49	64	17.4	48	15.2	16	30.8	55	26.2	6,006	22.2	15	7.2
50-59	26	7.1	21	6.6	5	9.6	53	25.2	8,897	32.9	71	34.0
60+	17	4.6	14	4.4	3	5.8	19	9.0	6,446	23.9	104	49.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	56	15.2	47	14.9	9	17.3	25	11.9	4,947	18.3	29	13.9
Medium poverty (10 to <20% below FPL)	109	29.6	99	31.3	10	19.2	61	29.0	10,480	38.8	71	34.0
High poverty (20 to <30% below FPL)	157	42.7	131	41.5	26	50.0	81	38.6	8,840	32.7	72	34.4
Very high poverty (≥30% below FPL)	44	12.0	37	11.7	7	13.5	38	18.1	2,111	7.8	36	17.2
Area-based poverty level not available	2	0.5	2	0.6	0	0.0	5	2.4	647	2.4	1	0.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	301	81.8	266	84.2	35	67.3	137	65.2	18,583	68.8	102	48.8
Injection drug use history (IDU)	1	0.3	1	0.3	0	0.0	9	4.3	2,138	7.9	48	23.0
MSM-IDU	10	2.7	8	2.5	2	3.8	9	4.3	931	3.4	9	4.3
Heterosexual contact	8	2.2	6	1.9	2	3.8	10	4.8	955	3.5	14	6.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.5	188	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
Unknown	48	13.0	35	11.1	13	25.0	44	21.0	4,212	15.6	36	17.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	45	80.4	11	19.6	34	100.0	5,235	100.0	80	100.0
RACE/ETHNICITY												
Black	24	42.9	21	46.7	3	27.3	17	50.0	2,866	54.7	41	51.3
Latino/Hispanic	24	42.9	16	35.6	8	72.7	15	44.1	1,748	33.4	30	37.5
White	8	14.3	8	17.8	0	0.0	2	5.9	517	9.9	8	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	65	1.2	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	2	3.6	2	4.4	0	0.0	0	0.0	34	0.6	0	0.0
20-29	19	33.9	16	35.6	3	27.3	6	17.6	352	6.7	1	1.3
30-39	11	19.6	10	22.2	1	9.1	8	23.5	562	10.7	3	3.8
40-49	12	21.4	7	15.6	5	45.5	11	32.4	1,119	21.4	16	20.0
50-59	5	8.9	5	11.1	0	0.0	4	11.8	1,881	35.9	29	36.3
60+	7	12.5	5	11.1	2	18.2	5	14.7	1,280	24.5	31	38.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	17.9	9	20.0	1	9.1	2	5.9	470	9.0	7	8.8
Medium poverty (10 to <20% below FPL)	11	19.6	7	15.6	4	36.4	8	23.5	1,050	20.1	9	11.3
High poverty (20 to <30% below FPL)	27	48.2	22	48.9	5	45.5	20	58.8	2,684	51.3	39	48.8
Very high poverty (≥30% below FPL)	7	12.5	6	13.3	1	9.1	4	11.8	914	17.5	25	31.3
Area-based poverty level not available	1	1.8	1	2.2	0	0.0	0	0.0	117	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	3.6	2	4.4	0	0.0	3	8.8	1,006	19.2	23	28.8
Heterosexual contact	35	62.5	27	60.0	8	72.7	23	67.6	2,447	46.7	36	45.0
Transgender people with sexual contact	10	17.9	9	20.0	1	9.1	2	5.9	283	5.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	187	3.6	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	1	1.3
Unknown	9	16.1	7	15.6	2	18.2	6	17.6	1,297	24.8	19	23.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	334	100.0	273	81.7	61	18.3	163	100.0	13,232	100.0	132	100.0
RACE/ETHNICITY												
Black	73	21.9	61	22.3	12	19.7	51	31.3	4,316	32.6	53	40.2
Latino/Hispanic	161	48.2	136	49.8	25	41.0	71	43.6	5,574	42.1	48	36.4
White	43	12.9	35	12.8	8	13.1	19	11.7	2,465	18.6	20	15.2
Asian/Pacific Islander	56	16.8	41	15.0	15	24.6	20	12.3	767	5.8	11	8.3
Native American	1	0.3	0	0.0	1	1.6	2	1.2	49	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	32	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
13-19	6	1.8	6	2.2	0	0.0	0	0.0	34	0.3	0	0.0
20-29	124	37.1	110	40.3	14	23.0	30	18.4	1,075	8.1	3	2.3
30-39	97	29.0	82	30.0	15	24.6	43	26.4	2,202	16.6	6	4.5
40-49	65	19.5	46	16.8	19	31.1	45	27.6	3,166	23.9	26	19.7
50-59	30	9.0	23	8.4	7	11.5	27	16.6	4,226	31.9	49	37.1
60+	12	3.6	6	2.2	6	9.8	18	11.0	2,518	19.0	48	36.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	62	18.6	52	19.0	10	16.4	25	15.3	2,145	16.2	21	15.9
Medium poverty (10 to <20% below FPL)	226	67.7	184	67.4	42	68.9	114	69.9	9,529	72.0	84	63.6
High poverty (20 to <30% below FPL)	46	13.8	37	13.6	9	14.8	24	14.7	1,421	10.7	27	20.5
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	137	1.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	259	77.5	220	80.6	39	63.9	99	60.7	7,208	54.5	44	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	6	3.7	1,443	10.9	28	21.2
MSM-IDU	4	1.2	4	1.5	0	0.0	1	0.6	390	2.9	7	5.3
Heterosexual contact	21	6.3	14	5.1	7	11.5	16	9.8	1,137	8.6	16	12.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	182	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	1	0.8
Unknown	50	15.0	35	12.8	15	24.6	41	25.2	2,851	21.5	36	27.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	74	100.0	55	74.3	19	25.7	50	100.0	4,907	100.0	47	100.0
RACE/ETHNICITY												
Black	26	35.1	20	36.4	6	31.6	22	44.0	2,744	55.9	30	63.8
Latino/Hispanic	33	44.6	26	47.3	7	36.8	18	36.0	1,492	30.4	7	14.9
White	2	2.7	2	3.6	0	0.0	3	6.0	434	8.8	7	14.9
Asian/Pacific Islander	12	16.2	7	12.7	5	26.3	6	12.0	197	4.0	1	2.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	2.1
Multiracial	1	1.4	0	0.0	1	5.3	1	2.0	15	0.3	1	2.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.4	1	1.8	0	0.0	1	2.0	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	37	0.8	1	2.1
20-29	9	12.2	9	16.4	0	0.0	3	6.0	323	6.6	0	0.0
30-39	25	33.8	22	40.0	3	15.8	15	30.0	629	12.8	3	6.4
40-49	22	29.7	13	23.6	9	47.4	15	30.0	1,186	24.2	7	14.9
50-59	13	17.6	9	16.4	4	21.1	13	26.0	1,693	34.5	18	38.3
60+	4	5.4	1	1.8	3	15.8	3	6.0	1,035	21.1	18	38.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	14.9	5	9.1	6	31.6	8	16.0	990	20.2	11	23.4
Medium poverty (10 to <20% below FPL)	44	59.5	36	65.5	8	42.1	32	64.0	3,097	63.1	19	40.4
High poverty (20 to <30% below FPL)	18	24.3	13	23.6	5	26.3	10	20.0	747	15.2	17	36.2
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.4	1	1.8	0	0.0	0	0.0	73	1.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.7	1	1.8	1	5.3	3	6.0	638	13.0	17	36.2
Heterosexual contact	44	59.5	32	58.2	12	63.2	29	58.0	2,793	56.9	20	42.6
Transgender people with sexual contact	11	14.9	11	20.0	0	0.0	5	10.0	212	4.3	0	0.0
Perinatal	1	1.4	1	1.8	0	0.0	1	2.0	184	3.7	1	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Unknown	16	21.6	10	18.2	6	31.6	12	24.0	1,062	21.6	9	19.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	46	82.1	10	17.9	26	100.0	1,545	100.0	35	100.0
RACE/ETHNICITY												
Black	23	41.1	18	39.1	5	50.0	15	57.7	554	35.9	15	42.9
Latino/Hispanic	15	26.8	13	28.3	2	20.0	6	23.1	440	28.5	10	28.6
White	15	26.8	12	26.1	3	30.0	5	19.2	515	33.3	9	25.7
Asian/Pacific Islander	1	1.8	1	2.2	0	0.0	0	0.0	22	1.4	0	0.0
Other/Unknown	2	3.6	2	4.3	0	0.0	0	0.0	14	0.9	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	3.6	2	4.3	0	0.0	0	0.0	4	0.3	0	0.0
20-29	21	37.5	19	41.3	2	20.0	7	26.9	130	8.4	3	8.6
30-39	13	23.2	13	28.3	0	0.0	2	7.7	211	13.7	1	2.9
40-49	9	16.1	6	13.0	3	30.0	4	15.4	303	19.6	4	11.4
50-59	5	8.9	2	4.3	3	30.0	10	38.5	552	35.7	10	28.6
60+	6	10.7	4	8.7	2	20.0	3	11.5	344	22.3	17	48.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	44.6	23	50.0	2	20.0	5	19.2	433	28.0	8	22.9
Medium poverty (10 to <20% below FPL)	7	12.5	6	13.0	1	10.0	4	15.4	213	13.8	3	8.6
High poverty (20 to <30% below FPL)	23	41.1	17	37.0	6	60.0	16	61.5	885	57.3	24	68.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.8	0	0.0	1	10.0	1	3.8	14	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	69.6	35	76.1	4	40.0	13	50.0	675	43.7	8	22.9
Injection drug use history (IDU)	1	1.8	0	0.0	1	10.0	2	7.7	257	16.6	14	40.0
MSM-IDU	2	3.6	2	4.3	0	0.0	0	0.0	66	4.3	1	2.9
Heterosexual contact	3	5.4	1	2.2	2	20.0	4	15.4	143	9.3	3	8.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	11	19.6	8	17.4	3	30.0	7	26.9	370	23.9	9	25.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	15	71.4	6	28.6	10	100.0	834	100.0	15	100.0
RACE/ETHNICITY												
Black	13	61.9	10	66.7	3	50.0	6	60.0	399	47.8	7	46.7
Latino/Hispanic	4	19.0	1	6.7	3	50.0	4	40.0	239	28.7	7	46.7
White	4	19.0	4	26.7	0	0.0	0	0.0	184	22.1	1	6.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
20-29	3	14.3	3	20.0	0	0.0	1	10.0	40	4.8	0	0.0
30-39	6	28.6	4	26.7	2	33.3	2	20.0	113	13.5	0	0.0
40-49	7	33.3	5	33.3	2	33.3	3	30.0	195	23.4	2	13.3
50-59	4	19.0	3	20.0	1	16.7	3	30.0	315	37.8	9	60.0
60+	1	4.8	0	0.0	1	16.7	1	10.0	158	18.9	4	26.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	38.1	4	26.7	4	66.7	4	40.0	195	23.4	3	20.0
Medium poverty (10 to <20% below FPL)	3	14.3	3	20.0	0	0.0	0	0.0	123	14.7	1	6.7
High poverty (20 to <30% below FPL)	10	47.6	8	53.3	2	33.3	6	60.0	514	61.6	11	73.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	131	15.7	11	73.3
Heterosexual contact	17	81.0	12	80.0	5	83.3	7	70.0	465	55.8	3	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	3.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	4	19.0	3	20.0	1	16.7	3	30.0	175	21.0	1	6.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,268	100.0	1,109	87.5	159	12.5	554	100.0	51,184	100.0	404	100.0
RACE/ETHNICITY												
Black	424	33.4	368	33.2	56	35.2	219	39.5	15,736	30.7	141	34.9
Latino/Hispanic	476	37.5	425	38.3	51	32.1	189	34.1	15,435	30.2	106	26.2
White	252	19.9	223	20.1	29	18.2	108	19.5	18,105	35.4	143	35.4
Asian/Pacific Islander	95	7.5	77	6.9	18	11.3	29	5.2	1,541	3.0	12	3.0
Native American	5	0.4	3	0.3	2	1.3	4	0.7	123	0.2	1	0.2
Multiracial	16	1.3	13	1.2	3	1.9	5	0.9	213	0.4	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	57	4.5	56	5.0	1	0.6	3	0.5	104	0.2	0	0.0
20-29	606	47.8	555	50.0	51	32.1	142	25.6	6,209	12.1	23	5.7
30-39	338	26.7	292	26.3	46	28.9	162	29.2	11,246	22.0	48	11.9
40-49	169	13.3	126	11.4	43	27.0	140	25.3	12,219	23.9	61	15.1
50-59	72	5.7	58	5.2	14	8.8	76	13.7	13,993	27.3	136	33.7
60+	26	2.1	22	2.0	4	2.5	31	5.6	7,413	14.5	136	33.7
BOROUGH OF RESIDENCE												
Bronx	198	15.6	168	15.1	30	18.9	86	15.5	7,211	14.1	48	11.9
Brooklyn	293	23.1	252	22.7	41	25.8	115	20.8	9,871	19.3	73	18.1
Manhattan	301	23.7	266	24.0	35	22.0	137	24.7	18,583	36.3	102	25.2
Queens	259	20.4	220	19.8	39	24.5	99	17.9	7,208	14.1	44	10.9
Staten Island	39	3.1	35	3.2	4	2.5	13	2.3	675	1.3	8	2.0
Outside NYC	148	11.7	138	12.4	10	6.3	97	17.5	6,823	13.3	21	5.2
Unknown	30	2.4	30	2.7	0	0.0	7	1.3	813	1.6	108	26.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	127	10.0	109	9.8	18	11.3	45	8.1	5,716	11.2	33	8.2
Medium poverty (10 to <20% below FPL)	429	33.8	371	33.5	58	36.5	184	33.2	18,775	36.7	122	30.2
High poverty (20 to <30% below FPL)	289	22.8	253	22.8	36	22.6	115	20.8	10,761	21.0	59	14.6
Very high poverty (≥30% below FPL)	244	19.2	207	18.7	37	23.3	102	18.4	7,892	15.4	61	15.1
Area-based poverty level not available	179	14.1	169	15.2	10	6.3	108	19.5	8,040	15.7	129	31.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	10	62.5	6	37.5	75	100.0	10,179	100.0	348	100.0
RACE/ETHNICITY												
Black	7	43.8	5	50.0	2	33.3	27	36.0	4,091	40.2	146	42.0
Latino/Hispanic	5	31.3	3	30.0	2	33.3	29	38.7	4,833	47.5	157	45.1
White	3	18.8	2	20.0	1	16.7	14	18.7	1,172	11.5	42	12.1
Asian/Pacific Islander	1	6.3	0	0.0	1	16.7	4	5.3	55	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	1	1.3	8	0.1	2	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	18.8	3	30.0	0	0.0	0	0.0	24	0.2	0	0.0
30-39	6	37.5	3	30.0	3	50.0	7	9.3	231	2.3	7	2.0
40-49	0	0.0	0	0.0	0	0.0	13	17.3	1,062	10.4	24	6.9
50-59	2	12.5	1	10.0	1	16.7	24	32.0	3,850	37.8	126	36.2
60+	5	31.3	3	30.0	2	33.3	31	41.3	5,012	49.2	191	54.9
BOROUGH OF RESIDENCE												
Bronx	8	50.0	4	40.0	4	66.7	20	26.7	3,245	31.9	124	35.6
Brooklyn	6	37.5	5	50.0	1	16.7	27	36.0	2,332	22.9	64	18.4
Manhattan	1	6.3	1	10.0	0	0.0	9	12.0	2,138	21.0	48	13.8
Queens	0	0.0	0	0.0	0	0.0	6	8.0	1,443	14.2	28	8.0
Staten Island	1	6.3	0	0.0	1	16.7	2	2.7	257	2.5	14	4.0
Outside NYC	0	0.0	0	0.0	0	0.0	10	13.3	730	7.2	18	5.2
Unknown	0	0.0	0	0.0	0	0.0	1	1.3	34	0.3	52	14.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	3	4.0	531	5.2	17	4.9
Medium poverty (10 to <20% below FPL)	2	12.5	1	10.0	1	16.7	18	24.0	2,956	29.0	64	18.4
High poverty (20 to <30% below FPL)	6	37.5	5	50.0	1	16.7	17	22.7	2,257	22.2	74	21.3
Very high poverty (≥30% below FPL)	8	50.0	4	40.0	4	66.7	25	33.3	3,440	33.8	122	35.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	12	16.0	995	9.8	71	20.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	16	88.9	2	11.1	32	100.0	5,477	100.0	165	100.0
RACE/ETHNICITY												
Black	6	33.3	5	31.3	1	50.0	18	56.3	2,587	47.2	78	47.3
Latino/Hispanic	9	50.0	8	50.0	1	50.0	6	18.8	2,227	40.7	70	42.4
White	3	16.7	3	18.8	0	0.0	8	25.0	624	11.4	17	10.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.6	1	6.3	0	0.0	0	0.0	2	0.0	0	0.0
20-29	2	11.1	2	12.5	0	0.0	2	6.3	48	0.9	1	0.6
30-39	3	16.7	3	18.8	0	0.0	5	15.6	264	4.8	8	4.8
40-49	4	22.2	4	25.0	0	0.0	5	15.6	933	17.0	23	13.9
50-59	6	33.3	5	31.3	1	50.0	13	40.6	2,483	45.3	76	46.1
60+	2	11.1	1	6.3	1	50.0	7	21.9	1,747	31.9	57	34.5
BOROUGH OF RESIDENCE												
Bronx	5	27.8	5	31.3	0	0.0	13	40.6	1,978	36.1	55	33.3
Brooklyn	7	38.9	6	37.5	1	50.0	11	34.4	1,411	25.8	36	21.8
Manhattan	2	11.1	2	12.5	0	0.0	3	9.4	1,006	18.4	23	13.9
Queens	2	11.1	1	6.3	1	50.0	3	9.4	638	11.6	17	10.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	131	2.4	11	6.7
Outside NYC	2	11.1	2	12.5	0	0.0	0	0.0	301	5.5	3	1.8
Unknown	0	0.0	0	0.0	0	0.0	2	6.3	12	0.2	20	12.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	1	6.3	0	0.0	0	0.0	280	5.1	9	5.5
Medium poverty (10 to <20% below FPL)	3	16.7	2	12.5	1	50.0	10	31.3	1,399	25.5	30	18.2
High poverty (20 to <30% below FPL)	4	22.2	3	18.8	1	50.0	4	12.5	1,359	24.8	39	23.6
Very high poverty (≥30% below FPL)	8	44.4	8	50.0	0	0.0	16	50.0	2,062	37.6	64	38.8
Area-based poverty level not available	2	11.1	2	12.5	0	0.0	2	6.3	377	6.9	23	13.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	35	100.0	31	88.6	4	11.4	30	100.0	3,201	100.0	58	100.0
RACE/ETHNICITY												
Black	8	22.9	7	22.6	1	25.0	8	26.7	1,128	35.2	29	50.0
Latino/Hispanic	15	42.9	13	41.9	2	50.0	15	50.0	1,234	38.6	19	32.8
White	10	28.6	9	29.0	1	25.0	7	23.3	778	24.3	9	15.5
Asian/Pacific Islander	1	2.9	1	3.2	0	0.0	0	0.0	43	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	1.7
Multiracial	1	2.9	1	3.2	0	0.0	0	0.0	10	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	14	40.0	12	38.7	2	50.0	8	26.7	228	7.1	1	1.7
30-39	12	34.3	11	35.5	1	25.0	9	30.0	523	16.3	5	8.6
40-49	6	17.1	5	16.1	1	25.0	6	20.0	714	22.3	8	13.8
50-59	2	5.7	2	6.5	0	0.0	6	20.0	1,089	34.0	23	39.7
60+	1	2.9	1	3.2	0	0.0	1	3.3	646	20.2	21	36.2
BOROUGH OF RESIDENCE												
Bronx	8	22.9	7	22.6	1	25.0	6	20.0	826	25.8	13	22.4
Brooklyn	4	11.4	3	9.7	1	25.0	4	13.3	616	19.2	14	24.1
Manhattan	10	28.6	8	25.8	2	50.0	9	30.0	931	29.1	9	15.5
Queens	4	11.4	4	12.9	0	0.0	1	3.3	390	12.2	7	12.1
Staten Island	2	5.7	2	6.5	0	0.0	0	0.0	66	2.1	1	1.7
Outside NYC	5	14.3	5	16.1	0	0.0	8	26.7	351	11.0	2	3.4
Unknown	2	5.7	2	6.5	0	0.0	2	6.7	21	0.7	12	20.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	8.6	3	9.7	0	0.0	2	6.7	227	7.1	0	0.0
Medium poverty (10 to <20% below FPL)	8	22.9	8	25.8	0	0.0	4	13.3	1,036	32.4	14	24.1
High poverty (20 to <30% below FPL)	9	25.7	7	22.6	2	50.0	5	16.7	671	21.0	16	27.6
Very high poverty (≥30% below FPL)	8	22.9	6	19.4	2	50.0	9	30.0	872	27.2	14	24.1
Area-based poverty level not available	7	20.0	7	22.6	0	0.0	10	33.3	395	12.3	14	24.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	77	100.0	54	70.1	23	29.9	71	100.0	6,123	100.0	113	100.0
RACE/ETHNICITY												
Black	40	51.9	25	46.3	15	65.2	41	57.7	3,328	54.4	71	62.8
Latino/Hispanic	29	37.7	23	42.6	6	26.1	26	36.6	2,068	33.8	34	30.1
White	4	5.2	2	3.7	2	8.7	4	5.6	519	8.5	5	4.4
Asian/Pacific Islander	3	3.9	3	5.6	0	0.0	0	0.0	180	2.9	3	2.7
Native American	1	1.3	1	1.9	0	0.0	0	0.0	19	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.3	1	1.9	0	0.0	0	0.0	3	0.0	0	0.0
20-29	11	14.3	11	20.4	0	0.0	2	2.8	117	1.9	0	0.0
30-39	16	20.8	12	22.2	4	17.4	15	21.1	503	8.2	3	2.7
40-49	23	29.9	12	22.2	11	47.8	23	32.4	1,463	23.9	18	15.9
50-59	21	27.3	17	31.5	4	17.4	20	28.2	2,507	40.9	36	31.9
60+	5	6.5	1	1.9	4	17.4	11	15.5	1,530	25.0	56	49.6
BOROUGH OF RESIDENCE												
Bronx	26	33.8	19	35.2	7	30.4	19	26.8	1,726	28.2	31	27.4
Brooklyn	15	19.5	10	18.5	5	21.7	17	23.9	1,613	26.3	26	23.0
Manhattan	8	10.4	6	11.1	2	8.7	10	14.1	955	15.6	14	12.4
Queens	21	27.3	14	25.9	7	30.4	16	22.5	1,137	18.6	16	14.2
Staten Island	3	3.9	1	1.9	2	8.7	4	5.6	143	2.3	3	2.7
Outside NYC	2	2.6	2	3.7	0	0.0	4	5.6	518	8.5	4	3.5
Unknown	2	2.6	2	3.7	0	0.0	1	1.4	31	0.5	19	16.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	5.2	3	5.6	1	4.3	3	4.2	414	6.8	3	2.7
Medium poverty (10 to <20% below FPL)	21	27.3	15	27.8	6	26.1	16	22.5	1,901	31.0	15	13.3
High poverty (20 to <30% below FPL)	20	26.0	12	22.2	8	34.8	21	29.6	1,438	23.5	30	26.5
Very high poverty (≥30% below FPL)	28	36.4	20	37.0	8	34.8	26	36.6	1,789	29.2	42	37.2
Area-based poverty level not available	4	5.2	4	7.4	0	0.0	5	7.0	581	9.5	23	20.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	335	100.0	264	78.8	71	21.2	225	100.0	18,621	100.0	232	100.0
RACE/ETHNICITY												
Black	184	54.9	148	56.1	36	50.7	131	58.2	11,052	59.4	140	60.3
Latino/Hispanic	116	34.6	89	33.7	27	38.0	79	35.1	5,992	32.2	76	32.8
White	20	6.0	17	6.4	3	4.2	6	2.7	1,194	6.4	14	6.0
Asian/Pacific Islander	13	3.9	9	3.4	4	5.6	7	3.1	282	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.4	49	0.3	1	0.4
Multiracial	2	0.6	1	0.4	1	1.4	1	0.4	42	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	14	4.2	14	5.3	0	0.0	1	0.4	32	0.2	0	0.0
20-29	55	16.4	50	18.9	5	7.0	21	9.3	939	5.0	1	0.4
30-39	82	24.5	63	23.9	19	26.8	58	25.8	2,801	15.0	8	3.4
40-49	75	22.4	55	20.8	20	28.2	64	28.4	4,782	25.7	52	22.4
50-59	75	22.4	63	23.9	12	16.9	53	23.6	6,372	34.2	90	38.8
60+	34	10.1	19	7.2	15	21.1	28	12.4	3,695	19.8	81	34.9
BOROUGH OF RESIDENCE												
Bronx	117	34.9	95	36.0	22	31.0	83	36.9	5,968	32.0	74	31.9
Brooklyn	99	29.6	78	29.5	21	29.6	57	25.3	5,519	29.6	54	23.3
Manhattan	35	10.4	27	10.2	8	11.3	23	10.2	2,447	13.1	36	15.5
Queens	44	13.1	32	12.1	12	16.9	29	12.9	2,793	15.0	20	8.6
Staten Island	17	5.1	12	4.5	5	7.0	7	3.1	465	2.5	3	1.3
Outside NYC	20	6.0	17	6.4	3	4.2	21	9.3	1,231	6.6	10	4.3
Unknown	3	0.9	3	1.1	0	0.0	5	2.2	198	1.1	35	15.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	20	6.0	14	5.3	6	8.5	10	4.4	1,224	6.6	15	6.5
Medium poverty (10 to <20% below FPL)	98	29.3	75	28.4	23	32.4	63	28.0	5,375	28.9	47	20.3
High poverty (20 to <30% below FPL)	81	24.2	60	22.7	21	29.6	52	23.1	4,566	24.5	42	18.1
Very high poverty (≥30% below FPL)	111	33.1	93	35.2	18	25.4	74	32.9	5,939	31.9	83	35.8
Area-based poverty level not available	25	7.5	22	8.3	3	4.2	26	11.6	1,517	8.1	45	19.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	66	100.0	64	97.0	2	3.0	18	100.0	1,533	100.0	9	100.0
GENDER												
Men	0	0.0	0	0.0	0	0.0	0	0.0	15	1.0	0	0.0
Women	66	100.0	64	100.0	2	100.0	18	100.0	1,518	99.0	9	100.0
RACE/ETHNICITY												
Black	32	48.5	32	50.0	0	0.0	8	44.4	781	50.9	4	44.4
Latino/Hispanic	26	39.4	24	37.5	2	100.0	9	50.0	603	39.3	4	44.4
White	5	7.6	5	7.8	0	0.0	1	5.6	100	6.5	1	11.1
Asian/Pacific Islander	3	4.5	3	4.7	0	0.0	0	0.0	31	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	4.5	3	4.7	0	0.0	0	0.0	12	0.8	0	0.0
20-29	38	57.6	37	57.8	1	50.0	11	61.1	438	28.6	0	0.0
30-39	20	30.3	19	29.7	1	50.0	5	27.8	526	34.3	6	66.7
40-49	3	4.5	3	4.7	0	0.0	0	0.0	339	22.1	0	0.0
50-59	2	3.0	2	3.1	0	0.0	2	11.1	171	11.2	2	22.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	47	3.1	1	11.1
BOROUGH OF RESIDENCE												
Bronx	19	28.8	18	28.1	1	50.0	6	33.3	469	30.6	1	11.1
Brooklyn	14	21.2	14	21.9	0	0.0	1	5.6	342	22.3	6	66.7
Manhattan	10	15.2	9	14.1	1	50.0	2	11.1	285	18.6	0	0.0
Queens	11	16.7	11	17.2	0	0.0	5	27.8	212	13.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	25	1.6	0	0.0
Outside NYC	11	16.7	11	17.2	0	0.0	4	22.2	161	10.5	2	22.2
Unknown	1	1.5	1	1.6	0	0.0	0	0.0	39	2.5	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	6.1	3	4.7	1	50.0	1	5.6	58	3.8	0	0.0
Medium poverty (10 to <20% below FPL)	18	27.3	18	28.1	0	0.0	6	33.3	446	29.1	3	33.3
High poverty (20 to <30% below FPL)	13	19.7	13	20.3	0	0.0	1	5.6	360	23.5	2	22.2
Very high poverty (≥30% below FPL)	19	28.8	18	28.1	1	50.0	6	33.3	462	30.1	2	22.2
Area-based poverty level not available	12	18.2	12	18.8	0	0.0	4	22.2	207	13.5	2	22.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	709	100.0	20	100.0
GENDER												
Men	11	78.6	11	84.6	0	0.0	3	60.0	483	68.1	15	75.0
Women	3	21.4	2	15.4	1	100.0	2	40.0	226	31.9	5	25.0
RACE/ETHNICITY												
Black	4	28.6	3	23.1	1	100.0	2	40.0	231	32.6	10	50.0
Latino/Hispanic	6	42.9	6	46.2	0	0.0	2	40.0	327	46.1	6	30.0
White	3	21.4	3	23.1	0	0.0	1	20.0	139	19.6	4	20.0
Asian/Pacific Islander	1	7.1	1	7.7	0	0.0	0	0.0	8	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	20.0	61	8.6	0	0.0
30-39	6	42.9	5	38.5	1	100.0	2	40.0	98	13.8	0	0.0
40-49	2	14.3	2	15.4	0	0.0	1	20.0	147	20.7	2	10.0
50-59	2	14.3	2	15.4	0	0.0	1	20.0	216	30.5	6	30.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	186	26.2	12	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	64.3	9	69.2	0	0.0	2	40.0	278	39.2	5	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	89	12.6	7	35.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	10	1.4	0	0.0
Heterosexual contact	4	28.6	3	23.1	1	100.0	1	20.0	153	21.6	2	10.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	7.1	1	7.7	0	0.0	1	20.0	158	22.3	6	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	35	70.0	15	30.0	39	100.0	2,622	100.0	45	100.0
GENDER												
Men	33	66.0	22	62.9	11	73.3	26	66.7	1,501	57.2	25	55.6
Women	17	34.0	13	37.1	4	26.7	13	33.3	1,121	42.8	20	44.4
RACE/ETHNICITY												
Black	40	80.0	27	77.1	13	86.7	23	59.0	1,703	65.0	26	57.8
Latino/Hispanic	8	16.0	7	20.0	1	6.7	14	35.9	746	28.5	18	40.0
White	2	4.0	1	2.9	1	6.7	2	5.1	130	5.0	1	2.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	4.0	2	5.7	0	0.0	0	0.0	26	1.0	0	0.0
20-29	16	32.0	14	40.0	2	13.3	3	7.7	275	10.5	0	0.0
30-39	11	22.0	4	11.4	7	46.7	11	28.2	393	15.0	5	11.1
40-49	12	24.0	8	22.9	4	26.7	10	25.6	556	21.2	7	15.6
50-59	9	18.0	7	20.0	2	13.3	10	25.6	845	32.2	13	28.9
60+	0	0.0	0	0.0	0	0.0	5	12.8	524	20.0	20	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	38.0	14	40.0	5	33.3	10	25.6	599	22.8	3	6.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	7.7	298	11.4	12	26.7
MSM-IDU	2	4.0	2	5.7	0	0.0	0	0.0	61	2.3	0	0.0
Heterosexual contact	16	32.0	11	31.4	5	33.3	10	25.6	813	31.0	16	35.6
Transgender people with sexual contact	1	2.0	1	2.9	0	0.0	0	0.0	28	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	106	4.0	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	12	24.0	7	20.0	5	33.3	16	41.0	716	27.3	13	28.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	108	100.0	87	80.6	21	19.4	61	100.0	5,563	100.0	68	100.0
GENDER												
Men	69	63.9	55	63.2	14	66.7	42	68.9	3,585	64.4	46	67.6
Women	39	36.1	32	36.8	7	33.3	19	31.1	1,978	35.6	22	32.4
RACE/ETHNICITY												
Black	54	50.0	43	49.4	11	52.4	29	47.5	2,452	44.1	27	39.7
Latino/Hispanic	50	46.3	40	46.0	10	47.6	31	50.8	2,790	50.2	38	55.9
White	2	1.9	2	2.3	0	0.0	1	1.6	253	4.5	3	4.4
Asian/Pacific Islander	2	1.9	2	2.3	0	0.0	0	0.0	39	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	1.9	2	2.3	0	0.0	0	0.0	29	0.5	0	0.0
20-29	36	33.3	31	35.6	5	23.8	14	23.0	519	9.3	1	1.5
30-39	22	20.4	16	18.4	6	28.6	14	23.0	878	15.8	3	4.4
40-49	16	14.8	13	14.9	3	14.3	13	21.3	1,222	22.0	8	11.8
50-59	25	23.1	20	23.0	5	23.8	14	23.0	1,884	33.9	33	48.5
60+	7	6.5	5	5.7	2	9.5	6	9.8	1,027	18.5	23	33.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	33.3	32	36.8	4	19.0	15	24.6	1,582	28.4	10	14.7
Injection drug use history (IDU)	4	3.7	1	1.1	3	14.3	8	13.1	929	16.7	23	33.8
MSM-IDU	1	0.9	0	0.0	1	4.8	1	1.6	155	2.8	0	0.0
Heterosexual contact	37	34.3	30	34.5	7	33.3	15	24.6	1,311	23.6	17	25.0
Transgender people with sexual contact	3	2.8	3	3.4	0	0.0	0	0.0	108	1.9	1	1.5
Perinatal	0	0.0	0	0.0	0	0.0	2	3.3	127	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	27	25.0	21	24.1	6	28.6	20	32.8	1,346	24.2	17	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	72	100.0	58	80.6	14	19.4	46	100.0	4,403	100.0	56	100.0
GENDER												
Men	50	69.4	41	70.7	9	64.3	29	63.0	2,725	61.9	36	64.3
Women	22	30.6	17	29.3	5	35.7	17	37.0	1,678	38.1	20	35.7
RACE/ETHNICITY												
Black	29	40.3	23	39.7	6	42.9	24	52.2	1,797	40.8	23	41.1
Latino/Hispanic	36	50.0	29	50.0	7	50.0	20	43.5	2,239	50.9	27	48.2
White	2	2.8	2	3.4	0	0.0	1	2.2	304	6.9	5	8.9
Asian/Pacific Islander	3	4.2	2	3.4	1	7.1	1	2.2	42	1.0	1	1.8
Native American	2	2.8	2	3.4	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.6	4	6.9	0	0.0	2	4.3	29	0.7	0	0.0
20-29	30	41.7	27	46.6	3	21.4	10	21.7	374	8.5	1	1.8
30-39	14	19.4	11	19.0	3	21.4	13	28.3	579	13.2	3	5.4
40-49	16	22.2	9	15.5	7	50.0	13	28.3	946	21.5	8	14.3
50-59	5	6.9	5	8.6	0	0.0	4	8.7	1,557	35.4	22	39.3
60+	3	4.2	2	3.4	1	7.1	4	8.7	916	20.8	22	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	44.4	27	46.6	5	35.7	13	28.3	1,141	25.9	10	17.9
Injection drug use history (IDU)	2	2.8	2	3.4	0	0.0	0	0.0	725	16.5	16	28.6
MSM-IDU	1	1.4	1	1.7	0	0.0	0	0.0	106	2.4	0	0.0
Heterosexual contact	17	23.6	13	22.4	4	28.6	13	28.3	1,123	25.5	17	30.4
Transgender people with sexual contact	2	2.8	2	3.4	0	0.0	1	2.2	48	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	10.9	150	3.4	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Unknown	18	25.0	13	22.4	5	35.7	14	30.4	1,098	24.9	12	21.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	88	100.0	72	81.8	16	18.2	67	100.0	6,100	100.0	108	100.0
GENDER												
Men	55	62.5	41	56.9	14	87.5	41	61.2	3,631	59.5	70	64.8
Women	33	37.5	31	43.1	2	12.5	26	38.8	2,469	40.5	38	35.2
RACE/ETHNICITY												
Black	36	40.9	29	40.3	7	43.8	25	37.3	2,902	47.6	50	46.3
Latino/Hispanic	49	55.7	40	55.6	9	56.3	38	56.7	2,956	48.5	54	50.0
White	3	3.4	3	4.2	0	0.0	2	3.0	176	2.9	3	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.5	37	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.5	9	0.1	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.5	10	0.2	0	0.0
13-19	6	6.8	6	8.3	0	0.0	0	0.0	31	0.5	0	0.0
20-29	22	25.0	21	29.2	1	6.3	6	9.0	554	9.1	2	1.9
30-39	20	22.7	14	19.4	6	37.5	16	23.9	898	14.7	1	0.9
40-49	22	25.0	16	22.2	6	37.5	16	23.9	1,335	21.9	16	14.8
50-59	12	13.6	10	13.9	2	12.5	18	26.9	2,014	33.0	43	39.8
60+	6	6.8	5	6.9	1	6.3	10	14.9	1,258	20.6	46	42.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	31	35.2	25	34.7	6	37.5	18	26.9	1,322	21.7	6	5.6
Injection drug use history (IDU)	2	2.3	2	2.8	0	0.0	5	7.5	1,184	19.4	44	40.7
MSM-IDU	2	2.3	2	2.8	0	0.0	1	1.5	184	3.0	5	4.6
Heterosexual contact	29	33.0	25	34.7	4	25.0	26	38.8	1,669	27.4	21	19.4
Transgender people with sexual contact	6	6.8	6	8.3	0	0.0	0	0.0	127	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.0	163	2.7	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	18	20.5	12	16.7	6	37.5	15	22.4	1,447	23.7	31	28.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	76	78.4	21	21.6	82	100.0	6,135	100.0	121	100.0
GENDER												
Men	68	70.1	51	67.1	17	81.0	47	57.3	3,780	61.6	84	69.4
Women	29	29.9	25	32.9	4	19.0	35	42.7	2,355	38.4	37	30.6
RACE/ETHNICITY												
Black	49	50.5	35	46.1	14	66.7	44	53.7	3,218	52.5	64	52.9
Latino/Hispanic	46	47.4	40	52.6	6	28.6	34	41.5	2,660	43.4	52	43.0
White	1	1.0	1	1.3	0	0.0	2	2.4	203	3.3	5	4.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.2	24	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	1	1.0	0	0.0	1	4.8	1	1.2	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	5	5.2	4	5.3	1	4.8	2	2.4	32	0.5	0	0.0
20-29	28	28.9	24	31.6	4	19.0	15	18.3	484	7.9	2	1.7
30-39	26	26.8	18	23.7	8	38.1	23	28.0	884	14.4	8	6.6
40-49	22	22.7	15	19.7	7	33.3	21	25.6	1,362	22.2	13	10.7
50-59	12	12.4	11	14.5	1	4.8	14	17.1	1,993	32.5	52	43.0
60+	4	4.1	4	5.3	0	0.0	7	8.5	1,374	22.4	46	38.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	35.1	26	34.2	8	38.1	17	20.7	1,378	22.5	8	6.6
Injection drug use history (IDU)	3	3.1	2	2.6	1	4.8	11	13.4	1,184	19.3	48	39.7
MSM-IDU	2	2.1	2	2.6	0	0.0	3	3.7	192	3.1	7	5.8
Heterosexual contact	26	26.8	20	26.3	6	28.6	25	30.5	1,606	26.2	24	19.8
Transgender people with sexual contact	4	4.1	4	5.3	0	0.0	2	2.4	77	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.2	150	2.4	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	0.8
Unknown	28	28.9	22	28.9	6	28.6	23	28.0	1,541	25.1	32	26.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	59	86.8	9	13.2	48	100.0	3,894	100.0	57	100.0
GENDER												
Men	53	77.9	47	79.7	6	66.7	29	60.4	2,400	61.6	39	68.4
Women	15	22.1	12	20.3	3	33.3	19	39.6	1,494	38.4	18	31.6
RACE/ETHNICITY												
Black	24	35.3	19	32.2	5	55.6	26	54.2	1,689	43.4	19	33.3
Latino/Hispanic	41	60.3	37	62.7	4	44.4	21	43.8	2,031	52.2	37	64.9
White	1	1.5	1	1.7	0	0.0	0	0.0	139	3.6	1	1.8
Asian/Pacific Islander	2	2.9	2	3.4	0	0.0	1	2.1	20	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	3	4.4	3	5.1	0	0.0	2	4.2	24	0.6	0	0.0
20-29	30	44.1	25	42.4	5	55.6	13	27.1	384	9.9	2	3.5
30-39	13	19.1	12	20.3	1	11.1	9	18.8	621	15.9	3	5.3
40-49	7	10.3	6	10.2	1	11.1	9	18.8	857	22.0	12	21.1
50-59	11	16.2	10	16.9	1	11.1	7	14.6	1,220	31.3	25	43.9
60+	4	5.9	3	5.1	1	11.1	8	16.7	782	20.1	15	26.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	54.4	35	59.3	2	22.2	11	22.9	899	23.1	6	10.5
Injection drug use history (IDU)	2	2.9	2	3.4	0	0.0	5	10.4	762	19.6	29	50.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.1	116	3.0	1	1.8
Heterosexual contact	14	20.6	12	20.3	2	22.2	12	25.0	1,010	25.9	8	14.0
Transgender people with sexual contact	3	4.4	2	3.4	1	11.1	3	6.3	74	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	8.3	126	3.2	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	12	17.6	8	13.6	4	44.4	12	25.0	902	23.2	12	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	7	70.0	3	30.0	9	100.0	894	100.0	10	100.0
GENDER												
Men	8	80.0	5	71.4	3	100.0	8	88.9	710	79.4	8	80.0
Women	2	20.0	2	28.6	0	0.0	1	11.1	184	20.6	2	20.0
RACE/ETHNICITY												
Black	1	10.0	1	14.3	0	0.0	3	33.3	142	15.9	2	20.0
Latino/Hispanic	3	30.0	1	14.3	2	66.7	2	22.2	386	43.2	6	60.0
White	5	50.0	4	57.1	1	33.3	4	44.4	342	38.3	2	20.0
Asian/Pacific Islander	1	10.0	1	14.3	0	0.0	0	0.0	19	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	5	50.0	4	57.1	1	33.3	2	22.2	73	8.2	0	0.0
30-39	1	10.0	1	14.3	0	0.0	0	0.0	197	22.0	2	20.0
40-49	3	30.0	1	14.3	2	66.7	4	44.4	224	25.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	11.1	267	29.9	4	40.0
60+	1	10.0	1	14.3	0	0.0	2	22.2	130	14.5	4	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	50.0	4	57.1	1	33.3	5	55.6	489	54.7	4	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	107	12.0	0	0.0
MSM-IDU	1	10.0	0	0.0	1	33.3	1	11.1	17	1.9	0	0.0
Heterosexual contact	1	10.0	1	14.3	0	0.0	1	11.1	115	12.9	2	20.0
Transgender people with sexual contact	1	10.0	1	14.3	0	0.0	0	0.0	11	1.2	1	10.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	2	20.0	1	14.3	1	33.3	2	22.2	140	15.7	3	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	31	93.9	2	6.1	17	100.0	2,691	100.0	31	100.0
GENDER												
Men	23	69.7	22	71.0	1	50.0	12	70.6	2,063	76.7	25	80.6
Women	10	30.3	9	29.0	1	50.0	5	29.4	628	23.3	6	19.4
RACE/ETHNICITY												
Black	17	51.5	17	54.8	0	0.0	7	41.2	1,105	41.1	14	45.2
Latino/Hispanic	6	18.2	6	19.4	0	0.0	4	23.5	670	24.9	9	29.0
White	9	27.3	7	22.6	2	100.0	5	29.4	840	31.2	8	25.8
Asian/Pacific Islander	1	3.0	1	3.2	0	0.0	1	5.9	58	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	6.1	2	6.5	0	0.0	0	0.0	8	0.3	0	0.0
20-29	9	27.3	8	25.8	1	50.0	3	17.6	167	6.2	0	0.0
30-39	12	36.4	12	38.7	0	0.0	4	23.5	363	13.5	2	6.5
40-49	4	12.1	3	9.7	1	50.0	4	23.5	582	21.6	2	6.5
50-59	5	15.2	5	16.1	0	0.0	4	23.5	905	33.6	10	32.3
60+	1	3.0	1	3.2	0	0.0	2	11.8	662	24.6	17	54.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	54.5	17	54.8	1	50.0	8	47.1	1,349	50.1	12	38.7
Injection drug use history (IDU)	2	6.1	2	6.5	0	0.0	2	11.8	329	12.2	8	25.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	62	2.3	3	9.7
Heterosexual contact	6	18.2	5	16.1	1	50.0	3	17.6	407	15.1	4	12.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	21.2	7	22.6	0	0.0	3	17.6	482	17.9	4	12.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	134	78.8	36	21.2	98	100.0	7,774	100.0	134	100.0
GENDER												
Men	130	76.5	103	76.9	27	75.0	70	71.4	4,964	63.9	82	61.2
Women	40	23.5	31	23.1	9	25.0	28	28.6	2,810	36.1	52	38.8
RACE/ETHNICITY												
Black	128	75.3	98	73.1	30	83.3	85	86.7	6,016	77.4	90	67.2
Latino/Hispanic	25	14.7	21	15.7	4	11.1	11	11.2	1,170	15.1	35	26.1
White	8	4.7	7	5.2	1	2.8	1	1.0	483	6.2	8	6.0
Asian/Pacific Islander	5	2.9	5	3.7	0	0.0	0	0.0	61	0.8	1	0.7
Native American	1	0.6	0	0.0	1	2.8	1	1.0	20	0.3	0	0.0
Multiracial	3	1.8	3	2.2	0	0.0	0	0.0	16	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	7	4.1	7	5.2	0	0.0	2	2.0	44	0.6	0	0.0
20-29	65	38.2	57	42.5	8	22.2	20	20.4	752	9.7	4	3.0
30-39	53	31.2	42	31.3	11	30.6	24	24.5	1,300	16.7	16	11.9
40-49	17	10.0	11	8.2	6	16.7	17	17.3	1,731	22.3	13	9.7
50-59	21	12.4	13	9.7	8	22.2	23	23.5	2,333	30.0	46	34.3
60+	7	4.1	4	3.0	3	8.3	12	12.2	1,608	20.7	55	41.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	90	52.9	76	56.7	14	38.9	35	35.7	2,464	31.7	17	12.7
Injection drug use history (IDU)	3	1.8	2	1.5	1	2.8	8	8.2	981	12.6	37	27.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.0	175	2.3	6	4.5
Heterosexual contact	31	18.2	23	17.2	8	22.2	20	20.4	1,975	25.4	31	23.1
Transgender people with sexual contact	5	2.9	5	3.7	0	0.0	1	1.0	120	1.5	2	1.5
Perinatal	0	0.0	0	0.0	0	0.0	1	1.0	194	2.5	4	3.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	41	24.1	28	20.9	13	36.1	32	32.7	1,857	23.9	37	27.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	58	84.1	11	15.9	49	100.0	3,399	100.0	46	100.0
GENDER												
Men	44	63.8	38	65.5	6	54.5	31	63.3	1,929	56.8	33	71.7
Women	25	36.2	20	34.5	5	45.5	18	36.7	1,470	43.2	13	28.3
RACE/ETHNICITY												
Black	46	66.7	41	70.7	5	45.5	31	63.3	2,172	63.9	31	67.4
Latino/Hispanic	18	26.1	12	20.7	6	54.5	17	34.7	1,060	31.2	15	32.6
White	1	1.4	1	1.7	0	0.0	1	2.0	106	3.1	0	0.0
Asian/Pacific Islander	3	4.3	3	5.2	0	0.0	0	0.0	43	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	1.4	1	1.7	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	5	7.2	5	8.6	0	0.0	0	0.0	33	1.0	0	0.0
20-29	19	27.5	18	31.0	1	9.1	8	16.3	357	10.5	1	2.2
30-39	16	23.2	13	22.4	3	27.3	11	22.4	594	17.5	2	4.3
40-49	15	21.7	10	17.2	5	45.5	12	24.5	724	21.3	6	13.0
50-59	9	13.0	8	13.8	1	9.1	13	26.5	1,062	31.2	23	50.0
60+	5	7.2	4	6.9	1	9.1	5	10.2	625	18.4	14	30.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	39.1	23	39.7	4	36.4	12	24.5	870	25.6	7	15.2
Injection drug use history (IDU)	3	4.3	3	5.2	0	0.0	5	10.2	451	13.3	11	23.9
MSM-IDU	1	1.4	1	1.7	0	0.0	0	0.0	55	1.6	3	6.5
Heterosexual contact	15	21.7	11	19.0	4	36.4	11	22.4	1,037	30.5	8	17.4
Transgender people with sexual contact	3	4.3	3	5.2	0	0.0	0	0.0	62	1.8	1	2.2
Perinatal	0	0.0	0	0.0	0	0.0	1	2.0	99	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	20	29.0	17	29.3	3	27.3	20	40.8	819	24.1	16	34.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	18	78.3	5	21.7	12	100.0	850	100.0	11	100.0
GENDER												
Men	19	82.6	14	77.8	5	100.0	9	75.0	636	74.8	9	81.8
Women	4	17.4	4	22.2	0	0.0	3	25.0	214	25.2	2	18.2
RACE/ETHNICITY												
Black	4	17.4	3	16.7	1	20.0	2	16.7	154	18.1	0	0.0
Latino/Hispanic	8	34.8	8	44.4	0	0.0	4	33.3	465	54.7	8	72.7
White	4	17.4	3	16.7	1	20.0	3	25.0	171	20.1	2	18.2
Asian/Pacific Islander	7	30.4	4	22.2	3	60.0	3	25.0	57	6.7	1	9.1
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.3	1	5.6	0	0.0	0	0.0	3	0.4	0	0.0
20-29	9	39.1	8	44.4	1	20.0	2	16.7	52	6.1	0	0.0
30-39	5	21.7	4	22.2	1	20.0	3	25.0	141	16.6	2	18.2
40-49	2	8.7	1	5.6	1	20.0	2	16.7	211	24.8	2	18.2
50-59	4	17.4	3	16.7	1	20.0	3	25.0	262	30.8	4	36.4
60+	2	8.7	1	5.6	1	20.0	2	16.7	181	21.3	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	65.2	11	61.1	4	80.0	6	50.0	295	34.7	4	36.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	146	17.2	5	45.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	8.3	43	5.1	0	0.0
Heterosexual contact	6	26.1	6	33.3	0	0.0	3	25.0	184	21.6	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	8.7	1	5.6	1	20.0	1	8.3	160	18.8	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	12	63.2	7	36.8	13	100.0	1,145	100.0	7	100.0
GENDER												
Men	16	84.2	11	91.7	5	71.4	10	76.9	854	74.6	7	100.0
Women	3	15.8	1	8.3	2	28.6	3	23.1	291	25.4	0	0.0
RACE/ETHNICITY												
Black	3	15.8	2	16.7	1	14.3	2	15.4	315	27.5	2	28.6
Latino/Hispanic	4	21.1	2	16.7	2	28.6	5	38.5	434	37.9	2	28.6
White	8	42.1	6	50.0	2	28.6	3	23.1	328	28.6	3	42.9
Asian/Pacific Islander	4	21.1	2	16.7	2	28.6	3	23.1	63	5.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	1	8.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	11	57.9	7	58.3	4	57.1	5	38.5	71	6.2	0	0.0
30-39	2	10.5	2	16.7	0	0.0	0	0.0	187	16.3	1	14.3
40-49	2	10.5	1	8.3	1	14.3	1	7.7	248	21.7	1	14.3
50-59	1	5.3	0	0.0	1	14.3	3	23.1	371	32.4	1	14.3
60+	2	10.5	1	8.3	1	14.3	4	30.8	266	23.2	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	57.9	8	66.7	3	42.9	5	38.5	455	39.7	3	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	23.1	174	15.2	3	42.9
MSM-IDU	1	5.3	1	8.3	0	0.0	0	0.0	29	2.5	0	0.0
Heterosexual contact	2	10.5	0	0.0	2	28.6	3	23.1	222	19.4	0	0.0
Transgender people with sexual contact	1	5.3	1	8.3	0	0.0	0	0.0	12	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	21.1	2	16.7	2	28.6	2	15.4	235	20.5	1	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	68	76.4	21	23.6	57	100.0	5,180	100.0	55	100.0
GENDER												
Men	54	60.7	44	64.7	10	47.6	30	52.6	3,297	63.6	38	69.1
Women	35	39.3	24	35.3	11	52.4	27	47.4	1,883	36.4	17	30.9
RACE/ETHNICITY												
Black	76	85.4	58	85.3	18	85.7	48	84.2	4,087	78.9	39	70.9
Latino/Hispanic	7	7.9	5	7.4	2	9.5	6	10.5	703	13.6	12	21.8
White	4	4.5	3	4.4	1	4.8	3	5.3	304	5.9	4	7.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	53	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	2	2.2	2	2.9	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	2.2	2	2.9	0	0.0	1	1.8	15	0.3	0	0.0
20-29	33	37.1	29	42.6	4	19.0	9	15.8	436	8.4	2	3.6
30-39	19	21.3	14	20.6	5	23.8	14	24.6	784	15.1	4	7.3
40-49	15	16.9	10	14.7	5	23.8	16	28.1	1,141	22.0	9	16.4
50-59	15	16.9	11	16.2	4	19.0	9	15.8	1,551	29.9	20	36.4
60+	5	5.6	2	2.9	3	14.3	8	14.0	1,248	24.1	20	36.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	47.2	35	51.5	7	33.3	19	33.3	1,553	30.0	9	16.4
Injection drug use history (IDU)	1	1.1	1	1.5	0	0.0	3	5.3	480	9.3	11	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	99	1.9	1	1.8
Heterosexual contact	21	23.6	13	19.1	8	38.1	18	31.6	1,415	27.3	10	18.2
Transgender people with sexual contact	1	1.1	1	1.5	0	0.0	0	0.0	45	0.9	1	1.8
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	100	1.9	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	24	27.0	18	26.5	6	28.6	15	26.3	1,475	28.5	22	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	39	100.0	0	0.0	16	100.0	1,698	100.0	20	100.0
GENDER												
Men	19	48.7	19	48.7	0	0.0	13	81.3	911	53.7	11	55.0
Women	20	51.3	20	51.3	0	0.0	3	18.8	787	46.3	9	45.0
RACE/ETHNICITY												
Black	33	84.6	33	84.6	0	0.0	14	87.5	1,359	80.0	16	80.0
Latino/Hispanic	6	15.4	6	15.4	0	0.0	1	6.3	211	12.4	2	10.0
White	0	0.0	0	0.0	0	0.0	1	6.3	105	6.2	2	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	4	10.3	4	10.3	0	0.0	1	6.3	18	1.1	0	0.0
20-29	8	20.5	8	20.5	0	0.0	1	6.3	154	9.1	0	0.0
30-39	10	25.6	10	25.6	0	0.0	1	6.3	263	15.5	1	5.0
40-49	6	15.4	6	15.4	0	0.0	8	50.0	363	21.4	5	25.0
50-59	8	20.5	8	20.5	0	0.0	3	18.8	519	30.6	4	20.0
60+	3	7.7	3	7.7	0	0.0	2	12.5	380	22.4	10	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	38.5	15	38.5	0	0.0	3	18.8	346	20.4	4	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	12.5	136	8.0	5	25.0
MSM-IDU	1	2.6	1	2.6	0	0.0	0	0.0	17	1.0	0	0.0
Heterosexual contact	16	41.0	16	41.0	0	0.0	3	18.8	584	34.4	6	30.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	1	5.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	63	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	17.9	7	17.9	0	0.0	7	43.8	541	31.9	4	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	11	100.0	692	100.0	10	100.0
GENDER												
Men	11	84.6	9	81.8	2	100.0	9	81.8	521	75.3	5	50.0
Women	2	15.4	2	18.2	0	0.0	2	18.2	171	24.7	5	50.0
RACE/ETHNICITY												
Black	2	15.4	2	18.2	0	0.0	1	9.1	79	11.4	1	10.0
Latino/Hispanic	1	7.7	1	9.1	0	0.0	1	9.1	214	30.9	4	40.0
White	5	38.5	5	45.5	0	0.0	5	45.5	347	50.1	5	50.0
Asian/Pacific Islander	5	38.5	3	27.3	2	100.0	4	36.4	50	7.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	7.7	1	9.1	0	0.0	1	9.1	1	0.1	0	0.0
20-29	6	46.2	5	45.5	1	50.0	1	9.1	28	4.0	1	10.0
30-39	4	30.8	3	27.3	1	50.0	2	18.2	116	16.8	0	0.0
40-49	0	0.0	0	0.0	0	0.0	4	36.4	163	23.6	0	0.0
50-59	1	7.7	1	9.1	0	0.0	2	18.2	216	31.2	3	30.0
60+	1	7.7	1	9.1	0	0.0	1	9.1	167	24.1	6	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	53.8	6	54.5	1	50.0	3	27.3	311	44.9	3	30.0
Injection drug use history (IDU)	1	7.7	0	0.0	1	50.0	4	36.4	98	14.2	5	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.5	0	0.0
Heterosexual contact	1	7.7	1	9.1	0	0.0	1	9.1	117	16.9	1	10.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	9.1	7	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	3	23.1	3	27.3	0	0.0	2	18.2	136	19.7	1	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	19	65.5	10	34.5	19	100.0	1,147	100.0	15	100.0
GENDER												
Men	21	72.4	13	68.4	8	80.0	13	68.4	711	62.0	8	53.3
Women	8	27.6	6	31.6	2	20.0	6	31.6	436	38.0	7	46.7
RACE/ETHNICITY												
Black	7	24.1	7	36.8	0	0.0	2	10.5	449	39.1	10	66.7
Latino/Hispanic	4	13.8	2	10.5	2	20.0	3	15.8	339	29.6	4	26.7
White	15	51.7	7	36.8	8	80.0	13	68.4	308	26.9	1	6.7
Asian/Pacific Islander	3	10.3	3	15.8	0	0.0	0	0.0	37	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	5.3	4	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.4	1	5.3	0	0.0	0	0.0	10	0.9	0	0.0
20-29	9	31.0	8	42.1	1	10.0	3	15.8	89	7.8	0	0.0
30-39	9	31.0	5	26.3	4	40.0	5	26.3	177	15.4	2	13.3
40-49	2	6.9	0	0.0	2	20.0	3	15.8	247	21.5	1	6.7
50-59	7	24.1	5	26.3	2	20.0	4	21.1	371	32.3	5	33.3
60+	1	3.4	0	0.0	1	10.0	4	21.1	252	22.0	7	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	41.4	8	42.1	4	40.0	5	26.3	331	28.9	3	20.0
Injection drug use history (IDU)	1	3.4	1	5.3	0	0.0	3	15.8	185	16.1	4	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.4	0	0.0
Heterosexual contact	6	20.7	4	21.1	2	20.0	4	21.1	293	25.5	3	20.0
Transgender people with sexual contact	1	3.4	1	5.3	0	0.0	0	0.0	10	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	30	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	9	31.0	5	26.3	4	40.0	6	31.6	279	24.3	5	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	79	100.0	72	91.1	7	8.9	41	100.0	3,787	100.0	43	100.0
GENDER												
Men	65	82.3	61	84.7	4	57.1	29	70.7	2,662	70.3	30	69.8
Women	14	17.7	11	15.3	3	42.9	12	29.3	1,125	29.7	13	30.2
RACE/ETHNICITY												
Black	35	44.3	32	44.4	3	42.9	19	46.3	1,875	49.5	28	65.1
Latino/Hispanic	28	35.4	24	33.3	4	57.1	20	48.8	1,421	37.5	11	25.6
White	14	17.7	14	19.4	0	0.0	1	2.4	424	11.2	4	9.3
Asian/Pacific Islander	2	2.5	2	2.8	0	0.0	1	2.4	47	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.5	2	2.8	0	0.0	0	0.0	18	0.5	0	0.0
20-29	38	48.1	37	51.4	1	14.3	8	19.5	424	11.2	5	11.6
30-39	18	22.8	17	23.6	1	14.3	9	22.0	620	16.4	2	4.7
40-49	9	11.4	7	9.7	2	28.6	10	24.4	825	21.8	3	7.0
50-59	8	10.1	6	8.3	2	28.6	8	19.5	1,112	29.4	14	32.6
60+	4	5.1	3	4.2	1	14.3	6	14.6	784	20.7	19	44.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	64.6	49	68.1	2	28.6	14	34.1	1,369	36.1	7	16.3
Injection drug use history (IDU)	2	2.5	2	2.8	0	0.0	6	14.6	595	15.7	11	25.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	84	2.2	1	2.3
Heterosexual contact	9	11.4	8	11.1	1	14.3	7	17.1	760	20.1	13	30.2
Transgender people with sexual contact	1	1.3	1	1.4	0	0.0	0	0.0	45	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.9	87	2.3	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	16	20.3	12	16.7	4	57.1	12	29.3	844	22.3	10	23.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	81	100.0	73	90.1	8	9.9	37	100.0	4,626	100.0	35	100.0
GENDER												
Men	71	87.7	65	89.0	6	75.0	33	89.2	3,769	81.5	26	74.3
Women	10	12.3	8	11.0	2	25.0	4	10.8	857	18.5	9	25.7
RACE/ETHNICITY												
Black	15	18.5	12	16.4	3	37.5	11	29.7	1,483	32.1	13	37.1
Latino/Hispanic	48	59.3	44	60.3	4	50.0	18	48.6	2,047	44.2	15	42.9
White	17	21.0	16	21.9	1	12.5	8	21.6	1,002	21.7	6	17.1
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	0	0.0	59	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	0.8	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	2	2.5	1	1.4	1	12.5	1	2.7	19	0.4	0	0.0
20-29	42	51.9	40	54.8	2	25.0	7	18.9	403	8.7	0	0.0
30-39	21	25.9	19	26.0	2	25.0	9	24.3	827	17.9	3	8.6
40-49	8	9.9	5	6.8	3	37.5	9	24.3	1,063	23.0	3	8.6
50-59	5	6.2	5	6.8	0	0.0	8	21.6	1,366	29.5	15	42.9
60+	3	3.7	3	4.1	0	0.0	3	8.1	942	20.4	14	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	75.3	57	78.1	4	50.0	23	62.2	2,514	54.3	10	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.7	371	8.0	9	25.7
MSM-IDU	1	1.2	1	1.4	0	0.0	1	2.7	125	2.7	2	5.7
Heterosexual contact	10	12.3	8	11.0	2	25.0	6	16.2	629	13.6	7	20.0
Transgender people with sexual contact	1	1.2	1	1.4	0	0.0	0	0.0	39	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	76	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	8	9.9	6	8.2	2	25.0	6	16.2	865	18.7	7	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	67	79.8	17	20.2	54	100.0	4,839	100.0	48	100.0
GENDER												
Men	72	85.7	56	83.6	16	94.1	41	75.9	3,476	71.8	27	56.3
Women	12	14.3	11	16.4	1	5.9	13	24.1	1,363	28.2	21	43.8
RACE/ETHNICITY												
Black	48	57.1	35	52.2	13	76.5	40	74.1	3,055	63.1	37	77.1
Latino/Hispanic	21	25.0	18	26.9	3	17.6	7	13.0	1,045	21.6	8	16.7
White	10	11.9	9	13.4	1	5.9	6	11.1	639	13.2	1	2.1
Asian/Pacific Islander	3	3.6	3	4.5	0	0.0	1	1.9	64	1.3	1	2.1
Other/Unknown	2	2.4	2	3.0	0	0.0	0	0.0	36	0.7	1	2.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	1	1.2	1	1.5	0	0.0	0	0.0	17	0.4	0	0.0
20-29	31	36.9	30	44.8	1	5.9	6	11.1	430	8.9	2	4.2
30-39	28	33.3	21	31.3	7	41.2	18	33.3	816	16.9	3	6.3
40-49	11	13.1	5	7.5	6	35.3	17	31.5	1,132	23.4	7	14.6
50-59	8	9.5	6	9.0	2	11.8	11	20.4	1,451	30.0	19	39.6
60+	5	6.0	4	6.0	1	5.9	2	3.7	988	20.4	17	35.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	57.1	38	56.7	10	58.8	24	44.4	2,051	42.4	8	16.7
Injection drug use history (IDU)	2	2.4	2	3.0	0	0.0	0	0.0	588	12.2	13	27.1
MSM-IDU	3	3.6	3	4.5	0	0.0	1	1.9	104	2.1	4	8.3
Heterosexual contact	7	8.3	6	9.0	1	5.9	11	20.4	866	17.9	11	22.9
Transgender people with sexual contact	4	4.8	4	6.0	0	0.0	1	1.9	57	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	20	23.8	14	20.9	6	35.3	17	31.5	1,080	22.3	12	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	43	84.3	8	15.7	42	100.0	3,025	100.0	61	100.0
GENDER												
Men	44	86.3	37	86.0	7	87.5	38	90.5	2,111	69.8	36	59.0
Women	7	13.7	6	14.0	1	12.5	4	9.5	914	30.2	25	41.0
RACE/ETHNICITY												
Black	21	41.2	18	41.9	3	37.5	18	42.9	1,420	46.9	25	41.0
Latino/Hispanic	23	45.1	21	48.8	2	25.0	15	35.7	1,191	39.4	27	44.3
White	4	7.8	3	7.0	1	12.5	6	14.3	369	12.2	8	13.1
Asian/Pacific Islander	2	3.9	1	2.3	1	12.5	2	4.8	30	1.0	0	0.0
Other/Unknown	1	2.0	0	0.0	1	12.5	1	2.4	15	0.5	1	1.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	2.0	1	2.3	0	0.0	0	0.0	10	0.3	0	0.0
20-29	24	47.1	20	46.5	4	50.0	10	23.8	257	8.5	2	3.3
30-39	14	27.5	11	25.6	3	37.5	12	28.6	425	14.0	2	3.3
40-49	7	13.7	6	14.0	1	12.5	8	19.0	659	21.8	7	11.5
50-59	3	5.9	3	7.0	0	0.0	8	19.0	946	31.3	17	27.9
60+	2	3.9	2	4.7	0	0.0	4	9.5	725	24.0	33	54.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	62.7	27	62.8	5	62.5	18	42.9	1,052	34.8	12	19.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	6	14.3	576	19.0	20	32.8
MSM-IDU	1	2.0	0	0.0	1	12.5	2	4.8	89	2.9	0	0.0
Heterosexual contact	9	17.6	8	18.6	1	12.5	4	9.5	599	19.8	17	27.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	90	3.0	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	9	17.6	8	18.6	1	12.5	12	28.6	587	19.4	11	18.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in East Harlem: 10029, 10035.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	19	79.2	5	20.8	21	100.0	3,193	100.0	34	100.0
GENDER												
Men	20	83.3	18	94.7	2	40.0	16	76.2	2,742	85.9	28	82.4
Women	4	16.7	1	5.3	3	60.0	5	23.8	451	14.1	6	17.6
RACE/ETHNICITY												
Black	1	4.2	0	0.0	1	20.0	3	14.3	856	26.8	13	38.2
Latino/Hispanic	6	25.0	4	21.1	2	40.0	9	42.9	833	26.1	8	23.5
White	15	62.5	13	68.4	2	40.0	7	33.3	1,404	44.0	11	32.4
Asian/Pacific Islander	2	8.3	2	10.5	0	0.0	2	9.5	73	2.3	2	5.9
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.2	1	5.3	0	0.0	0	0.0	10	0.3	0	0.0
20-29	4	16.7	3	15.8	1	20.0	1	4.8	170	5.3	1	2.9
30-39	4	16.7	3	15.8	1	20.0	6	28.6	337	10.6	1	2.9
40-49	10	41.7	9	47.4	1	20.0	5	23.8	577	18.1	2	5.9
50-59	1	4.2	0	0.0	1	20.0	7	33.3	1,079	33.8	9	26.5
60+	4	16.7	3	15.8	1	20.0	2	9.5	1,020	31.9	21	61.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	70.8	16	84.2	1	20.0	11	52.4	1,916	60.0	14	41.2
Injection drug use history (IDU)	1	4.2	1	5.3	0	0.0	1	4.8	294	9.2	10	29.4
MSM-IDU	1	4.2	1	5.3	0	0.0	1	4.8	105	3.3	1	2.9
Heterosexual contact	1	4.2	0	0.0	1	20.0	3	14.3	293	9.2	4	11.8
Transgender people with sexual contact	1	4.2	0	0.0	1	20.0	1	4.8	30	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	37	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	3	12.5	1	5.3	2	40.0	4	19.0	515	16.1	5	14.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	14	93.3	1	6.7	6	100.0	1,460	100.0	12	100.0
GENDER												
Men	14	93.3	13	92.9	1	100.0	6	100.0	1,277	87.5	8	66.7
Women	1	6.7	1	7.1	0	0.0	0	0.0	183	12.5	4	33.3
RACE/ETHNICITY												
Black	4	26.7	4	28.6	0	0.0	2	33.3	279	19.1	3	25.0
Latino/Hispanic	5	33.3	5	35.7	0	0.0	1	16.7	344	23.6	3	25.0
White	6	40.0	5	35.7	1	100.0	3	50.0	780	53.4	6	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	50	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	13.3	2	14.3	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	40.0	6	42.9	0	0.0	0	0.0	48	3.3	0	0.0
30-39	3	20.0	3	21.4	0	0.0	1	16.7	188	12.9	0	0.0
40-49	3	20.0	2	14.3	1	100.0	2	33.3	270	18.5	2	16.7
50-59	1	6.7	1	7.1	0	0.0	3	50.0	505	34.6	5	41.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	447	30.6	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	93.3	13	92.9	1	100.0	5	83.3	922	63.2	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	103	7.1	1	8.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	39	2.7	0	0.0
Heterosexual contact	1	6.7	1	7.1	0	0.0	0	0.0	112	7.7	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	8.3
Unknown	0	0.0	0	0.0	0	0.0	1	16.7	268	18.4	4	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	81	100.0	74	91.4	7	8.6	37	100.0	6,811	100.0	40	100.0
GENDER												
Men	77	95.1	70	94.6	7	100.0	37	100.0	6,377	93.6	37	92.5
Women	4	4.9	4	5.4	0	0.0	0	0.0	434	6.4	3	7.5
RACE/ETHNICITY												
Black	11	13.6	9	12.2	2	28.6	12	32.4	1,091	16.0	4	10.0
Latino/Hispanic	27	33.3	25	33.8	2	28.6	13	35.1	1,521	22.3	13	32.5
White	35	43.2	33	44.6	2	28.6	11	29.7	3,923	57.6	22	55.0
Asian/Pacific Islander	7	8.6	6	8.1	1	14.3	1	2.7	198	2.9	1	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	1	1.2	1	1.4	0	0.0	0	0.0	21	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	44	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	21	25.9	21	28.4	0	0.0	3	8.1	299	4.4	1	2.5
30-39	30	37.0	29	39.2	1	14.3	6	16.2	1,050	15.4	4	10.0
40-49	20	24.7	15	20.3	5	71.4	15	40.5	1,700	25.0	4	10.0
50-59	7	8.6	7	9.5	0	0.0	10	27.0	2,417	35.5	15	37.5
60+	3	3.7	2	2.7	1	14.3	3	8.1	1,343	19.7	16	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	71	87.7	66	89.2	5	71.4	28	75.7	5,177	76.0	28	70.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	8.1	324	4.8	4	10.0
MSM-IDU	1	1.2	1	1.4	0	0.0	1	2.7	215	3.2	1	2.5
Heterosexual contact	2	2.5	2	2.7	0	0.0	1	2.7	253	3.7	2	5.0
Transgender people with sexual contact	2	2.5	2	2.7	0	0.0	0	0.0	52	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	5	6.2	3	4.1	2	28.6	4	10.8	768	11.3	5	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	14	87.5	2	12.5	10	100.0	1,979	100.0	14	100.0
GENDER												
Men	10	62.5	9	64.3	1	50.0	8	80.0	1,805	91.2	12	85.7
Women	6	37.5	5	35.7	1	50.0	2	20.0	174	8.8	2	14.3
RACE/ETHNICITY												
Black	6	37.5	4	28.6	2	100.0	4	40.0	390	19.7	4	28.6
Latino/Hispanic	2	12.5	2	14.3	0	0.0	2	20.0	461	23.3	5	35.7
White	8	50.0	8	57.1	0	0.0	4	40.0	1,042	52.7	5	35.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	66	3.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.3	1	7.1	0	0.0	0	0.0	3	0.2	0	0.0
20-29	3	18.8	3	21.4	0	0.0	0	0.0	72	3.6	0	0.0
30-39	5	31.3	4	28.6	1	50.0	3	30.0	211	10.7	0	0.0
40-49	2	12.5	1	7.1	1	50.0	1	10.0	405	20.5	2	14.3
50-59	2	12.5	2	14.3	0	0.0	2	20.0	697	35.2	7	50.0
60+	3	18.8	3	21.4	0	0.0	4	40.0	591	29.9	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	31.3	4	28.6	1	50.0	5	50.0	1,283	64.8	7	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	172	8.7	4	28.6
MSM-IDU	1	6.3	1	7.1	0	0.0	0	0.0	70	3.5	0	0.0
Heterosexual contact	4	25.0	3	21.4	1	50.0	2	20.0	120	6.1	1	7.1
Transgender people with sexual contact	1	6.3	1	7.1	0	0.0	0	0.0	12	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	31.3	5	35.7	0	0.0	2	20.0	308	15.6	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	23	92.0	2	8.0	10	100.0	1,942	100.0	6	100.0
GENDER												
Men	23	92.0	21	91.3	2	100.0	8	80.0	1,840	94.7	5	83.3
Women	2	8.0	2	8.7	0	0.0	2	20.0	102	5.3	1	16.7
RACE/ETHNICITY												
Black	4	16.0	3	13.0	1	50.0	4	40.0	387	19.9	0	0.0
Latino/Hispanic	7	28.0	6	26.1	1	50.0	3	30.0	413	21.3	1	16.7
White	10	40.0	10	43.5	0	0.0	3	30.0	1,073	55.3	5	83.3
Asian/Pacific Islander	3	12.0	3	13.0	0	0.0	0	0.0	53	2.7	0	0.0
Other/Unknown	1	4.0	1	4.3	0	0.0	0	0.0	16	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.0	1	4.3	0	0.0	0	0.0	2	0.1	0	0.0
20-29	10	40.0	9	39.1	1	50.0	1	10.0	88	4.5	0	0.0
30-39	7	28.0	7	30.4	0	0.0	1	10.0	228	11.7	0	0.0
40-49	4	16.0	4	17.4	0	0.0	3	30.0	411	21.2	1	16.7
50-59	3	12.0	2	8.7	1	50.0	4	40.0	703	36.2	1	16.7
60+	0	0.0	0	0.0	0	0.0	1	10.0	510	26.3	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	80.0	19	82.6	1	50.0	8	80.0	1,306	67.3	5	83.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	142	7.3	0	0.0
MSM-IDU	1	4.0	1	4.3	0	0.0	0	0.0	57	2.9	0	0.0
Heterosexual contact	1	4.0	1	4.3	0	0.0	1	10.0	66	3.4	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	36	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	12.0	2	8.7	1	50.0	1	10.0	330	17.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	34	100.0	24	70.6	10	29.4	15	100.0	3,041	100.0	35	100.0
GENDER												
Men	27	79.4	19	79.2	8	80.0	12	80.0	2,486	81.7	26	74.3
Women	7	20.6	5	20.8	2	20.0	3	20.0	555	18.3	9	25.7
RACE/ETHNICITY												
Black	4	11.8	2	8.3	2	20.0	1	6.7	600	19.7	9	25.7
Latino/Hispanic	13	38.2	10	41.7	3	30.0	8	53.3	1,053	34.6	16	45.7
White	10	29.4	6	25.0	4	40.0	5	33.3	1,216	40.0	9	25.7
Asian/Pacific Islander	6	17.6	5	20.8	1	10.0	1	6.7	141	4.6	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	2.9	1	4.2	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	3	8.8	2	8.3	1	10.0	0	0.0	7	0.2	0	0.0
20-29	9	26.5	8	33.3	1	10.0	1	6.7	160	5.3	1	2.9
30-39	10	29.4	7	29.2	3	30.0	3	20.0	346	11.4	1	2.9
40-49	8	23.5	5	20.8	3	30.0	6	40.0	601	19.8	3	8.6
50-59	1	2.9	0	0.0	1	10.0	3	20.0	1,125	37.0	11	31.4
60+	3	8.8	2	8.3	1	10.0	2	13.3	800	26.3	19	54.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	70.6	19	79.2	5	50.0	7	46.7	1,681	55.3	11	31.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	396	13.0	9	25.7
MSM-IDU	1	2.9	0	0.0	1	10.0	2	13.3	98	3.2	0	0.0
Heterosexual contact	6	17.6	3	12.5	3	30.0	4	26.7	358	11.8	6	17.1
Transgender people with sexual contact	1	2.9	1	4.2	0	0.0	0	0.0	18	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	2	5.9	1	4.2	1	10.0	2	13.3	453	14.9	9	25.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	7	70.0	3	30.0	7	100.0	580	100.0	3	100.0
GENDER												
Men	8	80.0	6	85.7	2	66.7	6	85.7	495	85.3	3	100.0
Women	2	20.0	1	14.3	1	33.3	1	14.3	85	14.7	0	0.0
RACE/ETHNICITY												
Black	2	20.0	2	28.6	0	0.0	0	0.0	117	20.2	0	0.0
Latino/Hispanic	2	20.0	1	14.3	1	33.3	2	28.6	143	24.7	2	66.7
White	4	40.0	2	28.6	2	66.7	5	71.4	296	51.0	1	33.3
Asian/Pacific Islander	2	20.0	2	28.6	0	0.0	0	0.0	20	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	40.0	3	42.9	1	33.3	2	28.6	28	4.8	1	33.3
30-39	4	40.0	3	42.9	1	33.3	3	42.9	72	12.4	0	0.0
40-49	1	10.0	1	14.3	0	0.0	0	0.0	158	27.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	212	36.6	1	33.3
60+	1	10.0	0	0.0	1	33.3	2	28.6	110	19.0	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	80.0	6	85.7	2	66.7	4	57.1	363	62.6	2	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	43	7.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	14.3	14	2.4	1	33.3
Heterosexual contact	1	10.0	0	0.0	1	33.3	1	14.3	57	9.8	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	10.0	1	14.3	0	0.0	0	0.0	95	16.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	45	81.8	10	18.2	19	100.0	2,110	100.0	14	100.0
GENDER												
Men	47	85.5	38	84.4	9	90.0	17	89.5	1,791	84.9	12	85.7
Women	8	14.5	7	15.6	1	10.0	2	10.5	319	15.1	2	14.3
RACE/ETHNICITY												
Black	5	9.1	5	11.1	0	0.0	0	0.0	341	16.2	4	28.6
Latino/Hispanic	23	41.8	17	37.8	6	60.0	12	63.2	848	40.2	4	28.6
White	22	40.0	20	44.4	2	20.0	4	21.1	808	38.3	6	42.9
Asian/Pacific Islander	5	9.1	3	6.7	2	20.0	3	15.8	95	4.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	14	25.5	13	28.9	1	10.0	2	10.5	128	6.1	1	7.1
30-39	28	50.9	22	48.9	6	60.0	7	36.8	452	21.4	1	7.1
40-49	8	14.5	6	13.3	2	20.0	6	31.6	584	27.7	4	28.6
50-59	4	7.3	4	8.9	0	0.0	1	5.3	642	30.4	4	28.6
60+	1	1.8	0	0.0	1	10.0	3	15.8	301	14.3	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	78.2	35	77.8	8	80.0	15	78.9	1,349	63.9	6	42.9
Injection drug use history (IDU)	2	3.6	1	2.2	1	10.0	1	5.3	125	5.9	1	7.1
MSM-IDU	1	1.8	1	2.2	0	0.0	0	0.0	40	1.9	1	7.1
Heterosexual contact	3	5.5	3	6.7	0	0.0	1	5.3	245	11.6	3	21.4
Transgender people with sexual contact	3	5.5	3	6.7	0	0.0	0	0.0	27	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	3	5.5	2	4.4	1	10.0	2	10.5	304	14.4	3	21.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	135	100.0	112	83.0	23	17.0	64	100.0	5,832	100.0	28	100.0
GENDER												
Men	122	90.4	101	90.2	21	91.3	54	84.4	4,768	81.8	23	82.1
Women	13	9.6	11	9.8	2	8.7	10	15.6	1,064	18.2	5	17.9
RACE/ETHNICITY												
Black	11	8.1	9	8.0	2	8.7	15	23.4	1,576	27.0	7	25.0
Latino/Hispanic	95	70.4	82	73.2	13	56.5	36	56.3	3,259	55.9	13	46.4
White	9	6.7	6	5.4	3	13.0	6	9.4	655	11.2	4	14.3
Asian/Pacific Islander	20	14.8	15	13.4	5	21.7	7	10.9	314	5.4	4	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	0.9	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	2.2	3	2.7	0	0.0	0	0.0	12	0.2	0	0.0
20-29	40	29.6	34	30.4	6	26.1	11	17.2	412	7.1	1	3.6
30-39	49	36.3	44	39.3	5	21.7	23	35.9	999	17.1	1	3.6
40-49	28	20.7	18	16.1	10	43.5	20	31.3	1,544	26.5	4	14.3
50-59	9	6.7	9	8.0	0	0.0	5	7.8	1,866	32.0	11	39.3
60+	5	3.7	3	2.7	2	8.7	5	7.8	995	17.1	11	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	108	80.0	91	81.3	17	73.9	41	64.1	2,560	43.9	13	46.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	3.1	861	14.8	6	21.4
MSM-IDU	1	0.7	1	0.9	0	0.0	0	0.0	163	2.8	1	3.6
Heterosexual contact	15	11.1	11	9.8	4	17.4	9	14.1	917	15.7	3	10.7
Transgender people with sexual contact	2	1.5	2	1.8	0	0.0	4	6.3	110	1.9	0	0.0
Perinatal	1	0.7	1	0.9	0	0.0	0	0.0	66	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	8	5.9	6	5.4	2	8.7	8	12.5	1,151	19.7	5	17.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	16	72.7	6	27.3	6	100.0	675	100.0	9	100.0
GENDER												
Men	19	86.4	15	93.8	4	66.7	4	66.7	505	74.8	6	66.7
Women	3	13.6	1	6.3	2	33.3	2	33.3	170	25.2	3	33.3
RACE/ETHNICITY												
Black	2	9.1	2	12.5	0	0.0	0	0.0	104	15.4	1	11.1
Latino/Hispanic	5	22.7	4	25.0	1	16.7	1	16.7	249	36.9	5	55.6
White	3	13.6	3	18.8	0	0.0	0	0.0	190	28.1	2	22.2
Asian/Pacific Islander	11	50.0	7	43.8	4	66.7	4	66.7	119	17.6	1	11.1
Native American	1	4.5	0	0.0	1	16.7	1	16.7	7	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	12	54.5	9	56.3	3	50.0	3	50.0	53	7.9	0	0.0
30-39	3	13.6	2	12.5	1	16.7	1	16.7	82	12.1	0	0.0
40-49	3	13.6	3	18.8	0	0.0	0	0.0	142	21.0	0	0.0
50-59	4	18.2	2	12.5	2	33.3	2	33.3	223	33.0	3	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	171	25.3	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	63.6	12	75.0	2	33.3	2	33.3	287	42.5	2	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	66	9.8	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	1	11.1
Heterosexual contact	3	13.6	1	6.3	2	33.3	2	33.3	147	21.8	3	33.3
Transgender people with sexual contact	1	4.5	1	6.3	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	18.2	2	12.5	2	33.3	2	33.3	143	21.2	2	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	2	50.0	2	50.0	3	100.0	144	100.0	2	100.0
GENDER												
Men	3	75.0	2	100.0	1	50.0	2	66.7	118	81.9	1	50.0
Women	1	25.0	0	0.0	1	50.0	1	33.3	26	18.1	1	50.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	21	14.6	1	50.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	31	21.5	0	0.0
White	3	75.0	2	100.0	1	50.0	2	66.7	79	54.9	1	50.0
Asian/Pacific Islander	1	25.0	0	0.0	1	50.0	1	33.3	11	7.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	25.0	1	50.0	0	0.0	1	33.3	8	5.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	16	11.1	0	0.0
40-49	2	50.0	1	50.0	1	50.0	1	33.3	21	14.6	1	50.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	54	37.5	0	0.0
60+	1	25.0	0	0.0	1	50.0	1	33.3	45	31.3	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	50.0	2	100.0	0	0.0	0	0.0	62	43.1	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	12	8.3	2	100.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	16.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	2	50.0	0	0.0	2	100.0	3	100.0	37	25.7	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	34	85.0	6	15.0	19	100.0	1,253	100.0	12	100.0
GENDER												
Men	34	85.0	30	88.2	4	66.7	17	89.5	962	76.8	11	91.7
Women	6	15.0	4	11.8	2	33.3	2	10.5	291	23.2	1	8.3
RACE/ETHNICITY												
Black	7	17.5	7	20.6	0	0.0	2	10.5	163	13.0	0	0.0
Latino/Hispanic	26	65.0	22	64.7	4	66.7	10	52.6	595	47.5	7	58.3
White	2	5.0	1	2.9	1	16.7	6	31.6	414	33.0	5	41.7
Asian/Pacific Islander	5	12.5	4	11.8	1	16.7	1	5.3	68	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	23	57.5	22	64.7	1	16.7	4	21.1	118	9.4	0	0.0
30-39	5	12.5	4	11.8	1	16.7	4	21.1	156	12.5	0	0.0
40-49	8	20.0	7	20.6	1	16.7	4	21.1	287	22.9	0	0.0
50-59	4	10.0	1	2.9	3	50.0	5	26.3	435	34.7	8	66.7
60+	0	0.0	0	0.0	0	0.0	2	10.5	252	20.1	4	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	70.0	24	70.6	4	66.7	10	52.6	625	49.9	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.5	90	7.2	5	41.7
MSM-IDU	1	2.5	1	2.9	0	0.0	0	0.0	33	2.6	0	0.0
Heterosexual contact	7	17.5	6	17.6	1	16.7	2	10.5	251	20.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	4	10.0	3	8.8	1	16.7	5	26.3	209	16.7	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	5	83.3	1	16.7	2	100.0	282	100.0	0	0.0
GENDER												
Men	6	100.0	5	100.0	1	100.0	2	100.0	176	62.4	0	0.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	106	37.6	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	129	45.7	0	0.0
Latino/Hispanic	4	66.7	4	80.0	0	0.0	1	50.0	87	30.9	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	46	16.3	0	0.0
Asian/Pacific Islander	2	33.3	1	20.0	1	100.0	1	50.0	19	6.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
20-29	1	16.7	1	20.0	0	0.0	0	0.0	23	8.2	0	0.0
30-39	3	50.0	3	60.0	0	0.0	1	50.0	32	11.3	0	0.0
40-49	2	33.3	1	20.0	1	100.0	1	50.0	59	20.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	96	34.0	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	70	24.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	5	100.0	0	0.0	0	0.0	87	30.9	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	8.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	78	27.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	1	16.7	0	0.0	1	100.0	2	100.0	78	27.7	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	46	100.0	32	69.6	14	30.4	31	100.0	1,837	100.0	20	100.0
GENDER												
Men	32	69.6	21	65.6	11	78.6	22	71.0	1,285	70.0	16	80.0
Women	14	30.4	11	34.4	3	21.4	9	29.0	552	30.0	4	20.0
RACE/ETHNICITY												
Black	7	15.2	5	15.6	2	14.3	9	29.0	494	26.9	7	35.0
Latino/Hispanic	19	41.3	14	43.8	5	35.7	11	35.5	843	45.9	4	20.0
White	3	6.5	2	6.3	1	7.1	2	6.5	291	15.8	4	20.0
Asian/Pacific Islander	17	37.0	11	34.4	6	42.9	8	25.8	185	10.1	5	25.0
Native American	0	0.0	0	0.0	0	0.0	1	3.2	16	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	4.3	2	6.3	0	0.0	0	0.0	5	0.3	0	0.0
20-29	10	21.7	8	25.0	2	14.3	5	16.1	141	7.7	1	5.0
30-39	8	17.4	7	21.9	1	7.1	5	16.1	289	15.7	0	0.0
40-49	15	32.6	9	28.1	6	42.9	11	35.5	443	24.1	6	30.0
50-59	7	15.2	6	18.8	1	7.1	6	19.4	613	33.4	6	30.0
60+	4	8.7	0	0.0	4	28.6	4	12.9	343	18.7	7	35.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	39.1	13	40.6	5	35.7	12	38.7	712	38.8	3	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	189	10.3	4	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	1	5.0
Heterosexual contact	15	32.6	11	34.4	4	28.6	8	25.8	446	24.3	1	5.0
Transgender people with sexual contact	1	2.2	1	3.1	0	0.0	1	3.2	20	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	48	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	26.1	7	21.9	5	35.7	10	32.3	398	21.7	11	55.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	43	86.0	7	14.0	40	100.0	3,218	100.0	46	100.0
GENDER												
Men	36	72.0	31	72.1	5	71.4	28	70.0	1,996	62.0	34	73.9
Women	14	28.0	12	27.9	2	28.6	12	30.0	1,222	38.0	12	26.1
RACE/ETHNICITY												
Black	32	64.0	25	58.1	7	100.0	29	72.5	2,314	71.9	30	65.2
Latino/Hispanic	11	22.0	11	25.6	0	0.0	10	25.0	621	19.3	11	23.9
White	3	6.0	3	7.0	0	0.0	1	2.5	171	5.3	2	4.3
Asian/Pacific Islander	4	8.0	4	9.3	0	0.0	0	0.0	88	2.7	2	4.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	1	2.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.5	3	0.1	0	0.0
13-19	1	2.0	1	2.3	0	0.0	0	0.0	24	0.7	0	0.0
20-29	18	36.0	18	41.9	0	0.0	5	12.5	290	9.0	0	0.0
30-39	16	32.0	14	32.6	2	28.6	8	20.0	427	13.3	3	6.5
40-49	5	10.0	4	9.3	1	14.3	9	22.5	699	21.7	11	23.9
50-59	7	14.0	4	9.3	3	42.9	12	30.0	1,044	32.4	12	26.1
60+	3	6.0	2	4.7	1	14.3	5	12.5	731	22.7	20	43.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	44.0	21	48.8	1	14.3	14	35.0	901	28.0	10	21.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.0	356	11.1	9	19.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.5	57	1.8	2	4.3
Heterosexual contact	14	28.0	10	23.3	4	57.1	14	35.0	936	29.1	13	28.3
Transgender people with sexual contact	3	6.0	3	7.0	0	0.0	0	0.0	24	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.5	98	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	2.2
Unknown	11	22.0	9	20.9	2	28.6	8	20.0	838	26.0	11	23.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	25	78.1	7	21.9	16	100.0	1,324	100.0	15	100.0
GENDER												
Men	24	75.0	22	88.0	2	28.6	8	50.0	772	58.3	9	60.0
Women	8	25.0	3	12.0	5	71.4	8	50.0	552	41.7	6	40.0
RACE/ETHNICITY												
Black	24	75.0	19	76.0	5	71.4	10	62.5	1,020	77.0	11	73.3
Latino/Hispanic	4	12.5	3	12.0	1	14.3	3	18.8	155	11.7	3	20.0
White	0	0.0	0	0.0	0	0.0	1	6.3	98	7.4	0	0.0
Asian/Pacific Islander	3	9.4	3	12.0	0	0.0	1	6.3	44	3.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	3.1	0	0.0	1	14.3	1	6.3	4	0.3	1	6.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	10	31.3	9	36.0	1	14.3	2	12.5	113	8.5	0	0.0
30-39	7	21.9	6	24.0	1	14.3	5	31.3	184	13.9	1	6.7
40-49	10	31.3	6	24.0	4	57.1	4	25.0	278	21.0	2	13.3
50-59	4	12.5	3	12.0	1	14.3	4	25.0	427	32.3	6	40.0
60+	1	3.1	1	4.0	0	0.0	1	6.3	313	23.6	6	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	37.5	10	40.0	2	28.6	5	31.3	286	21.6	2	13.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	127	9.6	3	20.0
MSM-IDU	1	3.1	1	4.0	0	0.0	0	0.0	20	1.5	0	0.0
Heterosexual contact	5	15.6	2	8.0	3	42.9	5	31.3	420	31.7	7	46.7
Transgender people with sexual contact	1	3.1	1	4.0	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
Unknown	13	40.6	11	44.0	2	28.6	5	31.3	409	30.9	3	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	13	76.5	4	23.5	13	100.0	1,254	100.0	33	100.0
GENDER												
Men	11	64.7	8	61.5	3	75.0	9	69.2	722	57.6	20	60.6
Women	6	35.3	5	38.5	1	25.0	4	30.8	532	42.4	13	39.4
RACE/ETHNICITY												
Black	10	58.8	8	61.5	2	50.0	8	61.5	809	64.5	22	66.7
Latino/Hispanic	7	41.2	5	38.5	2	50.0	5	38.5	311	24.8	8	24.2
White	0	0.0	0	0.0	0	0.0	0	0.0	113	9.0	3	9.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	1	3.0
20-29	4	23.5	4	30.8	0	0.0	0	0.0	106	8.5	0	0.0
30-39	2	11.8	1	7.7	1	25.0	4	30.8	175	14.0	3	9.1
40-49	6	35.3	4	30.8	2	50.0	4	30.8	251	20.0	5	15.2
50-59	4	23.5	3	23.1	1	25.0	5	38.5	439	35.0	17	51.5
60+	1	5.9	1	7.7	0	0.0	0	0.0	273	21.8	7	21.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	41.2	7	53.8	0	0.0	0	0.0	304	24.2	3	9.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.7	188	15.0	14	42.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	2.2	1	3.0
Heterosexual contact	2	11.8	1	7.7	1	25.0	4	30.8	428	34.1	6	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	37	3.0	1	3.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	8	47.1	5	38.5	3	75.0	8	61.5	261	20.8	8	24.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	14	77.8	4	22.2	9	100.0	611	100.0	14	100.0
GENDER												
Men	14	77.8	10	71.4	4	100.0	7	77.8	362	59.2	9	64.3
Women	4	22.2	4	28.6	0	0.0	2	22.2	249	40.8	5	35.7
RACE/ETHNICITY												
Black	9	50.0	8	57.1	1	25.0	4	44.4	312	51.1	7	50.0
Latino/Hispanic	4	22.2	2	14.3	2	50.0	4	44.4	201	32.9	5	35.7
White	4	22.2	3	21.4	1	25.0	1	11.1	86	14.1	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	1	5.6	1	7.1	0	0.0	0	0.0	7	1.1	1	7.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
20-29	7	38.9	6	42.9	1	25.0	3	33.3	51	8.3	0	0.0
30-39	3	16.7	3	21.4	0	0.0	1	11.1	103	16.9	0	0.0
40-49	5	27.8	4	28.6	1	25.0	2	22.2	136	22.3	2	14.3
50-59	0	0.0	0	0.0	0	0.0	1	11.1	202	33.1	7	50.0
60+	3	16.7	1	7.1	2	50.0	2	22.2	114	18.7	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	44.4	7	50.0	1	25.0	3	33.3	152	24.9	3	21.4
Injection drug use history (IDU)	1	5.6	0	0.0	1	25.0	1	11.1	114	18.7	8	57.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.5	0	0.0
Heterosexual contact	6	33.3	4	28.6	2	50.0	3	33.3	174	28.5	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	16.7	3	21.4	0	0.0	2	22.2	127	20.8	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY**

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	20	80.0	5	20.0	17	100.0	1,124	100.0	25	100.0
GENDER												
Men	16	64.0	13	65.0	3	60.0	13	76.5	736	65.5	18	72.0
Women	9	36.0	7	35.0	2	40.0	4	23.5	388	34.5	7	28.0
RACE/ETHNICITY												
Black	14	56.0	10	50.0	4	80.0	14	82.4	530	47.2	14	56.0
Latino/Hispanic	1	4.0	1	5.0	0	0.0	0	0.0	305	27.1	6	24.0
White	9	36.0	8	40.0	1	20.0	3	17.6	270	24.0	5	20.0
Asian/Pacific Islander	1	4.0	1	5.0	0	0.0	0	0.0	11	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	10	40.0	10	50.0	0	0.0	2	11.8	85	7.6	1	4.0
30-39	7	28.0	6	30.0	1	20.0	2	11.8	151	13.4	1	4.0
40-49	4	16.0	2	10.0	2	40.0	3	17.6	215	19.1	3	12.0
50-59	3	12.0	1	5.0	2	40.0	9	52.9	434	38.6	8	32.0
60+	1	4.0	1	5.0	0	0.0	1	5.9	233	20.7	12	48.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	44.0	9	45.0	2	40.0	7	41.2	339	30.2	3	12.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	178	15.8	11	44.0
MSM-IDU	2	8.0	2	10.0	0	0.0	0	0.0	39	3.5	1	4.0
Heterosexual contact	7	28.0	5	25.0	2	40.0	5	29.4	286	25.4	5	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	20.0	4	20.0	1	20.0	4	23.5	240	21.4	5	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	8	72.7	3	27.3	5	100.0	208	100.0	4	100.0
GENDER												
Men	7	63.6	7	87.5	0	0.0	2	40.0	143	68.8	2	50.0
Women	4	36.4	1	12.5	3	100.0	3	60.0	65	31.3	2	50.0
RACE/ETHNICITY												
Black	6	54.5	5	62.5	1	33.3	2	40.0	38	18.3	1	25.0
Latino/Hispanic	5	45.5	3	37.5	2	66.7	3	60.0	63	30.3	3	75.0
White	0	0.0	0	0.0	0	0.0	0	0.0	97	46.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	2	1.0	0	0.0
20-29	1	9.1	1	12.5	0	0.0	2	40.0	13	6.3	1	25.0
30-39	3	27.3	2	25.0	1	33.3	1	20.0	31	14.9	0	0.0
40-49	3	27.3	2	25.0	1	33.3	1	20.0	43	20.7	1	25.0
50-59	3	27.3	2	25.0	1	33.3	1	20.0	75	36.1	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	44	21.2	2	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	45.5	5	62.5	0	0.0	2	40.0	74	35.6	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	28	13.5	3	75.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	0	0.0
Heterosexual contact	4	36.4	2	25.0	2	66.7	2	40.0	45	21.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	2	18.2	1	12.5	1	33.3	1	20.0	50	24.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	19	86.4	3	13.6	4	100.0	420	100.0	7	100.0
GENDER												
Men	18	81.8	16	84.2	2	66.7	3	75.0	290	69.0	6	85.7
Women	4	18.2	3	15.8	1	33.3	1	25.0	130	31.0	1	14.3
RACE/ETHNICITY												
Black	6	27.3	5	26.3	1	33.3	0	0.0	67	16.0	0	0.0
Latino/Hispanic	9	40.9	8	42.1	1	33.3	3	75.0	104	24.8	3	42.9
White	6	27.3	5	26.3	1	33.3	1	25.0	243	57.9	4	57.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
Other/Unknown	1	4.5	1	5.3	0	0.0	0	0.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	1	4.5	1	5.3	0	0.0	0	0.0	2	0.5	0	0.0
20-29	6	27.3	5	26.3	1	33.3	1	25.0	21	5.0	1	14.3
30-39	6	27.3	6	31.6	0	0.0	0	0.0	37	8.8	0	0.0
40-49	4	18.2	3	15.8	1	33.3	1	25.0	99	23.6	0	0.0
50-59	2	9.1	2	10.5	0	0.0	1	25.0	151	36.0	4	57.1
60+	3	13.6	2	10.5	1	33.3	1	25.0	107	25.5	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	68.2	14	73.7	1	33.3	1	25.0	110	26.2	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	64	15.2	3	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	1.9	0	0.0
Heterosexual contact	3	13.6	2	10.5	1	33.3	1	25.0	103	24.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	4	18.2	3	15.8	1	33.3	2	50.0	116	27.6	3	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2016 NEW YORK CITY POPULATION ⁴
TOTAL	26.1	1.5	9.8	8,615,426
GENDER				
Men	42.0	2.2	9.6	4,109,334
Women	11.6	0.8	10.0	4,506,092
RACE/ETHNICITY				
Black	49.7	2.9	10.9	1,909,362
Latino/Hispanic	31.5	1.6	10.1	2,512,110
White	12.2	0.9	7.0	2,767,548
Asian/Pacific Islander	11.5	0.2	7.7	1,260,847
Native American	30.7*	1.5	16.2*	19,529
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,328,453
13 - 19	12.5	0.1	1.6*	654,765
20 - 29	57.7	0.7	3.9	1,401,649
30 - 39	43.9	1.4	5.9	1,362,538
40 - 49	34.7	2.5	8.4	1,106,699
50 - 59	23.7	3.7	15.8	1,089,405
60+	6.9	1.6	28.7	1,671,917

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2016 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016
Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2016 NEW YORK CITY POPULATION ⁴
TOTAL	26.1	1.5	9.8	8,615,426
BRONX⁵	33.8	2.0	10.5	1,470,590
Crotona - Tremont	39.9	2.8	11.8	220,566
Fordham - Bronx Park	40.6	2.1	7.7	266,024
High Bridge - Morrisania	43.7	2.8	12.5	222,167
Hunts Point - Mott Haven	46.4	2.7	9.6	146,590
Kingsbridge - Riverdale	14.8	0.7	16.5	94,562
Northeast Bronx	24.2	1.3	12.5	206,681
Pelham - Throgs Neck	22.9	1.4	8.5	314,002
BROOKLYN⁵	21.6	1.1	8.9	2,650,859
Bedford Stuyvesant - Crown Heights	50.8	2.3	12.3	334,561
Bensonhurst - Bay Ridge	6.1	0.3	13.8*	212,384
Borough Park	5.4	0.3	4.5*	349,296
Canarsie - Flatlands	18.6	0.8	8.2	209,360
Coney Island - Sheepshead Bay	9.9	0.4	8.2	292,921
Downtown - Heights - Park Slope	12.8	1.0	7.2	258,168
East Flatbush - Flatbush	29.0	1.7	6.6	307,328
East New York	36.5	1.8	9.0	189,052
Greenpoint	7.2*	0.6	8.8*	138,315
Sunset Park	17.2	0.6	8.4	133,725
Williamsburg - Bushwick	35.0	1.7	8.5	225,749
MANHATTAN⁵	25.8	2.0	5.9	1,645,967
Central Harlem - Morningside Heights	46.4	2.7	6.9	180,877
Chelsea - Clinton	51.3	4.3	4.4	158,041
East Harlem	44.5	2.6	13.1	114,710
Gramercy Park - Murray Hill	12.2	1.5	3.3	131,074
Greenwich Village - Soho	29.6	2.3	1.9*	84,431
Lower Manhattan	16.7*	1.0	8.5*	59,811
Union Square - Lower East Side	17.3	1.5	7.2	196,720
Upper East Side	6.7	0.7	4.2	224,040
Upper West Side	10.9	1.4	6.6	220,833
Washington Heights - Inwood	29.4	1.7	5.0	275,429
QUEENS⁵	17.2	0.8	7.6	2,366,216
Bayside - Little Neck	4.4*	0.2	11.8*	91,178
Flushing - Clearview	8.3	0.3	8.2*	264,734
Fresh Meadows	5.9*	0.3	0.0*	102,543
Jamaica	15.5	1.0	9.6	323,424
Long Island City - Astoria	25.3	1.0	5.7	217,465
Ridgewood - Forest Hills	15.6	0.5	5.2	256,683
Rockaway	13.6	1.0	20.7	124,606
Southeast Queens	15.1	0.6	6.8	211,273
Southwest Queens	15.5	0.6	6.8	296,583
West Queens	28.3	1.2	3.5	477,727
STATEN ISLAND⁵	16.1	0.5	13.8	477,383
Port Richmond	26.5	0.9	14.5	67,976
South Beach - Tottenville	11.3	0.2	12.6*	195,218
Stapleton - St. George	20.0	0.9	13.8	124,933
Willowbrook	12.3	0.2	23.6*	89,255

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2016 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.