



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2016

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, females	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2016

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2017. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,279	100.0	1,868	82.0	411	18.0	1,265	100.0	123,887	100.0	1,403	100.0
GENDER												
Male	1,771	77.7	1,464	78.4	307	74.7	929	73.4	89,397	72.2	978	69.7
Female	462	20.3	361	19.3	101	24.6	323	25.5	33,253	26.8	416	29.7
Transgender	46	2.0	43	2.3	3	0.7	13	1.0	1,237	1.0	9	0.6
RACE/ETHNICITY												
Black	991	43.5	794	42.5	197	47.9	630	49.8	54,302	43.8	675	48.1
Latino/Hispanic	768	33.7	645	34.5	123	29.9	414	32.7	40,375	32.6	512	36.5
White	352	15.4	299	16.0	53	12.9	167	13.2	25,635	20.7	190	13.5
Asian/Pacific Islander	144	6.3	111	5.9	33	8.0	45	3.6	2,669	2.2	20	1.4
Native American	6	0.3	4	0.2	2	0.5	5	0.4	277	0.2	4	0.3
Multiracial	18	0.8	15	0.8	3	0.7	4	0.3	272	0.2	2	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	357	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.0	1	0.1	0	0.0	2	0.2	97	0.1	0	0.0
13-19	79	3.5	76	4.1	3	0.7	15	1.2	519	0.4	1	0.1
20-29	803	35.2	723	38.7	80	19.5	213	16.8	9,483	7.7	31	2.2
30-39	603	26.5	496	26.6	107	26.0	304	24.0	18,308	14.8	87	6.2
40-49	408	17.9	286	15.3	122	29.7	321	25.4	27,462	22.2	185	13.2
50-59	263	11.5	204	10.9	59	14.4	265	20.9	40,696	32.8	530	37.8
60+	122	5.4	82	4.4	40	9.7	145	11.5	27,322	22.1	569	40.6
BOROUGH OF RESIDENCE												
Bronx	520	22.8	421	22.5	99	24.1	326	25.8	29,803	24.1	459	32.7
Brooklyn	581	25.5	471	25.2	110	26.8	322	25.5	29,738	24.0	369	26.3
Manhattan	468	20.5	392	21.0	76	18.5	245	19.4	32,476	26.2	275	19.6
Queens	415	18.2	327	17.5	88	21.4	203	16.0	18,307	14.8	167	11.9
Staten Island	61	2.7	46	2.5	15	3.6	32	2.5	2,398	1.9	49	3.5
Outside NYC	207	9.1	184	9.9	23	5.6	125	9.9	10,979	8.9	56	4.0
Unknown	27	1.2	27	1.4	0	0.0	12	0.9	186	0.2	28	2.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	172	7.5	137	7.3	35	8.5	87	6.9	12,985	10.5	112	8.0
Medium poverty (10 to <20% below FPL)	624	27.4	511	27.4	113	27.5	326	25.8	34,364	27.7	332	23.7
High poverty (20 to <30% below FPL)	535	23.5	427	22.9	108	26.3	283	22.4	25,900	20.9	277	19.7
Very high poverty (≥30% below FPL)	707	31.0	576	30.8	131	31.9	425	33.6	38,054	30.7	598	42.6
Area-based poverty level not available	241	10.6	217	11.6	24	5.8	144	11.4	12,584	10.2	84	6.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,236	54.2	1,078	57.7	158	38.4	484	38.3	49,357	39.8	279	19.9
Injection drug use history (IDU)	32	1.4	23	1.2	9	2.2	91	7.2	15,594	12.6	427	30.4
MSM-IDU	28	1.2	23	1.2	5	1.2	21	1.7	2,777	2.2	47	3.3
Heterosexual contact	386	16.9	302	16.2	84	20.4	252	19.9	24,383	19.7	278	19.8
Transgender people with sexual contact	44	1.9	42	2.2	2	0.5	12	0.9	1,051	0.8	6	0.4
Perinatal	1	0.0	1	0.1	0	0.0	28	2.2	2,511	2.0	10	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	200	0.2	3	0.2
Unknown	552	24.2	399	21.4	153	37.2	377	29.8	28,014	22.6	353	25.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.2.1. Males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,771	100.0	1,464	82.7	307	17.3	929	100.0	89,412	100.0	978	100.0
RACE/ETHNICITY												
Black	689	38.9	550	37.6	139	45.3	432	46.5	34,272	38.3	437	44.7
Latino/Hispanic	611	34.5	523	35.7	88	28.7	309	33.3	29,116	32.6	360	36.8
White	323	18.2	275	18.8	48	15.6	144	15.5	23,113	25.8	158	16.2
Asian/Pacific Islander	125	7.1	98	6.7	27	8.8	36	3.9	2,216	2.5	18	1.8
Native American	6	0.3	4	0.3	2	0.7	4	0.4	202	0.2	3	0.3
Multiracial	17	1.0	14	1.0	3	1.0	4	0.4	217	0.2	2	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	276	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.1	54	0.1	0	0.0
13-19	61	3.4	58	4.0	3	1.0	8	0.9	275	0.3	0	0.0
20-29	705	39.8	633	43.2	72	23.5	164	17.7	7,225	8.1	25	2.6
30-39	476	26.9	394	26.9	82	26.7	231	24.9	13,907	15.6	62	6.3
40-49	296	16.7	208	14.2	88	28.7	234	25.2	19,353	21.6	114	11.7
50-59	156	8.8	116	7.9	40	13.0	187	20.1	28,732	32.1	353	36.1
60+	77	4.3	55	3.8	22	7.2	104	11.2	19,866	22.2	424	43.4
BOROUGH OF RESIDENCE												
Bronx	355	20.0	283	19.3	72	23.5	209	22.5	18,536	20.7	305	31.2
Brooklyn	423	23.9	346	23.6	77	25.1	221	23.8	19,669	22.0	245	25.1
Manhattan	412	23.3	348	23.8	64	20.8	210	22.6	27,248	30.5	197	20.1
Queens	345	19.5	277	18.9	68	22.1	159	17.1	13,406	15.0	127	13.0
Staten Island	43	2.4	34	2.3	9	2.9	22	2.4	1,562	1.7	35	3.6
Outside NYC	170	9.6	153	10.5	17	5.5	99	10.7	8,847	9.9	45	4.6
Unknown	23	1.3	23	1.6	0	0.0	9	1.0	144	0.2	24	2.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	139	7.8	115	7.9	24	7.8	70	7.5	10,744	12.0	81	8.3
Medium poverty (10 to <20% below FPL)	487	27.5	403	27.5	84	27.4	239	25.7	25,658	28.7	247	25.3
High poverty (20 to <30% below FPL)	432	24.4	350	23.9	82	26.7	216	23.3	18,581	20.8	189	19.3
Very high poverty (≥30% below FPL)	514	29.0	415	28.3	99	32.2	289	31.1	24,318	27.2	392	40.1
Area-based poverty level not available	199	11.2	181	12.4	18	5.9	115	12.4	10,111	11.3	69	7.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,236	69.8	1,078	73.6	158	51.5	484	52.1	49,357	55.2	279	28.5
Injection drug use history (IDU)	18	1.0	10	0.7	8	2.6	65	7.0	10,227	11.4	288	29.4
MSM-IDU	28	1.6	23	1.6	5	1.6	21	2.3	2,777	3.1	47	4.8
Heterosexual contact	67	3.8	47	3.2	20	6.5	56	6.0	6,078	6.8	89	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	10	1.1	1,223	1.4	2	0.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	2	0.2
Unknown	422	23.8	306	20.9	116	37.8	293	31.5	19,631	22.0	271	27.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.2.2. Females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	508	100.0	404	79.5	104	20.5	336	100.0	34,475	100.0	425	100.0
RACE/ETHNICITY												
Black	302	59.4	244	60.4	58	55.8	198	58.9	20,030	58.1	238	56.0
Latino/Hispanic	157	30.9	122	30.2	35	33.7	105	31.3	11,259	32.7	152	35.8
White	29	5.7	24	5.9	5	4.8	23	6.8	2,522	7.3	32	7.5
Asian/Pacific Islander	19	3.7	13	3.2	6	5.8	9	2.7	453	1.3	2	0.5
Native American	0	0.0	0	0.0	0	0.0	1	0.3	75	0.2	1	0.2
Multiracial	1	0.2	1	0.2	0	0.0	0	0.0	55	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	81	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	1	0.3	43	0.1	0	0.0
13-19	18	3.5	18	4.5	0	0.0	7	2.1	244	0.7	1	0.2
20-29	98	19.3	90	22.3	8	7.7	49	14.6	2,258	6.5	6	1.4
30-39	127	25.0	102	25.2	25	24.0	73	21.7	4,401	12.8	25	5.9
40-49	112	22.0	78	19.3	34	32.7	87	25.9	8,109	23.5	71	16.7
50-59	107	21.1	88	21.8	19	18.3	78	23.2	11,964	34.7	177	41.6
60+	45	8.9	27	6.7	18	17.3	41	12.2	7,456	21.6	145	34.1
BOROUGH OF RESIDENCE												
Bronx	165	32.5	138	34.2	27	26.0	117	34.8	11,267	32.7	154	36.2
Brooklyn	158	31.1	125	30.9	33	31.7	101	30.1	10,069	29.2	124	29.2
Manhattan	56	11.0	44	10.9	12	11.5	35	10.4	5,228	15.2	78	18.4
Queens	70	13.8	50	12.4	20	19.2	44	13.1	4,901	14.2	40	9.4
Staten Island	18	3.5	12	3.0	6	5.8	10	3.0	836	2.4	14	3.3
Outside NYC	37	7.3	31	7.7	6	5.8	26	7.7	2,132	6.2	11	2.6
Unknown	4	0.8	4	1.0	0	0.0	3	0.9	42	0.1	4	0.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	6.5	22	5.4	11	10.6	17	5.1	2,241	6.5	31	7.3
Medium poverty (10 to <20% below FPL)	137	27.0	108	26.7	29	27.9	87	25.9	8,706	25.3	85	20.0
High poverty (20 to <30% below FPL)	103	20.3	77	19.1	26	25.0	67	19.9	7,319	21.2	88	20.7
Very high poverty (≥30% below FPL)	193	38.0	161	39.9	32	30.8	136	40.5	13,736	39.8	206	48.5
Area-based poverty level not available	42	8.3	36	8.9	6	5.8	29	8.6	2,473	7.2	15	3.5
TRANSMISSION RISK												
Injection drug use history (IDU)	14	2.8	13	3.2	1	1.0	26	7.7	5,367	15.6	139	32.7
Heterosexual contact	319	62.8	255	63.1	64	61.5	196	58.3	18,305	53.1	189	44.5
Transgender people with sexual contact	44	8.7	42	10.4	2	1.9	12	3.6	1,041	3.0	6	1.4
Perinatal	1	0.2	1	0.2	0	0.0	18	5.4	1,288	3.7	8	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	91	0.3	1	0.2
Unknown	130	25.6	93	23.0	37	35.6	84	25.0	8,383	24.3	82	19.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.1. Black males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	689	100.0	550	79.8	139	20.2	432	100.0	34,272	100.0	437	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.2	35	0.1	0	0.0
13-19	33	4.8	32	5.8	1	0.7	4	0.9	158	0.5	0	0.0
20-29	281	40.8	251	45.6	30	21.6	72	16.7	3,545	10.3	15	3.4
30-39	165	23.9	129	23.5	36	25.9	114	26.4	5,475	16.0	32	7.3
40-49	106	15.4	66	12.0	40	28.8	104	24.1	6,693	19.5	47	10.8
50-59	68	9.9	47	8.5	21	15.1	90	20.8	10,503	30.6	150	34.3
60+	36	5.2	25	4.5	11	7.9	47	10.9	7,863	22.9	193	44.2
BOROUGH OF RESIDENCE												
Bronx	160	23.2	121	22.0	39	28.1	102	23.6	8,406	24.5	133	30.4
Brooklyn	243	35.3	201	36.5	42	30.2	132	30.6	11,026	32.2	144	33.0
Manhattan	116	16.8	86	15.6	30	21.6	84	19.4	7,210	21.0	64	14.6
Queens	79	11.5	62	11.3	17	12.2	53	12.3	4,420	12.9	52	11.9
Staten Island	19	2.8	15	2.7	4	2.9	14	3.2	567	1.7	16	3.7
Outside NYC	64	9.3	57	10.4	7	5.0	44	10.2	2,598	7.6	19	4.3
Unknown	8	1.2	8	1.5	0	0.0	3	0.7	45	0.1	9	2.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	42	6.1	31	5.6	11	7.9	26	6.0	2,318	6.8	24	5.5
Medium poverty (10 to <20% below FPL)	153	22.2	124	22.5	29	20.9	97	22.5	9,354	27.3	98	22.4
High poverty (20 to <30% below FPL)	163	23.7	129	23.5	34	24.5	100	23.1	8,026	23.4	93	21.3
Very high poverty (≥30% below FPL)	256	37.2	199	36.2	57	41.0	158	36.6	11,516	33.6	194	44.4
Area-based poverty level not available	75	10.9	67	12.2	8	5.8	51	11.8	3,058	8.9	28	6.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	410	59.5	352	64.0	58	41.7	202	46.8	15,069	44.0	102	23.3
Injection drug use history (IDU)	7	1.0	4	0.7	3	2.2	26	6.0	4,125	12.0	116	26.5
MSM-IDU	6	0.9	6	1.1	0	0.0	4	0.9	985	2.9	23	5.3
Heterosexual contact	38	5.5	27	4.9	11	7.9	32	7.4	3,311	9.7	55	12.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	1.2	689	2.0	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	32	0.1	1	0.2
Unknown	228	33.1	161	29.3	67	48.2	163	37.7	10,053	29.3	138	31.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	302	100.0	244	80.8	58	19.2	198	100.0	20,030	100.0	238	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
13-19	13	4.3	13	5.3	0	0.0	3	1.5	148	0.7	1	0.4
20-29	53	17.5	48	19.7	5	8.6	30	15.2	1,348	6.7	4	1.7
30-39	86	28.5	70	28.7	16	27.6	46	23.2	2,710	13.5	14	5.9
40-49	63	20.9	45	18.4	18	31.0	54	27.3	4,859	24.3	47	19.7
50-59	70	23.2	57	23.4	13	22.4	43	21.7	6,817	34.0	93	39.1
60+	17	5.6	11	4.5	6	10.3	22	11.1	4,127	20.6	79	33.2
BOROUGH OF RESIDENCE												
Bronx	93	30.8	78	32.0	15	25.9	62	31.3	5,800	29.0	76	31.9
Brooklyn	118	39.1	94	38.5	24	41.4	73	36.9	7,045	35.2	83	34.9
Manhattan	26	8.6	23	9.4	3	5.2	17	8.6	2,883	14.4	40	16.8
Queens	29	9.6	21	8.6	8	13.8	23	11.6	2,773	13.8	25	10.5
Staten Island	13	4.3	9	3.7	4	6.9	7	3.5	398	2.0	6	2.5
Outside NYC	22	7.3	18	7.4	4	6.9	16	8.1	1,113	5.6	7	2.9
Unknown	1	0.3	1	0.4	0	0.0	0	0.0	18	0.1	1	0.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	20	6.6	14	5.7	6	10.3	11	5.6	1,302	6.5	15	6.3
Medium poverty (10 to <20% below FPL)	90	29.8	70	28.7	20	34.5	59	29.8	5,267	26.3	50	21.0
High poverty (20 to <30% below FPL)	63	20.9	49	20.1	14	24.1	43	21.7	4,470	22.3	52	21.8
Very high poverty (≥30% below FPL)	106	35.1	92	37.7	14	24.1	69	34.8	7,694	38.4	113	47.5
Area-based poverty level not available	23	7.6	19	7.8	4	6.9	16	8.1	1,297	6.5	8	3.4
TRANSMISSION RISK												
Injection drug use history (IDU)	6	2.0	5	2.0	1	1.7	13	6.6	2,548	12.7	64	26.9
Heterosexual contact	180	59.6	149	61.1	31	53.4	114	57.6	10,886	54.3	114	47.9
Transgender people with sexual contact	19	6.3	19	7.8	0	0.0	5	2.5	509	2.5	2	0.8
Perinatal	0	0.0	0	0.0	0	0.0	8	4.0	746	3.7	6	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	97	32.1	71	29.1	26	44.8	58	29.3	5,294	26.4	52	21.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.3. Latino/Hispanic males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	611	100.0	523	85.6	88	14.4	309	100.0	29,116	100.0	360	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
13-19	22	3.6	20	3.8	2	2.3	3	1.0	93	0.3	0	0.0
20-29	258	42.2	234	44.7	24	27.3	66	21.4	2,460	8.4	5	1.4
30-39	179	29.3	152	29.1	27	30.7	79	25.6	4,836	16.6	21	5.8
40-49	93	15.2	69	13.2	24	27.3	79	25.6	6,836	23.5	42	11.7
50-59	44	7.2	37	7.1	7	8.0	50	16.2	9,117	31.3	144	40.0
60+	15	2.5	11	2.1	4	4.5	32	10.4	5,759	19.8	148	41.1
BOROUGH OF RESIDENCE												
Bronx	172	28.2	142	27.2	30	34.1	98	31.7	8,844	30.4	157	43.6
Brooklyn	80	13.1	65	12.4	15	17.0	51	16.5	4,837	16.6	67	18.6
Manhattan	137	22.4	126	24.1	11	12.5	64	20.7	7,490	25.7	64	17.8
Queens	164	26.8	138	26.4	26	29.5	68	22.0	5,616	19.3	45	12.5
Staten Island	7	1.1	5	1.0	2	2.3	3	1.0	436	1.5	9	2.5
Outside NYC	45	7.4	41	7.8	4	4.5	22	7.1	1,849	6.4	11	3.1
Unknown	6	1.0	6	1.1	0	0.0	3	1.0	44	0.2	7	1.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	4.4	26	5.0	1	1.1	16	5.2	2,238	7.7	24	6.7
Medium poverty (10 to <20% below FPL)	176	28.8	153	29.3	23	26.1	80	25.9	8,099	27.8	79	21.9
High poverty (20 to <30% below FPL)	165	27.0	137	26.2	28	31.8	77	24.9	6,326	21.7	69	19.2
Very high poverty (≥30% below FPL)	191	31.3	159	30.4	32	36.4	110	35.6	10,207	35.1	170	47.2
Area-based poverty level not available	52	8.5	48	9.2	4	4.5	26	8.4	2,246	7.7	18	5.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	466	76.3	416	79.5	50	56.8	166	53.7	14,768	50.7	82	22.8
Injection drug use history (IDU)	6	1.0	4	0.8	2	2.3	24	7.8	4,837	16.6	138	38.3
MSM-IDU	10	1.6	8	1.5	2	2.3	10	3.2	1,085	3.7	16	4.4
Heterosexual contact	23	3.8	17	3.3	6	6.8	19	6.1	2,048	7.0	28	7.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.3	446	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	1	0.3
Unknown	106	17.3	78	14.9	28	31.8	86	27.8	5,906	20.3	95	26.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	157	100.0	122	77.7	35	22.3	105	100.0	11,259	100.0	152	100.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	1	1.0	19	0.2	0	0.0
13-19	3	1.9	3	2.5	0	0.0	3	2.9	84	0.7	0	0.0
20-29	36	22.9	33	27.0	3	8.6	16	15.2	735	6.5	2	1.3
30-39	29	18.5	23	18.9	6	17.1	21	20.0	1,312	11.7	9	5.9
40-49	36	22.9	24	19.7	12	34.3	24	22.9	2,541	22.6	21	13.8
50-59	29	18.5	25	20.5	4	11.4	25	23.8	4,002	35.5	69	45.4
60+	23	14.6	13	10.7	10	28.6	15	14.3	2,566	22.8	51	33.6
BOROUGH OF RESIDENCE												
Bronx	70	44.6	58	47.5	12	34.3	50	47.6	5,014	44.5	70	46.1
Brooklyn	26	16.6	21	17.2	5	14.3	15	14.3	2,305	20.5	34	22.4
Manhattan	21	13.4	12	9.8	9	25.7	16	15.2	1,729	15.4	29	19.1
Queens	28	17.8	21	17.2	7	20.0	13	12.4	1,452	12.9	6	3.9
Staten Island	2	1.3	0	0.0	2	5.7	3	2.9	239	2.1	7	4.6
Outside NYC	8	5.1	8	6.6	0	0.0	6	5.7	504	4.5	3	2.0
Unknown	2	1.3	2	1.6	0	0.0	2	1.9	16	0.1	3	2.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	3.8	3	2.5	3	8.6	4	3.8	440	3.9	10	6.6
Medium poverty (10 to <20% below FPL)	30	19.1	22	18.0	8	22.9	18	17.1	2,429	21.6	22	14.5
High poverty (20 to <30% below FPL)	32	20.4	24	19.7	8	22.9	18	17.1	2,322	20.6	29	19.1
Very high poverty (≥30% below FPL)	79	50.3	63	51.6	16	45.7	57	54.3	5,482	48.7	85	55.9
Area-based poverty level not available	10	6.4	10	8.2	0	0.0	8	7.6	586	5.2	6	3.9
TRANSMISSION RISK												
Injection drug use history (IDU)	5	3.2	5	4.1	0	0.0	6	5.7	2,174	19.3	62	40.8
Heterosexual contact	106	67.5	80	65.6	26	74.3	69	65.7	5,867	52.1	62	40.8
Transgender people with sexual contact	21	13.4	19	15.6	2	5.7	5	4.8	430	3.8	3	2.0
Perinatal	1	0.6	1	0.8	0	0.0	8	7.6	458	4.1	2	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Unknown	24	15.3	17	13.9	7	20.0	17	16.2	2,306	20.5	23	15.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.5. White males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	323	100.0	275	85.1	48	14.9	144	100.0	23,113	100.0	158	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	3	0.9	3	1.1	0	0.0	1	0.7	16	0.1	0	0.0
20-29	116	35.9	109	39.6	7	14.6	11	7.6	892	3.9	3	1.9
30-39	85	26.3	74	26.9	11	22.9	28	19.4	2,991	12.9	8	5.1
40-49	67	20.7	50	18.2	17	35.4	40	27.8	5,047	21.8	20	12.7
50-59	31	9.6	22	8.0	9	18.8	43	29.9	8,332	36.0	57	36.1
60+	21	6.5	17	6.2	4	8.3	21	14.6	5,833	25.2	70	44.3
BOROUGH OF RESIDENCE												
Bronx	11	3.4	10	3.6	1	2.1	5	3.5	1,029	4.5	13	8.2
Brooklyn	68	21.1	56	20.4	12	25.0	29	20.1	3,300	14.3	32	20.3
Manhattan	126	39.0	107	38.9	19	39.6	56	38.9	11,561	50.0	62	39.2
Queens	47	14.6	38	13.8	9	18.8	17	11.8	2,498	10.8	19	12.0
Staten Island	15	4.6	12	4.4	3	6.3	5	3.5	523	2.3	9	5.7
Outside NYC	49	15.2	45	16.4	4	8.3	29	20.1	4,152	18.0	15	9.5
Unknown	7	2.2	7	2.5	0	0.0	3	2.1	50	0.2	8	5.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	59	18.3	47	17.1	12	25.0	28	19.4	5,791	25.1	32	20.3
Medium poverty (10 to <20% below FPL)	100	31.0	83	30.2	17	35.4	42	29.2	7,119	30.8	59	37.3
High poverty (20 to <30% below FPL)	68	21.1	57	20.7	11	22.9	29	20.1	3,584	15.5	21	13.3
Very high poverty (≥30% below FPL)	39	12.1	35	12.7	4	8.3	11	7.6	2,148	9.3	23	14.6
Area-based poverty level not available	57	17.6	53	19.3	4	8.3	34	23.6	4,471	19.3	23	14.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	254	78.6	225	81.8	29	60.4	87	60.4	17,755	76.8	87	55.1
Injection drug use history (IDU)	3	0.9	2	0.7	1	2.1	12	8.3	1,185	5.1	32	20.3
MSM-IDU	11	3.4	8	2.9	3	6.3	7	4.9	656	2.8	7	4.4
Heterosexual contact	3	0.9	1	0.4	2	4.2	4	2.8	516	2.2	3	1.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	66	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	0	0.0
Unknown	52	16.1	39	14.2	13	27.1	33	22.9	2,889	12.5	29	18.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.6. White females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	24	82.8	5	17.2	23	100.0	2,522	100.0	32	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	3.4	1	4.2	0	0.0	1	4.3	12	0.5	0	0.0
20-29	6	20.7	6	25.0	0	0.0	3	13.0	121	4.8	0	0.0
30-39	8	27.6	5	20.8	3	60.0	5	21.7	261	10.3	2	6.3
40-49	5	17.2	4	16.7	1	20.0	5	21.7	521	20.7	2	6.3
50-59	5	17.2	5	20.8	0	0.0	7	30.4	958	38.0	14	43.8
60+	4	13.8	3	12.5	1	20.0	2	8.7	647	25.7	14	43.8
BOROUGH OF RESIDENCE												
Bronx	2	6.9	2	8.3	0	0.0	3	13.0	359	14.2	8	25.0
Brooklyn	7	24.1	4	16.7	3	60.0	11	47.8	545	21.6	7	21.9
Manhattan	8	27.6	8	33.3	0	0.0	2	8.7	516	20.5	8	25.0
Queens	1	3.4	1	4.2	0	0.0	2	8.7	440	17.4	7	21.9
Staten Island	3	10.3	3	12.5	0	0.0	0	0.0	186	7.4	1	3.1
Outside NYC	7	24.1	5	20.8	2	40.0	4	17.4	471	18.7	1	3.1
Unknown	1	3.4	1	4.2	0	0.0	1	4.3	5	0.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	13.8	4	16.7	0	0.0	0	0.0	441	17.5	5	15.6
Medium poverty (10 to <20% below FPL)	6	20.7	6	25.0	0	0.0	7	30.4	757	30.0	11	34.4
High poverty (20 to <30% below FPL)	5	17.2	3	12.5	2	40.0	4	17.4	401	15.9	7	21.9
Very high poverty (≥30% below FPL)	5	17.2	4	16.7	1	20.0	7	30.4	415	16.5	8	25.0
Area-based poverty level not available	9	31.0	7	29.2	2	40.0	5	21.7	508	20.1	1	3.1
TRANSMISSION RISK												
Injection drug use history (IDU)	3	10.3	3	12.5	0	0.0	7	30.4	615	24.4	13	40.6
Heterosexual contact	18	62.1	15	62.5	3	60.0	5	21.7	1,186	47.0	12	37.5
Transgender people with sexual contact	2	6.9	2	8.3	0	0.0	2	8.7	63	2.5	1	3.1
Perinatal	0	0.0	0	0.0	0	0.0	2	8.7	71	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	1	3.1
Unknown	6	20.7	4	16.7	2	40.0	7	30.4	570	22.6	5	15.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	98	78.4	27	21.6	36	100.0	2,216	100.0	18	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	1.6	2	2.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	38	30.4	31	31.6	7	25.9	11	30.6	244	11.0	2	11.1
30-39	39	31.2	32	32.7	7	25.9	8	22.2	489	22.1	1	5.6
40-49	28	22.4	21	21.4	7	25.9	9	25.0	633	28.6	4	22.2
50-59	13	10.4	10	10.2	3	11.1	4	11.1	571	25.8	2	11.1
60+	5	4.0	2	2.0	3	11.1	4	11.1	274	12.4	9	50.0
BOROUGH OF RESIDENCE												
Bronx	8	6.4	7	7.1	1	3.7	2	5.6	152	6.9	1	5.6
Brooklyn	26	20.8	19	19.4	7	25.9	8	22.2	390	17.6	2	11.1
Manhattan	25	20.0	22	22.4	3	11.1	5	13.9	706	31.9	4	22.2
Queens	54	43.2	39	39.8	15	55.6	19	52.8	767	34.6	11	61.1
Staten Island	1	0.8	1	1.0	0	0.0	0	0.0	23	1.0	0	0.0
Outside NYC	9	7.2	8	8.2	1	3.7	2	5.6	177	8.0	0	0.0
Unknown	2	1.6	2	2.0	0	0.0	0	0.0	1	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	7.2	9	9.2	0	0.0	0	0.0	304	13.7	1	5.6
Medium poverty (10 to <20% below FPL)	55	44.0	41	41.8	14	51.9	18	50.0	880	39.7	10	55.6
High poverty (20 to <30% below FPL)	28	22.4	20	20.4	8	29.6	9	25.0	511	23.1	4	22.2
Very high poverty (≥30% below FPL)	21	16.8	17	17.3	4	14.8	7	19.4	322	14.5	3	16.7
Area-based poverty level not available	12	9.6	11	11.2	1	3.7	2	5.6	199	9.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	88	70.4	72	73.5	16	59.3	22	61.1	1,450	65.4	8	44.4
Injection drug use history (IDU)	2	1.6	0	0.0	2	7.4	3	8.3	53	2.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	35	1.6	0	0.0
Heterosexual contact	2	1.6	1	1.0	1	3.7	1	2.8	176	7.9	3	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	33	26.4	25	25.5	8	29.6	10	27.8	488	22.0	7	38.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	13	68.4	6	31.6	9	100.0	453	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	1	7.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	15.8	3	23.1	0	0.0	0	0.0	31	6.8	0	0.0
30-39	3	15.8	3	23.1	0	0.0	1	11.1	94	20.8	0	0.0
40-49	8	42.1	5	38.5	3	50.0	4	44.4	133	29.4	0	0.0
50-59	3	15.8	1	7.7	2	33.3	3	33.3	115	25.4	1	50.0
60+	1	5.3	0	0.0	1	16.7	1	11.1	80	17.7	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	2	22.2	42	9.3	0	0.0
Brooklyn	6	31.6	5	38.5	1	16.7	1	11.1	106	23.4	0	0.0
Manhattan	1	5.3	1	7.7	0	0.0	0	0.0	66	14.6	1	50.0
Queens	12	63.2	7	53.8	5	83.3	6	66.7	197	43.5	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	36	7.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	15.8	1	7.7	2	33.3	2	22.2	47	10.4	1	50.0
Medium poverty (10 to <20% below FPL)	10	52.6	9	69.2	1	16.7	2	22.2	195	43.0	1	50.0
High poverty (20 to <30% below FPL)	3	15.8	1	7.7	2	33.3	2	22.2	79	17.4	0	0.0
Very high poverty (≥30% below FPL)	3	15.8	2	15.4	1	16.7	3	33.3	89	19.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	43	9.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	17	3.8	0	0.0
Heterosexual contact	14	73.7	10	76.9	4	66.7	7	77.8	275	60.7	0	0.0
Transgender people with sexual contact	2	10.5	2	15.4	0	0.0	0	0.0	23	5.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	15.8	1	7.7	2	33.3	2	22.2	133	29.4	2	100.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.3.9. Native American males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	4	66.7	2	33.3	4	100.0	202	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	25.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	33.3	1	25.0	1	50.0	1	25.0	12	5.9	0	0.0
30-39	2	33.3	1	25.0	1	50.0	2	50.0	35	17.3	0	0.0
40-49	1	16.7	1	25.0	0	0.0	1	25.0	59	29.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	59	29.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	36	17.8	3	100.0
BOROUGH OF RESIDENCE												
Bronx	2	33.3	2	50.0	0	0.0	0	0.0	43	21.3	0	0.0
Brooklyn	1	16.7	0	0.0	1	50.0	1	25.0	43	21.3	0	0.0
Manhattan	1	16.7	1	25.0	0	0.0	0	0.0	45	22.3	3	100.0
Queens	1	16.7	0	0.0	1	50.0	2	50.0	49	24.3	0	0.0
Other/Unknown	1	16.7	1	25.0	0	0.0	1	25.0	22	10.9	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	12	5.9	0	0.0
Medium poverty (10 to <20% below FPL)	1	16.7	0	0.0	1	50.0	2	50.0	66	32.7	0	0.0
High poverty (20 to <30% below FPL)	2	33.3	1	25.0	1	50.0	1	25.0	48	23.8	2	66.7
Very high poverty (≥30% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	55	27.2	1	33.3
Area-based poverty level not available	1	16.7	1	25.0	0	0.0	1	25.0	21	10.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	3	75.0	2	100.0	4	100.0	111	55.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	6.9	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	4.5	1	33.3
Heterosexual contact	1	16.7	1	25.0	0	0.0	0	0.0	18	8.9	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	48	23.8	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.3.10. Native American females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	75	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	7	9.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	8	10.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	24	32.0	1	100.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	26	34.7	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	100.0	9	12.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	30.7	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	28	37.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	8	10.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	13.3	1	100.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	25	33.3	1	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	14	18.7	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	31	41.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	100.0	47	62.7	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	20.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Borough categories have been combined due to small numbers. The 'Other/Unknown' category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.4.1. Males 0-12 Years

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	54	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	100.0	35	64.8	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	15	27.8	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	3.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	100.0	16	29.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	14	25.9	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	10	18.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	20.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	3.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	7.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	13	24.1	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	16.7	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	26	48.1	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	3.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	54	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.4.2. Females 0-12 Years

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	43	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	21	48.8	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	1	100.0	19	44.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	4.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	14	32.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	12	27.9	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	16.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	100.0	4	9.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	7.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	7.0	0	0.0
Unknown	1	100.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	11.6	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	9	20.9	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	16.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	19	44.2	0	0.0
Area-based poverty level not available	1	100.0	1	100.0	0	0.0	0	0.0	3	7.0	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	1	100.0	43	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.4.3. Males 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,771	100.0	1,464	82.7	307	17.3	928	100.0	89,358	100.0	978	100.0
RACE/ETHNICITY												
Black	689	38.9	550	37.6	139	45.3	431	46.4	34,237	38.3	437	44.7
Latino/Hispanic	611	34.5	523	35.7	88	28.7	309	33.3	29,101	32.6	360	36.8
White	323	18.2	275	18.8	48	15.6	144	15.5	23,111	25.9	158	16.2
Asian/Pacific Islander	125	7.1	98	6.7	27	8.8	36	3.9	2,214	2.5	18	1.8
Native American	6	0.3	4	0.3	2	0.7	4	0.4	202	0.2	3	0.3
Multiracial	17	1.0	14	1.0	3	1.0	4	0.4	217	0.2	2	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	276	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	61	3.4	58	4.0	3	1.0	8	0.9	275	0.3	0	0.0
20-29	705	39.8	633	43.2	72	23.5	164	17.7	7,225	8.1	25	2.6
30-39	476	26.9	394	26.9	82	26.7	231	24.9	13,907	15.6	62	6.3
40-49	296	16.7	208	14.2	88	28.7	234	25.2	19,353	21.7	114	11.7
50-59	156	8.8	116	7.9	40	13.0	187	20.2	28,732	32.2	353	36.1
60+	77	4.3	55	3.8	22	7.2	104	11.2	19,866	22.2	424	43.4
BOROUGH OF RESIDENCE												
Bronx	355	20.0	283	19.3	72	23.5	208	22.4	18,520	20.7	305	31.2
Brooklyn	423	23.9	346	23.6	77	25.1	221	23.8	19,655	22.0	245	25.1
Manhattan	412	23.3	348	23.8	64	20.8	210	22.6	27,238	30.5	197	20.1
Queens	345	19.5	277	18.9	68	22.1	159	17.1	13,395	15.0	127	13.0
Staten Island	43	2.4	34	2.3	9	2.9	22	2.4	1,561	1.7	35	3.6
Outside NYC	170	9.6	153	10.5	17	5.5	99	10.7	8,845	9.9	45	4.6
Unknown	23	1.3	23	1.6	0	0.0	9	1.0	144	0.2	24	2.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	139	7.8	115	7.9	24	7.8	70	7.5	10,740	12.0	81	8.3
Medium poverty (10 to <20% below FPL)	487	27.5	403	27.5	84	27.4	239	25.8	25,645	28.7	247	25.3
High poverty (20 to <30% below FPL)	432	24.4	350	23.9	82	26.7	216	23.3	18,572	20.8	189	19.3
Very high poverty (≥30% below FPL)	514	29.0	415	28.3	99	32.2	288	31.0	24,292	27.2	392	40.1
Area-based poverty level not available	199	11.2	181	12.4	18	5.9	115	12.4	10,109	11.3	69	7.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,236	69.8	1,078	73.6	158	51.5	484	52.2	49,357	55.2	279	28.5
Injection drug use history (IDU)	18	1.0	10	0.7	8	2.6	65	7.0	10,227	11.4	288	29.4
MSM-IDU	28	1.6	23	1.6	5	1.6	21	2.3	2,777	3.1	47	4.8
Heterosexual contact	67	3.8	47	3.2	20	6.5	56	6.0	6,078	6.8	89	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	9	1.0	1,169	1.3	2	0.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	2	0.2
Unknown	422	23.8	306	20.9	116	37.8	293	31.6	19,631	22.0	271	27.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.4.4. Females 13+ Years

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	507	100.0	403	79.5	104	20.5	335	100.0	34,432	100.0	425	100.0
RACE/ETHNICITY												
Black	302	59.6	244	60.5	58	55.8	198	59.1	20,009	58.1	238	56.0
Latino/Hispanic	156	30.8	121	30.0	35	33.7	104	31.0	11,240	32.6	152	35.8
White	29	5.7	24	6.0	5	4.8	23	6.9	2,520	7.3	32	7.5
Asian/Pacific Islander	19	3.7	13	3.2	6	5.8	9	2.7	453	1.3	2	0.5
Native American	0	0.0	0	0.0	0	0.0	1	0.3	74	0.2	1	0.2
Multiracial	1	0.2	1	0.2	0	0.0	0	0.0	55	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	81	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	18	3.6	18	4.5	0	0.0	7	2.1	244	0.7	1	0.2
20-29	98	19.3	90	22.3	8	7.7	49	14.6	2,258	6.6	6	1.4
30-39	127	25.0	102	25.3	25	24.0	73	21.8	4,401	12.8	25	5.9
40-49	112	22.1	78	19.4	34	32.7	87	26.0	8,109	23.6	71	16.7
50-59	107	21.1	88	21.8	19	18.3	78	23.3	11,964	34.7	177	41.6
60+	45	8.9	27	6.7	18	17.3	41	12.2	7,456	21.7	145	34.1
BOROUGH OF RESIDENCE												
Bronx	165	32.5	138	34.2	27	26.0	117	34.9	11,253	32.7	154	36.2
Brooklyn	158	31.2	125	31.0	33	31.7	101	30.1	10,057	29.2	124	29.2
Manhattan	56	11.0	44	10.9	12	11.5	35	10.4	5,221	15.2	78	18.4
Queens	70	13.8	50	12.4	20	19.2	43	12.8	4,897	14.2	40	9.4
Staten Island	18	3.6	12	3.0	6	5.8	10	3.0	833	2.4	14	3.3
Outside NYC	37	7.3	31	7.7	6	5.8	26	7.8	2,129	6.2	11	2.6
Unknown	3	0.6	3	0.7	0	0.0	3	0.9	42	0.1	4	0.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	6.5	22	5.5	11	10.6	17	5.1	2,236	6.5	31	7.3
Medium poverty (10 to <20% below FPL)	137	27.0	108	26.8	29	27.9	86	25.7	8,697	25.3	85	20.0
High poverty (20 to <30% below FPL)	103	20.3	77	19.1	26	25.0	67	20.0	7,312	21.2	88	20.7
Very high poverty (≥30% below FPL)	193	38.1	161	40.0	32	30.8	136	40.6	13,717	39.8	206	48.5
Area-based poverty level not available	41	8.1	35	8.7	6	5.8	29	8.7	2,470	7.2	15	3.5
TRANSMISSION RISK												
Injection drug use history (IDU)	14	2.8	13	3.2	1	1.0	26	7.8	5,367	15.6	139	32.7
Heterosexual contact	319	62.9	255	63.3	64	61.5	196	58.5	18,305	53.2	189	44.5
Transgender people with sexual contact	44	8.7	42	10.4	2	1.9	12	3.6	1,041	3.0	6	1.4
Perinatal	0	0.0	0	0.0	0	0.0	17	5.1	1,245	3.6	8	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	91	0.3	1	0.2
Unknown	130	25.6	93	23.1	37	35.6	84	25.1	8,383	24.3	82	19.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.1. Bronx, males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	355	100.0	283	79.7	72	20.3	209	100.0	18,536	100.0	305	100.0
RACE/ETHNICITY												
Black	160	45.1	121	42.8	39	54.2	102	48.8	8,406	45.3	133	43.6
Latino/Hispanic	172	48.5	142	50.2	30	41.7	98	46.9	8,844	47.7	157	51.5
White	11	3.1	10	3.5	1	1.4	5	2.4	1,029	5.6	13	4.3
Asian/Pacific Islander	8	2.3	7	2.5	1	1.4	2	1.0	152	0.8	1	0.3
Native American	2	0.6	2	0.7	0	0.0	0	0.0	43	0.2	0	0.0
Multiracial	2	0.6	1	0.4	1	1.4	2	1.0	34	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.5	16	0.1	0	0.0
13-19	12	3.4	11	3.9	1	1.4	2	1.0	89	0.5	0	0.0
20-29	140	39.4	123	43.5	17	23.6	37	17.7	1,890	10.2	4	1.3
30-39	86	24.2	63	22.3	23	31.9	58	27.8	2,843	15.3	14	4.6
40-49	67	18.9	45	15.9	22	30.6	51	24.4	3,754	20.3	35	11.5
50-59	39	11.0	32	11.3	7	9.7	38	18.2	5,970	32.2	119	39.0
60+	11	3.1	9	3.2	2	2.8	22	10.5	3,974	21.4	133	43.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	3.7	7	2.5	6	8.3	11	5.3	367	2.0	6	2.0
Medium poverty (10 to <20% below FPL)	34	9.6	27	9.5	7	9.7	22	10.5	2,347	12.7	35	11.5
High poverty (20 to <30% below FPL)	56	15.8	47	16.6	9	12.5	34	16.3	2,570	13.9	38	12.5
Very high poverty (≥30% below FPL)	252	71.0	202	71.4	50	69.4	142	67.9	13,136	70.9	226	74.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	116	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	204	57.5	176	62.2	28	38.9	83	39.7	7,273	39.2	43	14.1
Injection drug use history (IDU)	9	2.5	5	1.8	4	5.6	16	7.7	3,282	17.7	123	40.3
MSM-IDU	6	1.7	5	1.8	1	1.4	4	1.9	760	4.1	15	4.9
Heterosexual contact	22	6.2	17	6.0	5	6.9	15	7.2	1,742	9.4	31	10.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	1.4	410	2.2	2	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	1	0.3
Unknown	114	32.1	80	28.3	34	47.2	88	42.1	5,045	27.2	90	29.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.5.2. Bronx, females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	165	100.0	138	83.6	27	16.4	117	100.0	11,267	100.0	154	100.0
RACE/ETHNICITY												
Black	93	56.4	78	56.5	15	55.6	62	53.0	5,800	51.5	76	49.4
Latino/Hispanic	70	42.4	58	42.0	12	44.4	50	42.7	5,014	44.5	70	45.5
White	2	1.2	2	1.4	0	0.0	3	2.6	359	3.2	8	5.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.7	42	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	9	5.5	9	6.5	0	0.0	3	2.6	79	0.7	0	0.0
20-29	30	18.2	27	19.6	3	11.1	22	18.8	767	6.8	1	0.6
30-39	36	21.8	27	19.6	9	33.3	26	22.2	1,533	13.6	6	3.9
40-49	37	22.4	30	21.7	7	25.9	27	23.1	2,749	24.4	29	18.8
50-59	40	24.2	36	26.1	4	14.8	27	23.1	3,915	34.7	71	46.1
60+	13	7.9	9	6.5	4	14.8	12	10.3	2,210	19.6	47	30.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	1.2	2	1.4	0	0.0	1	0.9	225	2.0	7	4.5
Medium poverty (10 to <20% below FPL)	25	15.2	20	14.5	5	18.5	19	16.2	1,396	12.4	20	13.0
High poverty (20 to <30% below FPL)	27	16.4	20	14.5	7	25.9	14	12.0	1,693	15.0	15	9.7
Very high poverty (≥30% below FPL)	111	67.3	96	69.6	15	55.6	83	70.9	7,917	70.3	112	72.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	2.4	4	2.9	0	0.0	10	8.5	1,955	17.4	50	32.5
Heterosexual contact	120	72.7	99	71.7	21	77.8	77	65.8	5,960	52.9	73	47.4
Transgender people with sexual contact	15	9.1	14	10.1	1	3.7	4	3.4	316	2.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	9.4	424	3.8	2	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
Unknown	26	15.8	21	15.2	5	18.5	15	12.8	2,593	23.0	29	18.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.5.3. Brooklyn, males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	423	100.0	346	81.8	77	18.2	221	100.0	19,669	100.0	245	100.0
RACE/ETHNICITY												
Black	243	57.4	201	58.1	42	54.5	132	59.7	11,026	56.1	144	58.8
Latino/Hispanic	80	18.9	65	18.8	15	19.5	51	23.1	4,837	24.6	67	27.3
White	68	16.1	56	16.2	12	15.6	29	13.1	3,300	16.8	32	13.1
Asian/Pacific Islander	26	6.1	19	5.5	7	9.1	8	3.6	390	2.0	2	0.8
Native American	1	0.2	0	0.0	1	1.3	1	0.5	43	0.2	0	0.0
Multiracial	5	1.2	5	1.4	0	0.0	0	0.0	42	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	23	5.4	23	6.6	0	0.0	3	1.4	89	0.5	0	0.0
20-29	183	43.3	162	46.8	21	27.3	43	19.5	1,960	10.0	7	2.9
30-39	106	25.1	90	26.0	16	20.8	50	22.6	3,439	17.5	22	9.0
40-49	55	13.0	36	10.4	19	24.7	48	21.7	4,209	21.4	19	7.8
50-59	37	8.7	24	6.9	13	16.9	48	21.7	5,757	29.3	89	36.3
60+	19	4.5	11	3.2	8	10.4	29	13.1	4,201	21.4	108	44.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	1.9	8	2.3	0	0.0	6	2.7	687	3.5	6	2.4
Medium poverty (10 to <20% below FPL)	116	27.4	96	27.7	20	26.0	62	28.1	6,938	35.3	71	29.0
High poverty (20 to <30% below FPL)	119	28.1	96	27.7	23	29.9	54	24.4	4,619	23.5	56	22.9
Very high poverty (≥30% below FPL)	180	42.6	146	42.2	34	44.2	98	44.3	7,256	36.9	112	45.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.5	169	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	271	64.1	236	68.2	35	45.5	97	43.9	9,809	49.9	71	29.0
Injection drug use history (IDU)	3	0.7	1	0.3	2	2.6	22	10.0	2,361	12.0	61	24.9
MSM-IDU	4	0.9	3	0.9	1	1.3	3	1.4	568	2.9	11	4.5
Heterosexual contact	13	3.1	6	1.7	7	9.1	17	7.7	1,629	8.3	25	10.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	2.3	330	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	132	31.2	100	28.9	32	41.6	77	34.8	4,949	25.2	77	31.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.4. Brooklyn, females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	158	100.0	125	79.1	33	20.9	101	100.0	10,069	100.0	124	100.0
RACE/ETHNICITY												
Black	118	74.7	94	75.2	24	72.7	73	72.3	7,045	70.0	83	66.9
Latino/Hispanic	26	16.5	21	16.8	5	15.2	15	14.9	2,305	22.9	34	27.4
White	7	4.4	4	3.2	3	9.1	11	10.9	545	5.4	7	5.6
Asian/Pacific Islander	6	3.8	5	4.0	1	3.0	1	1.0	106	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.0	28	0.3	0	0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	16	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
13-19	4	2.5	4	3.2	0	0.0	2	2.0	63	0.6	0	0.0
20-29	33	20.9	31	24.8	2	6.1	14	13.9	646	6.4	4	3.2
30-39	43	27.2	34	27.2	9	27.3	19	18.8	1,348	13.4	12	9.7
40-49	25	15.8	17	13.6	8	24.2	26	25.7	2,350	23.3	20	16.1
50-59	38	24.1	30	24.0	8	24.2	23	22.8	3,380	33.6	45	36.3
60+	15	9.5	9	7.2	6	18.2	17	16.8	2,270	22.5	43	34.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	2.5	4	3.2	0	0.0	0	0.0	329	3.3	3	2.4
Medium poverty (10 to <20% below FPL)	62	39.2	50	40.0	12	36.4	36	35.6	3,398	33.7	37	29.8
High poverty (20 to <30% below FPL)	24	15.2	17	13.6	7	21.2	21	20.8	2,020	20.1	25	20.2
Very high poverty (≥30% below FPL)	68	43.0	54	43.2	14	42.4	44	43.6	4,255	42.3	59	47.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	67	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	2.5	3	2.4	1	3.0	10	9.9	1,400	13.9	36	29.0
Heterosexual contact	88	55.7	72	57.6	16	48.5	49	48.5	5,500	54.6	54	43.5
Transgender people with sexual contact	11	7.0	11	8.8	0	0.0	2	2.0	254	2.5	5	4.0
Perinatal	0	0.0	0	0.0	0	0.0	4	4.0	349	3.5	5	4.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	55	34.8	39	31.2	16	48.5	36	35.6	2,540	25.2	24	19.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.5. Manhattan, males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	412	100.0	348	84.5	64	15.5	210	100.0	27,248	100.0	197	100.0
RACE/ETHNICITY												
Black	116	28.2	86	24.7	30	46.9	84	40.0	7,210	26.5	64	32.5
Latino/Hispanic	137	33.3	126	36.2	11	17.2	64	30.5	7,490	27.5	64	32.5
White	126	30.6	107	30.7	19	29.7	56	26.7	11,561	42.4	62	31.5
Asian/Pacific Islander	25	6.1	22	6.3	3	4.7	5	2.4	706	2.6	4	2.0
Native American	1	0.2	1	0.3	0	0.0	0	0.0	45	0.2	3	1.5
Multiracial	7	1.7	6	1.7	1	1.6	1	0.5	72	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	164	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.0	0	0.0
13-19	12	2.9	10	2.9	2	3.1	1	0.5	34	0.1	0	0.0
20-29	157	38.1	145	41.7	12	18.8	29	13.8	1,621	5.9	7	3.6
30-39	128	31.1	107	30.7	21	32.8	56	26.7	4,038	14.8	10	5.1
40-49	68	16.5	49	14.1	19	29.7	57	27.1	6,038	22.2	17	8.6
50-59	30	7.3	23	6.6	7	10.9	49	23.3	8,970	32.9	68	34.5
60+	17	4.1	14	4.0	3	4.7	18	8.6	6,537	24.0	95	48.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	64	15.5	54	15.5	10	15.6	35	16.7	7,489	27.5	41	20.8
Medium poverty (10 to <20% below FPL)	101	24.5	89	25.6	12	18.8	44	21.0	7,084	26.0	51	25.9
High poverty (20 to <30% below FPL)	161	39.1	134	38.5	27	42.2	77	36.7	8,077	29.6	51	25.9
Very high poverty (≥30% below FPL)	82	19.9	67	19.3	15	23.4	49	23.3	3,926	14.4	54	27.4
Area-based poverty level not available	4	1.0	4	1.1	0	0.0	5	2.4	672	2.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	325	78.9	288	82.8	37	57.8	128	61.0	18,554	68.1	91	46.2
Injection drug use history (IDU)	1	0.2	1	0.3	0	0.0	10	4.8	2,169	8.0	49	24.9
MSM-IDU	8	1.9	6	1.7	2	3.1	8	3.8	818	3.0	9	4.6
Heterosexual contact	7	1.7	5	1.4	2	3.1	7	3.3	966	3.5	11	5.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.5	183	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	71	17.2	48	13.8	23	35.9	56	26.7	4,538	16.7	37	18.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.6. Manhattan, females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	44	78.6	12	21.4	35	100.0	5,228	100.0	78	100.0
RACE/ETHNICITY												
Black	26	46.4	23	52.3	3	25.0	17	48.6	2,883	55.1	40	51.3
Latino/Hispanic	21	37.5	12	27.3	9	75.0	16	45.7	1,729	33.1	29	37.2
White	8	14.3	8	18.2	0	0.0	2	5.7	516	9.9	8	10.3
Asian/Pacific Islander	1	1.8	1	2.3	0	0.0	0	0.0	66	1.3	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	3	5.4	3	6.8	0	0.0	0	0.0	33	0.6	0	0.0
20-29	13	23.2	10	22.7	3	25.0	6	17.1	336	6.4	1	1.3
30-39	12	21.4	11	25.0	1	8.3	9	25.7	553	10.6	2	2.6
40-49	13	23.2	8	18.2	5	41.7	10	28.6	1,117	21.4	16	20.5
50-59	7	12.5	7	15.9	0	0.0	4	11.4	1,887	36.1	29	37.2
60+	8	14.3	5	11.4	3	25.0	6	17.1	1,295	24.8	30	38.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	16.1	7	15.9	2	16.7	5	14.3	583	11.2	10	12.8
Medium poverty (10 to <20% below FPL)	6	10.7	3	6.8	3	25.0	6	17.1	835	16.0	6	7.7
High poverty (20 to <30% below FPL)	26	46.4	22	50.0	4	33.3	15	42.9	2,126	40.7	27	34.6
Very high poverty (≥30% below FPL)	14	25.0	11	25.0	3	25.0	9	25.7	1,564	29.9	35	44.9
Area-based poverty level not available	1	1.8	1	2.3	0	0.0	0	0.0	120	2.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	3.6	2	4.5	0	0.0	3	8.6	991	19.0	22	28.2
Heterosexual contact	37	66.1	29	65.9	8	66.7	22	62.9	2,444	46.7	35	44.9
Transgender people with sexual contact	5	8.9	4	9.1	1	8.3	3	8.6	228	4.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	190	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	1	1.3
Unknown	12	21.4	9	20.5	3	25.0	7	20.0	1,360	26.0	20	25.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.7. Queens, males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	345	100.0	277	80.3	68	19.7	159	100.0	13,406	100.0	127	100.0
RACE/ETHNICITY												
Black	79	22.9	62	22.4	17	25.0	53	33.3	4,420	33.0	52	40.9
Latino/Hispanic	164	47.5	138	49.8	26	38.2	68	42.8	5,616	41.9	45	35.4
White	47	13.6	38	13.7	9	13.2	17	10.7	2,498	18.6	19	15.0
Asian/Pacific Islander	54	15.7	39	14.1	15	22.1	19	11.9	767	5.7	11	8.7
Native American	1	0.3	0	0.0	1	1.5	2	1.3	49	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
13-19	6	1.7	6	2.2	0	0.0	0	0.0	34	0.3	0	0.0
20-29	128	37.1	112	40.4	16	23.5	29	18.2	1,089	8.1	3	2.4
30-39	101	29.3	83	30.0	18	26.5	45	28.3	2,247	16.8	6	4.7
40-49	66	19.1	47	17.0	19	27.9	41	25.8	3,189	23.8	27	21.3
50-59	31	9.0	23	8.3	8	11.8	24	15.1	4,284	32.0	44	34.6
60+	13	3.8	6	2.2	7	10.3	20	12.6	2,552	19.0	47	37.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	12.5	36	13.0	7	10.3	15	9.4	1,768	13.2	20	15.7
Medium poverty (10 to <20% below FPL)	223	64.6	181	65.3	42	61.8	101	63.5	8,775	65.5	72	56.7
High poverty (20 to <30% below FPL)	79	22.9	60	21.7	19	27.9	43	27.0	2,717	20.3	35	27.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	146	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	263	76.2	220	79.4	43	63.2	97	61.0	7,226	53.9	42	33.1
Injection drug use history (IDU)	1	0.3	0	0.0	1	1.5	8	5.0	1,465	10.9	25	19.7
MSM-IDU	2	0.6	2	0.7	0	0.0	0	0.0	359	2.7	7	5.5
Heterosexual contact	18	5.2	13	4.7	5	7.4	11	6.9	1,141	8.5	14	11.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	180	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	1	0.8
Unknown	61	17.7	42	15.2	19	27.9	43	27.0	3,013	22.5	38	29.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.8. Queens, females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	50	71.4	20	28.6	44	100.0	4,901	100.0	40	100.0
RACE/ETHNICITY												
Black	29	41.4	21	42.0	8	40.0	23	52.3	2,773	56.6	25	62.5
Latino/Hispanic	28	40.0	21	42.0	7	35.0	13	29.5	1,452	29.6	6	15.0
White	1	1.4	1	2.0	0	0.0	2	4.5	440	9.0	7	17.5
Asian/Pacific Islander	12	17.1	7	14.0	5	25.0	6	13.6	197	4.0	1	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	2.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.3	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	37	0.8	1	2.5
20-29	9	12.9	9	18.0	0	0.0	2	4.5	315	6.4	0	0.0
30-39	20	28.6	17	34.0	3	15.0	13	29.5	616	12.6	2	5.0
40-49	23	32.9	14	28.0	9	45.0	13	29.5	1,191	24.3	3	7.5
50-59	13	18.6	8	16.0	5	25.0	11	25.0	1,696	34.6	17	42.5
60+	5	7.1	2	4.0	3	15.0	4	9.1	1,042	21.3	17	42.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	18.6	7	14.0	6	30.0	8	18.2	906	18.5	8	20.0
Medium poverty (10 to <20% below FPL)	35	50.0	28	56.0	7	35.0	24	54.5	2,769	56.5	16	40.0
High poverty (20 to <30% below FPL)	22	31.4	15	30.0	7	35.0	12	27.3	1,153	23.5	16	40.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	73	1.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	1	1.4	1	2.0	0	0.0	2	4.5	636	13.0	16	40.0
Heterosexual contact	45	64.3	32	64.0	13	65.0	27	61.4	2,803	57.2	17	42.5
Transgender people with sexual contact	5	7.1	5	10.0	0	0.0	1	2.3	150	3.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	183	3.7	1	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Unknown	19	27.1	12	24.0	7	35.0	13	29.5	1,111	22.7	6	15.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.5.9. Staten Island, males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	34	79.1	9	20.9	22	100.0	1,562	100.0	35	100.0
RACE/ETHNICITY												
Black	19	44.2	15	44.1	4	44.4	14	63.6	567	36.3	16	45.7
Latino/Hispanic	7	16.3	5	14.7	2	22.2	3	13.6	436	27.9	9	25.7
White	15	34.9	12	35.3	3	33.3	5	22.7	523	33.5	9	25.7
Asian/Pacific Islander	1	2.3	1	2.9	0	0.0	0	0.0	23	1.5	0	0.0
Other/Unknown	1	2.3	1	2.9	0	0.0	0	0.0	13	0.8	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
20-29	15	34.9	14	41.2	1	11.1	6	27.3	130	8.3	3	8.6
30-39	10	23.3	10	29.4	0	0.0	1	4.5	212	13.6	1	2.9
40-49	8	18.6	5	14.7	3	33.3	4	18.2	308	19.7	4	11.4
50-59	4	9.3	1	2.9	3	33.3	8	36.4	552	35.3	10	28.6
60+	6	14.0	4	11.8	2	22.2	3	13.6	354	22.7	17	48.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	25.6	10	29.4	1	11.1	3	13.6	433	27.7	8	22.9
Medium poverty (10 to <20% below FPL)	13	30.2	10	29.4	3	33.3	10	45.5	514	32.9	18	51.4
High poverty (20 to <30% below FPL)	17	39.5	13	38.2	4	44.4	8	36.4	598	38.3	9	25.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	2	4.7	1	2.9	1	11.1	1	4.5	17	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	55.8	21	61.8	3	33.3	11	50.0	674	43.1	8	22.9
Injection drug use history (IDU)	1	2.3	0	0.0	1	11.1	2	9.1	263	16.8	13	37.1
MSM-IDU	2	4.7	2	5.9	0	0.0	0	0.0	63	4.0	2	5.7
Heterosexual contact	3	7.0	2	5.9	1	11.1	3	13.6	143	9.2	3	8.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	13	30.2	9	26.5	4	44.4	6	27.3	385	24.6	9	25.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.5.10. Staten Island, females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	12	66.7	6	33.3	10	100.0	836	100.0	14	100.0
RACE/ETHNICITY												
Black	13	72.2	9	75.0	4	66.7	7	70.0	398	47.6	6	42.9
Latino/Hispanic	2	11.1	0	0.0	2	33.3	3	30.0	239	28.6	7	50.0
White	3	16.7	3	25.0	0	0.0	0	0.0	186	22.2	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
20-29	3	16.7	3	25.0	0	0.0	1	10.0	41	4.9	0	0.0
30-39	6	33.3	4	33.3	2	33.3	2	20.0	108	12.9	0	0.0
40-49	6	33.3	4	33.3	2	33.3	3	30.0	194	23.2	2	14.3
50-59	3	16.7	1	8.3	2	33.3	4	40.0	321	38.4	9	64.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	159	19.0	3	21.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	27.8	2	16.7	3	50.0	3	30.0	198	23.7	3	21.4
Medium poverty (10 to <20% below FPL)	9	50.0	7	58.3	2	33.3	2	20.0	308	36.8	6	42.9
High poverty (20 to <30% below FPL)	4	22.2	3	25.0	1	16.7	5	50.0	327	39.1	5	35.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	127	15.2	10	71.4
Heterosexual contact	12	66.7	8	66.7	4	66.7	6	60.0	466	55.7	3	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	21	2.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	6	33.3	4	33.3	2	33.3	4	40.0	184	22.0	1	7.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,236	100.0	1,078	87.2	158	12.8	484	100.0	49,357	100.0	279	100.0
RACE/ETHNICITY												
Black	410	33.2	352	32.7	58	36.7	202	41.7	15,069	30.5	102	36.6
Latino/Hispanic	466	37.7	416	38.6	50	31.6	166	34.3	14,768	29.9	82	29.4
White	254	20.6	225	20.9	29	18.4	87	18.0	17,755	36.0	87	31.2
Asian/Pacific Islander	88	7.1	72	6.7	16	10.1	22	4.5	1,450	2.9	8	2.9
Native American	5	0.4	3	0.3	2	1.3	4	0.8	111	0.2	0	0.0
Multiracial	13	1.1	10	0.9	3	1.9	3	0.6	169	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	53	4.3	52	4.8	1	0.6	2	0.4	86	0.2	0	0.0
20-29	576	46.6	528	49.0	48	30.4	124	25.6	5,496	11.1	17	6.1
30-39	336	27.2	289	26.8	47	29.7	146	30.2	10,650	21.6	36	12.9
40-49	174	14.1	132	12.2	42	26.6	115	23.8	11,915	24.1	43	15.4
50-59	72	5.8	56	5.2	16	10.1	68	14.0	13,812	28.0	94	33.7
60+	25	2.0	21	1.9	4	2.5	29	6.0	7,398	15.0	89	31.9
BOROUGH OF RESIDENCE												
Bronx	204	16.5	176	16.3	28	17.7	83	17.1	7,273	14.7	43	15.4
Brooklyn	271	21.9	236	21.9	35	22.2	97	20.0	9,809	19.9	71	25.4
Manhattan	325	26.3	288	26.7	37	23.4	128	26.4	18,554	37.6	91	32.6
Queens	263	21.3	220	20.4	43	27.2	97	20.0	7,226	14.6	42	15.1
Staten Island	24	1.9	21	1.9	3	1.9	11	2.3	674	1.4	8	2.9
Outside NYC	134	10.8	122	11.3	12	7.6	64	13.2	5,749	11.6	13	4.7
Unknown	15	1.2	15	1.4	0	0.0	4	0.8	72	0.1	11	3.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	98	7.9	86	8.0	12	7.6	39	8.1	7,397	15.0	41	14.7
Medium poverty (10 to <20% below FPL)	370	29.9	318	29.5	52	32.9	141	29.1	14,790	30.0	94	33.7
High poverty (20 to <30% below FPL)	301	24.4	260	24.1	41	25.9	116	24.0	10,460	21.2	47	16.8
Very high poverty (≥30% below FPL)	315	25.5	274	25.4	41	25.9	116	24.0	10,478	21.2	73	26.2
Area-based poverty level not available	152	12.3	140	13.0	12	7.6	72	14.9	6,232	12.6	24	8.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	10	55.6	8	44.4	65	100.0	10,227	100.0	288	100.0
RACE/ETHNICITY												
Black	7	38.9	4	40.0	3	37.5	26	40.0	4,125	40.3	116	40.3
Latino/Hispanic	6	33.3	4	40.0	2	25.0	24	36.9	4,837	47.3	138	47.9
White	3	16.7	2	20.0	1	12.5	12	18.5	1,185	11.6	32	11.1
Asian/Pacific Islander	2	11.1	0	0.0	2	25.0	3	4.6	53	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	5.6	1	10.0	0	0.0	0	0.0	24	0.2	0	0.0
30-39	6	33.3	3	30.0	3	37.5	3	4.6	223	2.2	3	1.0
40-49	3	16.7	2	20.0	1	12.5	11	16.9	1,060	10.4	18	6.3
50-59	4	22.2	2	20.0	2	25.0	24	36.9	3,878	37.9	113	39.2
60+	4	22.2	2	20.0	2	25.0	27	41.5	5,042	49.3	154	53.5
BOROUGH OF RESIDENCE												
Bronx	9	50.0	5	50.0	4	50.0	16	24.6	3,282	32.1	123	42.7
Brooklyn	3	16.7	1	10.0	2	25.0	22	33.8	2,361	23.1	61	21.2
Manhattan	1	5.6	1	10.0	0	0.0	10	15.4	2,169	21.2	49	17.0
Queens	1	5.6	0	0.0	1	12.5	8	12.3	1,465	14.3	25	8.7
Staten Island	1	5.6	0	0.0	1	12.5	2	3.1	263	2.6	13	4.5
Outside NYC	1	5.6	1	10.0	0	0.0	7	10.8	672	6.6	14	4.9
Unknown	2	11.1	2	20.0	0	0.0	0	0.0	15	0.1	3	1.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	1	10.0	0	0.0	4	6.2	661	6.5	19	6.6
Medium poverty (10 to <20% below FPL)	2	11.1	0	0.0	2	25.0	16	24.6	2,581	25.2	57	19.8
High poverty (20 to <30% below FPL)	4	22.2	2	20.0	2	25.0	13	20.0	1,970	19.3	58	20.1
Very high poverty (≥30% below FPL)	8	44.4	4	40.0	4	50.0	24	36.9	4,091	40.0	137	47.6
Area-based poverty level not available	3	16.7	3	30.0	0	0.0	8	12.3	924	9.0	17	5.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	26	100.0	5,367	100.0	139	100.0
RACE/ETHNICITY												
Black	6	42.9	5	38.5	1	100.0	13	50.0	2,548	47.5	64	46.0
Latino/Hispanic	5	35.7	5	38.5	0	0.0	6	23.1	2,174	40.5	62	44.6
White	3	21.4	3	23.1	0	0.0	7	26.9	615	11.5	13	9.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	7.1	1	7.7	0	0.0	2	7.7	31	0.6	0	0.0
30-39	2	14.3	2	15.4	0	0.0	4	15.4	231	4.3	7	5.0
40-49	3	21.4	3	23.1	0	0.0	4	15.4	899	16.8	17	12.2
50-59	7	50.0	6	46.2	1	100.0	11	42.3	2,449	45.6	67	48.2
60+	1	7.1	1	7.7	0	0.0	5	19.2	1,757	32.7	48	34.5
BOROUGH OF RESIDENCE												
Bronx	4	28.6	4	30.8	0	0.0	10	38.5	1,955	36.4	50	36.0
Brooklyn	4	28.6	3	23.1	1	100.0	10	38.5	1,400	26.1	36	25.9
Manhattan	2	14.3	2	15.4	0	0.0	3	11.5	991	18.5	22	15.8
Queens	1	7.1	1	7.7	0	0.0	2	7.7	636	11.9	16	11.5
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	127	2.4	10	7.2
Outside NYC	3	21.4	3	23.1	0	0.0	0	0.0	251	4.7	2	1.4
Unknown	0	0.0	0	0.0	0	0.0	1	3.8	7	0.1	3	2.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	302	5.6	8	5.8
Medium poverty (10 to <20% below FPL)	2	14.3	2	15.4	0	0.0	6	23.1	1,218	22.7	29	20.9
High poverty (20 to <30% below FPL)	3	21.4	2	15.4	1	100.0	6	23.1	1,079	20.1	34	24.5
Very high poverty (≥30% below FPL)	6	42.9	6	46.2	0	0.0	13	50.0	2,444	45.5	63	45.3
Area-based poverty level not available	3	21.4	3	23.1	0	0.0	1	3.8	324	6.0	5	3.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	23	82.1	5	17.9	21	100.0	2,777	100.0	47	100.0
RACE/ETHNICITY												
Black	6	21.4	6	26.1	0	0.0	4	19.0	985	35.5	23	48.9
Latino/Hispanic	10	35.7	8	34.8	2	40.0	10	47.6	1,085	39.1	16	34.0
White	11	39.3	8	34.8	3	60.0	7	33.3	656	23.6	7	14.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	35	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	2.1
Multiracial	1	3.6	1	4.3	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	13	46.4	11	47.8	2	40.0	4	19.0	140	5.0	0	0.0
30-39	8	28.6	7	30.4	1	20.0	6	28.6	381	13.7	4	8.5
40-49	4	14.3	2	8.7	2	40.0	6	28.6	618	22.3	6	12.8
50-59	2	7.1	2	8.7	0	0.0	5	23.8	1,017	36.6	19	40.4
60+	1	3.6	1	4.3	0	0.0	0	0.0	620	22.3	18	38.3
BOROUGH OF RESIDENCE												
Bronx	6	21.4	5	21.7	1	20.0	4	19.0	760	27.4	15	31.9
Brooklyn	4	14.3	3	13.0	1	20.0	3	14.3	568	20.5	11	23.4
Manhattan	8	28.6	6	26.1	2	40.0	8	38.1	818	29.5	9	19.1
Queens	2	7.1	2	8.7	0	0.0	0	0.0	359	12.9	7	14.9
Staten Island	2	7.1	2	8.7	0	0.0	0	0.0	63	2.3	2	4.3
Outside NYC	6	21.4	5	21.7	1	20.0	6	28.6	205	7.4	2	4.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	1	2.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	7.1	1	4.3	1	20.0	2	9.5	267	9.6	1	2.1
Medium poverty (10 to <20% below FPL)	6	21.4	6	26.1	0	0.0	4	19.0	763	27.5	12	25.5
High poverty (20 to <30% below FPL)	5	17.9	5	21.7	0	0.0	2	9.5	566	20.4	10	21.3
Very high poverty (≥30% below FPL)	9	32.1	6	26.1	3	60.0	7	33.3	947	34.1	21	44.7
Area-based poverty level not available	6	21.4	5	21.7	1	20.0	6	28.6	234	8.4	3	6.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.6.5. Heterosexual contact, males

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	47	70.1	20	29.9	56	100.0	6,078	100.0	89	100.0
RACE/ETHNICITY												
Black	38	56.7	27	57.4	11	55.0	32	57.1	3,311	54.5	55	61.8
Latino/Hispanic	23	34.3	17	36.2	6	30.0	19	33.9	2,048	33.7	28	31.5
White	3	4.5	1	2.1	2	10.0	4	7.1	516	8.5	3	3.4
Asian/Pacific Islander	2	3.0	1	2.1	1	5.0	1	1.8	176	2.9	3	3.4
Native American	1	1.5	1	2.1	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
20-29	10	14.9	9	19.1	1	5.0	2	3.6	110	1.8	0	0.0
30-39	13	19.4	10	21.3	3	15.0	13	23.2	491	8.1	3	3.4
40-49	22	32.8	12	25.5	10	50.0	19	33.9	1,455	23.9	16	18.0
50-59	18	26.9	15	31.9	3	15.0	15	26.8	2,491	41.0	28	31.5
60+	4	6.0	1	2.1	3	15.0	7	12.5	1,528	25.1	42	47.2
BOROUGH OF RESIDENCE												
Bronx	22	32.8	17	36.2	5	25.0	15	26.8	1,742	28.7	31	34.8
Brooklyn	13	19.4	6	12.8	7	35.0	17	30.4	1,629	26.8	25	28.1
Manhattan	7	10.4	5	10.6	2	10.0	7	12.5	966	15.9	11	12.4
Queens	18	26.9	13	27.7	5	25.0	11	19.6	1,141	18.8	14	15.7
Staten Island	3	4.5	2	4.3	1	5.0	3	5.4	143	2.4	3	3.4
Outside NYC	3	4.5	3	6.4	0	0.0	2	3.6	453	7.5	3	3.4
Unknown	1	1.5	1	2.1	0	0.0	1	1.8	4	0.1	2	2.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	4.5	3	6.4	0	0.0	0	0.0	417	6.9	3	3.4
Medium poverty (10 to <20% below FPL)	14	20.9	11	23.4	3	15.0	11	19.6	1,662	27.3	13	14.6
High poverty (20 to <30% below FPL)	18	26.9	10	21.3	8	40.0	13	23.2	1,340	22.0	17	19.1
Very high poverty (≥30% below FPL)	28	41.8	19	40.4	9	45.0	29	51.8	2,168	35.7	51	57.3
Area-based poverty level not available	4	6.0	4	8.5	0	0.0	3	5.4	491	8.1	5	5.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.6.6. Heterosexual contact, females

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	319	100.0	255	79.9	64	20.1	196	100.0	18,305	100.0	189	100.0
RACE/ETHNICITY												
Black	180	56.4	149	58.4	31	48.4	114	58.2	10,886	59.5	114	60.3
Latino/Hispanic	106	33.2	80	31.4	26	40.6	69	35.2	5,867	32.1	62	32.8
White	18	5.6	15	5.9	3	4.7	5	2.6	1,186	6.5	12	6.3
Asian/Pacific Islander	14	4.4	10	3.9	4	6.3	7	3.6	275	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.5	47	0.3	1	0.5
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	34	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	12	3.8	12	4.7	0	0.0	1	0.5	29	0.2	0	0.0
20-29	53	16.6	50	19.6	3	4.7	18	9.2	897	4.9	1	0.5
30-39	81	25.4	64	25.1	17	26.6	51	26.0	2,705	14.8	6	3.2
40-49	70	21.9	53	20.8	17	26.6	55	28.1	4,689	25.6	40	21.2
50-59	69	21.6	58	22.7	11	17.2	42	21.4	6,303	34.4	78	41.3
60+	34	10.7	18	7.1	16	25.0	29	14.8	3,682	20.1	64	33.9
BOROUGH OF RESIDENCE												
Bronx	120	37.6	99	38.8	21	32.8	77	39.3	5,960	32.6	73	38.6
Brooklyn	88	27.6	72	28.2	16	25.0	49	25.0	5,500	30.0	54	28.6
Manhattan	37	11.6	29	11.4	8	12.5	22	11.2	2,444	13.4	35	18.5
Queens	45	14.1	32	12.5	13	20.3	27	13.8	2,803	15.3	17	9.0
Staten Island	12	3.8	8	3.1	4	6.3	6	3.1	466	2.5	3	1.6
Outside NYC	17	5.3	15	5.9	2	3.1	13	6.6	1,118	6.1	7	3.7
Unknown	0	0.0	0	0.0	0	0.0	2	1.0	14	0.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	17	5.3	13	5.1	4	6.3	8	4.1	1,188	6.5	14	7.4
Medium poverty (10 to <20% below FPL)	88	27.6	66	25.9	22	34.4	55	28.1	4,724	25.8	38	20.1
High poverty (20 to <30% below FPL)	70	21.9	54	21.2	16	25.0	38	19.4	3,931	21.5	37	19.6
Very high poverty (≥30% below FPL)	126	39.5	106	41.6	20	31.3	80	40.8	7,241	39.6	93	49.2
Area-based poverty level not available	18	5.6	16	6.3	2	3.1	15	7.7	1,221	6.7	7	3.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	42	95.5	2	4.5	12	100.0	1,051	100.0	6	100.0
GENDER												
Male	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	0.0
Female	44	100.0	42	100.0	2	100.0	12	100.0	1,041	99.0	6	100.0
RACE/ETHNICITY												
Black	19	43.2	19	45.2	0	0.0	5	41.7	517	49.2	2	33.3
Latino/Hispanic	21	47.7	19	45.2	2	100.0	5	41.7	431	41.0	3	50.0
White	2	4.5	2	4.8	0	0.0	2	16.7	64	6.1	1	16.7
Asian/Pacific Islander	2	4.5	2	4.8	0	0.0	0	0.0	23	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	6.8	3	7.1	0	0.0	0	0.0	6	0.6	0	0.0
20-29	27	61.4	26	61.9	1	50.0	7	58.3	273	26.0	0	0.0
30-39	9	20.5	8	19.0	1	50.0	3	25.0	368	35.0	4	66.7
40-49	4	9.1	4	9.5	0	0.0	1	8.3	259	24.6	0	0.0
50-59	1	2.3	1	2.4	0	0.0	1	8.3	112	10.7	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	33	3.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	15	34.1	14	33.3	1	50.0	4	33.3	322	30.6	0	0.0
Brooklyn	11	25.0	11	26.2	0	0.0	2	16.7	255	24.3	5	83.3
Manhattan	5	11.4	4	9.5	1	50.0	3	25.0	231	22.0	0	0.0
Queens	5	11.4	5	11.9	0	0.0	1	8.3	150	14.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	21	2.0	0	0.0
Outside NYC	6	13.6	6	14.3	0	0.0	2	16.7	70	6.7	1	16.7
Unknown	2	4.5	2	4.8	0	0.0	0	0.0	2	0.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	4.5	1	2.4	1	50.0	2	16.7	55	5.2	0	0.0
Medium poverty (10 to <20% below FPL)	10	22.7	10	23.8	0	0.0	2	16.7	281	26.7	2	33.3
High poverty (20 to <30% below FPL)	4	9.1	4	9.5	0	0.0	1	8.3	238	22.6	1	16.7
Very high poverty (≥30% below FPL)	20	45.5	19	45.2	1	50.0	5	41.7	399	38.0	2	33.3
Area-based poverty level not available	8	18.2	8	19.0	0	0.0	2	16.7	78	7.4	1	16.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	13	100.0	0	0.0	5	100.0	716	100.0	20	100.0
GENDER												
Male	10	76.9	10	76.9	0	0.0	3	60.0	490	68.4	15	75.0
Female	3	23.1	3	23.1	0	0.0	2	40.0	226	31.6	5	25.0
RACE/ETHNICITY												
Black	4	30.8	4	30.8	0	0.0	2	40.0	238	33.2	10	50.0
Latino/Hispanic	6	46.2	6	46.2	0	0.0	2	40.0	326	45.5	6	30.0
White	2	15.4	2	15.4	0	0.0	1	20.0	138	19.3	4	20.0
Asian/Pacific Islander	1	7.7	1	7.7	0	0.0	0	0.0	9	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	30.8	4	30.8	0	0.0	1	20.0	62	8.7	0	0.0
30-39	5	38.5	5	38.5	0	0.0	2	40.0	99	13.8	0	0.0
40-49	2	15.4	2	15.4	0	0.0	1	20.0	147	20.5	2	10.0
50-59	2	15.4	2	15.4	0	0.0	1	20.0	218	30.4	6	30.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	189	26.4	12	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	69.2	9	69.2	0	0.0	2	40.0	279	39.0	5	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	91	12.7	7	35.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Heterosexual contact	3	23.1	3	23.1	0	0.0	1	20.0	152	21.2	2	10.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	7.7	1	7.7	0	0.0	1	20.0	166	23.2	6	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	40	72.7	15	27.3	38	100.0	2,647	100.0	44	100.0
GENDER												
Male	33	60.0	22	55.0	11	73.3	25	65.8	1,526	57.7	25	56.8
Female	22	40.0	18	45.0	4	26.7	13	34.2	1,121	42.3	19	43.2
RACE/ETHNICITY												
Black	45	81.8	32	80.0	13	86.7	23	60.5	1,722	65.1	25	56.8
Latino/Hispanic	7	12.7	6	15.0	1	6.7	13	34.2	748	28.3	18	40.9
White	2	3.6	1	2.5	1	6.7	2	5.3	134	5.1	1	2.3
Asian/Pacific Islander	1	1.8	1	2.5	0	0.0	0	0.0	25	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.6	2	5.0	0	0.0	0	0.0	26	1.0	0	0.0
20-29	17	30.9	15	37.5	2	13.3	3	7.9	276	10.4	0	0.0
30-39	13	23.6	6	15.0	7	46.7	11	28.9	396	15.0	5	11.4
40-49	14	25.5	10	25.0	4	26.7	10	26.3	562	21.2	7	15.9
50-59	9	16.4	7	17.5	2	13.3	10	26.3	856	32.3	12	27.3
60+	0	0.0	0	0.0	0	0.0	4	10.5	528	19.9	20	45.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	34.5	14	35.0	5	33.3	9	23.7	606	22.9	3	6.8
Injection drug use history (IDU)	1	1.8	1	2.5	0	0.0	3	7.9	301	11.4	12	27.3
MSM-IDU	1	1.8	1	2.5	0	0.0	0	0.0	50	1.9	0	0.0
Heterosexual contact	17	30.9	13	32.5	4	26.7	9	23.7	808	30.5	15	34.1
Transgender people with sexual contact	1	1.8	1	2.5	0	0.0	0	0.0	20	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	107	4.0	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	16	29.1	10	25.0	6	40.0	17	44.7	754	28.5	13	29.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	110	100.0	89	80.9	21	19.1	59	100.0	5,612	100.0	64	100.0
GENDER												
Male	72	65.5	58	65.2	14	66.7	40	67.8	3,653	65.1	42	65.6
Female	38	34.5	31	34.8	7	33.3	19	32.2	1,959	34.9	22	34.4
RACE/ETHNICITY												
Black	55	50.0	44	49.4	11	52.4	28	47.5	2,490	44.4	26	40.6
Latino/Hispanic	51	46.4	41	46.1	10	47.6	30	50.8	2,792	49.8	35	54.7
White	2	1.8	2	2.2	0	0.0	1	1.7	262	4.7	3	4.7
Asian/Pacific Islander	2	1.8	2	2.2	0	0.0	0	0.0	39	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	1.8	2	2.2	0	0.0	0	0.0	28	0.5	0	0.0
20-29	36	32.7	31	34.8	5	23.8	14	23.7	524	9.3	0	0.0
30-39	23	20.9	17	19.1	6	28.6	13	22.0	879	15.7	2	3.1
40-49	17	15.5	14	15.7	3	14.3	11	18.6	1,235	22.0	8	12.5
50-59	25	22.7	20	22.5	5	23.8	16	27.1	1,901	33.9	32	50.0
60+	7	6.4	5	5.6	2	9.5	5	8.5	1,043	18.6	22	34.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	32.7	33	37.1	3	14.3	13	22.0	1,595	28.4	10	15.6
Injection drug use history (IDU)	4	3.6	1	1.1	3	14.3	6	10.2	927	16.5	21	32.8
MSM-IDU	1	0.9	0	0.0	1	4.8	1	1.7	151	2.7	0	0.0
Heterosexual contact	37	33.6	30	33.7	7	33.3	15	25.4	1,318	23.5	18	28.1
Transgender people with sexual contact	2	1.8	2	2.2	0	0.0	0	0.0	73	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.4	127	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	30	27.3	23	25.8	7	33.3	22	37.3	1,416	25.2	15	23.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	78	100.0	60	76.9	18	23.1	46	100.0	4,442	100.0	55	100.0
GENDER												
Male	55	70.5	43	71.7	12	66.7	32	69.6	2,757	62.1	36	65.5
Female	23	29.5	17	28.3	6	33.3	14	30.4	1,685	37.9	19	34.5
RACE/ETHNICITY												
Black	29	37.2	23	38.3	6	33.3	24	52.2	1,824	41.1	21	38.2
Latino/Hispanic	42	53.8	31	51.7	11	61.1	19	41.3	2,249	50.6	28	50.9
White	1	1.3	1	1.7	0	0.0	2	4.3	305	6.9	5	9.1
Asian/Pacific Islander	3	3.8	2	3.3	1	5.6	1	2.2	44	1.0	1	1.8
Native American	2	2.6	2	3.3	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	1	1.3	1	1.7	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.1	4	6.7	0	0.0	2	4.3	28	0.6	0	0.0
20-29	28	35.9	24	40.0	4	22.2	11	23.9	373	8.4	1	1.8
30-39	19	24.4	14	23.3	5	27.8	13	28.3	590	13.3	3	5.5
40-49	18	23.1	10	16.7	8	44.4	13	28.3	950	21.4	7	12.7
50-59	5	6.4	5	8.3	0	0.0	4	8.7	1,577	35.5	21	38.2
60+	4	5.1	3	5.0	1	5.6	3	6.5	922	20.8	23	41.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	42.3	27	45.0	6	33.3	11	23.9	1,137	25.6	9	16.4
Injection drug use history (IDU)	2	2.6	2	3.3	0	0.0	0	0.0	731	16.5	16	29.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.2	96	2.2	0	0.0
Heterosexual contact	19	24.4	14	23.3	5	27.8	12	26.1	1,138	25.6	16	29.1
Transgender people with sexual contact	1	1.3	1	1.7	0	0.0	1	2.2	35	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	10.9	151	3.4	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	23	29.5	16	26.7	7	38.9	16	34.8	1,141	25.7	13	23.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	98	100.0	80	81.6	18	18.4	67	100.0	6,140	100.0	106	100.0
GENDER												
Male	63	64.3	48	60.0	15	83.3	40	59.7	3,706	60.4	69	65.1
Female	35	35.7	32	40.0	3	16.7	27	40.3	2,434	39.6	37	34.9
RACE/ETHNICITY												
Black	44	44.9	36	45.0	8	44.4	27	40.3	2,928	47.7	50	47.2
Latino/Hispanic	52	53.1	42	52.5	10	55.6	37	55.2	2,973	48.4	52	49.1
White	2	2.0	2	2.5	0	0.0	1	1.5	175	2.9	3	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.5	35	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.5	8	0.1	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.5	10	0.2	0	0.0
13-19	6	6.1	6	7.5	0	0.0	0	0.0	28	0.5	0	0.0
20-29	25	25.5	23	28.8	2	11.1	6	9.0	553	9.0	2	1.9
30-39	21	21.4	15	18.8	6	33.3	18	26.9	901	14.7	1	0.9
40-49	23	23.5	17	21.3	6	33.3	15	22.4	1,343	21.9	15	14.2
50-59	16	16.3	14	17.5	2	11.1	17	25.4	2,035	33.1	41	38.7
60+	7	7.1	5	6.3	2	11.1	10	14.9	1,270	20.7	47	44.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	34.7	28	35.0	6	33.3	19	28.4	1,347	21.9	5	4.7
Injection drug use history (IDU)	1	1.0	1	1.3	0	0.0	3	4.5	1,183	19.3	42	39.6
MSM-IDU	1	1.0	1	1.3	0	0.0	0	0.0	169	2.8	7	6.6
Heterosexual contact	28	28.6	25	31.3	3	16.7	25	37.3	1,681	27.4	21	19.8
Transgender people with sexual contact	5	5.1	5	6.3	0	0.0	0	0.0	84	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.0	159	2.6	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	29	29.6	20	25.0	9	50.0	18	26.9	1,513	24.6	30	28.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	78	80.4	19	19.6	68	100.0	6,173	100.0	113	100.0
GENDER												
Male	68	70.1	53	67.9	15	78.9	41	60.3	3,840	62.2	80	70.8
Female	29	29.9	25	32.1	4	21.1	27	39.7	2,333	37.8	33	29.2
RACE/ETHNICITY												
Black	51	52.6	39	50.0	12	63.2	37	54.4	3,245	52.6	57	50.4
Latino/Hispanic	43	44.3	37	47.4	6	31.6	28	41.2	2,662	43.1	52	46.0
White	2	2.1	2	2.6	0	0.0	1	1.5	216	3.5	4	3.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.5	23	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	1	1.0	0	0.0	1	5.3	1	1.5	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	3	3.1	2	2.6	1	5.3	1	1.5	33	0.5	0	0.0
20-29	30	30.9	27	34.6	3	15.8	14	20.6	486	7.9	0	0.0
30-39	27	27.8	20	25.6	7	36.8	18	26.5	886	14.4	6	5.3
40-49	23	23.7	16	20.5	7	36.8	20	29.4	1,363	22.1	13	11.5
50-59	12	12.4	11	14.1	1	5.3	11	16.2	2,014	32.6	52	46.0
60+	2	2.1	2	2.6	0	0.0	4	5.9	1,384	22.4	42	37.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	35.1	27	34.6	7	36.8	17	25.0	1,383	22.4	5	4.4
Injection drug use history (IDU)	3	3.1	2	2.6	1	5.3	8	11.8	1,194	19.3	46	40.7
MSM-IDU	3	3.1	3	3.8	0	0.0	2	2.9	180	2.9	7	6.2
Heterosexual contact	26	26.8	21	26.9	5	26.3	20	29.4	1,590	25.8	24	21.2
Transgender people with sexual contact	4	4.1	4	5.1	0	0.0	1	1.5	53	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	152	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	0.9
Unknown	27	27.8	21	26.9	6	31.6	19	27.9	1,614	26.1	30	26.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	61	88.4	8	11.6	43	100.0	3,921	100.0	57	100.0
GENDER												
Male	54	78.3	49	80.3	5	62.5	28	65.1	2,448	62.4	38	66.7
Female	15	21.7	12	19.7	3	37.5	15	34.9	1,473	37.6	19	33.3
RACE/ETHNICITY												
Black	25	36.2	21	34.4	4	50.0	23	53.5	1,709	43.6	20	35.1
Latino/Hispanic	41	59.4	37	60.7	4	50.0	19	44.2	2,036	51.9	36	63.2
White	2	2.9	2	3.3	0	0.0	0	0.0	143	3.6	1	1.8
Asian/Pacific Islander	1	1.4	1	1.6	0	0.0	1	2.3	19	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	4	5.8	4	6.6	0	0.0	2	4.7	24	0.6	0	0.0
20-29	30	43.5	26	42.6	4	50.0	10	23.3	383	9.8	2	3.5
30-39	14	20.3	13	21.3	1	12.5	9	20.9	621	15.8	3	5.3
40-49	7	10.1	6	9.8	1	12.5	8	18.6	865	22.1	12	21.1
50-59	10	14.5	9	14.8	1	12.5	6	14.0	1,230	31.4	26	45.6
60+	4	5.8	3	4.9	1	12.5	8	18.6	792	20.2	14	24.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	56.5	38	62.3	1	12.5	12	27.9	916	23.4	6	10.5
Injection drug use history (IDU)	2	2.9	2	3.3	0	0.0	5	11.6	757	19.3	29	50.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	104	2.7	1	1.8
Heterosexual contact	12	17.4	10	16.4	2	25.0	10	23.3	1,007	25.7	8	14.0
Transgender people with sexual contact	2	2.9	1	1.6	1	12.5	2	4.7	51	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	9.3	124	3.2	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	14	20.3	10	16.4	4	50.0	10	23.3	956	24.4	12	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	6	66.7	3	33.3	6	100.0	907	100.0	9	100.0
GENDER												
Male	8	88.9	5	83.3	3	100.0	5	83.3	722	79.6	8	88.9
Female	1	11.1	1	16.7	0	0.0	1	16.7	185	20.4	1	11.1
RACE/ETHNICITY												
Black	1	11.1	1	16.7	0	0.0	1	16.7	145	16.0	1	11.1
Latino/Hispanic	3	33.3	1	16.7	2	66.7	2	33.3	392	43.2	6	66.7
White	4	44.4	3	50.0	1	33.3	3	50.0	345	38.0	2	22.2
Asian/Pacific Islander	1	11.1	1	16.7	0	0.0	0	0.0	19	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	44.4	3	50.0	1	33.3	1	16.7	71	7.8	0	0.0
30-39	1	11.1	1	16.7	0	0.0	0	0.0	198	21.8	2	22.2
40-49	3	33.3	1	16.7	2	66.7	3	50.0	228	25.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	16.7	275	30.3	4	44.4
60+	1	11.1	1	16.7	0	0.0	1	16.7	132	14.6	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	55.6	4	66.7	1	33.3	2	33.3	485	53.5	5	55.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	113	12.5	0	0.0
MSM-IDU	1	11.1	0	0.0	1	33.3	1	16.7	17	1.9	0	0.0
Heterosexual contact	1	11.1	1	16.7	0	0.0	1	16.7	119	13.1	2	22.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	2	22.2	1	16.7	1	33.3	2	33.3	152	16.8	2	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	29	93.5	2	6.5	16	100.0	2,714	100.0	31	100.0
GENDER												
Male	24	77.4	23	79.3	1	50.0	12	75.0	2,075	76.5	25	80.6
Female	7	22.6	6	20.7	1	50.0	4	25.0	639	23.5	6	19.4
RACE/ETHNICITY												
Black	16	51.6	16	55.2	0	0.0	7	43.8	1,118	41.2	14	45.2
Latino/Hispanic	5	16.1	5	17.2	0	0.0	3	18.8	676	24.9	9	29.0
White	9	29.0	7	24.1	2	100.0	5	31.3	846	31.2	8	25.8
Asian/Pacific Islander	1	3.2	1	3.4	0	0.0	1	6.3	56	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	6.5	2	6.9	0	0.0	0	0.0	7	0.3	0	0.0
20-29	10	32.3	9	31.0	1	50.0	3	18.8	171	6.3	0	0.0
30-39	9	29.0	9	31.0	0	0.0	3	18.8	360	13.3	2	6.5
40-49	5	16.1	4	13.8	1	50.0	3	18.8	584	21.5	2	6.5
50-59	4	12.9	4	13.8	0	0.0	5	31.3	923	34.0	10	32.3
60+	1	3.2	1	3.4	0	0.0	2	12.5	665	24.5	17	54.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	51.6	15	51.7	1	50.0	7	43.8	1,349	49.7	12	38.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	12.5	327	12.0	8	25.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	55	2.0	3	9.7
Heterosexual contact	6	19.4	5	17.2	1	50.0	3	18.8	407	15.0	4	12.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	9	29.0	9	31.0	0	0.0	3	18.8	515	19.0	4	12.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	171	100.0	134	78.4	37	21.6	96	100.0	7,841	100.0	132	100.0
GENDER												
Male	131	76.6	103	76.9	28	75.7	69	71.9	5,031	64.2	81	61.4
Female	40	23.4	31	23.1	9	24.3	27	28.1	2,810	35.8	51	38.6
RACE/ETHNICITY												
Black	129	75.4	98	73.1	31	83.8	81	84.4	6,078	77.5	92	69.7
Latino/Hispanic	24	14.0	20	14.9	4	10.8	12	12.5	1,163	14.8	32	24.2
White	9	5.3	8	6.0	1	2.7	2	2.1	498	6.4	7	5.3
Asian/Pacific Islander	5	2.9	5	3.7	0	0.0	0	0.0	56	0.7	1	0.8
Native American	1	0.6	0	0.0	1	2.7	1	1.0	20	0.3	0	0.0
Multiracial	3	1.8	3	2.2	0	0.0	0	0.0	14	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	7	4.1	7	5.2	0	0.0	2	2.1	44	0.6	0	0.0
20-29	65	38.0	56	41.8	9	24.3	20	20.8	747	9.5	3	2.3
30-39	55	32.2	44	32.8	11	29.7	22	22.9	1,306	16.7	16	12.1
40-49	17	9.9	12	9.0	5	13.5	17	17.7	1,747	22.3	12	9.1
50-59	20	11.7	12	9.0	8	21.6	23	24.0	2,363	30.1	46	34.8
60+	7	4.1	3	2.2	4	10.8	12	12.5	1,628	20.8	55	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	82	48.0	72	53.7	10	27.0	30	31.3	2,449	31.2	18	13.6
Injection drug use history (IDU)	3	1.8	2	1.5	1	2.7	8	8.3	994	12.7	36	27.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	156	2.0	4	3.0
Heterosexual contact	26	15.2	20	14.9	6	16.2	17	17.7	1,973	25.2	31	23.5
Transgender people with sexual contact	3	1.8	3	2.2	0	0.0	2	2.1	90	1.1	2	1.5
Perinatal	0	0.0	0	0.0	0	0.0	1	1.0	197	2.5	3	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	57	33.3	37	27.6	20	54.1	38	39.6	1,974	25.2	38	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	75	100.0	61	81.3	14	18.7	46	100.0	3,411	100.0	45	100.0
GENDER												
Male	49	65.3	40	65.6	9	64.3	28	60.9	1,961	57.5	32	71.1
Female	26	34.7	21	34.4	5	35.7	18	39.1	1,450	42.5	13	28.9
RACE/ETHNICITY												
Black	49	65.3	42	68.9	7	50.0	28	60.9	2,187	64.1	30	66.7
Latino/Hispanic	21	28.0	14	23.0	7	50.0	17	37.0	1,052	30.8	15	33.3
White	1	1.3	1	1.6	0	0.0	1	2.2	111	3.3	0	0.0
Asian/Pacific Islander	3	4.0	3	4.9	0	0.0	0	0.0	42	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	1.3	1	1.6	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	8.0	6	9.8	0	0.0	0	0.0	32	0.9	0	0.0
20-29	22	29.3	20	32.8	2	14.3	7	15.2	355	10.4	1	2.2
30-39	17	22.7	14	23.0	3	21.4	13	28.3	599	17.6	2	4.4
40-49	17	22.7	10	16.4	7	50.0	11	23.9	724	21.2	6	13.3
50-59	8	10.7	7	11.5	1	7.1	11	23.9	1,070	31.4	23	51.1
60+	5	6.7	4	6.6	1	7.1	4	8.7	627	18.4	13	28.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	37.3	24	39.3	4	28.6	10	21.7	867	25.4	7	15.6
Injection drug use history (IDU)	1	1.3	1	1.6	0	0.0	3	6.5	439	12.9	10	22.2
MSM-IDU	1	1.3	1	1.6	0	0.0	0	0.0	54	1.6	3	6.7
Heterosexual contact	14	18.7	11	18.0	3	21.4	10	21.7	1,026	30.1	8	17.8
Transgender people with sexual contact	4	5.3	4	6.6	0	0.0	0	0.0	44	1.3	1	2.2
Perinatal	0	0.0	0	0.0	0	0.0	1	2.2	100	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	27	36.0	20	32.8	7	50.0	22	47.8	875	25.7	16	35.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	18	78.3	5	21.7	12	100.0	864	100.0	11	100.0
GENDER												
Male	19	82.6	14	77.8	5	100.0	9	75.0	648	75.0	9	81.8
Female	4	17.4	4	22.2	0	0.0	3	25.0	216	25.0	2	18.2
RACE/ETHNICITY												
Black	4	17.4	3	16.7	1	20.0	2	16.7	157	18.2	0	0.0
Latino/Hispanic	8	34.8	8	44.4	0	0.0	4	33.3	475	55.0	8	72.7
White	4	17.4	3	16.7	1	20.0	3	25.0	171	19.8	2	18.2
Asian/Pacific Islander	7	30.4	4	22.2	3	60.0	3	25.0	59	6.8	1	9.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.3	1	5.6	0	0.0	0	0.0	3	0.3	0	0.0
20-29	9	39.1	8	44.4	1	20.0	2	16.7	54	6.3	0	0.0
30-39	5	21.7	4	22.2	1	20.0	3	25.0	140	16.2	2	18.2
40-49	2	8.7	1	5.6	1	20.0	2	16.7	221	25.6	2	18.2
50-59	4	17.4	3	16.7	1	20.0	3	25.0	262	30.3	4	36.4
60+	2	8.7	1	5.6	1	20.0	2	16.7	184	21.3	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	65.2	11	61.1	4	80.0	6	50.0	298	34.5	4	36.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	147	17.0	5	45.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	8.3	39	4.5	0	0.0
Heterosexual contact	6	26.1	6	33.3	0	0.0	3	25.0	187	21.6	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	8.7	1	5.6	1	20.0	1	8.3	176	20.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Sunset Park: 11220, 11232.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	14	70.0	6	30.0	12	100.0	1,161	100.0	7	100.0
GENDER												
Male	18	90.0	14	100.0	4	66.7	9	75.0	869	74.8	6	85.7
Female	2	10.0	0	0.0	2	33.3	3	25.0	292	25.2	1	14.3
RACE/ETHNICITY												
Black	2	10.0	2	14.3	0	0.0	1	8.3	322	27.7	1	14.3
Latino/Hispanic	4	20.0	2	14.3	2	33.3	5	41.7	437	37.6	2	28.6
White	10	50.0	8	57.1	2	33.3	4	33.3	335	28.9	4	57.1
Asian/Pacific Islander	4	20.0	2	14.3	2	33.3	2	16.7	62	5.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.0	1	7.1	0	0.0	0	0.0	2	0.2	0	0.0
20-29	11	55.0	8	57.1	3	50.0	5	41.7	72	6.2	0	0.0
30-39	3	15.0	3	21.4	0	0.0	0	0.0	191	16.5	1	14.3
40-49	2	10.0	1	7.1	1	16.7	1	8.3	249	21.4	0	0.0
50-59	1	5.0	0	0.0	1	16.7	3	25.0	374	32.2	2	28.6
60+	2	10.0	1	7.1	1	16.7	3	25.0	273	23.5	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	55.0	10	71.4	1	16.7	4	33.3	456	39.3	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	16.7	177	15.2	4	57.1
MSM-IDU	1	5.0	1	7.1	0	0.0	0	0.0	27	2.3	0	0.0
Heterosexual contact	3	15.0	0	0.0	3	50.0	4	33.3	224	19.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	25.0	3	21.4	2	33.3	2	16.7	249	21.4	1	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	67	75.3	22	24.7	51	100.0	5,226	100.0	51	100.0
GENDER												
Male	55	61.8	45	67.2	10	45.5	26	51.0	3,336	63.8	35	68.6
Female	34	38.2	22	32.8	12	54.5	25	49.0	1,890	36.2	16	31.4
RACE/ETHNICITY												
Black	79	88.8	57	85.1	22	100.0	47	92.2	4,142	79.3	37	72.5
Latino/Hispanic	6	6.7	6	9.0	0	0.0	3	5.9	699	13.4	10	19.6
White	2	2.2	2	3.0	0	0.0	1	2.0	299	5.7	4	7.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	52	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	2	2.2	2	3.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	2.2	2	3.0	0	0.0	1	2.0	16	0.3	0	0.0
20-29	32	36.0	29	43.3	3	13.6	8	15.7	434	8.3	2	3.9
30-39	19	21.3	14	20.9	5	22.7	12	23.5	788	15.1	4	7.8
40-49	17	19.1	12	17.9	5	22.7	14	27.5	1,152	22.0	8	15.7
50-59	14	15.7	8	11.9	6	27.3	8	15.7	1,565	29.9	20	39.2
60+	5	5.6	2	3.0	3	13.6	8	15.7	1,266	24.2	17	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	39.3	29	43.3	6	27.3	16	31.4	1,537	29.4	8	15.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.0	484	9.3	11	21.6
MSM-IDU	1	1.1	1	1.5	0	0.0	1	2.0	89	1.7	1	2.0
Heterosexual contact	19	21.3	11	16.4	8	36.4	16	31.4	1,417	27.1	9	17.6
Transgender people with sexual contact	1	1.1	1	1.5	0	0.0	0	0.0	31	0.6	1	2.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.0	101	1.9	1	2.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	33	37.1	25	37.3	8	36.4	16	31.4	1,554	29.7	20	39.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	36	100.0	0	0.0	14	100.0	1,707	100.0	20	100.0
GENDER												
Male	17	47.2	17	47.2	0	0.0	11	78.6	916	53.7	10	50.0
Female	19	52.8	19	52.8	0	0.0	3	21.4	791	46.3	10	50.0
RACE/ETHNICITY												
Black	31	86.1	31	86.1	0	0.0	13	92.9	1,366	80.0	16	80.0
Latino/Hispanic	5	13.9	5	13.9	0	0.0	0	0.0	209	12.2	2	10.0
White	0	0.0	0	0.0	0	0.0	1	7.1	109	6.4	2	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	4	11.1	4	11.1	0	0.0	1	7.1	17	1.0	0	0.0
20-29	8	22.2	8	22.2	0	0.0	0	0.0	154	9.0	0	0.0
30-39	9	25.0	9	25.0	0	0.0	1	7.1	260	15.2	1	5.0
40-49	4	11.1	4	11.1	0	0.0	7	50.0	364	21.3	5	25.0
50-59	8	22.2	8	22.2	0	0.0	3	21.4	525	30.8	5	25.0
60+	3	8.3	3	8.3	0	0.0	2	14.3	386	22.6	9	45.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	36.1	13	36.1	0	0.0	2	14.3	335	19.6	3	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	14.3	139	8.1	5	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Heterosexual contact	12	33.3	12	33.3	0	0.0	3	21.4	577	33.8	7	35.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	1	5.0
Perinatal	0	0.0	0	0.0	0	0.0	1	7.1	63	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	11	30.6	11	30.6	0	0.0	6	42.9	565	33.1	4	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	11	78.6	3	21.4	10	100.0	693	100.0	9	100.0
GENDER												
Male	11	78.6	8	72.7	3	100.0	8	80.0	524	75.6	4	44.4
Female	3	21.4	3	27.3	0	0.0	2	20.0	169	24.4	5	55.6
RACE/ETHNICITY												
Black	2	14.3	2	18.2	0	0.0	0	0.0	81	11.7	1	11.1
Latino/Hispanic	1	7.1	1	9.1	0	0.0	1	10.0	213	30.7	3	33.3
White	5	35.7	5	45.5	0	0.0	6	60.0	349	50.4	5	55.6
Asian/Pacific Islander	6	42.9	3	27.3	3	100.0	3	30.0	48	6.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	9.1	0	0.0	1	10.0	1	0.1	0	0.0
20-29	5	35.7	4	36.4	1	33.3	1	10.0	28	4.0	0	0.0
30-39	5	35.7	4	36.4	1	33.3	2	20.0	118	17.0	0	0.0
40-49	1	7.1	0	0.0	1	33.3	3	30.0	163	23.5	0	0.0
50-59	1	7.1	1	9.1	0	0.0	2	20.0	217	31.3	3	33.3
60+	1	7.1	1	9.1	0	0.0	1	10.0	166	24.0	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	42.9	5	45.5	1	33.3	3	30.0	311	44.9	2	22.2
Injection drug use history (IDU)	2	14.3	0	0.0	2	66.7	4	40.0	96	13.9	5	55.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.3	0	0.0
Heterosexual contact	1	7.1	1	9.1	0	0.0	1	10.0	118	17.0	1	11.1
Transgender people with sexual contact	1	7.1	1	9.1	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	10.0	5	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	4	28.6	4	36.4	0	0.0	1	10.0	141	20.3	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	21	67.7	10	32.3	19	100.0	1,157	100.0	14	100.0
GENDER												
Male	23	74.2	15	71.4	8	80.0	13	68.4	718	62.1	8	57.1
Female	8	25.8	6	28.6	2	20.0	6	31.6	439	37.9	6	42.9
RACE/ETHNICITY												
Black	8	25.8	8	38.1	0	0.0	2	10.5	451	39.0	9	64.3
Latino/Hispanic	4	12.9	2	9.5	2	20.0	3	15.8	337	29.1	4	28.6
White	16	51.6	8	38.1	8	80.0	13	68.4	318	27.5	1	7.1
Asian/Pacific Islander	3	9.7	3	14.3	0	0.0	0	0.0	37	3.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.3	14	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.2	1	4.8	0	0.0	0	0.0	10	0.9	0	0.0
20-29	10	32.3	9	42.9	1	10.0	3	15.8	89	7.7	0	0.0
30-39	9	29.0	5	23.8	4	40.0	5	26.3	179	15.5	2	14.3
40-49	3	9.7	1	4.8	2	20.0	3	15.8	252	21.8	1	7.1
50-59	7	22.6	5	23.8	2	20.0	4	21.1	374	32.3	4	28.6
60+	1	3.2	0	0.0	1	10.0	4	21.1	252	21.8	7	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	38.7	8	38.1	4	40.0	5	26.3	322	27.8	3	21.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	15.8	183	15.8	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Heterosexual contact	6	19.4	4	19.0	2	20.0	4	21.1	295	25.5	3	21.4
Transgender people with sexual contact	1	3.2	1	4.8	0	0.0	0	0.0	11	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	30	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	12	38.7	8	38.1	4	40.0	6	31.6	298	25.8	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	74	90.2	8	9.8	39	100.0	3,826	100.0	40	100.0
GENDER												
Male	68	82.9	62	83.8	6	75.0	30	76.9	2,704	70.7	27	67.5
Female	14	17.1	12	16.2	2	25.0	9	23.1	1,122	29.3	13	32.5
RACE/ETHNICITY												
Black	40	48.8	35	47.3	5	62.5	22	56.4	1,894	49.5	26	65.0
Latino/Hispanic	25	30.5	22	29.7	3	37.5	16	41.0	1,432	37.4	10	25.0
White	15	18.3	15	20.3	0	0.0	1	2.6	431	11.3	4	10.0
Asian/Pacific Islander	2	2.4	2	2.7	0	0.0	0	0.0	49	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.4	2	2.7	0	0.0	0	0.0	18	0.5	0	0.0
20-29	40	48.8	39	52.7	1	12.5	7	17.9	426	11.1	5	12.5
30-39	17	20.7	17	23.0	0	0.0	8	20.5	625	16.3	2	5.0
40-49	9	11.0	7	9.5	2	25.0	10	25.6	834	21.8	3	7.5
50-59	8	9.8	6	8.1	2	25.0	8	20.5	1,116	29.2	13	32.5
60+	6	7.3	3	4.1	3	37.5	6	15.4	803	21.0	17	42.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	58.5	45	60.8	3	37.5	12	30.8	1,360	35.5	7	17.5
Injection drug use history (IDU)	1	1.2	1	1.4	0	0.0	5	12.8	598	15.6	9	22.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	81	2.1	0	0.0
Heterosexual contact	7	8.5	7	9.5	0	0.0	4	10.3	762	19.9	12	30.0
Transgender people with sexual contact	1	1.2	1	1.4	0	0.0	0	0.0	35	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.1	88	2.3	1	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	25	30.5	20	27.0	5	62.5	16	41.0	899	23.5	11	27.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	94	100.0	81	86.2	13	13.8	38	100.0	4,635	100.0	31	100.0
GENDER												
Male	84	89.4	74	91.4	10	76.9	34	89.5	3,790	81.8	22	71.0
Female	10	10.6	7	8.6	3	23.1	4	10.5	845	18.2	9	29.0
RACE/ETHNICITY												
Black	17	18.1	13	16.0	4	30.8	10	26.3	1,498	32.3	11	35.5
Latino/Hispanic	56	59.6	49	60.5	7	53.8	20	52.6	2,037	43.9	13	41.9
White	21	22.3	19	23.5	2	15.4	8	21.1	1,009	21.8	6	19.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	58	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	0.7	1	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	3	3.2	2	2.5	1	7.7	1	2.6	19	0.4	0	0.0
20-29	44	46.8	40	49.4	4	30.8	9	23.7	395	8.5	0	0.0
30-39	26	27.7	24	29.6	2	15.4	9	23.7	825	17.8	3	9.7
40-49	9	9.6	6	7.4	3	23.1	8	21.1	1,063	22.9	3	9.7
50-59	8	8.5	6	7.4	2	15.4	8	21.1	1,376	29.7	13	41.9
60+	4	4.3	3	3.7	1	7.7	3	7.9	951	20.5	12	38.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	67	71.3	61	75.3	6	46.2	24	63.2	2,487	53.7	9	29.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.6	368	7.9	9	29.0
MSM-IDU	1	1.1	1	1.2	0	0.0	1	2.6	105	2.3	2	6.5
Heterosexual contact	8	8.5	5	6.2	3	23.1	4	10.5	634	13.7	4	12.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	27	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	75	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	18	19.1	14	17.3	4	30.8	8	21.1	932	20.1	7	22.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	77	81.1	18	18.9	50	100.0	4,886	100.0	45	100.0
GENDER												
Male	80	84.2	63	81.8	17	94.4	38	76.0	3,520	72.0	24	53.3
Female	15	15.8	14	18.2	1	5.6	12	24.0	1,366	28.0	21	46.7
RACE/ETHNICITY												
Black	54	56.8	40	51.9	14	77.8	38	76.0	3,106	63.6	34	75.6
Latino/Hispanic	24	25.3	21	27.3	3	16.7	7	14.0	1,038	21.2	8	17.8
White	10	10.5	9	11.7	1	5.6	5	10.0	648	13.3	1	2.2
Asian/Pacific Islander	4	4.2	4	5.2	0	0.0	0	0.0	63	1.3	1	2.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	2.2
Multiracial	3	3.2	3	3.9	0	0.0	0	0.0	19	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.1	2	2.6	0	0.0	0	0.0	16	0.3	0	0.0
20-29	36	37.9	34	44.2	2	11.1	5	10.0	435	8.9	2	4.4
30-39	30	31.6	24	31.2	6	33.3	17	34.0	826	16.9	3	6.7
40-49	12	12.6	6	7.8	6	33.3	17	34.0	1,136	23.3	7	15.6
50-59	10	10.5	7	9.1	3	16.7	9	18.0	1,466	30.0	18	40.0
60+	5	5.3	4	5.2	1	5.6	2	4.0	1,003	20.5	15	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	55	57.9	45	58.4	10	55.6	22	44.0	2,041	41.8	7	15.6
Injection drug use history (IDU)	2	2.1	2	2.6	0	0.0	0	0.0	593	12.1	13	28.9
MSM-IDU	1	1.1	1	1.3	0	0.0	1	2.0	100	2.0	3	6.7
Heterosexual contact	11	11.6	10	13.0	1	5.6	10	20.0	866	17.7	11	24.4
Transgender people with sexual contact	3	3.2	3	3.9	0	0.0	1	2.0	46	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	23	24.2	16	20.8	7	38.9	16	32.0	1,147	23.5	11	24.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	48	84.2	9	15.8	42	100.0	3,052	100.0	61	100.0
GENDER												
Male	50	87.7	42	87.5	8	88.9	37	88.1	2,130	69.8	37	60.7
Female	7	12.3	6	12.5	1	11.1	5	11.9	922	30.2	24	39.3
RACE/ETHNICITY												
Black	26	45.6	23	47.9	3	33.3	17	40.5	1,438	47.1	26	42.6
Latino/Hispanic	21	36.8	18	37.5	3	33.3	16	38.1	1,197	39.2	26	42.6
White	7	12.3	6	12.5	1	11.1	6	14.3	371	12.2	8	13.1
Asian/Pacific Islander	2	3.5	1	2.1	1	11.1	2	4.8	30	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	1	1.6
Multiracial	1	1.8	0	0.0	1	11.1	1	2.4	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	3.5	2	4.2	0	0.0	0	0.0	10	0.3	0	0.0
20-29	26	45.6	22	45.8	4	44.4	9	21.4	257	8.4	2	3.3
30-39	16	28.1	13	27.1	3	33.3	11	26.2	431	14.1	1	1.6
40-49	8	14.0	6	12.5	2	22.2	10	23.8	660	21.6	7	11.5
50-59	3	5.3	3	6.3	0	0.0	8	19.0	959	31.4	18	29.5
60+	2	3.5	2	4.2	0	0.0	4	9.5	733	24.0	33	54.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	64.9	32	66.7	5	55.6	16	38.1	1,046	34.3	12	19.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	6	14.3	577	18.9	20	32.8
MSM-IDU	1	1.8	0	0.0	1	11.1	2	4.8	80	2.6	0	0.0
Heterosexual contact	9	15.8	8	16.7	1	11.1	5	11.9	604	19.8	18	29.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	89	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	10	17.5	8	16.7	2	22.2	13	31.0	627	20.5	11	18.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	25	83.3	5	16.7	18	100.0	3,205	100.0	32	100.0
GENDER												
Male	26	86.7	24	96.0	2	40.0	13	72.2	2,760	86.1	26	81.3
Female	4	13.3	1	4.0	3	60.0	5	27.8	445	13.9	6	18.8
RACE/ETHNICITY												
Black	5	16.7	4	16.0	1	20.0	5	27.8	871	27.2	12	37.5
Latino/Hispanic	5	16.7	3	12.0	2	40.0	8	44.4	825	25.7	8	25.0
White	16	53.3	14	56.0	2	40.0	5	27.8	1,411	44.0	10	31.3
Asian/Pacific Islander	4	13.3	4	16.0	0	0.0	0	0.0	70	2.2	2	6.3
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.7	2	8.0	0	0.0	0	0.0	9	0.3	0	0.0
20-29	5	16.7	4	16.0	1	20.0	2	11.1	167	5.2	1	3.1
30-39	6	20.0	5	20.0	1	20.0	5	27.8	338	10.5	1	3.1
40-49	11	36.7	10	40.0	1	20.0	4	22.2	578	18.0	2	6.3
50-59	2	6.7	1	4.0	1	20.0	5	27.8	1,076	33.6	9	28.1
60+	4	13.3	3	12.0	1	20.0	2	11.1	1,037	32.4	19	59.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	73.3	21	84.0	1	20.0	9	50.0	1,917	59.8	12	37.5
Injection drug use history (IDU)	1	3.3	1	4.0	0	0.0	0	0.0	288	9.0	10	31.3
MSM-IDU	1	3.3	1	4.0	0	0.0	1	5.6	94	2.9	1	3.1
Heterosexual contact	1	3.3	0	0.0	1	20.0	3	16.7	299	9.3	3	9.4
Transgender people with sexual contact	1	3.3	0	0.0	1	20.0	1	5.6	21	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	37	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	4	13.3	2	8.0	2	40.0	4	22.2	546	17.0	6	18.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	1,470	100.0	12	100.0
GENDER												
Male	13	92.9	12	92.3	1	100.0	5	100.0	1,289	87.7	8	66.7
Female	1	7.1	1	7.7	0	0.0	0	0.0	181	12.3	4	33.3
RACE/ETHNICITY												
Black	3	21.4	3	23.1	0	0.0	2	40.0	286	19.5	3	25.0
Latino/Hispanic	4	28.6	4	30.8	0	0.0	1	20.0	343	23.3	4	33.3
White	7	50.0	6	46.2	1	100.0	2	40.0	783	53.3	5	41.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	51	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	8	57.1	8	61.5	0	0.0	0	0.0	47	3.2	0	0.0
30-39	3	21.4	3	23.1	0	0.0	1	20.0	189	12.9	0	0.0
40-49	2	14.3	1	7.7	1	100.0	2	40.0	270	18.4	2	16.7
50-59	1	7.1	1	7.7	0	0.0	2	40.0	509	34.6	5	41.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	453	30.8	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	92.9	12	92.3	1	100.0	4	80.0	923	62.8	4	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	101	6.9	2	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	35	2.4	0	0.0
Heterosexual contact	1	7.1	1	7.7	0	0.0	0	0.0	113	7.7	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	8.3
Unknown	0	0.0	0	0.0	0	0.0	1	20.0	285	19.4	4	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	85	100.0	75	88.2	10	11.8	39	100.0	6,845	100.0	37	100.0
GENDER												
Male	82	96.5	72	96.0	10	100.0	39	100.0	6,406	93.6	34	91.9
Female	3	3.5	3	4.0	0	0.0	0	0.0	439	6.4	3	8.1
RACE/ETHNICITY												
Black	14	16.5	10	13.3	4	40.0	13	33.3	1,102	16.1	4	10.8
Latino/Hispanic	23	27.1	22	29.3	1	10.0	12	30.8	1,503	22.0	11	29.7
White	40	47.1	36	48.0	4	40.0	13	33.3	3,960	57.9	21	56.8
Asian/Pacific Islander	7	8.2	6	8.0	1	10.0	1	2.6	198	2.9	1	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	1	1.2	1	1.3	0	0.0	0	0.0	21	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	48	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	22	25.9	22	29.3	0	0.0	4	10.3	297	4.3	1	2.7
30-39	30	35.3	28	37.3	2	20.0	7	17.9	1,048	15.3	3	8.1
40-49	24	28.2	17	22.7	7	70.0	15	38.5	1,708	25.0	4	10.8
50-59	6	7.1	6	8.0	0	0.0	10	25.6	2,434	35.6	14	37.8
60+	3	3.5	2	2.7	1	10.0	3	7.7	1,356	19.8	15	40.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	72	84.7	67	89.3	5	50.0	26	66.7	5,176	75.6	24	64.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	7.7	335	4.9	4	10.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.6	177	2.6	1	2.7
Heterosexual contact	2	2.4	2	2.7	0	0.0	0	0.0	254	3.7	2	5.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	49	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	11	12.9	6	8.0	5	50.0	9	23.1	832	12.2	6	16.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	15	78.9	4	21.1	14	100.0	1,999	100.0	16	100.0
GENDER												
Male	14	73.7	11	73.3	3	75.0	11	78.6	1,824	91.2	14	87.5
Female	5	26.3	4	26.7	1	25.0	3	21.4	175	8.8	2	12.5
RACE/ETHNICITY												
Black	6	31.6	3	20.0	3	75.0	8	57.1	396	19.8	5	31.3
Latino/Hispanic	2	10.5	2	13.3	0	0.0	2	14.3	459	23.0	6	37.5
White	10	52.6	9	60.0	1	25.0	4	28.6	1,057	52.9	5	31.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	68	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	5.3	1	6.7	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	1	6.7	0	0.0	0	0.0	3	0.2	0	0.0
20-29	4	21.1	3	20.0	1	25.0	1	7.1	72	3.6	0	0.0
30-39	6	31.6	4	26.7	2	50.0	5	35.7	212	10.6	0	0.0
40-49	3	15.8	2	13.3	1	25.0	2	14.3	403	20.2	4	25.0
50-59	2	10.5	2	13.3	0	0.0	3	21.4	707	35.4	7	43.8
60+	3	15.8	3	20.0	0	0.0	3	21.4	602	30.1	5	31.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	36.8	6	40.0	1	25.0	4	28.6	1,290	64.5	7	43.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	14.3	175	8.8	5	31.3
MSM-IDU	1	5.3	1	6.7	0	0.0	0	0.0	64	3.2	0	0.0
Heterosexual contact	3	15.8	3	20.0	0	0.0	1	7.1	119	6.0	1	6.3
Transgender people with sexual contact	1	5.3	1	6.7	0	0.0	1	7.1	11	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	36.8	4	26.7	3	75.0	6	42.9	326	16.3	3	18.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	17	94.4	1	5.6	10	100.0	1,953	100.0	5	100.0
GENDER												
Male	16	88.9	15	88.2	1	100.0	8	80.0	1,856	95.0	4	80.0
Female	2	11.1	2	11.8	0	0.0	2	20.0	97	5.0	1	20.0
RACE/ETHNICITY												
Black	5	27.8	4	23.5	1	100.0	4	40.0	390	20.0	0	0.0
Latino/Hispanic	6	33.3	6	35.3	0	0.0	3	30.0	405	20.7	1	20.0
White	5	27.8	5	29.4	0	0.0	3	30.0	1,095	56.1	4	80.0
Asian/Pacific Islander	1	5.6	1	5.9	0	0.0	0	0.0	50	2.6	0	0.0
Other/Unknown	1	5.6	1	5.9	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	10	55.6	9	52.9	1	100.0	1	10.0	88	4.5	0	0.0
30-39	5	27.8	5	29.4	0	0.0	1	10.0	226	11.6	0	0.0
40-49	1	5.6	1	5.9	0	0.0	3	30.0	413	21.1	1	20.0
50-59	2	11.1	2	11.8	0	0.0	4	40.0	701	35.9	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	523	26.8	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	72.2	13	76.5	0	0.0	7	70.0	1,306	66.9	4	80.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	143	7.3	0	0.0
MSM-IDU	2	11.1	2	11.8	0	0.0	0	0.0	54	2.8	0	0.0
Heterosexual contact	1	5.6	1	5.9	0	0.0	1	10.0	63	3.2	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	11.1	1	5.9	1	100.0	2	20.0	352	18.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	30	75.0	10	25.0	16	100.0	3,058	100.0	33	100.0
GENDER												
Male	33	82.5	25	83.3	8	80.0	13	81.3	2,507	82.0	25	75.8
Female	7	17.5	5	16.7	2	20.0	3	18.8	551	18.0	8	24.2
RACE/ETHNICITY												
Black	9	22.5	7	23.3	2	20.0	1	6.3	599	19.6	9	27.3
Latino/Hispanic	15	37.5	12	40.0	3	30.0	8	50.0	1,055	34.5	14	42.4
White	9	22.5	5	16.7	4	40.0	5	31.3	1,229	40.2	9	27.3
Asian/Pacific Islander	6	15.0	5	16.7	1	10.0	2	12.5	144	4.7	1	3.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	1	2.5	1	3.3	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	5	12.5	4	13.3	1	10.0	0	0.0	7	0.2	0	0.0
20-29	11	27.5	10	33.3	1	10.0	1	6.3	159	5.2	1	3.0
30-39	11	27.5	8	26.7	3	30.0	3	18.8	344	11.2	1	3.0
40-49	8	20.0	5	16.7	3	30.0	6	37.5	608	19.9	3	9.1
50-59	2	5.0	1	3.3	1	10.0	3	18.8	1,132	37.0	11	33.3
60+	3	7.5	2	6.7	1	10.0	3	18.8	806	26.4	17	51.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	75.0	24	80.0	6	60.0	8	50.0	1,684	55.1	10	30.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	398	13.0	8	24.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3	83	2.7	1	3.0
Heterosexual contact	6	15.0	3	10.0	3	30.0	4	25.0	354	11.6	5	15.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	4	10.0	3	10.0	1	10.0	2	12.5	489	16.0	9	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	6	54.5	5	45.5	8	100.0	581	100.0	3	100.0
GENDER												
Male	10	90.9	6	100.0	4	80.0	7	87.5	494	85.0	3	100.0
Female	1	9.1	0	0.0	1	20.0	1	12.5	87	15.0	0	0.0
RACE/ETHNICITY												
Black	2	18.2	1	16.7	1	20.0	1	12.5	118	20.3	0	0.0
Latino/Hispanic	1	9.1	0	0.0	1	20.0	2	25.0	142	24.4	2	66.7
White	7	63.6	4	66.7	3	60.0	5	62.5	297	51.1	1	33.3
Asian/Pacific Islander	1	9.1	1	16.7	0	0.0	0	0.0	20	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	27.3	2	33.3	1	20.0	2	25.0	28	4.8	1	33.3
30-39	6	54.5	3	50.0	3	60.0	4	50.0	73	12.6	0	0.0
40-49	1	9.1	1	16.7	0	0.0	0	0.0	158	27.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	211	36.3	1	33.3
60+	1	9.1	0	0.0	1	20.0	2	25.0	111	19.1	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	54.5	4	66.7	2	40.0	4	50.0	362	62.3	2	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	43	7.4	0	0.0
MSM-IDU	1	9.1	0	0.0	1	20.0	1	12.5	10	1.7	1	33.3
Heterosexual contact	1	9.1	0	0.0	1	20.0	1	12.5	56	9.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	27.3	2	33.3	1	20.0	1	12.5	102	17.6	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	45	81.8	10	18.2	15	100.0	2,124	100.0	12	100.0
GENDER												
Male	48	87.3	39	86.7	9	90.0	13	86.7	1,809	85.2	11	91.7
Female	7	12.7	6	13.3	1	10.0	2	13.3	315	14.8	1	8.3
RACE/ETHNICITY												
Black	4	7.3	4	8.9	0	0.0	0	0.0	350	16.5	3	25.0
Latino/Hispanic	24	43.6	18	40.0	6	60.0	9	60.0	847	39.9	3	25.0
White	22	40.0	20	44.4	2	20.0	3	20.0	814	38.3	6	50.0
Asian/Pacific Islander	5	9.1	3	6.7	2	20.0	3	20.0	95	4.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	13	23.6	12	26.7	1	10.0	2	13.3	128	6.0	1	8.3
30-39	29	52.7	23	51.1	6	60.0	6	40.0	459	21.6	1	8.3
40-49	8	14.5	6	13.3	2	20.0	4	26.7	587	27.6	2	16.7
50-59	4	7.3	4	8.9	0	0.0	1	6.7	642	30.2	4	33.3
60+	1	1.8	0	0.0	1	10.0	2	13.3	305	14.4	4	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	46	83.6	38	84.4	8	80.0	12	80.0	1,359	64.0	5	41.7
Injection drug use history (IDU)	1	1.8	1	2.2	0	0.0	0	0.0	119	5.6	1	8.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	37	1.7	1	8.3
Heterosexual contact	3	5.5	2	4.4	1	10.0	1	6.7	244	11.5	2	16.7
Transgender people with sexual contact	2	3.6	2	4.4	0	0.0	0	0.0	21	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	3	5.5	2	4.4	1	10.0	2	13.3	324	15.3	3	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	134	100.0	109	81.3	25	18.7	67	100.0	5,901	100.0	29	100.0
GENDER												
Male	123	91.8	100	91.7	23	92.0	62	92.5	4,858	82.3	24	82.8
Female	11	8.2	9	8.3	2	8.0	5	7.5	1,043	17.7	5	17.2
RACE/ETHNICITY												
Black	11	8.2	9	8.3	2	8.0	14	20.9	1,613	27.3	8	27.6
Latino/Hispanic	93	69.4	78	71.6	15	60.0	40	59.7	3,269	55.4	13	44.8
White	11	8.2	8	7.3	3	12.0	6	9.0	675	11.4	4	13.8
Asian/Pacific Islander	19	14.2	14	12.8	5	20.0	7	10.4	317	5.4	4	13.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	2.2	3	2.8	0	0.0	0	0.0	12	0.2	0	0.0
20-29	41	30.6	35	32.1	6	24.0	11	16.4	411	7.0	1	3.4
30-39	48	35.8	41	37.6	7	28.0	24	35.8	1,014	17.2	1	3.4
40-49	28	20.9	18	16.5	10	40.0	22	32.8	1,557	26.4	5	17.2
50-59	9	6.7	9	8.3	0	0.0	4	6.0	1,893	32.1	11	37.9
60+	5	3.7	3	2.8	2	8.0	6	9.0	1,010	17.1	11	37.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	108	80.6	89	81.7	19	76.0	47	70.1	2,580	43.7	13	44.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	4.5	877	14.9	5	17.2
MSM-IDU	1	0.7	1	0.9	0	0.0	0	0.0	153	2.6	1	3.4
Heterosexual contact	14	10.4	11	10.1	3	12.0	7	10.4	930	15.8	3	10.3
Transgender people with sexual contact	1	0.7	1	0.9	0	0.0	0	0.0	76	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	64	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	7.5	7	6.4	3	12.0	10	14.9	1,216	20.6	7	24.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	16	72.7	6	27.3	6	100.0	679	100.0	9	100.0
GENDER												
Male	20	90.9	16	100.0	4	66.7	4	66.7	512	75.4	6	66.7
Female	2	9.1	0	0.0	2	33.3	2	33.3	167	24.6	3	33.3
RACE/ETHNICITY												
Black	3	13.6	3	18.8	0	0.0	0	0.0	109	16.1	1	11.1
Latino/Hispanic	5	22.7	4	25.0	1	16.7	1	16.7	248	36.5	5	55.6
White	3	13.6	3	18.8	0	0.0	0	0.0	191	28.1	2	22.2
Asian/Pacific Islander	10	45.5	6	37.5	4	66.7	4	66.7	119	17.5	1	11.1
Other/Unknown	1	4.5	0	0.0	1	16.7	1	16.7	12	1.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	12	54.5	9	56.3	3	50.0	3	50.0	54	8.0	0	0.0
30-39	3	13.6	2	12.5	1	16.7	1	16.7	81	11.9	0	0.0
40-49	3	13.6	3	18.8	0	0.0	0	0.0	145	21.4	0	0.0
50-59	4	18.2	2	12.5	2	33.3	2	33.3	224	33.0	3	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	171	25.2	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	68.2	13	81.3	2	33.3	2	33.3	289	42.6	2	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	66	9.7	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.5	1	11.1
Heterosexual contact	3	13.6	1	6.3	2	33.3	2	33.3	146	21.5	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	18.2	2	12.5	2	33.3	2	33.3	148	21.8	2	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	2	50.0	2	50.0	2	100.0	147	100.0	0	0.0
GENDER												
Male	3	75.0	2	100.0	1	50.0	1	50.0	121	82.3	0	0.0
Female	1	25.0	0	0.0	1	50.0	1	50.0	26	17.7	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	22	15.0	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	31	21.1	0	0.0
White	3	75.0	2	100.0	1	50.0	1	50.0	81	55.1	0	0.0
Asian/Pacific Islander	1	25.0	0	0.0	1	50.0	1	50.0	11	7.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	25.0	1	50.0	0	0.0	0	0.0	6	4.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	16	10.9	0	0.0
40-49	2	50.0	1	50.0	1	50.0	1	50.0	23	15.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	54	36.7	0	0.0
60+	1	25.0	0	0.0	1	50.0	1	50.0	48	32.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	25.0	1	50.0	0	0.0	0	0.0	61	41.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	10.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	22	15.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Unknown	3	75.0	1	50.0	2	100.0	2	100.0	39	26.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	36	83.7	7	16.3	15	100.0	1,264	100.0	12	100.0
GENDER												
Male	36	83.7	31	86.1	5	71.4	13	86.7	969	76.7	11	91.7
Female	7	16.3	5	13.9	2	28.6	2	13.3	295	23.3	1	8.3
RACE/ETHNICITY												
Black	8	18.6	7	19.4	1	14.3	1	6.7	169	13.4	0	0.0
Latino/Hispanic	27	62.8	23	63.9	4	57.1	8	53.3	600	47.5	7	58.3
White	2	4.7	1	2.8	1	14.3	5	33.3	413	32.7	5	41.7
Asian/Pacific Islander	6	14.0	5	13.9	1	14.3	1	6.7	70	5.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	26	60.5	24	66.7	2	28.6	3	20.0	122	9.7	0	0.0
30-39	5	11.6	4	11.1	1	14.3	3	20.0	156	12.3	0	0.0
40-49	8	18.6	7	19.4	1	14.3	4	26.7	288	22.8	0	0.0
50-59	4	9.3	1	2.8	3	42.9	3	20.0	441	34.9	7	58.3
60+	0	0.0	0	0.0	0	0.0	2	13.3	252	19.9	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	69.8	25	69.4	5	71.4	7	46.7	628	49.7	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	13.3	93	7.4	5	41.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	2.1	0	0.0
Heterosexual contact	8	18.6	7	19.4	1	14.3	2	13.3	254	20.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	5	11.6	4	11.1	1	14.3	4	26.7	220	17.4	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	5	83.3	1	16.7	2	100.0	282	100.0	0	0.0
GENDER												
Male	6	100.0	5	100.0	1	100.0	2	100.0	176	62.4	0	0.0
Female	0	0.0	0	0.0	0	0.0	0	0.0	106	37.6	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	129	45.7	0	0.0
Latino/Hispanic	4	66.7	4	80.0	0	0.0	1	50.0	85	30.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	48	17.0	0	0.0
Asian/Pacific Islander	2	33.3	1	20.0	1	100.0	1	50.0	19	6.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
20-29	1	16.7	1	20.0	0	0.0	0	0.0	23	8.2	0	0.0
30-39	3	50.0	3	60.0	0	0.0	1	50.0	32	11.3	0	0.0
40-49	2	33.3	1	20.0	1	100.0	1	50.0	58	20.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	97	34.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	70	24.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	5	100.0	0	0.0	0	0.0	87	30.9	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	8.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	77	27.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	1	16.7	0	0.0	1	100.0	2	100.0	80	28.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	32	68.1	15	31.9	29	100.0	1,852	100.0	19	100.0
GENDER												
Male	34	72.3	23	71.9	11	73.3	21	72.4	1,300	70.2	16	84.2
Female	13	27.7	9	28.1	4	26.7	8	27.6	552	29.8	3	15.8
RACE/ETHNICITY												
Black	7	14.9	5	15.6	2	13.3	9	31.0	507	27.4	6	31.6
Latino/Hispanic	19	40.4	14	43.8	5	33.3	9	31.0	844	45.6	4	21.1
White	4	8.5	2	6.3	2	13.3	3	10.3	295	15.9	4	21.1
Asian/Pacific Islander	17	36.2	11	34.4	6	40.0	7	24.1	182	9.8	5	26.3
Native American	0	0.0	0	0.0	0	0.0	1	3.4	16	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	4.3	2	6.3	0	0.0	0	0.0	6	0.3	0	0.0
20-29	10	21.3	8	25.0	2	13.3	5	17.2	142	7.7	1	5.3
30-39	8	17.0	7	21.9	1	6.7	5	17.2	295	15.9	0	0.0
40-49	16	34.0	10	31.3	6	40.0	11	37.9	447	24.1	5	26.3
50-59	7	14.9	5	15.6	2	13.3	4	13.8	616	33.3	6	31.6
60+	4	8.5	0	0.0	4	26.7	4	13.8	343	18.5	7	36.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	40.4	14	43.8	5	33.3	11	37.9	711	38.4	3	15.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	189	10.2	4	21.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	1.0	1	5.3
Heterosexual contact	14	29.8	9	28.1	5	33.3	7	24.1	445	24.0	1	5.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	3.4	15	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	49	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	14	29.8	9	28.1	5	33.3	10	34.5	421	22.7	10	52.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017. Male category includes transgender men and female category includes transgender women. The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	53	100.0	43	81.1	10	18.9	40	100.0	3,252	100.0	43	100.0
GENDER												
Male	40	75.5	32	74.4	8	80.0	27	67.5	2,014	61.9	33	76.7
Female	13	24.5	11	25.6	2	20.0	13	32.5	1,238	38.1	10	23.3
RACE/ETHNICITY												
Black	37	69.8	27	62.8	10	100.0	32	80.0	2,348	72.2	28	65.1
Latino/Hispanic	10	18.9	10	23.3	0	0.0	7	17.5	618	19.0	10	23.3
White	3	5.7	3	7.0	0	0.0	1	2.5	176	5.4	2	4.7
Asian/Pacific Islander	3	5.7	3	7.0	0	0.0	0	0.0	88	2.7	2	4.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	1	2.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.5	3	0.1	0	0.0
13-19	1	1.9	1	2.3	0	0.0	0	0.0	24	0.7	0	0.0
20-29	20	37.7	19	44.2	1	10.0	5	12.5	294	9.0	0	0.0
30-39	16	30.2	13	30.2	3	30.0	10	25.0	429	13.2	3	7.0
40-49	5	9.4	4	9.3	1	10.0	4	10.0	703	21.6	11	25.6
50-59	7	13.2	4	9.3	3	30.0	13	32.5	1,059	32.6	9	20.9
60+	4	7.5	2	4.7	2	20.0	7	17.5	740	22.8	20	46.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	39.6	19	44.2	2	20.0	13	32.5	896	27.6	9	20.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	7.5	359	11.0	9	20.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	53	1.6	2	4.7
Heterosexual contact	12	22.6	10	23.3	2	20.0	11	27.5	943	29.0	11	25.6
Transgender people with sexual contact	1	1.9	1	2.3	0	0.0	0	0.0	13	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.5	95	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	2.3
Unknown	19	35.8	13	30.2	6	60.0	12	30.0	885	27.2	11	25.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	26	78.8	7	21.2	14	100.0	1,330	100.0	14	100.0
GENDER												
Male	23	69.7	21	80.8	2	28.6	6	42.9	777	58.4	8	57.1
Female	10	30.3	5	19.2	5	71.4	8	57.1	553	41.6	6	42.9
RACE/ETHNICITY												
Black	26	78.8	19	73.1	7	100.0	11	78.6	1,028	77.3	12	85.7
Latino/Hispanic	4	12.1	4	15.4	0	0.0	2	14.3	156	11.7	2	14.3
White	0	0.0	0	0.0	0	0.0	0	0.0	98	7.4	0	0.0
Asian/Pacific Islander	3	9.1	3	11.5	0	0.0	1	7.1	42	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	9	27.3	8	30.8	1	14.3	1	7.1	111	8.3	0	0.0
30-39	8	24.2	7	26.9	1	14.3	4	28.6	183	13.8	1	7.1
40-49	11	33.3	7	26.9	4	57.1	4	28.6	278	20.9	2	14.3
50-59	4	12.1	3	11.5	1	14.3	3	21.4	431	32.4	5	35.7
60+	1	3.0	1	3.8	0	0.0	2	14.3	318	23.9	6	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	33.3	9	34.6	2	28.6	4	28.6	280	21.1	2	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.1	128	9.6	3	21.4
MSM-IDU	1	3.0	1	3.8	0	0.0	0	0.0	19	1.4	0	0.0
Heterosexual contact	7	21.2	4	15.4	3	42.9	5	35.7	422	31.7	6	42.9
Transgender people with sexual contact	1	3.0	1	3.8	0	0.0	0	0.0	8	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
Unknown	13	39.4	11	42.3	2	28.6	4	28.6	420	31.6	3	21.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.
Male category includes transgender men and female category includes transgender women.
The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	13	72.2	5	27.8	13	100.0	1,261	100.0	29	100.0
GENDER												
Male	12	66.7	8	61.5	4	80.0	10	76.9	727	57.7	18	62.1
Female	6	33.3	5	38.5	1	20.0	3	23.1	534	42.3	11	37.9
RACE/ETHNICITY												
Black	12	66.7	9	69.2	3	60.0	9	69.2	823	65.3	19	65.5
Latino/Hispanic	6	33.3	4	30.8	2	40.0	4	30.8	303	24.0	7	24.1
White	0	0.0	0	0.0	0	0.0	0	0.0	114	9.0	3	10.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	1	3.4
20-29	4	22.2	4	30.8	0	0.0	1	7.7	107	8.5	0	0.0
30-39	1	5.6	0	0.0	1	20.0	4	30.8	179	14.2	2	6.9
40-49	6	33.3	4	30.8	2	40.0	3	23.1	251	19.9	5	17.2
50-59	5	27.8	3	23.1	2	40.0	5	38.5	439	34.8	16	55.2
60+	2	11.1	2	15.4	0	0.0	0	0.0	276	21.9	5	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	38.9	7	53.8	0	0.0	1	7.7	299	23.7	3	10.3
Injection drug use history (IDU)	1	5.6	0	0.0	1	20.0	1	7.7	188	14.9	13	44.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	2.1	1	3.4
Heterosexual contact	2	11.1	1	7.7	1	20.0	3	23.1	422	33.5	5	17.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	37	2.9	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	8	44.4	5	38.5	3	60.0	8	61.5	282	22.4	6	20.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	12	70.6	5	29.4	9	100.0	613	100.0	14	100.0
GENDER												
Male	13	76.5	9	75.0	4	80.0	6	66.7	365	59.5	9	64.3
Female	4	23.5	3	25.0	1	20.0	3	33.3	248	40.5	5	35.7
RACE/ETHNICITY												
Black	9	52.9	7	58.3	2	40.0	5	55.6	312	50.9	7	50.0
Latino/Hispanic	3	17.6	1	8.3	2	40.0	3	33.3	200	32.6	5	35.7
White	4	23.5	3	25.0	1	20.0	1	11.1	89	14.5	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	1	5.9	1	8.3	0	0.0	0	0.0	7	1.1	1	7.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
20-29	6	35.3	5	41.7	1	20.0	3	33.3	51	8.3	0	0.0
30-39	2	11.8	2	16.7	0	0.0	1	11.1	99	16.2	0	0.0
40-49	5	29.4	4	33.3	1	20.0	2	22.2	138	22.5	2	14.3
50-59	1	5.9	0	0.0	1	20.0	1	11.1	205	33.4	7	50.0
60+	3	17.6	1	8.3	2	40.0	2	22.2	114	18.6	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	41.2	6	50.0	1	20.0	3	33.3	151	24.6	3	21.4
Injection drug use history (IDU)	1	5.9	0	0.0	1	20.0	1	11.1	113	18.4	8	57.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.4	0	0.0
Heterosexual contact	3	17.6	2	16.7	1	20.0	2	22.2	174	28.4	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	35.3	4	33.3	2	40.0	3	33.3	132	21.5	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	21	80.8	5	19.2	16	100.0	1,134	100.0	24	100.0
GENDER												
Male	17	65.4	14	66.7	3	60.0	12	75.0	747	65.9	18	75.0
Female	9	34.6	7	33.3	2	40.0	4	25.0	387	34.1	6	25.0
RACE/ETHNICITY												
Black	15	57.7	11	52.4	4	80.0	13	81.3	536	47.3	14	58.3
Latino/Hispanic	1	3.8	1	4.8	0	0.0	0	0.0	305	26.9	5	20.8
White	9	34.6	8	38.1	1	20.0	3	18.8	274	24.2	5	20.8
Asian/Pacific Islander	1	3.8	1	4.8	0	0.0	0	0.0	11	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	10	38.5	10	47.6	0	0.0	2	12.5	85	7.5	1	4.2
30-39	8	30.8	7	33.3	1	20.0	1	6.3	150	13.2	1	4.2
40-49	4	15.4	2	9.5	2	40.0	3	18.8	216	19.0	3	12.5
50-59	3	11.5	1	4.8	2	40.0	9	56.3	436	38.4	8	33.3
60+	1	3.8	1	4.8	0	0.0	1	6.3	241	21.3	11	45.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	42.3	9	42.9	2	40.0	6	37.5	341	30.1	3	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	180	15.9	9	37.5
MSM-IDU	2	7.7	2	9.5	0	0.0	0	0.0	36	3.2	2	8.3
Heterosexual contact	8	30.8	6	28.6	2	40.0	5	31.3	287	25.3	5	20.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	19.2	4	19.0	1	20.0	4	25.0	251	22.1	5	20.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	4	57.1	3	42.9	5	100.0	209	100.0	4	100.0
GENDER												
Male	4	57.1	4	100.0	0	0.0	2	40.0	144	68.9	2	50.0
Female	3	42.9	0	0.0	3	100.0	3	60.0	65	31.1	2	50.0
RACE/ETHNICITY												
Black	4	57.1	3	75.0	1	33.3	2	40.0	38	18.2	1	25.0
Latino/Hispanic	3	42.9	1	25.0	2	66.7	3	60.0	62	29.7	3	75.0
White	0	0.0	0	0.0	0	0.0	0	0.0	98	46.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	3.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
20-29	1	14.3	1	25.0	0	0.0	2	40.0	14	6.7	1	25.0
30-39	1	14.3	0	0.0	1	33.3	1	20.0	31	14.8	0	0.0
40-49	3	42.9	2	50.0	1	33.3	1	20.0	43	20.6	1	25.0
50-59	2	28.6	1	25.0	1	33.3	1	20.0	75	35.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	44	21.1	2	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	28.6	2	50.0	0	0.0	2	40.0	75	35.9	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	28	13.4	3	75.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	0	0.0
Heterosexual contact	3	42.9	1	25.0	2	66.7	2	40.0	45	21.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	2	28.6	1	25.0	1	33.3	1	20.0	50	23.9	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

The following ZIP code is included in Willowbrook: 10314.

Males include transgender men and females include transgender women.

Race/ethnicity categories have been combined due to small numbers. The 'Other/Unknown' category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2016, NEW YORK CITY**

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWHA AS OF 12/31/2016		DEATHS, 2016	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	8	88.9	1	11.1	1	100.0	422	100.0	7	100.0
GENDER												
Male	7	77.8	6	75.0	1	100.0	1	100.0	289	68.5	6	85.7
Female	2	22.2	2	25.0	0	0.0	0	0.0	133	31.5	1	14.3
RACE/ETHNICITY												
Black	2	22.2	2	25.0	0	0.0	0	0.0	69	16.4	0	0.0
Latino/Hispanic	2	22.2	2	25.0	0	0.0	0	0.0	102	24.2	3	42.9
White	5	55.6	4	50.0	1	100.0	1	100.0	245	58.1	4	57.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	1	11.1	1	12.5	0	0.0	0	0.0	21	5.0	1	14.3
30-39	4	44.4	4	50.0	0	0.0	0	0.0	37	8.8	0	0.0
40-49	2	22.2	1	12.5	1	100.0	1	100.0	97	23.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	152	36.0	4	57.1
60+	2	22.2	2	25.0	0	0.0	0	0.0	110	26.1	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	44.4	4	50.0	0	0.0	0	0.0	107	25.4	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	65	15.4	3	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	1.9	0	0.0
Heterosexual contact	1	11.1	1	12.5	0	0.0	0	0.0	102	24.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	4	44.4	3	37.5	1	100.0	1	100.0	121	28.7	3	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 4, 2017.

Male category includes transgender men and female category includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2016**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2015 NEW YORK CITY POPULATION ⁴
TOTAL	26.7	1.4	7.5	8,550,405
GENDER				
Male	43.4	2.2	7.2	4,081,711
Female	11.4	0.8	8.1	4,468,694
RACE/ETHNICITY				
Black	51.9	2.8	8.5	1,907,908
Latino/Hispanic	30.9	1.6	8.3	2,485,125
White	12.8	0.9	4.4	2,758,653
Asian/Pacific Islander	11.6	0.2	7.3	1,236,896
Native American	30.4*	1.4	13.1*	19,720
AGE GROUP (YEARS)				
0 - 12	0.1*	0.0	0.0*	1,333,435
13 - 19	12.0	0.1	1.7*	658,909
20 - 29	57.0	0.7	2.8	1,409,934
30 - 39	44.7	1.4	4.5	1,349,415
40 - 49	36.4	2.4	6.4	1,121,801
50 - 59	24.1	3.7	12.9	1,091,984
60+	7.7	1.7	21.7	1,584,927

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017.

Male category includes transgender men and female category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2015 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2016**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2015 NEW YORK CITY POPULATION ⁴
TOTAL	26.7	1.4	7.5	8,550,405
BRONX⁵	35.8	2.1	9.9	1,452,820
Crotona - Tremont	45.2	2.8	11.6	216,839
Fordham - Bronx Park	41.3	2.1	6.9	266,022
High Bridge - Morrisania	43.6	2.8	10.9	222,339
Hunts Point - Mott Haven	47.5	2.7	9.4	145,127
Kingsbridge - Riverdale	13.9	0.8	16.3	93,520
Northeast Bronx	27.9	1.3	12.0	196,990
Pelham - Throgs Neck	25.0	1.4	8.4	311,983
BROOKLYN⁵	22.0	1.1	8.5	2,636,735
Bedford Stuyvesant - Crown Heights	53.1	2.4	11.9	321,769
Bensonhurst - Bay Ridge	6.2	0.3	8.3*	224,946
Borough Park	5.6	0.3	4.2*	355,779
Canarsie - Flatlands	18.2	0.9	7.9	198,140
Coney Island - Sheepshead Bay	10.1	0.4	7.8	306,650
Downtown - Heights - Park Slope	12.9	1.1	7.2	239,666
East Flatbush - Flatbush	29.5	1.7	6.1	301,853
East New York	39.7	1.8	8.6	189,081
Greenpoint	6.2*	0.6	7.4*	145,675
Sunset Park	16.6	0.6	8.3	138,353
Williamsburg - Bushwick	38.2	1.8	7.9	214,823
MANHATTAN⁵	28.6	2.0	5.5	1,635,673
Central Harlem - Morningside Heights	57.8	3.0	6.4	164,489
Chelsea - Clinton	52.6	4.2	3.9	161,580
East Harlem	50.0	2.7	12.6	114,059
Gramercy Park - Murray Hill	13.9	1.5	3.9	136,311
Greenwich Village - Soho	21.0	2.3	1.5*	85,758
Lower Manhattan	18.9	1.0	8.4*	58,058
Union Square - Lower East Side	19.5	1.5	6.7	205,513
Upper East Side	6.2	0.6	4.2	226,749
Upper West Side	13.2	1.4	6.2	226,828
Washington Heights - Inwood	36.7	1.8	4.4	256,327
QUEENS⁵	17.7	0.8	7.1	2,346,233
Bayside - Little Neck	4.4*	0.2	0.0*	90,929
Flushing - Clearview	8.0	0.2	8.2*	275,989
Fresh Meadows	6.0*	0.3	0.0*	100,330
Jamaica	17.7	1.1	9.1	299,448
Long Island City - Astoria	24.2	0.9	5.2	227,195
Ridgewood - Forest Hills	17.3	0.5	5.7	248,559
Rockaway	15.6	1.1	18.5	115,524
Southeast Queens	16.7	0.7	6.4	197,027
Southwest Queens	17.0	0.7	6.5	276,128
West Queens	26.0	1.1	3.6	515,103
STATEN ISLAND⁵	12.9	0.5	13.2	474,558
Port Richmond	23.5	0.8	14.4	72,468
South Beach - Tottenville	4.8*	0.2	12.5*	188,010
Stapleton - St. George	20.5	0.9	12.7	126,916
Willowbrook	8.0*	0.2	22.8*	87,163

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2015 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.