



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2017

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene

<https://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2020. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,074	100.0	1,716	82.7	358	17.3	1,273	100.0	127,522	100.0	1,803	100.0
GENDER												
Men	1,644	79.3	1,367	79.7	277	77.4	919	72.2	92,110	72.2	1,282	71.1
Women	370	17.8	295	17.2	75	20.9	322	25.3	33,408	26.2	499	27.7
Transgender	60	2.9	54	3.1	6	1.7	32	2.5	2,004	1.6	22	1.2
RACE/ETHNICITY												
Black	872	42.0	708	41.3	164	45.8	619	48.6	55,432	43.5	923	51.2
Latino/Hispanic	756	36.5	639	37.2	117	32.7	405	31.8	41,981	32.9	559	31.0
White	300	14.5	257	15.0	43	12.0	171	13.4	26,113	20.5	286	15.9
Asian/Pacific Islander	120	5.8	93	5.4	27	7.5	65	5.1	2,963	2.3	22	1.2
Native American	9	0.4	6	0.3	3	0.8	5	0.4	304	0.2	8	0.4
Multiracial	17	0.8	13	0.8	4	1.1	8	0.6	410	0.3	4	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	319	0.3	1	0.1
AGE GROUP (YEARS)												
0-12	2	0.1	1	0.1	1	0.3	2	0.2	98	0.1	0	0.0
13-19	79	3.8	75	4.4	4	1.1	17	1.3	494	0.4	0	0.0
20-29	787	37.9	716	41.7	71	19.8	230	18.1	10,197	8.0	41	2.3
30-39	570	27.5	463	27.0	107	29.9	345	27.1	19,854	15.6	123	6.8
40-49	295	14.2	230	13.4	65	18.2	238	18.7	26,328	20.6	235	13.0
50-59	219	10.6	141	8.2	78	21.8	281	22.1	40,841	32.0	596	33.1
60+	122	5.9	90	5.2	32	8.9	160	12.6	29,710	23.3	808	44.8
BOROUGH OF RESIDENCE												
Bronx	450	21.7	375	21.9	75	20.9	302	23.7	30,096	23.6	440	24.4
Brooklyn	608	29.3	484	28.2	124	34.6	353	27.7	29,925	23.5	406	22.5
Manhattan	385	18.6	325	18.9	60	16.8	210	16.5	32,335	25.4	301	16.7
Queens	384	18.5	315	18.4	69	19.3	173	13.6	18,318	14.4	147	8.2
Staten Island	39	1.9	30	1.7	9	2.5	29	2.3	2,433	1.9	41	2.3
Outside NYC	155	7.5	134	7.8	21	5.9	192	15.1	12,825	10.1	75	4.2
Unknown	53	2.6	53	3.1	0	0.0	14	1.1	1,590	1.2	393	21.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	159	7.7	138	8.0	21	5.9	82	6.4	11,316	8.9	111	6.2
Medium poverty (10 to <20% below FPL)	741	35.7	605	35.3	136	38.0	361	28.4	43,086	33.8	364	20.2
High poverty (20 to <30% below FPL)	567	27.3	454	26.5	113	31.6	329	25.8	29,296	23.0	409	22.7
Very high poverty (≥30% below FPL)	398	19.2	332	19.3	66	18.4	291	22.9	28,075	22.0	451	25.0
Area-based poverty level not available	209	10.1	187	10.9	22	6.1	210	16.5	15,749	12.4	468	26.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,222	58.9	1,045	60.9	177	49.4	530	41.6	52,992	41.6	436	24.2
Injection drug use history (IDU)	32	1.5	26	1.5	6	1.7	75	5.9	15,152	11.9	453	25.1
MSM-IDU	25	1.2	25	1.5	0	0.0	29	2.3	3,228	2.5	70	3.9
Heterosexual contact	367	17.7	295	17.2	72	20.1	268	21.1	24,923	19.5	356	19.7
Transgender people with sexual contact	56	2.7	50	2.9	6	1.7	30	2.4	1,709	1.3	13	0.7
Perinatal	2	0.1	1	0.1	1	0.3	24	1.9	2,589	2.0	22	1.2
Other	1	0.0	1	0.1	0	0.0	0	0.0	204	0.2	4	0.2
Unknown	369	17.8	273	15.9	96	26.8	317	24.9	26,725	21.0	449	24.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,645	100.0	1,368	83.2	277	16.8	919	100.0	92,142	100.0	1,282	100.0
RACE/ETHNICITY												
Black	611	37.1	504	36.8	107	38.6	398	43.3	34,963	37.9	603	47.0
Latino/Hispanic	637	38.7	535	39.1	102	36.8	305	33.2	30,375	33.0	393	30.7
White	271	16.5	234	17.1	37	13.4	148	16.1	23,541	25.5	259	20.2
Asian/Pacific Islander	105	6.4	79	5.8	26	9.4	58	6.3	2,468	2.7	19	1.5
Native American	7	0.4	5	0.4	2	0.7	4	0.4	226	0.2	4	0.3
Multiracial	14	0.9	11	0.8	3	1.1	6	0.7	324	0.4	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	245	0.3	1	0.1
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	49	0.1	0	0.0
13-19	63	3.8	60	4.4	3	1.1	13	1.4	279	0.3	0	0.0
20-29	689	41.9	623	45.5	66	23.8	185	20.1	7,789	8.5	32	2.5
30-39	462	28.1	378	27.6	84	30.3	253	27.5	15,281	16.6	86	6.7
40-49	210	12.8	163	11.9	47	17.0	176	19.2	18,521	20.1	161	12.6
50-59	145	8.8	91	6.7	54	19.5	180	19.6	28,812	31.3	396	30.9
60+	75	4.6	52	3.8	23	8.3	112	12.2	21,411	23.2	607	47.3
BOROUGH OF RESIDENCE												
Bronx	322	19.6	269	19.7	53	19.1	207	22.5	18,639	20.2	300	23.4
Brooklyn	467	28.4	376	27.5	91	32.9	244	26.6	19,790	21.5	267	20.8
Manhattan	333	20.2	283	20.7	50	18.1	166	18.1	27,107	29.4	230	17.9
Queens	316	19.2	256	18.7	60	21.7	140	15.2	13,428	14.6	107	8.3
Staten Island	26	1.6	19	1.4	7	2.5	21	2.3	1,573	1.7	28	2.2
Outside NYC	136	8.3	120	8.8	16	5.8	131	14.3	10,370	11.3	53	4.1
Unknown	45	2.7	45	3.3	0	0.0	10	1.1	1,235	1.3	297	23.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	128	7.8	111	8.1	17	6.1	63	6.9	9,125	9.9	92	7.2
Medium poverty (10 to <20% below FPL)	591	35.9	485	35.5	106	38.3	282	30.7	32,618	35.4	261	20.4
High poverty (20 to <30% below FPL)	457	27.8	368	26.9	89	32.1	242	26.3	20,129	21.8	277	21.6
Very high poverty (≥30% below FPL)	287	17.4	239	17.5	48	17.3	188	20.5	17,621	19.1	302	23.6
Area-based poverty level not available	182	11.1	165	12.1	17	6.1	144	15.7	12,649	13.7	350	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,222	74.3	1,045	76.4	177	63.9	530	57.7	52,992	57.5	436	34.0
Injection drug use history (IDU)	21	1.3	16	1.2	5	1.8	48	5.2	9,811	10.6	305	23.8
MSM-IDU	25	1.5	25	1.8	0	0.0	29	3.2	3,228	3.5	70	5.5
Heterosexual contact	76	4.6	54	3.9	22	7.9	65	7.1	6,106	6.6	117	9.1
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	20	0.0	0	0.0
Perinatal	1	0.1	1	0.1	0	0.0	13	1.4	1,268	1.4	11	0.9
Other	1	0.1	1	0.1	0	0.0	0	0.0	114	0.1	3	0.2
Unknown	298	18.1	225	16.4	73	26.4	234	25.5	18,603	20.2	340	26.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	429	100.0	348	81.1	81	18.9	354	100.0	35,380	100.0	521	100.0
RACE/ETHNICITY												
Black	261	60.8	204	58.6	57	70.4	221	62.4	20,469	57.9	320	61.4
Latino/Hispanic	119	27.7	104	29.9	15	18.5	100	28.2	11,606	32.8	166	31.9
White	29	6.8	23	6.6	6	7.4	23	6.5	2,572	7.3	27	5.2
Asian/Pacific Islander	15	3.5	14	4.0	1	1.2	7	2.0	495	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.2	1	0.3	78	0.2	4	0.8
Multiracial	3	0.7	2	0.6	1	1.2	2	0.6	86	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	0	0.0	1	1.2	2	0.6	49	0.1	0	0.0
13-19	16	3.7	15	4.3	1	1.2	4	1.1	215	0.6	0	0.0
20-29	98	22.8	93	26.7	5	6.2	45	12.7	2,408	6.8	9	1.7
30-39	108	25.2	85	24.4	23	28.4	92	26.0	4,573	12.9	37	7.1
40-49	85	19.8	67	19.3	18	22.2	62	17.5	7,807	22.1	74	14.2
50-59	74	17.2	50	14.4	24	29.6	101	28.5	12,029	34.0	200	38.4
60+	47	11.0	38	10.9	9	11.1	48	13.6	8,299	23.5	201	38.6
BOROUGH OF RESIDENCE												
Bronx	128	29.8	106	30.5	22	27.2	95	26.8	11,457	32.4	140	26.9
Brooklyn	141	32.9	108	31.0	33	40.7	109	30.8	10,135	28.6	139	26.7
Manhattan	52	12.1	42	12.1	10	12.3	44	12.4	5,228	14.8	71	13.6
Queens	68	15.9	59	17.0	9	11.1	33	9.3	4,890	13.8	40	7.7
Staten Island	13	3.0	11	3.2	2	2.5	8	2.3	860	2.4	13	2.5
Outside NYC	19	4.4	14	4.0	5	6.2	61	17.2	2,455	6.9	22	4.2
Unknown	8	1.9	8	2.3	0	0.0	4	1.1	355	1.0	96	18.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	7.2	27	7.8	4	4.9	19	5.4	2,191	6.2	19	3.6
Medium poverty (10 to <20% below FPL)	150	35.0	120	34.5	30	37.0	79	22.3	10,468	29.6	103	19.8
High poverty (20 to <30% below FPL)	110	25.6	86	24.7	24	29.6	87	24.6	9,167	25.9	132	25.3
Very high poverty (≥30% below FPL)	111	25.9	93	26.7	18	22.2	103	29.1	10,454	29.5	149	28.6
Area-based poverty level not available	27	6.3	22	6.3	5	6.2	66	18.6	3,100	8.8	118	22.6
TRANSMISSION RISK												
Injection drug use history (IDU)	11	2.6	10	2.9	1	1.2	27	7.6	5,341	15.1	148	28.4
Heterosexual contact	291	67.8	241	69.3	50	61.7	203	57.3	18,817	53.2	239	45.9
Transgender people with sexual contact	55	12.8	49	14.1	6	7.4	30	8.5	1,689	4.8	13	2.5
Perinatal	1	0.2	0	0.0	1	1.2	11	3.1	1,321	3.7	11	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	1	0.2
Unknown	71	16.6	48	13.8	23	28.4	83	23.4	8,122	23.0	109	20.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	611	100.0	504	82.5	107	17.5	398	100.0	34,963	100.0	603	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	0	0.0
13-19	34	5.6	33	6.5	1	0.9	7	1.8	161	0.5	0	0.0
20-29	273	44.7	253	50.2	20	18.7	76	19.1	3,734	10.7	22	3.6
30-39	132	21.6	104	20.6	28	26.2	99	24.9	5,965	17.1	41	6.8
40-49	73	11.9	55	10.9	18	16.8	70	17.6	6,311	18.1	65	10.8
50-59	59	9.7	32	6.3	27	25.2	91	22.9	10,417	29.8	174	28.9
60+	40	6.5	27	5.4	13	12.1	55	13.8	8,342	23.9	301	49.9
BOROUGH OF RESIDENCE												
Bronx	126	20.6	103	20.4	23	21.5	104	26.1	8,400	24.0	143	23.7
Brooklyn	234	38.3	181	35.9	53	49.5	128	32.2	10,993	31.4	167	27.7
Manhattan	94	15.4	79	15.7	15	14.0	55	13.8	7,072	20.2	78	12.9
Queens	80	13.1	72	14.3	8	7.5	35	8.8	4,312	12.3	51	8.5
Staten Island	9	1.5	6	1.2	3	2.8	11	2.8	546	1.6	12	2.0
Outside NYC	52	8.5	47	9.3	5	4.7	62	15.6	3,275	9.4	26	4.3
Unknown	16	2.6	16	3.2	0	0.0	3	0.8	365	1.0	126	20.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	7.0	40	7.9	3	2.8	18	4.5	2,141	6.1	28	4.6
Medium poverty (10 to <20% below FPL)	202	33.1	166	32.9	36	33.6	105	26.4	11,199	32.0	129	21.4
High poverty (20 to <30% below FPL)	191	31.3	149	29.6	42	39.3	112	28.1	9,358	26.8	144	23.9
Very high poverty (≥30% below FPL)	107	17.5	86	17.1	21	19.6	97	24.4	8,231	23.5	150	24.9
Area-based poverty level not available	68	11.1	63	12.5	5	4.7	66	16.6	4,034	11.5	152	25.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	387	63.3	337	66.9	50	46.7	204	51.3	16,318	46.7	175	29.0
Injection drug use history (IDU)	5	0.8	3	0.6	2	1.9	13	3.3	3,929	11.2	134	22.2
MSM-IDU	8	1.3	8	1.6	0	0.0	8	2.0	1,124	3.2	34	5.6
Heterosexual contact	36	5.9	24	4.8	12	11.2	38	9.5	3,296	9.4	65	10.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	1.5	710	2.0	9	1.5
Other	1	0.2	1	0.2	0	0.0	0	0.0	34	0.1	1	0.2
Unknown	174	28.5	131	26.0	43	40.2	129	32.4	9,538	27.3	185	30.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	261	100.0	204	78.2	57	21.8	221	100.0	20,469	100.0	320	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
13-19	9	3.4	8	3.9	1	1.8	3	1.4	134	0.7	0	0.0
20-29	59	22.6	55	27.0	4	7.0	30	13.6	1,420	6.9	6	1.9
30-39	65	24.9	49	24.0	16	28.1	50	22.6	2,775	13.6	23	7.2
40-49	53	20.3	40	19.6	13	22.8	40	18.1	4,649	22.7	49	15.3
50-59	45	17.2	27	13.2	18	31.6	68	30.8	6,848	33.5	121	37.8
60+	30	11.5	25	12.3	5	8.8	30	13.6	4,624	22.6	121	37.8
BOROUGH OF RESIDENCE												
Bronx	84	32.2	66	32.4	18	31.6	60	27.1	5,908	28.9	69	21.6
Brooklyn	94	36.0	72	35.3	22	38.6	73	33.0	7,045	34.4	94	29.4
Manhattan	22	8.4	16	7.8	6	10.5	29	13.1	2,836	13.9	49	15.3
Queens	33	12.6	28	13.7	5	8.8	18	8.1	2,745	13.4	28	8.8
Staten Island	10	3.8	8	3.9	2	3.5	4	1.8	422	2.1	6	1.9
Outside NYC	12	4.6	8	3.9	4	7.0	35	15.8	1,324	6.5	13	4.1
Unknown	6	2.3	6	2.9	0	0.0	2	0.9	189	0.9	61	19.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	5.4	11	5.4	3	5.3	11	5.0	1,278	6.2	12	3.8
Medium poverty (10 to <20% below FPL)	92	35.2	71	34.8	21	36.8	51	23.1	6,249	30.5	68	21.3
High poverty (20 to <30% below FPL)	65	24.9	49	24.0	16	28.1	53	24.0	5,614	27.4	85	26.6
Very high poverty (≥30% below FPL)	72	27.6	59	28.9	13	22.8	68	30.8	5,653	27.6	81	25.3
Area-based poverty level not available	18	6.9	14	6.9	4	7.0	38	17.2	1,675	8.2	74	23.1
TRANSMISSION RISK												
Injection drug use history (IDU)	6	2.3	5	2.5	1	1.8	13	5.9	2,526	12.3	68	21.3
Heterosexual contact	181	69.3	144	70.6	37	64.9	131	59.3	11,156	54.5	163	50.9
Transgender people with sexual contact	25	9.6	20	9.8	5	8.8	14	6.3	861	4.2	5	1.6
Perinatal	0	0.0	0	0.0	0	0.0	7	3.2	760	3.7	7	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	0	0.0
Unknown	49	18.8	35	17.2	14	24.6	56	25.3	5,118	25.0	77	24.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	637	100.0	535	84.0	102	16.0	305	100.0	30,375	100.0	393	100.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	13	0.0	0	0.0
13-19	24	3.8	22	4.1	2	2.0	6	2.0	92	0.3	0	0.0
20-29	263	41.3	236	44.1	27	26.5	75	24.6	2,674	8.8	8	2.0
30-39	210	33.0	168	31.4	42	41.2	95	31.1	5,439	17.9	26	6.6
40-49	83	13.0	66	12.3	17	16.7	57	18.7	6,621	21.8	59	15.0
50-59	41	6.4	32	6.0	9	8.8	42	13.8	9,216	30.3	131	33.3
60+	15	2.4	10	1.9	5	4.9	30	9.8	6,320	20.8	169	43.0
BOROUGH OF RESIDENCE												
Bronx	177	27.8	150	28.0	27	26.5	91	29.8	8,924	29.4	142	36.1
Brooklyn	126	19.8	102	19.1	24	23.5	65	21.3	4,888	16.1	74	18.8
Manhattan	114	17.9	95	17.8	19	18.6	53	17.4	7,594	25.0	67	17.0
Queens	152	23.9	126	23.6	26	25.5	56	18.4	5,707	18.8	27	6.9
Staten Island	7	1.1	5	0.9	2	2.0	5	1.6	457	1.5	5	1.3
Outside NYC	45	7.1	41	7.7	4	3.9	32	10.5	2,279	7.5	11	2.8
Unknown	16	2.5	16	3.0	0	0.0	3	1.0	526	1.7	67	17.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	32	5.0	25	4.7	7	6.9	14	4.6	1,986	6.5	17	4.3
Medium poverty (10 to <20% below FPL)	218	34.2	185	34.6	33	32.4	85	27.9	10,402	34.2	67	17.0
High poverty (20 to <30% below FPL)	168	26.4	132	24.7	36	35.3	94	30.8	6,789	22.4	98	24.9
Very high poverty (≥30% below FPL)	158	24.8	136	25.4	22	21.6	77	25.2	8,063	26.5	133	33.8
Area-based poverty level not available	61	9.6	57	10.7	4	3.9	35	11.5	3,135	10.3	78	19.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	515	80.8	438	81.9	77	75.5	176	57.7	16,273	53.6	99	25.2
Injection drug use history (IDU)	9	1.4	7	1.3	2	2.0	27	8.9	4,662	15.3	137	34.9
MSM-IDU	8	1.3	8	1.5	0	0.0	12	3.9	1,246	4.1	17	4.3
Heterosexual contact	26	4.1	20	3.7	6	5.9	20	6.6	2,072	6.8	42	10.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	6	2.0	457	1.5	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.1	1	0.3
Unknown	78	12.2	61	11.4	17	16.7	64	21.0	5,635	18.6	95	24.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	119	100.0	104	87.4	15	12.6	100	100.0	11,606	100.0	166	100.0
AGE GROUP (YEARS)												
0-12	1	0.8	0	0.0	1	6.7	2	2.0	23	0.2	0	0.0
13-19	7	5.9	7	6.7	0	0.0	1	1.0	65	0.6	0	0.0
20-29	24	20.2	23	22.1	1	6.7	12	12.0	797	6.9	2	1.2
30-39	33	27.7	28	26.9	5	33.3	33	33.0	1,371	11.8	14	8.4
40-49	22	18.5	19	18.3	3	20.0	15	15.0	2,468	21.3	21	12.7
50-59	22	18.5	19	18.3	3	20.0	24	24.0	4,037	34.8	61	36.7
60+	10	8.4	8	7.7	2	13.3	13	13.0	2,845	24.5	68	41.0
BOROUGH OF RESIDENCE												
Bronx	42	35.3	38	36.5	4	26.7	33	33.0	5,091	43.9	64	38.6
Brooklyn	27	22.7	22	21.2	5	33.3	27	27.0	2,336	20.1	36	21.7
Manhattan	19	16.0	16	15.4	3	20.0	12	12.0	1,772	15.3	21	12.7
Queens	22	18.5	20	19.2	2	13.3	7	7.0	1,470	12.7	8	4.8
Staten Island	2	1.7	2	1.9	0	0.0	2	2.0	235	2.0	6	3.6
Outside NYC	6	5.0	5	4.8	1	6.7	18	18.0	584	5.0	8	4.8
Unknown	1	0.8	1	1.0	0	0.0	1	1.0	118	1.0	23	13.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	6.7	8	7.7	0	0.0	3	3.0	424	3.7	3	1.8
Medium poverty (10 to <20% below FPL)	35	29.4	30	28.8	5	33.3	18	18.0	3,019	26.0	29	17.5
High poverty (20 to <30% below FPL)	33	27.7	28	26.9	5	33.3	27	27.0	2,964	25.5	42	25.3
Very high poverty (≥30% below FPL)	36	30.3	32	30.8	4	26.7	33	33.0	4,433	38.2	61	36.7
Area-based poverty level not available	7	5.9	6	5.8	1	6.7	19	19.0	766	6.6	31	18.7
TRANSMISSION RISK												
Injection drug use history (IDU)	2	1.7	2	1.9	0	0.0	13	13.0	2,162	18.6	67	40.4
Heterosexual contact	80	67.2	71	68.3	9	60.0	50	50.0	6,052	52.1	63	38.0
Transgender people with sexual contact	22	18.5	21	20.2	1	6.7	15	15.0	657	5.7	8	4.8
Perinatal	1	0.8	0	0.0	1	6.7	3	3.0	469	4.0	2	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	1	0.6
Unknown	14	11.8	10	9.6	4	26.7	19	19.0	2,244	19.3	25	15.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	271	100.0	234	86.3	37	13.7	148	100.0	23,541	100.0	259	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	0.7	2	0.9	0	0.0	0	0.0	18	0.1	0	0.0
20-29	104	38.4	95	40.6	9	24.3	14	9.5	963	4.1	2	0.8
30-39	85	31.4	79	33.8	6	16.2	40	27.0	3,173	13.5	15	5.8
40-49	33	12.2	28	12.0	5	13.5	35	23.6	4,776	20.3	31	12.0
50-59	31	11.4	18	7.7	13	35.1	36	24.3	8,332	35.4	84	32.4
60+	16	5.9	12	5.1	4	10.8	23	15.5	6,278	26.7	127	49.0
BOROUGH OF RESIDENCE												
Bronx	16	5.9	13	5.6	3	8.1	7	4.7	1,054	4.5	12	4.6
Brooklyn	79	29.2	71	30.3	8	21.6	39	26.4	3,358	14.3	22	8.5
Manhattan	100	36.9	86	36.8	14	37.8	52	35.1	11,406	48.5	80	30.9
Queens	28	10.3	23	9.8	5	13.5	19	12.8	2,464	10.5	25	9.7
Staten Island	8	3.0	7	3.0	1	2.7	4	2.7	529	2.2	10	3.9
Outside NYC	29	10.7	23	9.8	6	16.2	23	15.5	4,469	19.0	16	6.2
Unknown	11	4.1	11	4.7	0	0.0	4	2.7	261	1.1	94	36.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	41	15.1	35	15.0	6	16.2	26	17.6	4,581	19.5	46	17.8
Medium poverty (10 to <20% below FPL)	106	39.1	89	38.0	17	45.9	60	40.5	9,550	40.6	59	22.8
High poverty (20 to <30% below FPL)	68	25.1	64	27.4	4	10.8	24	16.2	3,345	14.2	27	10.4
Very high poverty (≥30% below FPL)	15	5.5	12	5.1	3	8.1	9	6.1	1,091	4.6	17	6.6
Area-based poverty level not available	41	15.1	34	14.5	7	18.9	29	19.6	4,974	21.1	110	42.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	226	83.4	199	85.0	27	73.0	104	70.3	18,322	77.8	150	57.9
Injection drug use history (IDU)	5	1.8	4	1.7	1	2.7	8	5.4	1,133	4.8	33	12.7
MSM-IDU	9	3.3	9	3.8	0	0.0	8	5.4	790	3.4	18	6.9
Heterosexual contact	5	1.8	5	2.1	0	0.0	3	2.0	516	2.2	8	3.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	77	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	26	9.6	17	7.3	9	24.3	25	16.9	2,654	11.3	50	19.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	23	100.0	2,572	100.0	27	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	15	0.6	0	0.0
20-29	9	31.0	9	39.1	0	0.0	1	4.3	131	5.1	1	3.7
30-39	5	17.2	4	17.4	1	16.7	8	34.8	289	11.2	0	0.0
40-49	6	20.7	4	17.4	2	33.3	4	17.4	501	19.5	3	11.1
50-59	6	20.7	4	17.4	2	33.3	7	30.4	937	36.4	13	48.1
60+	3	10.3	2	8.7	1	16.7	3	13.0	696	27.1	10	37.0
BOROUGH OF RESIDENCE												
Bronx	2	6.9	2	8.7	0	0.0	1	4.3	357	13.9	6	22.2
Brooklyn	15	51.7	10	43.5	5	83.3	7	30.4	567	22.0	5	18.5
Manhattan	7	24.1	6	26.1	1	16.7	3	13.0	512	19.9	0	0.0
Queens	2	6.9	2	8.7	0	0.0	2	8.7	428	16.6	3	11.1
Staten Island	1	3.4	1	4.3	0	0.0	2	8.7	191	7.4	1	3.7
Outside NYC	1	3.4	1	4.3	0	0.0	7	30.4	487	18.9	1	3.7
Unknown	1	3.4	1	4.3	0	0.0	1	4.3	30	1.2	11	40.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	10.3	3	13.0	0	0.0	3	13.0	421	16.4	4	14.8
Medium poverty (10 to <20% below FPL)	16	55.2	13	56.5	3	50.0	6	26.1	889	34.6	5	18.5
High poverty (20 to <30% below FPL)	6	20.7	4	17.4	2	33.3	5	21.7	441	17.1	1	3.7
Very high poverty (≥30% below FPL)	2	6.9	1	4.3	1	16.7	1	4.3	274	10.7	5	18.5
Area-based poverty level not available	2	6.9	2	8.7	0	0.0	8	34.8	547	21.3	12	44.4
TRANSMISSION RISK												
Injection drug use history (IDU)	3	10.3	3	13.0	0	0.0	1	4.3	613	23.8	10	37.0
Heterosexual contact	19	65.5	17	73.9	2	33.3	14	60.9	1,210	47.0	9	33.3
Transgender people with sexual contact	1	3.4	1	4.3	0	0.0	1	4.3	110	4.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.3	74	2.9	2	7.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Unknown	6	20.7	2	8.7	4	66.7	6	26.1	548	21.3	6	22.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	105	100.0	79	75.2	26	24.8	58	100.0	2,468	100.0	19	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	1.9	2	2.5	0	0.0	0	0.0	5	0.2	0	0.0
20-29	38	36.2	30	38.0	8	30.8	16	27.6	306	12.4	0	0.0
30-39	30	28.6	23	29.1	7	26.9	16	27.6	546	22.1	3	15.8
40-49	20	19.0	13	16.5	7	26.9	14	24.1	670	27.1	4	21.1
50-59	11	10.5	8	10.1	3	11.5	8	13.8	617	25.0	4	21.1
60+	4	3.8	3	3.8	1	3.8	4	6.9	322	13.0	8	42.1
BOROUGH OF RESIDENCE												
Bronx	2	1.9	2	2.5	0	0.0	3	5.2	156	6.3	1	5.3
Brooklyn	20	19.0	16	20.3	4	15.4	10	17.2	418	16.9	4	21.1
Manhattan	18	17.1	17	21.5	1	3.8	5	8.6	746	30.2	3	15.8
Queens	54	51.4	34	43.0	20	76.9	28	48.3	830	33.6	3	15.8
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
Outside NYC	10	9.5	9	11.4	1	3.8	12	20.7	226	9.2	0	0.0
Unknown	1	1.0	1	1.3	0	0.0	0	0.0	69	2.8	8	42.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	9.5	9	11.4	1	3.8	5	8.6	332	13.5	0	0.0
Medium poverty (10 to <20% below FPL)	58	55.2	39	49.4	19	73.1	29	50.0	1,190	48.2	4	21.1
High poverty (20 to <30% below FPL)	22	21.0	18	22.8	4	15.4	9	15.5	487	19.7	7	36.8
Very high poverty (≥30% below FPL)	4	3.8	3	3.8	1	3.8	3	5.2	142	5.8	0	0.0
Area-based poverty level not available	11	10.5	10	12.7	1	3.8	12	20.7	317	12.8	8	42.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	78	74.3	56	70.9	22	84.6	41	70.7	1,668	67.6	8	42.1
Injection drug use history (IDU)	2	1.9	2	2.5	0	0.0	0	0.0	57	2.3	1	5.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.7	46	1.9	0	0.0
Heterosexual contact	7	6.7	5	6.3	2	7.7	2	3.4	188	7.6	2	10.5
Transgender people with sexual contact	1	1.0	1	1.3	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	12	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	5.3
Unknown	17	16.2	15	19.0	2	7.7	13	22.4	492	19.9	7	36.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	14	93.3	1	6.7	7	100.0	495	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	26.7	4	28.6	0	0.0	2	28.6	33	6.7	0	0.0
30-39	4	26.7	4	28.6	0	0.0	0	0.0	102	20.6	0	0.0
40-49	4	26.7	4	28.6	0	0.0	3	42.9	132	26.7	1	33.3
50-59	1	6.7	0	0.0	1	100.0	1	14.3	135	27.3	1	33.3
60+	2	13.3	2	14.3	0	0.0	1	14.3	90	18.2	1	33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	46	9.3	0	0.0
Brooklyn	3	20.0	3	21.4	0	0.0	1	14.3	116	23.4	1	33.3
Manhattan	3	20.0	3	21.4	0	0.0	0	0.0	67	13.5	1	33.3
Queens	9	60.0	8	57.1	1	100.0	5	71.4	204	41.2	1	33.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	14.3	44	8.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	2.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	26.7	4	28.6	0	0.0	1	14.3	52	10.5	0	0.0
Medium poverty (10 to <20% below FPL)	6	40.0	5	35.7	1	100.0	4	57.1	242	48.9	1	33.3
High poverty (20 to <30% below FPL)	4	26.7	4	28.6	0	0.0	1	14.3	88	17.8	1	33.3
Very high poverty (≥30% below FPL)	1	6.7	1	7.1	0	0.0	0	0.0	52	10.5	1	33.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	14.3	61	12.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.8	1	33.3
Heterosexual contact	7	46.7	7	50.0	0	0.0	5	71.4	294	59.4	1	33.3
Transgender people with sexual contact	6	40.0	6	42.9	0	0.0	0	0.0	39	7.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	13.3	1	7.1	1	100.0	2	28.6	135	27.3	1	33.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	226	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	20.0	0	0.0	0	0.0	1	0.4	0	0.0
20-29	5	71.4	3	60.0	2	100.0	3	75.0	18	8.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	42	18.6	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	58	25.7	1	25.0
50-59	1	14.3	1	20.0	0	0.0	1	25.0	67	29.6	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	40	17.7	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	25.0	44	19.5	1	25.0
Brooklyn	2	28.6	1	20.0	1	50.0	1	25.0	46	20.4	0	0.0
Manhattan	3	42.9	2	40.0	1	50.0	1	25.0	58	25.7	1	25.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	49	21.7	0	0.0
Other/Unknown	2	28.6	2	40.0	0	0.0	1	25.0	29	12.8	2	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	28.6	2	40.0	0	0.0	0	0.0	17	7.5	1	25.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	25.0	88	38.9	1	25.0
High poverty (20 to <30% below FPL)	3	42.9	2	40.0	1	50.0	1	25.0	55	24.3	0	0.0
Very high poverty (≥30% below FPL)	1	14.3	0	0.0	1	50.0	1	25.0	41	18.1	1	25.0
Area-based poverty level not available	1	14.3	1	20.0	0	0.0	1	25.0	25	11.1	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	71.4	5	100.0	0	0.0	1	25.0	129	57.1	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	6.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	3.5	0	0.0
Heterosexual contact	1	14.3	0	0.0	1	50.0	1	25.0	20	8.8	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	1	14.3	0	0.0	1	50.0	2	50.0	53	23.5	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	1	50.0	1	50.0	1	100.0	78	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	50.0	1	100.0	0	0.0	0	0.0	8	10.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	21	26.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	28	35.9	3	75.0
60+	1	50.0	0	0.0	1	100.0	1	100.0	11	14.1	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	29.5	1	25.0
Brooklyn	1	50.0	0	0.0	1	100.0	1	100.0	29	37.2	3	75.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
Queens	1	50.0	1	100.0	0	0.0	0	0.0	13	16.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	50.0	1	100.0	0	0.0	0	0.0	2	2.6	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	30	38.5	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	0	0.0	1	100.0	1	100.0	23	29.5	3	75.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	21	26.9	1	25.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.4	1	25.0
Heterosexual contact	2	100.0	1	100.0	1	100.0	1	100.0	48	61.5	3	75.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	7.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	19.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	49	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	33	67.3	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	0	0.0	13	26.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	4.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	15	30.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	14	28.6	0	0.0
Manhattan	1	100.0	1	100.0	0	0.0	0	0.0	7	14.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	5	10.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	4.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	10.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	4.1	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	12	24.5	0	0.0
High poverty (20 to <30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	12	24.5	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	32.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	7	14.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	0	0.0	47	95.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	4.1	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	0	0.0	1	100.0	2	100.0	49	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	19	38.8	0	0.0
Latino/Hispanic	1	100.0	0	0.0	1	100.0	2	100.0	23	46.9	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	6.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	4.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	14	28.6	0	0.0
Brooklyn	1	100.0	0	0.0	1	100.0	2	100.0	12	24.5	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	6	12.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	6	12.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	8.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	12.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	12	24.5	0	0.0
High poverty (20 to <30% below FPL)	1	100.0	0	0.0	1	100.0	2	100.0	13	26.5	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	13	26.5	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	10	20.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	0	0.0	1	100.0	1	50.0	47	95.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	50.0	2	4.1	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,644	100.0	1,367	83.2	277	16.8	919	100.0	92,093	100.0	1,282	100.0
RACE/ETHNICITY												
Black	611	37.2	504	36.9	107	38.6	398	43.3	34,930	37.9	603	47.0
Latino/Hispanic	636	38.7	534	39.1	102	36.8	305	33.2	30,362	33.0	393	30.7
White	271	16.5	234	17.1	37	13.4	148	16.1	23,540	25.6	259	20.2
Asian/Pacific Islander	105	6.4	79	5.8	26	9.4	58	6.3	2,466	2.7	19	1.5
Native American	7	0.4	5	0.4	2	0.7	4	0.4	226	0.2	4	0.3
Multiracial	14	0.9	11	0.8	3	1.1	6	0.7	324	0.4	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	245	0.3	1	0.1
AGE GROUP (YEARS)												
13-19	63	3.8	60	4.4	3	1.1	13	1.4	279	0.3	0	0.0
20-29	689	41.9	623	45.6	66	23.8	185	20.1	7,789	8.5	32	2.5
30-39	462	28.1	378	27.7	84	30.3	253	27.5	15,281	16.6	86	6.7
40-49	210	12.8	163	11.9	47	17.0	176	19.2	18,521	20.1	161	12.6
50-59	145	8.8	91	6.7	54	19.5	180	19.6	28,812	31.3	396	30.9
60+	75	4.6	52	3.8	23	8.3	112	12.2	21,411	23.2	607	47.3
BOROUGH OF RESIDENCE												
Bronx	322	19.6	269	19.7	53	19.1	207	22.5	18,624	20.2	300	23.4
Brooklyn	467	28.4	376	27.5	91	32.9	244	26.6	19,776	21.5	267	20.8
Manhattan	332	20.2	282	20.6	50	18.1	166	18.1	27,100	29.4	230	17.9
Queens	316	19.2	256	18.7	60	21.7	140	15.2	13,423	14.6	107	8.3
Staten Island	26	1.6	19	1.4	7	2.5	21	2.3	1,572	1.7	28	2.2
Outside NYC	136	8.3	120	8.8	16	5.8	131	14.3	10,368	11.3	53	4.1
Unknown	45	2.7	45	3.3	0	0.0	10	1.1	1,230	1.3	297	23.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	128	7.8	111	8.1	17	6.1	63	6.9	9,123	9.9	92	7.2
Medium poverty (10 to <20% below FPL)	591	35.9	485	35.5	106	38.3	282	30.7	32,606	35.4	261	20.4
High poverty (20 to <30% below FPL)	456	27.7	367	26.8	89	32.1	242	26.3	20,117	21.8	277	21.6
Very high poverty (≥30% below FPL)	287	17.5	239	17.5	48	17.3	188	20.5	17,605	19.1	302	23.6
Area-based poverty level not available	182	11.1	165	12.1	17	6.1	144	15.7	12,642	13.7	350	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,222	74.3	1,045	76.4	177	63.9	530	57.7	52,992	57.5	436	34.0
Injection drug use history (IDU)	21	1.3	16	1.2	5	1.8	48	5.2	9,811	10.7	305	23.8
MSM-IDU	25	1.5	25	1.8	0	0.0	29	3.2	3,228	3.5	70	5.5
Heterosexual contact	76	4.6	54	4.0	22	7.9	65	7.1	6,106	6.6	117	9.1
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	20	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	13	1.4	1,221	1.3	11	0.9
Other	1	0.1	1	0.1	0	0.0	0	0.0	114	0.1	3	0.2
Unknown	298	18.1	225	16.5	73	26.4	234	25.5	18,601	20.2	340	26.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	428	100.0	348	81.3	80	18.7	352	100.0	35,331	100.0	521	100.0
RACE/ETHNICITY												
Black	261	61.0	204	58.6	57	71.3	221	62.8	20,450	57.9	320	61.4
Latino/Hispanic	118	27.6	104	29.9	14	17.5	98	27.8	11,583	32.8	166	31.9
White	29	6.8	23	6.6	6	7.5	23	6.5	2,569	7.3	27	5.2
Asian/Pacific Islander	15	3.5	14	4.0	1	1.3	7	2.0	493	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.3	1	0.3	77	0.2	4	0.8
Multiracial	3	0.7	2	0.6	1	1.3	2	0.6	85	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	16	3.7	15	4.3	1	1.3	4	1.1	215	0.6	0	0.0
20-29	98	22.9	93	26.7	5	6.3	45	12.8	2,408	6.8	9	1.7
30-39	108	25.2	85	24.4	23	28.8	92	26.1	4,573	12.9	37	7.1
40-49	85	19.9	67	19.3	18	22.5	62	17.6	7,807	22.1	74	14.2
50-59	74	17.3	50	14.4	24	30.0	101	28.7	12,029	34.0	200	38.4
60+	47	11.0	38	10.9	9	11.3	48	13.6	8,299	23.5	201	38.6
BOROUGH OF RESIDENCE												
Bronx	128	29.9	106	30.5	22	27.5	95	27.0	11,443	32.4	140	26.9
Brooklyn	140	32.7	108	31.0	32	40.0	107	30.4	10,123	28.7	139	26.7
Manhattan	52	12.1	42	12.1	10	12.5	44	12.5	5,222	14.8	71	13.6
Queens	68	15.9	59	17.0	9	11.3	33	9.4	4,884	13.8	40	7.7
Staten Island	13	3.0	11	3.2	2	2.5	8	2.3	859	2.4	13	2.5
Outside NYC	19	4.4	14	4.0	5	6.3	61	17.3	2,451	6.9	22	4.2
Unknown	8	1.9	8	2.3	0	0.0	4	1.1	349	1.0	96	18.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	7.2	27	7.8	4	5.0	19	5.4	2,190	6.2	19	3.6
Medium poverty (10 to <20% below FPL)	150	35.0	120	34.5	30	37.5	79	22.4	10,456	29.6	103	19.8
High poverty (20 to <30% below FPL)	109	25.5	86	24.7	23	28.8	85	24.1	9,154	25.9	132	25.3
Very high poverty (≥30% below FPL)	111	25.9	93	26.7	18	22.5	103	29.3	10,441	29.6	149	28.6
Area-based poverty level not available	27	6.3	22	6.3	5	6.3	66	18.8	3,090	8.7	118	22.6
TRANSMISSION RISK												
Injection drug use history (IDU)	11	2.6	10	2.9	1	1.3	27	7.7	5,341	15.1	148	28.4
Heterosexual contact	291	68.0	241	69.3	50	62.5	203	57.7	18,817	53.3	239	45.9
Transgender people with sexual contact	55	12.9	49	14.1	6	7.5	30	8.5	1,689	4.8	13	2.5
Perinatal	0	0.0	0	0.0	0	0.0	10	2.8	1,274	3.6	11	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	1	0.2
Unknown	71	16.6	48	13.8	23	28.8	82	23.3	8,120	23.0	109	20.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	322	100.0	269	83.5	53	16.5	207	100.0	18,639	100.0	300	100.0
RACE/ETHNICITY												
Black	126	39.1	103	38.3	23	43.4	104	50.2	8,400	45.1	143	47.7
Latino/Hispanic	177	55.0	150	55.8	27	50.9	91	44.0	8,924	47.9	142	47.3
White	16	5.0	13	4.8	3	5.7	7	3.4	1,054	5.7	12	4.0
Asian/Pacific Islander	2	0.6	2	0.7	0	0.0	3	1.4	156	0.8	1	0.3
Native American	0	0.0	0	0.0	0	0.0	1	0.5	44	0.2	1	0.3
Multiracial	1	0.3	1	0.4	0	0.0	1	0.5	38	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
13-19	19	5.9	19	7.1	0	0.0	3	1.4	81	0.4	0	0.0
20-29	128	39.8	116	43.1	12	22.6	43	20.8	1,768	9.5	9	3.0
30-39	85	26.4	71	26.4	14	26.4	41	19.8	3,087	16.6	15	5.0
40-49	47	14.6	36	13.4	11	20.8	38	18.4	3,479	18.7	38	12.7
50-59	27	8.4	16	5.9	11	20.8	49	23.7	5,930	31.8	101	33.7
60+	16	5.0	11	4.1	5	9.4	33	15.9	4,279	23.0	137	45.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Medium poverty (10 to <20% below FPL)	74	23.0	59	21.9	15	28.3	37	17.9	3,339	17.9	39	13.0
High poverty (20 to <30% below FPL)	38	11.8	30	11.2	8	15.1	29	14.0	1,988	10.7	32	10.7
Very high poverty (≥30% below FPL)	210	65.2	180	66.9	30	56.6	141	68.1	13,187	70.7	229	76.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	102	0.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	207	64.3	183	68.0	24	45.3	81	39.1	7,687	41.2	60	20.0
Injection drug use history (IDU)	6	1.9	5	1.9	1	1.9	17	8.2	3,162	17.0	106	35.3
MSM-IDU	6	1.9	6	2.2	0	0.0	11	5.3	844	4.5	19	6.3
Heterosexual contact	28	8.7	21	7.8	7	13.2	23	11.1	1,755	9.4	23	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	2.9	418	2.2	6	2.0
Other	1	0.3	1	0.4	0	0.0	0	0.0	21	0.1	1	0.3
Unknown	74	23.0	53	19.7	21	39.6	69	33.3	4,741	25.4	85	28.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	128	100.0	106	82.8	22	17.2	95	100.0	11,457	100.0	140	100.0
RACE/ETHNICITY												
Black	84	65.6	66	62.3	18	81.8	60	63.2	5,908	51.6	69	49.3
Latino/Hispanic	42	32.8	38	35.8	4	18.2	33	34.7	5,091	44.4	64	45.7
White	2	1.6	2	1.9	0	0.0	1	1.1	357	3.1	6	4.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	46	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	1.1	17	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	6	4.7	6	5.7	0	0.0	0	0.0	58	0.5	0	0.0
20-29	27	21.1	26	24.5	1	4.5	11	11.6	805	7.0	1	0.7
30-39	33	25.8	26	24.5	7	31.8	25	26.3	1,534	13.4	11	7.9
40-49	25	19.5	20	18.9	5	22.7	17	17.9	2,616	22.8	21	15.0
50-59	29	22.7	21	19.8	8	36.4	28	29.5	3,982	34.8	58	41.4
60+	8	6.3	7	6.6	1	4.5	14	14.7	2,448	21.4	49	35.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	1	0.7
Medium poverty (10 to <20% below FPL)	27	21.1	21	19.8	6	27.3	15	15.8	2,124	18.5	27	19.3
High poverty (20 to <30% below FPL)	13	10.2	11	10.4	2	9.1	9	9.5	1,233	10.8	15	10.7
Very high poverty (≥30% below FPL)	88	68.8	74	69.8	14	63.6	71	74.7	8,048	70.2	97	69.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	3.1	4	3.8	0	0.0	11	11.6	1,926	16.8	56	40.0
Heterosexual contact	101	78.9	81	76.4	20	90.9	56	58.9	6,105	53.3	56	40.0
Transgender people with sexual contact	12	9.4	11	10.4	1	4.5	12	12.6	515	4.5	4	2.9
Perinatal	0	0.0	0	0.0	0	0.0	2	2.1	427	3.7	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Unknown	11	8.6	10	9.4	1	4.5	14	14.7	2,466	21.5	23	16.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	467	100.0	376	80.5	91	19.5	244	100.0	19,790	100.0	267	100.0
RACE/ETHNICITY												
Black	234	50.1	181	48.1	53	58.2	128	52.5	10,993	55.5	167	62.5
Latino/Hispanic	126	27.0	102	27.1	24	26.4	65	26.6	4,888	24.7	74	27.7
White	79	16.9	71	18.9	8	8.8	39	16.0	3,358	17.0	22	8.2
Asian/Pacific Islander	20	4.3	16	4.3	4	4.4	10	4.1	418	2.1	4	1.5
Native American	2	0.4	1	0.3	1	1.1	1	0.4	46	0.2	0	0.0
Multiracial	6	1.3	5	1.3	1	1.1	1	0.4	64	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	20	4.3	17	4.5	3	3.3	7	2.9	76	0.4	0	0.0
20-29	199	42.6	177	47.1	22	24.2	50	20.5	1,964	9.9	7	2.6
30-39	128	27.4	99	26.3	29	31.9	80	32.8	3,590	18.1	28	10.5
40-49	56	12.0	39	10.4	17	18.7	46	18.9	4,005	20.2	31	11.6
50-59	44	9.4	30	8.0	14	15.4	42	17.2	5,685	28.7	71	26.6
60+	20	4.3	14	3.7	6	6.6	19	7.8	4,456	22.5	130	48.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	18	3.9	16	4.3	2	2.2	8	3.3	673	3.4	10	3.7
Medium poverty (10 to <20% below FPL)	169	36.2	135	35.9	34	37.4	96	39.3	8,339	42.1	92	34.5
High poverty (20 to <30% below FPL)	233	49.9	191	50.8	42	46.2	109	44.7	8,269	41.8	133	49.8
Very high poverty (≥30% below FPL)	46	9.9	34	9.0	12	13.2	30	12.3	2,347	11.9	32	12.0
Area-based poverty level not available	1	0.2	0	0.0	1	1.1	1	0.4	162	0.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	335	71.7	278	73.9	57	62.6	137	56.1	10,336	52.2	80	30.0
Injection drug use history (IDU)	10	2.1	8	2.1	2	2.2	17	7.0	2,249	11.4	66	24.7
MSM-IDU	6	1.3	6	1.6	0	0.0	4	1.6	621	3.1	9	3.4
Heterosexual contact	23	4.9	16	4.3	7	7.7	13	5.3	1,603	8.1	33	12.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.6	330	1.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	93	19.9	68	18.1	25	27.5	69	28.3	4,626	23.4	78	29.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	108	76.6	33	23.4	109	100.0	10,135	100.0	139	100.0
RACE/ETHNICITY												
Black	94	66.7	72	66.7	22	66.7	73	67.0	7,045	69.5	94	67.6
Latino/Hispanic	27	19.1	22	20.4	5	15.2	27	24.8	2,336	23.0	36	25.9
White	15	10.6	10	9.3	5	15.2	7	6.4	567	5.6	5	3.6
Asian/Pacific Islander	3	2.1	3	2.8	0	0.0	1	0.9	116	1.1	1	0.7
Native American	1	0.7	0	0.0	1	3.0	1	0.9	29	0.3	3	2.2
Multiracial	1	0.7	1	0.9	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	0	0.0	1	3.0	2	1.8	12	0.1	0	0.0
13-19	7	5.0	6	5.6	1	3.0	4	3.7	61	0.6	0	0.0
20-29	22	15.6	18	16.7	4	12.1	12	11.0	647	6.4	1	0.7
30-39	35	24.8	28	25.9	7	21.2	26	23.9	1,317	13.0	11	7.9
40-49	29	20.6	22	20.4	7	21.2	17	15.6	2,239	22.1	19	13.7
50-59	20	14.2	12	11.1	8	24.2	29	26.6	3,349	33.0	43	30.9
60+	27	19.1	22	20.4	5	15.2	19	17.4	2,510	24.8	65	46.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.5	3	2.8	2	6.1	3	2.8	338	3.3	1	0.7
Medium poverty (10 to <20% below FPL)	59	41.8	44	40.7	15	45.5	38	34.9	3,866	38.1	44	31.7
High poverty (20 to <30% below FPL)	59	41.8	46	42.6	13	39.4	47	43.1	4,388	43.3	63	45.3
Very high poverty (≥30% below FPL)	18	12.8	15	13.9	3	9.1	20	18.3	1,479	14.6	31	22.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	64	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	2.1	3	2.8	0	0.0	6	5.5	1,385	13.7	33	23.7
Heterosexual contact	92	65.2	78	72.2	14	42.4	57	52.3	5,574	55.0	64	46.0
Transgender people with sexual contact	11	7.8	8	7.4	3	9.1	4	3.7	376	3.7	3	2.2
Perinatal	1	0.7	0	0.0	1	3.0	4	3.7	359	3.5	3	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.7
Unknown	34	24.1	19	17.6	15	45.5	38	34.9	2,417	23.8	35	25.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	333	100.0	283	85.0	50	15.0	166	100.0	27,107	100.0	230	100.0
RACE/ETHNICITY												
Black	94	28.2	79	27.9	15	30.0	55	33.1	7,072	26.1	78	33.9
Latino/Hispanic	114	34.2	95	33.6	19	38.0	53	31.9	7,594	28.0	67	29.1
White	100	30.0	86	30.4	14	28.0	52	31.3	11,406	42.1	80	34.8
Asian/Pacific Islander	18	5.4	17	6.0	1	2.0	5	3.0	746	2.8	3	1.3
Native American	3	0.9	2	0.7	1	2.0	1	0.6	58	0.2	1	0.4
Multiracial	4	1.2	4	1.4	0	0.0	0	0.0	86	0.3	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	145	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	7	0.0	0	0.0
13-19	6	1.8	6	2.1	0	0.0	0	0.0	33	0.1	0	0.0
20-29	122	36.6	113	39.9	9	18.0	16	9.6	1,499	5.5	2	0.9
30-39	110	33.0	98	34.6	12	24.0	45	27.1	4,195	15.5	12	5.2
40-49	47	14.1	38	13.4	9	18.0	35	21.1	5,578	20.6	28	12.2
50-59	27	8.1	15	5.3	12	24.0	38	22.9	8,848	32.6	69	30.0
60+	20	6.0	12	4.2	8	16.0	32	19.3	6,947	25.6	119	51.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	50	15.0	42	14.8	8	16.0	30	18.1	5,901	21.8	47	20.4
Medium poverty (10 to <20% below FPL)	123	36.9	109	38.5	14	28.0	48	28.9	10,754	39.7	66	28.7
High poverty (20 to <30% below FPL)	129	38.7	107	37.8	22	44.0	69	41.6	7,736	28.5	76	33.0
Very high poverty (≥30% below FPL)	31	9.3	25	8.8	6	12.0	17	10.2	2,087	7.7	41	17.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	1.2	629	2.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	270	81.1	236	83.4	34	68.0	107	64.5	18,854	69.6	115	50.0
Injection drug use history (IDU)	3	0.9	2	0.7	1	2.0	5	3.0	2,054	7.6	30	13.0
MSM-IDU	3	0.9	3	1.1	0	0.0	8	4.8	937	3.5	14	6.1
Heterosexual contact	8	2.4	6	2.1	2	4.0	9	5.4	938	3.5	18	7.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	1	0.6	192	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	1	0.4
Unknown	48	14.4	35	12.4	13	26.0	36	21.7	4,113	15.2	52	22.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	42	80.8	10	19.2	44	100.0	5,228	100.0	71	100.0
RACE/ETHNICITY												
Black	22	42.3	16	38.1	6	60.0	29	65.9	2,836	54.2	49	69.0
Latino/Hispanic	19	36.5	16	38.1	3	30.0	12	27.3	1,772	33.9	21	29.6
White	7	13.5	6	14.3	1	10.0	3	6.8	512	9.8	0	0.0
Asian/Pacific Islander	3	5.8	3	7.1	0	0.0	0	0.0	67	1.3	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	1	1.9	1	2.4	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	1	1.9	1	2.4	0	0.0	0	0.0	23	0.4	0	0.0
20-29	14	26.9	14	33.3	0	0.0	6	13.6	340	6.5	1	1.4
30-39	15	28.8	13	31.0	2	20.0	10	22.7	570	10.9	4	5.6
40-49	11	21.2	7	16.7	4	40.0	12	27.3	1,049	20.1	8	11.3
50-59	6	11.5	4	9.5	2	20.0	10	22.7	1,815	34.7	31	43.7
60+	5	9.6	3	7.1	2	20.0	6	13.6	1,425	27.3	27	38.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	11.5	6	14.3	0	0.0	5	11.4	560	10.7	1	1.4
Medium poverty (10 to <20% below FPL)	18	34.6	16	38.1	2	20.0	6	13.6	1,219	23.3	12	16.9
High poverty (20 to <30% below FPL)	23	44.2	16	38.1	7	70.0	21	47.7	2,406	46.0	37	52.1
Very high poverty (≥30% below FPL)	5	9.6	4	9.5	1	10.0	12	27.3	927	17.7	21	29.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	116	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	5.8	3	7.1	0	0.0	2	4.5	1,001	19.1	13	18.3
Heterosexual contact	25	48.1	18	42.9	7	70.0	23	52.3	2,437	46.6	39	54.9
Transgender people with sexual contact	17	32.7	16	38.1	1	10.0	6	13.6	315	6.0	2	2.8
Perinatal	0	0.0	0	0.0	0	0.0	2	4.5	181	3.5	2	2.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	7	13.5	5	11.9	2	20.0	11	25.0	1,280	24.5	15	21.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	316	100.0	256	81.0	60	19.0	140	100.0	13,428	100.0	107	100.0
RACE/ETHNICITY												
Black	80	25.3	72	28.1	8	13.3	35	25.0	4,312	32.1	51	47.7
Latino/Hispanic	152	48.1	126	49.2	26	43.3	56	40.0	5,707	42.5	27	25.2
White	28	8.9	23	9.0	5	8.3	19	13.6	2,464	18.3	25	23.4
Asian/Pacific Islander	54	17.1	34	13.3	20	33.3	28	20.0	830	6.2	3	2.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	49	0.4	0	0.0
Multiracial	2	0.6	1	0.4	1	1.7	2	1.4	38	0.3	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	7	2.2	7	2.7	0	0.0	0	0.0	31	0.2	0	0.0
20-29	131	41.5	115	44.9	16	26.7	36	25.7	1,080	8.0	1	0.9
30-39	98	31.0	75	29.3	23	38.3	38	27.1	2,278	17.0	9	8.4
40-49	42	13.3	33	12.9	9	15.0	27	19.3	2,987	22.2	9	8.4
50-59	23	7.3	14	5.5	9	15.0	25	17.9	4,248	31.6	30	28.0
60+	15	4.7	12	4.7	3	5.0	14	10.0	2,799	20.8	58	54.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	53	16.8	46	18.0	7	11.7	24	17.1	2,089	15.6	28	26.2
Medium poverty (10 to <20% below FPL)	216	68.4	174	68.0	42	70.0	96	68.6	9,838	73.3	60	56.1
High poverty (20 to <30% below FPL)	47	14.9	36	14.1	11	18.3	20	14.3	1,361	10.1	19	17.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	140	1.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	253	80.1	203	79.3	50	83.3	92	65.7	7,524	56.0	31	29.0
Injection drug use history (IDU)	1	0.3	0	0.0	1	1.7	6	4.3	1,370	10.2	29	27.1
MSM-IDU	6	1.9	6	2.3	0	0.0	3	2.1	401	3.0	4	3.7
Heterosexual contact	9	2.8	6	2.3	3	5.0	8	5.7	1,108	8.3	11	10.3
Transgender people with sexual contact	1	0.3	1	0.4	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	180	1.3	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	46	14.6	40	15.6	6	10.0	30	21.4	2,823	21.0	31	29.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	59	86.8	9	13.2	33	100.0	4,890	100.0	40	100.0
RACE/ETHNICITY												
Black	33	48.5	28	47.5	5	55.6	18	54.5	2,745	56.1	28	70.0
Latino/Hispanic	22	32.4	20	33.9	2	22.2	7	21.2	1,470	30.1	8	20.0
White	2	2.9	2	3.4	0	0.0	2	6.1	428	8.8	3	7.5
Asian/Pacific Islander	9	13.2	8	13.6	1	11.1	5	15.2	204	4.2	1	2.5
Native American	1	1.5	1	1.7	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	1	1.5	0	0.0	1	11.1	1	3.0	16	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	1	1.5	1	1.7	0	0.0	0	0.0	28	0.6	0	0.0
20-29	24	35.3	24	40.7	0	0.0	4	12.1	306	6.3	1	2.5
30-39	15	22.1	12	20.3	3	33.3	10	30.3	606	12.4	1	2.5
40-49	12	17.6	10	16.9	2	22.2	8	24.2	1,123	23.0	7	17.5
50-59	11	16.2	7	11.9	4	44.4	9	27.3	1,655	33.8	18	45.0
60+	5	7.4	5	8.5	0	0.0	2	6.1	1,166	23.8	13	32.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	27.9	17	28.8	2	22.2	9	27.3	1,083	22.1	13	32.5
Medium poverty (10 to <20% below FPL)	41	60.3	34	57.6	7	77.8	20	60.6	3,044	62.2	19	47.5
High poverty (20 to <30% below FPL)	8	11.8	8	13.6	0	0.0	4	12.1	692	14.2	8	20.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	71	1.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	6.1	603	12.3	15	37.5
Heterosexual contact	47	69.1	43	72.9	4	44.4	21	63.6	2,804	57.3	19	47.5
Transgender people with sexual contact	7	10.3	7	11.9	0	0.0	1	3.0	228	4.7	1	2.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	180	3.7	1	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Unknown	14	20.6	9	15.3	5	55.6	9	27.3	1,056	21.6	4	10.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	19	73.1	7	26.9	21	100.0	1,573	100.0	28	100.0
RACE/ETHNICITY												
Black	9	34.6	6	31.6	3	42.9	11	52.4	546	34.7	12	42.9
Latino/Hispanic	7	26.9	5	26.3	2	28.6	5	23.8	457	29.1	5	17.9
White	8	30.8	7	36.8	1	14.3	4	19.0	529	33.6	10	35.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	1.5	0	0.0
Other/Unknown	2	7.7	1	5.3	1	14.3	1	4.8	18	1.1	1	3.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.8	1	5.3	0	0.0	0	0.0	4	0.3	0	0.0
20-29	9	34.6	8	42.1	1	14.3	2	9.5	126	8.0	1	3.6
30-39	7	26.9	4	21.1	3	42.9	8	38.1	216	13.7	2	7.1
40-49	0	0.0	0	0.0	0	0.0	2	9.5	295	18.8	2	7.1
50-59	8	30.8	5	26.3	3	42.9	6	28.6	561	35.7	10	35.7
60+	1	3.8	1	5.3	0	0.0	3	14.3	370	23.5	13	46.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	26.9	7	36.8	0	0.0	1	4.8	439	27.9	7	25.0
Medium poverty (10 to <20% below FPL)	9	34.6	8	42.1	1	14.3	5	23.8	348	22.1	4	14.3
High poverty (20 to <30% below FPL)	10	38.5	4	21.1	6	85.7	15	71.4	775	49.3	17	60.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	50.0	10	52.6	3	42.9	9	42.9	710	45.1	7	25.0
Injection drug use history (IDU)	1	3.8	1	5.3	0	0.0	0	0.0	250	15.9	8	28.6
MSM-IDU	1	3.8	1	5.3	0	0.0	1	4.8	66	4.2	3	10.7
Heterosexual contact	4	15.4	2	10.5	2	28.6	5	23.8	146	9.3	2	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	7	26.9	5	26.3	2	28.6	6	28.6	370	23.5	8	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	8	100.0	860	100.0	13	100.0
RACE/ETHNICITY												
Black	10	76.9	8	72.7	2	100.0	4	50.0	422	49.1	6	46.2
Latino/Hispanic	2	15.4	2	18.2	0	0.0	2	25.0	235	27.3	6	46.2
White	1	7.7	1	9.1	0	0.0	2	25.0	191	22.2	1	7.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
20-29	4	30.8	4	36.4	0	0.0	1	12.5	47	5.5	0	0.0
30-39	5	38.5	3	27.3	2	100.0	5	62.5	122	14.2	1	7.7
40-49	1	7.7	1	9.1	0	0.0	0	0.0	177	20.6	1	7.7
50-59	2	15.4	2	18.2	0	0.0	2	25.0	329	38.3	5	38.5
60+	1	7.7	1	9.1	0	0.0	0	0.0	176	20.5	6	46.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	7.7	1	9.1	0	0.0	2	25.0	194	22.6	3	23.1
Medium poverty (10 to <20% below FPL)	5	38.5	5	45.5	0	0.0	0	0.0	215	25.0	1	7.7
High poverty (20 to <30% below FPL)	7	53.8	5	45.5	2	100.0	6	75.0	448	52.1	9	69.2
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	126	14.7	5	38.5
Heterosexual contact	9	69.2	8	72.7	1	50.0	5	62.5	491	57.1	6	46.2
Transgender people with sexual contact	3	23.1	2	18.2	1	50.0	1	12.5	38	4.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	30	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	1	7.7	1	9.1	0	0.0	0	0.0	170	19.8	2	15.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,222	100.0	1,045	85.5	177	14.5	530	100.0	52,992	100.0	436	100.0
RACE/ETHNICITY												
Black	387	31.7	337	32.2	50	28.2	204	38.5	16,318	30.8	175	40.1
Latino/Hispanic	515	42.1	438	41.9	77	43.5	176	33.2	16,273	30.7	99	22.7
White	226	18.5	199	19.0	27	15.3	104	19.6	18,322	34.6	150	34.4
Asian/Pacific Islander	78	6.4	56	5.4	22	12.4	41	7.7	1,668	3.1	8	1.8
Native American	5	0.4	5	0.5	0	0.0	1	0.2	129	0.2	3	0.7
Multiracial	11	0.9	10	1.0	1	0.6	4	0.8	252	0.5	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	53	4.3	50	4.8	3	1.7	7	1.3	98	0.2	0	0.0
20-29	580	47.5	527	50.4	53	29.9	141	26.6	6,109	11.5	16	3.7
30-39	355	29.1	292	27.9	63	35.6	183	34.5	12,040	22.7	53	12.2
40-49	133	10.9	104	10.0	29	16.4	97	18.3	11,961	22.6	79	18.1
50-59	77	6.3	50	4.8	27	15.3	76	14.3	14,564	27.5	141	32.3
60+	24	2.0	22	2.1	2	1.1	26	4.9	8,220	15.5	147	33.7
BOROUGH OF RESIDENCE												
Bronx	207	16.9	183	17.5	24	13.6	81	15.3	7,687	14.5	60	13.8
Brooklyn	335	27.4	278	26.6	57	32.2	137	25.8	10,336	19.5	80	18.3
Manhattan	270	22.1	236	22.6	34	19.2	107	20.2	18,854	35.6	115	26.4
Queens	253	20.7	203	19.4	50	28.2	92	17.4	7,524	14.2	31	7.1
Staten Island	13	1.1	10	1.0	3	1.7	9	1.7	710	1.3	7	1.6
Outside NYC	112	9.2	103	9.9	9	5.1	97	18.3	6,961	13.1	21	4.8
Unknown	32	2.6	32	3.1	0	0.0	7	1.3	920	1.7	122	28.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	99	8.1	85	8.1	14	7.9	40	7.5	6,092	11.5	43	9.9
Medium poverty (10 to <20% below FPL)	442	36.2	368	35.2	74	41.8	179	33.8	20,115	38.0	98	22.5
High poverty (20 to <30% below FPL)	341	27.9	286	27.4	55	31.1	129	24.3	11,175	21.1	82	18.8
Very high poverty (≥30% below FPL)	196	16.0	171	16.4	25	14.1	77	14.5	7,333	13.8	70	16.1
Area-based poverty level not available	144	11.8	135	12.9	9	5.1	105	19.8	8,277	15.6	143	32.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	16	76.2	5	23.8	48	100.0	9,811	100.0	305	100.0
RACE/ETHNICITY												
Black	5	23.8	3	18.8	2	40.0	13	27.1	3,929	40.0	134	43.9
Latino/Hispanic	9	42.9	7	43.8	2	40.0	27	56.3	4,662	47.5	137	44.9
White	5	23.8	4	25.0	1	20.0	8	16.7	1,133	11.5	33	10.8
Asian/Pacific Islander	2	9.5	2	12.5	0	0.0	0	0.0	57	0.6	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	4.8	1	6.3	0	0.0	1	2.1	22	0.2	0	0.0
30-39	3	14.3	3	18.8	0	0.0	6	12.5	206	2.1	2	0.7
40-49	8	38.1	7	43.8	1	20.0	11	22.9	843	8.6	24	7.9
50-59	3	14.3	3	18.8	0	0.0	11	22.9	3,486	35.5	84	27.5
60+	6	28.6	2	12.5	4	80.0	19	39.6	5,254	53.6	195	63.9
BOROUGH OF RESIDENCE												
Bronx	6	28.6	5	31.3	1	20.0	17	35.4	3,162	32.2	106	34.8
Brooklyn	10	47.6	8	50.0	2	40.0	17	35.4	2,249	22.9	66	21.6
Manhattan	3	14.3	2	12.5	1	20.0	5	10.4	2,054	20.9	30	9.8
Queens	1	4.8	0	0.0	1	20.0	6	12.5	1,370	14.0	29	9.5
Staten Island	1	4.8	1	6.3	0	0.0	0	0.0	250	2.5	8	2.6
Outside NYC	0	0.0	0	0.0	0	0.0	3	6.3	692	7.1	12	3.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.3	54	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	4.8	1	6.3	0	0.0	2	4.2	584	6.0	15	4.9
Medium poverty (10 to <20% below FPL)	5	23.8	4	25.0	1	20.0	8	16.7	2,849	29.0	56	18.4
High poverty (20 to <30% below FPL)	7	33.3	5	31.3	2	40.0	18	37.5	2,280	23.2	72	23.6
Very high poverty (≥30% below FPL)	7	33.3	6	37.5	1	20.0	16	33.3	3,144	32.0	96	31.5
Area-based poverty level not available	1	4.8	0	0.0	1	20.0	4	8.3	954	9.7	66	21.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	10	90.9	1	9.1	27	100.0	5,341	100.0	148	100.0
RACE/ETHNICITY												
Black	6	54.5	5	50.0	1	100.0	13	48.1	2,526	47.3	68	45.9
Latino/Hispanic	2	18.2	2	20.0	0	0.0	13	48.1	2,162	40.5	67	45.3
White	3	27.3	3	30.0	0	0.0	1	3.7	613	11.5	10	6.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	10.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	3	27.3	3	30.0	0	0.0	0	0.0	47	0.9	0	0.0
30-39	2	18.2	2	20.0	0	0.0	6	22.2	233	4.4	4	2.7
40-49	0	0.0	0	0.0	0	0.0	2	7.4	769	14.4	21	14.2
50-59	2	18.2	1	10.0	1	100.0	10	37.0	2,392	44.8	59	39.9
60+	3	27.3	3	30.0	0	0.0	9	33.3	1,898	35.5	64	43.2
BOROUGH OF RESIDENCE												
Bronx	4	36.4	4	40.0	0	0.0	11	40.7	1,926	36.1	56	37.8
Brooklyn	3	27.3	3	30.0	0	0.0	6	22.2	1,385	25.9	33	22.3
Manhattan	3	27.3	3	30.0	0	0.0	2	7.4	1,001	18.7	13	8.8
Queens	0	0.0	0	0.0	0	0.0	2	7.4	603	11.3	15	10.1
Staten Island	0	0.0	0	0.0	0	0.0	1	3.7	126	2.4	5	3.4
Outside NYC	1	9.1	0	0.0	1	100.0	4	14.8	285	5.3	4	2.7
Unknown	0	0.0	0	0.0	0	0.0	1	3.7	15	0.3	22	14.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	7.4	275	5.1	5	3.4
Medium poverty (10 to <20% below FPL)	4	36.4	4	40.0	0	0.0	2	7.4	1,413	26.5	32	21.6
High poverty (20 to <30% below FPL)	2	18.2	2	20.0	0	0.0	8	29.6	1,430	26.8	31	20.9
Very high poverty (≥30% below FPL)	4	36.4	4	40.0	0	0.0	10	37.0	1,860	34.8	54	36.5
Area-based poverty level not available	1	9.1	0	0.0	1	100.0	5	18.5	363	6.8	26	17.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	25	100.0	0	0.0	29	100.0	3,228	100.0	70	100.0
RACE/ETHNICITY												
Black	8	32.0	8	32.0	0	0.0	8	27.6	1,124	34.8	34	48.6
Latino/Hispanic	8	32.0	8	32.0	0	0.0	12	41.4	1,246	38.6	17	24.3
White	9	36.0	9	36.0	0	0.0	8	27.6	790	24.5	18	25.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.4	46	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	1	1.4
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	18	72.0	18	72.0	0	0.0	6	20.7	213	6.6	0	0.0
30-39	6	24.0	6	24.0	0	0.0	6	20.7	551	17.1	7	10.0
40-49	1	4.0	1	4.0	0	0.0	4	13.8	660	20.4	14	20.0
50-59	0	0.0	0	0.0	0	0.0	9	31.0	1,088	33.7	20	28.6
60+	0	0.0	0	0.0	0	0.0	4	13.8	716	22.2	29	41.4
BOROUGH OF RESIDENCE												
Bronx	6	24.0	6	24.0	0	0.0	11	37.9	844	26.1	19	27.1
Brooklyn	6	24.0	6	24.0	0	0.0	4	13.8	621	19.2	9	12.9
Manhattan	3	12.0	3	12.0	0	0.0	8	27.6	937	29.0	14	20.0
Queens	6	24.0	6	24.0	0	0.0	3	10.3	401	12.4	4	5.7
Staten Island	1	4.0	1	4.0	0	0.0	1	3.4	66	2.0	3	4.3
Outside NYC	3	12.0	3	12.0	0	0.0	1	3.4	346	10.7	4	5.7
Unknown	0	0.0	0	0.0	0	0.0	1	3.4	13	0.4	17	24.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	8.0	2	8.0	0	0.0	0	0.0	268	8.3	6	8.6
Medium poverty (10 to <20% below FPL)	10	40.0	10	40.0	0	0.0	10	34.5	1,067	33.1	12	17.1
High poverty (20 to <30% below FPL)	6	24.0	6	24.0	0	0.0	5	17.2	711	22.0	13	18.6
Very high poverty (≥30% below FPL)	4	16.0	4	16.0	0	0.0	11	37.9	801	24.8	18	25.7
Area-based poverty level not available	3	12.0	3	12.0	0	0.0	3	10.3	381	11.8	21	30.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	54	71.1	22	28.9	65	100.0	6,106	100.0	117	100.0
RACE/ETHNICITY												
Black	36	47.4	24	44.4	12	54.5	38	58.5	3,296	54.0	65	55.6
Latino/Hispanic	26	34.2	20	37.0	6	27.3	20	30.8	2,072	33.9	42	35.9
White	5	6.6	5	9.3	0	0.0	3	4.6	516	8.5	8	6.8
Asian/Pacific Islander	7	9.2	5	9.3	2	9.1	2	3.1	188	3.1	2	1.7
Native American	1	1.3	0	0.0	1	4.5	1	1.5	20	0.3	0	0.0
Multiracial	1	1.3	0	0.0	1	4.5	1	1.5	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.3	1	1.9	0	0.0	0	0.0	3	0.0	0	0.0
20-29	15	19.7	11	20.4	4	18.2	4	6.2	115	1.9	0	0.0
30-39	22	28.9	18	33.3	4	18.2	12	18.5	476	7.8	4	3.4
40-49	11	14.5	7	13.0	4	18.2	18	27.7	1,322	21.7	14	12.0
50-59	18	23.7	11	20.4	7	31.8	21	32.3	2,508	41.1	46	39.3
60+	9	11.8	6	11.1	3	13.6	10	15.4	1,682	27.5	53	45.3
BOROUGH OF RESIDENCE												
Bronx	28	36.8	21	38.9	7	31.8	23	35.4	1,755	28.7	23	19.7
Brooklyn	23	30.3	16	29.6	7	31.8	13	20.0	1,603	26.3	33	28.2
Manhattan	8	10.5	6	11.1	2	9.1	9	13.8	938	15.4	18	15.4
Queens	9	11.8	6	11.1	3	13.6	8	12.3	1,108	18.1	11	9.4
Staten Island	4	5.3	2	3.7	2	9.1	5	7.7	146	2.4	2	1.7
Outside NYC	3	3.9	2	3.7	1	4.5	7	10.8	525	8.6	5	4.3
Unknown	1	1.3	1	1.9	0	0.0	0	0.0	31	0.5	25	21.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	2.6	1	1.9	1	4.5	4	6.2	421	6.9	6	5.1
Medium poverty (10 to <20% below FPL)	32	42.1	22	40.7	10	45.5	20	30.8	1,960	32.1	23	19.7
High poverty (20 to <30% below FPL)	14	18.4	9	16.7	5	22.7	17	26.2	1,497	24.5	31	26.5
Very high poverty (≥30% below FPL)	24	31.6	19	35.2	5	22.7	17	26.2	1,638	26.8	27	23.1
Area-based poverty level not available	4	5.3	3	5.6	1	4.5	7	10.8	590	9.7	30	25.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	291	100.0	241	82.8	50	17.2	203	100.0	18,817	100.0	239	100.0
RACE/ETHNICITY												
Black	181	62.2	144	59.8	37	74.0	131	64.5	11,156	59.3	163	68.2
Latino/Hispanic	80	27.5	71	29.5	9	18.0	50	24.6	6,052	32.2	63	26.4
White	19	6.5	17	7.1	2	4.0	14	6.9	1,210	6.4	9	3.8
Asian/Pacific Islander	7	2.4	7	2.9	0	0.0	5	2.5	294	1.6	1	0.4
Native American	2	0.7	1	0.4	1	2.0	1	0.5	48	0.3	3	1.3
Multiracial	2	0.7	1	0.4	1	2.0	2	1.0	47	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	11	3.8	11	4.6	0	0.0	1	0.5	29	0.2	0	0.0
20-29	58	19.9	56	23.2	2	4.0	24	11.8	861	4.6	3	1.3
30-39	78	26.8	62	25.7	16	32.0	58	28.6	2,714	14.4	14	5.9
40-49	62	21.3	52	21.6	10	20.0	40	19.7	4,616	24.5	34	14.2
50-59	51	17.5	35	14.5	16	32.0	55	27.1	6,422	34.1	104	43.5
60+	31	10.7	25	10.4	6	12.0	25	12.3	4,175	22.2	84	35.1
BOROUGH OF RESIDENCE												
Bronx	101	34.7	81	33.6	20	40.0	56	27.6	6,105	32.4	56	23.4
Brooklyn	92	31.6	78	32.4	14	28.0	57	28.1	5,574	29.6	64	26.8
Manhattan	25	8.6	18	7.5	7	14.0	23	11.3	2,437	13.0	39	16.3
Queens	47	16.2	43	17.8	4	8.0	21	10.3	2,804	14.9	19	7.9
Staten Island	9	3.1	8	3.3	1	2.0	5	2.5	491	2.6	6	2.5
Outside NYC	10	3.4	6	2.5	4	8.0	38	18.7	1,254	6.7	12	5.0
Unknown	7	2.4	7	2.9	0	0.0	3	1.5	152	0.8	43	18.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	21	7.2	18	7.5	3	6.0	11	5.4	1,184	6.3	13	5.4
Medium poverty (10 to <20% below FPL)	98	33.7	82	34.0	16	32.0	49	24.1	5,713	30.4	41	17.2
High poverty (20 to <30% below FPL)	70	24.1	57	23.7	13	26.0	43	21.2	4,896	26.0	68	28.5
Very high poverty (≥30% below FPL)	85	29.2	71	29.5	14	28.0	59	29.1	5,533	29.4	62	25.9
Area-based poverty level not available	17	5.8	13	5.4	4	8.0	41	20.2	1,491	7.9	55	23.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	50	89.3	6	10.7	30	100.0	1,709	100.0	13	100.0
GENDER												
Men	1	1.8	1	2.0	0	0.0	0	0.0	20	1.2	0	0.0
Women	55	98.2	49	98.0	6	100.0	30	100.0	1,689	98.8	13	100.0
RACE/ETHNICITY												
Black	25	44.6	20	40.0	5	83.3	14	46.7	875	51.2	5	38.5
Latino/Hispanic	22	39.3	21	42.0	1	16.7	15	50.0	660	38.6	8	61.5
White	1	1.8	1	2.0	0	0.0	1	3.3	112	6.6	0	0.0
Asian/Pacific Islander	7	12.5	7	14.0	0	0.0	0	0.0	40	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Multiracial	1	1.8	1	2.0	0	0.0	0	0.0	16	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.6	2	4.0	0	0.0	0	0.0	7	0.4	0	0.0
20-29	31	55.4	30	60.0	1	16.7	9	30.0	479	28.0	1	7.7
30-39	18	32.1	13	26.0	5	83.3	15	50.0	608	35.6	6	46.2
40-49	4	7.1	4	8.0	0	0.0	5	16.7	353	20.7	3	23.1
50-59	1	1.8	1	2.0	0	0.0	1	3.3	209	12.2	2	15.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	53	3.1	1	7.7
BOROUGH OF RESIDENCE												
Bronx	12	21.4	11	22.0	1	16.7	12	40.0	526	30.8	4	30.8
Brooklyn	11	19.6	8	16.0	3	50.0	4	13.3	379	22.2	3	23.1
Manhattan	17	30.4	16	32.0	1	16.7	6	20.0	316	18.5	2	15.4
Queens	8	14.3	8	16.0	0	0.0	1	3.3	229	13.4	1	7.7
Staten Island	3	5.4	2	4.0	1	16.7	1	3.3	38	2.2	0	0.0
Outside NYC	4	7.1	4	8.0	0	0.0	6	20.0	166	9.7	1	7.7
Unknown	1	1.8	1	2.0	0	0.0	0	0.0	55	3.2	2	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	16.1	9	18.0	0	0.0	1	3.3	78	4.6	0	0.0
Medium poverty (10 to <20% below FPL)	11	19.6	10	20.0	1	16.7	2	6.7	495	29.0	5	38.5
High poverty (20 to <30% below FPL)	21	37.5	16	32.0	5	83.3	11	36.7	409	23.9	2	15.4
Very high poverty (≥30% below FPL)	10	17.9	10	20.0	0	0.0	10	33.3	500	29.3	3	23.1
Area-based poverty level not available	5	8.9	5	10.0	0	0.0	6	20.0	227	13.3	3	23.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	4	100.0	727	100.0	10	100.0
GENDER												
Men	9	69.2	7	63.6	2	100.0	4	100.0	499	68.6	5	50.0
Women	4	30.8	4	36.4	0	0.0	0	0.0	228	31.4	5	50.0
RACE/ETHNICITY												
Black	3	23.1	3	27.3	0	0.0	0	0.0	234	32.2	3	30.0
Latino/Hispanic	6	46.2	6	54.5	0	0.0	2	50.0	337	46.4	6	60.0
White	4	30.8	2	18.2	2	100.0	2	50.0	142	19.5	1	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.7	1	9.1	0	0.0	0	0.0	1	0.1	0	0.0
20-29	5	38.5	4	36.4	1	50.0	1	25.0	48	6.6	1	10.0
30-39	2	15.4	2	18.2	0	0.0	1	25.0	107	14.7	1	10.0
40-49	2	15.4	2	18.2	0	0.0	1	25.0	140	19.3	1	10.0
50-59	3	23.1	2	18.2	1	50.0	1	25.0	228	31.4	2	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	203	27.9	5	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	4	36.4	2	100.0	3	75.0	281	38.7	1	10.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	92	12.7	4	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.5	0	0.0
Heterosexual contact	3	23.1	3	27.3	0	0.0	0	0.0	154	21.2	2	20.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	6	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	1.9	1	10.0
Other	1	7.7	1	9.1	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	15.4	2	18.2	0	0.0	1	25.0	167	23.0	2	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	54	100.0	43	79.6	11	20.4	31	100.0	2,659	100.0	42	100.0
GENDER												
Men	38	70.4	30	69.8	8	72.7	21	67.7	1,510	56.8	25	59.5
Women	16	29.6	13	30.2	3	27.3	10	32.3	1,149	43.2	17	40.5
RACE/ETHNICITY												
Black	40	74.1	32	74.4	8	72.7	22	71.0	1,719	64.6	26	61.9
Latino/Hispanic	12	22.2	9	20.9	3	27.3	9	29.0	770	29.0	15	35.7
White	2	3.7	2	4.7	0	0.0	0	0.0	129	4.9	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	5.6	3	7.0	0	0.0	0	0.0	25	0.9	0	0.0
20-29	21	38.9	19	44.2	2	18.2	5	16.1	264	9.9	1	2.4
30-39	13	24.1	11	25.6	2	18.2	9	29.0	405	15.2	1	2.4
40-49	8	14.8	6	14.0	2	18.2	7	22.6	503	18.9	2	4.8
50-59	5	9.3	3	7.0	2	18.2	5	16.1	873	32.8	22	52.4
60+	4	7.4	1	2.3	3	27.3	5	16.1	588	22.1	16	38.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	27.8	12	27.9	3	27.3	8	25.8	624	23.5	2	4.8
Injection drug use history (IDU)	1	1.9	0	0.0	1	9.1	2	6.5	288	10.8	13	31.0
MSM-IDU	1	1.9	1	2.3	0	0.0	1	3.2	60	2.3	3	7.1
Heterosexual contact	19	35.2	14	32.6	5	45.5	13	41.9	835	31.4	12	28.6
Transgender people with sexual contact	2	3.7	2	4.7	0	0.0	0	0.0	28	1.1	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	2	6.5	100	3.8	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	16	29.6	14	32.6	2	18.2	5	16.1	723	27.2	10	23.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	83	100.0	70	84.3	13	15.7	52	100.0	5,664	100.0	80	100.0
GENDER												
Men	62	74.7	51	72.9	11	84.6	39	75.0	3,687	65.1	53	66.3
Women	21	25.3	19	27.1	2	15.4	13	25.0	1,977	34.9	27	33.8
RACE/ETHNICITY												
Black	39	47.0	33	47.1	6	46.2	29	55.8	2,526	44.6	29	36.3
Latino/Hispanic	41	49.4	34	48.6	7	53.8	20	38.5	2,797	49.4	45	56.3
White	2	2.4	2	2.9	0	0.0	2	3.8	274	4.8	4	5.0
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	1	1.9	41	0.7	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	4	4.8	4	5.7	0	0.0	0	0.0	17	0.3	0	0.0
20-29	25	30.1	21	30.0	4	30.8	14	26.9	529	9.3	3	3.8
30-39	21	25.3	17	24.3	4	30.8	12	23.1	893	15.8	6	7.5
40-49	18	21.7	15	21.4	3	23.1	7	13.5	1,201	21.2	10	12.5
50-59	8	9.6	6	8.6	2	15.4	14	26.9	1,837	32.4	37	46.3
60+	7	8.4	7	10.0	0	0.0	5	9.6	1,183	20.9	24	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	53.0	37	52.9	7	53.8	20	38.5	1,709	30.2	15	18.8
Injection drug use history (IDU)	2	2.4	2	2.9	0	0.0	4	7.7	892	15.7	24	30.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	170	3.0	4	5.0
Heterosexual contact	19	22.9	18	25.7	1	7.7	6	11.5	1,331	23.5	13	16.3
Transgender people with sexual contact	4	4.8	3	4.3	1	7.7	4	7.7	121	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	7.7	125	2.2	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	14	16.9	10	14.3	4	30.8	14	26.9	1,311	23.1	23	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	59	77.6	17	22.4	52	100.0	4,476	100.0	43	100.0
GENDER												
Men	61	80.3	50	84.7	11	64.7	41	78.8	2,808	62.7	29	67.4
Women	15	19.7	9	15.3	6	35.3	11	21.2	1,668	37.3	14	32.6
RACE/ETHNICITY												
Black	32	42.1	23	39.0	9	52.9	25	48.1	1,844	41.2	16	37.2
Latino/Hispanic	39	51.3	32	54.2	7	41.2	23	44.2	2,264	50.6	22	51.2
White	5	6.6	4	6.8	1	5.9	2	3.8	308	6.9	5	11.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.9	40	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.9	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	2.6	2	3.4	0	0.0	0	0.0	23	0.5	0	0.0
20-29	21	27.6	21	35.6	0	0.0	5	9.6	350	7.8	1	2.3
30-39	20	26.3	18	30.5	2	11.8	7	13.5	667	14.9	0	0.0
40-49	16	21.1	10	16.9	6	35.3	12	23.1	839	18.7	8	18.6
50-59	13	17.1	6	10.2	7	41.2	20	38.5	1,583	35.4	12	27.9
60+	4	5.3	2	3.4	2	11.8	8	15.4	1,012	22.6	22	51.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	53.9	38	64.4	3	17.6	12	23.1	1,224	27.3	7	16.3
Injection drug use history (IDU)	1	1.3	1	1.7	0	0.0	5	9.6	704	15.7	15	34.9
MSM-IDU	1	1.3	1	1.7	0	0.0	2	3.8	106	2.4	1	2.3
Heterosexual contact	20	26.3	12	20.3	8	47.1	16	30.8	1,130	25.2	10	23.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	57	1.3	1	2.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	154	3.4	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	1	2.3
Unknown	13	17.1	7	11.9	6	35.3	17	32.7	1,089	24.3	7	16.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	73	89.0	9	11.0	58	100.0	6,265	100.0	103	100.0
GENDER												
Men	57	69.5	49	67.1	8	88.9	36	62.1	3,781	60.4	68	66.0
Women	25	30.5	24	32.9	1	11.1	22	37.9	2,484	39.6	35	34.0
RACE/ETHNICITY												
Black	31	37.8	26	35.6	5	55.6	30	51.7	2,981	47.6	46	44.7
Latino/Hispanic	48	58.5	44	60.3	4	44.4	28	48.3	3,041	48.5	53	51.5
White	2	2.4	2	2.7	0	0.0	0	0.0	176	2.8	2	1.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.5	0	0.0
Other/Unknown	1	1.2	1	1.4	0	0.0	0	0.0	33	0.5	2	1.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
13-19	6	7.3	6	8.2	0	0.0	1	1.7	28	0.4	0	0.0
20-29	32	39.0	31	42.5	1	11.1	10	17.2	552	8.8	1	1.0
30-39	26	31.7	20	27.4	6	66.7	16	27.6	946	15.1	6	5.8
40-49	6	7.3	6	8.2	0	0.0	6	10.3	1,299	20.7	17	16.5
50-59	9	11.0	8	11.0	1	11.1	14	24.1	2,075	33.1	33	32.0
60+	3	3.7	2	2.7	1	11.1	11	19.0	1,356	21.6	46	44.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	50.0	38	52.1	3	33.3	14	24.1	1,445	23.1	10	9.7
Injection drug use history (IDU)	2	2.4	2	2.7	0	0.0	7	12.1	1,177	18.8	39	37.9
MSM-IDU	2	2.4	2	2.7	0	0.0	3	5.2	185	3.0	4	3.9
Heterosexual contact	21	25.6	19	26.0	2	22.2	13	22.4	1,694	27.0	20	19.4
Transgender people with sexual contact	2	2.4	2	2.7	0	0.0	3	5.2	148	2.4	1	1.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	172	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	14	17.1	10	13.7	4	44.4	18	31.0	1,439	23.0	29	28.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	79	100.0	62	78.5	17	21.5	73	100.0	6,260	100.0	118	100.0
GENDER												
Men	47	59.5	36	58.1	11	64.7	46	63.0	3,868	61.8	86	72.9
Women	32	40.5	26	41.9	6	35.3	27	37.0	2,392	38.2	32	27.1
RACE/ETHNICITY												
Black	36	45.6	27	43.5	9	52.9	39	53.4	3,245	51.8	75	63.6
Latino/Hispanic	40	50.6	32	51.6	8	47.1	30	41.1	2,734	43.7	39	33.1
White	2	2.5	2	3.2	0	0.0	1	1.4	220	3.5	4	3.4
Asian/Pacific Islander	1	1.3	1	1.6	0	0.0	1	1.4	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.7	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	4	5.1	4	6.5	0	0.0	2	2.7	32	0.5	0	0.0
20-29	22	27.8	19	30.6	3	17.6	13	17.8	473	7.6	2	1.7
30-39	22	27.8	17	27.4	5	29.4	14	19.2	919	14.7	9	7.6
40-49	17	21.5	12	19.4	5	29.4	16	21.9	1,294	20.7	13	11.0
50-59	12	15.2	8	12.9	4	23.5	15	20.5	2,053	32.8	41	34.7
60+	2	2.5	2	3.2	0	0.0	13	17.8	1,482	23.7	53	44.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	29.1	19	30.6	4	23.5	14	19.2	1,455	23.2	21	17.8
Injection drug use history (IDU)	2	2.5	2	3.2	0	0.0	4	5.5	1,160	18.5	46	39.0
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.1	190	3.0	6	5.1
Heterosexual contact	32	40.5	25	40.3	7	41.2	22	30.1	1,654	26.4	13	11.0
Transgender people with sexual contact	1	1.3	1	1.6	0	0.0	4	5.5	85	1.4	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.7	166	2.7	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	21	26.6	15	24.2	6	35.3	24	32.9	1,542	24.6	29	24.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	57	90.5	6	9.5	32	100.0	3,907	100.0	44	100.0
GENDER												
Men	48	76.2	46	80.7	2	33.3	20	62.5	2,384	61.0	34	77.3
Women	15	23.8	11	19.3	4	66.7	12	37.5	1,523	39.0	10	22.7
RACE/ETHNICITY												
Black	29	46.0	25	43.9	4	66.7	19	59.4	1,710	43.8	17	38.6
Latino/Hispanic	33	52.4	31	54.4	2	33.3	12	37.5	2,012	51.5	26	59.1
White	1	1.6	1	1.8	0	0.0	1	3.1	147	3.8	1	2.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	7.9	5	8.8	0	0.0	0	0.0	13	0.3	0	0.0
20-29	29	46.0	27	47.4	2	33.3	6	18.8	357	9.1	1	2.3
30-39	14	22.2	12	21.1	2	33.3	7	21.9	681	17.4	3	6.8
40-49	5	7.9	5	8.8	0	0.0	6	18.8	793	20.3	8	18.2
50-59	6	9.5	4	7.0	2	33.3	8	25.0	1,207	30.9	12	27.3
60+	4	6.3	4	7.0	0	0.0	5	15.6	850	21.8	20	45.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	58.7	35	61.4	2	33.3	10	31.3	938	24.0	4	9.1
Injection drug use history (IDU)	2	3.2	2	3.5	0	0.0	6	18.8	724	18.5	21	47.7
MSM-IDU	2	3.2	2	3.5	0	0.0	2	6.3	120	3.1	1	2.3
Heterosexual contact	15	23.8	11	19.3	4	66.7	9	28.1	1,054	27.0	9	20.5
Transgender people with sexual contact	2	3.2	2	3.5	0	0.0	1	3.1	81	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	113	2.9	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	5	7.9	5	8.8	0	0.0	4	12.5	871	22.3	8	18.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	18	81.8	4	18.2	10	100.0	899	100.0	5	100.0
GENDER												
Men	21	95.5	17	94.4	4	100.0	8	80.0	720	80.1	3	60.0
Women	1	4.5	1	5.6	0	0.0	2	20.0	179	19.9	2	40.0
RACE/ETHNICITY												
Black	4	18.2	1	5.6	3	75.0	4	40.0	142	15.8	1	20.0
Latino/Hispanic	10	45.5	9	50.0	1	25.0	4	40.0	392	43.6	4	80.0
White	7	31.8	7	38.9	0	0.0	1	10.0	338	37.6	0	0.0
Asian/Pacific Islander	1	4.5	1	5.6	0	0.0	1	10.0	21	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.5	0	0.0	1	25.0	1	10.0	4	0.4	0	0.0
20-29	6	27.3	6	33.3	0	0.0	1	10.0	60	6.7	0	0.0
30-39	12	54.5	10	55.6	2	50.0	5	50.0	209	23.2	0	0.0
40-49	3	13.6	2	11.1	1	25.0	2	20.0	220	24.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	255	28.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	150	16.7	5	100.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	81.8	16	88.9	2	50.0	4	40.0	499	55.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	20.0	109	12.1	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	0	0.0
Heterosexual contact	1	4.5	1	5.6	0	0.0	1	10.0	118	13.1	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	3	13.6	1	5.6	2	50.0	3	30.0	130	14.5	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	37	88.1	5	11.9	20	100.0	2,748	100.0	27	100.0
GENDER												
Men	35	83.3	31	83.8	4	80.0	17	85.0	2,112	76.9	16	59.3
Women	7	16.7	6	16.2	1	20.0	3	15.0	636	23.1	11	40.7
RACE/ETHNICITY												
Black	19	45.2	17	45.9	2	40.0	8	40.0	1,153	42.0	12	44.4
Latino/Hispanic	9	21.4	7	18.9	2	40.0	6	30.0	654	23.8	7	25.9
White	12	28.6	11	29.7	1	20.0	6	30.0	857	31.2	8	29.6
Asian/Pacific Islander	1	2.4	1	2.7	0	0.0	0	0.0	62	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	1	2.4	1	2.7	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	4.8	1	2.7	1	20.0	2	10.0	7	0.3	0	0.0
20-29	21	50.0	21	56.8	0	0.0	5	25.0	184	6.7	0	0.0
30-39	6	14.3	4	10.8	2	40.0	7	35.0	377	13.7	1	3.7
40-49	3	7.1	2	5.4	1	20.0	3	15.0	548	19.9	3	11.1
50-59	2	4.8	2	5.4	0	0.0	1	5.0	894	32.5	5	18.5
60+	8	19.0	7	18.9	1	20.0	2	10.0	734	26.7	18	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	64.3	25	67.6	2	40.0	11	55.0	1,398	50.9	8	29.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	317	11.5	7	25.9
MSM-IDU	1	2.4	1	2.7	0	0.0	0	0.0	63	2.3	1	3.7
Heterosexual contact	6	14.3	5	13.5	1	20.0	1	5.0	404	14.7	6	22.2
Transgender people with sexual contact	1	2.4	1	2.7	0	0.0	0	0.0	23	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	15.0	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	7	16.7	5	13.5	2	40.0	5	25.0	495	18.0	5	18.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	133	100.0	104	78.2	29	21.8	93	100.0	7,823	100.0	128	100.0
GENDER												
Men	101	75.9	77	74.0	24	82.8	66	71.0	5,035	64.4	85	66.4
Women	32	24.1	27	26.0	5	17.2	27	29.0	2,788	35.6	43	33.6
RACE/ETHNICITY												
Black	91	68.4	72	69.2	19	65.5	64	68.8	5,982	76.5	98	76.6
Latino/Hispanic	25	18.8	19	18.3	6	20.7	21	22.6	1,197	15.3	26	20.3
White	11	8.3	8	7.7	3	10.3	5	5.4	526	6.7	2	1.6
Asian/Pacific Islander	2	1.5	1	1.0	1	3.4	3	3.2	63	0.8	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	1	0.8
Multiracial	4	3.0	4	3.8	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	4.5	5	4.8	1	3.4	5	5.4	35	0.4	0	0.0
20-29	45	33.8	39	37.5	6	20.7	16	17.2	776	9.9	2	1.6
30-39	26	19.5	20	19.2	6	20.7	23	24.7	1,267	16.2	17	13.3
40-49	24	18.0	17	16.3	7	24.1	19	20.4	1,674	21.4	14	10.9
50-59	19	14.3	14	13.5	5	17.2	21	22.6	2,338	29.9	44	34.4
60+	13	9.8	9	8.7	4	13.8	9	9.7	1,729	22.1	51	39.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	63	47.4	52	50.0	11	37.9	33	35.5	2,592	33.1	23	18.0
Injection drug use history (IDU)	4	3.0	3	2.9	1	3.4	6	6.5	948	12.1	27	21.1
MSM-IDU	1	0.8	1	1.0	0	0.0	2	2.2	176	2.2	2	1.6
Heterosexual contact	28	21.1	24	23.1	4	13.8	18	19.4	1,977	25.3	33	25.8
Transgender people with sexual contact	2	1.5	1	1.0	1	3.4	1	1.1	133	1.7	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.2	188	2.4	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	35	26.3	23	22.1	12	41.4	31	33.3	1,799	23.0	41	32.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	66	78.6	18	21.4	57	100.0	3,452	100.0	50	100.0
GENDER												
Men	60	71.4	48	72.7	12	66.7	34	59.6	1,977	57.3	32	64.0
Women	24	28.6	18	27.3	6	33.3	23	40.4	1,475	42.7	18	36.0
RACE/ETHNICITY												
Black	57	67.9	44	66.7	13	72.2	36	63.2	2,219	64.3	29	58.0
Latino/Hispanic	23	27.4	20	30.3	3	16.7	18	31.6	1,060	30.7	19	38.0
White	1	1.2	1	1.5	0	0.0	1	1.8	107	3.1	0	0.0
Asian/Pacific Islander	2	2.4	1	1.5	1	5.6	1	1.8	43	1.2	2	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.2	0	0.0	1	5.6	1	1.8	10	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.8	8	0.2	0	0.0
13-19	7	8.3	7	10.6	0	0.0	1	1.8	25	0.7	0	0.0
20-29	37	44.0	30	45.5	7	38.9	11	19.3	364	10.5	1	2.0
30-39	19	22.6	15	22.7	4	22.2	13	22.8	597	17.3	4	8.0
40-49	11	13.1	8	12.1	3	16.7	13	22.8	727	21.1	6	12.0
50-59	9	10.7	5	7.6	4	22.2	16	28.1	1,076	31.2	13	26.0
60+	1	1.2	1	1.5	0	0.0	2	3.5	655	19.0	26	52.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	50.0	31	47.0	11	61.1	20	35.1	924	26.8	6	12.0
Injection drug use history (IDU)	1	1.2	1	1.5	0	0.0	6	10.5	432	12.5	15	30.0
MSM-IDU	1	1.2	1	1.5	0	0.0	0	0.0	53	1.5	2	4.0
Heterosexual contact	18	21.4	15	22.7	3	16.7	16	28.1	1,052	30.5	12	24.0
Transgender people with sexual contact	3	3.6	2	3.0	1	5.6	1	1.8	63	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	102	3.0	1	2.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	19	22.6	16	24.2	3	16.7	13	22.8	820	23.8	14	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	21	77.8	6	22.2	12	100.0	866	100.0	8	100.0
GENDER												
Men	22	81.5	17	81.0	5	83.3	10	83.3	645	74.5	7	87.5
Women	5	18.5	4	19.0	1	16.7	2	16.7	221	25.5	1	12.5
RACE/ETHNICITY												
Black	2	7.4	1	4.8	1	16.7	1	8.3	158	18.2	0	0.0
Latino/Hispanic	17	63.0	15	71.4	2	33.3	6	50.0	472	54.5	6	75.0
White	1	3.7	1	4.8	0	0.0	1	8.3	168	19.4	0	0.0
Asian/Pacific Islander	4	14.8	3	14.3	1	16.7	2	16.7	63	7.3	1	12.5
Other/Unknown	3	11.1	1	4.8	2	33.3	2	16.7	5	0.6	1	12.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	25.9	4	19.0	3	50.0	5	41.7	56	6.5	0	0.0
30-39	9	33.3	8	38.1	1	16.7	1	8.3	146	16.9	0	0.0
40-49	6	22.2	5	23.8	1	16.7	1	8.3	192	22.2	4	50.0
50-59	2	7.4	2	9.5	0	0.0	2	16.7	275	31.8	2	25.0
60+	3	11.1	2	9.5	1	16.7	3	25.0	196	22.6	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	63.0	13	61.9	4	66.7	5	41.7	314	36.3	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	16.7	143	16.5	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	43	5.0	0	0.0
Heterosexual contact	4	14.8	2	9.5	2	33.3	4	33.3	178	20.6	1	12.5
Transgender people with sexual contact	1	3.7	1	4.8	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	18.5	5	23.8	0	0.0	1	8.3	166	19.2	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	24	92.3	2	7.7	10	100.0	1,140	100.0	18	100.0
GENDER												
Men	22	84.6	21	87.5	1	50.0	5	50.0	845	74.1	13	72.2
Women	4	15.4	3	12.5	1	50.0	5	50.0	295	25.9	5	27.8
RACE/ETHNICITY												
Black	3	11.5	3	12.5	0	0.0	0	0.0	300	26.3	9	50.0
Latino/Hispanic	9	34.6	9	37.5	0	0.0	5	50.0	424	37.2	4	22.2
White	11	42.3	9	37.5	2	100.0	5	50.0	344	30.2	3	16.7
Asian/Pacific Islander	3	11.5	3	12.5	0	0.0	0	0.0	65	5.7	1	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	5.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	11	42.3	11	45.8	0	0.0	0	0.0	66	5.8	0	0.0
30-39	6	23.1	5	20.8	1	50.0	4	40.0	193	16.9	2	11.1
40-49	5	19.2	5	20.8	0	0.0	2	20.0	239	21.0	6	33.3
50-59	2	7.7	2	8.3	0	0.0	2	20.0	361	31.7	2	11.1
60+	2	7.7	1	4.2	1	50.0	2	20.0	280	24.6	8	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	65.4	16	66.7	1	50.0	1	10.0	456	40.0	5	27.8
Injection drug use history (IDU)	1	3.8	1	4.2	0	0.0	1	10.0	171	15.0	5	27.8
MSM-IDU	1	3.8	1	4.2	0	0.0	0	0.0	22	1.9	2	11.1
Heterosexual contact	5	19.2	5	20.8	0	0.0	3	30.0	214	18.8	3	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	7.7	1	4.2	1	50.0	5	50.0	244	21.4	3	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	71	76.3	22	23.7	57	100.0	5,288	100.0	54	100.0
GENDER												
Men	66	71.0	51	71.8	15	68.2	42	73.7	3,377	63.9	34	63.0
Women	27	29.0	20	28.2	7	31.8	15	26.3	1,911	36.1	20	37.0
RACE/ETHNICITY												
Black	75	80.6	58	81.7	17	77.3	44	77.2	4,159	78.6	44	81.5
Latino/Hispanic	11	11.8	6	8.5	5	22.7	7	12.3	728	13.8	7	13.0
White	4	4.3	4	5.6	0	0.0	5	8.8	310	5.9	3	5.6
Asian/Pacific Islander	3	3.2	3	4.2	0	0.0	1	1.8	55	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.2	2	2.8	0	0.0	1	1.8	15	0.3	0	0.0
20-29	32	34.4	27	38.0	5	22.7	13	22.8	412	7.8	3	5.6
30-39	27	29.0	19	26.8	8	36.4	16	28.1	829	15.7	7	13.0
40-49	13	14.0	10	14.1	3	13.6	8	14.0	1,085	20.5	3	5.6
50-59	10	10.8	4	5.6	6	27.3	12	21.1	1,579	29.9	10	18.5
60+	9	9.7	9	12.7	0	0.0	7	12.3	1,364	25.8	31	57.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	46	49.5	36	50.7	10	45.5	27	47.4	1,638	31.0	12	22.2
Injection drug use history (IDU)	3	3.2	3	4.2	0	0.0	2	3.5	471	8.9	12	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	96	1.8	1	1.9
Heterosexual contact	22	23.7	16	22.5	6	27.3	9	15.8	1,424	26.9	14	25.9
Transgender people with sexual contact	1	1.1	0	0.0	1	4.5	1	1.8	51	1.0	2	3.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	110	2.1	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	21	22.6	16	22.5	5	22.7	17	29.8	1,486	28.1	12	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	27	67.5	13	32.5	28	100.0	1,765	100.0	31	100.0
GENDER												
Men	27	67.5	20	74.1	7	53.8	15	53.6	949	53.8	19	61.3
Women	13	32.5	7	25.9	6	46.2	13	46.4	816	46.2	12	38.7
RACE/ETHNICITY												
Black	36	90.0	25	92.6	11	84.6	21	75.0	1,406	79.7	26	83.9
Latino/Hispanic	3	7.5	1	3.7	2	15.4	5	17.9	228	12.9	1	3.2
White	1	2.5	1	3.7	0	0.0	2	7.1	105	5.9	4	12.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	5.0	2	7.4	0	0.0	0	0.0	15	0.8	0	0.0
20-29	10	25.0	8	29.6	2	15.4	2	7.1	149	8.4	1	3.2
30-39	15	37.5	11	40.7	4	30.8	11	39.3	279	15.8	1	3.2
40-49	5	12.5	2	7.4	3	23.1	7	25.0	369	20.9	5	16.1
50-59	6	15.0	4	14.8	2	15.4	5	17.9	518	29.3	9	29.0
60+	2	5.0	0	0.0	2	15.4	3	10.7	434	24.6	15	48.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	40.0	12	44.4	4	30.8	8	28.6	367	20.8	6	19.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	138	7.8	5	16.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Heterosexual contact	10	25.0	7	25.9	3	23.1	10	35.7	616	34.9	7	22.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	66	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	14	35.0	8	29.6	6	46.2	10	35.7	548	31.0	13	41.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	15	78.9	4	21.1	10	100.0	709	100.0	7	100.0
GENDER												
Men	17	89.5	14	93.3	3	75.0	8	80.0	535	75.5	7	100.0
Women	2	10.5	1	6.7	1	25.0	2	20.0	174	24.5	0	0.0
RACE/ETHNICITY												
Black	2	10.5	1	6.7	1	25.0	1	10.0	73	10.3	2	28.6
Latino/Hispanic	6	31.6	4	26.7	2	50.0	3	30.0	228	32.2	2	28.6
White	9	47.4	8	53.3	1	25.0	6	60.0	352	49.6	3	42.9
Asian/Pacific Islander	1	5.3	1	6.7	0	0.0	0	0.0	53	7.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	5.3	1	6.7	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	2	10.5	2	13.3	0	0.0	0	0.0	33	4.7	0	0.0
30-39	8	42.1	5	33.3	3	75.0	8	80.0	109	15.4	2	28.6
40-49	4	21.1	3	20.0	1	25.0	1	10.0	166	23.4	0	0.0
50-59	5	26.3	5	33.3	0	0.0	1	10.0	218	30.7	1	14.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	180	25.4	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	73.7	11	73.3	3	75.0	6	60.0	320	45.1	2	28.6
Injection drug use history (IDU)	1	5.3	1	6.7	0	0.0	0	0.0	100	14.1	3	42.9
MSM-IDU	1	5.3	1	6.7	0	0.0	1	10.0	22	3.1	0	0.0
Heterosexual contact	1	5.3	1	6.7	0	0.0	1	10.0	117	16.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	2	10.5	1	6.7	1	25.0	2	20.0	136	19.2	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	35	100.0	27	77.1	8	22.9	17	100.0	1,192	100.0	13	100.0
GENDER												
Men	24	68.6	19	70.4	5	62.5	12	70.6	747	62.7	8	61.5
Women	11	31.4	8	29.6	3	37.5	5	29.4	445	37.3	5	38.5
RACE/ETHNICITY												
Black	6	17.1	4	14.8	2	25.0	3	17.6	453	38.0	3	23.1
Latino/Hispanic	9	25.7	7	25.9	2	25.0	3	17.6	352	29.5	8	61.5
White	16	45.7	12	44.4	4	50.0	9	52.9	332	27.9	2	15.4
Asian/Pacific Islander	4	11.4	4	14.8	0	0.0	2	11.8	43	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	5.7	2	7.4	0	0.0	0	0.0	9	0.8	0	0.0
20-29	8	22.9	6	22.2	2	25.0	4	23.5	91	7.6	0	0.0
30-39	13	37.1	11	40.7	2	25.0	5	29.4	204	17.1	0	0.0
40-49	4	11.4	3	11.1	1	12.5	3	17.6	232	19.5	2	15.4
50-59	3	8.6	1	3.7	2	25.0	3	17.6	365	30.6	4	30.8
60+	5	14.3	4	14.8	1	12.5	2	11.8	290	24.3	7	53.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	40.0	10	37.0	4	50.0	5	29.4	348	29.2	1	7.7
Injection drug use history (IDU)	1	2.9	1	3.7	0	0.0	1	5.9	180	15.1	5	38.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.3	0	0.0
Heterosexual contact	12	34.3	10	37.0	2	25.0	4	23.5	313	26.3	2	15.4
Transgender people with sexual contact	1	2.9	1	3.7	0	0.0	0	0.0	12	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	7.7
Unknown	7	20.0	5	18.5	2	25.0	6	35.3	288	24.2	4	30.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	86	100.0	74	86.0	12	14.0	37	100.0	3,817	100.0	65	100.0
GENDER												
Men	71	82.6	61	82.4	10	83.3	26	70.3	2,686	70.4	43	66.2
Women	15	17.4	13	17.6	2	16.7	11	29.7	1,131	29.6	22	33.8
RACE/ETHNICITY												
Black	33	38.4	27	36.5	6	50.0	18	48.6	1,865	48.9	37	56.9
Latino/Hispanic	31	36.0	27	36.5	4	33.3	14	37.8	1,434	37.6	26	40.0
White	20	23.3	19	25.7	1	8.3	4	10.8	453	11.9	2	3.1
Asian/Pacific Islander	2	2.3	1	1.4	1	8.3	1	2.7	48	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.2	0	0.0	1	8.3	1	2.7	2	0.1	0	0.0
13-19	5	5.8	4	5.4	1	8.3	1	2.7	23	0.6	0	0.0
20-29	42	48.8	41	55.4	1	8.3	5	13.5	415	10.9	1	1.5
30-39	22	25.6	19	25.7	3	25.0	13	35.1	677	17.7	5	7.7
40-49	6	7.0	4	5.4	2	16.7	3	8.1	762	20.0	7	10.8
50-59	6	7.0	3	4.1	3	25.0	8	21.6	1,078	28.2	24	36.9
60+	4	4.7	3	4.1	1	8.3	6	16.2	860	22.5	28	43.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	70.9	56	75.7	5	41.7	17	45.9	1,439	37.7	14	21.5
Injection drug use history (IDU)	1	1.2	1	1.4	0	0.0	2	5.4	564	14.8	18	27.7
MSM-IDU	1	1.2	1	1.4	0	0.0	0	0.0	90	2.4	1	1.5
Heterosexual contact	8	9.3	8	10.8	0	0.0	3	8.1	740	19.4	17	26.2
Transgender people with sexual contact	2	2.3	2	2.7	0	0.0	1	2.7	49	1.3	0	0.0
Perinatal	1	1.2	0	0.0	1	8.3	1	2.7	89	2.3	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	12	14.0	6	8.1	6	50.0	13	35.1	842	22.1	14	21.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	85	87.6	12	12.4	42	100.0	4,693	100.0	43	100.0
GENDER												
Men	79	81.4	70	82.4	9	75.0	31	73.8	3,835	81.7	28	65.1
Women	18	18.6	15	17.6	3	25.0	11	26.2	858	18.3	15	34.9
RACE/ETHNICITY												
Black	17	17.5	15	17.6	2	16.7	12	28.6	1,495	31.9	19	44.2
Latino/Hispanic	61	62.9	51	60.0	10	83.3	27	64.3	2,072	44.2	16	37.2
White	14	14.4	14	16.5	0	0.0	3	7.1	1,028	21.9	6	14.0
Asian/Pacific Islander	3	3.1	3	3.5	0	0.0	0	0.0	65	1.4	1	2.3
Other/Unknown	2	2.1	2	2.4	0	0.0	0	0.0	33	0.7	1	2.3
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.1	2	2.4	0	0.0	0	0.0	14	0.3	0	0.0
20-29	37	38.1	33	38.8	4	33.3	5	11.9	411	8.8	0	0.0
30-39	37	38.1	34	40.0	3	25.0	13	31.0	870	18.5	3	7.0
40-49	9	9.3	7	8.2	2	16.7	8	19.0	1,013	21.6	6	14.0
50-59	7	7.2	6	7.1	1	8.3	8	19.0	1,391	29.6	17	39.5
60+	4	4.1	2	2.4	2	16.7	8	19.0	990	21.1	17	39.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	63	64.9	56	65.9	7	58.3	17	40.5	2,598	55.4	9	20.9
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	0	0.0	357	7.6	4	9.3
MSM-IDU	1	1.0	1	1.2	0	0.0	5	11.9	124	2.6	1	2.3
Heterosexual contact	19	19.6	16	18.8	3	25.0	8	19.0	632	13.5	14	32.6
Transgender people with sexual contact	3	3.1	3	3.5	0	0.0	2	4.8	52	1.1	2	4.7
Perinatal	1	1.0	1	1.2	0	0.0	0	0.0	76	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	9	9.3	7	8.2	2	16.7	10	23.8	846	18.0	13	30.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	72	100.0	55	76.4	17	23.6	46	100.0	4,850	100.0	55	100.0
GENDER												
Men	60	83.3	48	87.3	12	70.6	36	78.3	3,504	72.2	39	70.9
Women	12	16.7	7	12.7	5	29.4	10	21.7	1,346	27.8	16	29.1
RACE/ETHNICITY												
Black	47	65.3	36	65.5	11	64.7	31	67.4	3,070	63.3	39	70.9
Latino/Hispanic	11	15.3	8	14.5	3	17.6	8	17.4	1,049	21.6	11	20.0
White	12	16.7	9	16.4	3	17.6	6	13.0	638	13.2	4	7.3
Asian/Pacific Islander	1	1.4	1	1.8	0	0.0	1	2.2	58	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	1	1.4	1	1.8	0	0.0	0	0.0	21	0.4	1	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.8	2	3.6	0	0.0	0	0.0	13	0.3	0	0.0
20-29	23	31.9	22	40.0	1	5.9	3	6.5	375	7.7	2	3.6
30-39	26	36.1	21	38.2	5	29.4	13	28.3	875	18.0	5	9.1
40-49	9	12.5	5	9.1	4	23.5	13	28.3	1,051	21.7	8	14.5
50-59	5	6.9	2	3.6	3	17.6	6	13.0	1,440	29.7	17	30.9
60+	7	9.7	3	5.5	4	23.5	11	23.9	1,092	22.5	23	41.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	46	63.9	41	74.5	5	29.4	21	45.7	2,097	43.2	19	34.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.3	565	11.6	6	10.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	108	2.2	3	5.5
Heterosexual contact	4	5.6	1	1.8	3	17.6	6	13.0	868	17.9	14	25.5
Transgender people with sexual contact	5	6.9	4	7.3	1	5.9	1	2.2	52	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	87	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	1.8
Unknown	17	23.6	9	16.4	8	47.1	16	34.8	1,068	22.0	12	21.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	29	80.6	7	19.4	29	100.0	3,014	100.0	62	100.0
GENDER												
Men	31	86.1	25	86.2	6	85.7	17	58.6	2,087	69.2	41	66.1
Women	5	13.9	4	13.8	1	14.3	12	41.4	927	30.8	21	33.9
RACE/ETHNICITY												
Black	17	47.2	15	51.7	2	28.6	16	55.2	1,401	46.5	32	51.6
Latino/Hispanic	11	30.6	9	31.0	2	28.6	9	31.0	1,191	39.5	22	35.5
White	4	11.1	2	6.9	2	28.6	3	10.3	364	12.1	8	12.9
Asian/Pacific Islander	3	8.3	3	10.3	0	0.0	0	0.0	41	1.4	0	0.0
Native American	1	2.8	0	0.0	1	14.3	1	3.4	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
20-29	18	50.0	16	55.2	2	28.6	5	17.2	234	7.8	1	1.6
30-39	8	22.2	5	17.2	3	42.9	8	27.6	442	14.7	5	8.1
40-49	6	16.7	5	17.2	1	14.3	9	31.0	607	20.1	7	11.3
50-59	2	5.6	1	3.4	1	14.3	4	13.8	946	31.4	19	30.6
60+	2	5.6	2	6.9	0	0.0	3	10.3	772	25.6	30	48.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	63.9	18	62.1	5	71.4	10	34.5	1,062	35.2	14	22.6
Injection drug use history (IDU)	2	5.6	2	6.9	0	0.0	2	6.9	558	18.5	16	25.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	92	3.1	1	1.6
Heterosexual contact	3	8.3	3	10.3	0	0.0	7	24.1	588	19.5	14	22.6
Transgender people with sexual contact	1	2.8	1	3.4	0	0.0	1	3.4	32	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	2.9	2	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	7	19.4	5	17.2	2	28.6	9	31.0	591	19.6	15	24.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East Harlem: 10029, 10035.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	18	85.7	3	14.3	17	100.0	3,203	100.0	31	100.0
GENDER												
Men	19	90.5	17	94.4	2	66.7	15	88.2	2,756	86.0	28	90.3
Women	2	9.5	1	5.6	1	33.3	2	11.8	447	14.0	3	9.7
RACE/ETHNICITY												
Black	5	23.8	3	16.7	2	66.7	10	58.8	837	26.1	9	29.0
Latino/Hispanic	4	19.0	4	22.2	0	0.0	3	17.6	858	26.8	11	35.5
White	11	52.4	10	55.6	1	33.3	2	11.8	1,397	43.6	11	35.5
Asian/Pacific Islander	1	4.8	1	5.6	0	0.0	2	11.8	76	2.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	6	28.6	6	33.3	0	0.0	1	5.9	166	5.2	0	0.0
30-39	6	28.6	5	27.8	1	33.3	5	29.4	370	11.6	0	0.0
40-49	2	9.5	2	11.1	0	0.0	2	11.8	510	15.9	3	9.7
50-59	6	28.6	4	22.2	2	66.7	8	47.1	1,044	32.6	10	32.3
60+	1	4.8	1	5.6	0	0.0	1	5.9	1,109	34.6	18	58.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	76.2	14	77.8	2	66.7	9	52.9	1,957	61.1	18	58.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	296	9.2	3	9.7
MSM-IDU	1	4.8	1	5.6	0	0.0	1	5.9	100	3.1	3	9.7
Heterosexual contact	1	4.8	0	0.0	1	33.3	4	23.5	295	9.2	4	12.9
Transgender people with sexual contact	1	4.8	1	5.6	0	0.0	0	0.0	38	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	35	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	2	9.5	2	11.1	0	0.0	2	11.8	479	15.0	3	9.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	10	100.0	1,494	100.0	18	100.0
GENDER												
Men	12	92.3	10	90.9	2	100.0	8	80.0	1,307	87.5	15	83.3
Women	1	7.7	1	9.1	0	0.0	2	20.0	187	12.5	3	16.7
RACE/ETHNICITY												
Black	2	15.4	1	9.1	1	50.0	1	10.0	279	18.7	5	27.8
Latino/Hispanic	3	23.1	2	18.2	1	50.0	1	10.0	359	24.0	2	11.1
White	6	46.2	6	54.5	0	0.0	8	80.0	790	52.9	10	55.6
Asian/Pacific Islander	2	15.4	2	18.2	0	0.0	0	0.0	57	3.8	1	5.6
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	3	23.1	3	27.3	0	0.0	0	0.0	52	3.5	0	0.0
30-39	5	38.5	5	45.5	0	0.0	2	20.0	196	13.1	1	5.6
40-49	1	7.7	1	9.1	0	0.0	3	30.0	270	18.1	2	11.1
50-59	1	7.7	1	9.1	0	0.0	1	10.0	492	32.9	5	27.8
60+	3	23.1	1	9.1	2	100.0	4	40.0	482	32.3	10	55.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	69.2	8	72.7	1	50.0	7	70.0	959	64.2	5	27.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	96	6.4	2	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	37	2.5	2	11.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	10.0	111	7.4	2	11.1
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	7	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	23.1	2	18.2	1	50.0	1	10.0	272	18.2	7	38.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	59	86.8	9	13.2	31	100.0	6,880	100.0	37	100.0
GENDER												
Men	62	91.2	53	89.8	9	100.0	29	93.5	6,433	93.5	36	97.3
Women	6	8.8	6	10.2	0	0.0	2	6.5	447	6.5	1	2.7
RACE/ETHNICITY												
Black	14	20.6	11	18.6	3	33.3	8	25.8	1,114	16.2	6	16.2
Latino/Hispanic	17	25.0	16	27.1	1	11.1	4	12.9	1,575	22.9	6	16.2
White	32	47.1	27	45.8	5	55.6	19	61.3	3,902	56.7	24	64.9
Asian/Pacific Islander	4	5.9	4	6.8	0	0.0	0	0.0	209	3.0	1	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Multiracial	1	1.5	1	1.7	0	0.0	0	0.0	22	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	42	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
20-29	25	36.8	23	39.0	2	22.2	4	12.9	281	4.1	0	0.0
30-39	22	32.4	20	33.9	2	22.2	8	25.8	1,085	15.8	0	0.0
40-49	12	17.6	11	18.6	1	11.1	6	19.4	1,601	23.3	5	13.5
50-59	5	7.4	1	1.7	4	44.4	7	22.6	2,404	34.9	17	45.9
60+	4	5.9	4	6.8	0	0.0	6	19.4	1,505	21.9	15	40.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	56	82.4	49	83.1	7	77.8	25	80.6	5,250	76.3	23	62.2
Injection drug use history (IDU)	2	2.9	2	3.4	0	0.0	0	0.0	319	4.6	2	5.4
MSM-IDU	1	1.5	1	1.7	0	0.0	1	3.2	221	3.2	2	5.4
Heterosexual contact	1	1.5	0	0.0	1	11.1	2	6.5	251	3.6	1	2.7
Transgender people with sexual contact	2	2.9	2	3.4	0	0.0	0	0.0	60	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	6	8.8	5	8.5	1	11.1	2	6.5	757	11.0	9	24.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	16	72.7	6	27.3	12	100.0	1,989	100.0	7	100.0
GENDER												
Men	20	90.9	14	87.5	6	100.0	10	83.3	1,815	91.3	7	100.0
Women	2	9.1	2	12.5	0	0.0	2	16.7	174	8.7	0	0.0
RACE/ETHNICITY												
Black	2	9.1	2	12.5	0	0.0	1	8.3	386	19.4	2	28.6
Latino/Hispanic	8	36.4	5	31.3	3	50.0	5	41.7	466	23.4	3	42.9
White	9	40.9	6	37.5	3	50.0	6	50.0	1,040	52.3	2	28.6
Asian/Pacific Islander	3	13.6	3	18.8	0	0.0	0	0.0	75	3.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.5	1	6.3	0	0.0	0	0.0	3	0.2	0	0.0
20-29	6	27.3	6	37.5	0	0.0	0	0.0	68	3.4	0	0.0
30-39	6	27.3	6	37.5	0	0.0	2	16.7	203	10.2	1	14.3
40-49	6	27.3	3	18.8	3	50.0	3	25.0	373	18.8	0	0.0
50-59	3	13.6	0	0.0	3	50.0	5	41.7	709	35.6	2	28.6
60+	0	0.0	0	0.0	0	0.0	2	16.7	633	31.8	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	77.3	12	75.0	5	83.3	7	58.3	1,283	64.5	5	71.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	168	8.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	79	4.0	0	0.0
Heterosexual contact	2	9.1	1	6.3	1	16.7	1	8.3	118	5.9	0	0.0
Transgender people with sexual contact	1	4.5	1	6.3	0	0.0	1	8.3	12	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	2	9.1	2	12.5	0	0.0	2	16.7	316	15.9	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	4	100.0	1,873	100.0	9	100.0
GENDER												
Men	13	92.9	12	92.3	1	100.0	4	100.0	1,770	94.5	8	88.9
Women	1	7.1	1	7.7	0	0.0	0	0.0	103	5.5	1	11.1
RACE/ETHNICITY												
Black	4	28.6	4	30.8	0	0.0	2	50.0	357	19.1	2	22.2
Latino/Hispanic	3	21.4	3	23.1	0	0.0	1	25.0	394	21.0	3	33.3
White	6	42.9	5	38.5	1	100.0	1	25.0	1,057	56.4	4	44.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	48	2.6	0	0.0
Other/Unknown	1	7.1	1	7.7	0	0.0	0	0.0	17	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	25.0	64	3.4	0	0.0
30-39	4	28.6	4	30.8	0	0.0	0	0.0	231	12.3	0	0.0
40-49	4	28.6	4	30.8	0	0.0	1	25.0	373	19.9	1	11.1
50-59	0	0.0	0	0.0	0	0.0	1	25.0	666	35.6	2	22.2
60+	2	14.3	1	7.7	1	100.0	1	25.0	539	28.8	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	10	71.4	10	76.9	0	0.0	1	25.0	1,278	68.2	6	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	135	7.2	2	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	52	2.8	1	11.1
Heterosexual contact	1	7.1	1	7.7	0	0.0	1	25.0	63	3.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	33	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	21.4	2	15.4	1	100.0	2	50.0	303	16.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	28	93.3	2	6.7	14	100.0	3,013	100.0	33	100.0
GENDER												
Men	26	86.7	24	85.7	2	100.0	11	78.6	2,475	82.1	23	69.7
Women	4	13.3	4	14.3	0	0.0	3	21.4	538	17.9	10	30.3
RACE/ETHNICITY												
Black	5	16.7	5	17.9	0	0.0	2	14.3	577	19.2	12	36.4
Latino/Hispanic	11	36.7	9	32.1	2	100.0	6	42.9	1,055	35.0	11	33.3
White	11	36.7	11	39.3	0	0.0	6	42.9	1,210	40.2	9	27.3
Asian/Pacific Islander	2	6.7	2	7.1	0	0.0	0	0.0	138	4.6	1	3.0
Native American	1	3.3	1	3.6	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	3.6	0	0.0	0	0.0	7	0.2	0	0.0
20-29	10	33.3	10	35.7	0	0.0	2	14.3	152	5.0	0	0.0
30-39	8	26.7	8	28.6	0	0.0	3	21.4	345	11.5	0	0.0
40-49	7	23.3	6	21.4	1	50.0	1	7.1	542	18.0	4	12.1
50-59	2	6.7	2	7.1	0	0.0	6	42.9	1,103	36.6	9	27.3
60+	2	6.7	1	3.6	1	50.0	2	14.3	864	28.7	20	60.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	80.0	23	82.1	1	50.0	8	57.1	1,692	56.2	13	39.4
Injection drug use history (IDU)	1	3.3	0	0.0	1	50.0	1	7.1	389	12.9	7	21.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	99	3.3	1	3.0
Heterosexual contact	2	6.7	2	7.1	0	0.0	2	14.3	346	11.5	8	24.2
Transgender people with sexual contact	3	10.0	3	10.7	0	0.0	1	7.1	21	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	7.1	29	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	7.1	432	14.3	4	12.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	11	91.7	1	8.3	3	100.0	581	100.0	6	100.0
GENDER												
Men	11	91.7	10	90.9	1	100.0	3	100.0	496	85.4	5	83.3
Women	1	8.3	1	9.1	0	0.0	0	0.0	85	14.6	1	16.7
RACE/ETHNICITY												
Black	3	25.0	3	27.3	0	0.0	0	0.0	111	19.1	1	16.7
Latino/Hispanic	4	33.3	4	36.4	0	0.0	1	33.3	142	24.4	3	50.0
White	2	16.7	2	18.2	0	0.0	0	0.0	299	51.5	2	33.3
Asian/Pacific Islander	2	16.7	1	9.1	1	100.0	2	66.7	25	4.3	0	0.0
Other/Unknown	1	8.3	1	9.1	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	8.3	1	9.1	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	33.3	4	36.4	0	0.0	1	33.3	29	5.0	0	0.0
30-39	3	25.0	3	27.3	0	0.0	1	33.3	75	12.9	1	16.7
40-49	2	16.7	1	9.1	1	100.0	1	33.3	148	25.5	0	0.0
50-59	2	16.7	2	18.2	0	0.0	0	0.0	208	35.8	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	121	20.8	3	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	50.0	5	45.5	1	100.0	1	33.3	372	64.0	3	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	41	7.1	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	55	9.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	6	50.0	6	54.5	0	0.0	2	66.7	91	15.7	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	39	83.0	8	17.0	20	100.0	2,217	100.0	8	100.0
GENDER												
Men	44	93.6	37	94.9	7	87.5	18	90.0	1,902	85.8	7	87.5
Women	3	6.4	2	5.1	1	12.5	2	10.0	315	14.2	1	12.5
RACE/ETHNICITY												
Black	5	10.6	5	12.8	0	0.0	3	15.0	378	17.1	1	12.5
Latino/Hispanic	25	53.2	20	51.3	5	62.5	10	50.0	883	39.8	4	50.0
White	7	14.9	7	17.9	0	0.0	3	15.0	833	37.6	3	37.5
Asian/Pacific Islander	8	17.0	6	15.4	2	25.0	2	10.0	104	4.7	0	0.0
Other/Unknown	2	4.3	1	2.6	1	12.5	2	10.0	19	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.6	0	0.0	0	0.0	3	0.1	0	0.0
20-29	18	38.3	17	43.6	1	12.5	3	15.0	150	6.8	1	12.5
30-39	17	36.2	12	30.8	5	62.5	8	40.0	480	21.7	0	0.0
40-49	5	10.6	5	12.8	0	0.0	3	15.0	560	25.3	2	25.0
50-59	3	6.4	1	2.6	2	25.0	5	25.0	678	30.6	5	62.5
60+	3	6.4	3	7.7	0	0.0	1	5.0	346	15.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	40	85.1	34	87.2	6	75.0	15	75.0	1,450	65.4	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	117	5.3	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	2.0	0	0.0
Heterosexual contact	3	6.4	2	5.1	1	12.5	3	15.0	253	11.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	26	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.9	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	4	8.5	3	7.7	1	12.5	2	10.0	304	13.7	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	120	100.0	93	77.5	27	22.5	55	100.0	5,757	100.0	14	100.0
GENDER												
Men	111	92.5	85	91.4	26	96.3	51	92.7	4,729	82.1	13	92.9
Women	9	7.5	8	8.6	1	3.7	4	7.3	1,028	17.9	1	7.1
RACE/ETHNICITY												
Black	7	5.8	6	6.5	1	3.7	6	10.9	1,492	25.9	5	35.7
Latino/Hispanic	82	68.3	67	72.0	15	55.6	33	60.0	3,253	56.5	7	50.0
White	8	6.7	7	7.5	1	3.7	3	5.5	643	11.2	2	14.3
Asian/Pacific Islander	23	19.2	13	14.0	10	37.0	13	23.6	337	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	3.3	4	4.3	0	0.0	0	0.0	11	0.2	0	0.0
20-29	47	39.2	37	39.8	10	37.0	20	36.4	397	6.9	0	0.0
30-39	45	37.5	35	37.6	10	37.0	17	30.9	969	16.8	1	7.1
40-49	16	13.3	12	12.9	4	14.8	10	18.2	1,416	24.6	1	7.1
50-59	8	6.7	5	5.4	3	11.1	6	10.9	1,869	32.5	4	28.6
60+	0	0.0	0	0.0	0	0.0	2	3.6	1,092	19.0	8	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	97	80.8	73	78.5	24	88.9	38	69.1	2,623	45.6	7	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	3.6	811	14.1	1	7.1
MSM-IDU	1	0.8	1	1.1	0	0.0	1	1.8	163	2.8	0	0.0
Heterosexual contact	8	6.7	7	7.5	1	3.7	5	9.1	890	15.5	4	28.6
Transgender people with sexual contact	4	3.3	4	4.3	0	0.0	1	1.8	111	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	8.3	8	8.6	2	7.4	8	14.5	1,092	19.0	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	16	84.2	3	15.8	9	100.0	697	100.0	6	100.0
GENDER												
Men	14	73.7	11	68.8	3	100.0	6	66.7	524	75.2	4	66.7
Women	5	26.3	5	31.3	0	0.0	3	33.3	173	24.8	2	33.3
RACE/ETHNICITY												
Black	3	15.8	3	18.8	0	0.0	0	0.0	111	15.9	1	16.7
Latino/Hispanic	9	47.4	8	50.0	1	33.3	2	22.2	256	36.7	1	16.7
White	0	0.0	0	0.0	0	0.0	3	33.3	188	27.0	3	50.0
Asian/Pacific Islander	7	36.8	5	31.3	2	66.7	4	44.4	130	18.7	1	16.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	5.3	1	6.3	0	0.0	0	0.0	2	0.3	0	0.0
20-29	5	26.3	5	31.3	0	0.0	0	0.0	59	8.5	0	0.0
30-39	1	5.3	1	6.3	0	0.0	1	11.1	80	11.5	0	0.0
40-49	7	36.8	6	37.5	1	33.3	4	44.4	138	19.8	1	16.7
50-59	3	15.8	2	12.5	1	33.3	2	22.2	238	34.1	1	16.7
60+	2	10.5	1	6.3	1	33.3	2	22.2	179	25.7	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	47.4	8	50.0	1	33.3	2	22.2	302	43.3	2	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	65	9.3	1	16.7
MSM-IDU	1	5.3	1	6.3	0	0.0	0	0.0	18	2.6	0	0.0
Heterosexual contact	5	26.3	4	25.0	1	33.3	4	44.4	149	21.4	3	50.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	21.1	3	18.8	1	33.3	3	33.3	149	21.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	4	80.0	1	20.0	1	100.0	146	100.0	4	100.0
GENDER												
Men	4	80.0	3	75.0	1	100.0	1	100.0	118	80.8	3	75.0
Women	1	20.0	1	25.0	0	0.0	0	0.0	28	19.2	1	25.0
RACE/ETHNICITY												
Black	1	20.0	1	25.0	0	0.0	0	0.0	23	15.8	1	25.0
Latino/Hispanic	2	40.0	1	25.0	1	100.0	1	100.0	35	24.0	0	0.0
White	1	20.0	1	25.0	0	0.0	0	0.0	74	50.7	3	75.0
Asian/Pacific Islander	1	20.0	1	25.0	0	0.0	0	0.0	12	8.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	40.0	2	50.0	0	0.0	0	0.0	9	6.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	18	12.3	0	0.0
40-49	1	20.0	0	0.0	1	100.0	1	100.0	22	15.1	0	0.0
50-59	1	20.0	1	25.0	0	0.0	0	0.0	50	34.2	1	25.0
60+	1	20.0	1	25.0	0	0.0	0	0.0	47	32.2	3	75.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	60.0	2	50.0	1	100.0	1	100.0	63	43.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	11	7.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Heterosexual contact	1	20.0	1	25.0	0	0.0	0	0.0	27	18.5	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	1	20.0	1	25.0	0	0.0	0	0.0	34	23.3	3	75.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	16	84.2	3	15.8	9	100.0	1,278	100.0	9	100.0
GENDER												
Men	18	94.7	15	93.8	3	100.0	9	100.0	991	77.5	7	77.8
Women	1	5.3	1	6.3	0	0.0	0	0.0	287	22.5	2	22.2
RACE/ETHNICITY												
Black	1	5.3	1	6.3	0	0.0	3	33.3	158	12.4	1	11.1
Latino/Hispanic	10	52.6	10	62.5	0	0.0	1	11.1	628	49.1	2	22.2
White	4	21.1	2	12.5	2	66.7	4	44.4	413	32.3	6	66.7
Asian/Pacific Islander	4	21.1	3	18.8	1	33.3	1	11.1	69	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	9	47.4	8	50.0	1	33.3	2	22.2	110	8.6	0	0.0
30-39	5	26.3	4	25.0	1	33.3	1	11.1	184	14.4	1	11.1
40-49	1	5.3	1	6.3	0	0.0	1	11.1	260	20.3	1	11.1
50-59	3	15.8	2	12.5	1	33.3	3	33.3	427	33.4	4	44.4
60+	1	5.3	1	6.3	0	0.0	2	22.2	296	23.2	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	78.9	12	75.0	3	100.0	5	55.6	668	52.3	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	11.1	90	7.0	3	33.3
MSM-IDU	1	5.3	1	6.3	0	0.0	2	22.2	30	2.3	1	11.1
Heterosexual contact	1	5.3	1	6.3	0	0.0	0	0.0	246	19.2	1	11.1
Transgender people with sexual contact	1	5.3	1	6.3	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	1	5.3	1	6.3	0	0.0	1	11.1	199	15.6	3	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	0	0.0	291	100.0	9	100.0
GENDER												
Men	3	50.0	3	50.0	0	0.0	0	0.0	183	62.9	5	55.6
Women	3	50.0	3	50.0	0	0.0	0	0.0	108	37.1	4	44.4
RACE/ETHNICITY												
Black	2	33.3	2	33.3	0	0.0	0	0.0	127	43.6	7	77.8
Latino/Hispanic	3	50.0	3	50.0	0	0.0	0	0.0	92	31.6	1	11.1
White	0	0.0	0	0.0	0	0.0	0	0.0	49	16.8	1	11.1
Asian/Pacific Islander	1	16.7	1	16.7	0	0.0	0	0.0	22	7.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
20-29	2	33.3	2	33.3	0	0.0	0	0.0	26	8.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	36	12.4	1	11.1
40-49	1	16.7	1	16.7	0	0.0	0	0.0	57	19.6	1	11.1
50-59	1	16.7	1	16.7	0	0.0	0	0.0	94	32.3	5	55.6
60+	2	33.3	2	33.3	0	0.0	0	0.0	76	26.1	2	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	33.3	2	33.3	0	0.0	0	0.0	92	31.6	4	44.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	21	7.2	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0
Heterosexual contact	2	33.3	2	33.3	0	0.0	0	0.0	78	26.8	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	2	33.3	2	33.3	0	0.0	0	0.0	81	27.8	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	32	68.1	15	31.9	30	100.0	1,838	100.0	16	100.0
GENDER												
Men	37	78.7	25	78.1	12	80.0	25	83.3	1,297	70.6	13	81.3
Women	10	21.3	7	21.9	3	20.0	5	16.7	541	29.4	3	18.8
RACE/ETHNICITY												
Black	13	27.7	9	28.1	4	26.7	8	26.7	488	26.6	7	43.8
Latino/Hispanic	20	42.6	16	50.0	4	26.7	9	30.0	848	46.1	5	31.3
White	3	6.4	2	6.3	1	6.7	2	6.7	284	15.5	0	0.0
Asian/Pacific Islander	11	23.4	5	15.6	6	40.0	11	36.7	193	10.5	3	18.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	6.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	3.1	0	0.0	0	0.0	3	0.2	0	0.0
20-29	20	42.6	17	53.1	3	20.0	7	23.3	139	7.6	0	0.0
30-39	11	23.4	7	21.9	4	26.7	6	20.0	279	15.2	1	6.3
40-49	8	17.0	3	9.4	5	33.3	10	33.3	421	22.9	2	12.5
50-59	5	10.6	2	6.3	3	20.0	7	23.3	619	33.7	4	25.0
60+	2	4.3	2	6.3	0	0.0	0	0.0	374	20.3	9	56.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	61.7	20	62.5	9	60.0	14	46.7	740	40.3	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	168	9.1	7	43.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	1	6.3
Heterosexual contact	8	17.0	7	21.9	1	6.7	3	10.0	439	23.9	2	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	10	21.3	5	15.6	5	33.3	13	43.3	404	22.0	4	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	68	89.5	8	10.5	24	100.0	3,275	100.0	35	100.0
GENDER												
Men	54	71.1	49	72.1	5	62.5	15	62.5	2,038	62.2	22	62.9
Women	22	28.9	19	27.9	3	37.5	9	37.5	1,237	37.8	13	37.1
RACE/ETHNICITY												
Black	50	65.8	45	66.2	5	62.5	14	58.3	2,342	71.5	26	74.3
Latino/Hispanic	18	23.7	16	23.5	2	25.0	6	25.0	633	19.3	6	17.1
White	2	2.6	2	2.9	0	0.0	2	8.3	171	5.2	3	8.6
Asian/Pacific Islander	5	6.6	5	7.4	0	0.0	1	4.2	101	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.3	0	0.0	1	12.5	1	4.2	12	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.3	1	1.5	0	0.0	0	0.0	22	0.7	0	0.0
20-29	33	43.4	32	47.1	1	12.5	5	20.8	280	8.5	1	2.9
30-39	21	27.6	17	25.0	4	50.0	7	29.2	457	14.0	3	8.6
40-49	10	13.2	10	14.7	0	0.0	1	4.2	670	20.5	3	8.6
50-59	6	7.9	4	5.9	2	25.0	6	25.0	1,001	30.6	9	25.7
60+	5	6.6	4	5.9	1	12.5	5	20.8	842	25.7	19	54.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	51.3	35	51.5	4	50.0	10	41.7	939	28.7	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	344	10.5	13	37.1
MSM-IDU	2	2.6	2	2.9	0	0.0	0	0.0	64	2.0	1	2.9
Heterosexual contact	17	22.4	14	20.6	3	37.5	9	37.5	931	28.4	5	14.3
Transgender people with sexual contact	1	1.3	1	1.5	0	0.0	0	0.0	34	1.0	1	2.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	100	3.1	1	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	17	22.4	16	23.5	1	12.5	3	12.5	854	26.1	8	22.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	23	88.5	3	11.5	17	100.0	1,333	100.0	16	100.0
GENDER												
Men	17	65.4	15	65.2	2	66.7	11	64.7	766	57.5	11	68.8
Women	9	34.6	8	34.8	1	33.3	6	35.3	567	42.5	5	31.3
RACE/ETHNICITY												
Black	19	73.1	17	73.9	2	66.7	13	76.5	1,026	77.0	15	93.8
Latino/Hispanic	2	7.7	2	8.7	0	0.0	1	5.9	166	12.5	0	0.0
White	2	7.7	1	4.3	1	33.3	2	11.8	85	6.4	1	6.3
Asian/Pacific Islander	2	7.7	2	8.7	0	0.0	1	5.9	49	3.7	0	0.0
Native American	1	3.8	1	4.3	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	11	42.3	11	47.8	0	0.0	2	11.8	106	8.0	0	0.0
30-39	10	38.5	8	34.8	2	66.7	7	41.2	188	14.1	1	6.3
40-49	2	7.7	2	8.7	0	0.0	5	29.4	274	20.6	1	6.3
50-59	3	11.5	2	8.7	1	33.3	3	17.6	427	32.0	3	18.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	330	24.8	11	68.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	50.0	11	47.8	2	66.7	6	35.3	287	21.5	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	120	9.0	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.6	0	0.0
Heterosexual contact	7	26.9	7	30.4	0	0.0	3	17.6	433	32.5	5	31.3
Transgender people with sexual contact	1	3.8	1	4.3	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	5	19.2	4	17.4	1	33.3	7	41.2	410	30.8	4	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	18	94.7	1	5.3	8	100.0	1,275	100.0	30	100.0
GENDER												
Men	14	73.7	13	72.2	1	100.0	4	50.0	740	58.0	22	73.3
Women	5	26.3	5	27.8	0	0.0	4	50.0	535	42.0	8	26.7
RACE/ETHNICITY												
Black	12	63.2	11	61.1	1	100.0	6	75.0	818	64.2	15	50.0
Latino/Hispanic	3	15.8	3	16.7	0	0.0	0	0.0	315	24.7	9	30.0
White	3	15.8	3	16.7	0	0.0	2	25.0	122	9.6	6	20.0
Asian/Pacific Islander	1	5.3	1	5.6	0	0.0	0	0.0	12	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	8	42.1	8	44.4	0	0.0	1	12.5	102	8.0	0	0.0
30-39	3	15.8	3	16.7	0	0.0	1	12.5	177	13.9	2	6.7
40-49	3	15.8	3	16.7	0	0.0	0	0.0	248	19.5	4	13.3
50-59	1	5.3	1	5.6	0	0.0	2	25.0	420	32.9	12	40.0
60+	4	21.1	3	16.7	1	100.0	4	50.0	322	25.3	12	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	31.6	6	33.3	0	0.0	1	12.5	322	25.3	3	10.0
Injection drug use history (IDU)	1	5.3	0	0.0	1	100.0	2	25.0	181	14.2	12	40.0
MSM-IDU	1	5.3	1	5.6	0	0.0	0	0.0	27	2.1	1	3.3
Heterosexual contact	4	21.1	4	22.2	0	0.0	2	25.0	428	33.6	6	20.0
Transgender people with sexual contact	1	5.3	1	5.6	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	34	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	6	31.6	6	33.3	0	0.0	2	25.0	270	21.2	8	26.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	633	100.0	8	100.0
GENDER												
Men	10	71.4	9	69.2	1	100.0	4	80.0	375	59.2	6	75.0
Women	4	28.6	4	30.8	0	0.0	1	20.0	258	40.8	2	25.0
RACE/ETHNICITY												
Black	8	57.1	8	61.5	0	0.0	3	60.0	322	50.9	6	75.0
Latino/Hispanic	5	35.7	4	30.8	1	100.0	2	40.0	207	32.7	1	12.5
White	1	7.1	1	7.7	0	0.0	0	0.0	92	14.5	1	12.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.1	1	7.7	0	0.0	0	0.0	5	0.8	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	20.0	49	7.7	1	12.5
30-39	3	21.4	2	15.4	1	100.0	2	40.0	95	15.0	1	12.5
40-49	1	7.1	1	7.7	0	0.0	0	0.0	123	19.4	0	0.0
50-59	4	28.6	4	30.8	0	0.0	0	0.0	232	36.7	3	37.5
60+	1	7.1	1	7.7	0	0.0	2	40.0	128	20.2	3	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	50.0	6	46.2	1	100.0	2	40.0	160	25.3	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	114	18.0	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.4	0	0.0
Heterosexual contact	4	28.6	4	30.8	0	0.0	2	40.0	187	29.5	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	21.4	3	23.1	0	0.0	1	20.0	129	20.4	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	9	52.9	8	47.1	21	100.0	1,153	100.0	23	100.0
GENDER												
Men	9	52.9	3	33.3	6	75.0	16	76.2	748	64.9	15	65.2
Women	8	47.1	6	66.7	2	25.0	5	23.8	405	35.1	8	34.8
RACE/ETHNICITY												
Black	10	58.8	5	55.6	5	62.5	12	57.1	535	46.4	11	47.8
Latino/Hispanic	2	11.8	1	11.1	1	12.5	3	14.3	314	27.2	6	26.1
White	4	23.5	3	33.3	1	12.5	5	23.8	278	24.1	6	26.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
Other/Unknown	1	5.9	0	0.0	1	12.5	1	4.8	12	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	4	23.5	3	33.3	1	12.5	1	4.8	87	7.5	0	0.0
30-39	8	47.1	4	44.4	4	50.0	11	52.4	176	15.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	4.8	220	19.1	3	13.0
50-59	4	23.5	1	11.1	3	37.5	7	33.3	418	36.3	7	30.4
60+	1	5.9	1	11.1	0	0.0	1	4.8	248	21.5	13	56.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	11.8	0	0.0	2	25.0	6	28.6	359	31.1	3	13.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.8	165	14.3	9	39.1
MSM-IDU	1	5.9	1	11.1	0	0.0	1	4.8	40	3.5	3	13.0
Heterosexual contact	9	52.9	6	66.7	3	37.5	7	33.3	300	26.0	3	13.0
Transgender people with sexual contact	2	11.8	1	11.1	1	12.5	1	4.8	26	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	17.6	1	11.1	2	25.0	5	23.8	237	20.6	5	21.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	198	100.0	4	100.0
GENDER												
Men	3	100.0	3	100.0	0	0.0	0	0.0	140	70.7	2	50.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	58	29.3	2	50.0
RACE/ETHNICITY												
Black	1	33.3	1	33.3	0	0.0	0	0.0	36	18.2	1	25.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	55	27.8	2	50.0
White	1	33.3	1	33.3	0	0.0	0	0.0	99	50.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other/Unknown	1	33.3	1	33.3	0	0.0	0	0.0	3	1.5	1	25.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	66.7	2	66.7	0	0.0	0	0.0	13	6.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	26	13.1	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	38	19.2	0	0.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	72	36.4	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	48	24.2	2	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	100.0	3	100.0	0	0.0	0	0.0	78	39.4	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	12.6	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.2	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	44	22.2	2	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	3	100.0	435	100.0	6	100.0
GENDER												
Men	4	80.0	4	80.0	0	0.0	1	33.3	299	68.7	5	83.3
Women	1	20.0	1	20.0	0	0.0	2	66.7	136	31.3	1	16.7
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	71	16.3	0	0.0
Latino/Hispanic	2	40.0	2	40.0	0	0.0	2	66.7	110	25.3	2	33.3
White	3	60.0	3	60.0	0	0.0	1	33.3	248	57.0	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	3	60.0	3	60.0	0	0.0	1	33.3	24	5.5	0	0.0
30-39	1	20.0	1	20.0	0	0.0	0	0.0	39	9.0	1	16.7
40-49	0	0.0	0	0.0	0	0.0	1	33.3	87	20.0	0	0.0
50-59	1	20.0	1	20.0	0	0.0	1	33.3	164	37.7	4	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	118	27.1	1	16.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	20.0	1	20.0	0	0.0	1	33.3	113	26.0	1	16.7
Injection drug use history (IDU)	1	20.0	1	20.0	0	0.0	0	0.0	69	15.9	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	33.3	109	25.1	1	16.7
Transgender people with sexual contact	1	20.0	1	20.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	33.3	12	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	120	27.6	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2017 NEW YORK CITY POPULATION ⁴
TOTAL	24.6	1.5	9.4	8,438,271
GENDER				
Men	40.9	2.3	9.4	4,024,884
Women	9.7	0.8	9.5	4,413,387
RACE/ETHNICITY				
Black	46.7	3.0	11.3	1,865,835
Latino/Hispanic	30.8	1.7	8.9	2,457,772
White	11.0	1.0	6.7	2,718,418
Asian/Pacific Islander	9.8	0.2	6.1	1,229,529
Native American	46.6*	1.6	17.0*	19,293
Multiracial	11.5	0.3	11.8*	147,424
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,301,305
13 - 19	12.5	0.1	0.0*	633,623
20 - 29	58.8	0.8	3.5	1,338,303
30 - 39	42.7	1.5	6.0	1,334,375
40 - 49	27.4	2.4	8.5	1,076,204
50 - 59	20.6	3.8	14.5	1,062,534
60+	7.2	1.8	28.5	1,691,927

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2019.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION^{1,2}	PLWH AS PERCENT OF POPULATION²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH³	2017 NEW YORK CITY POPULATION⁴
TOTAL	24.6	1.5	9.4	8,438,271
BRONX⁵	31.2	2.1	9.8	1,441,440
Crotona - Tremont	37.8	2.9	11.2	216,846
Fordham - Bronx Park	31.6	2.2	9.3	262,431
High Bridge - Morrisania	36.1	2.9	12.3	219,073
Hunts Point - Mott Haven	44.5	2.8	8.0	141,688
Kingsbridge - Riverdale	13.9	0.8	11.1*	93,270
Northeast Bronx	26.6	1.3	9.6	202,667
Pelham - Throgs Neck	24.9	1.5	6.6	305,464
BROOKLYN⁵	23.4	1.2	9.2	2,596,385
Bedford Stuyvesant - Crown Heights	40.5	2.4	11.2	328,162
Bensonhurst - Bay Ridge	9.3	0.3	7.3*	205,212
Borough Park	7.7	0.3	10.2	338,791
Canarsie - Flatlands	19.4	0.9	11.9	206,265
Coney Island - Sheepshead Bay	12.1	0.4	6.9	289,805
Downtown - Heights - Park Slope	16.2	1.1	6.2	259,006
East Flatbush - Flatbush	31.1	1.8	7.7	299,335
East New York	45.1	1.9	9.9	186,431
Greenpoint	16.1	0.7	6.2*	136,612
Sunset Park	21.2	0.7	4.9*	127,365
Williamsburg - Bushwick	39.2	1.7	11.3	219,401
MANHATTAN⁵	23.9	2.0	5.6	1,613,571
Central Harlem - Morningside Heights	40.1	2.7	7.4	179,762
Chelsea - Clinton	45.4	4.6	3.1	149,675
East Harlem	31.7	2.7	13.3	113,623
Gramercy Park - Murray Hill	16.8	1.5	2.2*	131,094
Greenwich Village - Soho	16.7	2.2	2.8*	84,038
Lower Manhattan	19.8	1.0	5.7*	60,678
Union Square - Lower East Side	15.9	1.6	6.2	189,025
Upper East Side	5.9	0.7	5.9	219,180
Upper West Side	9.7	1.5	4.8	216,363
Washington Heights - Inwood	35.9	1.7	5.9	270,132
QUEENS⁵	16.6	0.8	5.6	2,306,972
Bayside - Little Neck	5.7*	0.2	14.3*	88,134
Flushing - Clearview	7.5	0.3	5.6*	254,345
Fresh Meadows	6.0*	0.3	17.6*	100,701
Jamaica	23.8	1.0	7.5	318,832
Long Island City - Astoria	22.3	1.1	2.5*	210,760
Ridgewood - Forest Hills	7.5	0.5	4.4*	254,714
Rockaway	15.5	1.0	14.3	122,556
Southeast Queens	12.4	0.6	8.1	209,109
Southwest Queens	16.4	0.6	6.5	287,170
West Queens	26.1	1.2	1.8	460,652
STATEN ISLAND⁵	8.2	0.5	10.5	475,516
Port Richmond	20.4	0.9	7.5*	68,692
South Beach - Tottenville	2.6*	0.2	8.6*	192,726
Stapleton - St. George	13.7	0.9	13.4	124,098
Willowbrook	3.3*	0.2	14.4*	89,999

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2020. Table generated July 21, 2020.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2019.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.