



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2020

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene

<https://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2020

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2021. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,396	100.0	1,128	80.8	268	19.2	917	100.0	129,061	100.0	1,933	100.0
GENDER												
Men	1,091	78.2	877	77.7	214	79.9	671	73.2	93,741	72.6	1,338	69.2
Women	256	18.3	203	18.0	53	19.8	227	24.8	33,107	25.7	567	29.3
Transgender	49	3.5	48	4.3	1	0.4	19	2.1	2,213	1.7	28	1.4
RACE/ETHNICITY												
Black	661	47.3	535	47.4	126	47.0	449	49.0	55,790	43.2	998	51.6
Latino/Hispanic	474	34.0	389	34.5	85	31.7	306	33.4	42,740	33.1	666	34.5
White	187	13.4	147	13.0	40	14.9	120	13.1	26,165	20.3	220	11.4
Asian/Pacific Islander	64	4.6	49	4.3	15	5.6	32	3.5	3,248	2.5	27	1.4
Native American	1	0.1	1	0.1	0	0.0	3	0.3	299	0.2	7	0.4
Multiracial	9	0.6	7	0.6	2	0.7	7	0.8	503	0.4	15	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	316	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.2	0	0.0	1	0.1	49	0.0	0	0.0
13-19	58	4.2	55	4.9	3	1.1	4	0.4	292	0.2	0	0.0
20-29	464	33.2	422	37.4	42	15.7	129	14.1	7,466	5.8	32	1.7
30-39	429	30.7	345	30.6	84	31.3	257	28.0	20,772	16.1	113	5.8
40-49	199	14.3	149	13.2	50	18.7	179	19.5	22,981	17.8	177	9.2
50-59	172	12.3	114	10.1	58	21.6	196	21.4	39,291	30.4	566	29.3
60+	72	5.2	41	3.6	31	11.6	151	16.5	38,210	29.6	1,045	54.1
BOROUGH OF RESIDENCE												
Bronx	307	22.0	260	23.0	47	17.5	245	26.7	31,230	24.2	665	34.4
Brooklyn	411	29.4	316	28.0	95	35.4	248	27.0	30,642	23.7	512	26.5
Manhattan	282	20.2	230	20.4	52	19.4	201	21.9	32,790	25.4	372	19.2
Queens	276	19.8	220	19.5	56	20.9	126	13.7	18,888	14.6	223	11.5
Staten Island	25	1.8	21	1.9	4	1.5	15	1.6	2,547	2.0	50	2.6
Outside NYC	81	5.8	67	5.9	14	5.2	75	8.2	12,776	9.9	51	2.6
Unknown	14	1.0	14	1.2	0	0.0	7	0.8	188	0.1	60	3.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	129	9.2	107	9.5	22	8.2	84	9.2	15,206	11.8	139	7.2
Medium poverty (10 to <20% below FPL)	506	36.2	397	35.2	109	40.7	306	33.4	43,060	33.4	584	30.2
High poverty (20 to <30% below FPL)	374	26.8	299	26.5	75	28.0	224	24.4	29,083	22.5	464	24.0
Very high poverty (≥30% below FPL)	287	20.6	240	21.3	47	17.5	214	23.3	27,170	21.1	629	32.5
Area-based poverty level not available	100	7.2	85	7.5	15	5.6	89	9.7	14,542	11.3	117	6.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	643	46.1	536	47.5	107	39.9	368	40.1	55,432	43.0	416	21.5
Injection drug use history (IDU)	12	0.9	10	0.9	2	0.7	62	6.8	13,875	10.8	495	25.6
MSM-IDU	10	0.7	10	0.9	0	0.0	15	1.6	3,224	2.5	73	3.8
Heterosexual contact	193	13.8	148	13.1	45	16.8	178	19.4	25,020	19.4	433	22.4
Transgender people with sexual contact	47	3.4	46	4.1	1	0.4	16	1.7	1,909	1.5	20	1.0
Perinatal	2	0.1	2	0.2	0	0.0	13	1.4	2,552	2.0	17	0.9
Other	0	0.0	0	0.0	0	0.0	2	0.2	193	0.1	7	0.4
Unknown	489	35.0	376	33.3	113	42.2	263	28.7	26,856	20.8	472	24.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,092	100.0	878	80.4	214	19.6	671	100.0	93,784	100.0	1,338	100.0
RACE/ETHNICITY												
Black	478	43.8	389	44.3	89	41.6	304	45.3	35,401	37.7	636	47.5
Latino/Hispanic	379	34.7	307	35.0	72	33.6	224	33.4	31,184	33.3	480	35.9
White	172	15.8	135	15.4	37	17.3	106	15.8	23,615	25.2	184	13.8
Asian/Pacific Islander	56	5.1	42	4.8	14	6.5	27	4.0	2,721	2.9	22	1.6
Native American	1	0.1	1	0.1	0	0.0	3	0.4	227	0.2	6	0.4
Multiracial	6	0.5	4	0.5	2	0.9	7	1.0	394	0.4	10	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	242	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.0	0	0.0
13-19	47	4.3	45	5.1	2	0.9	3	0.4	175	0.2	0	0.0
20-29	386	35.3	349	39.7	37	17.3	108	16.1	5,659	6.0	24	1.8
30-39	349	32.0	277	31.5	72	33.6	197	29.4	16,467	17.6	80	6.0
40-49	149	13.6	111	12.6	38	17.8	129	19.2	16,313	17.4	111	8.3
50-59	115	10.5	69	7.9	46	21.5	137	20.4	27,820	29.7	377	28.2
60+	46	4.2	27	3.1	19	8.9	97	14.5	27,324	29.1	746	55.8
BOROUGH OF RESIDENCE												
Bronx	220	20.1	187	21.3	33	15.4	154	23.0	19,543	20.8	415	31.0
Brooklyn	315	28.8	245	27.9	70	32.7	171	25.5	20,648	22.0	352	26.3
Manhattan	234	21.4	191	21.8	43	20.1	158	23.5	27,671	29.5	292	21.8
Queens	226	20.7	173	19.7	53	24.8	106	15.8	13,901	14.8	165	12.3
Staten Island	20	1.8	16	1.8	4	1.9	15	2.2	1,650	1.8	31	2.3
Outside NYC	66	6.0	55	6.3	11	5.1	63	9.4	10,225	10.9	38	2.8
Unknown	11	1.0	11	1.3	0	0.0	4	0.6	146	0.2	45	3.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	102	9.3	82	9.3	20	9.3	69	10.3	12,418	13.2	118	8.8
Medium poverty (10 to <20% below FPL)	408	37.4	313	35.6	95	44.4	241	35.9	32,208	34.3	425	31.8
High poverty (20 to <30% below FPL)	295	27.0	238	27.1	57	26.6	159	23.7	20,333	21.7	310	23.2
Very high poverty (≥30% below FPL)	205	18.8	175	19.9	30	14.0	130	19.4	17,223	18.4	398	29.7
Area-based poverty level not available	82	7.5	70	8.0	12	5.6	72	10.7	11,602	12.4	87	6.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	643	58.9	536	61.0	107	50.0	368	54.8	55,432	59.1	416	31.1
Injection drug use history (IDU)	10	0.9	9	1.0	1	0.5	36	5.4	8,958	9.6	330	24.7
MSM-IDU	10	0.9	10	1.1	0	0.0	15	2.2	3,224	3.4	73	5.5
Heterosexual contact	23	2.1	15	1.7	8	3.7	38	5.7	5,931	6.3	170	12.7
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	26	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	0.9	1,243	1.3	11	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.1	109	0.1	3	0.2
Unknown	405	37.1	307	35.0	98	45.8	207	30.8	18,861	20.1	335	25.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	304	100.0	250	82.2	54	17.8	246	100.0	35,277	100.0	595	100.0
RACE/ETHNICITY												
Black	183	60.2	146	58.4	37	68.5	145	58.9	20,389	57.8	362	60.8
Latino/Hispanic	95	31.3	82	32.8	13	24.1	82	33.3	11,556	32.8	186	31.3
White	15	4.9	12	4.8	3	5.6	14	5.7	2,550	7.2	36	6.1
Asian/Pacific Islander	8	2.6	7	2.8	1	1.9	5	2.0	527	1.5	5	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	1	0.2
Multiracial	3	1.0	3	1.2	0	0.0	0	0.0	109	0.3	5	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.7	2	0.8	0	0.0	1	0.4	23	0.1	0	0.0
13-19	11	3.6	10	4.0	1	1.9	1	0.4	117	0.3	0	0.0
20-29	78	25.7	73	29.2	5	9.3	21	8.5	1,807	5.1	8	1.3
30-39	80	26.3	68	27.2	12	22.2	60	24.4	4,305	12.2	33	5.5
40-49	50	16.4	38	15.2	12	22.2	50	20.3	6,668	18.9	66	11.1
50-59	57	18.8	45	18.0	12	22.2	59	24.0	11,471	32.5	189	31.8
60+	26	8.6	14	5.6	12	22.2	54	22.0	10,886	30.9	299	50.3
BOROUGH OF RESIDENCE												
Bronx	87	28.6	73	29.2	14	25.9	91	37.0	11,687	33.1	250	42.0
Brooklyn	96	31.6	71	28.4	25	46.3	77	31.3	9,994	28.3	160	26.9
Manhattan	48	15.8	39	15.6	9	16.7	43	17.5	5,119	14.5	80	13.4
Queens	50	16.4	47	18.8	3	5.6	20	8.1	4,987	14.1	58	9.7
Staten Island	5	1.6	5	2.0	0	0.0	0	0.0	897	2.5	19	3.2
Outside NYC	15	4.9	12	4.8	3	5.6	12	4.9	2,551	7.2	13	2.2
Unknown	3	1.0	3	1.2	0	0.0	3	1.2	42	0.1	15	2.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	8.9	25	10.0	2	3.7	15	6.1	2,788	7.9	21	3.5
Medium poverty (10 to <20% below FPL)	98	32.2	84	33.6	14	25.9	65	26.4	10,852	30.8	159	26.7
High poverty (20 to <30% below FPL)	79	26.0	61	24.4	18	33.3	65	26.4	8,750	24.8	154	25.9
Very high poverty (≥30% below FPL)	82	27.0	65	26.0	17	31.5	84	34.1	9,947	28.2	231	38.8
Area-based poverty level not available	18	5.9	15	6.0	3	5.6	17	6.9	2,940	8.3	30	5.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	0.7	1	0.4	1	1.9	26	10.6	4,917	13.9	165	27.7
Heterosexual contact	170	55.9	133	53.2	37	68.5	140	56.9	19,089	54.1	263	44.2
Transgender people with sexual contact	46	15.1	45	18.0	1	1.9	16	6.5	1,883	5.3	20	3.4
Perinatal	2	0.7	2	0.8	0	0.0	7	2.8	1,309	3.7	6	1.0
Other	0	0.0	0	0.0	0	0.0	1	0.4	84	0.2	4	0.7
Unknown	84	27.6	69	27.6	15	27.8	56	22.8	7,995	22.7	137	23.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	478	100.0	389	81.4	89	18.6	304	100.0	35,401	100.0	636	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.0	0	0.0
13-19	18	3.8	17	4.4	1	1.1	2	0.7	91	0.3	0	0.0
20-29	198	41.4	178	45.8	20	22.5	60	19.7	2,716	7.7	8	1.3
30-39	137	28.7	114	29.3	23	25.8	85	28.0	6,839	19.3	33	5.2
40-49	60	12.6	45	11.6	15	16.9	47	15.5	5,634	15.9	47	7.4
50-59	43	9.0	25	6.4	18	20.2	60	19.7	9,652	27.3	189	29.7
60+	22	4.6	10	2.6	12	13.5	50	16.4	10,453	29.5	359	56.4
BOROUGH OF RESIDENCE												
Bronx	91	19.0	76	19.5	15	16.9	80	26.3	8,865	25.0	197	31.0
Brooklyn	193	40.4	154	39.6	39	43.8	99	32.6	11,248	31.8	219	34.4
Manhattan	91	19.0	75	19.3	16	18.0	56	18.4	7,362	20.8	100	15.7
Queens	62	13.0	50	12.9	12	13.5	34	11.2	4,292	12.1	69	10.8
Staten Island	9	1.9	8	2.1	1	1.1	4	1.3	597	1.7	12	1.9
Outside NYC	24	5.0	18	4.6	6	6.7	30	9.9	2,993	8.5	14	2.2
Unknown	8	1.7	8	2.1	0	0.0	1	0.3	44	0.1	25	3.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	39	8.2	30	7.7	9	10.1	25	8.2	2,878	8.1	37	5.8
Medium poverty (10 to <20% below FPL)	145	30.3	114	29.3	31	34.8	94	30.9	11,430	32.3	181	28.5
High poverty (20 to <30% below FPL)	162	33.9	135	34.7	27	30.3	84	27.6	9,487	26.8	175	27.5
Very high poverty (≥30% below FPL)	98	20.5	83	21.3	15	16.9	68	22.4	8,140	23.0	202	31.8
Area-based poverty level not available	34	7.1	27	6.9	7	7.9	33	10.9	3,466	9.8	41	6.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	241	50.4	208	53.5	33	37.1	147	48.4	17,159	48.5	160	25.2
Injection drug use history (IDU)	3	0.6	3	0.8	0	0.0	10	3.3	3,564	10.1	150	23.6
MSM-IDU	3	0.6	3	0.8	0	0.0	9	3.0	1,111	3.1	29	4.6
Heterosexual contact	11	2.3	7	1.8	4	4.5	23	7.6	3,180	9.0	106	16.7
Transgender people with sexual contact	1	0.2	1	0.3	0	0.0	0	0.0	18	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.3	695	2.0	4	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.3	33	0.1	2	0.3
Unknown	219	45.8	167	42.9	52	58.4	110	36.2	9,641	27.2	185	29.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	183	100.0	146	79.8	37	20.2	145	100.0	20,389	100.0	362	100.0
AGE GROUP (YEARS)												
0-12	2	1.1	2	1.4	0	0.0	1	0.7	8	0.0	0	0.0
13-19	8	4.4	7	4.8	1	2.7	1	0.7	73	0.4	0	0.0
20-29	48	26.2	44	30.1	4	10.8	12	8.3	1,061	5.2	5	1.4
30-39	48	26.2	39	26.7	9	24.3	38	26.2	2,541	12.5	21	5.8
40-49	26	14.2	19	13.0	7	18.9	26	17.9	4,027	19.8	40	11.0
50-59	39	21.3	30	20.5	9	24.3	38	26.2	6,660	32.7	115	31.8
60+	12	6.6	5	3.4	7	18.9	29	20.0	6,019	29.5	181	50.0
BOROUGH OF RESIDENCE												
Bronx	53	29.0	41	28.1	12	32.4	48	33.1	6,149	30.2	130	35.9
Brooklyn	70	38.3	51	34.9	19	51.4	55	37.9	6,937	34.0	116	32.0
Manhattan	23	12.6	20	13.7	3	8.1	23	15.9	2,736	13.4	51	14.1
Queens	25	13.7	23	15.8	2	5.4	12	8.3	2,752	13.5	33	9.1
Staten Island	2	1.1	2	1.4	0	0.0	0	0.0	428	2.1	14	3.9
Outside NYC	8	4.4	7	4.8	1	2.7	6	4.1	1,369	6.7	8	2.2
Unknown	2	1.1	2	1.4	0	0.0	1	0.7	18	0.1	10	2.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	16	8.7	14	9.6	2	5.4	10	6.9	1,672	8.2	14	3.9
Medium poverty (10 to <20% below FPL)	55	30.1	44	30.1	11	29.7	39	26.9	6,377	31.3	101	27.9
High poverty (20 to <30% below FPL)	51	27.9	40	27.4	11	29.7	39	26.9	5,296	26.0	101	27.9
Very high poverty (≥30% below FPL)	51	27.9	39	26.7	12	32.4	48	33.1	5,478	26.9	128	35.4
Area-based poverty level not available	10	5.5	9	6.2	1	2.7	9	6.2	1,566	7.7	18	5.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	4.8	2,314	11.3	79	21.8
Heterosexual contact	103	56.3	76	52.1	27	73.0	91	62.8	11,285	55.3	169	46.7
Transgender people with sexual contact	23	12.6	22	15.1	1	2.7	7	4.8	962	4.7	11	3.0
Perinatal	2	1.1	2	1.4	0	0.0	3	2.1	752	3.7	3	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	2	0.6
Unknown	55	30.1	46	31.5	9	24.3	37	25.5	5,032	24.7	98	27.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	379	100.0	307	81.0	72	19.0	224	100.0	31,184	100.0	480	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
13-19	22	5.8	21	6.8	1	1.4	1	0.4	69	0.2	0	0.0
20-29	119	31.4	109	35.5	10	13.9	37	16.5	1,999	6.4	12	2.5
30-39	145	38.3	113	36.8	32	44.4	74	33.0	5,849	18.8	37	7.7
40-49	51	13.5	37	12.1	14	19.4	47	21.0	5,924	19.0	45	9.4
50-59	29	7.7	18	5.9	11	15.3	43	19.2	9,252	29.7	131	27.3
60+	13	3.4	9	2.9	4	5.6	22	9.8	8,083	25.9	255	53.1
BOROUGH OF RESIDENCE												
Bronx	107	28.2	94	30.6	13	18.1	61	27.2	9,285	29.8	196	40.8
Brooklyn	65	17.2	46	15.0	19	26.4	48	21.4	5,209	16.7	101	21.0
Manhattan	76	20.1	62	20.2	14	19.4	48	21.4	7,811	25.0	96	20.0
Queens	99	26.1	75	24.4	24	33.3	47	21.0	6,028	19.3	52	10.8
Staten Island	4	1.1	4	1.3	0	0.0	5	2.2	482	1.5	8	1.7
Outside NYC	28	7.4	26	8.5	2	2.8	12	5.4	2,318	7.4	18	3.8
Unknown	0	0.0	0	0.0	0	0.0	3	1.3	51	0.2	9	1.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	26	6.9	23	7.5	3	4.2	16	7.1	2,780	8.9	25	5.2
Medium poverty (10 to <20% below FPL)	147	38.8	108	35.2	39	54.2	92	41.1	10,946	35.1	139	29.0
High poverty (20 to <30% below FPL)	85	22.4	68	22.1	17	23.6	49	21.9	6,916	22.2	108	22.5
Very high poverty (≥30% below FPL)	91	24.0	80	26.1	11	15.3	51	22.8	7,734	24.8	180	37.5
Area-based poverty level not available	30	7.9	28	9.1	2	2.8	16	7.1	2,808	9.0	28	5.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	262	69.1	218	71.0	44	61.1	129	57.6	17,490	56.1	133	27.7
Injection drug use history (IDU)	4	1.1	3	1.0	1	1.4	22	9.8	4,275	13.7	144	30.0
MSM-IDU	4	1.1	4	1.3	0	0.0	4	1.8	1,239	4.0	32	6.7
Heterosexual contact	9	2.4	7	2.3	2	2.8	9	4.0	2,012	6.5	53	11.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.4	446	1.4	6	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.1	0	0.0
Unknown	100	26.4	75	24.4	25	34.7	59	26.3	5,690	18.2	112	23.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	82	86.3	13	13.7	82	100.0	11,556	100.0	186	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
13-19	3	3.2	3	3.7	0	0.0	0	0.0	35	0.3	0	0.0
20-29	28	29.5	27	32.9	1	7.7	9	11.0	616	5.3	3	1.6
30-39	23	24.2	20	24.4	3	23.1	18	22.0	1,332	11.5	8	4.3
40-49	18	18.9	16	19.5	2	15.4	15	18.3	2,047	17.7	20	10.8
50-59	15	15.8	12	14.6	3	23.1	18	22.0	3,760	32.5	60	32.3
60+	8	8.4	4	4.9	4	30.8	22	26.8	3,755	32.5	95	51.1
BOROUGH OF RESIDENCE												
Bronx	34	35.8	32	39.0	2	15.4	41	50.0	5,100	44.1	104	55.9
Brooklyn	19	20.0	14	17.1	5	38.5	15	18.3	2,285	19.8	34	18.3
Manhattan	21	22.1	16	19.5	5	38.5	16	19.5	1,748	15.1	24	12.9
Queens	15	15.8	15	18.3	0	0.0	5	6.1	1,536	13.3	18	9.7
Staten Island	2	2.1	2	2.4	0	0.0	0	0.0	259	2.2	2	1.1
Outside NYC	4	4.2	3	3.7	1	7.7	4	4.9	616	5.3	2	1.1
Unknown	0	0.0	0	0.0	0	0.0	1	1.2	12	0.1	2	1.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	6.3	6	7.3	0	0.0	3	3.7	557	4.8	2	1.1
Medium poverty (10 to <20% below FPL)	31	32.6	30	36.6	1	7.7	21	25.6	3,268	28.3	42	22.6
High poverty (20 to <30% below FPL)	24	25.3	18	22.0	6	46.2	21	25.6	2,903	25.1	45	24.2
Very high poverty (≥30% below FPL)	30	31.6	25	30.5	5	38.5	32	39.0	4,108	35.5	92	49.5
Area-based poverty level not available	4	4.2	3	3.7	1	7.7	5	6.1	720	6.2	5	2.7
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.1	1	1.2	1	7.7	14	17.1	2,000	17.3	64	34.4
Heterosexual contact	53	55.8	46	56.1	7	53.8	38	46.3	6,142	53.1	80	43.0
Transgender people with sexual contact	21	22.1	21	25.6	0	0.0	8	9.8	735	6.4	8	4.3
Perinatal	0	0.0	0	0.0	0	0.0	4	4.9	465	4.0	3	1.6
Other	0	0.0	0	0.0	0	0.0	1	1.2	20	0.2	2	1.1
Unknown	19	20.0	14	17.1	5	38.5	17	20.7	2,194	19.0	29	15.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	172	100.0	135	78.5	37	21.5	106	100.0	23,615	100.0	184	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	4	2.3	4	3.0	0	0.0	0	0.0	8	0.0	0	0.0
20-29	46	26.7	42	31.1	4	10.8	7	6.6	606	2.6	4	2.2
30-39	46	26.7	35	25.9	11	29.7	24	22.6	2,945	12.5	6	3.3
40-49	28	16.3	23	17.0	5	13.5	24	22.6	3,937	16.7	16	8.7
50-59	38	22.1	24	17.8	14	37.8	29	27.4	8,010	33.9	44	23.9
60+	10	5.8	7	5.2	3	8.1	22	20.8	8,108	34.3	114	62.0
BOROUGH OF RESIDENCE												
Bronx	18	10.5	14	10.4	4	10.8	9	8.5	1,104	4.7	17	9.2
Brooklyn	49	28.5	38	28.1	11	29.7	20	18.9	3,533	15.0	27	14.7
Manhattan	57	33.1	48	35.6	9	24.3	43	40.6	11,347	48.0	89	48.4
Queens	31	18.0	23	17.0	8	21.6	12	11.3	2,498	10.6	27	14.7
Staten Island	4	2.3	1	0.7	3	8.1	6	5.7	522	2.2	11	6.0
Outside NYC	11	6.4	9	6.7	2	5.4	16	15.1	4,566	19.3	5	2.7
Unknown	2	1.2	2	1.5	0	0.0	0	0.0	45	0.2	8	4.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	15.7	23	17.0	4	10.8	21	19.8	6,187	26.2	51	27.7
Medium poverty (10 to <20% below FPL)	86	50.0	68	50.4	18	48.6	41	38.7	8,212	34.8	87	47.3
High poverty (20 to <30% below FPL)	34	19.8	24	17.8	10	27.0	21	19.8	3,248	13.8	22	12.0
Very high poverty (≥30% below FPL)	11	6.4	8	5.9	3	8.1	5	4.7	1,094	4.6	10	5.4
Area-based poverty level not available	14	8.1	12	8.9	2	5.4	18	17.0	4,874	20.6	14	7.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	100	58.1	80	59.3	20	54.1	69	65.1	18,473	78.2	105	57.1
Injection drug use history (IDU)	2	1.2	2	1.5	0	0.0	3	2.8	1,034	4.4	30	16.3
MSM-IDU	3	1.7	3	2.2	0	0.0	2	1.9	796	3.4	11	6.0
Heterosexual contact	3	1.7	1	0.7	2	5.4	4	3.8	506	2.1	6	3.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.9	77	0.3	1	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	1	0.5
Unknown	64	37.2	49	36.3	15	40.5	27	25.5	2,683	11.4	30	16.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	14	100.0	2,550	100.0	36	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
20-29	1	6.7	1	8.3	0	0.0	0	0.0	90	3.5	0	0.0
30-39	7	46.7	7	58.3	0	0.0	4	28.6	295	11.6	3	8.3
40-49	3	20.0	1	8.3	2	66.7	5	35.7	387	15.2	4	11.1
50-59	1	6.7	1	8.3	0	0.0	2	14.3	843	33.1	10	27.8
60+	3	20.0	2	16.7	1	33.3	3	21.4	927	36.4	19	52.8
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	2	14.3	328	12.9	13	36.1
Brooklyn	4	26.7	3	25.0	1	33.3	5	35.7	570	22.4	7	19.4
Manhattan	2	13.3	2	16.7	0	0.0	2	14.3	522	20.5	4	11.1
Queens	5	33.3	4	33.3	1	33.3	2	14.3	427	16.7	3	8.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	195	7.6	3	8.3
Outside NYC	3	20.0	2	16.7	1	33.3	2	14.3	499	19.6	3	8.3
Unknown	1	6.7	1	8.3	0	0.0	1	7.1	9	0.4	3	8.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	20.0	3	25.0	0	0.0	1	7.1	483	18.9	3	8.3
Medium poverty (10 to <20% below FPL)	7	46.7	5	41.7	2	66.7	3	21.4	870	34.1	12	33.3
High poverty (20 to <30% below FPL)	1	6.7	1	8.3	0	0.0	4	28.6	390	15.3	7	19.4
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	3	21.4	264	10.4	8	22.2
Area-based poverty level not available	4	26.7	3	25.0	1	33.3	3	21.4	543	21.3	6	16.7
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	35.7	565	22.2	21	58.3
Heterosexual contact	9	60.0	7	58.3	2	66.7	7	50.0	1,227	48.1	8	22.2
Transgender people with sexual contact	1	6.7	1	8.3	0	0.0	0	0.0	115	4.5	1	2.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	74	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Unknown	5	33.3	4	33.3	1	33.3	2	14.3	552	21.6	6	16.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	42	75.0	14	25.0	27	100.0	2,721	100.0	22	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	5.4	3	7.1	0	0.0	0	0.0	7	0.3	0	0.0
20-29	20	35.7	17	40.5	3	21.4	4	14.8	258	9.5	0	0.0
30-39	18	32.1	13	31.0	5	35.7	9	33.3	625	23.0	3	13.6
40-49	9	16.1	6	14.3	3	21.4	7	25.9	670	24.6	2	9.1
50-59	5	8.9	2	4.8	3	21.4	5	18.5	693	25.5	9	40.9
60+	1	1.8	1	2.4	0	0.0	2	7.4	467	17.2	8	36.4
BOROUGH OF RESIDENCE												
Bronx	4	7.1	3	7.1	1	7.1	3	11.1	174	6.4	2	9.1
Brooklyn	7	12.5	6	14.3	1	7.1	4	14.8	492	18.1	3	13.6
Manhattan	7	12.5	5	11.9	2	14.3	6	22.2	819	30.1	3	13.6
Queens	32	57.1	23	54.8	9	64.3	12	44.4	962	35.4	12	54.5
Staten Island	2	3.6	2	4.8	0	0.0	0	0.0	29	1.1	0	0.0
Outside NYC	3	5.4	2	4.8	1	7.1	2	7.4	242	8.9	1	4.5
Unknown	1	1.8	1	2.4	0	0.0	0	0.0	3	0.1	1	4.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	12.5	4	9.5	3	21.4	6	22.2	446	16.4	5	22.7
Medium poverty (10 to <20% below FPL)	29	51.8	22	52.4	7	50.0	10	37.0	1,322	48.6	11	50.0
High poverty (20 to <30% below FPL)	12	21.4	10	23.8	2	14.3	4	14.8	515	18.9	2	9.1
Very high poverty (≥30% below FPL)	4	7.1	3	7.1	1	7.1	5	18.5	151	5.5	2	9.1
Area-based poverty level not available	4	7.1	3	7.1	1	7.1	2	7.4	287	10.5	2	9.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	64.3	27	64.3	9	64.3	15	55.6	1,844	67.8	11	50.0
Injection drug use history (IDU)	1	1.8	1	2.4	0	0.0	1	3.7	58	2.1	3	13.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	49	1.8	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	7.4	196	7.2	4	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	19	33.9	14	33.3	5	35.7	9	33.3	557	20.5	4	18.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	1	12.5	5	100.0	527	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	1	12.5	1	14.3	0	0.0	0	0.0	22	4.2	0	0.0
30-39	1	12.5	1	14.3	0	0.0	0	0.0	83	15.7	1	20.0
40-49	3	37.5	2	28.6	1	100.0	4	80.0	159	30.2	0	0.0
50-59	2	25.0	2	28.6	0	0.0	1	20.0	143	27.1	3	60.0
60+	1	12.5	1	14.3	0	0.0	0	0.0	117	22.2	1	20.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	46	8.7	1	20.0
Brooklyn	1	12.5	1	14.3	0	0.0	2	40.0	124	23.5	1	20.0
Manhattan	1	12.5	0	0.0	1	100.0	2	40.0	72	13.7	0	0.0
Queens	5	62.5	5	71.4	0	0.0	1	20.0	229	43.5	3	60.0
Staten Island	1	12.5	1	14.3	0	0.0	0	0.0	7	1.3	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	48	9.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	12.5	1	14.3	0	0.0	1	20.0	60	11.4	1	20.0
Medium poverty (10 to <20% below FPL)	4	50.0	4	57.1	0	0.0	2	40.0	259	49.1	3	60.0
High poverty (20 to <30% below FPL)	3	37.5	2	28.6	1	100.0	1	20.0	101	19.2	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	20.0	47	8.9	1	20.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	60	11.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	17	3.2	1	20.0
Heterosexual contact	3	37.5	2	28.6	1	100.0	4	80.0	322	61.1	1	20.0
Transgender people with sexual contact	1	12.5	1	14.3	0	0.0	1	20.0	43	8.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	4	50.0	4	57.1	0	0.0	0	0.0	138	26.2	3	60.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1	100.0	1	100.0	0	0.0	3	100.0	227	100.0	6	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	14	6.2	0	0.0
30-39	1	100.0	1	100.0	0	0.0	3	100.0	42	18.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	53	23.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	66	29.1	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	52	22.9	4	66.7
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	33.3	44	19.4	2	33.3
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	51	22.5	1	16.7
Manhattan	0	0.0	0	0.0	0	0.0	1	33.3	57	25.1	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	44	19.4	1	16.7
Other/Unknown	1	100.0	1	100.0	0	0.0	1	33.3	31	13.7	2	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	19	8.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	89	39.2	1	16.7
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	54	23.8	1	16.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	37	16.3	2	33.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	33.3	28	12.3	2	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	100.0	1	100.0	0	0.0	3	100.0	132	58.1	2	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	11	4.8	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	10	4.4	1	16.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	21	9.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	51	22.5	1	16.7

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	0	0.0	72	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	6	8.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	11	15.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	15	20.8	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	23	31.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	16	22.2	1	100.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	31.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	24	33.3	1	100.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	9.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	16.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	8.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	24	33.3	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	27.8	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	27.8	1	100.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	6.9	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	46	63.9	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	9.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	18.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	0	0.0	26	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	16	61.5	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	8	30.8	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	9	34.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	6	23.1	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	4	15.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	3	11.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	11.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	34.6	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	15.4	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	34.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	11.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	96.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	23	100.0	0	0.0
RACE/ETHNICITY												
Black	2	100.0	2	100.0	0	0.0	1	100.0	8	34.8	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	11	47.8	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	8.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	8.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	50.0	1	50.0	0	0.0	0	0.0	5	21.7	0	0.0
Brooklyn	1	50.0	1	50.0	0	0.0	1	100.0	3	13.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	3	13.0	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	6	26.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	5	21.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0
Medium poverty (10 to <20% below FPL)	2	100.0	2	100.0	0	0.0	1	100.0	8	34.8	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	13.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	6	26.1	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	21.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	1	100.0	23	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,092	100.0	878	80.4	214	19.6	671	100.0	93,758	100.0	1,338	100.0
RACE/ETHNICITY												
Black	478	43.8	389	44.3	89	41.6	304	45.3	35,385	37.7	636	47.5
Latino/Hispanic	379	34.7	307	35.0	72	33.6	224	33.4	31,176	33.3	480	35.9
White	172	15.8	135	15.4	37	17.3	106	15.8	23,614	25.2	184	13.8
Asian/Pacific Islander	56	5.1	42	4.8	14	6.5	27	4.0	2,720	2.9	22	1.6
Native American	1	0.1	1	0.1	0	0.0	3	0.4	227	0.2	6	0.4
Multiracial	6	0.5	4	0.5	2	0.9	7	1.0	394	0.4	10	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	242	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	47	4.3	45	5.1	2	0.9	3	0.4	175	0.2	0	0.0
20-29	386	35.3	349	39.7	37	17.3	108	16.1	5,659	6.0	24	1.8
30-39	349	32.0	277	31.5	72	33.6	197	29.4	16,467	17.6	80	6.0
40-49	149	13.6	111	12.6	38	17.8	129	19.2	16,313	17.4	111	8.3
50-59	115	10.5	69	7.9	46	21.5	137	20.4	27,820	29.7	377	28.2
60+	46	4.2	27	3.1	19	8.9	97	14.5	27,324	29.1	746	55.8
BOROUGH OF RESIDENCE												
Bronx	220	20.1	187	21.3	33	15.4	154	23.0	19,534	20.8	415	31.0
Brooklyn	315	28.8	245	27.9	70	32.7	171	25.5	20,642	22.0	352	26.3
Manhattan	234	21.4	191	21.8	43	20.1	158	23.5	27,667	29.5	292	21.8
Queens	226	20.7	173	19.7	53	24.8	106	15.8	13,898	14.8	165	12.3
Staten Island	20	1.8	16	1.8	4	1.9	15	2.2	1,649	1.8	31	2.3
Outside NYC	66	6.0	55	6.3	11	5.1	63	9.4	10,222	10.9	38	2.8
Unknown	11	1.0	11	1.3	0	0.0	4	0.6	146	0.2	45	3.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	102	9.3	82	9.3	20	9.3	69	10.3	12,417	13.2	118	8.8
Medium poverty (10 to <20% below FPL)	408	37.4	313	35.6	95	44.4	241	35.9	32,199	34.3	425	31.8
High poverty (20 to <30% below FPL)	295	27.0	238	27.1	57	26.6	159	23.7	20,329	21.7	310	23.2
Very high poverty (≥30% below FPL)	205	18.8	175	19.9	30	14.0	130	19.4	17,214	18.4	398	29.7
Area-based poverty level not available	82	7.5	70	8.0	12	5.6	72	10.7	11,599	12.4	87	6.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	643	58.9	536	61.0	107	50.0	368	54.8	55,432	59.1	416	31.1
Injection drug use history (IDU)	10	0.9	9	1.0	1	0.5	36	5.4	8,958	9.6	330	24.7
MSM-IDU	10	0.9	10	1.1	0	0.0	15	2.2	3,224	3.4	73	5.5
Heterosexual contact	23	2.1	15	1.7	8	3.7	38	5.7	5,931	6.3	170	12.7
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	26	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	0.9	1,218	1.3	11	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.1	108	0.1	3	0.2
Unknown	405	37.1	307	35.0	98	45.8	207	30.8	18,861	20.1	335	25.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	302	100.0	248	82.1	54	17.9	245	100.0	35,254	100.0	595	100.0
RACE/ETHNICITY												
Black	181	59.9	144	58.1	37	68.5	144	58.8	20,381	57.8	362	60.8
Latino/Hispanic	95	31.5	82	33.1	13	24.1	82	33.5	11,545	32.7	186	31.3
White	15	5.0	12	4.8	3	5.6	14	5.7	2,548	7.2	36	6.1
Asian/Pacific Islander	8	2.6	7	2.8	1	1.9	5	2.0	525	1.5	5	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	1	0.2
Multiracial	3	1.0	3	1.2	0	0.0	0	0.0	109	0.3	5	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	11	3.6	10	4.0	1	1.9	1	0.4	117	0.3	0	0.0
20-29	78	25.8	73	29.4	5	9.3	21	8.6	1,807	5.1	8	1.3
30-39	80	26.5	68	27.4	12	22.2	60	24.5	4,305	12.2	33	5.5
40-49	50	16.6	38	15.3	12	22.2	50	20.4	6,668	18.9	66	11.1
50-59	57	18.9	45	18.1	12	22.2	59	24.1	11,471	32.5	189	31.8
60+	26	8.6	14	5.6	12	22.2	54	22.0	10,886	30.9	299	50.3
BOROUGH OF RESIDENCE												
Bronx	86	28.5	72	29.0	14	25.9	91	37.1	11,682	33.1	250	42.0
Brooklyn	95	31.5	70	28.2	25	46.3	76	31.0	9,991	28.3	160	26.9
Manhattan	48	15.9	39	15.7	9	16.7	43	17.6	5,116	14.5	80	13.4
Queens	50	16.6	47	19.0	3	5.6	20	8.2	4,981	14.1	58	9.7
Staten Island	5	1.7	5	2.0	0	0.0	0	0.0	896	2.5	19	3.2
Outside NYC	15	5.0	12	4.8	3	5.6	12	4.9	2,546	7.2	13	2.2
Unknown	3	1.0	3	1.2	0	0.0	3	1.2	42	0.1	15	2.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	8.9	25	10.1	2	3.7	15	6.1	2,787	7.9	21	3.5
Medium poverty (10 to <20% below FPL)	96	31.8	82	33.1	14	25.9	64	26.1	10,844	30.8	159	26.7
High poverty (20 to <30% below FPL)	79	26.2	61	24.6	18	33.3	65	26.5	8,747	24.8	154	25.9
Very high poverty (≥30% below FPL)	82	27.2	65	26.2	17	31.5	84	34.3	9,941	28.2	231	38.8
Area-based poverty level not available	18	6.0	15	6.0	3	5.6	17	6.9	2,935	8.3	30	5.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	0.7	1	0.4	1	1.9	26	10.6	4,917	13.9	165	27.7
Heterosexual contact	170	56.3	133	53.6	37	68.5	140	57.1	19,089	54.1	263	44.2
Transgender people with sexual contact	46	15.2	45	18.1	1	1.9	16	6.5	1,883	5.3	20	3.4
Perinatal	0	0.0	0	0.0	0	0.0	6	2.4	1,286	3.6	6	1.0
Other	0	0.0	0	0.0	0	0.0	1	0.4	84	0.2	4	0.7
Unknown	84	27.8	69	27.8	15	27.8	56	22.9	7,995	22.7	137	23.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	220	100.0	187	85.0	33	15.0	154	100.0	19,543	100.0	415	100.0
RACE/ETHNICITY												
Black	91	41.4	76	40.6	15	45.5	80	51.9	8,865	45.4	197	47.5
Latino/Hispanic	107	48.6	94	50.3	13	39.4	61	39.6	9,285	47.5	196	47.2
White	18	8.2	14	7.5	4	12.1	9	5.8	1,104	5.6	17	4.1
Asian/Pacific Islander	4	1.8	3	1.6	1	3.0	3	1.9	174	0.9	2	0.5
Native American	0	0.0	0	0.0	0	0.0	1	0.6	44	0.2	2	0.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	49	0.3	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	14	6.4	12	6.4	2	6.1	2	1.3	58	0.3	0	0.0
20-29	76	34.5	73	39.0	3	9.1	24	15.6	1,390	7.1	6	1.4
30-39	74	33.6	62	33.2	12	36.4	48	31.2	3,823	19.6	23	5.5
40-49	30	13.6	24	12.8	6	18.2	25	16.2	3,184	16.3	37	8.9
50-59	14	6.4	9	4.8	5	15.2	30	19.5	5,667	29.0	130	31.3
60+	12	5.5	7	3.7	5	15.2	25	16.2	5,412	27.7	219	52.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	0.9	2	1.1	0	0.0	0	0.0	115	0.6	4	1.0
Medium poverty (10 to <20% below FPL)	34	15.5	31	16.6	3	9.1	25	16.2	3,461	17.7	67	16.1
High poverty (20 to <30% below FPL)	42	19.1	33	17.6	9	27.3	27	17.5	3,188	16.3	54	13.0
Very high poverty (≥30% below FPL)	142	64.5	121	64.7	21	63.6	102	66.2	12,680	64.9	289	69.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	99	0.5	1	0.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	128	58.2	114	61.0	14	42.4	75	48.7	8,738	44.7	93	22.4
Injection drug use history (IDU)	6	2.7	6	3.2	0	0.0	15	9.7	2,899	14.8	137	33.0
MSM-IDU	1	0.5	1	0.5	0	0.0	4	2.6	868	4.4	21	5.1
Heterosexual contact	5	2.3	3	1.6	2	6.1	11	7.1	1,729	8.8	49	11.8
Transgender people with sexual contact	1	0.5	1	0.5	0	0.0	0	0.0	13	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	421	2.2	4	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	79	35.9	62	33.2	17	51.5	48	31.2	4,855	24.8	111	26.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	87	100.0	73	83.9	14	16.1	91	100.0	11,687	100.0	250	100.0
RACE/ETHNICITY												
Black	53	60.9	41	56.2	12	85.7	48	52.7	6,149	52.6	130	52.0
Latino/Hispanic	34	39.1	32	43.8	2	14.3	41	45.1	5,100	43.6	104	41.6
White	0	0.0	0	0.0	0	0.0	2	2.2	328	2.8	13	5.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	46	0.4	1	0.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	2	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	0	0.0	5	0.0	0	0.0
13-19	3	3.4	3	4.1	0	0.0	0	0.0	41	0.4	0	0.0
20-29	23	26.4	22	30.1	1	7.1	7	7.7	617	5.3	2	0.8
30-39	18	20.7	16	21.9	2	14.3	16	17.6	1,520	13.0	15	6.0
40-49	14	16.1	9	12.3	5	35.7	23	25.3	2,322	19.9	36	14.4
50-59	20	23.0	18	24.7	2	14.3	24	26.4	3,907	33.4	77	30.8
60+	8	9.2	4	5.5	4	28.6	21	23.1	3,275	28.0	120	48.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	52	0.4	0	0.0
Medium poverty (10 to <20% below FPL)	15	17.2	12	16.4	3	21.4	18	19.8	2,168	18.6	32	12.8
High poverty (20 to <30% below FPL)	10	11.5	10	13.7	0	0.0	16	17.6	1,803	15.4	40	16.0
Very high poverty (≥30% below FPL)	62	71.3	51	69.9	11	78.6	57	62.6	7,628	65.3	178	71.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.3	1	1.4	1	7.1	15	16.5	1,780	15.2	84	33.6
Heterosexual contact	54	62.1	43	58.9	11	78.6	49	53.8	6,343	54.3	103	41.2
Transgender people with sexual contact	15	17.2	15	20.5	0	0.0	2	2.2	665	5.7	7	2.8
Perinatal	1	1.1	1	1.4	0	0.0	4	4.4	427	3.7	4	1.6
Other	0	0.0	0	0.0	0	0.0	1	1.1	15	0.1	1	0.4
Unknown	15	17.2	13	17.8	2	14.3	20	22.0	2,457	21.0	51	20.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	315	100.0	245	77.8	70	22.2	171	100.0	20,648	100.0	352	100.0
RACE/ETHNICITY												
Black	193	61.3	154	62.9	39	55.7	99	57.9	11,248	54.5	219	62.2
Latino/Hispanic	65	20.6	46	18.8	19	27.1	48	28.1	5,209	25.2	101	28.7
White	49	15.6	38	15.5	11	15.7	20	11.7	3,533	17.1	27	7.7
Asian/Pacific Islander	7	2.2	6	2.4	1	1.4	4	2.3	492	2.4	3	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	51	0.2	1	0.3
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	95	0.5	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
13-19	10	3.2	10	4.1	0	0.0	1	0.6	42	0.2	0	0.0
20-29	119	37.8	105	42.9	14	20.0	34	19.9	1,658	8.0	9	2.6
30-39	99	31.4	75	30.6	24	34.3	46	26.9	4,226	20.5	23	6.5
40-49	45	14.3	32	13.1	13	18.6	33	19.3	3,644	17.6	28	8.0
50-59	32	10.2	17	6.9	15	21.4	39	22.8	5,554	26.9	96	27.3
60+	10	3.2	6	2.4	4	5.7	18	10.5	5,518	26.7	196	55.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	2.5	4	1.6	4	5.7	8	4.7	692	3.4	10	2.8
Medium poverty (10 to <20% below FPL)	120	38.1	88	35.9	32	45.7	70	40.9	9,116	44.1	138	39.2
High poverty (20 to <30% below FPL)	147	46.7	118	48.2	29	41.4	74	43.3	8,199	39.7	144	40.9
Very high poverty (≥30% below FPL)	40	12.7	35	14.3	5	7.1	19	11.1	2,485	12.0	60	17.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	156	0.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	185	58.7	148	60.4	37	52.9	91	53.2	11,372	55.1	91	25.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	4.1	2,035	9.9	89	25.3
MSM-IDU	3	1.0	3	1.2	0	0.0	3	1.8	676	3.3	20	5.7
Heterosexual contact	5	1.6	4	1.6	1	1.4	9	5.3	1,545	7.5	57	16.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	320	1.5	5	1.4
Other	0	0.0	0	0.0	0	0.0	1	0.6	22	0.1	2	0.6
Unknown	122	38.7	90	36.7	32	45.7	58	33.9	4,672	22.6	88	25.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	96	100.0	71	74.0	25	26.0	77	100.0	9,994	100.0	160	100.0
RACE/ETHNICITY												
Black	70	72.9	51	71.8	19	76.0	55	71.4	6,937	69.4	116	72.5
Latino/Hispanic	19	19.8	14	19.7	5	20.0	15	19.5	2,285	22.9	34	21.3
White	4	4.2	3	4.2	1	4.0	5	6.5	570	5.7	7	4.4
Asian/Pacific Islander	1	1.0	1	1.4	0	0.0	2	2.6	124	1.2	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.6
Multiracial	2	2.1	2	2.8	0	0.0	0	0.0	34	0.3	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.4	0	0.0	1	1.3	3	0.0	0	0.0
13-19	4	4.2	3	4.2	1	4.0	1	1.3	42	0.4	0	0.0
20-29	19	19.8	17	23.9	2	8.0	7	9.1	502	5.0	2	1.3
30-39	29	30.2	22	31.0	7	28.0	24	31.2	1,215	12.2	7	4.4
40-49	13	13.5	9	12.7	4	16.0	10	13.0	1,912	19.1	18	11.3
50-59	24	25.0	16	22.5	8	32.0	19	24.7	3,107	31.1	47	29.4
60+	6	6.3	3	4.2	3	12.0	15	19.5	3,213	32.1	86	53.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	5.2	3	4.2	2	8.0	6	7.8	360	3.6	4	2.5
Medium poverty (10 to <20% below FPL)	38	39.6	31	43.7	7	28.0	23	29.9	4,038	40.4	69	43.1
High poverty (20 to <30% below FPL)	42	43.8	30	42.3	12	48.0	32	41.6	4,090	40.9	53	33.1
Very high poverty (≥30% below FPL)	11	11.5	7	9.9	4	16.0	16	20.8	1,445	14.5	34	21.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	61	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	6.5	1,238	12.4	41	25.6
Heterosexual contact	60	62.5	41	57.7	19	76.0	53	68.8	5,566	55.7	72	45.0
Transgender people with sexual contact	6	6.3	6	8.5	0	0.0	2	2.6	431	4.3	5	3.1
Perinatal	1	1.0	1	1.4	0	0.0	3	3.9	353	3.5	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	3	1.9
Unknown	29	30.2	23	32.4	6	24.0	14	18.2	2,383	23.8	38	23.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	234	100.0	191	81.6	43	18.4	158	100.0	27,671	100.0	292	100.0
RACE/ETHNICITY												
Black	91	38.9	75	39.3	16	37.2	56	35.4	7,362	26.6	100	34.2
Latino/Hispanic	76	32.5	62	32.5	14	32.6	48	30.4	7,811	28.2	96	32.9
White	57	24.4	48	25.1	9	20.9	43	27.2	11,347	41.0	89	30.5
Asian/Pacific Islander	7	3.0	5	2.6	2	4.7	6	3.8	819	3.0	3	1.0
Native American	0	0.0	0	0.0	0	0.0	1	0.6	57	0.2	0	0.0
Multiracial	3	1.3	1	0.5	2	4.7	4	2.5	132	0.5	4	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	143	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
13-19	12	5.1	12	6.3	0	0.0	0	0.0	29	0.1	0	0.0
20-29	81	34.6	72	37.7	9	20.9	24	15.2	1,144	4.1	3	1.0
30-39	76	32.5	63	33.0	13	30.2	49	31.0	4,310	15.6	13	4.5
40-49	24	10.3	18	9.4	6	14.0	32	20.3	4,807	17.4	21	7.2
50-59	28	12.0	17	8.9	11	25.6	24	15.2	8,592	31.1	78	26.7
60+	13	5.6	9	4.7	4	9.3	29	18.4	8,785	31.7	177	60.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	34	14.5	28	14.7	6	14.0	32	20.3	8,233	29.8	58	19.9
Medium poverty (10 to <20% below FPL)	79	33.8	63	33.0	16	37.2	66	41.8	8,678	31.4	86	29.5
High poverty (20 to <30% below FPL)	93	39.7	77	40.3	16	37.2	48	30.4	8,084	29.2	98	33.6
Very high poverty (≥30% below FPL)	23	9.8	19	9.9	4	9.3	9	5.7	2,058	7.4	49	16.8
Area-based poverty level not available	5	2.1	4	2.1	1	2.3	3	1.9	618	2.2	1	0.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	143	61.1	124	64.9	19	44.2	101	63.9	19,501	70.5	132	45.2
Injection drug use history (IDU)	3	1.3	2	1.0	1	2.3	4	2.5	1,916	6.9	59	20.2
MSM-IDU	5	2.1	5	2.6	0	0.0	5	3.2	972	3.5	18	6.2
Heterosexual contact	5	2.1	4	2.1	1	2.3	7	4.4	917	3.3	28	9.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	182	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	1	0.3
Unknown	78	33.3	56	29.3	22	51.2	40	25.3	4,166	15.1	54	18.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	39	81.3	9	18.8	43	100.0	5,119	100.0	80	100.0
RACE/ETHNICITY												
Black	23	47.9	20	51.3	3	33.3	23	53.5	2,736	53.4	51	63.8
Latino/Hispanic	21	43.8	16	41.0	5	55.6	16	37.2	1,748	34.1	24	30.0
White	2	4.2	2	5.1	0	0.0	2	4.7	522	10.2	4	5.0
Asian/Pacific Islander	1	2.1	0	0.0	1	11.1	2	4.7	72	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	1	2.1	1	2.6	0	0.0	0	0.0	16	0.3	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	2.1	1	2.6	0	0.0	0	0.0	15	0.3	0	0.0
20-29	16	33.3	14	35.9	2	22.2	5	11.6	265	5.2	0	0.0
30-39	13	27.1	12	30.8	1	11.1	10	23.3	552	10.8	1	1.3
40-49	7	14.6	6	15.4	1	11.1	7	16.3	834	16.3	6	7.5
50-59	5	10.4	4	10.3	1	11.1	11	25.6	1,682	32.9	28	35.0
60+	6	12.5	2	5.1	4	44.4	10	23.3	1,768	34.5	45	56.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	14.6	7	17.9	0	0.0	3	7.0	675	13.2	6	7.5
Medium poverty (10 to <20% below FPL)	9	18.8	8	20.5	1	11.1	10	23.3	1,099	21.5	11	13.8
High poverty (20 to <30% below FPL)	23	47.9	17	43.6	6	66.7	17	39.5	2,360	46.1	44	55.0
Very high poverty (≥30% below FPL)	9	18.8	7	17.9	2	22.2	11	25.6	874	17.1	19	23.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	4.7	111	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	9.3	932	18.2	23	28.8
Heterosexual contact	23	47.9	20	51.3	3	33.3	21	48.8	2,401	46.9	35	43.8
Transgender people with sexual contact	13	27.1	12	30.8	1	11.1	7	16.3	370	7.2	2	2.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	181	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	12	25.0	7	17.9	5	55.6	11	25.6	1,221	23.9	20	25.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	226	100.0	173	76.5	53	23.5	106	100.0	13,901	100.0	165	100.0
RACE/ETHNICITY												
Black	62	27.4	50	28.9	12	22.6	34	32.1	4,292	30.9	69	41.8
Latino/Hispanic	99	43.8	75	43.4	24	45.3	47	44.3	6,028	43.4	52	31.5
White	31	13.7	23	13.3	8	15.1	12	11.3	2,498	18.0	27	16.4
Asian/Pacific Islander	32	14.2	23	13.3	9	17.0	12	11.3	962	6.9	12	7.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	44	0.3	1	0.6
Multiracial	2	0.9	2	1.2	0	0.0	1	0.9	47	0.3	4	2.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	8	3.5	8	4.6	0	0.0	0	0.0	34	0.2	0	0.0
20-29	79	35.0	71	41.0	8	15.1	15	14.2	871	6.3	1	0.6
30-39	74	32.7	56	32.4	18	34.0	32	30.2	2,562	18.4	18	10.9
40-49	33	14.6	22	12.7	11	20.8	19	17.9	2,708	19.5	15	9.1
50-59	24	10.6	13	7.5	11	20.8	28	26.4	4,071	29.3	39	23.6
60+	8	3.5	3	1.7	5	9.4	12	11.3	3,652	26.3	92	55.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	51	22.6	42	24.3	9	17.0	24	22.6	2,918	21.0	39	23.6
Medium poverty (10 to <20% below FPL)	165	73.0	123	71.1	42	79.2	76	71.7	10,250	73.7	120	72.7
High poverty (20 to <30% below FPL)	10	4.4	8	4.6	2	3.8	4	3.8	386	2.8	4	2.4
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	1.9	347	2.5	2	1.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	126	55.8	98	56.6	28	52.8	54	50.9	8,187	58.9	69	41.8
Injection drug use history (IDU)	1	0.4	1	0.6	0	0.0	4	3.8	1,196	8.6	25	15.2
MSM-IDU	0	0.0	0	0.0	0	0.0	2	1.9	354	2.5	6	3.6
Heterosexual contact	7	3.1	4	2.3	3	5.7	7	6.6	1,060	7.6	24	14.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	176	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	92	40.7	70	40.5	22	41.5	39	36.8	2,905	20.9	41	24.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	47	94.0	3	6.0	20	100.0	4,987	100.0	58	100.0
RACE/ETHNICITY												
Black	25	50.0	23	48.9	2	66.7	12	60.0	2,752	55.2	33	56.9
Latino/Hispanic	15	30.0	15	31.9	0	0.0	5	25.0	1,536	30.8	18	31.0
White	5	10.0	4	8.5	1	33.3	2	10.0	427	8.6	3	5.2
Asian/Pacific Islander	5	10.0	5	10.6	0	0.0	1	5.0	229	4.6	3	5.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	1	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	2	4.0	2	4.3	0	0.0	0	0.0	10	0.2	0	0.0
20-29	17	34.0	17	36.2	0	0.0	1	5.0	240	4.8	3	5.2
30-39	12	24.0	11	23.4	1	33.3	6	30.0	606	12.2	7	12.1
40-49	9	18.0	8	17.0	1	33.3	5	25.0	991	19.9	2	3.4
50-59	4	8.0	4	8.5	0	0.0	3	15.0	1,569	31.5	22	37.9
60+	6	12.0	5	10.6	1	33.3	5	25.0	1,565	31.4	24	41.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	28.0	14	29.8	0	0.0	6	30.0	1,491	29.9	7	12.1
Medium poverty (10 to <20% below FPL)	34	68.0	31	66.0	3	100.0	14	70.0	3,172	63.6	41	70.7
High poverty (20 to <30% below FPL)	2	4.0	2	4.3	0	0.0	0	0.0	187	3.7	8	13.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	137	2.7	2	3.4
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.0	559	11.2	6	10.3
Heterosexual contact	25	50.0	24	51.1	1	33.3	8	40.0	2,904	58.2	32	55.2
Transgender people with sexual contact	9	18.0	9	19.1	0	0.0	3	15.0	259	5.2	5	8.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	182	3.6	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	16	32.0	14	29.8	2	66.7	7	35.0	1,066	21.4	14	24.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	16	80.0	4	20.0	15	100.0	1,650	100.0	31	100.0
RACE/ETHNICITY												
Black	9	45.0	8	50.0	1	25.0	4	26.7	597	36.2	12	38.7
Latino/Hispanic	4	20.0	4	25.0	0	0.0	5	33.3	482	29.2	8	25.8
White	4	20.0	1	6.3	3	75.0	6	40.0	522	31.6	11	35.5
Asian/Pacific Islander	2	10.0	2	12.5	0	0.0	0	0.0	29	1.8	0	0.0
Other/Unknown	1	5.0	1	6.3	0	0.0	0	0.0	20	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	35.0	6	37.5	1	25.0	1	6.7	113	6.8	0	0.0
30-39	7	35.0	6	37.5	1	25.0	4	26.7	251	15.2	1	3.2
40-49	2	10.0	1	6.3	1	25.0	4	26.7	263	15.9	4	12.9
50-59	3	15.0	2	12.5	1	25.0	4	26.7	494	29.9	5	16.1
60+	1	5.0	1	6.3	0	0.0	2	13.3	527	31.9	21	67.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	35.0	6	37.5	1	25.0	5	33.3	460	27.9	7	22.6
Medium poverty (10 to <20% below FPL)	10	50.0	8	50.0	2	50.0	4	26.7	703	42.6	14	45.2
High poverty (20 to <30% below FPL)	3	15.0	2	12.5	1	25.0	6	40.0	476	28.8	10	32.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	40.0	6	37.5	2	50.0	5	33.3	773	46.8	5	16.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	20.0	245	14.8	9	29.0
MSM-IDU	1	5.0	1	6.3	0	0.0	0	0.0	71	4.3	1	3.2
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	146	8.8	3	9.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.7	37	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	11	55.0	9	56.3	2	50.0	6	40.0	378	22.9	13	41.9

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	897	100.0	19	100.0
RACE/ETHNICITY												
Black	2	40.0	2	40.0	0	0.0	0	0.0	428	47.7	14	73.7
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	259	28.9	2	10.5
White	0	0.0	0	0.0	0	0.0	0	0.0	195	21.7	3	15.8
Asian/Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	7	0.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	36	4.0	1	5.3
30-39	2	40.0	2	40.0	0	0.0	0	0.0	129	14.4	0	0.0
40-49	2	40.0	2	40.0	0	0.0	0	0.0	165	18.4	2	10.5
50-59	1	20.0	1	20.0	0	0.0	0	0.0	306	34.1	7	36.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	256	28.5	9	47.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	20.0	1	20.0	0	0.0	0	0.0	210	23.4	4	21.1
Medium poverty (10 to <20% below FPL)	2	40.0	2	40.0	0	0.0	0	0.0	375	41.8	6	31.6
High poverty (20 to <30% below FPL)	2	40.0	2	40.0	0	0.0	0	0.0	310	34.6	9	47.4
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	126	14.0	4	21.1
Heterosexual contact	2	40.0	2	40.0	0	0.0	0	0.0	521	58.1	10	52.6
Transgender people with sexual contact	1	20.0	1	20.0	0	0.0	0	0.0	43	4.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	37	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	165	18.4	5	26.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	643	100.0	536	83.4	107	16.6	368	100.0	55,432	100.0	416	100.0
RACE/ETHNICITY												
Black	241	37.5	208	38.8	33	30.8	147	39.9	17,159	31.0	160	38.5
Latino/Hispanic	262	40.7	218	40.7	44	41.1	129	35.1	17,490	31.6	133	32.0
White	100	15.6	80	14.9	20	18.7	69	18.8	18,473	33.3	105	25.2
Asian/Pacific Islander	36	5.6	27	5.0	9	8.4	15	4.1	1,844	3.3	11	2.6
Native American	1	0.2	1	0.2	0	0.0	3	0.8	132	0.2	2	0.5
Multiracial	3	0.5	2	0.4	1	0.9	5	1.4	304	0.5	5	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	33	5.1	31	5.8	2	1.9	3	0.8	67	0.1	0	0.0
20-29	259	40.3	234	43.7	25	23.4	81	22.0	4,288	7.7	13	3.1
30-39	229	35.6	184	34.3	45	42.1	136	37.0	13,149	23.7	47	11.3
40-49	67	10.4	54	10.1	13	12.1	61	16.6	11,345	20.5	55	13.2
50-59	44	6.8	26	4.9	18	16.8	59	16.0	15,415	27.8	114	27.4
60+	11	1.7	7	1.3	4	3.7	28	7.6	11,168	20.1	187	45.0
BOROUGH OF RESIDENCE												
Bronx	128	19.9	114	21.3	14	13.1	75	20.4	8,738	15.8	93	22.4
Brooklyn	185	28.8	148	27.6	37	34.6	91	24.7	11,372	20.5	91	21.9
Manhattan	143	22.2	124	23.1	19	17.8	101	27.4	19,501	35.2	132	31.7
Queens	126	19.6	98	18.3	28	26.2	54	14.7	8,187	14.8	69	16.6
Staten Island	8	1.2	6	1.1	2	1.9	5	1.4	773	1.4	5	1.2
Outside NYC	49	7.6	42	7.8	7	6.5	39	10.6	6,791	12.3	10	2.4
Unknown	4	0.6	4	0.7	0	0.0	3	0.8	70	0.1	16	3.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	49	7.6	41	7.6	8	7.5	38	10.3	8,634	15.6	54	13.0
Medium poverty (10 to <20% below FPL)	239	37.2	189	35.3	50	46.7	138	37.5	19,937	36.0	160	38.5
High poverty (20 to <30% below FPL)	181	28.1	150	28.0	31	29.0	88	23.9	11,784	21.3	84	20.2
Very high poverty (≥30% below FPL)	118	18.4	108	20.1	10	9.3	59	16.0	7,700	13.9	90	21.6
Area-based poverty level not available	56	8.7	48	9.0	8	7.5	45	12.2	7,377	13.3	28	6.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	9	90.0	1	10.0	36	100.0	8,958	100.0	330	100.0
RACE/ETHNICITY												
Black	3	30.0	3	33.3	0	0.0	10	27.8	3,564	39.8	150	45.5
Latino/Hispanic	4	40.0	3	33.3	1	100.0	22	61.1	4,275	47.7	144	43.6
White	2	20.0	2	22.2	0	0.0	3	8.3	1,034	11.5	30	9.1
Asian/Pacific Islander	1	10.0	1	11.1	0	0.0	1	2.8	58	0.6	3	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	2	0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	2.8	14	0.2	0	0.0
30-39	3	30.0	2	22.2	1	100.0	5	13.9	144	1.6	4	1.2
40-49	3	30.0	3	33.3	0	0.0	6	16.7	489	5.5	11	3.3
50-59	2	20.0	2	22.2	0	0.0	12	33.3	2,431	27.1	86	26.1
60+	2	20.0	2	22.2	0	0.0	12	33.3	5,880	65.6	229	69.4
BOROUGH OF RESIDENCE												
Bronx	6	60.0	6	66.7	0	0.0	15	41.7	2,899	32.4	137	41.5
Brooklyn	0	0.0	0	0.0	0	0.0	7	19.4	2,035	22.7	89	27.0
Manhattan	3	30.0	2	22.2	1	100.0	4	11.1	1,916	21.4	59	17.9
Queens	1	10.0	1	11.1	0	0.0	4	11.1	1,196	13.4	25	7.6
Staten Island	0	0.0	0	0.0	0	0.0	3	8.3	245	2.7	9	2.7
Outside NYC	0	0.0	0	0.0	0	0.0	3	8.3	653	7.3	4	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	7	2.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	5.6	679	7.6	25	7.6
Medium poverty (10 to <20% below FPL)	4	40.0	3	33.3	1	100.0	10	27.8	2,606	29.1	75	22.7
High poverty (20 to <30% below FPL)	2	20.0	2	22.2	0	0.0	8	22.2	2,054	22.9	81	24.5
Very high poverty (≥30% below FPL)	4	40.0	4	44.4	0	0.0	12	33.3	2,715	30.3	137	41.5
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	4	11.1	904	10.1	12	3.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	1	50.0	1	50.0	26	100.0	4,917	100.0	165	100.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	7	26.9	2,314	47.1	79	47.9
Latino/Hispanic	2	100.0	1	100.0	1	100.0	14	53.8	2,000	40.7	64	38.8
White	0	0.0	0	0.0	0	0.0	5	19.2	565	11.5	21	12.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	29	0.6	0	0.0
30-39	2	100.0	1	100.0	1	100.0	6	23.1	159	3.2	5	3.0
40-49	0	0.0	0	0.0	0	0.0	7	26.9	477	9.7	14	8.5
50-59	0	0.0	0	0.0	0	0.0	6	23.1	1,844	37.5	63	38.2
60+	0	0.0	0	0.0	0	0.0	7	26.9	2,408	49.0	83	50.3
BOROUGH OF RESIDENCE												
Bronx	2	100.0	1	100.0	1	100.0	15	57.7	1,780	36.2	84	50.9
Brooklyn	0	0.0	0	0.0	0	0.0	5	19.2	1,238	25.2	41	24.8
Manhattan	0	0.0	0	0.0	0	0.0	4	15.4	932	19.0	23	13.9
Queens	0	0.0	0	0.0	0	0.0	2	7.7	559	11.4	6	3.6
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	126	2.6	4	2.4
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	274	5.6	4	2.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	3	1.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	7.7	344	7.0	3	1.8
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	4	15.4	1,282	26.1	37	22.4
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	3	11.5	1,317	26.8	39	23.6
Very high poverty (≥30% below FPL)	2	100.0	1	100.0	1	100.0	17	65.4	1,630	33.2	78	47.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	344	7.0	8	4.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	10	100.0	0	0.0	15	100.0	3,224	100.0	73	100.0
RACE/ETHNICITY												
Black	3	30.0	3	30.0	0	0.0	9	60.0	1,111	34.5	29	39.7
Latino/Hispanic	4	40.0	4	40.0	0	0.0	4	26.7	1,239	38.4	32	43.8
White	3	30.0	3	30.0	0	0.0	2	13.3	796	24.7	11	15.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	1	1.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	19	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	50.0	5	50.0	0	0.0	0	0.0	131	4.1	1	1.4
30-39	3	30.0	3	30.0	0	0.0	6	40.0	545	16.9	2	2.7
40-49	0	0.0	0	0.0	0	0.0	2	13.3	581	18.0	6	8.2
50-59	1	10.0	1	10.0	0	0.0	4	26.7	1,029	31.9	22	30.1
60+	1	10.0	1	10.0	0	0.0	3	20.0	937	29.1	42	57.5
BOROUGH OF RESIDENCE												
Bronx	1	10.0	1	10.0	0	0.0	4	26.7	868	26.9	21	28.8
Brooklyn	3	30.0	3	30.0	0	0.0	3	20.0	676	21.0	20	27.4
Manhattan	5	50.0	5	50.0	0	0.0	5	33.3	972	30.1	18	24.7
Queens	0	0.0	0	0.0	0	0.0	2	13.3	354	11.0	6	8.2
Staten Island	1	10.0	1	10.0	0	0.0	0	0.0	71	2.2	1	1.4
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	279	8.7	4	5.5
Unknown	0	0.0	0	0.0	0	0.0	1	6.7	4	0.1	3	4.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	20.0	2	20.0	0	0.0	1	6.7	360	11.2	5	6.8
Medium poverty (10 to <20% below FPL)	2	20.0	2	20.0	0	0.0	4	26.7	1,037	32.2	24	32.9
High poverty (20 to <30% below FPL)	4	40.0	4	40.0	0	0.0	4	26.7	747	23.2	16	21.9
Very high poverty (≥30% below FPL)	2	20.0	2	20.0	0	0.0	5	33.3	769	23.9	21	28.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	6.7	311	9.6	7	9.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	15	65.2	8	34.8	38	100.0	5,931	100.0	170	100.0
RACE/ETHNICITY												
Black	11	47.8	7	46.7	4	50.0	23	60.5	3,180	53.6	106	62.4
Latino/Hispanic	9	39.1	7	46.7	2	25.0	9	23.7	2,012	33.9	53	31.2
White	3	13.0	1	6.7	2	25.0	4	10.5	506	8.5	6	3.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	5.3	196	3.3	4	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.3	1	6.7	0	0.0	0	0.0	1	0.0	0	0.0
20-29	7	30.4	6	40.0	1	12.5	2	5.3	82	1.4	1	0.6
30-39	8	34.8	4	26.7	4	50.0	6	15.8	403	6.8	4	2.4
40-49	2	8.7	2	13.3	0	0.0	7	18.4	915	15.4	16	9.4
50-59	5	21.7	2	13.3	3	37.5	14	36.8	2,321	39.1	54	31.8
60+	0	0.0	0	0.0	0	0.0	9	23.7	2,209	37.2	95	55.9
BOROUGH OF RESIDENCE												
Bronx	5	21.7	3	20.0	2	25.0	11	28.9	1,729	29.2	49	28.8
Brooklyn	5	21.7	4	26.7	1	12.5	9	23.7	1,545	26.0	57	33.5
Manhattan	5	21.7	4	26.7	1	12.5	7	18.4	917	15.5	28	16.5
Queens	7	30.4	4	26.7	3	37.5	7	18.4	1,060	17.9	24	14.1
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	146	2.5	3	1.8
Outside NYC	1	4.3	0	0.0	1	12.5	4	10.5	531	9.0	5	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	4	2.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	13.0	2	13.3	1	12.5	2	5.3	493	8.3	8	4.7
Medium poverty (10 to <20% below FPL)	8	34.8	6	40.0	2	25.0	12	31.6	1,972	33.2	58	34.1
High poverty (20 to <30% below FPL)	6	26.1	5	33.3	1	12.5	9	23.7	1,359	22.9	41	24.1
Very high poverty (≥30% below FPL)	5	21.7	2	13.3	3	37.5	11	28.9	1,517	25.6	54	31.8
Area-based poverty level not available	1	4.3	0	0.0	1	12.5	4	10.5	590	9.9	9	5.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	133	78.2	37	21.8	140	100.0	19,089	100.0	263	100.0
RACE/ETHNICITY												
Black	103	60.6	76	57.1	27	73.0	91	65.0	11,285	59.1	169	64.3
Latino/Hispanic	53	31.2	46	34.6	7	18.9	38	27.1	6,142	32.2	80	30.4
White	9	5.3	7	5.3	2	5.4	7	5.0	1,227	6.4	8	3.0
Asian/Pacific Islander	3	1.8	2	1.5	1	2.7	4	2.9	322	1.7	1	0.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.4
Multiracial	2	1.2	2	1.5	0	0.0	0	0.0	57	0.3	4	1.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	3.5	5	3.8	1	2.7	1	0.7	16	0.1	0	0.0
20-29	39	22.9	36	27.1	3	8.1	7	5.0	580	3.0	3	1.1
30-39	41	24.1	33	24.8	8	21.6	38	27.1	2,362	12.4	12	4.6
40-49	33	19.4	24	18.0	9	24.3	28	20.0	4,098	21.5	33	12.5
50-59	36	21.2	27	20.3	9	24.3	36	25.7	6,439	33.7	73	27.8
60+	15	8.8	8	6.0	7	18.9	30	21.4	5,594	29.3	142	54.0
BOROUGH OF RESIDENCE												
Bronx	54	31.8	43	32.3	11	29.7	49	35.0	6,343	33.2	103	39.2
Brooklyn	60	35.3	41	30.8	19	51.4	53	37.9	5,566	29.2	72	27.4
Manhattan	23	13.5	20	15.0	3	8.1	21	15.0	2,401	12.6	35	13.3
Queens	25	14.7	24	18.0	1	2.7	8	5.7	2,904	15.2	32	12.2
Staten Island	2	1.2	2	1.5	0	0.0	0	0.0	521	2.7	10	3.8
Outside NYC	6	3.5	3	2.3	3	8.1	8	5.7	1,345	7.0	4	1.5
Unknown	0	0.0	0	0.0	0	0.0	1	0.7	9	0.0	7	2.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	8.2	12	9.0	2	5.4	9	6.4	1,537	8.1	9	3.4
Medium poverty (10 to <20% below FPL)	48	28.2	40	30.1	8	21.6	36	25.7	6,055	31.7	71	27.0
High poverty (20 to <30% below FPL)	46	27.1	35	26.3	11	29.7	37	26.4	4,666	24.4	80	30.4
Very high poverty (≥30% below FPL)	56	32.9	43	32.3	13	35.1	48	34.3	5,353	28.0	91	34.6
Area-based poverty level not available	6	3.5	3	2.3	3	8.1	10	7.1	1,478	7.7	12	4.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	46	97.9	1	2.1	16	100.0	1,909	100.0	20	100.0
GENDER												
Men	1	2.1	1	2.2	0	0.0	0	0.0	26	1.4	0	0.0
Women	46	97.9	45	97.8	1	100.0	16	100.0	1,883	98.6	20	100.0
RACE/ETHNICITY												
Black	24	51.1	23	50.0	1	100.0	7	43.8	980	51.3	11	55.0
Latino/Hispanic	21	44.7	21	45.7	0	0.0	8	50.0	740	38.8	8	40.0
White	1	2.1	1	2.2	0	0.0	0	0.0	117	6.1	1	5.0
Asian/Pacific Islander	1	2.1	1	2.2	0	0.0	1	6.3	44	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	4.3	2	4.3	0	0.0	0	0.0	5	0.3	0	0.0
20-29	28	59.6	27	58.7	1	100.0	5	31.3	384	20.1	1	5.0
30-39	9	19.1	9	19.6	0	0.0	5	31.3	735	38.5	8	40.0
40-49	6	12.8	6	13.0	0	0.0	5	31.3	446	23.4	5	25.0
50-59	2	4.3	2	4.3	0	0.0	1	6.3	263	13.8	5	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	76	4.0	1	5.0
BOROUGH OF RESIDENCE												
Bronx	16	34.0	16	34.8	0	0.0	2	12.5	678	35.5	7	35.0
Brooklyn	6	12.8	6	13.0	0	0.0	2	12.5	437	22.9	5	25.0
Manhattan	13	27.7	12	26.1	1	100.0	7	43.8	373	19.5	2	10.0
Queens	9	19.1	9	19.6	0	0.0	3	18.8	261	13.7	5	25.0
Staten Island	1	2.1	1	2.2	0	0.0	0	0.0	43	2.3	0	0.0
Outside NYC	2	4.3	2	4.3	0	0.0	0	0.0	115	6.0	1	5.0
Unknown	0	0.0	0	0.0	0	0.0	2	12.5	2	0.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	12.8	6	13.0	0	0.0	2	12.5	119	6.2	0	0.0
Medium poverty (10 to <20% below FPL)	12	25.5	12	26.1	0	0.0	4	25.0	594	31.1	8	40.0
High poverty (20 to <30% below FPL)	16	34.0	15	32.6	1	100.0	4	25.0	472	24.7	5	25.0
Very high poverty (≥30% below FPL)	11	23.4	11	23.9	0	0.0	3	18.8	599	31.4	6	30.0
Area-based poverty level not available	2	4.3	2	4.3	0	0.0	3	18.8	125	6.5	1	5.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	5	100.0	792	100.0	17	100.0
GENDER												
Men	2	66.7	2	66.7	0	0.0	5	100.0	548	69.2	12	70.6
Women	1	33.3	1	33.3	0	0.0	0	0.0	244	30.8	5	29.4
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	3	60.0	262	33.1	4	23.5
Latino/Hispanic	2	66.7	2	66.7	0	0.0	1	20.0	364	46.0	7	41.2
White	1	33.3	1	33.3	0	0.0	1	20.0	145	18.3	6	35.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
20-29	1	33.3	1	33.3	0	0.0	1	20.0	38	4.8	0	0.0
30-39	1	33.3	1	33.3	0	0.0	1	20.0	148	18.7	0	0.0
40-49	1	33.3	1	33.3	0	0.0	1	20.0	113	14.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	239	30.2	5	29.4
60+	0	0.0	0	0.0	0	0.0	2	40.0	250	31.6	12	70.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	33.3	1	33.3	0	0.0	2	40.0	328	41.4	3	17.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	89	11.2	4	23.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	1.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	160	20.2	2	11.8
Transgender people with sexual contact	1	33.3	1	33.3	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	33.3	1	33.3	0	0.0	2	40.0	168	21.2	8	47.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	25	83.3	5	16.7	26	100.0	2,807	100.0	55	100.0
GENDER												
Men	16	53.3	14	56.0	2	40.0	16	61.5	1,618	57.6	38	69.1
Women	14	46.7	11	44.0	3	60.0	10	38.5	1,189	42.4	17	30.9
RACE/ETHNICITY												
Black	17	56.7	13	52.0	4	80.0	21	80.8	1,813	64.6	38	69.1
Latino/Hispanic	12	40.0	11	44.0	1	20.0	5	19.2	842	30.0	14	25.5
White	1	3.3	1	4.0	0	0.0	0	0.0	107	3.8	3	5.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.3	1	4.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	3.3	1	4.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	9	30.0	8	32.0	1	20.0	3	11.5	186	6.6	0	0.0
30-39	11	36.7	10	40.0	1	20.0	7	26.9	498	17.7	2	3.6
40-49	3	10.0	2	8.0	1	20.0	4	15.4	490	17.5	5	9.1
50-59	3	10.0	2	8.0	1	20.0	6	23.1	851	30.3	23	41.8
60+	2	6.7	1	4.0	1	20.0	6	23.1	772	27.5	25	45.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	40.0	10	40.0	2	40.0	9	34.6	718	25.6	7	12.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.8	265	9.4	18	32.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	67	2.4	3	5.5
Heterosexual contact	9	30.0	6	24.0	3	60.0	10	38.5	877	31.2	12	21.8
Transgender people with sexual contact	1	3.3	1	4.0	0	0.0	0	0.0	39	1.4	0	0.0
Perinatal	1	3.3	1	4.0	0	0.0	1	3.8	97	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	7	23.3	7	28.0	0	0.0	5	19.2	744	26.5	15	27.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	45	81.8	10	18.2	43	100.0	6,002	100.0	105	100.0
GENDER												
Men	41	74.5	34	75.6	7	70.0	26	60.5	3,929	65.5	60	57.1
Women	14	25.5	11	24.4	3	30.0	17	39.5	2,073	34.5	45	42.9
RACE/ETHNICITY												
Black	24	43.6	19	42.2	5	50.0	20	46.5	2,742	45.7	54	51.4
Latino/Hispanic	27	49.1	24	53.3	3	30.0	18	41.9	2,900	48.3	43	41.0
White	3	5.5	1	2.2	2	20.0	3	7.0	288	4.8	8	7.6
Asian/Pacific Islander	1	1.8	1	2.2	0	0.0	1	2.3	43	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	2.3	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	3.6	2	4.4	0	0.0	0	0.0	14	0.2	0	0.0
20-29	20	36.4	18	40.0	2	20.0	7	16.3	392	6.5	1	1.0
30-39	15	27.3	12	26.7	3	30.0	14	32.6	1,059	17.6	5	4.8
40-49	6	10.9	4	8.9	2	20.0	5	11.6	1,124	18.7	16	15.2
50-59	6	10.9	5	11.1	1	10.0	8	18.6	1,834	30.6	29	27.6
60+	6	10.9	4	8.9	2	20.0	9	20.9	1,578	26.3	54	51.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	43.6	22	48.9	2	20.0	15	34.9	1,965	32.7	13	12.4
Injection drug use history (IDU)	1	1.8	1	2.2	0	0.0	3	7.0	852	14.2	25	23.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	168	2.8	5	4.8
Heterosexual contact	10	18.2	7	15.6	3	30.0	11	25.6	1,397	23.3	27	25.7
Transgender people with sexual contact	5	9.1	5	11.1	0	0.0	0	0.0	154	2.6	2	1.9
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	130	2.2	2	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	15	27.3	10	22.2	5	50.0	13	30.2	1,329	22.1	31	29.5

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	47	82.5	10	17.5	33	100.0	4,506	100.0	64	100.0
GENDER												
Men	47	82.5	38	80.9	9	90.0	16	48.5	2,811	62.4	40	62.5
Women	10	17.5	9	19.1	1	10.0	17	51.5	1,695	37.6	24	37.5
RACE/ETHNICITY												
Black	25	43.9	20	42.6	5	50.0	14	42.4	1,863	41.3	27	42.2
Latino/Hispanic	24	42.1	19	40.4	5	50.0	18	54.5	2,280	50.6	35	54.7
White	7	12.3	7	14.9	0	0.0	1	3.0	299	6.6	1	1.6
Asian/Pacific Islander	1	1.8	1	2.1	0	0.0	0	0.0	44	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	7.0	3	6.4	1	10.0	1	3.0	15	0.3	0	0.0
20-29	21	36.8	20	42.6	1	10.0	5	15.2	268	5.9	0	0.0
30-39	15	26.3	12	25.5	3	30.0	7	21.2	694	15.4	7	10.9
40-49	10	17.5	8	17.0	2	20.0	8	24.2	719	16.0	9	14.1
50-59	5	8.8	4	8.5	1	10.0	4	12.1	1,453	32.2	16	25.0
60+	2	3.5	0	0.0	2	20.0	8	24.2	1,357	30.1	32	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	47.4	22	46.8	5	50.0	10	30.3	1,266	28.1	9	14.1
Injection drug use history (IDU)	2	3.5	2	4.3	0	0.0	2	6.1	650	14.4	18	28.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	105	2.3	1	1.6
Heterosexual contact	7	12.3	5	10.6	2	20.0	9	27.3	1,165	25.9	19	29.7
Transgender people with sexual contact	2	3.5	2	4.3	0	0.0	0	0.0	57	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.1	140	3.1	1	1.6
Other	0	0.0	0	0.0	0	0.0	1	3.0	11	0.2	1	1.6
Unknown	19	33.3	16	34.0	3	30.0	9	27.3	1,112	24.7	15	23.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	49	87.5	7	12.5	61	100.0	6,527	100.0	170	100.0
GENDER												
Men	41	73.2	37	75.5	4	57.1	44	72.1	4,018	61.6	108	63.5
Women	15	26.8	12	24.5	3	42.9	17	27.9	2,509	38.4	62	36.5
RACE/ETHNICITY												
Black	25	44.6	22	44.9	3	42.9	31	50.8	3,161	48.4	79	46.5
Latino/Hispanic	28	50.0	25	51.0	3	42.9	27	44.3	3,095	47.4	85	50.0
White	1	1.8	1	2.0	0	0.0	2	3.3	197	3.0	4	2.4
Asian/Pacific Islander	2	3.6	1	2.0	1	14.3	1	1.6	43	0.7	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	3	5.4	3	6.1	0	0.0	0	0.0	24	0.4	0	0.0
20-29	15	26.8	15	30.6	0	0.0	6	9.8	449	6.9	2	1.2
30-39	20	35.7	17	34.7	3	42.9	15	24.6	1,168	17.9	7	4.1
40-49	7	12.5	5	10.2	2	28.6	15	24.6	1,174	18.0	17	10.0
50-59	6	10.7	5	10.2	1	14.3	18	29.5	1,967	30.1	56	32.9
60+	5	8.9	4	8.2	1	14.3	7	11.5	1,739	26.6	88	51.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	48.2	24	49.0	3	42.9	20	32.8	1,746	26.8	21	12.4
Injection drug use history (IDU)	3	5.4	3	6.1	0	0.0	8	13.1	1,066	16.3	63	37.1
MSM-IDU	0	0.0	0	0.0	0	0.0	2	3.3	201	3.1	2	1.2
Heterosexual contact	11	19.6	8	16.3	3	42.9	15	24.6	1,729	26.5	40	23.5
Transgender people with sexual contact	3	5.4	3	6.1	0	0.0	0	0.0	187	2.9	4	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	170	2.6	2	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	12	21.4	11	22.4	1	14.3	16	26.2	1,425	21.8	38	22.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	55	80.9	13	19.1	47	100.0	6,393	100.0	172	100.0
GENDER												
Men	46	67.6	37	67.3	9	69.2	28	59.6	4,021	62.9	105	61.0
Women	22	32.4	18	32.7	4	30.8	19	40.4	2,372	37.1	67	39.0
RACE/ETHNICITY												
Black	38	55.9	29	52.7	9	69.2	29	61.7	3,311	51.8	90	52.3
Latino/Hispanic	26	38.2	24	43.6	2	15.4	15	31.9	2,799	43.8	71	41.3
White	4	5.9	2	3.6	2	15.4	3	6.4	216	3.4	6	3.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	28	0.4	2	1.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	2	1.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.9	4	7.3	0	0.0	0	0.0	23	0.4	0	0.0
20-29	19	27.9	19	34.5	0	0.0	6	12.8	390	6.1	2	1.2
30-39	20	29.4	17	30.9	3	23.1	11	23.4	1,026	16.0	9	5.2
40-49	12	17.6	8	14.5	4	30.8	12	25.5	1,133	17.7	19	11.0
50-59	8	11.8	5	9.1	3	23.1	11	23.4	1,987	31.1	51	29.7
60+	5	7.4	2	3.6	3	23.1	7	14.9	1,832	28.7	91	52.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	30.9	20	36.4	1	7.7	10	21.3	1,646	25.7	32	18.6
Injection drug use history (IDU)	2	2.9	1	1.8	1	7.7	5	10.6	1,035	16.2	65	37.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	4.3	189	3.0	7	4.1
Heterosexual contact	15	22.1	13	23.6	2	15.4	13	27.7	1,661	26.0	38	22.1
Transgender people with sexual contact	3	4.4	3	5.5	0	0.0	1	2.1	114	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	164	2.6	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	27	39.7	18	32.7	9	69.2	16	34.0	1,576	24.7	29	16.9

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	36	94.7	2	5.3	30	100.0	4,068	100.0	81	100.0
GENDER												
Men	27	71.1	25	69.4	2	100.0	19	63.3	2,499	61.4	51	63.0
Women	11	28.9	11	30.6	0	0.0	11	36.7	1,569	38.6	30	37.0
RACE/ETHNICITY												
Black	15	39.5	14	38.9	1	50.0	10	33.3	1,815	44.6	34	42.0
Latino/Hispanic	22	57.9	21	58.3	1	50.0	18	60.0	2,046	50.3	45	55.6
White	1	2.6	1	2.8	0	0.0	1	3.3	165	4.1	2	2.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.3	22	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	7.9	2	5.6	1	50.0	1	3.3	11	0.3	0	0.0
20-29	14	36.8	14	38.9	0	0.0	3	10.0	284	7.0	3	3.7
30-39	10	26.3	9	25.0	1	50.0	9	30.0	750	18.4	7	8.6
40-49	5	13.2	5	13.9	0	0.0	3	10.0	742	18.2	7	8.6
50-59	6	15.8	6	16.7	0	0.0	7	23.3	1,186	29.2	27	33.3
60+	0	0.0	0	0.0	0	0.0	7	23.3	1,092	26.8	37	45.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	42.1	15	41.7	1	50.0	9	30.0	1,060	26.1	7	8.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	10	33.3	672	16.5	28	34.6
MSM-IDU	1	2.6	1	2.8	0	0.0	0	0.0	121	3.0	3	3.7
Heterosexual contact	7	18.4	7	19.4	0	0.0	2	6.7	1,075	26.4	14	17.3
Transgender people with sexual contact	1	2.6	1	2.8	0	0.0	1	3.3	117	2.9	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	1	3.3	125	3.1	2	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	13	34.2	12	33.3	1	50.0	7	23.3	893	22.0	26	32.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	8	80.0	2	20.0	2	100.0	920	100.0	9	100.0
GENDER												
Men	8	80.0	6	75.0	2	100.0	2	100.0	748	81.3	7	77.8
Women	2	20.0	2	25.0	0	0.0	0	0.0	172	18.7	2	22.2
RACE/ETHNICITY												
Black	4	40.0	3	37.5	1	50.0	1	50.0	146	15.9	2	22.2
Latino/Hispanic	4	40.0	3	37.5	1	50.0	1	50.0	414	45.0	5	55.6
White	2	20.0	2	25.0	0	0.0	0	0.0	336	36.5	2	22.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	20.0	2	25.0	0	0.0	0	0.0	52	5.7	0	0.0
30-39	5	50.0	4	50.0	1	50.0	1	50.0	218	23.7	1	11.1
40-49	1	10.0	0	0.0	1	50.0	1	50.0	191	20.8	2	22.2
50-59	1	10.0	1	12.5	0	0.0	0	0.0	264	28.7	3	33.3
60+	1	10.0	1	12.5	0	0.0	0	0.0	195	21.2	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	40.0	3	37.5	1	50.0	1	50.0	522	56.7	3	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	99	10.8	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	2.5	2	22.2
Heterosexual contact	1	10.0	1	12.5	0	0.0	0	0.0	107	11.6	1	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.3	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	1	11.1
Unknown	5	50.0	4	50.0	1	50.0	1	50.0	145	15.8	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	23	79.3	6	20.7	13	100.0	2,735	100.0	45	100.0
GENDER												
Men	22	75.9	18	78.3	4	66.7	7	53.8	2,124	77.7	29	64.4
Women	7	24.1	5	21.7	2	33.3	6	46.2	611	22.3	16	35.6
RACE/ETHNICITY												
Black	12	41.4	9	39.1	3	50.0	7	53.8	1,103	40.3	24	53.3
Latino/Hispanic	4	13.8	2	8.7	2	33.3	3	23.1	673	24.6	11	24.4
White	12	41.4	11	47.8	1	16.7	2	15.4	862	31.5	9	20.0
Asian/Pacific Islander	1	3.4	1	4.3	0	0.0	1	7.7	72	2.6	1	2.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	12	41.4	10	43.5	2	33.3	2	15.4	149	5.4	1	2.2
30-39	7	24.1	7	30.4	0	0.0	2	15.4	405	14.8	3	6.7
40-49	5	17.2	2	8.7	3	50.0	4	30.8	452	16.5	3	6.7
50-59	4	13.8	3	13.0	1	16.7	2	15.4	829	30.3	8	17.8
60+	1	3.4	1	4.3	0	0.0	3	23.1	894	32.7	30	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	48.3	13	56.5	1	16.7	2	15.4	1,460	53.4	12	26.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	272	9.9	13	28.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	67	2.4	1	2.2
Heterosexual contact	5	17.2	3	13.0	2	33.3	6	46.2	383	14.0	11	24.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	1.6	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	10	34.5	7	30.4	3	50.0	5	38.5	481	17.6	7	15.6

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	79	79.0	21	21.0	62	100.0	7,903	100.0	161	100.0
GENDER												
Men	81	81.0	65	82.3	16	76.2	39	62.9	5,199	65.8	96	59.6
Women	19	19.0	14	17.7	5	23.8	23	37.1	2,704	34.2	65	40.4
RACE/ETHNICITY												
Black	81	81.0	65	82.3	16	76.2	43	69.4	5,931	75.0	122	75.8
Latino/Hispanic	10	10.0	6	7.6	4	19.0	16	25.8	1,289	16.3	35	21.7
White	7	7.0	6	7.6	1	4.8	3	4.8	559	7.1	2	1.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	68	0.9	0	0.0
Other/Unknown	2	2.0	2	2.5	0	0.0	0	0.0	56	0.7	2	1.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.0	1	1.3	0	0.0	0	0.0	17	0.2	0	0.0
20-29	41	41.0	35	44.3	6	28.6	12	19.4	593	7.5	5	3.1
30-39	30	30.0	25	31.6	5	23.8	16	25.8	1,429	18.1	6	3.7
40-49	14	14.0	12	15.2	2	9.5	7	11.3	1,438	18.2	16	9.9
50-59	12	12.0	5	6.3	7	33.3	19	30.6	2,241	28.4	57	35.4
60+	2	2.0	1	1.3	1	4.8	8	12.9	2,181	27.6	77	47.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	47	47.0	36	45.6	11	52.4	24	38.7	2,804	35.5	23	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	6.5	863	10.9	42	26.1
MSM-IDU	1	1.0	1	1.3	0	0.0	2	3.2	188	2.4	4	2.5
Heterosexual contact	15	15.0	10	12.7	5	23.8	18	29.0	1,931	24.4	43	26.7
Transgender people with sexual contact	2	2.0	2	2.5	0	0.0	0	0.0	144	1.8	3	1.9
Perinatal	0	0.0	0	0.0	0	0.0	1	1.6	190	2.4	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	1.6	10	0.1	0	0.0
Unknown	35	35.0	30	38.0	5	23.8	12	19.4	1,773	22.4	45	28.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	62	100.0	55	88.7	7	11.3	28	100.0	3,612	100.0	62	100.0
GENDER												
Men	46	74.2	41	74.5	5	71.4	19	67.9	2,149	59.5	46	74.2
Women	16	25.8	14	25.5	2	28.6	9	32.1	1,463	40.5	16	25.8
RACE/ETHNICITY												
Black	47	75.8	41	74.5	6	85.7	19	67.9	2,315	64.1	45	72.6
Latino/Hispanic	14	22.6	13	23.6	1	14.3	9	32.1	1,113	30.8	16	25.8
White	0	0.0	0	0.0	0	0.0	0	0.0	115	3.2	1	1.6
Asian/Pacific Islander	1	1.6	1	1.8	0	0.0	0	0.0	42	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	3.2	2	3.6	0	0.0	0	0.0	15	0.4	0	0.0
20-29	22	35.5	21	38.2	1	14.3	4	14.3	353	9.8	1	1.6
30-39	22	35.5	20	36.4	2	28.6	9	32.1	674	18.7	5	8.1
40-49	8	12.9	8	14.5	0	0.0	3	10.7	687	19.0	9	14.5
50-59	8	12.9	4	7.3	4	57.1	10	35.7	1,015	28.1	16	25.8
60+	0	0.0	0	0.0	0	0.0	2	7.1	866	24.0	31	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	43.5	27	49.1	0	0.0	5	17.9	1,069	29.6	11	17.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.6	376	10.4	21	33.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	63	1.7	1	1.6
Heterosexual contact	12	19.4	10	18.2	2	28.6	9	32.1	1,059	29.3	13	21.0
Transgender people with sexual contact	3	4.8	3	5.5	0	0.0	1	3.6	68	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	108	3.0	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	20	32.3	15	27.3	5	71.4	12	42.9	863	23.9	15	24.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	7	77.8	2	22.2	4	100.0	880	100.0	8	100.0
GENDER												
Men	3	33.3	3	42.9	0	0.0	2	50.0	659	74.9	6	75.0
Women	6	66.7	4	57.1	2	100.0	2	50.0	221	25.1	2	25.0
RACE/ETHNICITY												
Black	2	22.2	2	28.6	0	0.0	0	0.0	159	18.1	0	0.0
Latino/Hispanic	6	66.7	4	57.1	2	100.0	3	75.0	469	53.3	8	100.0
White	0	0.0	0	0.0	0	0.0	1	25.0	173	19.7	0	0.0
Asian/Pacific Islander	1	11.1	1	14.3	0	0.0	0	0.0	75	8.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	5	55.6	4	57.1	1	50.0	1	25.0	49	5.6	0	0.0
30-39	1	11.1	1	14.3	0	0.0	0	0.0	139	15.8	1	12.5
40-49	1	11.1	1	14.3	0	0.0	1	25.0	178	20.2	0	0.0
50-59	1	11.1	1	14.3	0	0.0	1	25.0	271	30.8	2	25.0
60+	1	11.1	0	0.0	1	50.0	1	25.0	240	27.3	5	62.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	33.3	3	42.9	0	0.0	2	50.0	325	36.9	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	136	15.5	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	41	4.7	1	12.5
Heterosexual contact	4	44.4	3	42.9	1	50.0	1	25.0	186	21.1	2	25.0
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	11.1	0	0.0	1	50.0	1	25.0	169	19.2	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	10	76.9	3	23.1	11	100.0	1,149	100.0	14	100.0
GENDER												
Men	13	100.0	10	100.0	3	100.0	8	72.7	854	74.3	12	85.7
Women	0	0.0	0	0.0	0	0.0	3	27.3	295	25.7	2	14.3
RACE/ETHNICITY												
Black	1	7.7	1	10.0	0	0.0	2	18.2	306	26.6	2	14.3
Latino/Hispanic	5	38.5	2	20.0	3	100.0	4	36.4	402	35.0	9	64.3
White	4	30.8	4	40.0	0	0.0	3	27.3	350	30.5	2	14.3
Asian/Pacific Islander	3	23.1	3	30.0	0	0.0	2	18.2	77	6.7	1	7.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	3	23.1	3	30.0	0	0.0	3	27.3	54	4.7	0	0.0
30-39	6	46.2	4	40.0	2	66.7	5	45.5	202	17.6	2	14.3
40-49	4	30.8	3	30.0	1	33.3	2	18.2	230	20.0	2	14.3
50-59	0	0.0	0	0.0	0	0.0	1	9.1	337	29.3	3	21.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	323	28.1	7	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	10	76.9	7	70.0	3	100.0	6	54.5	489	42.6	5	35.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	9.1	149	13.0	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	22	1.9	1	7.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	9.1	218	19.0	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	1	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	23.1	3	30.0	0	0.0	3	27.3	242	21.1	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	55	72.4	21	27.6	47	100.0	5,502	100.0	85	100.0
GENDER												
Men	53	69.7	38	69.1	15	71.4	33	70.2	3,562	64.7	62	72.9
Women	23	30.3	17	30.9	6	28.6	14	29.8	1,940	35.3	23	27.1
RACE/ETHNICITY												
Black	61	80.3	44	80.0	17	81.0	37	78.7	4,272	77.6	60	70.6
Latino/Hispanic	12	15.8	9	16.4	3	14.3	9	19.1	775	14.1	20	23.5
White	2	2.6	1	1.8	1	4.8	1	2.1	342	6.2	5	5.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	67	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	1	1.3	1	1.8	0	0.0	0	0.0	25	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	4	5.3	4	7.3	0	0.0	1	2.1	14	0.3	0	0.0
20-29	19	25.0	17	30.9	2	9.5	9	19.1	323	5.9	1	1.2
30-39	23	30.3	15	27.3	8	38.1	15	31.9	921	16.7	5	5.9
40-49	12	15.8	8	14.5	4	19.0	9	19.1	1,031	18.7	6	7.1
50-59	10	13.2	8	14.5	2	9.5	5	10.6	1,541	28.0	21	24.7
60+	8	10.5	3	5.5	5	23.8	8	17.0	1,671	30.4	52	61.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	38.2	22	40.0	7	33.3	18	38.3	1,853	33.7	16	18.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	6.4	429	7.8	14	16.5
MSM-IDU	1	1.3	1	1.8	0	0.0	0	0.0	106	1.9	5	5.9
Heterosexual contact	10	13.2	7	12.7	3	14.3	9	19.1	1,435	26.1	25	29.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.1	66	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	108	2.0	2	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	36	47.4	25	45.5	11	52.4	14	29.8	1,491	27.1	23	27.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	20	69.0	9	31.0	25	100.0	1,857	100.0	34	100.0
GENDER												
Men	18	62.1	11	55.0	7	77.8	19	76.0	1,033	55.6	22	64.7
Women	11	37.9	9	45.0	2	22.2	6	24.0	824	44.4	12	35.3
RACE/ETHNICITY												
Black	24	82.8	15	75.0	9	100.0	22	88.0	1,480	79.7	28	82.4
Latino/Hispanic	3	10.3	3	15.0	0	0.0	3	12.0	232	12.5	5	14.7
White	2	6.9	2	10.0	0	0.0	0	0.0	109	5.9	1	2.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.4	1	5.0	0	0.0	1	4.0	1	0.1	0	0.0
13-19	2	6.9	2	10.0	0	0.0	0	0.0	4	0.2	0	0.0
20-29	6	20.7	5	25.0	1	11.1	4	16.0	123	6.6	1	2.9
30-39	8	27.6	4	20.0	4	44.4	8	32.0	305	16.4	3	8.8
40-49	4	13.8	2	10.0	2	22.2	5	20.0	319	17.2	3	8.8
50-59	6	20.7	4	20.0	2	22.2	5	20.0	522	28.1	9	26.5
60+	2	6.9	2	10.0	0	0.0	2	8.0	583	31.4	18	52.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	24.1	5	25.0	2	22.2	10	40.0	422	22.7	5	14.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	129	6.9	7	20.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	0	0.0
Heterosexual contact	6	20.7	5	25.0	1	11.1	3	12.0	637	34.3	8	23.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Perinatal	1	3.4	1	5.0	0	0.0	1	4.0	62	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	15	51.7	9	45.0	6	66.7	11	44.0	571	30.7	14	41.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	4	80.0	1	20.0	5	100.0	726	100.0	13	100.0
GENDER												
Men	5	100.0	4	100.0	1	100.0	5	100.0	555	76.4	11	84.6
Women	0	0.0	0	0.0	0	0.0	0	0.0	171	23.6	2	15.4
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	20.0	76	10.5	3	23.1
Latino/Hispanic	2	40.0	1	25.0	1	100.0	2	40.0	243	33.5	3	23.1
White	3	60.0	3	75.0	0	0.0	2	40.0	349	48.1	6	46.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	54	7.4	1	7.7
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	29	4.0	1	7.7
30-39	3	60.0	2	50.0	1	100.0	1	20.0	107	14.7	0	0.0
40-49	1	20.0	1	25.0	0	0.0	0	0.0	150	20.7	1	7.7
50-59	1	20.0	1	25.0	0	0.0	2	40.0	206	28.4	2	15.4
60+	0	0.0	0	0.0	0	0.0	2	40.0	232	32.0	9	69.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	40.0	1	25.0	1	100.0	4	80.0	342	47.1	3	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	87	12.0	1	7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	30	4.1	2	15.4
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	109	15.0	4	30.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.2	1	7.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	1	7.7
Unknown	3	60.0	3	75.0	0	0.0	1	20.0	142	19.6	1	7.7

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	12	66.7	6	33.3	14	100.0	1,245	100.0	27	100.0
GENDER												
Men	16	88.9	11	91.7	5	83.3	10	71.4	801	64.3	17	63.0
Women	2	11.1	1	8.3	1	16.7	4	28.6	444	35.7	10	37.0
RACE/ETHNICITY												
Black	3	16.7	2	16.7	1	16.7	4	28.6	464	37.3	13	48.1
Latino/Hispanic	7	38.9	5	41.7	2	33.3	3	21.4	365	29.3	9	33.3
White	8	44.4	5	41.7	3	50.0	6	42.9	356	28.6	3	11.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.1	48	3.9	1	3.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	1	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
20-29	1	5.6	1	8.3	0	0.0	0	0.0	71	5.7	0	0.0
30-39	7	38.9	5	41.7	2	33.3	5	35.7	214	17.2	1	3.7
40-49	5	27.8	3	25.0	2	33.3	5	35.7	232	18.6	1	3.7
50-59	5	27.8	3	25.0	2	33.3	4	28.6	342	27.5	10	37.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	381	30.6	15	55.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	33.3	4	33.3	2	33.3	4	28.6	395	31.7	3	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	170	13.7	10	37.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	0	0.0
Heterosexual contact	2	11.1	1	8.3	1	16.7	4	28.6	316	25.4	7	25.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	3.7
Unknown	10	55.6	7	58.3	3	50.0	6	42.9	301	24.2	6	22.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	60	100.0	43	71.7	17	28.3	37	100.0	3,896	100.0	54	100.0
GENDER												
Men	50	83.3	38	88.4	12	70.6	27	73.0	2,808	72.1	44	81.5
Women	10	16.7	5	11.6	5	29.4	10	27.0	1,088	27.9	10	18.5
RACE/ETHNICITY												
Black	28	46.7	23	53.5	5	29.4	18	48.6	1,808	46.4	36	66.7
Latino/Hispanic	17	28.3	12	27.9	5	29.4	10	27.0	1,468	37.7	14	25.9
White	13	21.7	7	16.3	6	35.3	7	18.9	521	13.4	3	5.6
Asian/Pacific Islander	2	3.3	1	2.3	1	5.9	2	5.4	70	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	1	1.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	8.3	4	9.3	1	5.9	1	2.7	16	0.4	0	0.0
20-29	27	45.0	24	55.8	3	17.6	6	16.2	363	9.3	1	1.9
30-39	16	26.7	10	23.3	6	35.3	8	21.6	813	20.9	3	5.6
40-49	3	5.0	1	2.3	2	11.8	6	16.2	619	15.9	3	5.6
50-59	8	13.3	3	7.0	5	29.4	9	24.3	1,038	26.6	12	22.2
60+	1	1.7	1	2.3	0	0.0	7	18.9	1,047	26.9	35	64.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	60.0	27	62.8	9	52.9	15	40.5	1,647	42.3	7	13.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	8.1	508	13.0	17	31.5
MSM-IDU	1	1.7	1	2.3	0	0.0	1	2.7	99	2.5	3	5.6
Heterosexual contact	10	16.7	5	11.6	5	29.4	11	29.7	706	18.1	14	25.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	61	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.7	80	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	3.7
Unknown	13	21.7	10	23.3	3	17.6	6	16.2	793	20.4	11	20.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	46	80.7	11	19.3	30	100.0	4,909	100.0	42	100.0
GENDER												
Men	49	86.0	41	89.1	8	72.7	20	66.7	4,080	83.1	32	76.2
Women	8	14.0	5	10.9	3	27.3	10	33.3	829	16.9	10	23.8
RACE/ETHNICITY												
Black	18	31.6	15	32.6	3	27.3	11	36.7	1,549	31.6	16	38.1
Latino/Hispanic	29	50.9	24	52.2	5	45.5	14	46.7	2,161	44.0	16	38.1
White	8	14.0	6	13.0	2	18.2	3	10.0	1,073	21.9	7	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.3	78	1.6	1	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	2	3.5	1	2.2	1	9.1	1	3.3	28	0.6	2	4.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	5.3	3	6.5	0	0.0	0	0.0	13	0.3	0	0.0
20-29	20	35.1	19	41.3	1	9.1	2	6.7	334	6.8	1	2.4
30-39	21	36.8	17	37.0	4	36.4	13	43.3	978	19.9	0	0.0
40-49	4	7.0	3	6.5	1	9.1	6	20.0	897	18.3	6	14.3
50-59	5	8.8	2	4.3	3	27.3	5	16.7	1,395	28.4	18	42.9
60+	4	7.0	2	4.3	2	18.2	4	13.3	1,291	26.3	17	40.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	59.6	30	65.2	4	36.4	12	40.0	2,847	58.0	11	26.2
Injection drug use history (IDU)	1	1.8	0	0.0	1	9.1	1	3.3	340	6.9	8	19.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.3	131	2.7	2	4.8
Heterosexual contact	7	12.3	6	13.0	1	9.1	8	26.7	597	12.2	10	23.8
Transgender people with sexual contact	1	1.8	1	2.2	0	0.0	1	3.3	65	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	72	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	14	24.6	9	19.6	5	45.5	7	23.3	850	17.3	11	26.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	47	85.5	8	14.5	37	100.0	5,018	100.0	79	100.0
GENDER												
Men	44	80.0	37	78.7	7	87.5	28	75.7	3,686	73.5	51	64.6
Women	11	20.0	10	21.3	1	12.5	9	24.3	1,332	26.5	28	35.4
RACE/ETHNICITY												
Black	37	67.3	31	66.0	6	75.0	29	78.4	3,112	62.0	53	67.1
Latino/Hispanic	12	21.8	10	21.3	2	25.0	5	13.5	1,107	22.1	24	30.4
White	5	9.1	5	10.6	0	0.0	3	8.1	680	13.6	2	2.5
Asian/Pacific Islander	1	1.8	1	2.1	0	0.0	0	0.0	78	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	5	9.1	5	10.6	0	0.0	0	0.0	13	0.3	0	0.0
20-29	21	38.2	18	38.3	3	37.5	9	24.3	290	5.8	0	0.0
30-39	14	25.5	14	29.8	0	0.0	7	18.9	964	19.2	7	8.9
40-49	10	18.2	7	14.9	3	37.5	8	21.6	962	19.2	7	8.9
50-59	4	7.3	2	4.3	2	25.0	6	16.2	1,461	29.1	23	29.1
60+	1	1.8	1	2.1	0	0.0	7	18.9	1,325	26.4	42	53.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	49.1	25	53.2	2	25.0	14	37.8	2,285	45.5	20	25.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.7	516	10.3	19	24.1
MSM-IDU	1	1.8	1	2.1	0	0.0	1	2.7	133	2.7	2	2.5
Heterosexual contact	7	12.7	7	14.9	0	0.0	6	16.2	874	17.4	23	29.1
Transgender people with sexual contact	2	3.6	2	4.3	0	0.0	1	2.7	74	1.5	1	1.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	84	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	1.3
Unknown	18	32.7	12	25.5	6	75.0	14	37.8	1,047	20.9	13	16.5

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	26	81.3	6	18.8	20	100.0	2,932	100.0	68	100.0
GENDER												
Men	23	71.9	19	73.1	4	66.7	9	45.0	2,058	70.2	49	72.1
Women	9	28.1	7	26.9	2	33.3	11	55.0	874	29.8	19	27.9
RACE/ETHNICITY												
Black	15	46.9	14	53.8	1	16.7	9	45.0	1,351	46.1	39	57.4
Latino/Hispanic	17	53.1	12	46.2	5	83.3	8	40.0	1,144	39.0	26	38.2
White	0	0.0	0	0.0	0	0.0	1	5.0	382	13.0	3	4.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	10.0	38	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	3.1	1	3.8	0	0.0	0	0.0	4	0.1	0	0.0
20-29	16	50.0	15	57.7	1	16.7	2	10.0	165	5.6	0	0.0
30-39	8	25.0	6	23.1	2	33.3	4	20.0	444	15.1	3	4.4
40-49	1	3.1	1	3.8	0	0.0	6	30.0	503	17.2	4	5.9
50-59	5	15.6	3	11.5	2	33.3	5	25.0	888	30.3	22	32.4
60+	1	3.1	0	0.0	1	16.7	3	15.0	926	31.6	39	57.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	46.9	13	50.0	2	33.3	5	25.0	1,080	36.8	15	22.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.0	511	17.4	21	30.9
MSM-IDU	1	3.1	1	3.8	0	0.0	0	0.0	83	2.8	4	5.9
Heterosexual contact	6	18.8	5	19.2	1	16.7	6	30.0	558	19.0	15	22.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	5.0	27	0.9	1	1.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	84	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	10	31.3	7	26.9	3	50.0	6	30.0	587	20.0	12	17.6

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	11	64.7	6	35.3	23	100.0	3,219	100.0	36	100.0
GENDER												
Men	15	88.2	9	81.8	6	100.0	21	91.3	2,789	86.6	32	88.9
Women	2	11.8	2	18.2	0	0.0	2	8.7	430	13.4	4	11.1
RACE/ETHNICITY												
Black	6	35.3	5	45.5	1	16.7	6	26.1	841	26.1	9	25.0
Latino/Hispanic	1	5.9	0	0.0	1	16.7	9	39.1	854	26.5	9	25.0
White	8	47.1	5	45.5	3	50.0	6	26.1	1,391	43.2	15	41.7
Asian/Pacific Islander	1	5.9	0	0.0	1	16.7	2	8.7	91	2.8	0	0.0
Other/Unknown	1	5.9	1	9.1	0	0.0	0	0.0	42	1.3	3	8.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	5.9	1	9.1	0	0.0	0	0.0	1	0.0	0	0.0
20-29	2	11.8	2	18.2	0	0.0	2	8.7	127	3.9	0	0.0
30-39	4	23.5	3	27.3	1	16.7	5	21.7	376	11.7	2	5.6
40-49	3	17.6	2	18.2	1	16.7	3	13.0	434	13.5	1	2.8
50-59	2	11.8	1	9.1	1	16.7	3	13.0	927	28.8	9	25.0
60+	5	29.4	2	18.2	3	50.0	10	43.5	1,353	42.0	24	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	47.1	5	45.5	3	50.0	9	39.1	2,013	62.5	17	47.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.3	260	8.1	7	19.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.3	97	3.0	1	2.8
Heterosexual contact	0	0.0	0	0.0	0	0.0	3	13.0	286	8.9	2	5.6
Transgender people with sexual contact	1	5.9	1	9.1	0	0.0	0	0.0	39	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	47.1	5	45.5	3	50.0	9	39.1	486	15.1	9	25.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	1	12.5	5	100.0	1,478	100.0	19	100.0
GENDER												
Men	6	75.0	5	71.4	1	100.0	5	100.0	1,303	88.2	15	78.9
Women	2	25.0	2	28.6	0	0.0	0	0.0	175	11.8	4	21.1
RACE/ETHNICITY												
Black	1	12.5	1	14.3	0	0.0	1	20.0	259	17.5	8	42.1
Latino/Hispanic	2	25.0	2	28.6	0	0.0	2	40.0	345	23.3	3	15.8
White	4	50.0	4	57.1	0	0.0	1	20.0	797	53.9	8	42.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	68	4.6	0	0.0
Other/Unknown	1	12.5	0	0.0	1	100.0	1	20.0	9	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	1	12.5	1	14.3	0	0.0	0	0.0	42	2.8	0	0.0
30-39	6	75.0	5	71.4	1	100.0	2	40.0	188	12.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	227	15.4	0	0.0
50-59	1	12.5	1	14.3	0	0.0	2	40.0	440	29.8	3	15.8
60+	0	0.0	0	0.0	0	0.0	1	20.0	579	39.2	16	84.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	37.5	3	42.9	0	0.0	3	60.0	959	64.9	5	26.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	89	6.0	3	15.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	36	2.4	3	15.8
Heterosexual contact	1	12.5	1	14.3	0	0.0	0	0.0	109	7.4	2	10.5
Transgender people with sexual contact	1	12.5	1	14.3	0	0.0	0	0.0	10	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	37.5	2	28.6	1	100.0	2	40.0	263	17.8	6	31.6

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	42	80.8	10	19.2	44	100.0	7,150	100.0	72	100.0
GENDER												
Men	48	92.3	38	90.5	10	100.0	40	90.9	6,665	93.2	67	93.1
Women	4	7.7	4	9.5	0	0.0	4	9.1	485	6.8	5	6.9
RACE/ETHNICITY												
Black	18	34.6	13	31.0	5	50.0	9	20.5	1,239	17.3	12	16.7
Latino/Hispanic	20	38.5	18	42.9	2	20.0	16	36.4	1,717	24.0	21	29.2
White	13	25.0	11	26.2	2	20.0	15	34.1	3,872	54.2	38	52.8
Asian/Pacific Islander	1	1.9	0	0.0	1	10.0	2	4.5	233	3.3	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	4.5	35	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.8	2	4.8	0	0.0	0	0.0	1	0.0	0	0.0
20-29	18	34.6	14	33.3	4	40.0	7	15.9	235	3.3	2	2.8
30-39	17	32.7	13	31.0	4	40.0	20	45.5	1,080	15.1	1	1.4
40-49	5	9.6	5	11.9	0	0.0	8	18.2	1,393	19.5	4	5.6
50-59	8	15.4	6	14.3	2	20.0	6	13.6	2,414	33.8	18	25.0
60+	2	3.8	2	4.8	0	0.0	3	6.8	2,027	28.3	47	65.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	63.5	28	66.7	5	50.0	31	70.5	5,417	75.8	43	59.7
Injection drug use history (IDU)	1	1.9	1	2.4	0	0.0	1	2.3	328	4.6	11	15.3
MSM-IDU	1	1.9	1	2.4	0	0.0	1	2.3	236	3.3	3	4.2
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	4.5	273	3.8	3	4.2
Transgender people with sexual contact	3	5.8	3	7.1	0	0.0	1	2.3	78	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	14	26.9	9	21.4	5	50.0	8	18.2	787	11.0	12	16.7

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	15	100.0	0	0.0	10	100.0	2,042	100.0	13	100.0
GENDER												
Men	13	86.7	13	86.7	0	0.0	8	80.0	1,863	91.2	11	84.6
Women	2	13.3	2	13.3	0	0.0	2	20.0	179	8.8	2	15.4
RACE/ETHNICITY												
Black	2	13.3	2	13.3	0	0.0	4	40.0	415	20.3	3	23.1
Latino/Hispanic	5	33.3	5	33.3	0	0.0	3	30.0	491	24.0	3	23.1
White	7	46.7	7	46.7	0	0.0	3	30.0	1,042	51.0	7	53.8
Asian/Pacific Islander	1	6.7	1	6.7	0	0.0	0	0.0	70	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.7	1	6.7	0	0.0	0	0.0	3	0.1	0	0.0
20-29	5	33.3	5	33.3	0	0.0	3	30.0	51	2.5	0	0.0
30-39	3	20.0	3	20.0	0	0.0	2	20.0	199	9.7	0	0.0
40-49	2	13.3	2	13.3	0	0.0	1	10.0	307	15.0	1	7.7
50-59	3	20.0	3	20.0	0	0.0	2	20.0	678	33.2	2	15.4
60+	1	6.7	1	6.7	0	0.0	2	20.0	804	39.4	10	76.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	46.7	7	46.7	0	0.0	5	50.0	1,327	65.0	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	20.0	159	7.8	3	23.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	10.0	84	4.1	1	7.7
Heterosexual contact	2	13.3	2	13.3	0	0.0	0	0.0	119	5.8	1	7.7
Transgender people with sexual contact	1	6.7	1	6.7	0	0.0	1	10.0	17	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	10.0	8	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	33.3	5	33.3	0	0.0	0	0.0	326	16.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	12	85.7	2	14.3	8	100.0	1,738	100.0	8	100.0
GENDER												
Men	12	85.7	10	83.3	2	100.0	8	100.0	1,647	94.8	8	100.0
Women	2	14.3	2	16.7	0	0.0	0	0.0	91	5.2	0	0.0
RACE/ETHNICITY												
Black	5	35.7	4	33.3	1	50.0	2	25.0	311	17.9	1	12.5
Latino/Hispanic	1	7.1	1	8.3	0	0.0	0	0.0	364	20.9	2	25.0
White	8	57.1	7	58.3	1	50.0	6	75.0	990	57.0	5	62.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	55	3.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	28.6	3	25.0	1	50.0	2	25.0	49	2.8	0	0.0
30-39	6	42.9	6	50.0	0	0.0	0	0.0	177	10.2	1	12.5
40-49	2	14.3	1	8.3	1	50.0	1	12.5	264	15.2	0	0.0
50-59	1	7.1	1	8.3	0	0.0	2	25.0	593	34.1	0	0.0
60+	1	7.1	1	8.3	0	0.0	3	37.5	655	37.7	7	87.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	28.6	3	25.0	1	50.0	7	87.5	1,196	68.8	6	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	113	6.5	0	0.0
MSM-IDU	1	7.1	1	8.3	0	0.0	0	0.0	49	2.8	0	0.0
Heterosexual contact	1	7.1	1	8.3	0	0.0	0	0.0	59	3.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	28	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	8	57.1	7	58.3	1	50.0	1	12.5	286	16.5	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	14	66.7	7	33.3	15	100.0	2,960	100.0	33	100.0
GENDER												
Men	14	66.7	10	71.4	4	57.1	12	80.0	2,431	82.1	26	78.8
Women	7	33.3	4	28.6	3	42.9	3	20.0	529	17.9	7	21.2
RACE/ETHNICITY												
Black	8	38.1	7	50.0	1	14.3	2	13.3	612	20.7	8	24.2
Latino/Hispanic	7	33.3	3	21.4	4	57.1	6	40.0	1,021	34.5	16	48.5
White	3	14.3	2	14.3	1	14.3	6	40.0	1,160	39.2	8	24.2
Asian/Pacific Islander	3	14.3	2	14.3	1	14.3	1	6.7	137	4.6	1	3.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
20-29	8	38.1	7	50.0	1	14.3	1	6.7	89	3.0	0	0.0
30-39	6	28.6	4	28.6	2	28.6	3	20.0	338	11.4	0	0.0
40-49	2	9.5	1	7.1	1	14.3	5	33.3	413	14.0	4	12.1
50-59	3	14.3	1	7.1	2	28.6	2	13.3	1,010	34.1	10	30.3
60+	2	9.5	1	7.1	1	14.3	4	26.7	1,103	37.3	19	57.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	38.1	7	50.0	1	14.3	9	60.0	1,683	56.9	7	21.2
Injection drug use history (IDU)	1	4.8	1	7.1	0	0.0	0	0.0	359	12.1	9	27.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	93	3.1	2	6.1
Heterosexual contact	3	14.3	1	7.1	2	28.6	2	13.3	344	11.6	7	21.2
Transgender people with sexual contact	4	19.0	3	21.4	1	14.3	1	6.7	27	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	5	23.8	2	14.3	3	42.9	3	20.0	423	14.3	8	24.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	4	100.0	615	100.0	1	100.0
GENDER												
Men	5	83.3	5	83.3	0	0.0	4	100.0	531	86.3	0	0.0
Women	1	16.7	1	16.7	0	0.0	0	0.0	84	13.7	1	100.0
RACE/ETHNICITY												
Black	2	33.3	2	33.3	0	0.0	2	50.0	134	21.8	1	100.0
Latino/Hispanic	1	16.7	1	16.7	0	0.0	1	25.0	153	24.9	0	0.0
White	2	33.3	2	33.3	0	0.0	0	0.0	295	48.0	0	0.0
Asian/Pacific Islander	1	16.7	1	16.7	0	0.0	0	0.0	25	4.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	25.0	8	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	16.7	1	16.7	0	0.0	1	25.0	23	3.7	0	0.0
30-39	3	50.0	3	50.0	0	0.0	2	50.0	72	11.7	0	0.0
40-49	1	16.7	1	16.7	0	0.0	0	0.0	136	22.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	25.0	222	36.1	1	100.0
60+	1	16.7	1	16.7	0	0.0	0	0.0	162	26.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	16.7	1	16.7	0	0.0	3	75.0	395	64.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	42	6.8	0	0.0
MSM-IDU	1	16.7	1	16.7	0	0.0	0	0.0	14	2.3	0	0.0
Heterosexual contact	1	16.7	1	16.7	0	0.0	0	0.0	56	9.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	50.0	3	50.0	0	0.0	1	25.0	101	16.4	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	35	100.0	27	77.1	8	22.9	18	100.0	2,440	100.0	20	100.0
GENDER												
Men	30	85.7	23	85.2	7	87.5	17	94.4	2,118	86.8	16	80.0
Women	5	14.3	4	14.8	1	12.5	1	5.6	322	13.2	4	20.0
RACE/ETHNICITY												
Black	4	11.4	3	11.1	1	12.5	6	33.3	414	17.0	2	10.0
Latino/Hispanic	12	34.3	10	37.0	2	25.0	6	33.3	998	40.9	8	40.0
White	13	37.1	10	37.0	3	37.5	3	16.7	874	35.8	7	35.0
Asian/Pacific Islander	6	17.1	4	14.8	2	25.0	2	11.1	133	5.5	2	10.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.6	21	0.9	1	5.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	5.7	2	7.4	0	0.0	0	0.0	3	0.1	0	0.0
20-29	8	22.9	7	25.9	1	12.5	3	16.7	125	5.1	0	0.0
30-39	15	42.9	10	37.0	5	62.5	9	50.0	543	22.3	3	15.0
40-49	4	11.4	3	11.1	1	12.5	2	11.1	579	23.7	4	20.0
50-59	6	17.1	5	18.5	1	12.5	3	16.7	679	27.8	5	25.0
60+	0	0.0	0	0.0	0	0.0	1	5.6	511	20.9	8	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	57.1	16	59.3	4	50.0	11	61.1	1,650	67.6	12	60.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	113	4.6	1	5.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	50	2.0	0	0.0
Heterosexual contact	2	5.7	1	3.7	1	12.5	1	5.6	260	10.7	3	15.0
Transgender people with sexual contact	1	2.9	1	3.7	0	0.0	0	0.0	26	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	12	34.3	9	33.3	3	37.5	6	33.3	323	13.2	4	20.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	74	100.0	56	75.7	18	24.3	34	100.0	5,584	100.0	31	100.0
GENDER												
Men	63	85.1	45	80.4	18	100.0	29	85.3	4,573	81.9	26	83.9
Women	11	14.9	11	19.6	0	0.0	5	14.7	1,011	18.1	5	16.1
RACE/ETHNICITY												
Black	3	4.1	3	5.4	0	0.0	4	11.8	1,302	23.3	3	9.7
Latino/Hispanic	54	73.0	41	73.2	13	72.2	24	70.6	3,278	58.7	21	67.7
White	9	12.2	7	12.5	2	11.1	3	8.8	609	10.9	1	3.2
Asian/Pacific Islander	8	10.8	5	8.9	3	16.7	3	8.8	370	6.6	5	16.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	1	3.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	5.4	4	7.1	0	0.0	0	0.0	12	0.2	0	0.0
20-29	27	36.5	24	42.9	3	16.7	3	8.8	298	5.3	0	0.0
30-39	23	31.1	17	30.4	6	33.3	13	38.2	941	16.9	3	9.7
40-49	11	14.9	6	10.7	5	27.8	6	17.6	1,171	21.0	5	16.1
50-59	3	4.1	0	0.0	3	16.7	10	29.4	1,760	31.5	9	29.0
60+	6	8.1	5	8.9	1	5.6	2	5.9	1,399	25.1	14	45.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	50.0	27	48.2	10	55.6	17	50.0	2,713	48.6	17	54.8
Injection drug use history (IDU)	1	1.4	1	1.8	0	0.0	0	0.0	687	12.3	2	6.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.9	127	2.3	0	0.0
Heterosexual contact	8	10.8	6	10.7	2	11.1	4	11.8	842	15.1	5	16.1
Transgender people with sexual contact	3	4.1	3	5.4	0	0.0	1	2.9	110	2.0	1	3.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	59	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	25	33.8	19	33.9	6	33.3	11	32.4	1,040	18.6	6	19.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	14	82.4	3	17.6	7	100.0	794	100.0	17	100.0
GENDER												
Men	16	94.1	13	92.9	3	100.0	7	100.0	601	75.7	12	70.6
Women	1	5.9	1	7.1	0	0.0	0	0.0	193	24.3	5	29.4
RACE/ETHNICITY												
Black	2	11.8	1	7.1	1	33.3	1	14.3	133	16.8	4	23.5
Latino/Hispanic	8	47.1	7	50.0	1	33.3	3	42.9	301	37.9	6	35.3
White	1	5.9	1	7.1	0	0.0	1	14.3	191	24.1	4	23.5
Asian/Pacific Islander	6	35.3	5	35.7	1	33.3	2	28.6	159	20.0	2	11.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	1	5.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	5	29.4	5	35.7	0	0.0	1	14.3	52	6.5	2	11.8
30-39	5	29.4	4	28.6	1	33.3	1	14.3	127	16.0	1	5.9
40-49	3	17.6	2	14.3	1	33.3	2	28.6	133	16.8	0	0.0
50-59	3	17.6	3	21.4	0	0.0	1	14.3	245	30.9	2	11.8
60+	1	5.9	0	0.0	1	33.3	2	28.6	236	29.7	12	70.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	47.1	7	50.0	1	33.3	3	42.9	361	45.5	7	41.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	28.6	60	7.6	2	11.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.3	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	171	21.5	3	17.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	1	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	9	52.9	7	50.0	2	66.7	2	28.6	165	20.8	4	23.5

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	0	0.0	140	100.0	0	0.0
GENDER												
Men	0	0.0	0	0.0	0	0.0	0	0.0	109	77.9	0	0.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	31	22.1	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	18	12.9	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	37	26.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	71	50.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	8.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	7	5.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	16	11.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	11.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	44	31.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	40.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	60	42.9	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	10.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	17.9	0	0.0
Transgender people with sexual c	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	22.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	23	85.2	4	14.8	6	100.0	1,364	100.0	18	100.0
GENDER												
Men	24	88.9	20	87.0	4	100.0	6	100.0	1,078	79.0	16	88.9
Women	3	11.1	3	13.0	0	0.0	0	0.0	286	21.0	2	11.1
RACE/ETHNICITY												
Black	7	25.9	6	26.1	1	25.0	1	16.7	180	13.2	1	5.6
Latino/Hispanic	11	40.7	10	43.5	1	25.0	3	50.0	670	49.1	5	27.8
White	8	29.6	6	26.1	2	50.0	2	33.3	417	30.6	10	55.6
Asian/Pacific Islander	1	3.7	1	4.3	0	0.0	0	0.0	85	6.2	2	11.1
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	10	37.0	8	34.8	2	50.0	2	33.3	96	7.0	0	0.0
30-39	12	44.4	11	47.8	1	25.0	1	16.7	231	16.9	3	16.7
40-49	3	11.1	3	13.0	0	0.0	1	16.7	242	17.7	1	5.6
50-59	2	7.4	1	4.3	1	25.0	2	33.3	392	28.7	5	27.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	399	29.3	9	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	59.3	14	60.9	2	50.0	4	66.7	755	55.4	7	38.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	78	5.7	3	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	29	2.1	1	5.6
Heterosexual contact	4	14.8	4	17.4	0	0.0	0	0.0	244	17.9	3	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	7	25.9	5	21.7	2	50.0	2	33.3	213	15.6	4	22.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	3	60.0	2	40.0	3	100.0	328	100.0	5	100.0
GENDER												
Men	5	100.0	3	100.0	2	100.0	3	100.0	205	62.5	3	60.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	123	37.5	2	40.0
RACE/ETHNICITY												
Black	2	40.0	2	66.7	0	0.0	1	33.3	140	42.7	4	80.0
Latino/Hispanic	2	40.0	1	33.3	1	50.0	1	33.3	110	33.5	1	20.0
White	0	0.0	0	0.0	0	0.0	0	0.0	48	14.6	0	0.0
Asian/Pacific Islander	1	20.0	0	0.0	1	50.0	1	33.3	29	8.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
20-29	2	40.0	2	66.7	0	0.0	1	33.3	28	8.5	1	20.0
30-39	2	40.0	1	33.3	1	50.0	1	33.3	50	15.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	50	15.2	0	0.0
50-59	1	20.0	0	0.0	1	50.0	1	33.3	106	32.3	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	93	28.4	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	80.0	2	66.7	2	100.0	3	100.0	107	32.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	22	6.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	88	26.8	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	2.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	1	20.0	1	33.3	0	0.0	0	0.0	84	25.6	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	22	78.6	6	21.4	11	100.0	2,031	100.0	15	100.0
GENDER												
Men	20	71.4	15	68.2	5	83.3	10	90.9	1,466	72.2	7	46.7
Women	8	28.6	7	31.8	1	16.7	1	9.1	565	27.8	8	53.3
RACE/ETHNICITY												
Black	11	39.3	8	36.4	3	50.0	4	36.4	529	26.0	6	40.0
Latino/Hispanic	9	32.1	7	31.8	2	33.3	4	36.4	952	46.9	5	33.3
White	1	3.6	0	0.0	1	16.7	2	18.2	301	14.8	1	6.7
Asian/Pacific Islander	7	25.0	7	31.8	0	0.0	1	9.1	222	10.9	2	13.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	1	6.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	6	21.4	6	27.3	0	0.0	1	9.1	115	5.7	0	0.0
30-39	12	42.9	11	50.0	1	16.7	1	9.1	355	17.5	0	0.0
40-49	5	17.9	3	13.6	2	33.3	4	36.4	390	19.2	1	6.7
50-59	3	10.7	1	4.5	2	33.3	4	36.4	629	31.0	7	46.7
60+	2	7.1	1	4.5	1	16.7	1	9.1	537	26.4	7	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	39.3	8	36.4	3	50.0	5	45.5	858	42.2	5	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	9.1	164	8.1	2	13.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	1.2	1	6.7
Heterosexual contact	3	10.7	3	13.6	0	0.0	1	9.1	470	23.1	5	33.3
Transgender people with sexual contact	2	7.1	2	9.1	0	0.0	0	0.0	24	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	12	42.9	9	40.9	3	50.0	4	36.4	441	21.7	2	13.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	38	80.9	9	19.1	28	100.0	3,331	100.0	60	100.0
GENDER												
Men	35	74.5	27	71.1	8	88.9	17	60.7	2,074	62.3	45	75.0
Women	12	25.5	11	28.9	1	11.1	11	39.3	1,257	37.7	15	25.0
RACE/ETHNICITY												
Black	28	59.6	24	63.2	4	44.4	16	57.1	2,357	70.8	48	80.0
Latino/Hispanic	10	21.3	7	18.4	3	33.3	7	25.0	646	19.4	10	16.7
White	1	2.1	0	0.0	1	11.1	2	7.1	184	5.5	0	0.0
Asian/Pacific Islander	7	14.9	6	15.8	1	11.1	3	10.7	112	3.4	1	1.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
Multiracial	1	2.1	1	2.6	0	0.0	0	0.0	15	0.5	1	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	4.3	2	5.3	0	0.0	0	0.0	11	0.3	0	0.0
20-29	23	48.9	22	57.9	1	11.1	3	10.7	226	6.8	0	0.0
30-39	10	21.3	7	18.4	3	33.3	9	32.1	499	15.0	11	18.3
40-49	5	10.6	4	10.5	1	11.1	6	21.4	618	18.6	3	5.0
50-59	4	8.5	3	7.9	1	11.1	4	14.3	925	27.8	13	21.7
60+	3	6.4	0	0.0	3	33.3	6	21.4	1,049	31.5	33	55.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	29.8	12	31.6	2	22.2	4	14.3	994	29.8	9	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.6	303	9.1	11	18.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	51	1.5	3	5.0
Heterosexual contact	9	19.1	8	21.1	1	11.1	7	25.0	943	28.3	22	36.7
Transgender people with sexual contact	1	2.1	1	2.6	0	0.0	2	7.1	52	1.6	3	5.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	96	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	23	48.9	17	44.7	6	66.7	14	50.0	884	26.5	12	20.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	21	91.3	2	8.7	6	100.0	1,351	100.0	11	100.0
GENDER												
Men	16	69.6	14	66.7	2	100.0	5	83.3	773	57.2	9	81.8
Women	7	30.4	7	33.3	0	0.0	1	16.7	578	42.8	2	18.2
RACE/ETHNICITY												
Black	18	78.3	16	76.2	2	100.0	5	83.3	1,039	76.9	8	72.7
Latino/Hispanic	4	17.4	4	19.0	0	0.0	1	16.7	176	13.0	2	18.2
White	0	0.0	0	0.0	0	0.0	0	0.0	80	5.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	48	3.6	1	9.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Multiracial	1	4.3	1	4.8	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	8.7	2	9.5	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	34.8	7	33.3	1	50.0	1	16.7	74	5.5	0	0.0
30-39	5	21.7	5	23.8	0	0.0	0	0.0	189	14.0	1	9.1
40-49	6	26.1	6	28.6	0	0.0	1	16.7	246	18.2	0	0.0
50-59	2	8.7	1	4.8	1	50.0	2	33.3	399	29.5	4	36.4
60+	0	0.0	0	0.0	0	0.0	2	33.3	434	32.1	6	54.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	30.4	6	28.6	1	50.0	1	16.7	296	21.9	3	27.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	110	8.1	2	18.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	1.5	0	0.0
Heterosexual contact	5	21.7	5	23.8	0	0.0	1	16.7	458	33.9	2	18.2
Transgender people with sexual contact	2	8.7	2	9.5	0	0.0	0	0.0	11	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	9	39.1	8	38.1	1	50.0	4	66.7	410	30.3	4	36.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021. Men includes transgender men and women includes transgender women. The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	16	80.0	4	20.0	11	100.0	1,326	100.0	44	100.0
GENDER												
Men	17	85.0	13	81.3	4	100.0	10	90.9	772	58.2	29	65.9
Women	3	15.0	3	18.8	0	0.0	1	9.1	554	41.8	15	34.1
RACE/ETHNICITY												
Black	12	60.0	10	62.5	2	50.0	8	72.7	850	64.1	26	59.1
Latino/Hispanic	4	20.0	3	18.8	1	25.0	2	18.2	329	24.8	11	25.0
White	3	15.0	3	18.8	0	0.0	0	0.0	121	9.1	6	13.6
Asian/Pacific Islander	1	5.0	0	0.0	1	25.0	1	9.1	15	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	1	2.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	35.0	7	43.8	0	0.0	0	0.0	85	6.4	1	2.3
30-39	2	10.0	1	6.3	1	25.0	2	18.2	205	15.5	2	4.5
40-49	5	25.0	3	18.8	2	50.0	2	18.2	227	17.1	3	6.8
50-59	4	20.0	3	18.8	1	25.0	4	36.4	389	29.3	15	34.1
60+	2	10.0	2	12.5	0	0.0	3	27.3	420	31.7	23	52.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	45.0	6	37.5	3	75.0	6	54.5	356	26.8	8	18.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	9.1	163	12.3	8	18.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	9.1	25	1.9	1	2.3
Heterosexual contact	1	5.0	1	6.3	0	0.0	1	9.1	426	32.1	11	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	43	3.2	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	10	50.0	9	56.3	1	25.0	2	18.2	302	22.8	15	34.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	1	100.0	660	100.0	9	100.0
GENDER												
Men	5	83.3	5	83.3	0	0.0	1	100.0	394	59.7	6	66.7
Women	1	16.7	1	16.7	0	0.0	0	0.0	266	40.3	3	33.3
RACE/ETHNICITY												
Black	3	50.0	3	50.0	0	0.0	1	100.0	347	52.6	7	77.8
Latino/Hispanic	1	16.7	1	16.7	0	0.0	0	0.0	206	31.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	90	13.6	2	22.2
Asian/Pacific Islander	2	33.3	2	33.3	0	0.0	0	0.0	7	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	3	50.0	3	50.0	0	0.0	0	0.0	48	7.3	1	11.1
30-39	2	33.3	2	33.3	0	0.0	0	0.0	125	18.9	0	0.0
40-49	1	16.7	1	16.7	0	0.0	0	0.0	109	16.5	2	22.2
50-59	0	0.0	0	0.0	0	0.0	0	0.0	205	31.1	2	22.2
60+	0	0.0	0	0.0	0	0.0	1	100.0	171	25.9	4	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	33.3	2	33.3	0	0.0	0	0.0	178	27.0	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	104	15.8	3	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	2.1	1	11.1
Heterosexual contact	1	16.7	1	16.7	0	0.0	0	0.0	193	29.2	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	50.0	3	50.0	0	0.0	1	100.0	134	20.3	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	8	72.7	3	27.3	9	100.0	1,204	100.0	30	100.0
GENDER												
Men	8	72.7	5	62.5	3	100.0	9	100.0	785	65.2	18	60.0
Women	3	27.3	3	37.5	0	0.0	0	0.0	419	34.8	12	40.0
RACE/ETHNICITY												
Black	6	54.5	5	62.5	1	33.3	2	22.2	551	45.8	16	53.3
Latino/Hispanic	3	27.3	3	37.5	0	0.0	3	33.3	338	28.1	9	30.0
White	2	18.2	0	0.0	2	66.7	4	44.4	288	23.9	5	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	36.4	3	37.5	1	33.3	1	11.1	67	5.6	0	0.0
30-39	2	18.2	2	25.0	0	0.0	0	0.0	171	14.2	0	0.0
40-49	3	27.3	2	25.0	1	33.3	4	44.4	211	17.5	3	10.0
50-59	2	18.2	1	12.5	1	33.3	3	33.3	375	31.1	9	30.0
60+	0	0.0	0	0.0	0	0.0	1	11.1	379	31.5	18	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	36.4	2	25.0	2	66.7	3	33.3	388	32.2	2	6.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	33.3	166	13.8	7	23.3
MSM-IDU	1	9.1	1	12.5	0	0.0	0	0.0	42	3.5	0	0.0
Heterosexual contact	1	9.1	1	12.5	0	0.0	0	0.0	313	26.0	9	30.0
Transgender people with sexual contact	1	9.1	1	12.5	0	0.0	0	0.0	25	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	3	33.3	244	20.3	12	40.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	1	100.0	228	100.0	4	100.0
GENDER												
Men	2	66.7	2	66.7	0	0.0	1	100.0	159	69.7	3	75.0
Women	1	33.3	1	33.3	0	0.0	0	0.0	69	30.3	1	25.0
RACE/ETHNICITY												
Black	2	66.7	2	66.7	0	0.0	1	100.0	53	23.2	3	75.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	65	28.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	98	43.0	1	25.0
Asian/Pacific Islander	1	33.3	1	33.3	0	0.0	0	0.0	9	3.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	11	4.8	0	0.0
30-39	1	33.3	1	33.3	0	0.0	1	100.0	42	18.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	37	16.2	1	25.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	72	31.6	0	0.0
60+	1	33.3	1	33.3	0	0.0	0	0.0	66	28.9	3	75.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	1	100.0	88	38.6	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	31	13.6	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	48	21.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	3	100.0	3	100.0	0	0.0	0	0.0	47	20.6	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2020, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PLWH AS OF 12/31/2020		DEATHS, 2020	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	4	80.0	1	20.0	4	100.0	442	100.0	7	100.0
GENDER												
Men	5	100.0	4	100.0	1	100.0	4	100.0	301	68.1	4	57.1
Women	0	0.0	0	0.0	0	0.0	0	0.0	141	31.9	3	42.9
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	70	15.8	0	0.0
Latino/Hispanic	2	40.0	2	50.0	0	0.0	2	50.0	127	28.7	1	14.3
White	2	40.0	1	25.0	1	100.0	2	50.0	238	53.8	6	85.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
Other/Unknown	1	20.0	1	25.0	0	0.0	0	0.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	23	5.2	0	0.0
30-39	4	80.0	3	75.0	1	100.0	3	75.0	41	9.3	1	14.3
40-49	0	0.0	0	0.0	0	0.0	0	0.0	70	15.8	0	0.0
50-59	1	20.0	1	25.0	0	0.0	1	25.0	143	32.4	1	14.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	161	36.4	5	71.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	40.0	2	50.0	0	0.0	1	25.0	119	26.9	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	67	15.2	1	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	113	25.6	1	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	18	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	3	60.0	2	50.0	1	100.0	2	50.0	108	24.4	4	57.1

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 4, 2021.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2020**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2019 NEW YORK CITY POPULATION ⁴
TOTAL	16.7	1.5	9.2	8,336,817
GENDER				
Men	27.4	2.4	8.8	3,978,442
Women	7.0	0.8	10.2	4,358,375
RACE/ETHNICITY				
Black	36.2	3.1	10.7	1,825,848
Latino/Hispanic	19.6	1.8	10.0	2,423,590
White	7.0	1.0	5.2	2,681,976
Asian/Pacific Islander	5.2	0.3	5.8	1,233,642
Native American	5.3*	1.6	16.4*	18,864
Multiracial	5.9*	0.3	38.6	152,897
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,271,277
13 - 19	9.4	0.0	0.0*	620,304
20 - 29	36.4	0.6	4.0	1,273,671
30 - 39	32.1	1.6	5.1	1,335,563
40 - 49	19.1	2.2	7.4	1,043,319
50 - 59	16.6	3.8	14.2	1,033,135
60+	4.1	2.2	28.5	1,759,548

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 19, 2021.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2019 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2020.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2020
Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2019 NEW YORK CITY POPULATION ⁴
TOTAL	16.7	1.5	9.2	8,336,817
BRONX⁵	21.6	2.2	13.1	1,421,021
Crotona - Tremont	26.5	3.1	16.0	211,274
Fordham - Bronx Park	20.9	2.3	11.1	262,610
High Bridge - Morrisania	31.5	3.0	16.4	215,772
Hunts Point - Mott Haven	27.2	2.9	13.2	139,572
Kingsbridge - Riverdale	3.3*	0.9	11.0	91,225
Northeast Bronx	14.9	1.4	11.1	201,656
Pelham - Throgs Neck	19.1	1.5	8.8	298,911
BROOKLYN⁵	16.1	1.2	10.5	2,559,903
Bedford Stuyvesant - Crown Heights	31.1	2.5	12.7	321,266
Bensonhurst - Bay Ridge	2.4*	0.4	14.1	205,312
Borough Park	3.9	0.3	7.7	330,055
Canarsie - Flatlands	14.2	0.9	11.2	204,196
Coney Island - Sheepshead Bay	6.2	0.4	11.9	289,492
Downtown - Heights - Park Slope	11.4	1.1	10.4	255,498
East Flatbush - Flatbush	25.9	1.9	9.4	293,870
East New York	33.6	2.0	11.8	184,597
Greenpoint	7.3*	0.7	6.3*	137,790
Sunset Park	7.4*	0.7	5.7*	121,676
Williamsburg - Bushwick	27.8	1.8	9.1	216,151
MANHATTAN⁵	17.5	2.0	6.4	1,611,420
Central Harlem - Morningside Heights	30.7	2.8	9.4	179,303
Chelsea - Clinton	32.5	4.5	6.9	159,914
East Harlem	28.2	2.6	12.7	113,465
Gramercy Park - Murray Hill	11.5	1.6	3.0	130,775
Greenwich Village - Soho	17.0	2.1	2.8*	82,307
Lower Manhattan	10.0*	1.0	0.6*	59,885
Union Square - Lower East Side	11.3	1.6	5.6	186,452
Upper East Side	3.7*	0.7	5.7	214,420
Upper West Side	7.8	1.5	5.3	218,099
Washington Heights - Inwood	21.4	1.8	5.4	266,801
QUEENS⁵	12.2	0.8	7.6	2,263,971
Bayside - Little Neck	0.0*	0.2	0.0*	86,896
Flushing - Clearview	6.8	0.3	17.0	249,371
Fresh Meadows	5.1*	0.3	12.9*	98,699
Jamaica	15.1	1.1	11.4	311,734
Long Island City - Astoria	16.9	1.2	5.1	206,636
Ridgewood - Forest Hills	10.7	0.5	7.7	252,912
Rockaway	16.0	1.1	19.8	124,730
Southeast Queens	11.2	0.7	4.6	206,050
Southwest Queens	10.0	0.7	4.1	278,637
West Queens	16.5	1.2	3.5	448,307
STATEN ISLAND⁵	5.3	0.5	11.7	476,143
Port Richmond	8.8*	1.0	11.3*	68,439
South Beach - Tottenville	2.6*	0.2	6.4*	191,532
Stapleton - St. George	8.9	1.0	13.5	123,648
Willowbrook	3.2*	0.2	11.8*	92,524

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated October 19, 2021.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2019 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2020.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.