

Table 3. Unique patients with drug-related hospitalizations¹ by drug type, age-adjusted rates (AAR)² per 100,000 residents, New York City, 2007

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2007 (Data Update: April and July 2014)

Drug type	2007		
	Unique Patients		
	N	%	AAR
Any drug	35,924	100%	564.1
Drug dependence	19,662	55%	309.3
Drug abuse	19,546	54%	306.5
Drug poisoning	2,819	8%	44.7
Drug induced mental disorder	4,898	14%	77.5
Opioids	13,704	38%	215.4
Opioid dependence	11,509	32%	180.9
Opioid abuse	2,769	8%	43.5
Opioid poisoning	591	2%	9.3
Cocaine	16,192	45%	257.4
Cocaine dependence	6,691	19%	106.6
Cocaine abuse	11,248	31%	178.8
Cocaine poisoning	237	1%	3.8

¹ NYC residents ages 15-84 discharged from a NYC hospital. Excludes detox and rehab discharges, self-inflicted injury, injury purposely inflicted by other persons, and injury undetermined whether accidentally or purposely inflicted (based on ICD-9 E-codes).

² Rates are calculated using intercensal New York City population denominators updated December 2014. Rates are age-adjusted to the US 2000 Standard Population.