

Table 3. Unique patients with drug-related hospitalizations¹ by drug type, age-adjusted rates (AAR)² per 100,000 residents, New York City, 2008

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2008 (Data Update: April and July 2014)

Drug type	2008		
	Unique Patients		
	N	%	AAR
Any drug	36,256	100%	563.6
Drug dependence	20,107	55%	313.6
Drug abuse	19,483	54%	302.1
Drug poisoning	2,915	8%	45.9
Drug induced mental disorder	4,614	13%	72.5
Opioids	13,822	38%	215.1
Opioid dependence	11,647	32%	181.3
Opioid abuse	2,750	8%	42.8
Opioid poisoning	618	2%	9.6
Cocaine	15,599	43%	246.2
Cocaine dependence	6,736	19%	107.0
Cocaine abuse	10,597	29%	166.9
Cocaine poisoning	194	1%	3.1

¹ NYC residents ages 15-84 discharged from a NYC hospital. Excludes detox and rehab discharges, self-inflicted injury, injury purposely inflicted by other persons, and injury undetermined whether accidentally or purposely inflicted (based on ICD-9 E-codes).

² Rates are calculated using intercensal New York City population denominators updated December 2014. Rates are age-adjusted to the US 2000 Standard Population.