

GREENPOINT

Neighborhood Health Profile

Demographics

Compared to New York City as a whole, in Greenpoint...

- The percentage of the population that is white is substantially higher (57% vs. 34%), the percentage that is African-American is substantially lower (3% vs. 25%), the percentage that is Asian is substantially lower (3% vs. 10%), and the percentage that is Hispanic is somewhat higher (31% vs. 27%)
- The fertility rate is somewhat higher (81 vs. 66/1,000 women aged 15-44) and infant mortality rate is somewhat lower (5.6 vs. 6.7/1,000 live births)
- The percent of births to women less than 20 years old (5.7% vs. 8.6%) and the percent of low birth weight babies (4.8% vs. 8.3%) are somewhat lower
- The percent of persons living in poverty is substantially higher (33% vs. 19%)
- The percent of adults 25 years and older without a high school diploma (50% vs. 32%) and the percent of linguistically isolated households (26% vs. 12%) are substantially higher

Demographic Characteristics and Vital Statistics Related to Birth



Greenpoint Compared to New York City, 2000

	<u>Greenpoint</u>	<u>New York City</u>
Total Population	124,449	8,008,278
Age-adjusted death rate (deaths per 100,000)	731	737
Fertility rate (births per 1,000 women aged 15 to 44)	81	66
Infant Mortality rate (deaths before age 1 year per 1,000 live births)	5.6	6.7
Percent of births to women less than 20 years old	5.7	8.6
Percent of women receiving first trimester prenatal care	52	60
Percent low birth weight babies (percent of live births <2500 grams)	4.8	8.3
Percent of persons living in poverty*	33	19
Percent of adults aged 25 and older without a high school diploma*	50	32
Percent of linguistically isolated households*	26	12
Percent of population less than 25 years old	40	34
Percent of population greater than or equal to 65 years old	9.6	12

*Based on 1990 Census

Population by Race/Ethnicity

Greenpoint Compared to New York City, 2000



Selected Reportable Conditions

Compared to New York City as a whole, in Greenpoint the rate of...


- **Childhood Lead poisoning is substantially lower (47 vs. 104/100,000)**
- **Gonorrhea is substantially lower (59 vs. 146/100,000)**
- **Malaria is substantially lower (0.8 vs. 2.8/100,000)**
- **Shigellosis is substantially higher (204/100,000 vs. 12/100,000) due to a large outbreak from February to May, 2000**

Selected Reportable Conditions for Greenpoint, 2000

	Neighborhood No. of Cases	Neighborhood Rate/100,000	New York City Rate/100,000
Lead Poisoning*	6	47	104
Chlamydia**	194	310	538
Gonorrhea	73	59	146
Syphilis	1	0.8	1.5
AIDS	43	35	55
Tuberculosis	19	15	17
Campylobacteriosis	16	13	11
Cryptosporidiosis	3	2.4	2.1
Giardiasis	23	18	22
Hepatitis A	7	5.6	6.7
Hepatitis B	10	8.0	7.1
Lyme disease	2	1.6	2.6
Malaria	1	0.8	2.8
Salmonellosis	32	26	15
Shigellosis	254	204	12
Typhoid fever	1	0.8	0.7

Comparing Selected Reportable Conditions

Ratio of Rate in Greenpoint to Rate of New York City, 2000



* Children ages 0 - 5 years old.

** Female cases only; rate per 100,000 women.

Selected Cancer Statistics

Compared to New York City as a whole, in Greenpoint ...


- The rate of lung cancer in adults aged 45 to 64 is somewhat lower (72 vs. 82/100,000) and the rate in adults aged 65 and older is somewhat higher (323 vs. 280/100,000)
- The rate of colorectal cancer in adults aged 45 to 64 is somewhat lower (45 vs. 57/100,000)
- The rates of breast cancer in women aged 45 to 64 (156 vs. 200/100,000) and women aged 65 and older (328 vs. 373/100,000) are somewhat lower
- The rate of prostate cancer in men aged 45 to 64 is somewhat lower (69 vs. 130/100,000)

Selected Cancers by Sex and Age for Greenpoint, 1992-1996

	Neighborhood No. of Cases	Neighborhood Avg. Yearly Rate/100,000	New York City Avg. Yearly Rate/100,000
Lung Cancer			
Adults aged 45 to 64	83	72	82
Adults aged 65 and Older	192	323	280
Colorectal Cancer			
Adults aged 45 to 64	52	45	57
Adults aged 65 and Older	199	335	313
Breast Cancer			
Women aged 45 to 64	94	156	200
Women aged 65 and Older	120	328	373
Prostate Cancer			
Men aged 45 to 64	38	69	130
Men aged 65 and Older	165	721	805

Comparing Selected Cancers, by Sex and Age

Ratio of Rate in Greenpoint to Rate of New York City, 1992-1996



Leading Causes of Hospitalization

Compared to New York City as a whole, in Greenpoint the rate of...

- Hospitalization for asthma among children aged 9 and younger is substantially lower (264 vs. 720/100,000)
- Hospitalization for asthma among adolescents aged 10 to 17 is substantially lower (67 vs. 271/100,000)
- Hospitalization for drug abuse and dependence among adults aged 18 to 24 is substantially higher (294 vs. 163/100,000)


Leading Causes of Hospitalizations by Age for Greenpoint, 2000

	Neighborhood No. of Hospitalizations	Neighborhood Rate/100,000	New York City Rate/100,000
Children Aged 0-9			
Injuries and poisonings	108	528	411
Acute bronchitis and bronchiolitis	60	293	408
Pneumonia and influenza	56	274	439
Asthma	54	264	720
Maternal cause of perinatal morbidity and mortality	31	151	173
Adolescents Aged 10-17			
Pregnancy and related conditions*	37	510	1,070
Injuries and poisonings	58	389	449
Mental disorders	42	282	367
Asthma	10	67	271
Malignant neoplasms	5	34	22
Adults Aged 18-24			
Pregnancy and related conditions*	985	13,530	9,055
Mental disorders	77	515	775
Injuries and poisonings	65	435	550
Drug abuse/dependence	44	294	163
Diabetes	15	100	81
Adults Aged 25-64			
Pregnancy and related conditions*	1,367	4,441	3,782
Mental disorders	598	961	1,127
Injuries and poisonings	479	770	652
Drug abuse/dependence	393	632	461
Ischemic heart disease	260	418	442
Adults Aged 65 and older			
Other heart diseases	394	3,312	3,375
Ischemic heart disease	317	2,665	2,599
Injuries and poisonings	230	1,933	2,148
Malignant neoplasms	200	1,681	1,647
Pneumonia and influenza	196	1,647	1,828

* Rate per 100,000 women.

Comparing Leading Causes of Hospitalization by Age

Ratio of Rate in Greenpoint to Rate of New York City, 2000



* Rate per 100,000 women.

Leading Causes of Death

Compared to New York City as a whole, in Greenpoint...

- The death rate from psychoactive substance abuse and accidental drug poisoning among adults aged 25 to 64 years is substantially higher (27 vs. 17/100,000)
- The death rate from chronic liver disease and cirrhosis among adults aged 25 to 64 years is substantially higher (18 vs. 8.0/100,000)

Leading Causes of Death by Age for Greenpoint, 2000

	Neighborhood No. of Deaths	Neighborhood Rate/100,000	New York City Rate/100,000
Adults Aged 25-64			
Malignant neoplasms	47	76	91
Diseases of heart	46	74	77
Human immunodeficiency virus (HIV) disease	18	29	41
Psychoactive substance use and accidental drug poisoning	17	27	17
Chronic liver disease and cirrhosis	11	18	8.0
Adults Aged 65 and Older			
Diseases of heart	256	2,152	2,152
Malignant neoplasms	108	908	908
Cerebrovascular diseases	22	185	146
Influenza and pneumonia	21	177	201
Diabetes mellitus	16	134	137

