



NYC Macroscopic Bibliography*

Updated January 29, 2015

Did we miss something? If so, please e-mail any citation(s) you think should be included to nycmacroscopic@health.nyc.gov. Thank you.

The State of Population Health Surveillance using Electronic Health Records: A Narrative Review

Paul MM, Greene CM, Newton-Dame R et al. Popul Health Manag. 2015 Jan 21. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/25608033>

Distribution and risk factors of Trichomonas vaginalis infection in England: an epidemiological study using electronic health records from sexually transmitted infection clinics, 2009-2011.

Mitchell HD, Lewis DA, Marsh K et al. Epidemiol Infect. 2014 Aug;142(8):1678-87. doi: 10.1017/S0950268813002902. Epub 2013 Nov 29. <http://www.ncbi.nlm.nih.gov/pubmed/24289912>

Cancer prevalence in the city of Naples: Contribution of the GP database analyses to the cancer registries network.

Pizzi C, Arpino G, Acampora G et al. Mol Clin Oncol. 2013 Jul;1(4):726-732. Epub 2013 Apr 4. <http://www.ncbi.nlm.nih.gov/pubmed/24649236>

Using Natural Language Processing on the Free Text of Clinical Documents to Screen for Evidence of Homelessness Among US Veterans.

Gundlapalli AV, Carter ME, Palmer M et al. AMIA Annu Symp Proc. 2013 Nov 16;2013:537-46. eCollection 2013.

<http://www.ncbi.nlm.nih.gov/pubmed/24551356>

Breast cancer in systemic sclerosis: results of a cross-linkage of an Italian Rheumatologic Center and a population-based Cancer Registry and review of the literature.

Colaci M1, Giuggioli D, Vacchi C et al. *Autoimmun Rev.* 2014 Feb;13(2):132-7. doi: 10.1016/j.autrev.2013.09.006. Epub 2013 Oct 6.
<http://www.ncbi.nlm.nih.gov/pubmed/24103404>

Influenza surveillance using electronic health records in the American Indian and Alaska Native population.

Keck JW1, Redd JT, Cheek JE et al. *J Am Med Inform Assoc.* 2014 Jan-Feb;21(1):132-8. doi: 10.1136/amiajnl-2012-001591. Epub 2013 Jun 6.
<http://www.ncbi.nlm.nih.gov/pubmed/23744788>

Health information technology and the primary care information project.

Kaye K, Singer J, Newton-Dame R & Shih SC. *Am J Public Health.* 2014 Mar;104(3):e8-9.
<http://www.ncbi.nlm.nih.gov/pubmed/24432950>

Developing a method to estimate practice denominators for a national Canadian electronic medical record database.

Greiver M, Williamson T, Bennett TL et al. *Fam Pract.* 2013 Jun;30(3):347-54. doi: 10.1093/fampra/cms083. Epub 2013 Jan 10.
<http://www.ncbi.nlm.nih.gov/pubmed/23307818>

Incidence and prevalence of select cardiovascular risk factors and conditions, active component, U.S. Armed Forces, 2003-2012.

Armed Forces Health Surveillance Center (AFHSC). *MSMR.* 2013 Dec;20(12):16-9.
<http://www.ncbi.nlm.nih.gov/pubmed/24428539>

Incidence and prevalence of uveitis: results from the Pacific Ocular Inflammation Study.

Acharya NR, Tham VM, Esterberg E et al. *JAMA Ophthalmol.* 2013 Nov;131(11):1405-12. doi: 10.1001/jamaophthalmol.2013.4237.
<http://www.ncbi.nlm.nih.gov/pubmed/24008391>

Prevalence and management of patients using medication targeting obstructive lung disease: a cross-sectional study in primary healthcare in Greenland.

Olsen S, Jarbøl DE, Kofoed M et al. *Int J Circumpolar Health*. 2013;72. doi: 10.3402/ijch.v72i0.20108. Epub 2013 Feb 28.

<http://www.ncbi.nlm.nih.gov/pubmed/23467651>

Validity of administrative data for identifying patients who have had a stroke or transient ischemic attack using EMERALD as a reference standard.

Tu K, Wang M, Young J et al. *Can J Cardiol*. 2013 Nov;29(11):1388-94. doi: 10.1016/j.cjca.2013.07.676. Epub 2013 Sep 26.

<http://www.ncbi.nlm.nih.gov/pubmed/24075778>

The Changing Epidemiology of Serious Bacterial Infections in Young Infants.

Greenhow TL, Hung YY, Herz AM et al. *Pediatr Infect Dis J*. 2013 Dec 9. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24326416>

Population prevalence and control of cardiovascular risk factors: What electronic medical records tell us.

Catalán-Ramos A, Verdú JM, Grau M et al. *Aten Primaria*. 2013 Dec 7. pii: S0212-6567(13)00199-6. doi: 10.1016/j.aprim.2013.06.004. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24325864>

Comorbidity Clusters in Autism Spectrum Disorders: An Electronic Health Record Time-Series Analysis.

Doshi-Velez F, Ge Y & Kohane I. *Pediatrics*. 2013 Dec 9. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24323995>

Prevalence of polycystic ovary syndrome in adolescents.

Christensen SB, Black MH, Smith N et al. *Fertil Steril*. 2013 Aug;100(2):470-7. doi: 10.1016/j.fertnstert.2013.04.001. Epub 2013 Jun 5.
<http://www.ncbi.nlm.nih.gov/pubmed/23756098>

Racial/ethnic differences in the prevalence of proteinuric and nonproteinuric diabetic kidney disease.

Bhalla V, Zhao B, Azar KM et al. *Diabetes Care*. 2013 May;36(5):1215-21. doi: 10.2337/dc12-0951. Epub 2012 Dec 13.
<http://www.ncbi.nlm.nih.gov/pubmed/23238659>

Augmenting EHR-Derived Clinical Data with Geographic-Level Public Information to Develop Research Hypotheses for Population Obesity Rates.

Roth C, Khan YM, Foraker RE & Embi PJ. *AMIA Summits Transl Sci Proc*. 2013 Mar 18;2013:226.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3845752/>

Temporal trends in incidence rates of herpes zoster among patients treated in primary care centers in Madrid (Spain), 2005-2012.

Esteban-Vasallo MD, Gil-Prieto R, Domínguez-Berjón MF et al. J Infect. 2013 Nov 16. pii: S0163-4453(13)00341-1. doi: 10.1016/j.jinf.2013.09.035. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24247069>

Estimating Wisconsin Asthma Prevalence Using Clinical Electronic Health Records and Public Health Data.

Tomasallo CD, Hanrahan LP, Tandias A et al. Am J Public Health. 2013 Nov 14. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24228643>

Validation of electronic data on chemotherapy and hormone therapy use in HMOs.

Ritzwoller DP, Carroll N, Delate T et al. Med Care. 2013 Oct;51(10):e67-73. doi: 10.1097/MLR.0b013e31824def85.
<http://www.ncbi.nlm.nih.gov/pubmed/22531648>

Impact of electronic health record systems on information integrity: quality and safety implications.

Bowman S. Perspect Health Inf Manag. 2013 Oct 1;10:1c.
<http://www.ncbi.nlm.nih.gov/pubmed/24159271>

Evaluation of Electronic Ambulatory Care Data for Influenza-Like Illness Surveillance, Washington State.

Stigi K, Baer A, Duchin JS & Lofy K. J Public Health Manag Pract. 2013 Oct 23. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24157597>

The association between insurance status and cervical cancer screening in community health centers: exploring the potential of electronic health records for population-level surveillance, 2008-2010.

Cowburn S, Carlson MJ, Lapidus JA & Devoe JE. Prev Chronic Dis. 2013 Oct 24;10:E173. doi: 10.5888/pcd10.130034.
<http://www.ncbi.nlm.nih.gov/pubmed/24157076>

Validating a natural language processing tool to exclude psychogenic nonepileptic seizures in electronic medical record-based epilepsy research.

Hamid H, Fodeh SJ, Lizama AG et al. *Epilepsy Behav.* 2013 Oct 14. pii: S1525-5050(13)00491-5. doi: 10.1016/j.yebeh.2013.09.025. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24135384>

Impact of body mass index on prevalence of multimorbidity in primary care: cohort study.

Booth HP, Prevost AT, Gulliford MC. *Fam Pract.* 2013 Oct 16. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24132593>

Prevalence of multimorbidity according to the deprivation level among the elderly in the Basque Country.

Orueta JF, Nuño-Solinís R, García-Alvarez A & Alonso-Morán E. *BMC Public Health.* 2013 Oct 3;13(1):918. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24088559>

PS2-5: Prevalence of Migraine in a Diverse Community - Electronic Methods for Migraine Ascertainment in a Large Integrated Health Plan.

Pressman A, Jacobson A & Avins A. *Clin Med Res.* 2013 Sep;11(3):151. doi: 10.3121/cmr.2013.1176.ps2-5.
<http://www.ncbi.nlm.nih.gov/pubmed/24085946>

Characteristics of resistant hypertension in a large, ethnically diverse hypertension population of an integrated health system.

Sim JJ, Bhandari SK, Shi J et al. *Mayo Clin Proc.* 2013 Oct;88(10):1099-107. doi: 10.1016/j.mayocp.2013.06.017.
<http://www.ncbi.nlm.nih.gov/pubmed/24079679>

PS1-46: Variation in Hypertension Prevalence Among Asian American Subgroups: Results from PACS (Pan Asian Cohort Study).

Jose P, Zhao B, Chung S et al. *Clin Med Res.* 2013 Sep;11(3):136. doi: 10.3121/cmr.2013.1176.ps1-46.
<http://www.ncbi.nlm.nih.gov/pubmed/24085898>

Validity of Administrative Data for Identifying Patients Who Have Had a Stroke or Transient Ischemic Attack Using EMRALD as a Reference Standard.

Tu K, Wang M, Young J et al. *Can J Cardiol.* 2013 Sep 26. pii: S0828-282X(13)01147-1. doi: 10.1016/j.cjca.2013.07.676. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24075778>

Evaluation of smoking status identification using electronic health records and open-text information in a large mental health case register.

Wu CY, Chang CK, Robson D et al. *PLoS One.* 2013 Sep 12;8(9):e74262. doi: 10.1371/journal.pone.0074262.
<http://www.ncbi.nlm.nih.gov/pubmed/24069288>

Accuracy of ICD-9-CM codes in identifying infections of pneumonia and herpes simplex virus in administrative data.

Drahos J, Vanwormer JJ, Greenlee RT et al. *Ann Epidemiol.* 2013 May;23(5):291-3. doi: 10.1016/j.annepidem.2013.02.005. Epub 2013 Mar 22.
<http://www.ncbi.nlm.nih.gov/pubmed/23522903>

United Kingdom National Ophthalmology Database Study: Diabetic Retinopathy; Report 1: prevalence of centre-involving diabetic macular oedema and other grades of maculopathy and retinopathy in hospital eye services.

Keenan TD, Johnston RL, Donachie PH et al. *Eye (Lond).* 2013 Sep 20. doi: 10.1038/eye.2013.196. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24051410>

Incidence and Prevalence of Uveitis: Results From the Pacific Ocular Inflammation Study.

Acharya NR, Tham VM, Esterberg E et al. *JAMA Ophthalmol.* 2013 Sep 5. doi: 10.1001/jamaophthalmol.2013.4237. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/24008391>

Drug-induced acute myocardial infarction: identifying 'prime suspects' from electronic healthcare records-based surveillance system.

Coloma PM, Schuemie MJ, Trifirò G et al. *PLoS One.* 2013 Aug 28;8(8):e72148. doi: 10.1371/journal.pone.0072148.
<http://www.ncbi.nlm.nih.gov/pubmed/24015213>

The Prevalence of Chronic Diseases and Multimorbidity in Primary Care Practice: A PPRNet Report.

Ornstein SM, Nietert PJ, Jenkins RG & Litvin CB. J Am Board Fam Med. 2013 Sep-Oct;26(5):518-24. doi: 10.3122/jabfm.2013.05.130012.
<http://www.ncbi.nlm.nih.gov/pubmed/24004703>

Radial collateral ligament injuries of the thumb metacarpophalangeal joint: epidemiology in a military population.

Taylor KF, Lanzi JT, Cage JM & Drake ML. J Hand Surg Am. 2013 Mar;38(3):532-6. doi: 10.1016/j.jhssa.2012.12.003. Epub 2013 Feb 1.
<http://www.ncbi.nlm.nih.gov/pubmed/23375785>

Using electronic health records data to assess comorbidities of substance use and psychiatric diagnoses and treatment settings among adults.

Wu LT, Gersing KR, Swartz MS et al. J Psychiatr Res. 2013 Apr;47(4):555-63. doi: 10.1016/j.jpsychires.2012.12.009. Epub 2013 Jan 19.
<http://www.ncbi.nlm.nih.gov/pubmed/23337131>

Prevalence of Gender Identity Disorder and Suicide Risk Among Transgender Veterans Utilizing Veterans Health Administration Care.

Blosnich JR, Brown GR, Shipherd JC et al. Am J Public Health. 2013 Aug 15. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/23947310>

Prevalence of osteoporotic fracture risk factors and antiosteoporotic treatments in the Valencia region, Spain. The baseline characteristics of the ESOSVAL cohort.

Sanf elix-Genov es J, Sanf elix-Gimeno G, Peir  S et al. Osteoporos Int. 2013 Mar;24(3):1045-55. doi: 10.1007/s00198-012-2018-6. Epub 2012 May 23.
<http://www.ncbi.nlm.nih.gov/pubmed/22618269>

Routinely-collected General Practice Data from the Electronic Patient Record and General Practitioner Active Electronic Questioning Method: A Comparative Study.

De Clercq E, Moreels S, Bossuyt N et al. Stud Health Technol Inform. 2013;192:510-4.
<http://www.ncbi.nlm.nih.gov/pubmed/23920607>

Health-oriented Electronic Oral Health Record for Health Surveillance.

Wongsapai M, Suebnukarn S, Rajchagool S & Kijisanayotin B. *Stud Health Technol Inform.* 2013;192:763-7.

<http://www.ncbi.nlm.nih.gov/pubmed/23920660>

Prevalence of dyslipidemia and lipid goal attainment in statin-treated subjects from 3 data sources: a retrospective analysis.

Jones PH, Nair R, Thakker KM. *J Am Heart Assoc.* 2012 Dec;1(6):e001800. doi: 10.1161/JAHA.112.001800. Epub 2012 Dec 19.

<http://www.ncbi.nlm.nih.gov/pubmed/23316314>

Prevalence of chronic diseases at the onset of inflammatory arthritis: a population-based study.

Ursum J, Korevaar JC, Twisk JW et al. *Fam Pract.* 2013 Jul 20. [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/23873902>

The Korean Heart Study: rationale, objectives, protocol, and preliminary results for a new prospective cohort study of 430,920 men and women.

Jee SH, Batty GD, Jang Y et al. *Eur J Prev Cardiol.* 2013 Jul 17. [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/23864362>

A new statistical approach to predict bacteremia using electronic medical records.

Jin SJ, Kim M, Yoon JH & Song YG. *Scand J Infect Dis.* 2013 Jul 1. [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/23808716>

Evaluation of a Pilot Respiratory Virus Surveillance System Linking Electronic Health Record and Diagnostic Data.

Al-Samarrai T, Wu W, Begier E et al. *J Public Health Manag Pract.* 2013 July/August;19(4):322-329.

<http://www.ncbi.nlm.nih.gov/pubmed/23449125>

Multi-Institutional Sharing of Electronic Health Record Data to Assess Childhood Obesity.

Bailey LC, Milov DE, Kelleher K et al. *PLoS One.* 2013 Jun 18;8(6):e66192. Print 2013.

<http://www.ncbi.nlm.nih.gov/pubmed/23823186>

Influenza surveillance using electronic health records in the American Indian and Alaska Native population.

Keck JW, Redd JT, Cheek JE et al. J Am Med Inform Assoc. 2013 Jun 6. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/23744788>

Identifying cases of congestive heart failure from administrative data: a validation study using primary care patient records.

Schultz SE, Rothwell DM, Chen Z & Tu K. Chronic Dis Inj Can. 2013 Jun;33(3):160-6.
<http://www.ncbi.nlm.nih.gov/pubmed/23735455>

Public Health Surveillance in the Dialysis Setting: Opportunities and Challenges for Using Electronic Health Records.

Wise ME & Lovell C. Semin Dial. 2013 May 31. doi: 10.1111/sdi.12098. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/23721477>

Use of practice-based research network data to measure neighborhood smoking prevalence.

Linder JA, Rigotti NA, Brawarsky P et al. Prev Chronic Dis. 2013 May 23;10:E84. doi:
10.5888/pcd10.120132.
<http://www.ncbi.nlm.nih.gov/pubmed/23701721>

Prevalence of obesity and extreme obesity in children aged 3-5 years.

Lo JC, Maring B, Chandra M et al. Pediatr Obes. 2013 May 15. doi: 10.1111/j.2047-
6310.2013.00154.x. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/23677690>

A population-based study of the epidemiology and clinical features of methicillin-resistant Staphylococcus aureus infection in Pennsylvania, 2001-2010.

Casey JA, Cosgrove SE, Stewart WF et al. Epidemiol Infect. 2013 Jun;141(6):1166-79. doi:
10.1017/S0950268812001872. Epub 2013 Apr 23.
<http://www.ncbi.nlm.nih.gov/pubmed/22929058>

Public health surveillance with electronic medical records: at risk of surveillance bias and overdiagnosis.

Chiolero A, Santschi V & Paccaud F. Eur J Public Health. 2013 Jun;23(3):350-1. doi: 10.1093/eurpub/ckt044. Epub 2013 Apr 18.
<http://www.ncbi.nlm.nih.gov/pubmed/23599219>

Towards public health decision support: a systematic review of bidirectional communication approaches.

Dixon BE, Gamache RE & Grannis SJ. J Am Med Inform Assoc. 2013 May 1;20(3):577-83. doi: 10.1136/amiajnl-2012-001514. Epub 2013 Mar 6.
<http://www.ncbi.nlm.nih.gov/pubmed/23467470>

Use of electronic health record data to identify skin and soft tissue infections in primary care settings: a validation study.

Levine PJ, Elman MR, Kullar R et al. BMC Infect Dis. 2013 Apr 10;13:171. doi: 10.1186/1471-2334-13-171.
<http://www.ncbi.nlm.nih.gov/pubmed/23574801>

Regional epidemiologic assessment of prevalent periodontitis using an electronic health record system.

Acharya A, VanWormer JJ, Waring SC et al. Am J Epidemiol. 2013 Apr 1;177(7):700-7. doi: 10.1093/aje/kws293. Epub 2013 Mar 4.
<http://www.ncbi.nlm.nih.gov/pubmed/23462966>

Prevalence of adult Huntington's disease in the UK based on diagnoses recorded in general practice records.

Evans SJ, Douglas I, Rawlins MD et al. J Neurol Neurosurg Psychiatry. 2013 Mar 29. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/23482661>

Comparison of the information provided by electronic health records data and a population health survey to estimate prevalence of selected health conditions and multimorbidity.

Violán C, Foguet-Boreu Q, Hermosilla-Pérez E et al. BMC Public Health. 2013 Mar 21;13:251. doi: 10.1186/1471-2458-13-251.
<http://www.ncbi.nlm.nih.gov/pubmed/23517342>

Regional epidemiologic assessment of prevalent periodontitis using an electronic health record system.

Acharya A, VanWormer JJ, Waring SC et al. *Am J Epidemiol.* 2013 Apr 1;177(7):700-7. doi: 10.1093/aje/kws293. Epub 2013 Mar 4.
<http://www.ncbi.nlm.nih.gov/pubmed/23462966>

Improved cardiovascular risk prediction using nonparametric regression and electronic health record data.

Kennedy EH, Wiitala WL, Hayward RA & Sussman JB. *Med Care.* 2013 Mar;51(3):251-8.
<http://www.ncbi.nlm.nih.gov/pubmed/23269109>

Optimising use of electronic health records to describe the presentation of rheumatoid arthritis in primary care: a strategy for developing code lists.

Nicholson A, Ford E, Davies KA et al. *PLoS One.* 2013;8(2):e54878. doi: 10.1371/journal.pone.0054878. Epub 2013 Feb 22.
<http://www.ncbi.nlm.nih.gov/pubmed/23451024>

ICD-9 tobacco use codes are effective identifiers of smoking status.

Wiley LK, Shah A, Xu H & Bush WS. *J Am Med Inform Assoc.* 2013 Jul 1;20(4):652-8. doi: 10.1136/amiajnl-2012-001557. Epub 2013 Feb 9.
<http://www.ncbi.nlm.nih.gov/pubmed/23396545>

Evaluating the implementation of expert committee recommendations for obesity assessment.

Sharifi M, Rifas-Shiman SL, Marshall R et al. *Clin Pediatr (Phila).* 2013 Feb;52(2):131-8. doi: 10.1177/0009922812471712.
<http://www.ncbi.nlm.nih.gov/pubmed/23378479>

Prevalence of Childhood Obesity among Young Multiethnic Children from a Health Maintenance Organization in Hawaii.

Novotny R, Oshiro CE & Wilkens LR. *Child Obes.* 2013 Feb;9(1):35-42.
<http://www.ncbi.nlm.nih.gov/pubmed/23373877>

Developing a method to estimate practice denominators for a national Canadian electronic medical record database.

Greiver M, Williamson T, Bennett TL et al. *Fam Pract.* 2013 Jun;30(3):347-54. doi: 10.1093/fampra/cms083. Epub 2013 Jan 10.
<http://www.ncbi.nlm.nih.gov/pubmed/23307818>

Changing prescribing patterns of type 2 diabetes medications from 2002-2010: an electronic health record-based evaluation.

Mehta SN, Goldfine AB, Abrahamson MJ et al. *J Diabetes Sci Technol.* 2013 Jan 1;7(1):119-22.
<http://www.ncbi.nlm.nih.gov/pubmed/23439167>

Use of electronic health records and administrative data for public health surveillance of eye health and vision-related conditions in the United States.

Elliott AF, Davidson A, Lum F et al. *Am J Ophthalmol.* 2012 Dec;154(6 Suppl):S63-70. doi: 10.1016/j.ajo.2011.10.002.
<http://www.ncbi.nlm.nih.gov/pubmed/23158225>

Validation of a coding algorithm to identify patients with hepatocellular carcinoma in an administrative database.

Goldberg DS, Lewis JD, Halpern SD et al. *Pharmacoepidemiol Drug Saf.* 2013 Jan;22(1):103-7. doi: 10.1002/pds.3367. Epub 2012 Nov 4.
<http://www.ncbi.nlm.nih.gov/pubmed/23124932>

Strengthening public health and primary care collaboration through electronic health records.

Calman N, Hauser D, Lurio J et al. *Am J Public Health.* 2012 Nov;102(11):e13-8. doi: 10.2105/AJPH.2012.301000. Epub 2012 Sep 20.
<http://www.ncbi.nlm.nih.gov/pubmed/22994274>

Monitoring the prevalence of chronic conditions: which data should we use?

Orueta JF, Nuño-Solinis R, Mateos M et al. *BMC Health Serv Res.* 2012 Oct 22;12:365. doi: 10.1186/1472-6963-12-365.
<http://www.ncbi.nlm.nih.gov/pubmed/23088761>

Derivation and validation of automated electronic search strategies to extract Charlson comorbidities from electronic medical records.

Singh B, Singh A, Ahmed A et al. Mayo Clin Proc. 2012 Sep;87(9):817-24.
<http://www.ncbi.nlm.nih.gov/pubmed/22958988>

Accuracy of heart disease prevalence estimated from claims data compared with an electronic health record.

Kottke TE, Baechler CJ & Parker ED. Prev Chronic Dis. 2012;9:E141. doi: 10.5888/pcd9.120009.
<http://www.ncbi.nlm.nih.gov/pubmed/22916996>

Electronic health record surveillance algorithms facilitate the detection of transfusion-related pulmonary complications.

Clifford L, Singh A, Wilson GA et al. Transfusion. 2013 Jun;53(6):1205-16. doi: 10.1111/j.1537-2995.2012.03886.x. Epub 2012 Aug 31.
<http://www.ncbi.nlm.nih.gov/pubmed/22934792>

Public health surveillance in the United States: evolution and challenges.

Thacker SB, Qualters JR & Lee LM. MMWR Surveill Summ. 2012 Jul 27;61 Suppl:3-9.
<http://www.ncbi.nlm.nih.gov/pubmed/22832990>

Diabetes and asthma case identification, validation, and representativeness when using electronic health data to construct registries for comparative effectiveness and epidemiologic research.

Desai JR, Wu P, Nichols GA et al. Med Care. 2012 Jul;50 Suppl:S30-5. doi: 10.1097/MLR.0b013e318259c011.
<http://www.ncbi.nlm.nih.gov/pubmed/22692256>

Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study.

Dregan A, Moller H, Murray-Thomas T & Gulliford MC. Cancer Epidemiol. 2012 Oct;36(5):425-9. doi: 10.1016/j.canep.2012.05.013. Epub 2012 Jun 21.
<http://www.ncbi.nlm.nih.gov/pubmed/22727737>

Construction of a multisite DataLink using electronic health records for the identification, surveillance, prevention, and management of diabetes mellitus: the SUPREME-DM project.

Nichols GA, Desai J, Elston Lafata J et al. *Prev Chronic Dis.* 2012;9:E110. Epub 2012 Jun 7.
<http://www.ncbi.nlm.nih.gov/pubmed/22677160>

Integrating clinical practice and public health surveillance using electronic medical record systems.

Klompas M, McVetta J, Lazarus R et al. *Am J Public Health.* 2012 Jun;102 Suppl 3:S325-32. doi: 10.2105/AJPH.2012.300811.
<http://www.ncbi.nlm.nih.gov/pubmed/22690967>

The theory and application of UW ehealth-PHINEX, a clinical electronic health record-public health information exchange.

Guilbert TW, Arndt B, Temte J et al. *WMJ.* 2012 Jun;111(3):124-33.
<http://www.ncbi.nlm.nih.gov/pubmed/22870558>

Epidemiology of primary and secondary thrombocytopenia: first analysis of an administrative database in a major Italian institution.

Galdarossa M, Vianello F, Tezza F et al. *Blood Coagul Fibrinolysis.* 2012 Jun;23(4):271-7. doi: 10.1097/MBC.0b013e328351882d.
<http://www.ncbi.nlm.nih.gov/pubmed/22343688>

Comparison of electronic laboratory reports, administrative claims, and electronic health record data for acute viral hepatitis surveillance.

Allen-Dicker J, Klompas M. *J Public Health Manag Pract.* 2012 May-Jun;18(3):209-14. doi: 10.1097/PHH.0b013e3281821f2d73.
<http://www.ncbi.nlm.nih.gov/pubmed/22473112>

Small, nonteaching, and rural hospitals continue to be slow in adopting electronic health record systems.

DesRoches CM, Worzala C, Joshi MS et al. *Health Aff (Millwood).* 2012;31(5):1092-9. Epub 2012 Apr 24.
<http://www.ncbi.nlm.nih.gov/pubmed/22535503>

"Lost to follow-up": the public health goals of accountable care.

Calman NS, Hauser D, Chokshi D. *Arch Intern Med*. 2012 Apr 9;172(7):584-6. doi: 10.1001/archinternmed.2012.219.
<http://www.ncbi.nlm.nih.gov/pubmed/22493465>

The use of regional platforms for managing electronic health records for the production of regional public health indicators in France.

Metzger MH, Durand T, Lallich S et al. *BMC Med Inform Decis Mak*. 2012 Apr 3;12:28. doi: 10.1186/1472-6947-12-28.
<http://www.ncbi.nlm.nih.gov/pubmed/22471902>

Patient-reported measures of psychosocial issues and health behavior should be added to electronic health records.

Glasgow RE, Kaplan RM, Ockene JK et al. *Health Aff (Millwood)*. 2012 Mar;31(3):497-504. doi: 10.1377/hlthaff.2010.1295.
<http://www.ncbi.nlm.nih.gov/pubmed/22392660>

Gastrointestinal disease outbreak detection using multiple data streams from electronic medical records.

Greene SK, Huang J, Abrams AM et al. *Foodborne Pathog Dis*. 2012 May;9(5):431-41. doi: 10.1089/fpd.2011.1036. Epub 2012 Mar 19.
<http://www.ncbi.nlm.nih.gov/pubmed/22429155>

Health-related quality of life (EQ-5D) among homeless persons compared to a general population sample in Stockholm County, 2006.

Sun S, Irestig R, Burstrom B et al. *Scand J Public Health*. 2012 Mar;40(2):115-25. doi: 10.1177/1403494811435493. Epub 2012 Feb 10.
<http://www.ncbi.nlm.nih.gov/pubmed/22327187>

Feasibility study of geospatial mapping of chronic disease risk to inform public health commissioning.

Noble D, Smith D, Mathur R, Robson J & Greenhalgh T. *BMJ Open*. 2012 Feb 15;2(1):e000711. doi: 10.1136/bmjopen-2011-000711. Print 2012.
<http://www.ncbi.nlm.nih.gov/pubmed/22337817>

The Heart of New Ulm Project: using community-based cardiometabolic risk factor screenings in a rural population health improvement initiative.

VanWormer JJ, Johnson PJ, Pereira RF et al. Popul Health Manag. 2012;15(3):135-43. Epub 2012 Feb 7.

<http://www.ncbi.nlm.nih.gov/pubmed/22313445>

Building a robust, scalable and standards-driven infrastructure for secondary use of EHR data: the SHARPn project.

Rea S, Pathak J, Savova G et al. J Biomed Inform. 2012 Aug;45(4):763-71. doi: 10.1016/j.jbi.2012.01.009. Epub 2012 Feb 4.

<http://www.ncbi.nlm.nih.gov/pubmed/22326800>

A computer based, automated analysis of process and outcomes of diabetic care in 23 GP practices.

Hill F & Bradley C. Ir Med J. 2012 Feb;105(2):45-7.

<http://www.ncbi.nlm.nih.gov/pubmed/22455238>

Public health surveillance and meaningful use regulations: a crisis of opportunity.

Lenert L & Sundwall DN. Am J Public Health. 2012 Mar;102(3):e1-7. doi: 10.2105/AJPH.2011.300542. Epub 2012 Jan 19.

<http://www.ncbi.nlm.nih.gov/pubmed/22390523>

Diabetes in North Carolina: descriptive epidemiology and meaningful use of electronic health records.

Young LA & Potru P. N C Med J. 2011 Sep-Oct;72(5):383-6.

<http://www.ncbi.nlm.nih.gov/pubmed/22416517>

Harnessing electronic health records for public health surveillance.

Klompas M, Murphy M, Lankiewicz J et al. Online J Public Health Inform. 2011;3(3). pii: ojphi.v3i3.3794. doi: 10.5210/ojphi.v3i3.3794. Epub 2011 Dec 22.

<http://www.ncbi.nlm.nih.gov/pubmed/23569616>

Child and adolescent mental health care in Dutch general practice: time trend analyses.

Zwaanswijk M, van Dijk CE & Verheij RA. BMC Fam Pract. 2011 Dec 1;12:133.
<http://www.ncbi.nlm.nih.gov/pubmed/22133283>

Incidence and prevalence of "diagnosed OCD" in a primary care, treatment seeking, population.

Veldhuis J, Dieleman JP, Wohlfarth T et al. Int J Psychiatry Clin Pract. 2012 Jun;16(2):85-92. doi: 10.3109/13651501.2011.617454. Epub 2011 Nov 16.
<http://www.ncbi.nlm.nih.gov/pubmed/22122660>

Cataract research using electronic health records.

Waudby CJ, Berg RL, Linneman JG et al. BMC Ophthalmol. 2011 Nov 11;11:32.
<http://www.ncbi.nlm.nih.gov/pubmed/22078460>

The Hub Population Health System: distributed ad hoc queries and alerts.

Buck MD, Anane S, Taverna J, Amirfar S et al. J Am Med Inform Assoc. 2012;19(e1):e46-e50. Epub 2011 Nov 9.
<http://www.ncbi.nlm.nih.gov/pubmed/22071531>

Improvement of diabetes care in a small but geographically widely spread population in Greenland. Effects of a national diabetes care programme.

Pedersen ML & Jacobsen JL. Diabet Med. 2011 Nov;28(11):1425-32.
<http://www.ncbi.nlm.nih.gov/pubmed/21615488>

Implementation of an innovative, integrated electronic medical record (EMR) and public health information exchange for HIV/AIDS.

Herwehe J, Wilbright W, Abrams A et al. J Am Med Inform Assoc. 2012 May-Jun;19(3):448-52. doi: 10.1136/amiajnl-2011-000412. Epub 2011 Oct 28.
<http://www.ncbi.nlm.nih.gov/pubmed/22037891>

Validation of diabetes mellitus and hypertension diagnosis in computerized medical records in primary health care.

de Burgos-Lunar C, Salinero-Fort MA, Cárdenas-Valladolid J et al. BMC Med Res Methodol. 2011 Oct 28;11:146. doi: 10.1186/1471-2288-11-146.
<http://www.ncbi.nlm.nih.gov/pubmed/22035202>

Underdiagnosis of hypertension using electronic health records.

Banerjee D, Chung S, Wong EC et al. Am J Hypertens. 2012 Jan;25(1):97-102. doi: 10.1038/ajh.2011.179. Epub 2011 Oct 27.
<http://www.ncbi.nlm.nih.gov/pubmed/22031453>

Harnessing electronic health records for public health surveillance.

Klompas M, Murphy M, Lankiewicz J et al. Online J Public Health Inform. 2011;3(3). pii: ojphi.v3i3.3794. doi: 10.5210/ojphi.v3i3.3794. Epub 2011 Dec 22.
<http://www.ncbi.nlm.nih.gov/pubmed/23569616>

Agreement in documentation of symptoms, clinical signs, and treatment at the end of life: a comparison of data retrieved from nurse interviews and electronic patient records using the Resident Assessment Instrument for Palliative Care.

Steindal SA, Sørbye LW, Bredal IS & Lerdal A. J Clin Nurs. 2012 May;21(9-10):1416-24. doi: 10.1111/j.1365-2702.2011.03867.x. Epub 2011 Oct 25.
<http://www.ncbi.nlm.nih.gov/pubmed/22023535>

Root causes underlying challenges to secondary use of data.

Ancker JS, Shih S, Singh MP et al. AMIA Annu Symp Proc. 2011;2011:57-62. Epub 2011 Oct 22.
<http://www.ncbi.nlm.nih.gov/pubmed/22195055>

State electronic disease surveillance systems --- United States, 2007 and 2010.

Centers for Disease Control and Prevention. MMWR. 2011 Oct 21;60(41):1421-3.
<http://www.ncbi.nlm.nih.gov/pubmed/22012115>

Herpes zoster and postherpetic neuralgia surveillance using structured electronic data.

Klompas M, Kulldorff M, Vilks Y et al. Mayo Clin Proc. 2011 Dec;86(12):1146-53. doi: 10.4065/mcp.2011.0305. Epub 2011 Oct 13.
<http://www.ncbi.nlm.nih.gov/pubmed/21997577>

Use of electronic medical records (EMR) for oncology outcomes research: assessing the comparability of EMR information to patient registry and health claims data.

Lau EC, Mowat FS, Kelsh MA et al. Clin Epidemiol. 2011;3:259-72. doi: 10.2147/CLEP.S23690. Epub 2011 Oct 11.
<http://www.ncbi.nlm.nih.gov/pubmed/22135501>

Canadian Primary Care Sentinel Surveillance Network: A developing resource for family medicine and public health.

Birtwhistle RV. Can Fam Physician. 2011 Oct;57(10):1219-20.
<http://www.ncbi.nlm.nih.gov/pubmed/21998241>

Body mass index and the built and social environments in children and adolescents using electronic health records.

Schwartz BS, Stewart WF, Godby S et al. Am J Prev Med. Oct;41(4):e17-28. doi: 10.1016/j.amepre.2011.06.038.
<http://www.ncbi.nlm.nih.gov/pubmed/21961475>

Syndromic surveillance during pandemic (H1N1) 2009 outbreak, New York, New York, USA.

Plagianos MG, Wu WY, McCullough C et al. Emerg Infect Dis. 2011 Sep;17(9):1724-6. doi: 10.3201/eid1709.101357.
<http://www.ncbi.nlm.nih.gov/pubmed/21888804>

Diabetes in North Carolina: descriptive epidemiology and meaningful use of electronic health records.

Young LA & Potru P. N C Med J. 2011 Sep-Oct;72(5):383-6.
<http://www.ncbi.nlm.nih.gov/pubmed/22416517>

Electronic medical records (EMRs), epidemiology, and epistemology: reflections on EMRs and future pediatric clinical research.

Wasserman RC. Acad Pediatr. 2011 Jul-Aug;11(4):280-7. doi: 10.1016/j.acap.2011.02.007. Epub 2011 May 31.

<http://www.ncbi.nlm.nih.gov/pubmed/21622040>

Prevalence of abdominal wall hernia in participants with abdominal aortic aneurysm versus peripheral arterial disease--a population-based study.

Pannu R & McPhail IR. Angiology. 2012 Feb;63(2):146-9. doi: 10.1177/0003319711409922. Epub 2011 May 20.

<http://www.ncbi.nlm.nih.gov/pubmed/21602257>

Can data from primary care medical records be used to monitor national smoking prevalence?

Szatkowski L, Lewis S, McNeill A et al. J Epidemiol Community Health. 2012 Sep;66(9):791-5. doi: 10.1136/jech.2010.120154. Epub 2011 May 13.

<http://www.ncbi.nlm.nih.gov/pubmed/21571750>

Evaluation of the Reliability of Electronic Medical Record Data in Identifying Comorbid Conditions among Patients with Advanced Non-Small Cell Lung Cancer.

Muehlenbein CE, Hoverman JR, Gruschkus SK et al. J Cancer Epidemiol. 2011;2011:983271. doi: 10.1155/2011/983271. Epub 2011 May 2.

<http://www.ncbi.nlm.nih.gov/pubmed/21765829>

Use of a large diabetes electronic medical record system in India: clinical and research applications.

Pradeepa R, Prabu AV, Jebarani S et al. J Diabetes Sci Technol. 2011 May 1;5(3):543-52.

<http://www.ncbi.nlm.nih.gov/pubmed/21722570>

The FIRE project: a milestone for research in primary care in Switzerland.

Chmiel C, Bhend H, Senn O et al. Swiss Med Wkly. 2011 Jan 28;140:w13142. doi: 10.4414/smw.2011.13142.

<http://www.ncbi.nlm.nih.gov/pubmed/21279858>

Why is it difficult to implement e-health initiatives? A qualitative study.

Murray E, Burns J, May C et al. Implementation Science. 2011 Jan 19;6:6. doi: 10.1186/1748-5908-6-6.
<http://www.ncbi.nlm.nih.gov/pubmed/21244714>

Passive case-finding for Alzheimer's disease and dementia in two U.S. communities.

Knopman DS, Petersen RC, Rocca WA et al. Alzheimers Dement. 2011 Jan;7(1):53-60. doi: 10.1016/j.jalz.2010.11.001.
<http://www.ncbi.nlm.nih.gov/pubmed/21255743>

Design and testing of an architecture for a national primary care chronic disease surveillance network in Canada.

Keshavjee K, Chevendra V, Martin K et al. Stud Health Technol Inform. 2011;164:341-5.
<http://www.ncbi.nlm.nih.gov/pubmed/21335734>

What are the barriers to conducting international research using routinely collected primary care data?

de Lusignan S, Pearce C, Shaw NT et al. Stud Health Technol Inform. 2011;165:135-40.
<http://www.ncbi.nlm.nih.gov/pubmed/21685599>

Construction and validation of a scoring system for the selection of high-quality data in a Spanish population primary care database (SIDIAP).

García-Gil Mdel M, Hermosilla E, Prieto-Alhambra D et al. Inform Prim Care. 2011;19(3):135-45.
<http://www.ncbi.nlm.nih.gov/pubmed/22688222>

Prevalence of lipid abnormalities before and after introduction of lipid modifying therapy among Swedish patients with dyslipidemia (PRIMULA).

Pettersson B, Ambegaonkar B, Sazonov V et al. BMC Public Health. 2010 Nov 29;10:737.
<http://www.ncbi.nlm.nih.gov/pubmed/21114824>

Diagnostic accuracy of existing methods for identifying diabetic foot ulcers from inpatient and outpatient datasets.

Sohn MW, Budiman-Mak E, Stuck RM et al. J Foot Ankle Res. 2010 Nov 24;3:27.
<http://www.ncbi.nlm.nih.gov/pubmed/21106076>

Research priorities for syndromic surveillance systems response: consensus development using nominal group technique.

Uscher-Pines L, Babin SM, Farrell CL et al. J Public Health Manag Pract. 2010 Nov-Dec;16(6):529-34. doi: 10.1097/PHH.0b013e3181c7c9bd.
<http://www.ncbi.nlm.nih.gov/pubmed/20885183>

The Northwest Public Health Information Exchange's Accomplishments in Connecting a Health Information Exchange with Public Health.

Dobbs D, Trebatoski M & Revere D. Online J Public Health Inform. 2010;2(2). pii: ojphi.v2i2.3210. doi: 10.5210/ojphi.v2i2.3210. Epub 2010 Oct 29.
<http://www.ncbi.nlm.nih.gov/pubmed/23569585>

Heart failure in the family practice: a study of the prevalence and co-morbidity.

Carmona M, García-Olmos LM, Alberquilla A et al. Fam Pract. 2011 Apr;28(2):128-33. doi: 10.1093/fampra/cmq084. Epub 2010 Oct 26.
<http://www.ncbi.nlm.nih.gov/pubmed/20978242>

Prevalence of chronic diseases and morbidity in primary health care in central Greece: an epidemiological study.

Minas M, Koukosias N, Zintzaras E et al. BMC Health Serv Res. 2010 Aug 28;10:252.
<http://www.ncbi.nlm.nih.gov/pubmed/20799979>

Incidence and prevalence of primary sclerosing cholangitis in a defined adult population in Sweden.

Lindkvist B, Benito de Valle M, Gullberg B & Björnsson E. Hepatology. 2010 Aug;52(2):571-7.
<http://www.ncbi.nlm.nih.gov/pubmed/20683956>

The "meaningful use" regulation for electronic health records.

Blumenthal D, Tavenner M. N Engl J Med. N Engl J Med. 2010 Aug 5;363(6):501-4. doi: 10.1056/NEJMp1006114. Epub 2010 Jul 13.
<http://www.ncbi.nlm.nih.gov/pubmed/20647183>

Baseline characteristic differences between patients prescribed sitagliptin vs. other oral antihyperglycemic agents: analysis of a US electronic medical record database.

Zhang Q, Rajagopalan S, Mavros P et al. *Curr Med Res Opin.* 2010 Jul;26(7):1697-703
<http://www.ncbi.nlm.nih.gov/pubmed/20465367>

Quality of care for anxiety and depression in different ethnic groups by family practitioners in urban areas in the Netherlands.

Fassaert T, Nielen M, Verheij R et al. *Gen Hosp Psychiatry.* 2010 Jul-Aug;32(4):368-76.
<http://www.ncbi.nlm.nih.gov/pubmed/20633740>

Health care costs of depression in primary care patients in The Netherlands.

Bosmans JE, de Bruijne MC, de Boer MR et al. *Fam Pract.* 2010 Oct;27(5):542-8. doi: 10.1093/fampra/cmq033. Epub 2010 Jun 8.
<http://www.ncbi.nlm.nih.gov/pubmed/20530527>

Comparison of GE Centricity Electronic Medical Record database and National Ambulatory Medical Care Survey findings on the prevalence of major conditions in the United States.

Crawford AG, Cote C, Couto J et al. *Popul Health Manag.* 2010 Jun;13(3):139-50.
<http://www.ncbi.nlm.nih.gov/pubmed/20568974>

Prevalence of obesity, type II diabetes mellitus, hyperlipidemia, and hypertension in the United States: findings from the GE Centricity Electronic Medical Record database.

Crawford AG, Cote C, Couto J et al. *Popul Health Manag.* 2010 Jun;13(3):151-61.
<http://www.ncbi.nlm.nih.gov/pubmed/20521902>

Diabetes prevalence, diabetes regimen and co-morbidity in depressed patients compared with non-depressed patients in primary care in the Netherlands.

Adriaanse MC & Bosmans JE. *Diabet Med.* 2010 Jun;27(6):718-22.
<http://www.ncbi.nlm.nih.gov/pubmed/20546295>

Epidemiology of herpes zoster infection among patients treated in primary care centres in the Valencian community (Spain).

Cebrián-Cuenca AM, Díez-Domingo J, Rodríguez MS et al. BMC Fam Pract. 2010 May 6;11:33. doi: 10.1186/1471-2296-11-33.
<http://www.ncbi.nlm.nih.gov/pubmed/20459608>

Differences in baseline characteristics between patients prescribed sitagliptin versus exenatide based on a US electronic medical record database.

Zhang Q, Rajagopalan S, Mavros P et al. Adv Ther. 2010 Apr;27(4):223-32. doi: 10.1007/s12325-010-0024-7. Epub 2010 May 10.
<http://www.ncbi.nlm.nih.gov/pubmed/20464538>

Prevalence of diagnosed sleep disorders in pediatric primary care practices.

Meltzer LJ, Johnson C, Crosette J et al. Pediatrics. 2010 Jun;125(6):e1410-8. doi: 10.1542/peds.2009-2725. Epub 2010 May 10.
<http://www.ncbi.nlm.nih.gov/pubmed/20457689>

Prevalence of chronic medical conditions among inmates in the Texas prison system.

Harzke AJ, Baillargeon JG, Pruitt SL et al. J Urban Health. 2010 May;87(3):486-503.
<http://www.ncbi.nlm.nih.gov/pubmed/20393884>

ED syndromic surveillance for novel H1N1 spring 2009.

Bellazzini MA & Minor KD. Am J Emerg Med. 2011 Jan;29(1):70-4. doi: 10.1016/j.ajem.2009.09.009. Epub 2010 Mar 25.
<http://www.ncbi.nlm.nih.gov/pubmed/20825786>

Prevalence of extreme obesity in a multiethnic cohort of children and adolescents.

Koebnick C, Smith N, Coleman KJ et al. J Pediatr. 2010 Jul;157(1):26-31.e2. doi: 10.1016/j.jpeds.2010.01.025. Epub 2010 Mar 19.
<http://www.ncbi.nlm.nih.gov/pubmed/20303506>

Secondary Use of EHR: Data Quality Issues and Informatics Opportunities.

Botsis T, Hartvigsen G, Chen F & Weng C. AMIA Summits Transl Sci Proc. 2010 Mar 1;2010:1-5.
<http://www.ncbi.nlm.nih.gov/pubmed/21347133>

Emergency department chief complaint and diagnosis data to detect influenza-like illness with an electronic medical record.

May LS, Griffin BA, Bauers NM et al. West J Emerg Med. 2010 Feb;11(1):1-9.
<http://www.ncbi.nlm.nih.gov/pubmed/20411066>

Observing the spread of common illnesses through a community: using Geographic Information Systems (GIS) for surveillance.

Horst MA, Coco AS. J Am Board Fam Med. 2010 Jan-Feb;23(1):32-41. doi:
10.3122/jabfm.2010.01.090137.
<http://www.ncbi.nlm.nih.gov/pubmed/20051540>

Launching HITECH.

Blumenthal D. N Engl J Med. 2010 Feb 4;362(5):382-5. doi: 10.1056/NEJMp0912825. Epub 2009 Dec 30.
<http://www.ncbi.nlm.nih.gov/pubmed/20042745>

Secondary use of EHR data for correlated comorbidity prevalence estimate.

Stakic SB & Tasic S. Conf Proc IEEE Eng Med Biol Soc. 2010;2010:3907-10.
<http://www.ncbi.nlm.nih.gov/pubmed/21097080>

Validation of computerized diagnostic information in a clinical database from a national equine clinic network.

Penell JC, Bonnett BN, Pringle J & Egenvall A. Acta Vet Scand. 2009 Dec 10;51:50.
<http://www.ncbi.nlm.nih.gov/pubmed/20003256>

Computer-based screening of veterans for metabolic syndrome.

Keane J, Meier JL, Noth RH, Swislocki AL. Metab Syndr Relat Disord. 2009 Dec;7(6):557-61.
<http://www.ncbi.nlm.nih.gov/pubmed/19558266>

Epidemiological usefulness of population-based electronic clinical records in primary care: estimation of the prevalence of chronic diseases.

Esteban-Vasallo MD, Domínguez-Berjón MF, Astray-Mochales J et al. *Fam Pract.* 2009 Dec;26(6):445-54. Epub 2009 Oct 8.
<http://www.ncbi.nlm.nih.gov/pubmed/19815673>

Opportunity knocks: the electronic (public health) medical record.

Platt R. *Epidemiology.* 2009 Sep;20(5):662-3. doi: 10.1097/EDE.0b013e3181b0fb78.
<http://www.ncbi.nlm.nih.gov/pubmed/19680036>

Syndromic surveillance: early results from the MARISSA project.

Gangnon R, Bellazzini M, Minor K, Johnson M. *WMJ.* 2009 Aug;108(5):256-8.
<http://www.ncbi.nlm.nih.gov/pubmed/19743758>

Building a pan-Canadian primary care sentinel surveillance network: Initial development and moving forward.

Birtwhistle R, Keshavjee K, Lambert-Lanning A et al. Building a pan-Canadian primary care sentinel surveillance network: Initial development and moving forward. *J Am Board Fam Med.* 2009 Jul-Aug;22(4):412-22. doi: 10.3122/jabfm.2009.04.090081.
<http://www.ncbi.nlm.nih.gov/pubmed/19587256>

Trends in overweight and obesity prevalence in Dutch, Turkish, Moroccan and Surinamese South Asian children in the Netherlands.

de Wilde JA, van Dommelen P, Middelkoop BJ & Verkerk PH. *Arch Dis Child.* 2009 Oct;94(10):795-800. doi: 10.1136/adc.2009.163709. Epub 2009 Jun 24.
<http://www.ncbi.nlm.nih.gov/pubmed/19556218>

Syndromic surveillance using ambulatory electronic health records.

Hripesak G, Soulakis ND, Li L et al. *J Am Med Inform Assoc.* 2009 May-Jun;16(3):354-61. doi: 10.1197/jamia.M2922. Epub 2009 Mar 4.
<http://www.ncbi.nlm.nih.gov/pubmed/19261941>

Results of a retrospective, observational pilot study using electronic medical records to assess the prevalence and characteristics of patients with resistant hypertension in an ambulatory care setting.

McAdam-Marx C, Ye X, Sung JC et al. Clin Ther. 2009 May;31(5):1116-23.
<http://www.ncbi.nlm.nih.gov/pubmed/19539112>

Children's overweight and obesity: local and national monitoring using electronic health records.

Lager AC, Fossum B, Rörvall G & Bremberg SG. Scand J Public Health. 2009 Mar;37(2):201-5. doi: 10.1177/1403494808098507. Epub 2009 Jan 5.
<http://www.ncbi.nlm.nih.gov/pubmed/19124598>

Tobacco-use prevalence in special populations taking advantage of electronic medical records.

Solberg LI, Flottemesch TJ, Foldes SS et al. Am J Prev Med. 2008 Dec;35(6 Suppl):S501-7.
<http://www.ncbi.nlm.nih.gov/pubmed/19012845>

Extending functionality of and demonstrating integrated surveillance for public health within a prototype regional health information exchange.

Painter IS, Hills RA, Lober WB et al. AMIA Annu Symp Proc. 2008 Nov 6:969.
<http://www.ncbi.nlm.nih.gov/pubmed/18999244>

Electronic medical record (EMR) utilization for public health surveillance.

Mnatsakanyan ZR, Mollura DJ, Ticehurst JR et al. AMIA Annu Symp Proc. 2008 Nov 6:480-4.
<http://www.ncbi.nlm.nih.gov/pubmed/18998983>

Diabetes and associated risk factors in patients referred for physical therapy in a national primary care electronic medical record database.

Kirkness CS, Marcus RL, Lastayo PC et al. Phys Ther. 2008 Nov;88(11):1408-16.
<http://www.ncbi.nlm.nih.gov/pubmed/18801850>

Epidemiology of community-acquired pneumonia in older adults: a population-based study.

Vila-Corcoles A, Ochoa-Gondar O, Rodriguez-Blanco T et al. Respir Med. 2009 Feb;103(2):309-16. doi: 10.1016/j.rmed.2008.08.006. Epub 2008 Sep 18.
<http://www.ncbi.nlm.nih.gov/pubmed/18804355>

Automated identification of acute hepatitis B using electronic medical record data to facilitate public health surveillance.

Klompas M, Haney G, Church D et al. PLoS One. 2008 Jul 9;3(7):e2626. doi: 10.1371/journal.pone.0002626.
<http://www.ncbi.nlm.nih.gov/pubmed/18612462>

A novel approach using an electronic medical record to identify children and adolescents at risk for dyslipidemia: a study from the Primary Care Education and Research Learning (PEARL) network.

Stephens MB, Reamy BV & Primary Care Education and Research Learning Network. J Am Board Fam Med. 2008 Jul-Aug;21(4):356-7.
<http://www.ncbi.nlm.nih.gov/pubmed/18612063>

Estimated prevalence of people with learning disabilities: template for general practice.

Allgar V, Mir G, Evans J et al. Br J Gen Pract. 2008 Jun;58(551):423-8.
<http://www.ncbi.nlm.nih.gov/pubmed/18505620>

Challenges of self-reported medical conditions and electronic medical records among members of a large military cohort.

Smith B, Chu LK, Smith TC et al. BMC Med Res Methodol. 2008 Jun 5;8:37
<http://www.ncbi.nlm.nih.gov/pubmed/18644098>

A model for expanded public health reporting in the context of HIPAA.

Sengupta S, Calman NS, & Hripcsak GJ. Am Med Inform Assoc. 2008;15(5):569-74.
<http://www.ncbi.nlm.nih.gov/pubmed/18579843>

Estimating morbidity rates from electronic medical records in general practice. Evaluation of a grouping system.

Biermans MC, Verheij RA, de Bakker DH et al. Methods Inf Med. 2008;47(2):98-106.
<http://www.ncbi.nlm.nih.gov/pubmed/18338080>

Monitoring the impact of influenza by age: emergency department fever and respiratory complaint surveillance in New York City.

Olson DR, Heffernan RT, Paladini M et al. PLoS Med. 2007 Aug;4(8):e247.
<http://www.ncbi.nlm.nih.gov/pubmed/17683196>

Redesigning electronic health record systems to support public health.

Kukafka R, Ancker JS, Chan C, Chelico J, Khan S, Mortoti S, et al. J Biomed Inform. 2007 Aug;40(4):398-409. Epub 2007 Jul 9.
<http://www.ncbi.nlm.nih.gov/pubmed/17632039>

Descriptive epidemiology of selected birth defects, areas of Lombardy, Italy, 1999.

Tagliabue G, Tessandori R, Caramaschi F et al. Popul Health Metr. 2007 May 25;5:4.
<http://www.ncbi.nlm.nih.gov/pubmed/17531093>

Hospital electronic medical record-based public health surveillance system deployed during the 2002 Winter Olympic Games.

Gundlapalli AV, Olson J, Smith SP et al. Am J Infect Control. 2007 Apr;35(3):163-71.
<http://www.ncbi.nlm.nih.gov/pubmed/17433939>

Innovative approaches to application of information technology in disease surveillance and prevention in Western Kenya.

Odero W, Rotich J, Yiannoutsos CT et al. J Biomed Inform. 2007 Aug;40(4):390-7. Epub 2006 Dec 24.
<http://www.ncbi.nlm.nih.gov/pubmed/17258509>

Consistency and accuracy of diagnostic cancer codes generated by automated registration: comparison with manual registration.

Tagliabue G, Maghini A, Fabiano S et al. Popul Health Metr. 2006 Sep 28;4:10.
<http://www.ncbi.nlm.nih.gov/pubmed/17007640>

Properties of a federated epidemiology query system.

Bellika JG, Sue H, Bird L et al. Int J Med Inform. 2007 Sep;76(9):664-76. Epub 2006 Sep 1.
<http://www.ncbi.nlm.nih.gov/pubmed/16949338>

Propagation of program control: a tool for distributed disease surveillance.

Bellika JG, Hasvold T & Hartvigsen G. Int J Med Inform. 2007 Apr;76(4):313-29. Epub 2006 Apr 19.
<http://www.ncbi.nlm.nih.gov/pubmed/16621681>

Will Connecting for Health deliver its promises?

Cross M. BMJ. 2006 Mar 11;332(7541):599-601.
<http://www.ncbi.nlm.nih.gov/pubmed/16528086>

European primary care surveillance networks: their structure and operation.

Deckers JG, Paget WJ, Schellevis FG & Fleming DM. Fam Pract. 2006 Apr;23(2):151-8. Epub 2006 Feb 7.
<http://www.ncbi.nlm.nih.gov/pubmed/16464870>

Assessing the potential of national strategies for electronic health records for population health monitoring and research.

Friedman DJ. Vital Health Stat 2. 2006 Jan;(143):1-83.
<http://www.ncbi.nlm.nih.gov/pubmed/17552126>

Research networks: can we use data from GPs' electronic health records?

De Clercq E, Van Casteren V, Jonckheer P et al. Stud Health Technol Inform. 2006;124:181-6.
<http://www.ncbi.nlm.nih.gov/pubmed/17108523>

An assessment of electronically captured data in the patient care enhancement system (PACES) for syndromic surveillance.

Ang BC, Chen MI, Goh TL et al. Ann Acad Med Singapore. 2005 Oct;34(9):539-4.
<http://www.ncbi.nlm.nih.gov/pubmed/16284674>

The denominator in general practice, a new approach from the Intego database.

Bartholomeeusen S, Kim CY, Mertens R et al. Fam Pract. 2005 Aug;22(4):442-7. Epub 2005 Jun 17.
<http://www.ncbi.nlm.nih.gov/pubmed/15964863>

A model for non-communicable disease surveillance in Canada: the prairie pilot diabetes surveillance system.

James RC, Blanchard JF, Campbell D et al. *Chronic Dis Can.* 2004 Winter;25(1):7-12.
<http://www.ncbi.nlm.nih.gov/pubmed/15298483>

Generating information from electronic patient records in general practice: a description of clinical care and gender inequalities in coronary heart disease using data from over two million patient records.

Horsfield P & Teasdale S. *Inform Prim Care.* 2003;11(3):137-44.
<http://www.ncbi.nlm.nih.gov/pubmed/14680536>

***Citations selected from a Pub Med literature search using the syntax below. It excludes articles that describe the use of electronic health records primarily for research (e.g. clinical trials) or quality improvement.**

English[la] AND (2008[dp] : 2013[dp]) AND ((“Clinical health information” [TIAB] OR “Clinical health informatics” [TIAB] OR “Clinical health data” [TIAB] OR “Clinical patient information” [TIAB] OR “Clinical information application” [TIAB] OR “Clinical information applications” [TIAB] OR “Computerized clinical record” [TIAB] OR “Computerized clinical records” [TIAB] OR “Electronic clinical records” [TIAB] OR “Electronic clinical record” [TIAB] OR “Clinical health record” [TIAB] OR “Clinical health records” [TIAB] OR “Clinical record” [TIAB] OR “Clinical records” [TIAB] OR “Patient chart information” [TIAB] OR “Clinical chart information” [TIAB] OR “Clinical patient information” [TIAB]) OR (“Health information exchange” [TIAB] OR “Health information exchanges” [TIAB] OR “Regional health information organization” [TIAB] OR “Regional health information organizations” [TIAB] OR “Unified medical language system” [TIAB] OR “Unified medical language systems” [TIAB] OR “Electronic health data” [TIAB] OR “Personal health data” [TIAB] OR “Personal health record” [TIAB] OR “Personal health records” [TIAB] OR “Medical informatics application” [TIAB] OR “Medical informatics applications” [TIAB] OR “Computerized medical record system” [TIAB] OR “Computerized medical record systems” [TIAB] OR “Computerized patient medical record” [TIAB] OR “Computerized patient medical records” [TIAB] OR “Computerized patient record” [TIAB] OR “Computerized patient records” [TIAB] OR “Electronic patient record” [TIAB] OR “Electronic patient records” [TIAB] OR “Electronic medical record” [TIAB] OR “Electronic medical records” [TIAB] OR “Electronic patient record” [TIAB] OR “Electronic patient records” [TIAB] OR “Electronic medical record” [TIAB] OR “Electronic medical records” [TIAB] OR “Electronic healthcare record” [TIAB] OR “Electronic healthcare records” [TIAB] OR “Electronic health care record” [TIAB] OR “Electronic health care records” [TIAB] OR “Electronic health record” [TIAB] OR “Electronic health records” [TIAB] OR “Health information technology” [TIAB] OR “Health information technologies” [TIAB])) AND (Epidemiology [TIAB] OR Epidemiologic [TIAB] OR “Epidemiologic study” [TIAB] OR “Epidemiologic studies” [TIAB] OR “Public health surveillance” [TIAB] OR “Population health surveillance” [TIAB] OR “Community health surveillance” [TIAB] OR “Syndromic surveillance” [TIAB] OR “Public health monitoring” [TIAB] OR “Population health monitoring” [TIAB] OR “Community health monitoring” [TIAB] OR “Population health metric” [TIAB] OR “Population health metrics” [TIAB] OR “Population health measure” [TIAB] OR “Population health measurement” [TIAB] OR “Population health indicator” [TIAB] OR “Population health indicators” [TIAB] OR “prevalence” [TIAB])