

New York City Department of Health & Mental Hygiene Community Health Survey 2007 Public Use Data Codebook

ACCESS/HEALTHCARE	2
ALCOHOL USE.....	6
ASTHMA	7
BLOOD CHOLESTEROL	8
BLOOD PRESSURE.....	10
CANCER SCREENING.....	11
CHILD CARE	14
DEMOGRAPHICS.....	16
DENTAL CARE.....	23
DIABETES.....	24
HEALTH CARE.....	26
GENERAL HEALTH.....	28
HIV	29
IMMUNIZATIONS.....	31
INITIATIVES.....	32
MENTAL HEALTH.....	33
NEIGHBORHOODS.....	35
NON-CORE DEMOGRAPHICS	37
NUTRITION	39
PHYSICAL ACTIVITY (and Clinical Preventative Counseling).....	41
SEXUAL BEHAVIOR.....	44
SMOKING	49
Additional variables (updated January 2014)	53

Nesting/stratification variable: strata
 Survey weighting variable: wt8
 Unique identifier: cid

.=Missing Values
 D=Don't know
 R=Refused
 U=Undetermined

ACCESS/HEALTHCARE

Do you have any kind of health insurance coverage?

Variable = insuredgateway07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	23	0.2	.
R	R	16	0.2	.
1	Yes	8132	85.4	82.6
2	No	1349	14.2	17.4

Type of insurance

Variable = insure07 Format = acs07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	39	0.4	.
D	D	143	1.5	.
R	R	33	0.3	.
1	Employer (yours or someone elses)	4302	45.2	47.5
2	A plan that you or someone else buys on your own	359	3.8	4.0
3	Medicare	1499	15.7	11.4
4	Family Health Plus or Medicaid	1376	14.5	15.1
5	The military, CHAMPUS, Tricare, or VA	52	0.5	0.5
6	Some other source or COBRA	368	3.9	3.8
7	Uninsured	1349	14.2	17.7

Insured: Yes/No

Variable = insured Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	39	0.4	.
D	D	143	1.5	.
R	R	33	0.3	.
1	Yes	7956	83.6	82.3
2	No	1349	14.2	17.7

As far as you know, is your health insurance a managed care plan?

Variable = managedcare07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1564	16.4	.
D	D	1353	14.2	.
R	R	9	0.1	.
1	Yes	5123	53.8	80.5
2	No	1471	15.5	19.5

Were you without health insurance at any point during the last 12 months? (Among those currently insured)

Variable = insuredallyr07 Format = allyear. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1550	16.3	.
D	D	38	0.4	.
R	R	6	0.1	.
1	Continuously insured past 12m	6935	72.8	85.6
2	Insured now but uninsured past 12m	991	10.4	14.4

Insurance status in the previous 12 months

Variable = insuredpast12m Format = inspst12f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	38	0.4	.
R	R	6	0.1	.
1	Continuously insured past 12m	6935	72.8	68.9
2	Insured now but uninsured in past 12m	991	10.4	11.6
3	Insurance unknown, but uninsured in past 12m	32	0.3	0.4
4	Insurance unknown, but not uninsured in past 12m	169	1.8	1.7
5	Currently uninsured	1349	14.2	17.4

Do you have one person or more than one person you think of as your personal doctor or health care provider?

Variable = pcp07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	72	0.8	.
R	R	4	0.0	.
1	Yes	7935	83.4	80.3
2	No	1509	15.9	19.7

Have you seen your personal doctor or health care provider in the last 12 months? (Among those with PCP)

Variable = visitpcp12m Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1585	16.6	.
D	D	11	0.1	.
1	Yes	7189	75.5	88.2
2	No	735	7.7	11.8

Have you seen any doctor, nurse or other health professional in the last 12 months?(AMong those without a PCP or did not see their PCP)

Variable = visitnonpcp12m Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7189	75.5	.
D	D	8	0.1	.
R	R	3	0.0	.
1	Yes	1288	13.5	52.8
2	No	1032	10.8	47.2

Saw any primary care provider in last 12 months: Yes/No

Variable = anymedvisit12m Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	5	0.1	.
R	R	3	0.0	.
1	Yes	8477	89.0	85.9
2	No	1035	10.9	14.1

Method used by provider to maintain medical record information

Variable = emedrec Format = emr. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
R	R	5	0.1	.
1	Paper charts	3256	34.2	34.5
2	A computer	1450	15.2	14.0
3	Both paper charts and computer	2629	27.6	27.9
7	Don't know	2180	22.9	23.5

Method used by provider to maintain medical record information (Among those with a PCP visit in the last 12 months)

Variable = emedrec12m Format = emr. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1043	11.0	.
R	R	3	0.0	.
1	Paper charts	2952	31.0	35.5
2	A computer	1344	14.1	14.7
3	Both paper charts and computer	2428	25.5	29.4
7	Don't know	1750	18.4	20.4

Was there a time in the past 12 months when you needed medical care, but did not get it?

Variable = didntgetcare07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	69	0.7	.
R	R	6	0.1	.
1	Yes	949	10.0	11.2
2	No	8496	89.2	88.8

ALCOHOL USE

Had at least 1 drink of any alcoholic beverage in past 30 days

Variable = drinker Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	512	5.4	.
1	Yes	4763	50.0	55.9
2	No	4245	44.6	44.1

One or more episodes of Binge drinking (>= 5 drinks on one occasion) in the past 30 days

Variable = binge07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	645	6.8	.
D	D	78	0.8	.
R	R	7	0.1	.
1	Yes	1023	10.7	15.8
2	No	7767	81.6	84.2

On the days when you drank, about how many drinks did you drink on average?

Variable = averagedrink07 Format = not applicable Weighting Variable = wt8

Value	Frequency
.	737
0	4245
0.03-29.3	4538

Heavy drinking (more than 2 drinks a day for men, more than 1 drink a day for women)

Variable = heavydrink07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	737	7.7	.
1	Yes	393	4.1	5.2
2	No	8390	88.1	94.8

In the past 12 months, have you received any counseling or medication for an alcohol problem?

Variable = alctreatment Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	655	6.9	.
D	D	1	0.0	.
R	R	15	0.2	.
1	Yes	50	0.5	0.7
2	No	8799	92.4	99.3

ASTHMA

Have you ever been told by a doctor, nurse or other health professional that you had asthma?

Variable = everasthma Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	26	0.3	.
R	R	2	0.0	.
1	Yes	1258	13.2	12.6
2	No	8234	86.5	87.4

In the last 12 months, have you had an episode of asthma or an asthma attack?

Variable = currentasthma07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	28	0.3	.
D	D	11	0.1	.
R	R	1	0.0	.
1	Yes	478	5.0	4.4
2	No	9002	94.6	95.6

Have you ever sought the care of a doctor, nurse or other health professional for a persistent cough that lasted 3 weeks or more?

Variable = soughtcarecough Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	49	0.5	.
R	R	2	0.0	.
1	Yes	1236	13.0	12.5
2	No	8233	86.5	87.5

In last 30 days, have you experienced a persistent cough that lasted >=3 weeks?

Variable = persistentcough Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	29	0.3	.
R	R	4	0.0	.
1	Yes	558	5.9	5.3
2	No	8929	93.8	94.7

BLOOD CHOLESTEROL

Have you ever had your cholesterol checked?

Variable = evercho107 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	129	1.4	.
R	R	2	0.0	.
1	Yes	8335	87.6	84.3
2	No	1054	11.1	15.7

How long has it been since your last blood cholesterol check?

Variable = timecholesterol07 Format = tmchl07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1185	12.4	.
D	D	95	1.0	.
R	R	1	0.0	.
1	less than 12 months ago	6358	66.8	73.7
2	1 year ago but less than 2 years ago	1167	12.3	15.4
3	2 years ago but less than 3 years ago	345	3.6	5.3
4	3 years ago but less than 5 years ago	215	2.3	3.3
5	5 or more years ago	154	1.6	2.3

Cholesterol checked within the past 5yrs (All adults)

Variable = cholesterol5yrs07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	227	2.4	.
1	Yes	8085	84.9	82.2
2	No	1208	12.7	17.8

Have you had a cholesterol check within the past 5yrs (Among those who were ever checked)

Variable = cholesterolfive07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1185	12.4	.
D	D	95	1.0	.
R	R	1	0.0	.
1	Yes	8085	84.9	97.7
2	No	154	1.6	2.3

Have you ever been told you have high cholesterol?

Variable = toldhighcholesterol07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	209	2.2	.
1	Yes	3352	35.2	30.6
2	No	5959	62.6	69.4

Are you currently taking meds to lower your high cholesterol? (Among those told high cholesterol)

Variable = takingcholmeds07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6168	64.8	.
D	D	10	0.1	.
R	R	3	0.0	.
1	Yes	1791	18.8	47.5
2	No	1548	16.3	52.5

BLOOD PRESSURE

Ever told by a doctor, nurse, other health professional you have hypertension, also called high blood pressure (BP)?

Variable = toldhighbp07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	19	0.2	.
R	R	5	0.1	.
1	Yes	3167	33.3	26.1
2	No	6329	66.5	73.9

Ever told to take meds for high blood pressure? (Among those ever told high BP)

Variable = toldprescription07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6353	66.7	.
D	D	6	0.1	.
1	Yes	2813	29.5	84.7
2	No	348	3.7	15.3

Are you currently taking meds for high blood pressure? (Among those with high BP who were told to take meds)

Variable = takingmeds07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6707	70.5	.
D	D	5	0.1	.
R	R	4	0.0	.
1	Yes	2472	26.0	85.3
2	No	332	3.5	14.7

Are you currently taking medication for your high BP? (Among those told high bp)

Variable = takingbpmedsall07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6359	66.8	.
D	D	5	0.1	.
R	R	4	0.0	.
1	Yes	2472	26.0	72.2
2	No	680	7.1	27.8

CANCER SCREENING

Have you ever had a colonoscopy? (Adults 50+)

Variable = evercolon07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4841	50.9	.
D	D	25	0.3	.
R	R	12	0.1	.
1	Yes	3038	31.9	63.8
2	No	1604	16.8	36.2

Most recent colonoscopy performed <10 years ago (Adults 50+)

Variable = colonoscopy10yr07 Format = colon. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4842	50.9	.
D	D	53	0.6	.
R	R	14	0.1	.
1	<=10 years	2907	30.5	61.5
2	>10 years OR never	1704	17.9	38.5

Have you ever had any other test for colon cancer, such as a sigmoidoscopy or a blood stool test, also known as an FOBT? (Among adults 45+)

Variable = othcolontest Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3847	40.4	.
D	D	217	2.3	.
R	R	16	0.2	.
1	Yes	1685	17.7	30.5
2	No	3755	39.4	69.5

Timing of other colon test (Among adults 45+ who had other colon test)

Variable = othcolontest12M0 Format = otclntst. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7603	79.9	.
D	D	260	2.7	.
R	R	18	0.2	.
1	Less than 1 year ago	607	6.4	37.8
2	1 yr ago but less than 5 yrs ago	662	7.0	41.0
3	5 yr ago to less than 10 yrs ago	225	2.4	13.3
4	10 or more yrs ago	145	1.5	7.8

Have you ever had a mammogram? (Among women >= 40yrs)

Variable = hadmammogram Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5453	57.3	.
D	D	8	0.1	.
R	R	4	0.0	.
1	Yes	3730	39.2	90.3
2	No	325	3.4	9.7

How long has it been since your last Mammogram? (Among women 40+)

Variable = timemammogram07 Format = timemam. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5467	57.4	.
D	D	35	0.4	.
R	R	4	0.0	.
1	Never	325	3.4	9.8
2	<1 year	2342	24.6	56.1
3	1 - <2 years	702	7.4	17.6
4	2 - <3 years	284	3.0	7.4
5	3 - <5 years	191	2.0	4.9
6	>=5 years	170	1.8	4.2

Mammogram <1 yr ago (Among women 40+)

Variable = mammogram1yr07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5467	57.4	.
D	D	35	0.4	.
R	R	4	0.0	.
1	Yes	2342	24.6	56.1
2	No	1672	17.6	43.9

Mammogram <2 yrs ago (Among women 40+)

Variable = mammogram2yr07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5467	57.4	.
D	D	35	0.4	.
R	R	4	0.0	.
1	Yes	3044	32.0	73.6
2	No	970	10.2	26.4

Have you ever had a pap smear? (Among all women)

Variable = paptestall Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3854	40.5	.
D	D	31	0.3	.
R	R	10	0.1	.
1	Yes	5210	54.7	89.8
2	No	415	4.4	10.2

Had a pap smear in the past 3 years (Among all women)

Variable = paptest3yrall07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3897	40.9	.
D	D	67	0.7	.
R	R	8	0.1	.
1	Yes	4499	47.3	80.2
2	No	1049	11.0	19.8

How long ago was the pap smear? (Among all women)

Variable = timepaptest07 Format = timemam. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3897	40.9	.
D	D	67	0.7	.
R	R	8	0.1	.
1	Never	415	4.4	10.3
2	<1 year	3125	32.8	57.4
3	1 - <2 years	1011	10.6	16.9
4	2 - <3 years	363	3.8	5.9
5	3 - <5 years	273	2.9	4.4
6	>=5 years	361	3.8	5.1

CHILD CARE

How old is the youngest child living in the household?

Variable = childmthsage Format = chmoage. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6363	66.8	.
1	0 to 12 months old	359	3.8	13.2
2	13 to 24 months old	327	3.4	12.2
3	25 to 36 months old	247	2.6	8.1
4	37 to 48 months old	195	2.0	6.4
5	49 to 60 months old	170	1.8	5.7
6	>60 months old	1859	19.5	54.4

Besides your family, what kind of child care or school arrangement has been relied on most over the past year for the youngest child living in this household?

Variable = whocaresforchild Format = whocares. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8223	86.4	.
D	D	28	0.3	.
R	R	10	0.1	.
1	Day care center or program	216	2.3	15.5
2	Head start, nursery sch, pre-K	221	2.3	17.0
3	Child care providers home	78	0.8	5.3
4	Babysitter or nanny in your home	152	1.6	14.2
5	No one other than family	582	6.1	47.3
6	Not knowledgeable about childs care	10	0.1	0.7

Was a different child care or school arrangement preferred to the one you just named?

Variable = altcareforchild Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8272	86.9	.
D	D	51	0.5	.
R	R	2	0.0	.
1	Yes	215	2.3	18.5
2	No	980	10.3	81.5

What kind of child care or school arrangement other than your family would have been most preferred for this child?

Variable = preferchildcare Format = prefcare. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9306	97.8	.
D	D	9	0.1	.
1	Day care center or program	73	0.8	32.1
2	Head start, nursery sch, pre-K	58	0.6	31.8
3	Child care providers home	9	0.1	3.8
4	Babysitter or nanny in your home	29	0.3	15.3
5	No one other than family	36	0.4	17.0

Which of the following was the most important reason why this child is not in this preferred type of child care or school?

Variable = reasonchildcare Format = reascare. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9351	98.2	.
D	D	10	0.1	.
1	Availability of care	11	0.1	9.2
2	Cost of care	54	0.6	30.5
3	Distance to & from care site	6	0.1	6.7
4	Child special needs not met	8	0.1	6.5
5	Concerns about quality or safety	20	0.2	10.3
6	Not really looking for it	35	0.4	21.9
7	Other	25	0.3	14.8

DEMOGRAPHICS

Age groups

Variable = agegroup Format = agegrp. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1	0.0	.
D	D	2	0.0	.
R	R	13	0.1	.
1	18 - 24	493	5.2	12.4
2	25 - 44	3131	32.9	44.1
3	45 - 64	3670	38.6	28.0
4	65+	2210	23.2	15.5

Age groups (18 - 64 only)

Variable = age18_64 Format = age. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	2226	23.4	.
1	18 - 24	493	5.2	14.6
2	25 - 44	3131	32.9	52.2
3	45 - 64	3670	38.6	33.1

Age groups (25 years or older)

Variable = age25up Format = age25up. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	509	5.3	.
1	25 - 44	3131	32.9	50.4
2	45 - 64	3670	38.6	32.0
3	65+	2210	23.2	17.7

Age groups (40 years or older)

Variable = age40new Format = age40new. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	2729	28.7	.
1	40-44	911	9.6	23.0
2	45-64	3670	38.6	49.6
3	65+	2210	23.2	27.4

Age groups (45 years or older)

Variable = age45up Format = age45up. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3640	38.2	.
1	45 - 64	3670	38.6	64.4
2	65+	2210	23.2	35.6

Age groups (50 years or older)

Variable = age50up Format = age50up. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4672	49.1	.
1	50 - 64	2638	27.7	56.3
2	65+	2210	23.2	43.7

Are you male or female?

Variable = sex Format = sex. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Male	3656	38.4	46.2
2	Female	5864	61.6	53.8

Race/ethnicity

Variable = newrace Format = newrace. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	White	3862	40.6	39.2
2	Black	2502	26.3	23.1
3	Hispanic	2275	23.9	24.9
4	Asian/Pacific Islander	637	6.7	10.1
5	Other	244	2.6	2.7

Please tell me which group best represents your Hispanic or Latino/a origin or ancestry

Variable = demog55 Format = dem55f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7289	76.6	.
D	D	22	0.2	.
R	R	8	0.1	.
1	Puerto Rican	827	8.7	31.4
2	Cuban/Cuban American	69	0.7	3.1
3	Dominican	539	5.7	24.1
4	Mexican/Mexican-American	186	2.0	12.8
5	Central or South American	450	4.7	23.0
6	Other Latin American, or	37	0.4	1.6
7	Other Hispanic/Latino	75	0.8	3.3
9	Spanish	18	0.2	0.7

Marital Status

Variable = maritalstatus07 Format = marital. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	34	0.4	.
D	D	47	0.5	.
R	R	83	0.9	.
1	Married	3569	37.5	44.2
2	Divorced	1229	12.9	8.6
3	Widowed	1102	11.6	6.7
4	Separated	542	5.7	4.2

5	Never married	2371	24.9	28.7
6	A member of unmarried couple	543	5.7	7.6

US or Foreign born (US born include Puerto Rico and other US Territories)

Variable = usborn Format = born. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	US born	5749	60.4	56.6
2	Foreign born	3771	39.6	43.4

Place of birth (Includes regions)

Variable = bthregion2 Format = region20f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	85	0.9	.
D	D	11	0.1	.
1	Northern Europe	98	1.0	1.0
2	Western Europe	110	1.2	1.0
3	Southern Europe	114	1.2	1.4
4	Eastern Europe	464	4.9	4.8
5	Eastern Asia	255	2.7	4.1
6	South Central Asia	188	2.0	3.1
7	South Eastern Asia	71	0.7	1.0
8	Western Asia	71	0.7	0.9
9	Eastern Africa	9	0.1	0.2
10	Middle Africa	2	0.0	0.0
11	Northern Africa	21	0.2	0.3
12	Southern Africa	3	0.0	0.0
13	Western Africa	92	1.0	1.0
14	Australia and New Zealand	8	0.1	0.1
16	Caribbean	1289	13.6	12.6
17	Central America	350	3.7	4.6
18	South America	509	5.3	6.3
19	Northern America - not including U.S.	21	0.2	0.3
20	United States	5749	60.4	57.2

NOTE: United States includes US territories such as Puerto Rico, US Virgin Islands, and Guam.

How long have you lived in this country? (Among those born outside US 50 States)

Variable = howlonginus Format = howlong. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5337	56.1	.
D	D	10	0.1	.
R	R	26	0.3	.
1	<5 yrs	284	3.0	11.5
2	5 - 9 yrs	419	4.4	13.3
3	10+ yrs	3444	36.2	75.3

Number children ages <18 years in the household

Variable = children07 Format = child. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	96	1.0	.
D	D	60	0.6	.
R	R	34	0.4	.
1	none	6024	63.3	58.0
2	One	1483	15.6	18.4
3	Two	1139	12.0	14.2
4	Three	460	4.8	6.4
5	More than three	224	2.4	3.0

Total number of adults in the household (Continuous)

Variable = numadults2 Format = numadults. Weighting Variable = wt8

Value	Frequency	Raw Percent	Weighted Percent
1	3939	41.4	22.4
2	3787	39.8	46.5
3	1094	11.4	18.4
4	480	5.0	8.4
5	161	1.7	3.0
6	38	0.4	0.8
7 or more	21	0.2	0.4

Total household size (Adults plus children, continuous)

Variable = hhsize Format = hhsize Weighting Variable = wt8

Value	Frequency	Raw Percent	Weighted Percent
1	3126	32.8	17.8
2	2541	26.7	26.9
3	1527	16.0	20.5
4	1200	12.6	16.7
5	658	6.9	10.3
6	253	2.7	4.3
7 or more	215	2.3	3.6

Educational Status

Variable = education Format = educat. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	87	0.9	.
D	D	48	0.5	.
R	R	36	0.4	.
1	Less than high school	1521	16.0	15.3
2	High school graduate	2383	25.0	25.9
3	Some college/technical school	1879	19.7	20.7
4	College graduate	3566	37.5	38.1

What is the highest grade or year of school you completed?

Variable = demog17 Format = dem17f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	87	0.9	.
D	D	48	0.5	.
R	R	36	0.4	.
1	Never attended school or only attended kindergarten	42	0.4	0.4
2	Grades 1 through 8 (Elementary)	660	6.9	6.5
3	Grades 9 through 11 (Some high school)	819	8.6	8.5
4	Grade 12 or GED (High school graduate)	2383	25.0	25.9
5	College 1 year to 3 years (Some college or technical school)	1879	19.7	20.7
6	College 4 years or more (College graduate)	3566	37.5	38.1

Employment Status

Variable = employment07 Format = employ07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	109	1.1	.
D	D	70	0.7	.
R	R	49	0.5	.
1	Employed for wages or salary	4727	49.7	55.4
2	Self-employed	673	7.1	7.6
3	Unemployed for 1 year or more	329	3.5	3.7
4	Unemployed for less than 1 year	254	2.7	3.4
5	A homemaker	568	6.0	6.6
6	A student	248	2.6	5.0
7	Retired	1886	19.8	13.5
8	Unable to work	607	6.4	4.8

Household poverty, based on annual income

Variable = povertygroup Format = poverty. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	160	1.7	.
R	R	728	7.6	.
1	<100% poverty	1769	18.6	20.1
2	100% - <200% poverty	1343	14.1	15.4
3	200% - < 400% poverty	1499	15.7	17.1
4	400% - < 600% poverty	1411	14.8	16.0
5	> 600% poverty	1738	18.3	20.1
6	Don't know	872	9.2	11.3

Household annual income from all sources, <200% federal poverty level (FPL)

Variable = pov200 Format = pov200f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	737	7.7	.
1	<200% poverty	3334	35.0	37.3
2	>=200% poverty	4969	52.2	56.1
3	Don't know	480	5.0	6.7

Household annual income from all sources (3 categories)

Variable = povgroup3 Format = povgrp3f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	154	1.6	.
R	R	691	7.3	.
1	<200%	3334	35.0	37.6
2	200-399%	1499	15.7	17.1
3	400+%	3202	33.6	36.5
4	Don't know	640	6.7	8.8

Household poverty based on annual income. Use ONLY to compare 2002 or 2003 to later years

Variable = newpovgrps Format = newpovft. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1760	18.5	.
1	<100%	1769	18.6	22.7
2	100-199%	1343	14.1	17.4
3	200-399%	1499	15.7	19.3
4	400-599%	1411	14.8	18.0
5	600%+	1738	18.3	22.6

Sexual identity

Variable = sexualid Format = sexual. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	64	0.7	.
D	D	906	9.5	.
R	R	201	2.1	.
1	Heterosexual	7998	84.0	95.9
2	Gay/Lesbian	237	2.5	2.8
3	Bisexual	114	1.2	1.3

What language do you speak most often at home?

Variable = athomelanguage07 Format = athome. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	29	0.3	.
D	D	30	0.3	.
R	R	13	0.1	.
1	English	7040	73.9	70.5
2	Spanish	1351	14.2	15.2
3	Russian	334	3.5	3.5
4	Chinese	218	2.3	3.5
5	Indian	37	0.4	0.5
6	Other	468	4.9	6.7

Body mass index (BMI) (Based on self-reported height and weight)
 Variable = bmi Format = not applicable Weighting Variable = wt8

Value	Frequency
.	655
10.7-87.4	8982

Body weight status based on BMI (4 categories)
 Variable = weight07in4 Format = weight. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	402	4.2	.
1	Underweight	223	2.3	2.7
2	Normal weight	3416	35.9	40.0
3	Over weight	3273	34.4	35.4
4	Obese	2206	23.2	22.0

Body weight status based on BMI (3 categories)
 Variable = weightall Format = wt. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	402	4.2	.
1	Under/normal weight	3639	38.2	42.6
2	Over weight	3273	34.4	35.4
3	Obese	2206	23.2	22.0

Living in NYC before 2003
 Variable = livenyc2003 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	23	0.2	.
D	D	10	0.1	.
R	R	2	0.0	.
1	Yes	8884	93.3	91.0
2	No	601	6.3	9.0

DENTAL CARE

Do you have one person or more than one person you go to for regular dental care?

Variable = dentist07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	50	0.5	.
R	R	4	0.0	.
1	Yes	7531	79.1	77.5
2	No	1935	20.3	22.5

How long ago was your most recent visit to a dental care provider?

Variable = visitdds07 Format = visitdds. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	179	1.9	.
R	R	3	0.0	.
1	less than 12 months ago	6041	63.5	63.4
2	1 year ago but less than 2 years ago	1508	15.8	17.0
3	2 years ago but less than 3 years ago	688	7.2	7.4
4	3 years ago but less than 5 years ago, or	449	4.7	5.1
5	5 or more years ago	652	6.8	7.1

DIABETES

Have you ever been told that you have diabetes? (Women told only during pregnancy are included in no category)

Variable = diabetes07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	15	0.2	.
R	R	5	0.1	.
1	Yes	1085	11.4	8.6
2	No	8415	88.4	91.4

Number A1C tests in past 12 months, continuous (Among ever been told diabetes)

Variable = diabet3 Format = Weighting Variable = wt8

Value	Frequency
.	8435
D	227
R	1
0 - 12	830
888 (never heard of test)	27

Number A1C tests in past 12 months (Among ever been told diabetes)

Variable = glycosylated3 Format = glyco3t. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8435	88.6	.
D	D	227	2.4	.
R	R	1	0.0	.
1	None	90	0.9	10.2
2	1 - 3 tests	460	4.8	55.8
3	> 3 tests	307	3.2	34.0

A1C level last time checked, continuous (Among those tested)

Variable = diabet4 Format = Weighting Variable = wt8

Value	Frequency
.	8753
D	501
R	2
2 - 30	246
888 (didn't receive result)	18

A1C level last time checked (Among those tested)

Variable = glycosylatedlevel3 Format = glyco3f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8771	92.1	.
D	D	501	5.3	.
R	R	2	0.0	.
1	A1C level 1 - 6	93	1.0	37.1
2	A1C level 7 - 9	119	1.3	50.0
3	A1C level >=10	34	0.4	12.9

Currently taking insulin (Among ever told diabetes)

Variable = takinginsulin Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8435	88.6	.
D	D	3	0.0	.
1	Yes	289	3.0	25.6
2	No	793	8.3	74.4

Currently taking diabetic pills or oral agents (Among ever been told diabetes)

Variable = takingdiabpill Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8435	88.6	.
D	D	9	0.1	.
1	Yes	775	8.1	71.0
2	No	301	3.2	29.0

Taking insulin or oral agents (Among ever been told diabetes)

Variable = takinganydiabmeds Format = tkdiabm. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8435	88.6	.
D	D	10	0.1	.
1	Insulin alone or with oral agents	289	3.0	25.8
2	Oral agents only	613	6.4	56.4
3	No meds	173	1.8	17.8

HEALTH CARE

In the last 12 months, was there any time when you needed to fill a prescription for medicine but did not get it?

Variable = didntgetmeds Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	673	7.1	.
D	D	62	0.7	.
R	R	9	0.1	.
1	Yes	884	9.3	10.4
2	No	7892	82.9	89.6

Was there any time when you needed to have laboratory tests done but did not get them done?

Variable = didntgetlabs Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	673	7.1	.
D	D	33	0.3	.
R	R	8	0.1	.
1	Yes	465	4.9	5.8
2	No	8341	87.6	94.2

Was there any time when you needed care for your eyes but did not get it?

Variable = didntgeteyecare Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	673	7.1	.
D	D	21	0.2	.
R	R	9	0.1	.
1	Yes	576	6.1	6.7
2	No	8241	86.6	93.3

Was there any time when you needed dental care but did not get it?

Variable = didntgetdental Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	672	7.1	.
D	D	32	0.3	.
R	R	7	0.1	.
1	Yes	960	10.1	12.2
2	No	7849	82.4	87.8

Was there any time when you needed hospital care but did not get it?

Variable = didntgethospital Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	672	7.1	.
D	D	18	0.2	.
R	R	7	0.1	.
1	Yes	213	2.2	2.6
2	No	8610	90.4	97.4

Was there any time when you needed to get medical care from a doctor but did not get it?

Variable = didntgetdoccare Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	462	4.9	.
D	D	30	0.3	.
R	R	10	0.1	.
1	Yes	507	5.3	6.2
2	No	8511	89.4	93.8

GENERAL HEALTH

Self-reported general health status

Variable = generalhealth Format = health. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	85	0.9	.
R	R	4	0.0	.
1	Excellent	1558	16.4	18.8
2	Very Good	2292	24.1	25.6
3	Good	3215	33.8	34.6
4	Fair	1619	17.0	15.1
5	Poor	747	7.8	5.9

For how many days during the past 30 days was your mental health not good? (Continuous)

Variable = health6 Format = not applicable Weighting Variable = wt8

Value	Frequency
D	618
R	58
0	5242
1-30	3602

Thinking about your mental health, which includes stress, depression, and problems with emotions, for about how many days during the past 30 days was your mental health not good?

Variable = poormentaldays07 Format = poor. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	618	6.5	.
R	R	58	0.6	.
1	None	5242	55.1	58.1
2	1 -3 days	1387	14.6	16.5
3	4 - 10 days	1138	12.0	13.3
4	11 - 29 days	689	7.2	7.8
5	30 days	388	4.1	4.3

Mental health not good on 14 or more of last 30 days- Frequent mental distress (FMD)

Variable = fmd Format = fmds. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	618	6.5	.
R	R	58	0.6	.
1	0 - 13 days	7805	82.0	88.3
2	14+ days	1039	10.9	11.7

HIV

Have you ever had an HIV test?

Variable = everhivtest07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	332	3.5	.
D	D	439	4.6	.
R	R	40	0.4	.
1	Yes	4747	49.9	57.9
2	No	3962	41.6	42.1

Have you had an HIV test in the last 12 months?

Variable = hiv12months07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	332	3.5	.
D	D	243	2.6	.
R	R	34	0.4	.
1	Yes	2367	24.9	29.6
2	No	6544	68.7	70.4

Timing of HIV test

Variable = hivtest5yrs Format = tmhivtst. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4774	50.1	.
D	D	21	0.2	.
R	R	2	0.0	.
1	<12 months ago	2367	24.9	52.4
2	1 to 5 years ago	1207	12.7	26.1
3	more than 5 years ago	1149	12.1	21.5

When you were last tested for HIV, were the results available on the same day or did you have to wait a week or more to get the results?

Variable = resultinterval07 Format = hivint. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4778	50.2	.
D	D	323	3.4	.
R	R	8	0.1	.
1	Same day	868	9.1	20.2
2	Wait for results	3543	37.2	79.8

Received HIV test results (Among those ever tested)

Variable = hivgottestresult Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4783	50.2	.
D	D	95	1.0	.
R	R	6	0.1	.
1	Yes	4154	43.6	90.0
2	No	482	5.1	10.0

In the past 12 months has a doctor, nurse or other health professional recommended that you have an HIV test?

Variable = recommendedhivtest07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	339	3.6	.
D	D	81	0.9	.
R	R	27	0.3	.
1	Yes	963	10.1	11.6
2	No	8110	85.2	88.4

Had HIV test in past 12 months because doctor recommended it

Variable = test12bcrecommended Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8778	92.2	.
D	D	8	0.1	.
R	R	1	0.0	.
1	Yes	554	5.8	76.9
2	No	179	1.9	23.1

Had HIV test 1 to 5 years ago because doctor recommended it

Variable = test5bcrecommended Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8315	87.3	.
D	D	15	0.2	.
R	R	1	0.0	.
1	Yes	379	4.0	34.1
2	No	810	8.5	65.9

IMMUNIZATIONS

Flu shot/spray in the past 12 months

Variable = fluvaccineshot Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	659	6.9	.
D	D	39	0.4	.
R	R	10	0.1	.
1	Yes	2710	28.5	26.2
2	No	6102	64.1	73.8

Flu shot/spray between 9/1/06 and 3/31/07

Variable = fluvaccineshot0607 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	659	6.9	.
D	D	168	1.8	.
R	R	10	0.1	.
1	Yes	2260	23.7	22.1
2	No	6423	67.5	77.9

Work in health care setting with routine, direct patient contact

Variable = directptcontact Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	661	6.9	.
D	D	29	0.3	.
R	R	9	0.1	.
1	Yes	956	10.0	10.5
2	No	7865	82.6	89.5

Ever received Hepatitis B vaccine

Variable = hepbvaccine Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	662	7.0	.
D	D	772	8.1	.
R	R	10	0.1	.
1	Yes	3054	32.1	43.6
2	No	5022	52.8	56.4

INITIATIVES

Have you seen or heard of NYC Condoms in black package with colorful letters?

Variable = awarenycondom07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	666	7.0	.
D	D	86	0.9	.
R	R	37	0.4	.
1	Yes	2443	25.7	30.7
2	No	6288	66.1	69.3

Have you used that NYC Condom in black package with colorful letters (Among those who have heard or seen the package)

Variable = usednycondom07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7077	74.3	.
D	D	3	0.0	.
R	R	13	0.1	.
1	Yes	313	3.3	14.6
2	No	2114	22.2	85.4

MENTAL HEALTH

Patient Health Questionnaire scores (2 categories)

Variable = phq Format = phqf. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	55	0.6	.
1	PHQ score >=3	1293	13.6	13.4
2	PHQ score <3	8172	85.8	86.6

Patient Health Questionnaire scores (Continuous)

Variable = phqc Format = phqcf. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	55	0.6	.
0	PHQ score 0	5514	57.9	58.3
1	PHQ score 1	1570	16.5	16.9
2	PHQ score 2	1088	11.4	11.4
3	PHQ score 3	523	5.5	5.4
4	PHQ score 4	404	4.2	4.3
6	PHQ score 6	366	3.8	3.6

Have you ever been told by a doctor, nurse, or other health professional that you have depression?

Variable = tolddepression Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	29	0.3	.
R	R	10	0.1	.
1	Yes	1589	16.7	15.0
2	No	7892	82.9	85.0

Were you first told by a doctor, nurse or other health professional that you have depression in the last 12 months?

Variable = firsttolddepression07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	39	0.4	.
D	D	17	0.2	.
R	R	1	0.0	.
1	Yes	682	7.2	6.3
2	No	8781	92.2	93.7

Received any counseling or taken prescription medication for depression in last 12 months (Among ever told depression)

Variable = treatdepression Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7931	83.3	.
D	D	6	0.1	.
R	R	1	0.0	.
1	Yes	925	9.7	55.5
2	No	657	6.9	44.5

Immediately following a disaster or public health emergency, whom would you consult for emotional support?

Variable = emotionalsupport Format = emotsupp. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	220	2.3	.
R	R	13	0.1	.
1	No one	747	7.8	7.6
2	Primary care physician	1037	10.9	10.3
3	Spiritual or religious leader	727	7.6	6.8
4	A family member, spouse or partner	4915	51.6	56.8
5	A friend	983	10.3	9.9
6	A co-worker	62	0.7	0.6
7	Mental health professional	592	6.2	5.7
8	Traditional (non-medical) healer	26	0.3	0.3
9	Other	198	2.1	1.9

NEIGHBORHOODS

United Hospital Fund neighborhoods

Variable = uhf34 Format = uhf34f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	101 Kingsbridge	150	1.6	1.2
2	102 NE Bronx	206	2.2	2.3
3	103 Fordham-Bronx Pk	172	1.8	2.9
4	104 Pelham-Throgs Neck	218	2.3	3.5
5	105/106/107 South Bronx	697	7.3	5.5
6	201 Greenpoint	140	1.5	1.5
7	202 Downtown-Heights-Slope	323	3.4	2.8
8	203 Bed Stuy-Crown Heights	548	5.8	3.6
9	204 East New York	195	2.0	1.9
10	205 Sunset Park	139	1.5	1.5
11	206 Borough Park	310	3.3	3.8
12	207 Flatbush	406	4.3	3.7
13	208 Canarsie	208	2.2	2.4
14	209 Bensonhurst	274	2.9	2.6
15	210 Coney Island	333	3.5	3.7
16	211 Williamsburg-Bushwk	240	2.5	2.1
17	301 Washington Heights	315	3.3	3.3
18	302 Central Harlem	299	3.1	1.9
19	303 East Harlem	147	1.5	1.3
20	304 Upper West Side	222	2.3	3.2
21	305/307 Upper East Side-Gramercy	390	4.1	5.1
22	306/308 Chelsea-Village	273	2.9	3.1
23	309/310 Union Square-Lower Manhattan	279	2.9	3.2
24	401 LIC, Astoria	274	2.9	2.9
25	402 West Queens	322	3.4	6.1
26	403 Flushing	210	2.2	3.4
27	404/406 Bayside Little Neck-Fresh Meadows	220	2.3	2.4
28	405 Ridgewood	278	2.9	3.2
29	407 SouthWest Queens	308	3.2	3.3
30	408 Jamaica	327	3.4	3.5
31	409 SouthEast Queens	270	2.8	2.5
32	410 Rockaway	129	1.4	1.3
33	501/502 Northern SI	308	3.2	2.2
34	503/504 Southern SI	390	4.1	3.3

Borough of residence

Variable = borough Format = boro. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Bronx	1443	15.2	15.3
2	Brooklyn	3116	32.7	29.7
3	Manhattan	1925	20.2	21.0
4	Queens	2338	24.6	28.6
5	Staten Island	698	7.3	5.4

District Public Health Offices in New York City

Variable = dphonew06 Format = dpho. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	South Bronx	697	7.3	5.5
2	East and Central Harlem	446	4.7	3.1
3	North and Central Brooklyn	983	10.3	7.7
4	All Other Neighborhoods	7394	77.7	83.7

Neighborhood poverty (based on percent of residents in UHF <200% FPL, per Census 2000)

Variable = uhf42pov Format = uhf42pov. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	High pov = low inc	3331	35.0	30.5
2	Med pov = med inc	3655	38.4	40.6
3	Low pov = High inc	2534	26.6	28.9

NON-CORE DEMOGRAPHICS

Do you have functioning AC in any room in home?

Variable = acinhome Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	231	2.4	.
D	D	9	0.1	.
R	R	6	0.1	.
1	Yes	7969	83.7	87.5
2	No	1305	13.7	12.5

During summer [06 or 07] did you turn on at least one AC in home for cooling?

Variable = acuse Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1551	16.3	.
D	D	20	0.2	.
R	R	1	0.0	.
1	Yes	7711	81.0	97.5
2	No	237	2.5	2.5

How many friends, relatives do you see or hear from at least once per month? (Among adults >=45)

Variable = inconcontactfriends Format = numfrnd. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3794	39.9	.
D	D	131	1.4	.
R	R	23	0.2	.
1	None	144	1.5	2.5
2	One	307	3.2	5.3
3	Two	486	5.1	9.4
4	Three or four	1140	12.0	20.3
5	Five to eight	1527	16.0	27.5
6	Nine or more	1968	20.7	34.9

How many friends, relatives do you feel at ease with to talk to about private matters? (Among adults >=45)

Variable = talktofriends Format = numfrnd. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3796	39.9	.
D	D	92	1.0	.
R	R	40	0.4	.
1	None	557	5.9	11.0
2	One	762	8.0	13.4
3	Two	1002	10.5	18.3
4	Three or four	1440	15.1	24.7
5	Five to eight	1070	11.2	19.6
6	Nine or more	761	8.0	12.8

How many friends, relatives do you feel close to such that you could call on them for help?
(Among adults >=45)

Variable = helpfromfriends Format = numfrnd. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3805	40.0	.
D	D	71	0.7	.
R	R	23	0.2	.
1	None	432	4.5	8.5
2	One	773	8.1	13.2
3	Two	949	10.0	17.1
4	Three or four	1334	14.0	23.6
5	Five to eight	1182	12.4	21.1
6	Nine or more	951	10.0	16.5

At risk for social-isolation: Based on a modified Lubben Social Network Scale. Social isolation includes having limited contact with friends or relatives, having few adults to talk with about private matters, and few people to call on for help. Among adults ages 45 years or older

Variable = social_isolation Format = isolate. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4081	42.9	.
1	At risk for social isolation	871	9.1	16.5
2	Not at risk	4568	48.0	83.5

NUTRITION

How often do you drink sugar sweetened soda? (Continuous, per day)

Variable = nsodaperday07 Format = not applicable Weighting Variable = wt8

Value	Frequency
.	58
0	5401
0.03-12.0	4061

Average number of sodas per day (4 categories)

Variable = avgsodaperday07 Format = ndrinks. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	58	0.6	.
1	None	5401	56.7	52.8
2	<1 12 oz	2625	27.6	30.0
3	1 12 oz	768	8.1	9.2
4	>1 12 oz	668	7.0	8.0

Drink 2 or more sodas per day

Variable = twoplussoda Format = ndrncat. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	58	0.6	.
1	>=2 sodas per day	656	6.9	7.8
2	<2 sodas per day	8806	92.5	92.2

How often do you drink sugar sweetened drinks? (Continuous, per day)

Variable = nsugardrinkperday Format = not applicable Weighting Variable = wt8

Value	Frequency
.	111
0	4738
0.03-20.0	4701

Average number of sweetened drinks per day (4 categories)

Variable = avgsugarperday Format = ndrinks. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	111	1.2	.
1	None	4738	49.8	45.0
2	<1 12 oz	2468	25.9	29.0
3	1 12 oz	1052	11.1	11.9
4	>1 12 oz	1151	12.1	14.1

How often do you drink sodas plus sweetened drinks? (Continuous, per day)

Variable = nsodasugarperday07 Format = not applicable Weighting Variable = wt8

Value	Frequency
.	86
0	3423
0.03-20.1	6011

Average number of sodas plus sweetened drinks per day (4 categories)

Variable = avgsodasugarperday07 Format = ndrinks. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	86	0.9	.
1	None	3423	36.0	31.5
2	<1 12 oz	2898	30.4	32.3
3	1 12 oz	807	8.5	8.5
4	>1 12 oz	2306	24.2	27.7

How often do you buy foods because you believe they are low salt or low sodium foods?

Variable = lowsodiumfood Format = freqs07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	238	2.5	.
R	R	3	0.0	.
1	Frequently	3854	40.5	39.4
2	Sometimes	2188	23.0	23.9
3	Hardly ever	1606	16.9	17.6
4	Never	1631	17.1	19.1

PHYSICAL ACTIVITY (and Clinical Preventative Counseling)

In the last 12 months has a doctor, nurse or other health professional asked or talked to you about your weight?

Variable = pcptalkweight Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	45	0.5	.
R	R	2	0.0	.
1	Yes	3690	38.8	36.3
2	No	5783	60.7	63.7

In the last 12 months has a doctor, nurse or other health professional asked or talked to you about your physical activity or exercise?

Variable = pcptalkexercise07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	56	0.6	.
R	R	3	0.0	.
1	Yes	4339	45.6	42.5
2	No	5122	53.8	57.5

In the last 12 months has a doctor, nurse or other health professional asked or talked to you about your diet or eating habits?

Variable = pcptalkeathabit07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	44	0.5	.
R	R	2	0.0	.
1	Yes	4058	42.6	39.7
2	No	5416	56.9	60.3

In the last 12 months has a doctor, nurse or other health professional asked or talked to you about alcohol use?

Variable = pcptalkalcohol07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	39	0.4	.
R	R	2	0.0	.
1	Yes	2136	22.4	22.2
2	No	7343	77.1	77.8

In the last 12 months has a doctor, nurse or other health professional asked or talked to you about drug use?

Variable = pcptalkdrugs Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	50	0.5	.
R	R	3	0.0	.
1	Yes	1823	19.1	19.7
2	No	7644	80.3	80.3

How often do you ride a bike in NYC?

Variable = cycling07 Format = cycl07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	20	0.2	.
R	R	4	0.0	.
1	Several times a month	665	7.0	9.0
2	At least once a month	247	2.6	3.2
3	A few times a year	782	8.2	10.2
4	Never	7802	82.0	77.6

How often did you wear a helmet (Among those who rode a bike in NYC)

Variable = cyclinghelmetuse Format = helmet. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7826	82.2	.
D	D	4	0.0	.
1	Always	515	5.4	27.8
2	Most of the time	97	1.0	5.7
3	Sometimes	151	1.6	9.4
4	Rarely	129	1.4	8.3
5	Never	798	8.4	48.8

During the past 30 days, have you walked or bicycled more than 10 blocks as part of getting to and from work, school, public transportation or to do errands?

Variable = tenblocks07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
D	D	38	0.4	.
R	R	1	0.0	.
1	Yes	6210	65.2	68.5
2	No	3271	34.4	31.5

Minutes of moderate activity per week

Variable = modmin_wk Format = not applicable Weighting Variable = wt8

Value	Frequency
.	948
0	2198
2.3-8400.0	6374

Minutes of vigorous activity per week

Variable = vigmin_wk Format = not applicable Weighting Variable = wt8

Value	Frequency
.	512
0	3718
2.3-8400.0	5290

Meet 2008 physical activity guidelines (at least 150 minutes of moderate-equivalent activity per week)

Variable = pa08_3r Format = pa08_3rf. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	826	8.7	.
1	Inactive	1591	16.7	15.5
2	Insufficiently Active	2031	21.3	22.5
3	Sufficiently Active	5072	53.3	62.0

SEXUAL BEHAVIOR

Sexual behavior in the past 12 months (among those sexually active)

Variable = sexbehav_active07 Format = behave. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4278	44.9	.
1	Homosexual	186	2.0	3.1
2	Bisexual	59	0.6	1.2
3	Heterosexual	4959	52.1	94.8
4	Sexually active with incomplete info	38	0.4	0.8

Sexually active in the past 12 months

Variable = sexuallyactive07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1441	15.1	.
1	Yes	5242	55.1	73.0
2	No	2837	29.8	27.0

Total number of sex partners of either gender

Variable = sexpartner Format = partner. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	1441	15.1	.
1	None	2837	29.8	27.0
2	One	4408	46.3	59.8
3	Two	389	4.1	6.0
4	Three or more	445	4.7	7.2

With how many men have you had sex

Variable = malesexpartner Format = partner. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	450	4.7	.
D	D	49	0.5	.
R	R	675	7.1	.
1	None	5475	57.5	64.8
2	One	2537	26.6	30.6
3	Two	204	2.1	2.8
4	Three or more	130	1.4	1.8

With how many women have you had sex?

Variable = femalesexpartner Format = partner. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	528	5.5	.
D	D	82	0.9	.
R	R	495	5.2	.
1	None	5985	62.9	63.8
2	One	1922	20.2	27.8
3	Two	197	2.1	3.3
4	Three or more	311	3.3	5.1

Women who report having sex with women (among sexually active women only)

Variable = wsw Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6743	70.8	.
1	Yes	105	1.1	3.9
2	No	2672	28.1	96.1

Women who report having sex with women ONLY (among sexually active women)

Variable = wswexclusive Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6722	70.6	.
1	Yes	67	0.7	2.2
2	No	2731	28.7	97.8

Men who report having sex with men (among sexually active men only)

Variable = msm Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7093	74.5	.
1	Yes	140	1.5	4.9
2	No	2287	24.0	95.1

Men who report having sex with men ONLY (among sexually active men)

Variable = msmexclusive Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7076	74.3	.
1	Yes	119	1.3	4.0
2	No	2325	24.4	96.0

Anal sex in past 12 months (Among sexually active)

Variable = analsex Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4348	45.7	.
D	D	25	0.3	.
R	R	47	0.5	.
1	Yes	332	3.5	7.9
2	No	4768	50.1	92.1

Used condom during anal sex in last 12 months (Among those who had anal sex)

Variable = analsexcondomuse Format = analsex. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9188	96.5	.
D	D	1	0.0	.
1	Every time	115	1.2	37.0
2	Some of the time	52	0.5	14.0
3	Never	164	1.7	49.0

Currently pregnant (Among women ages 18-54)

Variable = currentpregnant Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6370	66.9	.
D	D	9	0.1	.
R	R	35	0.4	.
1	Yes	85	0.9	3.9
2	No	3021	31.7	96.1

Received counseling or information about emergency contraception(EC) (females 18-44; males 18-64)

Variable = ecpills Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5927	62.3	.
D	D	14	0.1	.
R	R	10	0.1	.
1	Yes	228	2.4	6.8
2	No	3341	35.1	93.2

Where did you receive counseling or info about EC? (Among females who received ec counseling)

Variable = femalecounseling07 Format = eccoun. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9358	98.3	.
1	Pharmacy	5	0.1	2.7
2	Family planning or planned parenthood clinic	46	0.5	28.2
3	Dept of Health STD clinic	8	0.1	6.7
4	Private doctors office	71	0.7	45.9
5	Emergency Room	3	0.0	0.6
6	Community Health Center	9	0.1	4.5
7	Other	19	0.2	11.4
8	Internet	1	0.0	0.1

Where did you receive counseling or info about EC? (Among males who received ec counseling)

Variable = malecounseling07 Format = eccoun. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9454	99.3	.
D	D	6	0.1	.
R	R	1	0.0	.
1	Pharmacy	8	0.1	11.6
2	Family planning or planned parenthood clinic	15	0.2	20.3
3	Dept of Health STD clinic	2	0.0	4.3
4	Private doctors office	21	0.2	46.9
6	Community Health Center	4	0.0	6.6
7	Other	7	0.1	9.2
8	Internet	2	0.0	1.1

Had tubal ligation (Among women)

Variable = tubaligation Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	3931	41.3	.
D	D	21	0.2	.
R	R	79	0.8	.
1	Yes	816	8.6	12.8
2	No	4673	49.1	87.2

Had vasectomy (among men)

Variable = vasectomy Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	6009	63.1	.
D	D	43	0.5	.
R	R	52	0.5	.
1	Yes	89	0.9	2.1
2	No	3327	34.9	97.9

Used condom at last sex (excludes men who only had sex with men)
 Variable = condomuse07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4461	46.9	.
D	D	7	0.1	.
R	R	54	0.6	.
1	Yes	1591	16.7	34.0
2	No	3407	35.8	66.0

Condom used the last time you had sex? (use for trend analysis, 18-64yr, excl msmexcl, wswexcl)
 Variable = condomusetrend Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4960	52.1	.
D	D	5	0.1	.
R	R	41	0.4	.
1	Yes	1515	15.9	35.4
2	No	2999	31.5	64.6

SMOKING

Smoking status

Variable = smoker Format = smoker. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	250	2.6	.
D	D	5	0.1	.
1	Never	5455	57.3	61.3
2	Current	1517	15.9	17.1
3	Former	2293	24.1	21.7

Smoke every day vs some days

Variable = everyday Format = some. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7998	84.0	.
D	D	5	0.1	.
1	Yes, everyday	1037	10.9	66.4
2	No, some days	480	5.0	33.6

Age when you first started smoking regularly (Among current smoker)

Variable = agesmkcur Format = smokeage. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8070	84.8	.
1	1 - 9 yrs	16	0.2	1.4
2	10 - 12 yrs	75	0.8	4.7
3	13 - 17 yrs	670	7.0	46.2
4	18 - 22 yrs	459	4.8	32.8
5	>= 23 yrs	230	2.4	14.9

Age when first started smoking regularly (Among those who have ever smoked)

Variable = agesmkever Format = smokeage. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	5928	62.3	.
1	1 - 9 yrs	37	0.4	1.2
2	10 - 12 yrs	183	1.9	5.0
3	13 - 17 yrs	1645	17.3	46.5
4	18 - 22 yrs	1274	13.4	35.6
5	>= 23 yrs	453	4.8	11.7

Stopped smoking for one day or longer during past 12 months

Variable = triedtoquit Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7805	82.0	.
1	Yes	1153	12.1	69.7
2	No	562	5.9	30.3

Those who quit in the past year vs over a year ago

Variable = recentquit Format = recent. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7334	77.0	.
1	0 - 12 months	205	2.2	12.6
2	>12 months	1981	20.8	87.4

Successful quit (quit for > 3 months) among those who quit in past year

Variable = successfulquit1 Format = success. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	9315	97.8	.
1	>3 months	140	1.5	65.5
2	<=3 months	65	0.7	34.5

About how long has it been since you last smoked cigarettes regularly?

Variable = smoke5 Format = smoke5f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	7334	77.0	.
1	Within the past month	34	0.4	2.2
2	More than 1 - 3 months	31	0.3	2.1
3	More than 3 to 6 months	45	0.5	2.5
4	More than 6 to 12 months	95	1.0	5.7
5	More than 1 to 5 yrs	323	3.4	19.0
6	More 5 to 10 yrs	359	3.8	17.4
7	More than 10 yrs	1299	13.6	51.0

About how long has it been since you last smoked cigarettes regularly? (Continuous, in months)

Variable = smoke5a Format = not applicable Weighting Variable = wt8

Value	Frequency
.	7334
0.2-900.0	2186

Was last cigarette you smoked from a carton, pack, single, bummed, or did you roll your own?

Variable = sourcelastcig Format = lastcig. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8007	84.1	.
D	D	8	0.1	.
R	R	2	0.0	.
1	Carton	227	2.4	13.3
2	Pack	1090	11.4	72.5
3	Single/loosie	88	0.9	7.2
4	Bummed	50	0.5	3.1
5	Or did you roll your own?	48	0.5	3.9

Where did you get the last cigarette? (Among current smokers whose last cigarette was from carton, pack or single/loosie)

Variable = cigbuy07 Format = buy07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8134	85.4	.
1	Gas station, deli, other store in NYC	1213	12.7	87.5
2	Another person/street in NYC	65	0.7	5.3
3	Outside NYC but in NYS	21	0.2	1.3
4	Different state	29	0.3	1.8
5	Internet/mail	13	0.1	1.0
6	Indian reservation	17	0.2	0.9
7	Outside USA	15	0.2	1.4
8	Other	8	0.1	0.5
9	Another person (location unknown)	4	0.0	0.1
10	Airport	1	0.0	0.3

Where did you get the last cigarette? (Among current smokers whose last cigarette was from carton, pack or single/loosie) Intended for trend analysis

Variable = cigpurchase Format = cigpur. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8115	85.2	.
U	U	19	0.2	.
2	Gas station, deli, other store in NYC	1213	12.7	87.5
3	Another person/street in NYC	65	0.7	5.3
4	Another person/street location unknown	7	0.1	0.3
5	Store location unknown	2	0.0	0.3
6	Outside NYC but in NYS	24	0.3	1.7
7	Different state	29	0.3	1.8
8	Internet/mail	13	0.1	1.0
9	Indian reservation	17	0.2	0.9
10	Outside USA	12	0.1	0.9
11	Airport	1	0.0	0.3
12	Duty free	1	0.0	0.0
13	Other	2	0.0	0.1

NYC tax avoidance status (Among current smokers)

Variable = taxavoid Format = taxavoid. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	8115	85.2	.
U	U	19	0.2	.
1	NYC tax avoidant	168	1.8	11.9
2	Not NYC tax avoidant	1213	12.7	87.5
3	Cannot be determined	5	0.1	0.6

How often are you around people when they are smoking in your workplace? (Among currently employed)

Variable = shswork07 Format = shswrk07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	4845	50.9	.
D	D	15	0.2	.
R	R	3	0.0	.
1	All of the time	223	2.3	5.3
2	Most of the time	171	1.8	4.1
3	Only occasionally	1294	13.6	29.8
4	Never	2966	31.2	60.7
5	Do not work	3	0.0	0.0

How has the ban on smoking in the bars, restaurants, and workplaces affected the amount of SHS exposure? (among those living in NYC before 2003)

Variable = effectsmokeban Format = effectbn. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
.	.	824	8.7	.
D	D	185	1.9	.
R	R	21	0.2	.
1	Greatly increased	271	2.8	3.3
2	Somewhat increased	149	1.6	2.1
3	No impact	727	7.6	8.4
4	Somewhat reduced	602	6.3	8.0
5	Greatly reduced	2173	22.8	27.3
6	Rarely, never in places where exposed	4568	48.0	50.9

Additional variables (updated January 2014)

Variable name	Description	Values	N
neighpovgroup4_0711	Neighborhood poverty; percent of zip code population living below 100% FPL (based on ACS 2007-2011 poverty definition)	1 = Low poverty (<10%)	2043
		2 = Medium poverty (10-<20%)	3260
		3 = High poverty (20=<30%)	2301
		4 = Very high poverty (>=30%)	1732
		. = missing	184
age21up	3 level agegroup category for 21yrs and over	1 = 21-44 yrs	3416
		2 = 45-64 yrs	3670
		3 = 65+ yrs	2210
		. = Missing/not applicable	224
emp3	3 level employment status	1=Employed	5400
		2=Unemployed	583
		3=Not in labor force	3309
		.d=Don't know	70
		.r=Refused	49
		. = Missing	109
insure5	5 level type of health insurance coverage	1=Private	4661
		2=Medicare	1499
		3=Medicaid	1376
		4=Others	420
		5=Uninsured	1349
		.d=Don't know	143
		.r=Refused	33
		. = Missing	39
daysalc30	During the past 30 days, how many days per week or per month did you have at least 1 drink of any alcoholic beverage? (A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor.)	0-30.1	9008
		.d=Don't know	43
		.r=Refused	35
		. = Missing	434
ssb	Consumes one or more sugar sweetened beverages (soda + other sweetened drinks) on average per day	1=Yes	3113
		2=No	6321
		.d=Don't know	0
		.r=Refused	0
		. = Missing	86