

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--------------------------------|-----------------------------|----------------------------|
| 1-3 | SITE | Site Code | | |
| 17-17 | Q1 | How old are you? | | |
| | | 1 12 years old or younger | 1 | 0.1 |
| | | 2 13 years old | 6 | 0.6 |
| | | 3 14 years old | 187 | 14.1 |
| | | 4 15 years old | 372 | 29.4 |
| | | 5 16 years old | 333 | 26.1 |
| | | 6 17 years old | 267 | 18.6 |
| | | 7 18 years old or older | 162 | 11.2 |
| | | Missing | 4 | |
| 18-18 | Q2 | What is your sex? | | |
| | | 1 Female | 548 | 52.0 |
| | | 2 Male | 781 | 48.0 |
| | | Missing | 3 | |
| 19-19 | Q3 | In what grade are you? | | |
| | | 1 9th grade | 469 | 37.3 |
| | | 2 10th grade | 393 | 31.5 |
| | | 3 11th grade | 263 | 17.9 |
| | | 4 12th grade | 197 | 13.0 |
| | | 5 Ungraded or other grade | 2 | 0.3 |
| | | Missing | 8 | |
| 20-20 | Q4 | Are you Hispanic or Latino? | | |
| | | 1 Yes | 832 | 55.7 |
| | | 2 No | 482 | 44.3 |
| | | Missing | 18 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 21-28 | Q5 | What is your race? | | |
| | | G | 2 | 0.2 |
| | | F | 4 | 0.4 |
| | | E | 40 | 5.2 |
| | | D | 140 | 14.0 |
| | | C | 528 | 69.8 |
| | | C E | 14 | 1.1 |
| | | CD | 5 | 0.4 |
| | | CDE | 2 | 0.2 |
| | | B | 11 | 2.8 |
| | | B D | 2 | 0.1 |
| | | BC | 4 | 0.5 |
| | | A | 37 | 3.3 |
| | | A E | 1 | 0.1 |
| | | A D | 2 | 0.2 |
| | | A C | 10 | 1.1 |
| | | A C E | 2 | 0.2 |
| | | ABC | 1 | 0.2 |
| | | | 527 | 0.0 |
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 39-39 | Q8 | When you rode a bicycle during the past 12 months, how often did you wear a helmet? | | |
| | | 1 I did not ride a bicycle during the past 12 months | 511 | 39.4 |
| | | 2 Never wore a helmet | 647 | 48.1 |
| | | 3 Rarely wore a helmet | 69 | 5.4 |
| | | 4 Sometimes wore a helmet | 39 | 3.4 |
| | | 5 Most of the time wore a helmet | 23 | 1.8 |
| | | 6 Always wore a helmet | 28 | 1.8 |
| | | Missing | 15 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|-----------------------------|----------------------------|------|
| 40-40 | Q9 | How often do you wear a seat belt when riding in a car driven by someone else? | | | |
| | | 1 | Never | 86 | 7.3 |
| | | 2 | Rarely | 112 | 9.6 |
| | | 3 | Sometimes | 268 | 19.7 |
| | | 4 | Most of the time | 332 | 24.5 |
| | | 5 | Always | 526 | 38.9 |
| | | Missing | 8 | | |
| 42-42 | Q11 | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? | | | |
| | | 1 | 0 times | 1,230 | 97.4 |
| | | 2 | 1 time | 12 | 0.6 |
| | | 3 | 2 or 3 times | 12 | 0.9 |
| | | 4 | 4 or 5 times | 6 | 0.3 |
| | | 5 | 6 or more times | 11 | 0.7 |
| | | Missing | 61 | | |
| 43-43 | Q12 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | | |
| | | 1 | 0 days | 1,096 | 85.7 |
| | | 2 | 1 day | 56 | 3.6 |
| | | 3 | 2 or 3 days | 49 | 3.6 |
| | | 4 | 4 or 5 days | 20 | 1.6 |
| | | 5 | 6 or more days | 72 | 5.5 |
| | | Missing | 39 | | |
| 44-44 | Q13 | During the past 30 days, on how many days did you carry a gun? | | | |
| | | 1 | 0 days | 1,257 | 96.5 |
| | | 2 | 1 day | 26 | 1.8 |
| | | 3 | 2 or 3 days | 9 | 0.7 |
| | | 4 | 4 or 5 days | 3 | 0.2 |
| | | 5 | 6 or more days | 8 | 0.8 |
| | | Missing | 29 | | |
| 45-45 | Q14 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | | |
| | | 1 | 0 days | 1,203 | 93.1 |
| | | 2 | 1 day | 25 | 2.1 |
| | | 3 | 2 or 3 days | 26 | 1.7 |
| | | 4 | 4 or 5 days | 7 | 0.5 |
| | | 5 | 6 or more days | 34 | 2.6 |
| | | Missing | 37 | | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 46-46 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 1,200 | 90.5 |
| | | 2 1 day | 64 | 5.2 |
| | | 3 2 or 3 days | 41 | 3.0 |
| | | 4 4 or 5 days | 7 | 0.6 |
| | | 5 6 or more days | 11 | 0.8 |
| | | Missing | 9 | |
| 47-47 | Q16 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 times | 1,199 | 90.5 |
| | | 2 1 time | 70 | 5.3 |
| | | 3 2 or 3 times | 30 | 2.2 |
| | | 4 4 or 5 times | 7 | 0.6 |
| | | 5 6 or 7 times | 4 | 0.2 |
| | | 6 8 or 9 times | 5 | 0.3 |
| | | 8 12 or more times | 11 | 0.8 |
| | | Missing | 6 | |
| 48-48 | Q17 | During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property? | | |
| | | 1 0 times | 984 | 75.8 |
| | | 2 1 time | 191 | 14.8 |
| | | 3 2 or 3 times | 85 | 6.0 |
| | | 4 4 or 5 times | 29 | 1.7 |
| | | 5 6 or 7 times | 7 | 0.3 |
| | | 6 8 or 9 times | 2 | 0.1 |
| | | 7 10 or 11 times | 4 | 0.3 |
| | | 8 12 or more times | 16 | 1.0 |
| | | Missing | 14 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 49-49 | Q18 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 0 times | 776 | 62.2 |
| | | 2 1 time | 191 | 13.8 |
| | | 3 2 or 3 times | 196 | 14.5 |
| | | 4 4 or 5 times | 51 | 3.8 |
| | | 5 6 or 7 times | 25 | 2.1 |
| | | 6 8 or 9 times | 16 | 0.9 |
| | | 7 10 or 11 times | 2 | 0.2 |
| | | 8 12 or more times | 33 | 2.5 |
| | | Missing | 42 | |
| 50-50 | Q19 | During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse? | | |
| | | 1 0 times | 1,211 | 92.0 |
| | | 2 1 time | 72 | 5.9 |
| | | 3 2 or 3 times | 18 | 1.4 |
| | | 4 4 or 5 times | 2 | 0.3 |
| | | 5 6 or more times | 5 | 0.4 |
| | | Missing | 24 | |
| 51-51 | Q20 | During the past 12 months, how many times were you in a physical fight on school property? | | |
| | | 1 0 times | 1,098 | 86.3 |
| | | 2 1 time | 118 | 8.4 |
| | | 3 2 or 3 times | 54 | 4.0 |
| | | 4 4 or 5 times | 7 | 0.5 |
| | | 5 6 or 7 times | 3 | 0.2 |
| | | 8 12 or more times | 6 | 0.5 |
| | | Missing | 46 | |
| 52-52 | Q21 | During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? | | |
| | | 1 Yes | 182 | 13.9 |
| | | 2 No | 1,126 | 86.1 |
| | | Missing | 24 | |
| 53-53 | Q22 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | |
| | | 1 Yes | 106 | 8.3 |
| | | 2 No | 1,210 | 91.7 |
| | | Missing | 16 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 54-54 | Q23 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 399 | 31.7 |
| | | 2 No | 894 | 68.3 |
| | | Missing | 39 | |
| 55-55 | Q24 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 145 | 11.9 |
| | | 2 No | 1,176 | 88.1 |
| | | Missing | 11 | |
| 56-56 | Q25 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 Yes | 154 | 12.1 |
| | | 2 No | 1,170 | 87.9 |
| | | Missing | 8 | |
| 57-57 | Q26 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 917 | 89.4 |
| | | 2 1 time | 68 | 7.2 |
| | | 3 2 or 3 times | 30 | 3.0 |
| | | 4 4 or 5 times | 2 | 0.2 |
| | | 5 6 or more times | 2 | 0.1 |
| | | Missing | 313 | |
| 58-58 | Q27 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | |
| | | 1 I did not attempt suicide during the past 12 months | 921 | 89.2 |
| | | 2 Yes | 33 | 3.0 |
| | | 3 No | 72 | 7.8 |
| | | Missing | 306 | |
| 59-59 | Q28 | Have you ever tried cigarette smoking, even one or two puffs? | | |
| | | 1 Yes | 481 | 39.1 |
| | | 2 No | 751 | 60.9 |
| | | Missing | 100 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 60-60 | Q29 | How old were you when you smoked a whole cigarette for the first time? | | |
| | | 1 I have never smoked a whole cigarette | 935 | 79.5 |
| | | 2 8 years old or younger | 21 | 1.5 |
| | | 3 9 or 10 years old | 21 | 2.0 |
| | | 4 11 or 12 years old | 51 | 3.9 |
| | | 5 13 or 14 years old | 91 | 7.5 |
| | | 6 15 or 16 years old | 50 | 4.1 |
| | | 7 17 years old or older | 15 | 1.4 |
| | | Missing | 148 | |
| 61-61 | Q30 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 0 days | 1,201 | 95.7 |
| | | 2 1 or 2 days | 18 | 1.5 |
| | | 3 3 to 5 days | 6 | 0.6 |
| | | 4 6 to 9 days | 12 | 0.8 |
| | | 5 10 to 19 days | 5 | 0.3 |
| | | 6 20 to 29 days | 5 | 0.3 |
| | | 7 All 30 days | 9 | 0.9 |
| | | Missing | 76 | |
| 62-62 | Q31 | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,189 | 95.6 |
| | | 2 Less than 1 cigarette per day | 14 | 1.2 |
| | | 3 1 cigarette per day | 12 | 0.8 |
| | | 4 2 to 5 cigarettes per day | 24 | 1.9 |
| | | 5 6 to 10 cigarettes per day | 3 | 0.3 |
| | | 6 11 to 20 cigarettes per day | 1 | 0.1 |
| | | 7 More than 20 cigarettes per day | 2 | 0.1 |
| | | Missing | 87 | |
| 64-64 | Q33 | During the past 30 days, on how many days did you smoke cigarettes on school property? | | |
| | | 1 0 days | 1,262 | 98.4 |
| | | 2 1 or 2 days | 9 | 0.6 |
| | | 3 3 to 5 days | 3 | 0.3 |
| | | 4 6 to 9 days | 2 | 0.1 |
| | | 5 10 to 19 days | 2 | 0.2 |
| | | 6 20 to 29 days | 3 | 0.2 |
| | | 7 All 30 days | 1 | 0.1 |
| | | Missing | 50 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 65-65 | Q34 | Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days? | | |
| | | 1 Yes | 38 | 3.3 |
| | | 2 No | 1,192 | 96.7 |
| | | Missing | 102 | |
| 66-66 | Q35 | During the past 12 months, did you ever try to quit smoking cigarettes? | | |
| | | 1 I did not smoke during the past 12 months | 1,080 | 88.6 |
| | | 2 Yes | 60 | 4.8 |
| | | 3 No | 79 | 6.6 |
| | | Missing | 113 | |
| 67-67 | Q36 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? | | |
| | | 1 0 days | 1,273 | 98.0 |
| | | 2 1 or 2 days | 12 | 0.9 |
| | | 3 3 to 5 days | 4 | 0.3 |
| | | 4 6 to 9 days | 8 | 0.4 |
| | | 5 10 to 19 days | 1 | 0.1 |
| | | 6 20 to 29 days | 1 | 0.1 |
| | | 7 All 30 days | 2 | 0.2 |
| | | Missing | 31 | |
| 69-69 | Q38 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 1,240 | 95.3 |
| | | 2 1 or 2 days | 32 | 2.1 |
| | | 3 3 to 5 days | 11 | 0.9 |
| | | 4 6 to 9 days | 8 | 0.5 |
| | | 5 10 to 19 days | 5 | 0.3 |
| | | 6 20 to 29 days | 2 | 0.2 |
| | | 7 All 30 days | 7 | 0.7 |
| | | Missing | 27 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 71-71 | Q40 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | 1 I have never had a drink of alcohol other than a few sips | 497 | 40.8 |
| | | 2 8 years old or younger | 106 | 7.7 |
| | | 3 9 or 10 years old | 67 | 4.7 |
| | | 4 11 or 12 years old | 125 | 8.8 |
| | | 5 13 or 14 years old | 271 | 21.7 |
| | | 6 15 or 16 years old | 173 | 13.0 |
| | | 7 17 years old or older | 49 | 3.2 |
| | | Missing | 44 | |
| 72-72 | Q41 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 750 | 67.6 |
| | | 2 1 or 2 days | 233 | 18.6 |
| | | 3 3 to 5 days | 87 | 6.7 |
| | | 4 6 to 9 days | 48 | 3.8 |
| | | 5 10 to 19 days | 21 | 1.9 |
| | | 6 20 to 29 days | 9 | 0.6 |
| | | 7 All 30 days | 9 | 0.8 |
| | | Missing | 175 | |
| 73-73 | Q42 | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | | |
| | | 1 0 days | 1,070 | 85.6 |
| | | 2 1 day | 84 | 6.1 |
| | | 3 2 days | 60 | 4.2 |
| | | 4 3 to 5 days | 36 | 2.3 |
| | | 5 6 to 9 days | 11 | 0.7 |
| | | 6 10 to 19 days | 7 | 0.6 |
| | | 7 20 or more days | 5 | 0.5 |
| | | Missing | 59 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 74-74 | Q43 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | 1 I did not drink alcohol during the past 30 days | 745 | 66.4 |
| | | 2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 61 | 4.8 |
| | | 3 I bought it at a restaurant, bar, or club | 28 | 2.3 |
| | | 4 I bought it at a public event such as a concert or sporting event | 12 | 0.9 |
| | | 5 I gave someone else money to buy it for me | 50 | 3.8 |
| | | 6 Someone gave it to me | 125 | 9.9 |
| | | 7 I took it from a store or family member | 64 | 5.1 |
| | | 8 I got it some other way | 87 | 6.7 |
| | | Missing | 160 | |
| 75-75 | Q44 | During the past 30 days, on how many days did you have at least one drink of alcohol on school property? | | |
| | | 1 0 days | 1,171 | 93.3 |
| | | 2 1 or 2 days | 63 | 4.7 |
| | | 3 3 to 5 days | 17 | 1.2 |
| | | 4 6 to 9 days | 8 | 0.5 |
| | | 5 10 to 19 days | 2 | 0.1 |
| | | 7 All 30 days | 2 | 0.2 |
| | | Missing | 69 | |
| 76-76 | Q45 | During your life, how many times have you used marijuana? | | |
| | | 1 0 times | 942 | 75.6 |
| | | 2 1 or 2 times | 99 | 7.1 |
| | | 3 3 to 9 times | 87 | 7.6 |
| | | 4 10 to 19 times | 29 | 2.1 |
| | | 5 20 to 39 times | 39 | 2.4 |
| | | 6 40 to 99 times | 27 | 1.9 |
| | | 7 100 or more times | 45 | 3.3 |
| | | Missing | 64 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 77-77 | Q46 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 941 | 75.2 |
| | | 2 8 years old or younger | 13 | 1.0 |
| | | 3 9 or 10 years old | 19 | 1.4 |
| | | 4 11 or 12 years old | 48 | 3.2 |
| | | 5 13 or 14 years old | 135 | 10.3 |
| | | 6 15 or 16 years old | 98 | 7.6 |
| | | 7 17 years old or older | 19 | 1.2 |
| | | Missing | 59 | |
| 78-78 | Q47 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 1,112 | 88.3 |
| | | 2 1 or 2 times | 49 | 3.9 |
| | | 3 3 to 9 times | 47 | 3.7 |
| | | 4 10 to 19 times | 20 | 1.2 |
| | | 5 20 to 39 times | 14 | 1.1 |
| | | 6 40 or more times | 24 | 1.7 |
| | | Missing | 66 | |
| 79-79 | Q48 | During the past 30 days, how many times did you use marijuana on school property? | | |
| | | 1 0 times | 1,251 | 97.5 |
| | | 2 1 or 2 times | 20 | 1.3 |
| | | 3 3 to 9 times | 7 | 0.6 |
| | | 4 10 to 19 times | 3 | 0.2 |
| | | 5 20 to 39 times | 1 | 0.0 |
| | | 6 40 or more times | 4 | 0.4 |
| | | Missing | 46 | |
| 80-80 | Q49 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 1,262 | 97.9 |
| | | 2 1 or 2 times | 19 | 1.3 |
| | | 3 3 to 9 times | 3 | 0.3 |
| | | 4 10 to 19 times | 2 | 0.1 |
| | | 5 20 to 39 times | 1 | 0.1 |
| | | 6 40 or more times | 6 | 0.4 |
| | | Missing | 39 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 82-82 | Q51 | During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high? | | |
| | | 1 0 times | 1,201 | 94.2 |
| | | 2 1 or 2 times | 40 | 2.9 |
| | | 3 3 to 9 times | 20 | 1.3 |
| | | 4 10 to 19 times | 12 | 0.8 |
| | | 5 20 to 39 times | 5 | 0.4 |
| | | 6 40 or more times | 5 | 0.4 |
| | | Missing | 49 | |
| 83-83 | Q52 | During your life, how many times have you used heroin (also called smack, junk, or China White)? | | |
| | | 1 0 times | 1,268 | 98.1 |
| | | 2 1 or 2 times | 14 | 0.9 |
| | | 3 3 to 9 times | 4 | 0.3 |
| | | 4 10 to 19 times | 4 | 0.3 |
| | | 5 20 to 39 times | 1 | 0.1 |
| | | 6 40 or more times | 4 | 0.4 |
| | | Missing | 37 | |
| 84-84 | Q53 | During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)? | | |
| | | 1 0 times | 1,262 | 97.9 |
| | | 2 1 or 2 times | 13 | 0.9 |
| | | 3 3 to 9 times | 6 | 0.3 |
| | | 4 10 to 19 times | 4 | 0.2 |
| | | 5 20 to 39 times | 2 | 0.1 |
| | | 6 40 or more times | 5 | 0.5 |
| | | Missing | 40 | |
| 85-85 | Q54 | During your life, how many times have you used ecstasy (also called MDMA)? | | |
| | | 1 0 times | 1,246 | 97.4 |
| | | 2 1 or 2 times | 16 | 1.2 |
| | | 3 3 to 9 times | 11 | 0.7 |
| | | 4 10 to 19 times | 5 | 0.4 |
| | | 5 20 to 39 times | 1 | 0.1 |
| | | 6 40 or more times | 3 | 0.2 |
| | | Missing | 50 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|-------------------------------------|----------------------------|------|
| 86-86 | Q55 | During your life, how many times have you taken steroid pills or shots without a doctor's prescription? | | | |
| | | 1 | 0 times | 1,247 | 96.4 |
| | | 2 | 1 or 2 times | 24 | 2.0 |
| | | 3 | 3 to 9 times | 8 | 0.5 |
| | | 4 | 10 to 19 times | 5 | 0.4 |
| | | 5 | 20 to 39 times | 4 | 0.3 |
| | | 6 | 40 or more times | 4 | 0.3 |
| | Missing | 40 | | | |
| 87-87 | Q56 | During your life, how many times have you used a needle to inject any illegal drug into your body? | | | |
| | | 1 | 0 times | 1,256 | 97.4 |
| | | 2 | 1 time | 15 | 1.5 |
| | | 3 | 2 or more times | 14 | 1.1 |
| | Missing | 47 | | | |
| 88-88 | Q57 | During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property? | | | |
| | | 1 | Yes | 247 | 18.1 |
| | | 2 | No | 1,028 | 81.9 |
| | Missing | 57 | | | |
| 89-89 | Q58 | Have you ever had sexual intercourse? | | | |
| | | 1 | Yes | 626 | 52.9 |
| | | 2 | No | 495 | 47.1 |
| | Missing | 211 | | | |
| 90-90 | Q59 | How old were you when you had sexual intercourse for the first time? | | | |
| | | 1 | I have never had sexual intercourse | 492 | 47.1 |
| | | 2 | 11 years old or younger | 79 | 6.5 |
| | | 3 | 12 years old | 65 | 5.5 |
| | | 4 | 13 years old | 116 | 9.6 |
| | | 5 | 14 years old | 151 | 11.6 |
| | | 6 | 15 years old | 111 | 10.8 |
| | | 7 | 16 years old | 75 | 6.8 |
| | | 8 | 17 years old or older | 27 | 2.1 |
| | Missing | 216 | | | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 91-91 | Q60 | During your life, with how many people have you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 488 | 47.2 |
| | | 2 1 person | 177 | 16.9 |
| | | 3 2 people | 116 | 10.1 |
| | | 4 3 people | 84 | 6.9 |
| | | 5 4 people | 60 | 5.1 |
| | | 6 5 people | 47 | 3.5 |
| | | 7 6 or more people | 132 | 10.2 |
| | | Missing | 228 | |
| 92-92 | Q61 | During the past 3 months, with how many people did you have sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 490 | 47.1 |
| | | 2 I have had sexual intercourse, but not during the past 3 months | 212 | 18.6 |
| | | 3 1 person | 266 | 23.1 |
| | | 4 2 people | 68 | 5.5 |
| | | 5 3 people | 36 | 2.7 |
| | | 6 4 people | 10 | 0.9 |
| | | 7 5 people | 9 | 0.6 |
| | | 8 6 or more people | 20 | 1.5 |
| | | Missing | 221 | |
| 93-93 | Q62 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 486 | 46.8 |
| | | 2 Yes | 94 | 7.3 |
| | | 3 No | 523 | 45.8 |
| | | Missing | 229 | |
| 94-94 | Q63 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 487 | 47.5 |
| | | 2 Yes | 449 | 38.4 |
| | | 3 No | 153 | 14.1 |
| | | Missing | 243 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 95-95 | Q64 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 486 | 47.8 |
| | | 2 No method was used to prevent pregnancy | 108 | 9.5 |
| | | 3 Birth control pills | 30 | 2.6 |
| | | 4 Condoms | 385 | 32.9 |
| | | 5 Depo-Provera (injectable birth control) | 13 | 1.3 |
| | | 6 Withdrawal | 21 | 1.8 |
| | | 7 Some other method | 18 | 1.9 |
| | | 8 Not sure | 25 | 2.3 |
| | | Missing | 246 | |
| 96-96 | Q65 | How do you describe your weight? | | |
| | | 1 Very underweight | 50 | 4.0 |
| | | 2 Slightly underweight | 167 | 13.1 |
| | | 3 About the right weight | 697 | 57.4 |
| | | 4 Slightly overweight | 267 | 21.6 |
| | | 5 Very overweight | 53 | 3.9 |
| | | Missing | 98 | |
| 97-97 | Q66 | Which of the following are you trying to do about your weight? | | |
| | | 1 Lose weight | 507 | 40.9 |
| | | 2 Gain weight | 279 | 22.1 |
| | | 3 Stay the same weight | 291 | 24.1 |
| | | 4 I am not trying to do anything about my weight | 154 | 12.9 |
| | | Missing | 101 | |
| 98-98 | Q67 | During the past 30 days, did you exercise to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 690 | 55.6 |
| | | 2 No | 534 | 44.4 |
| | | Missing | 108 | |
| 99-99 | Q68 | During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 422 | 33.6 |
| | | 2 No | 801 | 66.4 |
| | | Missing | 109 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 102-102 | Q71 | During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 63 | 5.1 |
| | | 2 No | 1,142 | 94.9 |
| | | Missing | 127 | |
| 103-103 | Q72 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | |
| | | 1 I did not drink 100% fruit juice during the past 7 days | 219 | 17.9 |
| | | 2 1 to 3 times during the past 7 days | 374 | 31.5 |
| | | 3 4 to 6 times during the past 7 days | 214 | 17.6 |
| | | 4 1 time per day | 69 | 5.5 |
| | | 5 2 times per day | 104 | 7.8 |
| | | 6 3 times per day | 82 | 6.3 |
| | | 7 4 or more times per day | 159 | 13.4 |
| | | Missing | 111 | |
| 104-104 | Q73 | During the past 7 days, how many times did you eat fruit? | | |
| | | 1 I did not eat fruit during the past 7 days | 235 | 19.3 |
| | | 2 1 to 3 times during the past 7 days | 516 | 42.3 |
| | | 3 4 to 6 times during the past 7 days | 193 | 16.1 |
| | | 4 1 time per day | 86 | 7.0 |
| | | 5 2 times per day | 76 | 6.1 |
| | | 6 3 times per day | 37 | 3.0 |
| | | 7 4 or more times per day | 75 | 6.3 |
| | | Missing | 114 | |
| 109-109 | Q78 | During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? | | |
| | | 1 I did not drink soda or pop during the past 7 days | 193 | 16.4 |
| | | 2 1 to 3 times during the past 7 days | 389 | 32.6 |
| | | 3 4 to 6 times during the past 7 days | 235 | 19.4 |
| | | 4 1 time per day | 99 | 7.9 |
| | | 5 2 times per day | 87 | 8.3 |
| | | 6 3 times per day | 83 | 6.7 |
| | | 7 4 or more times per day | 109 | 8.7 |
| | | Missing | 137 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 110-110 | Q79 | During the past 7 days, how many glasses of milk did you drink? | | |
| | | 1 I did not drink milk during the past 7 days | 336 | 30.4 |
| | | 2 1 to 3 glasses during the past 7 days | 379 | 31.6 |
| | | 3 4 to 6 glasses during the past 7 days | 167 | 13.7 |
| | | 4 1 glass per day | 112 | 9.0 |
| | | 5 2 glasses per day | 96 | 8.1 |
| | | 6 3 glasses per day | 46 | 3.6 |
| | | 7 4 or more glasses per day | 46 | 3.5 |
| | | Missing | 150 | |
| 111-111 | Q80 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | 1 0 days | 229 | 22.7 |
| | | 2 1 day | 144 | 12.6 |
| | | 3 2 days | 157 | 13.9 |
| | | 4 3 days | 160 | 13.3 |
| | | 5 4 days | 94 | 8.7 |
| | | 6 5 days | 110 | 9.4 |
| | | 7 6 days | 36 | 2.6 |
| | | 8 7 days | 201 | 16.8 |
| | | Missing | 201 | |
| 112-112 | Q81 | On an average school day, how many hours do you watch TV? | | |
| | | 1 I do not watch TV on an average school day | 106 | 9.0 |
| | | 2 Less than 1 hour per day | 124 | 10.4 |
| | | 3 1 hour per day | 100 | 9.8 |
| | | 4 2 hours per day | 147 | 12.4 |
| | | 5 3 hours per day | 218 | 18.8 |
| | | 6 4 hours per day | 170 | 15.6 |
| | | 7 5 or more hours per day | 288 | 24.1 |
| | | Missing | 179 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 113-113 | Q82 | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? | | |
| | | 1 I do not play video or computer games or use a computer for something that is not school work | 197 | 17.4 |
| | | 2 Less than 1 hour per day | 174 | 14.9 |
| | | 3 1 hour per day | 131 | 11.9 |
| | | 4 2 hours per day | 189 | 17.3 |
| | | 5 3 hours per day | 155 | 12.5 |
| | | 6 4 hours per day | 110 | 9.7 |
| | | 7 5 or more hours per day | 190 | 16.3 |
| | | Missing | 186 | |
| 114-114 | Q83 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 0 days | 216 | 19.0 |
| | | 2 1 day | 355 | 29.1 |
| | | 3 2 days | 195 | 15.4 |
| | | 4 3 days | 96 | 13.1 |
| | | 5 4 days | 30 | 3.1 |
| | | 6 5 days | 209 | 20.3 |
| | | Missing | 231 | |
| 115-115 | Q84 | During the past 12 months, on how many sports teams did you play? | | |
| | | 1 0 teams | 585 | 55.4 |
| | | 2 1 team | 307 | 25.5 |
| | | 3 2 teams | 134 | 11.2 |
| | | 4 3 or more teams | 93 | 7.9 |
| | | Missing | 213 | |
| 116-116 | Q85 | Have you ever been taught about AIDS or HIV infection in school? | | |
| | | 1 Yes | 929 | 84.6 |
| | | 2 No | 125 | 11.5 |
| | | 3 Not sure | 50 | 3.9 |
| | | Missing | 228 | |
| 117-117 | Q86 | Has a doctor or nurse ever told you that you have asthma? | | |
| | | 1 Yes | 334 | 29.9 |
| | | 2 No | 715 | 65.4 |
| | | 3 Not sure | 57 | 4.7 |
| | | Missing | 226 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 119-119 | Q88 | How long have you lived in the US? | | |
| | | 1 Less than one year | 16 | 1.8 |
| | | 2 1 to 3 years | 83 | 6.8 |
| | | 3 4 to 6 years | 80 | 6.5 |
| | | 4 7 or more years | 1,141 | 84.9 |
| | | Missing | 12 | |
| 120-120 | Q89 | What borough of New York do you live in? | | |
| | | 1 Bronx | 1,251 | 94.8 |
| | | 2 Brooklyn | 8 | 0.5 |
| | | 3 Manhattan | 59 | 4.2 |
| | | 4 Queens | 4 | 0.4 |
| | | 5 Staten Island | 1 | 0.1 |
| | | Missing | 9 | |
| 121-121 | Q90 | How often do the people in your home speak a language other than English? | | |
| | | 1 Never | 319 | 27.0 |
| | | 2 Rarely | 121 | 9.4 |
| | | 3 Sometimes | 266 | 20.4 |
| | | 4 Most of the time | 294 | 20.9 |
| | | 5 Always | 315 | 22.2 |
| | | Missing | 17 | |
| 122-122 | Q91 | During the past 30 days, how did you usually get your own cigarettes? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,205 | 93.2 |
| | | 2 I bought them in a store such as a convenience store, supermarket, or gas station | 30 | 2.4 |
| | | 3 I bought them on the Internet | 4 | 0.3 |
| | | 4 I bummed them | 4 | 0.3 |
| | | 5 Someone gave them to me or bought them for me | 28 | 2.3 |
| | | 6 I stole them | 6 | 0.3 |
| | | 7 I got them some other way | 18 | 1.2 |
| | | Missing | 37 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 123-123 | Q92 | If you bummed, stole, or were given cigarettes during the past 30 days, how old was the person you got them from? | | |
| | | 1 I did not bum, steal, or get cigarettes from anyone during the past 30 days | 1,216 | 93.6 |
| | | 2 17 years old or younger | 36 | 3.1 |
| | | 3 18 to 20 years old | 19 | 1.3 |
| | | 4 21 years old or older | 29 | 2.0 |
| | | Missing | 32 | |
| 124-124 | Q93 | Do you think you will be smoking five years from now? | | |
| | | 1 Yes | 104 | 7.7 |
| | | 2 No | 1,205 | 92.3 |
| | | Missing | 23 | |
| 125-125 | Q94 | During the past 30 days, how many times have you had sexual intercourse? | | |
| | | 1 0 times | 848 | 69.8 |
| | | 2 1 to 3 times | 213 | 16.2 |
| | | 3 4 to 7 times | 87 | 7.0 |
| | | 4 8 or more times | 99 | 7.0 |
| | | Missing | 85 | |
| 126-126 | Q95 | The last time you had sexual intercourse, how old was your partner? | | |
| | | 1 I have never had sexual intercourse | 525 | 46.4 |
| | | 2 12 years old or younger | 28 | 2.0 |
| | | 3 13 to 14 years old | 82 | 5.2 |
| | | 4 15 to 17 years old | 383 | 29.5 |
| | | 5 18 to 20 years old | 134 | 11.6 |
| | | 6 21 to 24 years old | 39 | 3.2 |
| | | 7 25 years old or older | 17 | 1.3 |
| | | 8 Not sure | 10 | 0.8 |
| | | Missing | 114 | |
| 127-127 | Q96 | During your life, with whom have you had sexual contact? | | |
| | | 1 I have never had sexual contact | 426 | 37.8 |
| | | 2 Females | 501 | 32.9 |
| | | 3 Males | 267 | 25.5 |
| | | 4 Females and males | 44 | 3.8 |
| | | Missing | 94 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 128-128 | Q97 | Which of the following best describes you? | | |
| | | 1 Heterosexual or straight | 1,134 | 90.7 |
| | | 2 Gay or lesbian | 25 | 2.0 |
| | | 3 Bisexual | 55 | 4.6 |
| | | 4 Not sure | 28 | 2.7 |
| | | Missing | 90 | |
| 129-129 | Q98 | How many times have you been pregnant or gotten someone pregnant? | | |
| | | 1 0 times | 1,117 | 91.3 |
| | | 2 1 time | 76 | 6.0 |
| | | 3 2 or more times | 22 | 1.6 |
| | | 4 Not sure | 16 | 1.0 |
| | | Missing | 101 | |
| 130-130 | Q99 | Have you ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B? | | |
| | | 1 Yes | 579 | 45.9 |
| | | 2 No | 655 | 54.1 |
| | | Missing | 98 | |
| 131-131 | Q100 | During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables? | | |
| | | 1 I did not eat vegetables during the past 7 days | 293 | 24.3 |
| | | 2 1 to 3 times during the past 7 days | 459 | 37.8 |
| | | 3 4 to 6 times during the past 7 days | 196 | 15.8 |
| | | 4 1 time per day | 121 | 10.4 |
| | | 5 2 times per day | 52 | 4.7 |
| | | 6 3 times per day | 26 | 2.1 |
| | | 7 4 or more times per day | 60 | 4.9 |
| | | Missing | 125 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 132-132 | Q101 | During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips? | | |
| | | 1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days | 160 | 13.3 |
| | | 2 1 to 3 times during the past 7 days | 605 | 49.6 |
| | | 3 4 to 6 times during the past 7 days | 226 | 18.8 |
| | | 4 1 time per day | 84 | 6.1 |
| | | 5 2 times per day | 59 | 5.0 |
| | | 6 3 times per day | 24 | 2.2 |
| | | 7 4 or more times per day | 53 | 5.0 |
| | | Missing | 121 | |
| 133-133 | Q102 | During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk? | | |
| | | 1 I did not drink other sweetened drinks during the past 7 days | 184 | 15.7 |
| | | 2 1 to 3 times during the past 7 days | 447 | 38.0 |
| | | 3 4 to 6 times during the past 7 days | 226 | 19.2 |
| | | 4 1 time per day | 94 | 7.9 |
| | | 5 2 times per day | 78 | 6.5 |
| | | 6 3 times per day | 49 | 3.6 |
| | | 7 4 or more times per day | 106 | 9.1 |
| | | Missing | 148 | |
| 134-134 | Q103 | When you drink milk, what kind of milk do you usually drink? | | |
| | | 1 I do not drink milk | 176 | 16.4 |
| | | 2 Whole milk | 500 | 41.3 |
| | | 3 2% milk or reduced fat milk | 192 | 16.0 |
| | | 4 1% milk or low-fat milk | 131 | 11.5 |
| | | 5 Skim milk or non-fat milk | 24 | 2.3 |
| | | 6 Soy milk | 29 | 2.5 |
| | | 7 Not sure | 120 | 10.0 |
| | | Missing | 160 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 135-135 | Q104 | During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school? | | |
| | | 1 0 days | 265 | 24.5 |
| | | 2 1 day | 63 | 5.4 |
| | | 3 2 days | 61 | 4.9 |
| | | 4 3 days | 52 | 4.2 |
| | | 5 4 days | 45 | 4.1 |
| | | 6 5 or more days | 659 | 56.8 |
| | | Missing | 187 | |
| 136-136 | Q105 | If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of? | | |
| | | 1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school | 259 | 24.5 |
| | | 2 I mostly walk to school | 280 | 24.5 |
| | | 3 I mostly bike to school | 10 | 0.7 |
| | | 4 I mostly walk to public transportation to get to school | 567 | 48.7 |
| | | 5 I mostly bike to public transportation to get to school | 17 | 1.6 |
| | | Missing | 199 | |
| 137-137 | Q106 | How long does it usually take you to walk or bike to school? | | |
| | | 1 I do not walk or bike to school | 406 | 37.8 |
| | | 2 10 minutes or less | 235 | 20.7 |
| | | 3 11 to 20 minutes | 230 | 18.8 |
| | | 4 21 to 30 minutes | 141 | 12.8 |
| | | 5 31 to 59 minutes | 78 | 6.8 |
| | | 6 60 minutes or more | 41 | 3.1 |
| | | Missing | 201 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 138-138 | Q107 | During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard? | | |
| | | 1 I do not take PE | 205 | 17.6 |
| | | 2 Less than 10 minutes | 191 | 18.2 |
| | | 3 10 to 20 minutes | 193 | 17.9 |
| | | 4 21 to 30 minutes | 131 | 11.7 |
| | | 5 31 to 40 minutes | 111 | 9.5 |
| | | 6 41 to 50 minutes | 126 | 10.8 |
| | | 7 51 to 60 minutes | 85 | 7.0 |
| | | 8 More than 60 minutes | 96 | 7.3 |
| | | Missing | 194 | |
| 139-139 | Q108 | When was the last time you had a check up (preventive health examination or complete physical) at a clinic or doctor's office? | | |
| | | 1 During the past year | 781 | 69.8 |
| | | 2 1 to 2 years ago | 171 | 15.7 |
| | | 3 More than 2 years ago | 31 | 2.6 |
| | | 4 Not sure | 133 | 11.9 |
| | | Missing | 216 | |
| 140-140 | Q109 | During your last check up, did your doctor or nurse discuss ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs)? | | |
| | | 1 Yes | 580 | 52.9 |
| | | 2 No | 459 | 41.8 |
| | | 3 Not sure | 66 | 5.2 |
| | | Missing | 227 | |
| 141-141 | Q110 | During the past 12 months, have you had an episode of asthma or an asthma attack? | | |
| | | 1 I have never had asthma | 462 | 42.2 |
| | | 2 Yes | 156 | 14.0 |
| | | 3 No | 467 | 40.5 |
| | | 4 Not sure | 41 | 3.3 |
| | | Missing | 206 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 142-142 | Q111 | Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem? | | |
| | | 1 Strongly agree | 330 | 29.4 |
| | | 2 Agree | 350 | 31.6 |
| | | 3 Not sure | 194 | 16.9 |
| | | 4 Disagree | 102 | 9.3 |
| | | 5 Strongly disagree | 143 | 12.7 |
| | | Missing | 213 | |
| 143-143 | QN8 | Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet | | |
| | | 1 Yes | 716 | 88.4 |
| | | 2 No | 90 | 11.6 |
| | | Missing | 526 | |
| 144-144 | QN9 | Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else | | |
| | | 1 Yes | 198 | 16.9 |
| | | 2 No | 1,126 | 83.1 |
| | | Missing | 8 | |
| 146-146 | QN11 | Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol | | |
| | | 1 Yes | 41 | 2.6 |
| | | 2 No | 1,230 | 97.4 |
| | | Missing | 61 | |
| 147-147 | QN12 | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days | | |
| | | 1 Yes | 197 | 14.3 |
| | | 2 No | 1,096 | 85.7 |
| | | Missing | 39 | |
| 148-148 | QN13 | Percentage of students who carried a gun on one or more of the past 30 days | | |
| | | 1 Yes | 46 | 3.5 |
| | | 2 No | 1,257 | 96.5 |
| | | Missing | 29 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 149-149 | QN14 | Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days | | |
| | | 1 Yes | 92 | 6.9 |
| | | 2 No | 1,203 | 93.1 |
| | | Missing | 37 | |
| 150-150 | QN15 | Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | | |
| | | 1 Yes | 123 | 9.5 |
| | | 2 No | 1,200 | 90.5 |
| | | Missing | 9 | |
| 151-151 | QN16 | Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months | | |
| | | 1 Yes | 127 | 9.5 |
| | | 2 No | 1,199 | 90.5 |
| | | Missing | 6 | |
| 152-152 | QN17 | Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months | | |
| | | 1 Yes | 334 | 24.2 |
| | | 2 No | 984 | 75.8 |
| | | Missing | 14 | |
| 153-153 | QN18 | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 Yes | 514 | 37.8 |
| | | 2 No | 776 | 62.2 |
| | | Missing | 42 | |
| 154-154 | QN19 | Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse | | |
| | | 1 Yes | 97 | 8.0 |
| | | 2 No | 1,211 | 92.0 |
| | | Missing | 24 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 155-155 | QN20 | Percentage of students who were in a physical fight on school property one or more times during the past 12 months | | |
| | | 1 Yes | 188 | 13.7 |
| | | 2 No | 1,098 | 86.3 |
| | | Missing | 46 | |
| 156-156 | QN21 | Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months | | |
| | | 1 Yes | 182 | 13.9 |
| | | 2 No | 1,126 | 86.1 |
| | | Missing | 24 | |
| 157-157 | QN22 | Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to | | |
| | | 1 Yes | 106 | 8.3 |
| | | 2 No | 1,210 | 91.7 |
| | | Missing | 16 | |
| 158-158 | QN23 | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | | |
| | | 1 Yes | 399 | 31.7 |
| | | 2 No | 894 | 68.3 |
| | | Missing | 39 | |
| 159-159 | QN24 | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 Yes | 145 | 11.9 |
| | | 2 No | 1,176 | 88.1 |
| | | Missing | 11 | |
| 160-160 | QN25 | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 Yes | 154 | 12.1 |
| | | 2 No | 1,170 | 87.9 |
| | | Missing | 8 | |
| 161-161 | QN26 | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 Yes | 102 | 10.6 |
| | | 2 No | 917 | 89.4 |
| | | Missing | 313 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 162-162 | QN27 | Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | | |
| | | 1 Yes | 33 | 3.0 |
| | | 2 No | 993 | 97.0 |
| | | Missing | 306 | |
| 163-163 | QN28 | Percentage of students who ever tried cigarette smoking, even one or two puffs | | |
| | | 1 Yes | 481 | 39.1 |
| | | 2 No | 751 | 60.9 |
| | | Missing | 100 | |
| 164-164 | QN29 | Percentage of students who smoked a whole cigarette for the first time before age 13 years | | |
| | | 1 Yes | 93 | 7.4 |
| | | 2 No | 1,091 | 92.6 |
| | | Missing | 148 | |
| 165-165 | QN30 | Percentage of students who smoked cigarettes on one or more of the past 30 days | | |
| | | 1 Yes | 55 | 4.3 |
| | | 2 No | 1,201 | 95.7 |
| | | Missing | 76 | |
| 166-166 | QN31 | Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days | | |
| | | 1 Yes | 2 | 2.2 |
| | | 2 No | 51 | 97.8 |
| | | Missing | 1,279 | |
| 168-168 | QN33 | Percentage of students who smoked cigarettes on school property on one or more of the past 30 days | | |
| | | 1 Yes | 20 | 1.6 |
| | | 2 No | 1,262 | 98.4 |
| | | Missing | 50 | |
| 169-169 | QN34 | Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days | | |
| | | 1 Yes | 38 | 3.3 |
| | | 2 No | 1,192 | 96.7 |
| | | Missing | 102 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 170-170 | QN35 | Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months | | |
| | | 1 Yes | 33 | 57.8 |
| | | 2 No | 19 | 42.2 |
| | | Missing | 1,280 | |
| 171-171 | QN36 | Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 28 | 2.0 |
| | | 2 No | 1,273 | 98.0 |
| | | Missing | 31 | |
| 173-173 | QN38 | Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days | | |
| | | 1 Yes | 65 | 4.7 |
| | | 2 No | 1,240 | 95.3 |
| | | Missing | 27 | |
| 175-175 | QN40 | Percentage of students who had their first drink of alcohol other than a few sips before age 13 years | | |
| | | 1 Yes | 298 | 21.2 |
| | | 2 No | 990 | 78.8 |
| | | Missing | 44 | |
| 176-176 | QN41 | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | |
| | | 1 Yes | 407 | 32.4 |
| | | 2 No | 750 | 67.6 |
| | | Missing | 175 | |
| 177-177 | QN42 | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days | | |
| | | 1 Yes | 203 | 14.4 |
| | | 2 No | 1,070 | 85.6 |
| | | Missing | 59 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 178-178 | QN43 | Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station during the past 30 days | | |
| | | 1 Yes | 58 | 14.8 |
| | | 2 No | 346 | 85.2 |
| | | Missing | 928 | |
| 179-179 | QN44 | Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days | | |
| | | 1 Yes | 92 | 6.7 |
| | | 2 No | 1,171 | 93.3 |
| | | Missing | 69 | |
| 180-180 | QN45 | Percentage of students who used marijuana one or more times during their life | | |
| | | 1 Yes | 326 | 24.4 |
| | | 2 No | 942 | 75.6 |
| | | Missing | 64 | |
| 181-181 | QN46 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 80 | 5.6 |
| | | 2 No | 1,193 | 94.4 |
| | | Missing | 59 | |
| 182-182 | QN47 | Percentage of students who used marijuana one or more times during the past 30 days | | |
| | | 1 Yes | 154 | 11.7 |
| | | 2 No | 1,112 | 88.3 |
| | | Missing | 66 | |
| 183-183 | QN48 | Percentage of students who used marijuana on school property one or more times during the past 30 days | | |
| | | 1 Yes | 35 | 2.5 |
| | | 2 No | 1,251 | 97.5 |
| | | Missing | 46 | |
| 184-184 | QN49 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | | |
| | | 1 Yes | 31 | 2.1 |
| | | 2 No | 1,262 | 97.9 |
| | | Missing | 39 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 186-186 | QN51 | Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life | | |
| | | 1 Yes | 82 | 5.8 |
| | | 2 No | 1,201 | 94.2 |
| | | Missing | 49 | |
| 187-187 | QN52 | Percentage of students who used heroin one or more times during their life | | |
| | | 1 Yes | 27 | 1.9 |
| | | 2 No | 1,268 | 98.1 |
| | | Missing | 37 | |
| 188-188 | QN53 | Percentage of students who used methamphetamines one or more times during their life | | |
| | | 1 Yes | 30 | 2.1 |
| | | 2 No | 1,262 | 97.9 |
| | | Missing | 40 | |
| 189-189 | QN54 | Percentage of students who used ecstasy one or more times during their life | | |
| | | 1 Yes | 36 | 2.6 |
| | | 2 No | 1,246 | 97.4 |
| | | Missing | 50 | |
| 190-190 | QN55 | Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life | | |
| | | 1 Yes | 45 | 3.6 |
| | | 2 No | 1,247 | 96.4 |
| | | Missing | 40 | |
| 191-191 | QN56 | Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life | | |
| | | 1 Yes | 29 | 2.6 |
| | | 2 No | 1,256 | 97.4 |
| | | Missing | 47 | |
| 192-192 | QN57 | Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months | | |
| | | 1 Yes | 247 | 18.1 |
| | | 2 No | 1,028 | 81.9 |
| | | Missing | 57 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 193-193 | QN58 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 626 | 52.9 |
| | | 2 No | 495 | 47.1 |
| | | Missing | 211 | |
| 194-194 | QN59 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 144 | 12.1 |
| | | 2 No | 972 | 87.9 |
| | | Missing | 216 | |
| 195-195 | QN60 | Percentage of students who had sexual intercourse with four or more people during their life | | |
| | | 1 Yes | 239 | 18.8 |
| | | 2 No | 865 | 81.2 |
| | | Missing | 228 | |
| 196-196 | QN61 | Percentage of students who had sexual intercourse with one or more people during the past three months | | |
| | | 1 Yes | 409 | 34.3 |
| | | 2 No | 702 | 65.7 |
| | | Missing | 221 | |
| 197-197 | QN62 | Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse | | |
| | | 1 Yes | 66 | 14.1 |
| | | 2 No | 336 | 85.9 |
| | | Missing | 930 | |
| 198-198 | QN63 | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse | | |
| | | 1 Yes | 288 | 70.2 |
| | | 2 No | 110 | 29.8 |
| | | Missing | 934 | |
| 199-199 | QN64 | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 20 | 5.0 |
| | | 2 No | 377 | 95.0 |
| | | Missing | 935 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 200-200 | QN65 | Percentage of students who described themselves as slightly or very overweight | | |
| | | 1 Yes | 320 | 25.5 |
| | | 2 No | 914 | 74.5 |
| | | Missing | 98 | |
| 201-201 | QN66 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 507 | 40.9 |
| | | 2 No | 724 | 59.1 |
| | | Missing | 101 | |
| 202-202 | QN67 | Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 690 | 55.6 |
| | | 2 No | 534 | 44.4 |
| | | Missing | 108 | |
| 203-203 | QN68 | Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 422 | 33.6 |
| | | 2 No | 801 | 66.4 |
| | | Missing | 109 | |
| 206-206 | QN71 | Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 63 | 5.1 |
| | | 2 No | 1,142 | 94.9 |
| | | Missing | 127 | |
| 207-207 | QN72 | Percentage of students who drank 100% fruit juices one or more times during the past seven days | | |
| | | 1 Yes | 1,002 | 82.1 |
| | | 2 No | 219 | 17.9 |
| | | Missing | 111 | |
| 208-208 | QN73 | Percentage of students who ate fruit one or more times during the past seven days | | |
| | | 1 Yes | 983 | 80.7 |
| | | 2 No | 235 | 19.3 |
| | | Missing | 114 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 213-213 | QN78 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days | | |
| | | 1 Yes | 378 | 31.6 |
| | | 2 No | 817 | 68.4 |
| | | Missing | 137 | |
| 214-214 | QN79 | Percentage of students who drank three or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 92 | 7.1 |
| | | 2 No | 1,090 | 92.9 |
| | | Missing | 150 | |
| 215-215 | QN80 | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days | | |
| | | 1 Yes | 347 | 28.8 |
| | | 2 No | 784 | 71.2 |
| | | Missing | 201 | |
| 216-216 | QN81 | Percentage of students who watched three or more hours per day of TV on an average school day | | |
| | | 1 Yes | 676 | 58.5 |
| | | 2 No | 477 | 41.5 |
| | | Missing | 179 | |
| 217-217 | QN82 | Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day | | |
| | | 1 Yes | 455 | 38.6 |
| | | 2 No | 691 | 61.4 |
| | | Missing | 186 | |
| 218-218 | QN83 | Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school | | |
| | | 1 Yes | 885 | 81.0 |
| | | 2 No | 216 | 19.0 |
| | | Missing | 231 | |
| 219-219 | QN84 | Percentage of students who played on one or more sports teams during the past 12 months | | |
| | | 1 Yes | 534 | 44.6 |
| | | 2 No | 585 | 55.4 |
| | | Missing | 213 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 220-220 | QN85 | Percentage of students who had ever been taught in school about AIDS or HIV infection | | |
| | | 1 Yes | 929 | 84.6 |
| | | 2 No | 175 | 15.4 |
| | | Missing | 228 | |
| 221-221 | QN86 | Percentage of students who had ever been told by a doctor or nurse that they had asthma | | |
| | | 1 Yes | 334 | 29.9 |
| | | 2 No | 772 | 70.1 |
| | | Missing | 226 | |
| 223-223 | QN88 | Percentage of students who have lived in the U.S. less than one year | | |
| | | 1 Yes | 16 | 1.8 |
| | | 2 No | 1,304 | 98.2 |
| | | Missing | 12 | |
| 224-224 | QN89 | Percentage of students who live outside of Manhattan borough of New York | | |
| | | 1 Yes | 1,264 | 95.8 |
| | | 2 No | 59 | 4.2 |
| | | Missing | 9 | |
| 225-225 | QN90 | Percentage of students whose people in their home most of the time or always speak a language other than English | | |
| | | 1 Yes | 609 | 43.1 |
| | | 2 No | 706 | 56.9 |
| | | Missing | 17 | |
| 226-226 | QN91 | Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days | | |
| | | 1 Yes | 30 | 2.4 |
| | | 2 No | 1,265 | 97.6 |
| | | Missing | 37 | |
| 227-227 | QN92 | Percentage of students who bummed or stole from, or were given cigarettes by a person 18 years old or older during the past 30 days | | |
| | | 1 Yes | 48 | 3.4 |
| | | 2 No | 1,252 | 96.6 |
| | | Missing | 32 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 228-228 | QN93 | Percentage of students who think they will be smoking five years from now | | |
| | | 1 Yes | 104 | 7.7 |
| | | 2 No | 1,205 | 92.3 |
| | | Missing | 23 | |
| 229-229 | QN94 | Percentage of students who had sexual intercourse one or more times during the past 30 days | | |
| | | 1 Yes | 399 | 30.2 |
| | | 2 No | 848 | 69.8 |
| | | Missing | 85 | |
| 230-230 | QN95 | Percentage of students whose last sexual intercourse partner was 18 years old or older | | |
| | | 1 Yes | 190 | 16.1 |
| | | 2 No | 1,028 | 83.9 |
| | | Missing | 114 | |
| 231-231 | QN96 | Percentage of students who have had sexual contact with females and males during their life | | |
| | | 1 Yes | 44 | 3.8 |
| | | 2 No | 1,194 | 96.2 |
| | | Missing | 94 | |
| 232-232 | QN97 | Percentage of students who describe themselves as gay, lesbian, or bisexual | | |
| | | 1 Yes | 80 | 6.7 |
| | | 2 No | 1,162 | 93.3 |
| | | Missing | 90 | |
| 233-233 | QN98 | Percentage of students who have been pregnant or gotten someone pregnant one or more times | | |
| | | 1 Yes | 98 | 7.7 |
| | | 2 No | 1,133 | 92.3 |
| | | Missing | 101 | |
| 234-234 | QN99 | Percentage of students who have ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B | | |
| | | 1 Yes | 579 | 45.9 |
| | | 2 No | 655 | 54.1 |
| | | Missing | 98 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 235-235 | QN100 | Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days | | |
| | | 1 Yes | 259 | 22.1 |
| | | 2 No | 948 | 77.9 |
| | | Missing | 125 | |
| 236-236 | QN101 | Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days | | |
| | | 1 Yes | 220 | 18.3 |
| | | 2 No | 991 | 81.7 |
| | | Missing | 121 | |
| 237-237 | QN102 | Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days | | |
| | | 1 Yes | 327 | 27.1 |
| | | 2 No | 857 | 72.9 |
| | | Missing | 148 | |
| 238-238 | QN103 | Percentage of students who usually drink 1% or skim milk when they drink milk | | |
| | | 1 Yes | 155 | 13.8 |
| | | 2 No | 1,017 | 86.2 |
| | | Missing | 160 | |
| 239-239 | QN104 | Percentage of students who walked or biked to school or walked or biked to public transportation to get to school on one or more days during the last week they were in school | | |
| | | 1 Yes | 880 | 75.5 |
| | | 2 No | 265 | 24.5 |
| | | Missing | 187 | |
| 240-240 | QN105 | Percentage of students who mostly walk or bike to school | | |
| | | 1 Yes | 290 | 25.2 |
| | | 2 No | 843 | 74.8 |
| | | Missing | 199 | |
| 241-241 | QN106 | Percentage of students who usually walk or bike to school for more than 20 minutes | | |
| | | 1 Yes | 260 | 22.7 |
| | | 2 No | 871 | 77.3 |
| | | Missing | 201 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 242-242 | QN107 | Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class | | |
| | | 1 Yes | 549 | 46.3 |
| | | 2 No | 589 | 53.7 |
| | | Missing | 194 | |
| 243-243 | QN108 | Percentage of students who last had a check up (preventive health examination or complete physical) at a clinic or doctor's office during the past year | | |
| | | 1 Yes | 781 | 69.8 |
| | | 2 No | 335 | 30.2 |
| | | Missing | 216 | |
| 244-244 | QN109 | Percentage of students whose doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) during their last check up | | |
| | | 1 Yes | 580 | 52.9 |
| | | 2 No | 525 | 47.1 |
| | | Missing | 227 | |
| 245-245 | QN110 | Percentage of students who had an episode of asthma or an asthma attack during the past 12 months | | |
| | | 1 Yes | 156 | 14.0 |
| | | 2 No | 970 | 86.0 |
| | | Missing | 206 | |
| 246-246 | QN111 | Percentage of students who strongly agree or agree that they feel connected to at least one teacher or other adult in this school they can talk to if they have a problem | | |
| | | 1 Yes | 680 | 61.1 |
| | | 2 No | 439 | 38.9 |
| | | Missing | 213 | |
| 248-248 | QNFRDIG | Percentage of students who smoked cigarettes on 20 or more of the past 30 days | | |
| | | 1 Yes | 14 | 1.2 |
| | | 2 No | 1,242 | 98.8 |
| | | Missing | 76 | |

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|--------------------|--|----------------------|---------------------|
| 249-249 | QNDLYPE | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school | | |
| | | 1 Yes | 209 | 20.3 |
| | | 2 No | 892 | 79.7 |
| | | Missing | 231 | |
| 250-250 | QNANYTOB | Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 91 | 6.9 |
| | | 2 No | 1,137 | 93.1 |
| | | Missing | 104 | |
| 251-251 | QNROVWGT (revised) | Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OVERWEIGHT" STARTING WITH 2009 YRBS] | | |
| | | 1 Yes | 220 | 17.5 |
| | | 2 No | 1,013 | 82.5 |
| | | Missing | 99 | |
| 252-252 | QNOVWGT (revised) | Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OBESE" STARTING WITH 2009 YRBS] | | |
| | | 1 Yes | 203 | 15.3 |
| | | 2 No | 1,030 | 84.7 |
| | | Missing | 99 | |
| 358-369 | Weight | Weight | | |
| 370-374 | PSU | Primary Sampling Unit | | |
| 375-378 | Stratum | Stratum | | |
| 379-383 | BMIPct | Percentile for body mass index, by age and sex | | |
| 384-385 | RaceEth | Race/Ethnicity | | |
| | | 1 Am Indian / Alaska Native | 6 | 0.3 |
| | | 2 Asian | 8 | 1.6 |
| | | 3 Black or African American | 400 | 38.2 |
| | | 4 Native Hawaiian/other PI | 18 | 1.0 |
| | | 5 White | 6 | 1.0 |
| | | 6 Hispanic/Latino | 503 | 35.3 |
| | | 7 Multiple - Hispanic | 324 | 21.1 |
| | | 8 Multiple - non-Hispanic | 26 | 1.6 |
| | | Missing | 41 | |