

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	5	0.8
		2	13 years old	36	2.4
		3	14 years old	301	21.6
		4	15 years old	350	23.5
		5	16 years old	353	25.2
		6	17 years old	301	19.1
		7	18 years old or older	108	7.4
		Missing	8		
18-18	Q2	What is your sex?			
		1	Female	668	49.3
		2	Male	785	50.7
			Missing	9	
19-19	Q3	In what grade are you?			
		1	9th grade	398	30.7
		2	10th grade	404	26.7
		3	11th grade	292	21.6
		4	12th grade	347	20.5
		5	Ungraded or other grade	6	0.5
		Missing	15		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	957	57.9
		2	No	475	42.1
			Missing	30	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		F	2	0.2
		E	86	7.9
		D	105	9.3
		DE	2	0.2
		C	457	71.6
		C E	11	0.4
		CD	14	0.8
		CDE	1	0.0
		B	35	3.8
		B E	1	0.1
		BC	6	0.1
		BC E	1	0.0
		A	46	3.8
		A E	1	0.0
		A D	3	0.1
		A C	18	0.7
		A C E	6	0.3
		AB	4	0.2
		AB DE	1	0.1
		ABC	1	0.2
		ABCDE	2	0.2
			657	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	584	38.3
		2 Never wore a helmet	731	51.5
		3 Rarely wore a helmet	58	4.7
		4 Sometimes wore a helmet	42	3.2
		5 Most of the time wore a helmet	16	0.9
		6 Always wore a helmet	20	1.5
		Missing	11	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,382	97.2
		2 1 time	9	0.4
		3 2 or 3 times	6	0.6
		4 4 or 5 times	3	0.2
		5 6 or more times	14	1.5
		Missing	48	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,247	87.1
		2 1 day	48	3.4
		3 2 or 3 days	45	3.2
		4 4 or 5 days	21	1.8
		5 6 or more days	64	4.4
		Missing	37	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,408	96.8
		2 1 day	17	1.3
		3 2 or 3 days	9	1.1
		4 4 or 5 days	4	0.2
		5 6 or more days	7	0.6
		Missing	17	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,357	95.6
		2 1 day	27	1.9
		3 2 or 3 days	14	0.8
		4 4 or 5 days	5	0.2
		5 6 or more days	23	1.5
		Missing	36	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,306	88.7
		2 1 day	94	6.8
		3 2 or 3 days	31	2.7
		4 4 or 5 days	10	0.6
		5 6 or more days	14	1.2
		Missing	7	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,361	92.9
		2 1 time	49	3.4
		3 2 or 3 times	28	2.0
		4 4 or 5 times	8	0.7
		5 6 or 7 times	3	0.2
		6 8 or 9 times	2	0.2
		7 10 or 11 times	2	0.1
		8 12 or more times	7	0.5
		Missing	2	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	995	67.2
		2 1 time	186	13.5
		3 2 or 3 times	162	11.8
		4 4 or 5 times	46	3.5
		5 6 or 7 times	10	0.7
		6 8 or 9 times	15	1.0
		7 10 or 11 times	4	0.2
		8 12 or more times	32	2.1
		Missing	12	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	135	9.0
		2 No	1,307	91.0
		Missing	20	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	78	6.1
		2 No	1,370	93.9
		Missing	14	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	148	11.0
		2 No	1,294	89.0
		Missing	20	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	137	9.2
		2 No	1,312	90.8
		Missing	13	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	375	26.8
		2 No	1,065	73.2
		Missing	22	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	146	10.5
		2 No	1,298	89.5
		Missing	18	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,022	90.7
		2 1 time	61	5.5
		3 2 or 3 times	30	3.0
		4 4 or 5 times	4	0.3
		5 6 or more times	4	0.4
		Missing	341	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	992	90.7
		2 Yes	21	2.0
		3 No	75	7.2
		Missing	374	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	330	23.3
		2 No	1,088	76.7
		Missing	44	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,310	92.9
		2 1 or 2 days	31	2.1
		3 3 to 5 days	16	1.2
		4 6 to 9 days	10	0.8
		5 10 to 19 days	6	0.5
		6 20 to 29 days	8	0.7
		7 All 30 days	21	1.8
		Missing	60	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,286	92.9
		2 Less than 1 cigarette per day	32	2.5
		3 1 cigarette per day	19	1.6
		4 2 to 5 cigarettes per day	30	2.3
		5 6 to 10 cigarettes per day	6	0.5
		6 11 to 20 cigarettes per day	1	0.1
		7 More than 20 cigarettes per day	3	0.3
		Missing	85	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,197	86.7
		2 Yes	90	5.9
		3 No	94	7.4
		Missing	81	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,383	96.7
		2 1 or 2 days	24	1.5
		3 3 to 5 days	12	0.9
		4 6 to 9 days	4	0.3
		5 10 to 19 days	4	0.4
		6 20 to 29 days	1	0.1
		7 All 30 days	2	0.1
		Missing	32	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	544	40.0
		2 8 years old or younger	106	7.1
		3 9 or 10 years old	70	4.9
		4 11 or 12 years old	148	11.3
		5 13 or 14 years old	320	21.8
		6 15 or 16 years old	175	12.3
		7 17 years old or older	31	2.5
		Missing	68	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	876	69.1
		2 1 or 2 days	227	17.1
		3 3 to 5 days	107	7.5
		4 6 to 9 days	39	3.0
		5 10 to 19 days	30	2.0
		6 20 to 29 days	4	0.3
		7 All 30 days	12	1.0
		Missing	167	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,184	85.6
		2 1 day	80	5.5
		3 2 days	53	3.6
		4 3 to 5 days	44	3.8
		5 6 to 9 days	13	0.8
		6 10 to 19 days	7	0.4
		7 20 or more days	4	0.3
		Missing	77	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	852	67.9
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	61	4.9
		3 I bought it at a restaurant, bar, or club	7	0.5
		4 I bought it at a public event such as a concert or sporting event	12	1.1
		5 I gave someone else money to buy it for me	76	5.9
		6 Someone gave it to me	117	8.5
		7 I took it from a store or family member	56	4.2
		8 I got it some other way	85	7.0
		Missing	196	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	948	66.4
		2 8 years old or younger	19	1.1
		3 9 or 10 years old	28	2.5
		4 11 or 12 years old	62	4.7
		5 13 or 14 years old	193	13.6
		6 15 or 16 years old	129	9.9
		7 17 years old or older	16	1.7
		Missing	67	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,110	79.8
		2 1 or 2 times	106	8.1
		3 3 to 9 times	64	4.4
		4 10 to 19 times	36	2.6
		5 20 to 39 times	24	1.8
		6 40 or more times	38	3.2
		Missing	84	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,352	96.8
		2 1 or 2 times	25	1.7
		3 3 to 9 times	11	0.6
		4 10 to 19 times	4	0.3
		5 20 to 39 times	5	0.3
		6 40 or more times	3	0.3
		Missing	62	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,290	92.9
		2 1 or 2 times	64	4.2
		3 3 to 9 times	20	1.1
		4 10 to 19 times	11	1.0
		5 20 to 39 times	4	0.3
		6 40 or more times	7	0.6
		Missing	66	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,359	97.4
		2 1 or 2 times	18	1.3
		3 3 to 9 times	6	0.4
		4 10 to 19 times	4	0.3
		5 20 to 39 times	2	0.2
		6 40 or more times	3	0.3
		Missing	70	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,362	97.2
		2 1 or 2 times	11	0.8
		3 3 to 9 times	10	1.1
		4 10 to 19 times	4	0.4
		5 20 to 39 times	2	0.1
		6 40 or more times	4	0.4
		Missing	69	
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,324	95.3
		2 1 or 2 times	31	2.9
		3 3 to 9 times	13	0.7
		4 10 to 19 times	7	0.7
		5 20 to 39 times	2	0.2
		6 40 or more times	3	0.3
		Missing	82	
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,337	97.8
		2 1 time	20	1.4
		3 2 or more times	12	0.9
		Missing	93	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	567	47.4
		2 No	632	52.6
		Missing	263	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	626	52.4
		2 11 years old or younger	58	5.8
		3 12 years old	59	4.6
		4 13 years old	111	9.3
		5 14 years old	134	10.6
		6 15 years old	118	9.6
		7 16 years old	64	5.6
		8 17 years old or older	25	2.0
		Missing	267	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	623	52.1
		2 1 person	175	14.8
		3 2 people	105	8.8
		4 3 people	78	7.9
		5 4 people	45	3.4
		6 5 people	41	3.1
		7 6 or more people	123	9.9
		Missing	272	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	620	52.3
		2 I have had sexual intercourse, but not during the past 3 months	212	17.7
		3 1 person	226	20.7
		4 2 people	57	4.1
		5 3 people	21	2.1
		6 4 people	14	1.0
		7 5 people	10	0.7
		8 6 or more people	22	1.4
		Missing	280	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	619	51.9
		2 Yes	100	9.3
		3 No	465	38.7
		Missing	278	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	615	53.5
		2 Yes	384	32.0
		3 No	149	14.5
		Missing	314	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	613	53.8
		2 No method was used to prevent pregnancy	85	8.1
		3 Birth control pills	33	2.8
		4 Condoms	321	26.7
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	27	3.1
		6 Withdrawal	23	2.4
		7 Some other method	17	1.6
		8 Not sure	18	1.3
		Missing	325	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	49	4.5
		2 Slightly underweight	162	12.3
		3 About the right weight	696	55.8
		4 Slightly overweight	314	22.7
		5 Very overweight	62	4.7
		Missing	179	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	573	43.9
		2 Gain weight	265	22.0
		3 Stay the same weight	233	19.8
		4 I am not trying to do anything about my weight	196	14.2
		Missing	195	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	65	5.1
		2 No	1,176	94.9
		Missing	221	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	229	17.0
		2 1 to 3 times during the past 7 days	403	33.4
		3 4 to 6 times during the past 7 days	226	17.5
		4 1 time per day	60	4.5
		5 2 times per day	105	8.8
		6 3 times per day	82	7.2
		7 4 or more times per day	146	11.7
		Missing	211	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	245	19.2
		2 1 to 3 times during the past 7 days	511	39.2
		3 4 to 6 times during the past 7 days	207	16.7
		4 1 time per day	78	6.8
		5 2 times per day	85	7.2
		6 3 times per day	51	4.4
		7 4 or more times per day	85	6.6
		Missing	200	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	270	22.5
		2 1 to 3 times during the past 7 days	445	37.8
		3 4 to 6 times during the past 7 days	204	16.0
		4 1 time per day	83	6.1
		5 2 times per day	68	5.6
		6 3 times per day	47	3.8
		7 4 or more times per day	97	8.3
		Missing	248	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	230	20.9
		2 1 day	102	8.9
		3 2 days	133	11.8
		4 3 days	147	12.5
		5 4 days	114	10.8
		6 5 days	137	11.0
		7 6 days	57	4.4
		8 7 days	226	19.8
		Missing	316	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	151	12.7
		2 Less than 1 hour per day	133	12.4
		3 1 hour per day	98	8.3
		4 2 hours per day	212	19.0
		5 3 hours per day	205	17.7
		6 4 hours per day	126	10.7
		7 5 or more hours per day	203	19.2
		Missing	334	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	127	11.6
		2 Less than 1 hour per day	141	12.5
		3 1 hour per day	118	10.2
		4 2 hours per day	175	15.2
		5 3 hours per day	181	15.5
		6 4 hours per day	110	10.0
		7 5 or more hours per day	261	25.1
		Missing	349	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	256	22.7
		2 1 day	32	3.1
		3 2 days	223	23.5
		4 3 days	202	18.7
		5 4 days	96	8.8
		6 5 days	279	23.3
		Missing	374	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	656	62.4
		2 1 team	236	21.2
		3 2 teams	120	9.6
		4 3 or more teams	76	6.8
		Missing	374	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	307	28.1
		2 No	713	66.6
		3 Not sure	50	5.4
		Missing	392	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	1,407	96.0
		2 Brooklyn	6	0.6
		3 Manhattan	33	2.6
		4 Queens	6	0.6
		5 Staten Island	3	0.2
		Missing	7	
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	362	27.5
		2 1 year	146	9.6
		3 2 years	234	16.0
		4 3 years	243	17.1
		5 4 years	295	18.7
		6 5 or more years	171	11.1
		Missing	11	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	13	1.1
		2	1 to 3 years	32	2.5
		3	4 to 6 years	51	4.3
		4	More than 6 years but not my whole life	221	13.0
		5	I have always lived in the United States	1,128	79.1
		Missing	17		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	257	22.0
		2	Rarely	139	9.9
		3	Sometimes	310	19.5
		4	Most of the time	365	23.3
		5	Always	381	25.3
		Missing	10		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,208	82.0
		2	1 time	155	11.6
		3	2 or 3 times	55	3.8
		4	4 or 5 times	20	1.4
		5	6 or more times	21	1.2
		Missing	3		
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	I did not need help during the past 12 months	726	47.8
		2	Yes	256	18.6
		3	No	466	33.6
		Missing	14		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,123	79.2
		2 Less than 1 month ago	46	3.0
		3 1 to 3 months ago	38	2.5
		4 4 to 6 months ago	25	1.4
		5 7 to 12 months ago	36	2.3
		6 13 or more months ago	157	11.7
	Missing	37		
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,281	91.8
		2 I bought them in a store such as a convenience store, supermarket, or gas station	42	3.2
		3 I bought them on the Internet	3	0.2
		4 I bummed them	2	0.1
		5 Someone gave them to me or bought them for me	43	3.1
		6 I stole them	7	0.4
		7 I got them some other way	11	1.2
	Missing	73		
126-126	Q95	Does anyone who lives with you now smoke cigarettes?		
		1 Yes	437	30.1
		2 No	971	69.9
	Missing	54		
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?		
		1 0 students	355	25.7
		2 1 student	231	14.6
		3 2 students	164	10.8
		4 3 students	147	9.9
		5 4 students	100	7.4
		6 5 students	111	8.0
		7 6 or 7 students	100	6.9
		8 8 to 10 students	219	16.8
	Missing	35		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	116	10.3
		2 Approve	189	13.6
		3 Neither approve nor disapprove	451	31.1
		4 Disapprove	291	20.2
		5 Strongly disapprove	344	24.8
		Missing	71	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	903	66.5
		2 I do not have a usual type	49	3.6
		3 Beer	43	3.3
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	95	6.8
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	11	0.6
		6 Wine	14	0.9
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	222	15.9
		8 Some other type	34	2.6
		Missing	91	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,281	93.0
		2 1 time	28	2.3
		3 2 or 3 times	31	1.9
		4 4 or 5 times	8	0.8
		5 6 or 7 times	8	0.5
		6 8 or 9 times	7	0.7
		7 10 or 11 times	1	0.1
		8 12 or more times	7	0.6
		Missing	91	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	1,328	96.4
		2 1 time	16	1.1
		3 2 or 3 times	15	1.0
		4 4 or 5 times	6	0.7
		5 6 or 7 times	5	0.3
		6 8 or 9 times	1	0.1
		8 12 or more times	5	0.5
		Missing	86	
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	998	75.2
		2 1 to 3 times	195	15.7
		3 4 to 7 times	76	5.1
		4 8 or more times	50	4.0
		Missing	143	
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	694	53.5
		2 I have had sexual intercourse, but not during the past 3 months	169	12.7
		3 Never	70	5.9
		4 Rarely	30	2.5
		5 Sometimes	44	3.3
		6 Most of the time	52	4.0
		7 Always	238	18.2
		Missing	165	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	671	53.0
		2 Depo-Provera (injectable birth control)	44	3.9
		3 The Ring (Nuva Ring?)	17	2.0
		4 The Patch (Ortho-Evra?)	14	1.4
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	9	0.5
		6 Emergency Contraception (EC) or the Morning After Pill	44	3.2
		7 None of these methods	331	26.4
		8 Not sure	132	9.5
		Missing	200	
135-135	Q104	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	952	76.1
		2 Hospital	54	4.8
		3 School-based health center (school clinic or somewhere else at school)	39	3.9
		4 Doctor's office (not in a hospital)	36	3.1
		5 Pharmacy or Botanica or bodega	39	2.1
		6 Community health center or clinic	42	3.2
		7 Someplace else	11	0.6
		8 Not sure	93	6.2
		Missing	196	
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	333	26.7
		2 6th grade or earlier	225	17.4
		3 7th grade	156	11.5
		4 8th grade	205	16.7
		5 9th grade	190	13.0
		6 10th grade	67	4.4
		7 11th or 12th grade	27	2.3
		8 Not sure	103	8.0
		Missing	156	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	96	8.2
		2 No	1,116	87.3
		3 Not sure	56	4.5
		Missing	194	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	532	41.0
		2 Females	423	31.8
		3 Males	252	22.7
		4 Females and males	52	4.5
		Missing	203	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	1,118	86.3
		2 Gay or lesbian	33	2.7
		3 Bisexual	105	8.5
		4 Not sure	32	2.6
		Missing	174	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	288	21.6
		2 1 to 3 times during the past 7 days	470	38.2
		3 4 to 6 times during the past 7 days	215	17.5
		4 1 time per day	123	9.6
		5 2 times per day	75	6.7
		6 3 times per day	22	1.8
		7 4 or more times per day	55	4.5
		Missing	214	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	183	15.0
		2 1 to 3 times during the past 7 days	425	34.6
		3 4 to 6 times during the past 7 days	240	20.9
		4 1 time per day	101	7.8
		5 2 times per day	78	6.2
		6 3 times per day	73	6.0
		7 4 or more times per day	110	9.6
		Missing	252	
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	160	14.2
		2 Whole milk	427	36.5
		3 2% milk or reduced fat milk	277	22.4
		4 1% milk or low-fat milk	151	12.5
		5 Skim milk or non-fat milk	28	1.8
		6 Soy milk	29	2.6
		7 Not sure	129	10.1
		Missing	261	
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	220	18.7
		2 I ride a bike all the way to school	14	1.0
		3 I use public transportation, such as a subway or city bus	783	69.7
		4 I ride a school bus	24	2.6
		5 I drive or ride in a car or other private vehicle	102	7.9
		Missing	319	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	629	56.6
		2 Less than 10 minutes	141	11.8
		3 10 to 20 minutes	193	16.2
		4 21 to 29 minutes	52	5.2
		5 30 or more minutes	112	10.3
		Missing	335	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	323	30.0
		2 I walk to the bus stop or subway station	740	69.2
		3 I ride a bike to the bus stop or subway station	9	0.8
		Missing	390	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	282	25.9
		2 Less than 10 minutes	561	51.6
		3 10 to 20 minutes	156	14.4
		4 21 to 29 minutes	32	3.3
		5 30 or more minutes	44	4.9
		Missing	387	
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	190	15.3
		2 At least once a month	68	5.7
		3 A few times a year	254	22.2
		4 Never	647	56.8
		Missing	303	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	325	29.5
		2 1 day	129	12.0
		3 2 days	154	13.7
		4 3 days	139	12.7
		5 4 days	105	9.4
		6 5 days	116	9.0
		7 6 days	29	1.8
		8 7 days	147	11.9
		Missing	318	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	274	23.9
		2 Less than 10 minutes	124	12.2
		3 10 to 20 minutes	220	21.3
		4 21 to 30 minutes	145	11.7
		5 31 to 40 minutes	123	10.0
		6 41 to 50 minutes	147	14.0
		7 51 to 60 minutes	46	4.5
		8 More than 60 minutes	26	2.4
		Missing	357	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	70	6.5
		2 Yes	776	74.6
		3 No	208	18.8
		Missing	408	
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	272	25.9
		2 No	691	64.6
		3 Not sure	109	9.5
		Missing	390	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	413	38.5
		2 Yes	159	15.5
		3 No	454	42.0
		4 Not sure	41	4.0
		Missing	395	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	544	51.7
		2 1 day	203	19.2
		3 2 to 5 days	175	15.3
		4 6 to 10 days	38	3.3
		5 11 to 15 days	28	2.8
		6 16 to 29 days	31	2.1
		7 All 30 days	56	5.7
		Missing	387	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	766	70.7
		2 1 day	151	13.8
		3 2 to 5 days	103	10.5
		4 6 to 10 days	23	2.5
		5 11 to 15 days	16	1.0
		6 16 to 29 days	5	0.5
		7 All 30 days	14	1.0
		Missing	384	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	875	82.9
		2 1 room	123	10.7
		3 2 or more rooms	61	6.4
		Missing	403	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	315	25.8
		2 Yes	316	34.2
		3 No	429	40.1
		Missing	402	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	249	24.8
		2 1 time per week	110	9.8
		3 2 times per week	120	11.7
		4 3 times per week	132	11.5
		5 4 times per week	80	7.4
		6 5 times per week	109	9.5
		7 6 times per week	47	4.5
		8 7 or more times per week	220	20.9
		Missing	395	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	789	91.0
		2 No	78	9.0
		Missing	595	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	32	2.8
		2 No	1,382	97.2
		Missing	48	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	178	12.9
		2 No	1,247	87.1
		Missing	37	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	37	3.2
		2 No	1,408	96.8
		Missing	17	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	69	4.4
		2 No	1,357	95.6
		Missing	36	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	149	11.3
		2 No	1,306	88.7
		Missing	7	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	99	7.1
		2 No	1,361	92.9
		Missing	2	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	455	32.8
		2 No	995	67.2
		Missing	12	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	135	9.0
		2 No	1,307	91.0
		Missing	20	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	78	6.1
		2 No	1,370	93.9
		Missing	14	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	148	11.0
		2 No	1,294	89.0
		Missing	20	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	137	9.2
		2 No	1,312	90.8
		Missing	13	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	375	26.8
		2 No	1,065	73.2
		Missing	22	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	146	10.5
		2 No	1,298	89.5
		Missing	18	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	99	9.3
		2 No	1,022	90.7
		Missing	341	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	21	2.0
		2 No	1,067	98.0
		Missing	374	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	330	23.3
		2 No	1,088	76.7
		Missing	44	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	92	7.1
		2 No	1,310	92.9
		Missing	60	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	4	4.8
		2 No	87	95.2
		Missing	1,371	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Bronx District Public Health Office High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	53	58.0
		2 No	34	42.0
		Missing	1,375	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	47	3.3
		2 No	1,383	96.7
		Missing	32	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	324	23.4
		2 No	1,070	76.6
		Missing	68	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	419	30.9
		2 No	876	69.1
		Missing	167	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	201	14.4
		2 No	1,184	85.6
		Missing	77	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	117	27.8
		2 No	286	72.2
		Missing	1,059	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	109	8.3
		2 No	1,286	91.7
		Missing	67	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	268	20.2
		2 No	1,110	79.8
		Missing	84	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	48	3.2
		2 No	1,352	96.8
		Missing	62	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	106	7.1
		2 No	1,290	92.9
		Missing	66	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	33	2.6
		2 No	1,359	97.4
		Missing	70	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	31	2.8
		2 No	1,362	97.2
		Missing	69	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	56	4.7
		2 No	1,324	95.3
		Missing	82	
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	32	2.2
		2 No	1,337	97.8
		Missing	93	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	567	47.4
		2 No	632	52.6
		Missing	263	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	117	10.4
		2 No	1,078	89.6
		Missing	267	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	209	16.4
		2 No	981	83.6
		Missing	272	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	350	30.0
		2 No	832	70.0
		Missing	280	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	67	20.2
		2 No	278	79.8
		Missing	1,117	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	228	66.6
		2 No	98	33.4
		Missing	1,136	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	22	7.0
		2 No	299	93.0
		Missing	1,141	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	376	27.4
		2 No	907	72.6
		Missing	179	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	573	43.9
		2 No	694	56.1
		Missing	195	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	65	5.1
		2 No	1,176	94.9
		Missing	221	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,022	83.0
		2 No	229	17.0
		Missing	211	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,017	80.8
		2 No	245	19.2
		Missing	200	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	295	23.7
		2 No	919	76.3
		Missing	248	
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	420	35.1
		2 No	726	64.9
		Missing	316	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	534	47.6
		2 No	594	52.4
		Missing	334	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	552	50.6
		2 No	561	49.4
		Missing	349	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	832	77.3
		2 No	256	22.7
		Missing	374	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	432	37.6
		2 No	656	62.4
		Missing	374	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	307	28.1
		2 No	763	71.9
		Missing	392	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,422	97.4
		2 No	33	2.6
		Missing	7	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	362	27.5
		2 No	1,089	72.5
		Missing	11	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	13	1.1
		2 No	1,432	98.9
		Missing	17	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	746	48.6
		2 No	706	51.4
		Missing	10	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	251	18.0
		2 No	1,208	82.0
		Missing	3	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	256	18.6
		2 No	1,192	81.4
		Missing	14	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	145	9.1
		2 No	1,280	90.9
		Missing	37	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	42	3.2
		2 No	1,347	96.8
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	437	30.1
		2 No	971	69.9
		Missing	54	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	841	59.7
		2 No	586	40.3
		Missing	35	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	635	45.0
		2 No	756	55.0
		Missing	71	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	222	53.0
		2 No	197	47.0
		Missing	1,043	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	90	7.0
		2 No	1,281	93.0
		Missing	91	
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	48	3.6
		2 No	1,328	96.4
		Missing	86	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	321	24.8
		2 No	998	75.2
		Missing	143	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	238	53.8
		2 No	196	46.2
		Missing	1,028	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	9	0.5
		2 No	1,253	99.5
		Missing	200	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	39	3.9
		2 No	1,227	96.1
		Missing	196	
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	870	65.4
		2 No	436	34.6
		Missing	156	
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	96	8.2
		2 No	1,172	91.8
		Missing	194	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	52	4.5
		2 No	1,207	95.5
		Missing	203	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	138	11.2
		2 No	1,150	88.8
		Missing	174	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	275	22.6
		2 No	973	77.4
		Missing	214	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	362	29.5
		2 No	848	70.5
		Missing	252	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	179	14.3
		2 No	1,022	85.7
		Missing	261	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	234	19.8
		2 No	909	80.2
		Missing	319	
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	164	15.5
		2 No	963	84.5
		Missing	335	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	749	70.0
		2 No	323	30.0
		Missing	390	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	232	22.6
		2 No	843	77.4
		Missing	387	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	512	43.2
		2 No	647	56.8
		Missing	303	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	536	44.9
		2 No	608	55.1
		Missing	318	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	487	42.6
		2 No	618	57.4
		Missing	357	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	776	74.6
		2 No	278	25.4
		Missing	408	
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	272	25.9
		2 No	800	74.1
		Missing	390	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	159	15.5
		2 No	908	84.5
		Missing	395	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	531	48.3
		2 No	544	51.7
		Missing	387	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	312	29.3
		2 No	766	70.7
		Missing	384	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	184	17.1
		2 No	875	82.9
		Missing	403	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	316	34.2
		2 No	744	65.8
		Missing	402	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	708	65.5
		2 No	359	34.5
		Missing	395	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	29	2.5
		2 No	1,373	97.5
		Missing	60	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	21	7.9
		2 No	300	92.1
		Missing	1,141	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	43	14.9
		2 No	278	85.1
		Missing	1,141	
354-354	QNDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	15	4.8
		2 No	301	95.2
		Missing	1,146	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	420	35.2
		2 No	821	64.8
		Missing	221	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	279	23.3
		2 No	809	76.7
		Missing	374	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	230	20.9
		2 No	916	79.1
		Missing	316	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Bronx District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	226	19.8
		2 No	920	80.2
		Missing	316	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	252	18.8
		2 No	1,081	81.2
		Missing	129	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	201	15.6
		2 No	1,132	84.4
		Missing	129	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH			
		1 Am Indian/Alaska Native	13	0.1
		2 Asian	23	1.4
		3 Black or African American	348	38.4
		4 Native Hawaiian/other PI	12	0.1
		5 White	10	0.7
		6 Hispanic/Latino	616	37.4
		7 Multiple - Hispanic	338	21.6
		8 Multiple - non-Hispanic	43	0.4
		Missing	59	