Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are	e you?		
		1	12 years old or younger	10	0.6
		2	13 years old	63	2.6
		3	14 years old	550	23.8
		4	15 years old	660	24.1
		5	16 years old	693	24.8
		6	17 years old	576	19.1
		7	18 years old or older	157	4.9
			Missing	14	
18-18	Q2	What is you	ır sex?		
		1	Female	1,325	48.1
		2	Male	1,387	51.9
			Missing	11	
19-19	Q3	In what gra	de are you?		
		1	9th grade	710	32.0
		2	10th grade	754	27.3
		3	11th grade	610	20.9
		4	12th grade	610	19.3
		5	Ungraded or other grade	12	0.5
			Missing	27	
20-20	Q4	Are you His	spanic or Latino?		
		1	Yes	1,647	52.1
		2	No	1,024	47.9
			Missing	52	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		Н	4	0.2
		G	1	0.0
		F	4	0.3
		E	239	13.6
		ЕН	1	0.1
		D	177	7.7
		DE	3	0.1
		C	834	60.6
		CE	20	0.5
		CD	20	0.4
		CDE	2	0.1
		В	139	10.7
		ВЕ	4	0.1
		BC	12	0.3
		BC E	2	0.0
		A	96	3.6
		A H	1	0.1
		A E	4	0.2
		A D	5	0.2
		A C	29	0.6
		ACE	9	0.3
		A CD	2	0.1
		AB	6	0.1
		AB DE	1	0.0
		ABC	2	0.1
		ABC E	1	0.0
		ABCDE	3	0.1
			1,102	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8		rode a bicycle during the past 12 months, how ou wear a helmet?		
		1	I did not ride a bicycle during the past 12 months	1,101	39.0
		2	Never wore a helmet	1,315	49.5
		3	Rarely wore a helmet	124	5.3
		4	Sometimes wore a helmet	79	2.9
		5	Most of the time wore a helmet	37	1.3
		6	Always wore a helmet	48	2.1
			Missing	19	
42-42	Q11		past 30 days, how many times did you drive a car hicle when you had been drinking alcohol?		
		1	0 times	2,579	97.3
		2	1 time	19	0.6
		3	2 or 3 times	12	0.5
		4	4 or 5 times	7	0.4
		5	6 or more times	27	1.2
			Missing	79	
43-43	Q12		past 30 days, on how many days did you carry a ch as a gun, knife, or club?		
		1	0 days	2,359	88.4
		2	1 day	82	2.9
		3	2 or 3 days	85	3.4
		4	4 or 5 days	27	0.9
		5	6 or more days	110	4.3
		J	Missing	60	
44-44	Q13	During the gun?	past 30 days, on how many days did you carry a		
		1	0 days	2,615	96.9
		2	1 day	29	1.1
		3	2 or 3 days	14	0.7
		4	4 or 5 days	9	0.3
		5	6 or more days	22	1.0
		-	Missing	34	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the	past 30 days, on how many days did you carry a		
			ch as a gun, knife, or club on school property?		
		1	0 days	2,548	95.6
		2	1 day	36	1.2
		3	2 or 3 days	22	0.9
		4	4 or 5 days	9	0.2
		5	6 or more days	46	2.1
			Missing	62	
46-46	Q15	school bec	past 30 days, on how many days did you not go to ause you felt you would be unsafe at school or on		
			o or from school?	2 426	90.4
		1	0 days	2,426 167	89.4 5.9
		2	1 day	70	2.8
		3	2 or 3 days 4 or 5 days	15	0.5
		4	6 or more days	33	1.4
		5	Missing	12	1.4
47-47 Q16	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	2,526	92.5
		2	1 time	100	3.9
		3	2 or 3 times	43	1.8
		4	4 or 5 times	16	0.6
		5	6 or 7 times	3	0.1
		6	8 or 9 times	4	0.2
		7	10 or 11 times	3	0.1
		8	12 or more times	18	0.8
			Missing	10	
48-48	Q17	During the physical fi	past 12 months, how many times were you in a ght?		
		1	0 times	1,876	68.6
		2	1 time	359	13.7
		3	2 or 3 times	260	9.8
		4	4 or 5 times	83	3.6
		5	6 or 7 times	27	1.1
		6	8 or 9 times	20	0.6
		7	10 or 11 times	7	0.3
		8	12 or more times	64	2.4
			Missing	27	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the	past 12 months, did your boyfriend or girlfriend		
			p, or physically hurt you on purpose?		
		1	Yes	255	9.8
		2	No	2,431	90.2
			Missing	37	
52-52	Q21		ver been physically forced to have sexual when you did not want to?		
			Yes	151	5.6
		1	No	2,541	94.4
		2	Missing	31	94.4
53-53	Q22	During the school prop	past 12 months, have you ever been bullied on erty?		
		1	Yes	294	11.8
		2	No	2,388	88.2
			Missing	41	
54-54	Q23	During the judged bullied?	past 12 months, have you ever been electronically		
		1	Yes	267	9.7
		2	No	2,437	90.3
			Missing	19	
55-55	Q24	hopeless alr	past 12 months, did you ever feel so sad or nost every day for two weeks or more in a row pped doing some usual activities?		
		1	Yes	738	27.3
		2	No	1,942	72.7
		2	Missing	43	
56-56	Q25	During the pattern attempting s	past 12 months, did you ever seriously consider suicide?		
		1	Yes	292	10.8
		2	No	2,405	89.2
			Missing	26	
58-58	Q27	During the attempt suice	past 12 months, how many times did you actually cide?		
		1	0 times	1,953	91.1
		2	1 time	124	5.6
		3	2 or 3 times	50	2.1
		4	4 or 5 times	9	0.5
		5	6 or more times	11	0.7
			Missing	576	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	attempt resu	pted suicide during the past 12 months, did any alt in an injury, poisoning, or overdose that had to y a doctor or nurse?		
		1	I did not attempt suicide during the past 12 months	1,906	91.4
		2	Yes	51	2.5
		3	No	136	6.2
			Missing	630	
60-60	Q29	Have you ev	ver tried cigarette smoking, even one or two		
		1	Yes	684	25.8
		2	No	1,966	74.2
			Missing	73	
62-62	Q31	During the p	oast 30 days, on how many days did you smoke		
		1	0 days	2,434	93.1
		2	1 or 2 days	58	2.2
		3	3 to 5 days	37	1.5
		4	6 to 9 days	16	0.5
		5	10 to 19 days	13	0.6
		6	20 to 29 days	16	0.5
		7	All 30 days	41	1.6
			Missing	108	
63-63	Q32		past 30 days, on the days you smoked, how many d you smoke per day?		
		1	I did not smoke cigarettes during the past 30 days	2,398	93.1
		2	Less than 1 cigarette per day	63	2.6
		3	1 cigarette per day	36	1.4
		4	2 to 5 cigarettes per day	53	1.8
		5	6 to 10 cigarettes per day	12	0.4
		6	11 to 20 cigarettes per day	8	0.3
		7	More than 20 cigarettes per day	8	0.4
			Missing	145	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the cigarettes?	past 12 months, did you ever try to quit smoking		
		1	I did not smoke during the past 12 months	2,226	86.2
		2	Yes	181	6.5
		3	No	183	7.3
			Missing	133	
68-68	Q37	chewing to	past 30 days, on how many days did you use bacco, snuff, or dip, such as Redman, Levi echnut, Skoal, Skoal Bandits, or Copenhagen?		
		1	0 days	2,591	97.0
		2	1 or 2 days	41	1.5
		3	3 to 5 days	15	0.6
		4	6 to 9 days	8	0.4
		5	10 to 19 days	6	0.3
		6	20 to 29 days	1	0.0
		7	All 30 days	8	0.3
			Missing	53	
72-72	Q41		How old were you when you had your first drink of alcohol other than a few sips?		
		1	I have never had a drink of alcohol other than a few sips	999	40.2
		2	8 years old or younger	182	6.6
		3	9 or 10 years old	127	5.0
		4	11 or 12 years old	296	11.9
		5	13 or 14 years old	590	21.8
		6	15 or 16 years old	348	12.5
		7	17 years old or older	56	2.1
			Missing	125	
73-73	Q42		past 30 days, on how many days did you have at rink of alcohol?		
		1	0 days	1,625	68.7
		2	1 or 2 days	420	16.3
		3	3 to 5 days	212	8.2
		4	6 to 9 days	81	3.0
		5	10 to 19 days	56	2.1
		6	20 to 29 days	9	0.4
		7	All 30 days	26	1.3
			Missing	294	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43		ast 30 days, on how many days did you have 5 ks of alcohol in a row, that is, within a couple of		
		1	0 days	2,200	85.9
		2	1 day	160	6.1
		3	2 days	96	3.3
		4	3 to 5 days	78	2.8
		5	6 to 9 days	22	0.8
		6	10 to 19 days	15	0.6
		7	20 or more days	12	0.6
		,	Missing	140	
75-75	Q44	During the pay	ast 30 days, how did you usually get the alcohol		
		1	I did not drink alcohol during the past 30 days	1,593	68.1
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	111	4.6
		3	I bought it at a restaurant, bar, or club	15	0.6
		4	I bought it at a public event such as a concert or sporting event	17	0.7
		5	I gave someone else money to buy it for me	131	4.9
		6	Someone gave it to me	229	9.1
		7	I took it from a store or family member	124	5.0
		8	I got it some other way	175	7.1
			Missing	328	
78-78	Q47	How old wer time?	e you when you tried marijuana for the first		
		1	I have never tried marijuana	1,767	68.3
		2	8 years old or younger	33	1.3
		3	9 or 10 years old	38	1.5
		4	11 or 12 years old	103	4.0
		5	13 or 14 years old	377	13.9
		6	15 or 16 years old	264	9.7
		7	17 years old or older	30	1.3
			Missing	111	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the marijuana?	past 30 days, how many times did you use		3
		1	0 times	2,109	82.1
		2	1 or 2 times	182	6.8
		3	3 to 9 times	122	4.5
		4	10 to 19 times	56	1.9
		5	20 to 39 times	38	1.5
		6	40 or more times	77	3.2
			Missing	139	
81-81	Q50		r life, how many times have you used any form of cluding powder, crack, or freebase?		
		1	0 times	2,537	96.8
		2	1 or 2 times	41	1.5
		3	3 to 9 times	15	0.5
		4	10 to 19 times	7	0.3
		5	20 to 39 times	8	0.2
		6	40 or more times	17	0.8
			Missing	98	
83-83	Q52	breathed the	r life, how many times have you sniffed glue, e contents of aerosol spray cans, or inhaled any rays to get high?		
		1	0 times	2,396	91.2
		2	1 or 2 times	127	4.8
		3	3 to 9 times	44	1.9
		4	10 to 19 times	23	0.9
		5	20 to 39 times	7	0.2
		6	40 or more times	19	1.0
			Missing	107	
84-84	Q53		r life, how many times have you used heroin (also ek, junk, or China White)?		
		1	0 times	2,554	97.7
		2	1 or 2 times	25	0.8
		3	3 to 9 times	13	0.6
		4	10 to 19 times	8	0.3
		5	20 to 39 times	2	0.1
		6	40 or more times	10	0.5
			Missing	111	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54		fe, how many times have you used		
		methamphetamines (also called speed, crystal, crank, or ice)?			
		1	0 times	2,558	97.4
		2	1 or 2 times	20	0.8
		3	3 to 9 times	13	0.5
		4	10 to 19 times	10	0.4
		5	20 to 39 times	3	0.1
		6	40 or more times	13	0.7
			Missing	106	
86-86	Q55	During your li (also called M	fe, how many times have you used ecstasy DMA)?		
		1	0 times	2,482	95.3
		2	1 or 2 times	60	2.5
		3	3 to 9 times	26	0.9
		4	10 to 19 times	11	0.3
		5	20 to 39 times	6	0.3
		6	40 or more times	13	0.7
			Missing	125	
89-89	Q58		fe, how many times have you used a needle to gal drug into your body?		
		1	0 times	2,518	97.5
		2	1 time	41	1.6
		3	2 or more times	21	0.8
		-	Missing	143	
91-91	Q60	Have you ever	had sexual intercourse?		
		1	Yes	1,034	43.5
		2	No	1,234	56.5
			Missing	455	
92-92	Q61	How old were first time?	you when you had sexual intercourse for the		
		1	I have never had sexual intercourse	1,231	56.6
		2	11 years old or younger	97	4.6
		3	12 years old	97	4.1
		4	13 years old	190	8.5
		5	14 years old	267	11.0
		6	15 years old	215	8.3
		7	16 years old	126	5.1
		8	17 years old or older	45	1.7
			Missing	455	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During you intercourse	ir life, with how many people have you had sexual?		
		1	I have never had sexual intercourse	1,228	56.8
		2	1 person	346	14.6
		3	2 people	193	8.0
		4	3 people	132	5.8
		5	4 people	74	2.7
		6	5 people	66	2.7
		7	6 or more people	215	9.4
			Missing	469	
94-94	Q63		past 3 months, with how many people did you 1 intercourse?		
		1	I have never had sexual intercourse	1,222	56.9
		2	I have had sexual intercourse, but not during the past 3 months	359	14.6
		3	1 person	446	19.0
		4	2 people	99	4.2
		5	3 people	37	1.6
		6	4 people	26	1.3
		7	5 people	18	0.7
		8	6 or more people	38	1.7
			Missing	478	
95-95	Q64	-	ink alcohol or use drugs before you had sexual the last time?		
		1	I have never had sexual intercourse	1,216	56.7
		2	Yes	168	7.3
		3	No	856	36.0
			Missing	483	
96-96	Q65		ne you had sexual intercourse, did you or your a condom?		
		1	I have never had sexual intercourse	1,213	58.0
		2	Yes	664	27.4
		3	No	311	14.6
			Missing	535	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66		t time you had sexual intercourse, what one method or your partner use to prevent pregnancy?		
		1	I have never had sexual intercourse	1,210	58.1
		2	No method was used to prevent pregnancy	154	7.0
		3	Birth control pills	74	3.3
		4	Condoms	565	23.5
		5	Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	49	2.2
		6	Withdrawal	55	2.6
		6	Some other method	35	1.9
		7 8	Not sure	34	1.4
		8	Missing	547	1.4
98-98	Q67	How do you	describe your weight?		
		1	Very underweight	97	4.4
		2	Slightly underweight	301	12.6
		3	About the right weight	1,332	55.5
		4	Slightly overweight	595	22.8
		5	Very overweight	118	4.7
			Missing	280	
99-99	Q68	Which of the weight?	following are you trying to do about your		
		1	Lose weight	1,100	43.4
		2	Gain weight	502	21.7
		3	Stay the same weight	437	18.6
		4	I am not trying to do anything about my weight	389	16.4
			Missing	295	
102-102	Q71		ast 30 days, did you vomit or take laxatives to or to keep from gaining weight?		
		1	Yes	116	4.6
		2	No	2,256	95.4
			Missing	351	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72		past 7 days, how many times did you drink 100% such as orange juice, apple juice, or grape juice?		
		1	I did not drink 100% fruit juice during the past 7 days	476	20.3
		2	1 to 3 times during the past 7 days	758	31.6
		3	4 to 6 times during the past 7 days	408	16.6
		4	1 time per day	121	5.0
		5	2 times per day	198	8.3
		6	3 times per day	151	6.1
		7	4 or more times per day	281	12.1
			Missing	330	
104-104	Q73	During the	past 7 days, how many times did you eat fruit?		
		1	I did not eat fruit during the past 7 days	477	20.0
		2	1 to 3 times during the past 7 days	966	39.1
		3	4 to 6 times during the past 7 days	380	15.4
		4	1 time per day	157	6.9
		5	2 times per day	172	7.4
		6	3 times per day	92	3.9
		7	4 or more times per day	169	7.5
			Missing	310	
109-109	Q78		past 7 days, how many times did you drink a can,		
		bottle, or gl Sprite?	ass of soda or pop, such as Coke, Pepsi, or		
		1	I did not drink soda or pop during the past 7 days	547	23.9
		2	1 to 3 times during the past 7 days	872	38.0
		3	4 to 6 times during the past 7 days	363	15.1
		4	1 time per day	136	5.7
		5	2 times per day	140	6.2
		6	3 times per day	89	3.8
		7	4 or more times per day	172	7.4
			Missing	404	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79		past 7 days, on how many days were you active for a total of at least 60 minutes per day?		
		1	0 days	437	20.3
		2	1 day	196	9.2
		3	2 days	238	10.6
		4	3 days	287	12.6
		5	4 days	221	9.8
		6	5 days	276	11.9
		7	6 days	120	5.7
		8	7 days	425	19.9
			Missing	523	
111-111	Q80	On an avera	ge school day, how many hours do you watch		
		1	I do not watch TV on an average school day	307	14.0
		2	Less than 1 hour per day	284	13.5
		3	1 hour per day	214	10.5
		4	2 hours per day	385	16.5
		5	3 hours per day	387	17.4
		6	4 hours per day	236	10.5
		7	5 or more hours per day	374	17.7
			Missing	536	
112-112	Q81	video or cor	age school day, how many hours do you play mputer games or use a computer for something chool work?		
		1	I do not play video or computer games or use a computer for something that is not school work	290	14.0
		2	Less than 1 hour per day	275	12.5
		3	1 hour per day	241	11.2
		4	2 hours per day	359	17.3
		5	3 hours per day	310	13.5
		6	4 hours per day	224	10.5
		7	5 or more hours per day	457	20.9
			Missing	567	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average	e week when you are in school, on how many		
			go to physical education (PE) classes?		
		1	0 days	380	15.7
		2	1 day	79	4.9
		3	2 days	319	14.4
		4	3 days	430	21.8
		5	4 days	202	10.7
		6	5 days	699	32.6
			Missing	614	
114-114	Q83	During the payou play?	ast 12 months, on how many sports teams did		
		1	0 teams	1,284	61.7
		2	1 team	455	21.3
		3	2 teams	228	10.4
		4	3 or more teams	139	6.6
			Missing	617	
116-116	Q85	Has a doctor	or nurse ever told you that you have asthma?		
		1	Yes	556	25.9
		2	No	1,405	68.3
		3	Not sure	108	5.8
			Missing	654	
118-118	Q87	What boroug	h of New York do you live in?		
		1	Bronx	2,531	91.1
		2	Brooklyn	14	0.8
		3	Manhattan	93	4.2
		4	Queens	71	3.8
		5	Staten Island	4	0.1
			Missing	10	
119-119	Q88	How long ha	ve you been going to this school?		
		1	Less than 1 year	652	28.6
		2	1 year	296	10.9
		3	2 years	472	17.1
		4	3 years	543	19.3
		5	4 years	495	16.1
		6	5 or more years	251	8.1
			Missing	14	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
120-120	Q89	How long h	ave you lived in the United States?		
		1	Less than 1 year	28	1.3
		2	1 to 3 years	83	3.7
		3	4 to 6 years	103	4.5
		4	More than 6 years but not my whole life	398	13.9
		5	I have always lived in the United States	2,085	76.7
			Missing	26	
121-121	Q90	How often other than F	do the people in your home speak a language		
		1	Never	487	21.4
		2	Rarely	264	9.5
		3	Sometimes	610	22.1
		4	Most of the time	671	24.1
		5	Always	676	22.8
			Missing	15	
122-122	Q91	something t	past 12 months, how many times did you do to purposely hurt yourself without wanting to die, ing or burning yourself on purpose?		
		1	0 times	2,254	83.3
		2	1 time	253	9.5
		3	2 or 3 times	105	3.4
		4	4 or 5 times	37	1.3
		5	6 or more times	62	2.5
		J	Missing	12	
123-123	Q92	a profession	past 12 months, did you ever try to get help from nal counselor, social worker, or therapist for an or personal issue that you could not face alone?		
		1	I did not need help during the past 12 months	1,388	52.2
		2	Yes	466	16.9
		3	No	841	30.9
			Missing	28	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	How many m first time?	nonths ago did you try cigarette smoking for the		
		1	I have never tried cigarette smoking	2,024	75.8
		2	Less than 1 month ago	97	3.8
		3	1 to 3 months ago	71	2.5
		4	4 to 6 months ago	57	2.1
		5	7 to 12 months ago	79	2.8
		6	13 or more months ago	337	13.0
			Missing	58	
125-125	Q94	During the pa	ast 30 days, how did you usually get your own		
		1	I did not smoke cigarettes during the past 30 days	2,380	91.0
		2	I bought them in a store such as a convenience store, supermarket, or gas station	86	3.3
		3	I bought them on the Internet	8	0.3
		4	I bummed them	4	0.1
		5	Someone gave them to me or bought them for me	83	3.3
		6	I stole them	15	0.6
		7	I got them some other way	28	1.4
			Missing	119	
126-126	Q95	Does anyone	who lives with you now smoke cigarettes?		
		1	Yes	791	29.5
		2	No	1,839	70.5
			Missing	93	
127-127	Q96		10 students in your grade at school, about how think smoke cigarettes?		
		1	0 students	563	21.3
		2	1 student	374	12.6
		3	2 students	318	11.9
		4	3 students	306	11.7
		5	4 students	229	8.8
		6	5 students	219	8.1
		7	6 or 7 students	211	8.1
		8	8 to 10 students	442	17.5
			Missing	61	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you smoking?	say your friends approve or disapprove of		
		1	Strongly approve	193	7.7
		2	Approve	318	12.0
		3	Neither approve nor disapprove	887	33.6
		4	Disapprove	577	22.3
		5	Strongly disapprove	623	24.3
			Missing	125	
129-129	Q98	During the j	past 30 days, what type of alcohol did you usually		
		1	I did not drink alcohol during the past 30 days	1,682	66.9
		2	I do not have a usual type	92	3.6
		3	Beer	74	2.6
		4	Flavored malt beverages, such as	171	6.1
			Smirnoff Ice, Bacardi Silver, or Hard Lemonade		
		5	Wine coolers, such as Bartles &	17	0.6
			Jaymes or Seagrams	2.4	1.4
		6	Wine	34	1.4
		7	Liquor, such as vodka, rum, scotch,	445	16.6
		0	bourbon, or whiskey	59	2.2
		8	Some other type Missing	39 149	2.2
130-130	Q99	prescription	past 12 months, how many times have you taken a pain medication, such as Oxycontin, Percocet, ydrocodone, or Oxycodone without a doctor's		
		1	0 times	2,415	93.7
		2	1 time	51	2.1
		3	2 or 3 times	50	1.6
		4	4 or 5 times	21	0.9
		5	6 or 7 times	9	0.2
		6	8 or 9 times	14	0.7
		7	10 or 11 times	4	0.1
		8	12 or more times	18	0.8
			Missing	141	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100		past 12 months, how many times have you taken ription drugs, such as Xanax, Adderall or Ritalin		
		_	octor's prescription?		
		1	0 times	2,497	96.3
		2	1 time	31	1.1
		3	2 or 3 times	26	0.9
		4	4 or 5 times	12	0.5
		5	6 or 7 times	6	0.2
		6	8 or 9 times	5	0.3
		8	12 or more times	16	0.8
			Missing	130	
132-132	Q101	During the sexual inter	past 30 days, how many times have you had course?		
		1	0 times	1,902	77.1
		2	1 to 3 times	343	13.2
		3	4 to 7 times	132	4.8
		4	8 or more times	119	4.9
			Missing	227	
133-133	Q102	_	past 3 months, how often did you or your partner om when you had sexual intercourse?		
		1	I have never had sexual intercourse	1,364	58.0
		2	I have had sexual intercourse, but not during the past 3 months	293	11.2
		3	Never	150	6.2
		4	Rarely	60	2.4
		5	Sometimes	80	3.1
		6	Most of the time	98	3.8
		7	Always	409	15.2
			Missing	269	

Borough of Bronx High School Survey Codebook

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103		ne you had sexual intercourse, what one birth thod did you or your partner use?		
		1	I have never had sexual intercourse	1,322	57.3
		2	Depo-Provera (injectable birth control)	69	2.9
		3	The Ring (Nuva Ring?)	32	1.4
		4	The Patch (Ortho-Evra?)	25	1.0
		5	The IUD (intrauterine device) or Implanon? (implantable birth control)	14	0.4
		6	Emergency Contraception (EC) or the Morning After Pill	66	2.2
		7	None of these methods	645	26.1
		8	Not sure	228	8.8
			Missing	322	
135-135	Q104	The last tin	ne you used birth control, from where did you or er get it?		

DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

136-136	Q105	about birth	de were you when a teacher first taught a class control methods such as the Pill, the ring, IUDs, l shots, patches, or condoms?		
		1	I have never been taught a class by a teacher about birth control methods	707	31.9
		2	6th grade or earlier	405	16.2
		3	7th grade	306	12.4
		4	8th grade	352	13.2
		5	9th grade	327	11.0
		6	10th grade	111	3.9
		7	11th or 12th grade	60	2.4
		8	Not sure	211	9.0
			Missing	244	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?			
		1	Yes	164	6.9
		2	No	2,156	89.4
		3	Not sure	95	3.7
			Missing	308	
138-138	Q107	During your l	ife, with whom have you had sexual contact?		
		1	I have never had sexual contact	1,047	44.5
		2	Females	741	30.4
		3	Males	489	19.4
		4	Females and males	127	5.7
			Missing	319	
139-139	Q108	Which of the	following best describes you?		
		1	Heterosexual (straight)	2,111	85.6
		2	Gay or lesbian	59	2.5
		3	Bisexual	204	8.9
		4	Not sure	73	3.0
			Missing	276	
140-140	Q109		ast 7 days, how many times did you eat ch as green salad, carrots, green beans, or other		
		1	I did not eat vegetables during the past 7 days	542	21.5
		2	1 to 3 times during the past 7 days	873	36.7
		3	4 to 6 times during the past 7 days	398	16.7
		4	1 time per day	253	10.7
		5	2 times per day	155	6.7
		6	3 times per day	46	2.1
		7	4 or more times per day	117	5.6
			Missing	339	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past	7 days, how many times did you drink other		
		sweetened drink	s such as sports drinks, fruit punch, other		
		fruit-flavored dr	inks, or chocolate or other flavored milk?		
		1	I did not drink other sweetened drinks	400	18.1
			during the past 7 days		
		2	1 to 3 times during the past 7 days	826	34.3
		3	4 to 6 times during the past 7 days	428	19.2
		4	1 time per day	176	7.3
		5	2 times per day	178	7.6
		6	3 times per day	119	4.7
		7	4 or more times per day	196	8.8
			Missing	400	
142-142	Q111	What kind of mi	ilk do you usually drink?		
		1	I do not drink milk	326	14.8
		2	Whole milk	771	33.0
		3	2% milk or reduced fat milk	539	22.9
		4	1% milk or low-fat milk	322	14.3
		5	Skim milk or non-fat milk	61	2.4
		6	Soy milk	56	2.3
		7	Not sure	232	10.4
			Missing	416	
143-143	Q112	In an average would usually get to sc	eek when you are in school, how do you hool?		
		1	I walk all the way to school	399	17.6
		2	I ride a bike all the way to school	34	1.7
		3	I use public transportation, such as a	1,485	67.2
			subway or city bus	70	4.6
		4	I ride a school bus	78	4.6
		5	I drive or ride in a car or other private vehicle	204	8.9
			Missing	523	
144-144	Q113	If you usually w does it take?	ralk or bike all the way to school, how long		
		1	I do not walk or bike all the way to school	1,299	61.1
		2	Less than 10 minutes	246	10.6
		3	10 to 20 minutes	332	14.5
		4	21 to 29 minutes	91	4.3
		5	30 or more minutes	206	9.6
		5	Missing	549	2.0

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?			
			do not walk or bike to a bus stop or ubway station to get to school	613	29.6
		2 I	walk to the bus stop or subway	1,443	69.0
		3 I	ride a bike to the bus stop or subway tation	25	1.5
			Missing	642	
146-146	Q115	If you usually walk o to get to school, how	r bike to the bus stop or subway station		
		1 I	do not walk or bike to a bus stop or ubway station to get to school	541	26.2
			Less than 10 minutes	1,084	51.1
		-	0 to 20 minutes	312	14.9
		_	1 to 29 minutes	59	2.8
			0 or more minutes	89	5.0
			Missing	638	
147-147	Q116		onths, how often have you ridden a five boroughs of New York City?		
		1 S	several times a month	357	16.6
		2 A	At least once a month	144	7.1
		3 A	A few times a year	493	22.4
			Never	1,231	53.9
		N	Missing	498	
148-148	Q117		past 7 days did you do exercises to ur muscles, such as push-ups, sit-ups, or		
			days	578	25.8
			day	258	12.1
			days	302	14.0
			days	265	12.2
			days	197	8.9
			days	250	10.9
			days	66	3.2
			days	280	12.8
			Missing	527	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?				
		1	I do not take PE	391	16.2
		2	Less than 10 minutes	303	15.0
		3	10 to 20 minutes	431	20.8
		4	21 to 30 minutes	287	12.6
		5	31 to 40 minutes	269	12.4
		6	41 to 50 minutes	313	15.7
		7	51 to 60 minutes	78	3.9
		8	More than 60 minutes	60	3.4
			Missing	591	
150-150	Q119	Outside of 3 floors of	school, on an average day do you walk up at least stairs?		
		1	I am not physically able to walk up the stairs	120	5.7
		2	Yes	1,505	74.8
		3	No	400	19.5
			Missing	698	
151-151	Q120	Have you e	ever been tested for HIV, the virus that causes		
		1	Yes	522	24.8
		2	No	1,338	64.6
		3	Not sure	211	10.6
			Missing	652	
152-152	Q121	-	past 12 months, have you had an episode of an asthma attack?		
		1	I have never had asthma	785	38.2
		2	Yes	307	14.5
		3	No	907	44.4
		4	Not sure	65	2.8
			Missing	659	

Borough of Bronx High School Survey Codebook

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 any cockroaches i	days, on how many days have you seen nside your home?		
		1	0 days	1,146	58.0
		2	1 day	358	16.9
		3	2 to 5 days	311	13.6
		4	6 to 10 days	71	3.2
		5	11 to 15 days	41	1.9
		6	16 to 29 days	46	1.6
		7	All 30 days	104	4.9
			Missing	646	
154-154	Q123	During the past 30 any mice inside yo	days, on how many days have you seen our home?		
		1	0 days	1,526	73.7
		2	1 day	290	14.3
		3	2 to 5 days	161	7.6
		4	6 to 10 days	34	1.4
		5	11 to 15 days	26	1.1
		6	16 to 29 days	14	0.7
		7	All 30 days	29	1.3
			Missing	643	
155-155	Q124		days, in how many rooms in your home property or mold on the walls or ceilings?		
		1	0 rooms	1,694	82.6
		2	1 room	240	11.6
		3	2 or more rooms	114	5.8
			Missing	675	
156-156	Q125	Have you ever use clinic) at your sch	ed the school-based health center (school ool?		

DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	539	29.4
		2 1 time per week	231	11.0
		3 2 times per week	231	11.5
		4 3 times per week	255	11.6
		5 4 times per week	170	7.9
		6 5 times per week	177	7.4
		7 6 times per week	82	3.6
		8 7 or more times per week	377	17.6
		Missing	661	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,439	89.7
		2 No	164	10.3
		Missing	1,120	10.5
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol 1 Yes 2 No Missing	65 2,579 79	2.7 97.3
189-189	QN12	Percentage of students who carried a weapon such as a gun,		
		knife, or club on one or more of the past 30 days		
		1 Yes	304	11.6
		2 No	2,359	88.4
		Missing	60	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	74	3.1
		2 No	2,615	96.9
		Missing	34	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	113	4.4
		2 No	2,548	95.6
		Missing	62	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school on one or		_
		more of the past 30 days because they felt they would be		
		unsafe at school or on their way to or from school	205	10.6
		1 Yes	285	10.6
		2 No Missing	2,426 12	89.4
193-193	QN16	Percentage of students who had been threatened or injured		
173-173	QIVIO	with a weapon such as a gun, knife, or club on school		
		property one or more times during the past 12 months		
		1 Yes	187	7.5
		-	2,526	92.5
		2 No Missing	10	92.3
194-194	QN17	Percentage of students who were in a physical fight one or		
.,,.	21117	more times during the past 12 months		
		1 Yes	820	31.4
		2 No	1,876	68.6
		Missing	27	00.0
197-197	QN20	Percentage of students who were ever hit, slapped, or		
		physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	255	9.8
		2 No	2,431	90.2
		Missing	37	
198-198	QN21	Percentage of students who had ever been physically forced		
		to have sexual intercourse when they did not want to		
		1 Yes	151	5.6
		2 No	2,541	94.4
		Missing	31	
199-199	QN22	Percentage of students who had ever been bullied on school		
		property during the past 12 months		
		1 Yes	294	11.8
		2 No	2,388	88.2
		Missing	41	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
			267	9.7
			2,437	90.3
		Missing	19	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of st	udents who felt so sad or hopeless almost		
	`		yo weeks or more in a row that they stopped		
		doing some usua	al activities during the past 12 months		
		1	Yes	738	27.3
		2	No	1,942	72.7
			Missing	43	
202-202	QN25	Percentage of st	udents who seriously considered attempting		
		suicide during th	he past 12 months		
		1	Yes	292	10.8
		2	No	2,405	89.2
			Missing	26	
204-204	QN27	Percentage of st	udents who actually attempted suicide one or		
		more times duri	ng the past 12 months		
		1	Yes	194	8.9
		2	No	1,953	91.1
			Missing	576	
205-205	QN28		udents who made a suicide attempt during		
			ths that resulted in an injury, poisoning, or		
		overdose that ha	ad to be treated by a doctor or nurse		
		1	Yes	51	2.5
		2	No	2,042	97.5
			Missing	630	
206-206	QN29	-	udents who ever tried cigarette smoking,		
		even one or two			
		1	Yes	684	25.8
		2	No	1,966	74.2
			Missing	73	
208-208	QN31		udents who smoked cigarettes on one or		
		more of the past	-	101	6.0
		1	Yes	181	6.9
		2	No	2,434	93.1
			Missing	108	
209-209	QN32		s who reported current cigarette use, the		
			smoked more than 10 cigarettes per day on noked during the past 30 days		
		1	Yes	16	10.7
			No		
		2	NO	164	89.3

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during		
		the past 12 months	107	50.1
		1 Yes	107	58.1
		2 No Missing	68 2,548	41.9
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or		
	Ç	dip on one or more of the past 30 days		
		1 Yes	79	3.0
		2 No	2,591	97.0
		Missing	53	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	605	23.5
		2 No	1,993	76.5
		Missing	125	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	804	31.3
		2 No	1,625	68.7
		Missing	294	
220-220	QN43	Percentage of students who had five or more drinks of		
		alcohol in a row, that is, within a couple of hours, on one or		
		more of the past 30 days		
		1 Yes	383	14.1
		2 No	2,200	85.9
		Missing	140	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from		
		someone who gave it to them during the past 30 days		
		1 Yes	228	29.4
		2 No	550	70.6
		Missing	1,945	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	174	6.8
		2 No	2,438	93.2
		Missing	111	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48		of students who used marijuana one or more g the past 30 days		
		1	Yes	475	17.9
		2	No	2,109	82.1
			Missing	139	
227-227	QN50		of students who used any form of cocaine, bwder, crack, or freebase one or more times life		
		1	Yes	88	3.2
		2	No	2,537	96.8
			Missing	98	
229-229	QN52	contents of	of students who sniffed glue, breathed the aerosol spray cans, or inhaled any paints or at high one or more times during their life		
		1	Yes	220	8.8
		2	No	2,396	91.2
			Missing	107	
230-230	QN53	Percentage during their	of students who used heroin one or more times life		
		1	Yes	58	2.3
		2	No	2,554	97.7
			Missing	111	
231-231	QN54		of students who used methamphetamines one or during their life		
		1	Yes	59	2.6
		2	No	2,558	97.4
			Missing	106	
232-232	QN55	Percentage during their	of students who used ecstasy one or more times life		
		1	Yes	116	4.7
		2	No	2,482	95.3
			Missing	125	
235-235	QN58	_	of students who used a needle to inject any illegal eir body one or more times during their life		
		1	Yes	62	2.5
		2	No	2,518	97.5
			Missing	143	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of	of students who ever had sexual intercourse		
		1	Yes	1,034	43.5
		2	No	1,234	56.5
			Missing	455	
238-238	QN61		of students who had sexual intercourse for the fore age 13 years		
		1	Yes	194	8.7
		2	No	2,074	91.3
			Missing	455	
239-239	QN62	_	of students who had sexual intercourse with four ple during their life		
		1	Yes	355	14.8
		2	No	1,899	85.2
			Missing	469	
240-240 QN6	QN63		of students who had sexual intercourse with one ple during the past three months		
		1	Yes	664	28.5
		2	No	1,581	71.5
			Missing	478	
241-241	QN64	three month	lents who had sexual intercourse during the past s, the percentage who drank alcohol or used e last sexual intercourse		
		1	Yes	121	19.5
		2	No	533	80.5
			Missing	2,069	
242-242	QN65		lents who had sexual intercourse during the past s, the percentage who used a condom during last course		
		1	Yes	409	62.2
		2	No	216	37.8
			Missing	2,098	
243-243	QN66	three month	lents who had sexual intercourse during the past s, the percentage who used birth control pills to gnancy before last sexual intercourse		
		1	Yes	56	9.8
		2	No	561	90.2
			Missing	2,106	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
244-244	QN67	Percentage of very over	of students who described themselves as slightly weight		
		1	Yes	713	27.5
		2	No	1,730	72.5
			Missing	280	
245-245	QN68	Percentage o	of students who were trying to lose weight		
		1	Yes	1,100	43.4
		2	No	1,328	56.6
			Missing	295	
248-248	QN71	_	of students who vomited or took laxatives to lose keep from gaining weight during the past 30		
		1	Yes	116	4.6
		2	No	2,256	95.4
		-	Missing	351	
249-249	QN72	•	of students who drank 100% fruit juices one or during the past seven days		
		1	Yes	1,917	79.7
		2	No	476	20.3
			Missing	330	
250-250	QN73		of students who ate fruit one or more times ast seven days		
		1	Yes	1,936	80.0
		2	No	477	20.0
			Missing	310	
255-255	QN78		of students who drank a can, bottle, or glass of one or more times per day during the past seven		
		1	Yes	537	23.0
		2	No	1,782	77.0
			Missing	404	
256-256	QN79	_	of students who were physically active for a total minutes per day on five or more of the past		
		1	Yes	821	37.5
		2	No	1,379	62.5
		_	Missing	523	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who watched three or more hours per		
		day of TV on an average school day		
		1 Yes	997	45.6
		2 No	1,190	54.4
		Missing	536	
258-258	QN81	Percentage of students who played video or computer games		
		or used a computer for something that was not school work		
		three or more hours per day on an average school day		
		1 Yes	991	44.9
		2 No	1,165	55.1
		Missing	567	
259-259	QN82	Percentage of students who attended physical education (PE)		
		classes on one or more days in an average week when they were in school		
		1 Yes	1,729	84.3
		2 No	380	15.7
		Missing	614	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	822	38.3
		2 No	1,284	61.7
		Missing	617	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	556	25.9
		2 No	1,513	74.1
		Missing	654	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,620	95.8
		2 No	93	4.2
		Missing	10	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	652	28.6
		2 No	2,057	71.4
		Missing	14	

Data Location	Variable Name	Question Code and Lab	el	Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who have liv less than one year	ed in the United States		
		1 Yes		28	1.3
		2 No		2,669	98.7
		Missing		26	
267-267	QN90	Percentage of students in whose hor			
		time or always speak a language oth	er than English	1 2 15	46.0
		1 Yes		1,347	46.9
		2 No		1,361	53.1
		Missing		15	
268-268	QN91	Percentage of students who did som themselves without wanting to die, s themselves on purpose, one or more months	such as cutting or burning		
		1 Yes		457	16.7
		2 No		2,254	83.3
		Missing		12	
269-269	QN92	Percentage of students who tried to professional counselor, social worker emotional or personal issue that they during the past 12 months 1 Yes 2 No Missing	er, or therapist for an	466 2,229 28	16.9 83.1
270-270	QN93	Percentage of students who tried cig first time during the past year	arette smoking for the		
		1 Yes		304	11.3
		2 No		2,361	88.7
		Missing		58	
271-271	QN94	Percentage of students who usually by buying them in a store such as a supermarket, or gas station during the	convenience store,		
		1 Yes		86	3.3
		2 No		2,518	96.7
		Missing		119	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage cigarettes	of students who live with someone who smokes		
		1	Yes	791	29.5
		2	No	1,839	70.5
			Missing	93	
273-273	QN96	_	of students who think two or more out of every in the same grade at school smoke cigarettes		
		1	Yes	1,725	66.1
		2	No	937	33.9
		2	Missing	61	
274-274	QN97		of students who say their friends disapprove or sapprove of smoking		
		1	Yes	1,200	46.6
		2	No	1,398	53.4
			Missing	125	
275-275	QN98	and who ha percentage bourbon, or	dents who drank alcohol during the past 30 days are a usual type of alcohol that they drink, the who reported liquor, such as vodka, rum, scotch, r whiskey, as their type of alcohol they usually ug the past 30 days		
		1	Yes	445	56.5
		2	No	355	43.5
			Missing	1,923	
276-276	QN99	medication	of students who have taken a prescription pain without a doctor's prescription one or more times past 12 months		
		1	Yes	167	6.3
		2	No	2,415	93.7
			Missing	141	
277-277	QN100	drugs with	of students who have taken other prescription out a doctor's prescription one or more times past 12 months		
		1	Yes	96	3.7
		2	No	2,497	96.3
			Missing	130	

Borough of Bronx High School Survey Codebook

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage		
278-278	QN101		of students who have had sexual intercourse one nes during the past 30 days				
		1	Yes	594	22.9		
		2	No	1,902	77.1		
			Missing	227			
79-279	QN102	-	dents who have had sexual intercourse and who				
			exual intercourse during the past three months, the				
			who always used a condom when they had sexual during the past three months	1			
		1	Yes	409	49.6		
		2	No	388	50.4		
			Missing	1,926			
280-280	QN103	Percentage	of students who used the IUD (intrauterine				
		device) or Implanon as birth control method to prevent					
		pregnancy	the last time they had sexual intercourse				
		1	Yes	14	0.4		
		2	No	2,387	99.6		
			Missing	322			
81-281	QN104	-	of students who responded that the last time they				
			control, they or their partner got it from				
		at school)	ed health center (school clinic or somewhere else				
		,	OT DISPLAYED. Please send an e-mail to epidata	arequest@health.nyc.	gov with reque		
		to school-l	pased health centers.				
282-282	QN105	Percentage	of students who have ever been taught a class by				
.02 202	Q11103	_	bout birth control methods				
		1	Yes	1,561	59.1		
		2	No	918	40.9		
		•	Missing	244			
83-283	QN106	Percentage	of students who have been pregnant or gotten				
		_	regnant one or more times				
		1	Yes	164	6.9		
		2	No	2,251	93.1		

Missing

308

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107		f students who have had sexual contact with males during their life		
		1	Yes	127	5.7
		2	No	2,277	94.3
			Missing	319	
285-285	QN108	Percentage o	f students who describe themselves as gay or sexual		
		1	Yes	263	11.4
		2	No	2,184	88.6
			Missing	276	
286-286	QN109		f students who ate vegetables such as green		
			s, green beans, or other vegetables one or more		
			y during the past seven days	:	
		1	Yes	571	25.2
		2	No	1,813	74.8
			Missing	339	
287-287	QN110	such as sport or chocolate	f students who drank other sweetened drinks is drinks, fruit punch, other fruit-flavored drinks, or other flavored milk one or more times per		
			ne past seven days	((0)	20.4
		1	Yes	669	28.4
		2	No	1,654	71.6
			Missing	400	
288-288	QN111	Percentage o when they do	f students who usually drink 1% or skim milk rink milk		
		1	Yes	383	16.6
		2	No	1,924	83.4
			Missing	416	
289-289	QN112	Percentage o to school	f students who usually walk or bike all the way		
		1	Yes	433	19.3
		2	No	1,767	80.7
			Missing	523	
290-290	QN113	Percentage o	f students who walk or bike more than 20 chool		
		1	Yes	297	13.9
		2	No	1,877	86.1
			Missing	549	

291-291 QN114 Percentage of students who walk or bike to the bus stop or subway station to get to school 1	Veighted ercentage
Subway station to get to school	
2 No Missing 642	
Missing 642	70.4
292-292 QN115 Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school 1	29.6
to the bus stop or subway station to get to school 1	
1 Yes	
2 No 1,625	
Missing 638 293-293 QN116 Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months 1 Yes 994 2 No 1,231 Missing 498 294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	22.6
293-293 QN116 Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months 1 Yes 994 2 No 1,231 Missing 498 294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698	77.4
the five boroughs of New York City one or more times during the past 12 months 1 Yes 994 2 No 1,231 Missing 498 294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
during the past 12 months	
1	
2 No Missing 498 294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	46.1
Missing 498 294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	46.1
294-294 QN117 Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	53.9
tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
lifting, on three or more of the past seven days 1 Yes 1,058 2 No 1,138 Missing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
1 Yes 1,138 2 No 1,138 4 Sinsing 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
2 No Missing 1,138 527 295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	48.0
295-295 QN118 Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	52.0
actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1	
breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class 1	
breathe hard during an average physical education (PE) class 1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
1 Yes 1,007 2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
2 No 1,125 Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
Missing 591 296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	48.0
296-296 QN119 Percentage of students who walk up at least three floors of stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	52.0
stairs outside of school on an average day 1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
1 Yes 1,505 2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	
2 No 520 Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	740
Missing 698 297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	74.8
297-297 QN120 Percentage of students who had ever been tested for HIV, the virus that causes AIDS	25.2
virus that causes AIDS	
1 Yes 522	24.8
2 No 1,549	75.2
Missing 652	, 5.2

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121		of students who have had an episode of asthrattack during the past 12 months	ma or	
		1	Yes	307	14.5
		2	No	1,757	85.5
			Missing	659	
99-299	QN122		of students who ever saw cockroaches inside during the past 30 days	;	
		1	Yes	931	42.0
			No	1,146	58.0
		2	Missing	646	38.0
00-300	QN123		of students who ever saw mice inside their he	ome	
			past 30 days		
		1	Yes	554	26.3
		2	No	1,526	73.7
			Missing	643	
01-301	QN124	the walls or	of students who ever saw damp spots or mole ceilings in one or more rooms during the part		
		days	V	254	17.4
		1	Yes	354	17.4
		2	No Missing	1,694 675	82.6
02-302	QN125	health cente	of students who have ever used the school-bar (school clinic) at their school T DISPLAYED. Please send an e-mail to ep		gov with reque
		to school-b	ased health centers.		
03-303	QN126	-	of students who go to bodegas, delis, or two or more times per week		
		1	Yes	1,292	59.6
		2	No	770	40.4
			Missing	661	
50-350	QNFRCIG	Percentage of the past	of students who smoked cigarettes on 20 or r 30 days	more	
		1	Yes	57	2.1
		2	No	2,558	97.9
			Missing	108	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera		
		(injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	40	6.5
		2 No	577	93.5
		Missing	2,106	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past		
		three months, the percentage who used Depo-Provera		
		(injectable birth control) or birth control pills to prevent		
		pregnancy before last sexual intercourse		
		1 Yes	96	16.3
		2 No	521	83.7
		Missing	2,106	
354-354	QNDUAL	Among students who had sexual intercourse during the past		
		three months, the percentage who used a condom during last		
		sexual intercourse and used birth control pills or		
		Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	30	4.5
		2 No	579	95.5
		Missing	2,114	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	819	35.7
		2 No	1,557	64.3
		Missing	347	
359-359	QNDLYPE	Percentage of students who attended physical education (PE)		
		classes daily in an average week when they were in school		
		1 Yes	699	32.6
		2 No	1,410	67.4
		Missing	614	
360-360	QNPA0DAY	Percentage of students who were physically active for a total		
		of at least 60 minutes per day on 0 of the past seven days	42.7	20.2
		1 Yes	437	20.3
		2 No	1,763	79.7
		Missing	523	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY		of students who were physically active for a total 0 minutes per day on 7 of the past seven days		
		1	Yes	425	19.9
		2	No	1,775	80.1
			Missing	523	
362-362	QNOWT	above the 8	of students who were overweight (i.e., at or 5th percentile but below the 95th percentile for index, by age and sex)		
		1	Yes	428	16.9
		2	No	2,063	83.1
			Missing	232	
363-363	QNOBESE	_	of students who were obese (i.e., at or above the title for body mass index, by age and sex)		
		1	Yes	368	14.8
		2	No	2,123	85.2
			Missing	232	
364-373	WEIGHT				
374-376	STRATUM				
377-382	PSU				
383-387	BMIPCT				
388-389	RACEETH				
		1	Am Indian/Alaska Native	32	0.2
		2	Asian	122	6.9
		3	Black or African American	630	34.7
		4	Native Hawaiian/other PI	22	0.1
		5	White	86	4.5
		6	Hispanic/Latino Multiple - Hispanic	1,018 623	31.7 21.5
		7 8	Multiple - Hispanic Multiple - non-Hispanic	623 72	0.4
		Δ.	iviuitipie - non-inspaine	14	U. 4