

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	3	0.1
		2	13 years old	47	2.0
		3	14 years old	377	20.5
		4	15 years old	409	24.7
		5	16 years old	315	25.3
		6	17 years old	251	21.7
		7	18 years old or older	60	5.6
		Missing	3		
18-18	Q2	What is your sex?			
		1	Female	663	44.4
		2	Male	800	55.6
			Missing	2	
19-19	Q3	In what grade are you?			
		1	9th grade	533	28.7
		2	10th grade	393	25.0
		3	11th grade	269	22.9
		4	12th grade	261	23.1
		5	Ungraded or other grade	4	0.3
		Missing	5		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	569	28.0
		2	No	862	72.0
			Missing	34	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.4
		G	1	0.1
		F	1	0.1
		E	42	2.8
		D	52	2.4
		DE	1	0.0
		C	840	88.1
		C E	16	0.7
		CD	11	0.5
		CDE	1	0.0
		B	25	1.8
		B D	1	0.0
		BC	14	0.2
		BC E	1	0.0
		BCD	2	0.0
		A	50	2.0
		A D	4	0.1
		A C	22	0.6
		AB	1	0.0
			377	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	517	37.3
		2 Never wore a helmet	768	51.5
		3 Rarely wore a helmet	89	7.0
		4 Sometimes wore a helmet	29	2.4
		5 Most of the time wore a helmet	22	1.5
		6 Always wore a helmet	7	0.3
		Missing	33	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,350	96.3
		2 1 time	14	1.2
		3 2 or 3 times	10	0.9
		4 4 or 5 times	11	0.6
		5 6 or more times	9	0.9
		Missing	71	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,252	87.8
		2 1 day	59	4.0
		3 2 or 3 days	38	2.5
		4 4 or 5 days	13	1.0
		5 6 or more days	57	4.7
		Missing	46	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,370	95.4
		2 1 day	24	2.2
		3 2 or 3 days	12	1.0
		5 6 or more days	17	1.4
				Missing
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,351	95.5
		2 1 day	26	1.8
		3 2 or 3 days	12	1.1
		4 4 or 5 days	4	0.2
		5 6 or more days	24	1.5
		Missing	48	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,214	83.8
		2 1 day	153	9.0
		3 2 or 3 days	49	3.5
		4 4 or 5 days	8	0.4
		5 6 or more days	33	3.2
		Missing	8	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,311	88.9
		2 1 time	59	4.9
		3 2 or 3 times	32	2.0
		4 4 or 5 times	18	1.6
		5 6 or 7 times	10	1.2
		6 8 or 9 times	1	0.0
		7 10 or 11 times	3	0.4
		8 12 or more times	19	0.9
		Missing	12	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	918	61.8
		2 1 time	221	18.8
		3 2 or 3 times	155	9.9
		4 4 or 5 times	60	4.0
		5 6 or 7 times	26	1.7
		6 8 or 9 times	19	1.1
		7 10 or 11 times	4	0.2
		8 12 or more times	39	2.5
		Missing	23	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	170	13.6
		2 No	1,255	86.4
		Missing	40	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	95	7.2
		2 No	1,337	92.8
		Missing	33	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	169	10.8
		2 No	1,257	89.2
		Missing	39	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	138	9.1
		2 No	1,303	90.9
		Missing	24	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	398	26.9
		2 No	1,029	73.1
		Missing	38	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	167	12.1
		2 No	1,266	87.9
		Missing	32	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	976	88.6
		2 1 time	72	6.1
		3 2 or 3 times	23	2.8
		4 4 or 5 times	9	1.1
		5 6 or more times	17	1.4
		Missing	368	
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	946	89.2
		2 Yes	30	3.2
		3 No	82	7.6
		Missing	407	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	337	24.8
		2 No	1,055	75.2
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,296	95.1
		2 1 or 2 days	36	2.4
		3 3 to 5 days	10	0.9
		4 6 to 9 days	6	0.5
		5 10 to 19 days	9	0.5
		6 20 to 29 days	3	0.1
		7 All 30 days	8	0.5
		Missing	97	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,253	95.0
		2 Less than 1 cigarette per day	30	2.2
		3 1 cigarette per day	17	1.4
		4 2 to 5 cigarettes per day	11	0.4
		5 6 to 10 cigarettes per day	7	0.7
		6 11 to 20 cigarettes per day	1	0.0
		7 More than 20 cigarettes per day	4	0.2
		Missing	142	
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,145	85.8
		2 Yes	71	4.7
		3 No	111	9.4
		Missing	138	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,356	95.8
		2 1 or 2 days	23	2.2
		3 3 to 5 days	9	0.7
		4 6 to 9 days	5	0.5
		5 10 to 19 days	3	0.3
		7 All 30 days	9	0.4
		Missing	60	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	551	40.9
		2 8 years old or younger	93	7.1
		3 9 or 10 years old	105	7.5
		4 11 or 12 years old	145	9.0
		5 13 or 14 years old	276	20.9
		6 15 or 16 years old	153	12.0
		7 17 years old or older	24	2.6
		Missing	118	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	846	69.6
		2 1 or 2 days	239	19.9
		3 3 to 5 days	82	6.5
		4 6 to 9 days	32	2.1
		5 10 to 19 days	17	1.3
		6 20 to 29 days	3	0.2
		7 All 30 days	9	0.5
		Missing	237	
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,177	89.9
		2 1 day	76	5.2
		3 2 days	37	3.1
		4 3 to 5 days	19	1.1
		5 6 to 9 days	5	0.2
		6 10 to 19 days	1	0.1
		7 20 or more days	7	0.4
		Missing	143	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	817	68.2
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	57	5.9
		3 I bought it at a restaurant, bar, or club	10	1.2
		4 I bought it at a public event such as a concert or sporting event	9	0.9
		5 I gave someone else money to buy it for me	42	3.5
		6 Someone gave it to me	128	10.3
		7 I took it from a store or family member	64	4.3
		8 I got it some other way	74	5.7
		Missing	264	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	916	64.5
		2 8 years old or younger	35	3.1
		3 9 or 10 years old	31	2.3
		4 11 or 12 years old	69	5.0
		5 13 or 14 years old	183	14.0
		6 15 or 16 years old	106	9.4
		7 17 years old or older	18	1.6
		Missing	107	
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,083	80.3
		2 1 or 2 times	82	6.1
		3 3 to 9 times	61	4.3
		4 10 to 19 times	35	3.7
		5 20 to 39 times	19	1.5
		6 40 or more times	51	4.1
		Missing	134	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,309	95.4
		2 1 or 2 times	22	1.9
		3 3 to 9 times	9	0.5
		4 10 to 19 times	8	1.0
		5 20 to 39 times	4	0.4
		6 40 or more times	11	0.8
		Missing	102	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,207	88.3
		2 1 or 2 times	74	5.7
		3 3 to 9 times	35	2.3
		4 10 to 19 times	20	1.7
		5 20 to 39 times	9	1.0
		6 40 or more times	15	0.9
		Missing	105	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,306	96.0
		2 1 or 2 times	14	1.2
		3 3 to 9 times	11	0.5
		4 10 to 19 times	8	1.5
		5 20 to 39 times	5	0.3
		6 40 or more times	7	0.5
		Missing	114	
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,306	95.3
		2 1 or 2 times	17	1.4
		3 3 to 9 times	9	1.5
		4 10 to 19 times	5	0.6
		5 20 to 39 times	7	0.7
		6 40 or more times	8	0.5
		Missing	113	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,274	94.3
		2 1 or 2 times	36	2.6
		3 3 to 9 times	10	0.6
		4 10 to 19 times	11	1.3
		5 20 to 39 times	8	0.8
		6 40 or more times	6	0.3
	Missing	120		
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,304	97.4
		2 1 time	14	1.2
		3 2 or more times	14	1.4
	Missing	133		
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	588	55.7
		2 No	554	44.3
	Missing	323		
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	550	44.1
		2 11 years old or younger	85	9.1
		3 12 years old	75	5.3
		4 13 years old	135	12.6
		5 14 years old	148	13.3
		6 15 years old	79	7.6
		7 16 years old	47	4.6
		8 17 years old or older	21	3.4
	Missing	325		
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	542	44.2
		2 1 person	171	15.5
		3 2 people	106	10.5
		4 3 people	77	6.6
		5 4 people	50	6.7
		6 5 people	43	3.9
		7 6 or more people	135	12.5
	Missing	341		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	533	43.9
		2 I have had sexual intercourse, but not during the past 3 months	184	16.3
		3 1 person	240	25.0
		4 2 people	62	7.1
		5 3 people	37	3.6
		6 4 people	17	1.3
		7 5 people	18	1.2
		8 6 or more people	17	1.6
	Missing	357		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	538	45.0
		2 Yes	73	6.9
		3 No	487	48.2
	Missing	367		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	535	45.6
		2 Yes	398	41.3
		3 No	141	13.1
	Missing	391		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	535	45.9
		2 No method was used to prevent pregnancy	75	7.0
		3 Birth control pills	22	1.9
		4 Condoms	356	36.4
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	17	2.8
		6 Withdrawal	36	3.4
		7 Some other method	13	0.9
8 Not sure	15	1.6		
	Missing	396		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	How do you describe your weight?		
		1 Very underweight	70	7.0
		2 Slightly underweight	143	11.8
		3 About the right weight	677	54.7
		4 Slightly overweight	292	23.0
		5 Very overweight	49	3.5
		Missing	234	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	535	42.6
		2 Gain weight	281	25.1
		3 Stay the same weight	228	18.0
		4 I am not trying to do anything about my weight	176	14.2
		Missing	245	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	63	5.7
		2 No	1,110	94.3
		Missing	292	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	256	23.2
		2 1 to 3 times during the past 7 days	367	29.8
		3 4 to 6 times during the past 7 days	208	18.4
		4 1 time per day	38	3.3
		5 2 times per day	97	8.3
		6 3 times per day	76	6.4
		7 4 or more times per day	140	10.6
		Missing	283	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	296	24.0
		2 1 to 3 times during the past 7 days	458	39.1
		3 4 to 6 times during the past 7 days	180	14.8
		4 1 time per day	65	5.5
		5 2 times per day	81	7.2
		6 3 times per day	40	3.4
		7 4 or more times per day	79	5.9
		Missing	266	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	258	24.4
		2 1 to 3 times during the past 7 days	422	35.9
		3 4 to 6 times during the past 7 days	183	16.0
		4 1 time per day	85	7.7
		5 2 times per day	69	5.1
		6 3 times per day	54	4.1
		7 4 or more times per day	92	6.8
		Missing	302	
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	207	19.3
		2 1 day	126	12.7
		3 2 days	151	14.3
		4 3 days	125	12.2
		5 4 days	90	7.5
		6 5 days	118	10.4
		7 6 days	52	5.9
		8 7 days	207	17.5
		Missing	389	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	153	17.1
		2 Less than 1 hour per day	93	8.1
		3 1 hour per day	84	7.9
		4 2 hours per day	157	14.1
		5 3 hours per day	166	16.1
		6 4 hours per day	127	11.1
		7 5 or more hours per day	277	25.6
		Missing	408	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	160	16.1
		2 Less than 1 hour per day	111	10.4
		3 1 hour per day	111	12.2
		4 2 hours per day	149	13.0
		5 3 hours per day	163	16.3
		6 4 hours per day	108	8.1
		7 5 or more hours per day	247	23.8
		Missing	416	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	196	22.9
		2 1 day	57	6.0
		3 2 days	263	24.9
		4 3 days	147	16.8
		5 4 days	104	8.3
		6 5 days	255	21.0
		Missing	443	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	580	55.9
		2 1 team	256	25.1
		3 2 teams	116	11.6
		4 3 or more teams	66	7.4
		Missing	447	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	272	26.1
		2 No	665	67.9
		3 Not sure	58	6.0
		Missing	470	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
118-118	Q87	What borough of New York do you live in?			
		1	Bronx	15	1.2
		2	Brooklyn	1,320	89.4
		3	Manhattan	22	1.7
		4	Queens	97	7.4
		5	Staten Island	6	0.3
		Missing	5		
119-119	Q88	How long have you been going to this school?			
		1	Less than 1 year	473	29.8
		2	1 year	134	9.0
		3	2 years	247	16.0
		4	3 years	227	19.9
		5	4 years	259	18.8
6	5 or more years	115	6.4		
		Missing	10		
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	38	2.6
		2	1 to 3 years	55	4.3
		3	4 to 6 years	70	4.7
		4	More than 6 years but not my whole life	195	14.1
		5	I have always lived in the United States	1,092	74.3
		Missing	15		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	527	41.7
		2	Rarely	166	11.0
		3	Sometimes	252	15.6
		4	Most of the time	196	10.5
		5	Always	315	21.2
		Missing	9		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,193	84.7
		2	1 time	129	7.8
		3	2 or 3 times	72	4.5
		4	4 or 5 times	17	1.2
		5	6 or more times	35	1.7
		Missing	19		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 I did not need help during the past 12 months	711	48.6
		2 Yes	236	15.6
		3 No	489	35.7
		Missing	29	
124-124	Q93	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,087	76.5
		2 Less than 1 month ago	49	3.5
		3 1 to 3 months ago	36	2.4
		4 4 to 6 months ago	26	1.7
		5 7 to 12 months ago	36	3.1
		6 13 or more months ago	182	12.7
		Missing	49	
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,266	92.6
		2 I bought them in a store such as a convenience store, supermarket, or gas station	35	2.9
		3 I bought them on the Internet	4	0.1
		4 I bummed them	4	0.3
		5 Someone gave them to me or bought them for me	39	2.2
		6 I stole them	4	0.3
		7 I got them some other way	18	1.5
		Missing	95	
126-126	Q95	Does anyone who lives with you now smoke cigarettes?		
		1 Yes	469	35.6
		2 No	913	64.4
		Missing	83	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?		
		1 0 students	439	32.6
		2 1 student	160	10.6
		3 2 students	159	11.1
		4 3 students	129	9.7
		5 4 students	93	6.5
		6 5 students	106	7.0
		7 6 or 7 students	78	6.0
		8 8 to 10 students	221	16.6
		Missing	80	
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	119	10.0
		2 Approve	179	14.8
		3 Neither approve nor disapprove	424	28.0
		4 Disapprove	296	20.6
		5 Strongly disapprove	336	26.6
		Missing	111	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	893	68.5
		2 I do not have a usual type	49	3.6
		3 Beer	39	2.9
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	77	6.5
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	15	1.1
		6 Wine	13	1.0
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	208	13.7
		8 Some other type	39	2.7
		Missing	132	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,242	91.7
		2 1 time	34	3.0
		3 2 or 3 times	23	2.1
		4 4 or 5 times	17	1.1
		5 6 or 7 times	7	1.0
		6 8 or 9 times	5	0.3
		7 10 or 11 times	2	0.2
		8 12 or more times	11	0.6
	Missing	124		
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	1,287	94.9
		2 1 time	23	2.2
		3 2 or 3 times	8	0.7
		4 4 or 5 times	8	0.4
		5 6 or 7 times	6	1.0
		6 8 or 9 times	4	0.2
		7 10 or 11 times	1	0.2
		8 12 or more times	8	0.5
	Missing	120		
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	907	68.6
		2 1 to 3 times	222	21.0
		3 4 to 7 times	67	5.5
		4 8 or more times	69	4.9
	Missing	200		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	608	44.7
		2 I have had sexual intercourse, but not during the past 3 months	152	12.3
		3 Never	62	6.1
		4 Rarely	34	2.6
		5 Sometimes	33	2.6
		6 Most of the time	66	5.7
		7 Always	270	26.0
		Missing	240	
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	582	44.6
		2 Depo-Provera (injectable birth control)	35	3.9
		3 The Ring (Nuva Ring?)	30	2.9
		4 The Patch (Ortho-Evra?)	17	1.5
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	9	0.8
		6 Emergency Contraception (EC) or the Morning After Pill	16	1.7
		7 None of these methods	378	33.3
		8 Not sure	124	11.2
		Missing	274	
135-135	Q104	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	964	77.4
		2 Hospital	43	5.3
		3 School-based health center (school clinic or somewhere else at school)	32	3.7
		4 Doctor's office (not in a hospital)	27	2.6
		5 Pharmacy or Botanica or bodega	23	1.9
		6 Community health center or clinic	30	1.9
		7 Someplace else	17	1.3
		8 Not sure	67	5.9
		Missing	262	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	403	29.8
		2 6th grade or earlier	176	14.1
		3 7th grade	175	15.4
		4 8th grade	180	14.9
		5 9th grade	131	9.7
		6 10th grade	26	2.7
		7 11th or 12th grade	16	1.4
		8 Not sure	125	12.0
		Missing	233	
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	86	8.6
		2 No	1,082	87.5
		3 Not sure	41	3.9
		Missing	256	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	486	37.5
		2 Females	414	35.7
		3 Males	236	20.6
		4 Females and males	62	6.2
		Missing	267	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	1,057	83.5
		2 Gay or lesbian	42	4.6
		3 Bisexual	97	7.9
		4 Not sure	40	4.0
		Missing	229	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	269	22.1
		2 1 to 3 times during the past 7 days	430	37.3
		3 4 to 6 times during the past 7 days	208	18.3
		4 1 time per day	121	8.8
		5 2 times per day	68	5.6
		6 3 times per day	30	2.7
		7 4 or more times per day	60	5.2
	Missing	279		
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	204	19.0
		2 1 to 3 times during the past 7 days	387	33.3
		3 4 to 6 times during the past 7 days	196	17.9
		4 1 time per day	85	7.9
		5 2 times per day	92	6.6
		6 3 times per day	66	4.9
		7 4 or more times per day	134	10.3
	Missing	301		
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	206	20.2
		2 Whole milk	447	41.8
		3 2% milk or reduced fat milk	198	15.9
		4 1% milk or low-fat milk	130	9.9
		5 Skim milk or non-fat milk	31	2.4
		6 Soy milk	28	2.6
		7 Not sure	104	7.1
	Missing	321		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	352	27.9
		2 I ride a bike all the way to school	16	2.2
		3 I use public transportation, such as a subway or city bus	597	59.6
		4 I ride a school bus	16	2.7
		5 I drive or ride in a car or other private vehicle	91	7.7
		Missing	393	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	499	51.0
		2 Less than 10 minutes	167	14.6
		3 10 to 20 minutes	245	21.6
		4 21 to 29 minutes	57	4.6
		5 30 or more minutes	82	8.2
		Missing	415	
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	422	35.3
		2 I walk to the bus stop or subway station	571	63.3
		3 I ride a bike to the bus stop or subway station	12	1.4
		Missing	460	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	362	29.0
		2 Less than 10 minutes	422	44.5
		3 10 to 20 minutes	161	18.5
		4 21 to 29 minutes	30	2.9
		5 30 or more minutes	42	5.1
		Missing	448	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	189	16.2
		2 At least once a month	98	10.2
		3 A few times a year	242	21.2
		4 Never	565	52.4
		Missing	371	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	283	28.0
		2 1 day	140	15.0
		3 2 days	171	16.8
		4 3 days	130	10.4
		5 4 days	96	7.6
		6 5 days	81	7.8
		7 6 days	30	3.7
		8 7 days	128	10.8
		Missing	406	
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	209	24.0
		2 Less than 10 minutes	174	16.4
		3 10 to 20 minutes	200	18.3
		4 21 to 30 minutes	147	14.1
		5 31 to 40 minutes	99	8.5
		6 41 to 50 minutes	110	9.9
		7 51 to 60 minutes	57	5.7
		8 More than 60 minutes	42	3.2
		Missing	427	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	66	7.4
		2 Yes	688	71.3
		3 No	215	21.4
		Missing	496	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	247	31.0
		2 No	664	61.2
		3 Not sure	84	7.8
		Missing	470	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	398	39.2
		2 Yes	160	16.9
		3 No	403	40.8
		4 Not sure	32	3.1
		Missing	472	
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	603	60.3
		2 1 day	175	18.0
		3 2 to 5 days	129	12.6
		4 6 to 10 days	32	3.4
		5 11 to 15 days	14	1.5
		6 16 to 29 days	17	1.6
		7 All 30 days	29	2.5
		Missing	466	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	659	65.9
		2 1 day	183	19.2
		3 2 to 5 days	99	8.9
		4 6 to 10 days	25	2.6
		5 11 to 15 days	6	0.5
		6 16 to 29 days	6	0.7
		7 All 30 days	15	2.2
		Missing	472	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	829	82.2
		2 1 room	104	11.4
		3 2 or more rooms	49	6.4
		Missing	483	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	272	26.2
		2 Yes	277	33.7
		3 No	425	40.1
		Missing	491	
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	379	39.0
		2 1 time per week	85	9.4
		3 2 times per week	86	8.2
		4 3 times per week	94	8.6
		5 4 times per week	68	6.7
		6 5 times per week	92	9.9
		7 6 times per week	31	2.7
		8 7 or more times per week	163	15.6
		Missing	467	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	857	93.2
		2 No	58	6.8
		Missing	550	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	44	3.7
		2 No	1,350	96.3
		Missing	71	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	167	12.2
		2 No	1,252	87.8
		Missing	46	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	53	4.6
		2 No	1,370	95.4
		Missing	42	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	66	4.5
		2 No	1,351	95.5
		Missing	48	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	243	16.2
		2 No	1,214	83.8
		Missing	8	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	142	11.1
		2 No	1,311	88.9
		Missing	12	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	524	38.2
		2 No	918	61.8
		Missing	23	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	170	13.6
		2 No	1,255	86.4
		Missing	40	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	95	7.2
		2 No	1,337	92.8
		Missing	33	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	169	10.8
		2 No	1,257	89.2
		Missing	39	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	138	9.1
		2 No	1,303	90.9
		Missing	24	
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	398	26.9
		2 No	1,029	73.1
		Missing	38	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	167	12.1
		2 No	1,266	87.9
		Missing	32	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	121	11.4
		2 No	976	88.6
		Missing	368	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	30	3.2
		2 No	1,028	96.8
		Missing	407	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	337	24.8
		2 No	1,055	75.2
		Missing	73	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	72	4.9
		2 No	1,296	95.1
		Missing	97	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	5	4.8
		2 No	64	95.2
		Missing	1,396	
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	40	55.9
		2 No	27	44.1
		Missing	1,398	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	49	4.2
		2 No	1,356	95.8
		Missing	60	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	343	23.6
		2 No	1,004	76.4
		Missing	118	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	382	30.4
		2 No	846	69.6
		Missing	237	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	145	10.1
		2 No	1,177	89.9
		Missing	143	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	128	34.2
		2 No	242	65.8
		Missing	1,095	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	135	10.5
		2 No	1,223	89.5
		Missing	107	
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	248	19.7
		2 No	1,083	80.3
		Missing	134	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	54	4.6
		2 No	1,309	95.4
		Missing	102	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	153	11.7
		2 No	1,207	88.3
		Missing	105	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	45	4.0
		2 No	1,306	96.0
		Missing	114	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	46	4.7
		2 No	1,306	95.3
		Missing	113	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	71	5.7
		2 No	1,274	94.3
		Missing	120	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	28	2.6
		2 No	1,304	97.4
		Missing	133	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	588	55.7
		2 No	554	44.3
		Missing	323	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	160	14.4
		2 No	980	85.6
		Missing	325	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	228	23.2
		2 No	896	76.8
		Missing	341	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	391	39.8
		2 No	717	60.2
		Missing	357	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	56	12.9
		2 No	319	87.1
		Missing	1,090	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	259	74.5
		2 No	101	25.5
		Missing	1,105	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	17	4.1
		2 No	343	95.9
		Missing	1,105	
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	341	26.5
		2 No	890	73.5
		Missing	234	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	535	42.6
		2 No	685	57.4
		Missing	245	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	63	5.7
		2 No	1,110	94.3
		Missing	292	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	926	76.8
		2 No	256	23.2
		Missing	283	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	903	76.0
		2 No	296	24.0
		Missing	266	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	300	23.7
		2 No	863	76.3
		Missing	302	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	377	33.9
		2 No	699	66.1
		Missing	389	
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	570	52.8
		2 No	487	47.2
		Missing	408	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	518	48.3
		2 No	531	51.7
		Missing	416	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	826	77.1
		2 No	196	22.9
		Missing	443	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	438	44.1
		2 No	580	55.9
		Missing	447	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	272	26.1
		2 No	723	73.9
		Missing	470	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,438	98.3
		2 No	22	1.7
		Missing	5	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	473	29.8
		2 No	982	70.2
		Missing	10	
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	38	2.6
		2 No	1,412	97.4
		Missing	15	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	511	31.7
		2 No	945	68.3
		Missing	9	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	253	15.3
		2 No	1,193	84.7
		Missing	19	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	236	15.6
		2 No	1,200	84.4
		Missing	29	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	147	10.8
		2 No	1,269	89.2
		Missing	49	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	35	2.9
		2 No	1,335	97.1
		Missing	95	
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	469	35.6
		2 No	913	64.4
		Missing	83	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	786	56.8
		2 No	599	43.2
		Missing	80	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	632	47.2
		2 No	722	52.8
		Missing	111	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	208	49.0
		2 No	183	51.0
		Missing	1,074	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	99	8.3
		2 No	1,242	91.7
		Missing	124	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Brooklyn District Public Health Office High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	58	5.1
		2 No	1,287	94.9
		Missing	120	
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	358	31.4
		2 No	907	68.6
		Missing	200	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	270	60.4
		2 No	195	39.6
		Missing	1,000	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	9	0.8
		2 No	1,182	99.2
		Missing	274	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	32	3.7
		2 No	1,171	96.3
		Missing	262	
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	704	58.2
		2 No	528	41.8
		Missing	233	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	86	8.6
		2 No	1,123	91.4
		Missing	256	
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	62	6.2
		2 No	1,136	93.8
		Missing	267	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	139	12.5
		2 No	1,097	87.5
		Missing	229	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	279	22.4
		2 No	907	77.6
		Missing	279	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	377	29.8
		2 No	787	70.2
		Missing	301	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	161	12.3
		2 No	983	87.7
		Missing	321	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	368	30.0
		2 No	704	70.0
		Missing	393	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	139	12.8
		2 No	911	87.2
		Missing	415	
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	583	64.7
		2 No	422	35.3
		Missing	460	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	233	26.5
		2 No	784	73.5
		Missing	448	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	529	47.6
		2 No	565	52.4
		Missing	371	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	465	40.2
		2 No	594	59.8
		Missing	406	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	455	41.4
		2 No	583	58.6
		Missing	427	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	688	71.3
		2 No	281	28.7
		Missing	496	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	247	31.0
		2 No	748	69.0
		Missing	470	
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	160	16.9
		2 No	833	83.1
		Missing	472	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	396	39.7
		2 No	603	60.3
		Missing	466	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	334	34.1
		2 No	659	65.9
		Missing	472	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	153	17.8
		2 No	829	82.2
		Missing	483	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	277	33.7
		2 No	697	66.3
		Missing	491	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	534	51.6
		2 No	464	48.4
		Missing	467	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
350-350	QNFRSIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	11	0.7
		2 No	1,357	99.3
		Missing	97	
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	15	6.3
		2 No	345	93.7
		Missing	1,105	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	32	10.4
		2 No	328	89.6
		Missing	1,105	
354-354	QNQUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	11	5.3
		2 No	342	94.7
		Missing	1,112	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	403	33.1
		2 No	768	66.9
		Missing	294	
359-359	QNLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	255	21.0
		2 No	767	79.0
		Missing	443	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Brooklyn District Public Health Office High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	207	19.3
		2 No	869	80.7
		Missing	389	
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	207	17.5
		2 No	869	82.5
		Missing	389	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	230	17.8
		2 No	1,027	82.2
		Missing	208	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	192	15.8
		2 No	1,065	84.2
		Missing	208	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH			
		1 Am Indian/Alaska Native	25	0.3
		2 Asian	16	1.0
		3 Black or African American	713	68.6
		4 Native Hawaiian/other PI	19	0.2
		5 White	9	0.7
		6 Hispanic/Latino	335	16.5
		7 Multiple - Hispanic	230	12.0
		8 Multiple - non-Hispanic	48	0.6
Missing	70			