

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	5	0.4
		2	13 years old	14	2.0
		3	14 years old	176	23.5
		4	15 years old	238	24.5
		5	16 years old	254	23.6
		6	17 years old	197	20.0
		7	18 years old or older	55	5.9
		Missing	5		
18-18	Q2	What is your sex?			
		1	Female	429	43.6
		2	Male	508	56.4
			Missing	7	
19-19	Q3	In what grade are you?			
		1	9th grade	222	30.9
		2	10th grade	268	25.6
		3	11th grade	238	21.8
		4	12th grade	203	21.2
		5	Ungraded or other grade	5	0.4
		Missing	8		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	302	32.5
		2	No	604	67.5
			Missing	38	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	1	0.0
		E	43	4.7
		D	57	5.8
		DE	1	0.2
		C	593	82.0
		C F	1	0.2
		C E	8	0.4
		CD	5	0.3
		B	18	1.1
		B E	2	0.1
		B D	1	0.0
		BC	5	0.3
		BC E	1	0.0
		A	36	3.1
		A D	1	0.1
		A C	15	0.8
		A C E	3	0.2
		A CD	2	0.1
		AB	1	0.2
		ABC	2	0.1
		ABC E	1	0.0
		ABCDEFGH	1	0.1
			146	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	355	38.1
		2	Never wore a helmet	471	50.9
		3	Rarely wore a helmet	53	5.5
		4	Sometimes wore a helmet	22	2.5
		5	Most of the time wore a helmet	22	2.3
		6	Always wore a helmet	9	0.7
		Missing	12		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	597	65.4
		2	0 times	297	32.5
		3	1 time	5	0.6
		4	2 or 3 times	4	0.3
		5	4 or 5 times	2	0.2
		6	6 or more times	8	0.9
		Missing	31		
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	813	89.8
		2	1 day	26	2.8
		3	2 or 3 days	24	2.5
		4	4 or 5 days	14	1.6
		5	6 or more days	32	3.3
		Missing	35		
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	894	96.9
		2	1 day	9	1.0
		3	2 or 3 days	6	0.7
		4	4 or 5 days	4	0.3
		5	6 or more days	10	1.1
		Missing	21		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	884	96.4
		2	1 day	11	1.1
		3	2 or 3 days	7	0.8
		4	4 or 5 days	5	0.4
		5	6 or more days	13	1.3
			Missing	24	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	825	88.6
		2	1 day	62	7.0
		3	2 or 3 days	23	2.4
		4	4 or 5 days	8	0.9
		5	6 or more days	12	1.1
			Missing	14	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	857	91.4
		2	1 time	47	4.9
		3	2 or 3 times	18	2.1
		4	4 or 5 times	5	0.4
		5	6 or 7 times	3	0.3
		6	8 or 9 times	1	0.1
		7	10 or 11 times	2	0.2
		8	12 or more times	5	0.5
	Missing	6			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	624	65.2
		2	1 time	119	13.3
		3	2 or 3 times	116	13.1
		4	4 or 5 times	35	3.9
		5	6 or 7 times	14	1.3
		6	8 or 9 times	7	0.7
		7	10 or 11 times	2	0.2
		8	12 or more times	20	2.2
	Missing	7			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	285	32.6
		2	0 times	507	59.4
		3	1 time	26	2.8
		4	2 or 3 times	28	3.0
		5	4 or 5 times	3	0.3
		6	6 or more times	19	1.9
		Missing	76		
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	293	32.6
		2	0 times	528	60.0
		3	1 time	32	3.8
		4	2 or 3 times	21	2.4
		5	4 or 5 times	1	0.2
		6	6 or more times	12	1.0
		Missing	57		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	132	14.2
		2	No	798	85.8
		Missing	14		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	92	10.1
		2	No	832	89.9
		Missing	20		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	289	29.3
		2	No	639	70.7
			Missing	16	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	138	14.2
		2	No	783	85.8
			Missing	23	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	661	91.1
		2	1 time	42	5.9
		3	2 or 3 times	14	1.9
		4	4 or 5 times	7	0.8
		5	6 or more times	3	0.3
	Missing	217			
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	653	91.0
		2	Yes	20	2.9
		3	No	47	6.1
	Missing	224			
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	205	22.0
		2	No	696	78.0
	Missing	43			
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	854	95.5
		2	1 or 2 days	14	1.6
		3	3 to 5 days	8	0.7
		4	6 to 9 days	8	0.9
		5	10 to 19 days	1	0.1
		6	20 to 29 days	4	0.4
		7	All 30 days	7	0.7
	Missing	48			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	845	96.0
		2	Less than 1 cigarette per day	11	1.2
		3	1 cigarette per day	9	0.8
		4	2 to 5 cigarettes per day	6	0.8
		5	6 to 10 cigarettes per day	3	0.3
		6	11 to 20 cigarettes per day	4	0.4
		7	More than 20 cigarettes per day	4	0.4
		Missing	62		
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?			
		1	Yes	36	3.9
		2	No	834	96.1
		Missing	74		
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	869	96.2
		2	1 or 2 days	20	2.4
		3	3 to 5 days	5	0.6
		4	6 to 9 days	3	0.1
		5	10 to 19 days	1	0.1
		6	20 to 29 days	2	0.1
7	All 30 days	4	0.4		
		Missing	40		
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	835	92.8
		2	1 or 2 days	39	4.5
		3	3 to 5 days	7	0.9
		4	6 to 9 days	5	0.5
		5	10 to 19 days	2	0.2
		6	20 to 29 days	3	0.3
7	All 30 days	7	0.7		
		Missing	46		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1            0 days	585	75.4
		2            1 or 2 days	119	15.2
		3            3 to 5 days	40	4.8
		4            6 to 9 days	21	2.3
		5            10 to 19 days	8	1.1
		6            20 to 29 days	2	0.2
		7            All 30 days	8	1.0
	Missing	161		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1            0 days	776	90.2
		2            1 day	39	4.7
		3            2 days	24	2.8
		4            3 to 5 days	11	1.0
		5            6 to 9 days	7	0.6
		6            10 to 19 days	2	0.3
		7            20 or more days	4	0.4
	Missing	81		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1            I did not drink alcohol during the past 30 days	578	75.2
		2            1 or 2 drinks	112	13.6
		3            3 drinks	30	3.9
		4            4 drinks	15	2.1
		5            5 drinks	14	1.8
		6            6 or 7 drinks	9	1.1
		7            8 or 9 drinks	6	0.6
		8            10 or more drinks	14	1.7
	Missing	166		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	566	73.2
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	35	4.3
		3 I bought it at a restaurant, bar, or club	6	0.7
		4 I bought it at a public event such as a concert or sporting event	12	1.3
		5 I gave someone else money to buy it for me	17	2.1
		6 Someone gave it to me	60	8.0
		7 I took it from a store or family member	42	5.3
		8 I got it some other way	41	5.2
		Missing	165	
79-79	Q48	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	556	64.8
		2 8 years old or younger	20	2.0
		3 9 or 10 years old	11	1.4
		4 11 or 12 years old	59	7.3
		5 13 or 14 years old	120	14.0
		6 15 or 16 years old	80	8.4
		7 17 years old or older	19	2.2
		Missing	79	
80-80	Q49	During the past 30 days, how many times did you use marijuana?		
		1 0 times	682	80.3
		2 1 or 2 times	59	6.7
		3 3 to 9 times	47	5.6
		4 10 to 19 times	30	3.4
		5 20 to 39 times	11	1.2
		6 40 or more times	26	3.0
		Missing	89	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	828	96.6
		2	1 or 2 times	16	1.8
		3	3 to 9 times	5	0.6
		4	10 to 19 times	8	0.9
		5	20 to 39 times	0	0.0
		6	40 or more times	1	0.1
		Missing	86		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	841	97.7
		2	1 or 2 times	7	0.9
		3	3 to 9 times	3	0.4
		4	10 to 19 times	2	0.1
		5	20 to 39 times	4	0.4
		6	40 or more times	4	0.5
		Missing	83		
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
		1	0 times	826	96.9
		2	1 or 2 times	9	1.0
		3	3 to 9 times	10	1.3
		4	10 to 19 times	3	0.3
		5	20 to 39 times	1	0.1
		6	40 or more times	4	0.5
		Missing	91		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?			
		1	0 times	811	96.4
		2	1 or 2 times	17	2.0
		3	3 to 9 times	4	0.4
		4	10 to 19 times	4	0.4
		5	20 to 39 times	3	0.4
		6	40 or more times	4	0.5
		Missing	101		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1            0 times	825	97.7
		2            1 time	13	1.7
		3            2 or more times	5	0.6
		Missing	101	
90-90	Q59	Have you ever had sexual intercourse?		
		1            Yes	318	44.3
		2            No	405	55.7
		Missing	221	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1            I have never had sexual intercourse	403	55.7
		2            11 years old or younger	43	5.9
		3            12 years old	37	5.7
		4            13 years old	49	6.8
		5            14 years old	84	12.0
		6            15 years old	52	6.6
		7            16 years old	37	5.0
		8            17 years old or older	15	2.4
Missing	224			
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1            I have never had sexual intercourse	397	55.6
		2            1 person	105	15.1
		3            2 people	60	8.1
		4            3 people	47	7.1
		5            4 people	22	2.8
		6            5 people	18	2.7
		7            6 or more people	61	8.5
Missing	234			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	396	55.2
		2	I have had sexual intercourse, but not during the past 3 months	111	16.5
		3	1 person	136	18.6
		4	2 people	32	4.6
		5	3 people	11	1.3
		6	4 people	11	1.5
		7	5 people	1	0.2
		8	6 or more people	16	2.2
		Missing	230		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	395	55.6
		2	Yes	42	6.0
		3	No	269	38.4
		Missing	238		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	394	58.2
		2	Yes	214	31.6
		3	No	70	10.2
		Missing	266		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	390	58.4
		2	No method was used to prevent pregnancy	43	7.0
		3	Birth control pills	24	3.5
		4	Condoms	172	25.4
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	1	0.2
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	6	0.7
		7	Withdrawal or some other method	18	2.7
		8	Not sure	12	2.1
		Missing	278		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
97-97	Q66	How do you describe your weight?			
		1	Very underweight	41	6.3
		2	Slightly underweight	87	11.2
		3	About the right weight	411	55.0
		4	Slightly overweight	170	22.6
		5	Very overweight	38	5.0
		Missing	197		
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	321	42.9
		2	Gain weight	180	24.8
		3	Stay the same weight	127	17.1
		4	I am not trying to do anything about my weight	112	15.2
		Missing	204		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	156	21.0
		2	1 to 3 times during the past 7 days	252	35.2
		3	4 to 6 times during the past 7 days	110	14.6
		4	1 time per day	34	4.3
		5	2 times per day	52	6.9
		6	3 times per day	44	6.0
		7	4 or more times per day	79	12.1
		Missing	217		
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	179	24.5
		2	1 to 3 times during the past 7 days	279	37.5
		3	4 to 6 times during the past 7 days	112	16.7
		4	1 time per day	38	4.6
		5	2 times per day	51	7.3
		6	3 times per day	34	4.7
		7	4 or more times per day	33	4.8
		Missing	218		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	167 23.2
		2	1 to 3 times during the past 7 days	268 38.6
		3	4 to 6 times during the past 7 days	106 15.2
		4	1 time per day	45 6.3
		5	2 times per day	43 6.2
		6	3 times per day	26 3.6
		7	4 or more times per day	45 6.9
			Missing	244
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1	I did not drink milk during the past 7 days	228 33.8
		2	1 to 3 glasses during the past 7 days	211 31.3
		3	4 to 6 glasses during the past 7 days	93 14.4
		4	1 glass per day	54 7.8
		5	2 glasses per day	35 4.6
		6	3 glasses per day	29 4.5
		7	4 or more glasses per day	24 3.7
			Missing	270
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1	0 days	113 16.5
		2	1 day	67 10.0
		3	2 days	96 13.9
		4	3 days	67 9.8
		5	4 days	58 9.0
		6	5 days	42 6.0
		7	6 days	21 3.0
		8	7 days	206 31.8
	Missing	274		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	0 0.0
		2	1 day	0 0.0
		3	2 days	0 0.0
		4	3 days	0 0.0
		5	4 days	0 0.0
		6	5 days	0 0.0
		7	6 days	0 0.0
		8	7 days	0 0.0
	Missing	944		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	0	0.0
		2 Less than 1 hour per day	0	0.0
		3 1 hour per day	0	0.0
		4 2 hours per day	0	0.0
		5 3 hours per day	0	0.0
		6 4 hours per day	0	0.0
		7 5 or more hours per day	0	0.0
	Missing	944		
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	0	0.0
		2 Less than 1 hour per day	0	0.0
		3 1 hour per day	0	0.0
		4 2 hours per day	0	0.0
		5 3 hours per day	0	0.0
		6 4 hours per day	0	0.0
		7 5 or more hours per day	0	0.0
	Missing	944		
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	0	0.0
		2 1 day	0	0.0
		3 2 days	0	0.0
		4 3 days	0	0.0
		5 4 days	0	0.0
		6 5 days	0	0.0
	Missing	944		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	0	0.0
		2 No	0	0.0
		3 Not sure	0	0.0
		Missing	944	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	24	2.4
		2 Brooklyn	831	88.9
		3 Manhattan	6	0.5
		4 Queens	69	7.9
		5 Staten Island	3	0.3
Missing	11			
119-119	Q88	How long have you lived in the United States?		
		1 I have always lived in the United States	653	69.9
		2 Less than 1 year	16	2.0
		3 1 to 3 years	38	4.2
		4 4 to 6 years	42	4.5
		5 More than 6 years but not my whole life	178	19.4
Missing	17			
120-120	Q89	How often do the people in your home speak a language other than English?		
		1 Never	339	37.1
		2 Rarely	108	11.3
		3 Sometimes	147	15.0
		4 Most of the time	134	14.7
		5 Always	199	22.0
Missing	17			
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	794	85.4
		2 1 time	61	6.6
		3 2 or 3 times	44	4.2
		4 4 or 5 times	14	1.6
		5 6 or more times	22	2.1
Missing	9			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	167	18.4
		2 No	723	81.6
		Missing	54	
123-123	Q92	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	663	80.2
		2 Less than 1 month ago	21	2.5
		3 1 to 3 months ago	29	3.2
		4 4 to 6 months ago	17	2.0
		5 7 to 12 months ago	19	2.2
		6 13 or more months ago	83	9.9
Missing	112			
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	819	93.9
		2 I bought them in a store such as a convenience store, supermarket, or gas station	17	1.8
		3 I bought them on the Internet	6	0.6
		4 I bummed them	3	0.2
		5 Someone gave them to me or bought them for me	15	1.8
		6 I stole them	3	0.2
		7 I got them some other way	10	1.4
Missing	71			
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	53	6.0
		2 No	779	94.0
		Missing	112	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	113	12.6
		2 No	776	87.4
		Missing	55	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	628	72.7
		2 I do not have a usual type	33	3.9
		3 Beer	15	2.0
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	42	5.0
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	4	0.4
		6 Wine	13	1.6
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	116	12.3
		8 Some other type	20	2.1
	Missing	73		
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	794	93.4
		2 1 time	19	2.2
		3 2 or 3 times	16	1.6
		4 4 or 5 times	6	0.7
		5 6 or 7 times	5	0.6
		6 8 or 9 times	1	0.1
		7 10 or 11 times	0	0.0
		8 12 or more times	12	1.3
	Missing	91		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	817	96.2
		2	1 time	16	1.8
		3	2 or 3 times	8	0.9
		4	4 or 5 times	4	0.3
		5	6 or 7 times	3	0.3
		6	8 or 9 times	0	0.0
		7	10 or 11 times	0	0.0
		8	12 or more times	4	0.4
			Missing	92	
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	418	56.3
		2	I have had sexual intercourse, but not during the past 3 months	82	11.6
		3	Never	37	4.9
		4	Rarely	16	1.9
		5	Sometimes	18	2.4
		6	Most of the time	33	4.6
		7	Always	137	18.3
	Missing	203			
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	420	56.8
		2	I have had sexual intercourse, but I have never used a condom	32	4.4
		3	Yes, the condom broke, tore, or slipped off	34	4.6
		4	No, the condom did not break, tear, or slip off	235	31.8
		5	Not sure	17	2.4
	Missing	206			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	416	58.0
		2 Yes	16	2.5
		3 No	245	33.8
		4 Not sure	40	5.7
		Missing	227	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it?		
		1 I have never used birth control	526	69.9
		2 Community-based clinic or hospital	46	6.0
		3 School-based health center or somewhere else at school	35	5.4
		4 Pharmacy	60	7.9
		5 Bodega or botanica	19	2.3
		6 Someplace else	29	3.4
		7 Not sure	35	5.1
Missing	194			
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	220	29.9
		2 6th grade or earlier	118	15.3
		3 7th grade	124	17.0
		4 8th grade	116	15.3
		5 9th grade	83	10.4
		6 10th grade	13	1.7
		7 11th or 12th grade	11	1.3
		8 Not sure	70	9.1
Missing	189			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	17	2.6
		2 No	673	93.4
		3 Not sure	29	4.0
		Missing	225	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	335	46.7
		2 Females	217	31.8
		3 Males	122	15.8
		4 Females and males	40	5.7
Missing	230			
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	630	84.6
		2 Gay or lesbian	24	3.2
		3 Bisexual	70	9.5
		4 Not sure	25	2.7
Missing	195			
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	160	22.3
		2 1 to 3 times during the past 7 days	262	36.8
		3 4 to 6 times during the past 7 days	137	19.0
		4 1 time per day	66	9.1
		5 2 times per day	37	5.1
		6 3 times per day	14	1.9
		7 4 or more times per day	39	5.8
Missing	229			
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	122	17.2
		2 1 to 3 times during the past 7 days	348	50.4
		3 4 to 6 times during the past 7 days	116	15.6
		4 1 time per day	48	6.8
		5 2 times per day	34	4.9
		6 3 times per day	11	1.4
		7 4 or more times per day	25	3.8
Missing	240			

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Brooklyn District Public Health Office High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	148	20.7
		2	1 to 3 times during the past 7 days	266	39.1
		3	4 to 6 times during the past 7 days	109	15.0
		4	1 time per day	61	8.9
		5	2 times per day	32	4.6
		6	3 times per day	30	4.8
		7	4 or more times per day	43	6.8
			Missing	255	
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	119	18.1
		2	Whole milk	250	37.5
		3	2% milk or reduced fat milk	122	17.6
		4	1% milk or low-fat milk	76	10.9
		5	Skim milk or non-fat milk	19	2.8
		6	Soy milk	21	2.9
		7	Not sure	65	10.3
	Missing	272			
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	154	24.5
		2	I ride a bike all the way to school	9	1.5
		3	I use public transportation, such as a subway or city bus	386	64.6
		4	I ride a school bus	10	1.6
		5	I drive or ride in a car or other private vehicle	48	7.8
	Missing	337			
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	345	57.1
		2	Less than 10 minutes	85	14.6
		3	10 to 20 minutes	116	18.8
		4	21 to 29 minutes	22	3.3
		5	30 or more minutes	41	6.3
	Missing	335			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not take the bus or use public transportation to get to school	0	0.0
		2 I do not walk or bike to a bus stop or subway station to get to school	0	0.0
		3 I walk to the bus stop or subway station	0	0.0
		4 I ride a bike to the bus stop or subway station	0	0.0
		Missing	944	
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	0	0.0
		2 Less than 10 minutes	0	0.0
		3 10 to 20 minutes	0	0.0
		4 21 to 29 minutes	0	0.0
		5 30 or more minutes	0	0.0
		Missing	944	
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	110	18.4
		2 At least once a month	49	8.3
		3 A few times a year	129	20.9
		4 Never	319	52.4
		Missing	337	
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	0	0.0
		2 1 day	0	0.0
		3 2 days	0	0.0
		4 3 days	0	0.0
		5 4 days	0	0.0
		6 5 days	0	0.0
		7 6 days	0	0.0
		8 7 days	0	0.0
		Missing	944	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	0	0.0
		2	1 day	0	0.0
		3	2 days	0	0.0
		4	3 days	0	0.0
		5	4 days	0	0.0
		6	5 days	0	0.0
	Missing	944			
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	0	0.0
		2	Yes	0	0.0
		3	No	0	0.0
	Missing	944			
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	0	0.0
		2	No	0	0.0
		3	Not sure	0	0.0
	Missing	944			
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	0	0.0
		2	Yes	0	0.0
		3	No	0	0.0
		4	Not sure	0	0.0
	Missing	944			
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	0	0.0
		2	Rarely	0	0.0
		3	Sometimes	0	0.0
		4	Most of the time	0	0.0
		5	Always	0	0.0
	Missing	944			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	0	0.0
		2	1 or 2 times	0	0.0
		3	3 to 9 times	0	0.0
		4	10 to 19 times	0	0.0
		5	20 to 39 times	0	0.0
		6	40 or more times	0	0.0
			Missing	944	
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	0	0.0
		2	Less than one hour	0	0.0
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	0	0.0
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	0	0.0
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	0	0.0
		6	Not sure	0	0.0
			Missing	944	
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	0	0.0
		2	Lower than 1/2 maximum volume	0	0.0
		3	About 1/2 maximum volume	0	0.0
		4	About 3/4 maximum volume	0	0.0
		5	At the maximum volume	0	0.0
		6	Not sure	0	0.0
			Missing	944	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	0	0.0
		2 Yes	0	0.0
		3 No	0	0.0
		Missing	944	
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	0	0.0
		2 1 time per week	0	0.0
		3 2 times per week	0	0.0
		4 3 times per week	0	0.0
		5 4 times per week	0	0.0
		6 5 times per week	0	0.0
		7 6 times per week	0	0.0
		8 7 or more times per week	0	0.0
		Missing	944	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	524	91.1
		2 No	53	8.9
		Missing	367	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	19	6.1
		2 No	297	93.9
		Missing	628	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	96	10.2
		2 No	813	89.8
		Missing	35	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	29	3.1
		2 No	894	96.9
		Missing	21	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	36	3.6
		2 No	884	96.4
		Missing	24	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	105	11.4
		2 No	825	88.6
		Missing	14	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	81	8.6
		2 No	857	91.4
		Missing	6	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	313	34.8
		2 No	624	65.2
		Missing	7	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	76	11.9
		2 No	507	88.1
		Missing	361	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	66	11.0
		2 No	528	89.0
		Missing	350	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	132	14.2
		2 No	798	85.8
		Missing	14	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	92	10.1
		2 No	832	89.9
		Missing	20	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	289	29.3
		2 No	639	70.7
		Missing	16	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	138	14.2
		2 No	783	85.8
		Missing	23	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	66	8.9
		2 No	661	91.1
		Missing	217	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	20	2.9
		2 No	700	97.1
		Missing	224	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	205	22.0
		2 No	696	78.0
		Missing	43	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	42	4.5
		2 No	854	95.5
		Missing	48	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	8	20.0
		2 No	29	80.0
		Missing	907	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	36	3.9
		2 No	834	96.1
		Missing	74	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	35	3.8
		2 No	869	96.2
		Missing	40	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	63	7.2
		2 No	835	92.8
		Missing	46	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	198	24.6
		2 No	585	75.4
		Missing	161	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	87	9.8
		2 No	776	90.2
		Missing	81	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	14	1.7
		2 No	764	98.3
		Missing	166	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	55	30.9
		2 No	132	69.1
		Missing	757	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	90	10.6
		2 No	775	89.4
		Missing	79	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	173	19.7
		2 No	682	80.3
		Missing	89	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	30	3.4
		2 No	828	96.6
		Missing	86	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	20	2.3
		2 No	841	97.7
		Missing	83	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	27	3.1
		2 No	826	96.9
		Missing	91	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	32	3.6
		2 No	811	96.4
		Missing	101	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	18	2.3
		2 No	825	97.7
		Missing	101	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	318	44.3
		2 No	405	55.7
		Missing	221	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	80	11.5
		2 No	640	88.5
		Missing	224	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	101	14.0
		2 No	609	86.0
		Missing	234	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	207	28.3
		2 No	507	71.7
		Missing	230	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	27	13.1
		2 No	172	86.9
		Missing	745	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	131	74.0
		2 No	49	26.0
		Missing	764	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	20	10.6
		2 No	154	89.4
		Missing	770	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
243-243	QN66	Percentage of students who described themselves as slightly or very overweight			
		1	Yes	208	27.5
		2	No	539	72.5
			Missing	197	
244-244	QN67	Percentage of students who were trying to lose weight			
		1	Yes	321	42.9
		2	No	419	57.1
			Missing	204	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days			
		1	Yes	571	79.0
		2	No	156	21.0
			Missing	217	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days			
		1	Yes	547	75.5
		2	No	179	24.5
			Missing	218	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days			
		1	Yes	159	23.1
		2	No	541	76.9
			Missing	244	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days			
		1	Yes	53	8.2
		2	No	621	91.8
			Missing	270	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days			
		1	Yes	206	31.8
		2	No	464	68.2
			Missing	274	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	927	99.5
		2 No	6	0.5
		Missing	11	
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	16	2.0
		2 No	911	98.0
		Missing	17	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	333	36.7
		2 No	594	63.3
		Missing	17	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	141	14.6
		2 No	794	85.4
		Missing	9	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	167	18.4
		2 No	723	81.6
		Missing	54	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	86	9.9
		2 No	746	90.1
		Missing	112	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	17	1.8
		2 No	856	98.2
		Missing	71	
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1 Yes	53	6.0
		2 No	779	94.0
		Missing	112	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1 Yes	113	12.6
		2 No	776	87.4
		Missing	55	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	116	52.7
		2 No	94	47.3
		Missing	734	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	59	6.6
		2 No	794	93.4
		Missing	91	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	35	3.8
		2 No	817	96.2
		Missing	92	
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	137	57.0
		2 No	104	43.0
		Missing	703	
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	34	4.6
		2 No	704	95.4
		Missing	206	
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	16	2.5
		2 No	701	97.5
		Missing	227	
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school		
		1 Yes	35	5.4
		2 No	715	94.6
		Missing	194	
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	465	61.0
		2 No	290	39.0
		Missing	189	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	17	2.6
		2 No	702	97.4
		Missing	225	
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	40	5.7
		2 No	674	94.3
		Missing	230	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	94	12.7
		2 No	655	87.3
		Missing	195	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	156	21.9
		2 No	559	78.1
		Missing	229	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	118	16.8
		2 No	586	83.2
		Missing	240	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	166	25.1
		2 No	523	74.9
		Missing	255	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	95	13.7
		2 No	577	86.3
		Missing	272	
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	163	26.1
		2 No	444	73.9
		Missing	337	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	63	9.6
		2 No	546	90.4
		Missing	335	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	288	47.6
		2 No	319	52.4
		Missing	337	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	11	1.2
		2 No	885	98.8
		Missing	48	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	80	9.5
		2 No	781	90.5
		Missing	83	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	5	2.3
		2 No	169	97.7
		Missing	770	
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	25	12.8
		2 No	149	87.2
		Missing	770	
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	9	4.3
		2 No	162	95.7
		Missing	773	
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	27	17.2
		2 No	147	82.8
		Missing	770	
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	224	31.7
		2 No	487	68.3
		Missing	233	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	68	9.7
		2 No	643	90.3
		Missing	233	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	380	53.6
		2 No	331	46.4
		Missing	233	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	170	24.6
		2 No	541	75.4
		Missing	233	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	167	23.2
		2 No	533	76.8
		Missing	244	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	114	16.7
		2 No	586	83.3
		Missing	244	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	71	10.5
		2 No	629	89.5
		Missing	244	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	228	33.8
		2 No	446	66.2
		Missing	270	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	142	20.5
		2 No	532	79.5
		Missing	270	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	88	12.7
		2 No	586	87.3
		Missing	270	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	113	16.5
		2 No	557	83.5
		Missing	274	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	132	17.1
		2 No	681	82.9
		Missing	131	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	125	15.3
		2 No	688	84.7
		Missing	131	
378-387	WEIGHT			
388-390	STRATUM			
391-396	PSU			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Brooklyn District Public Health Office High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
397-401	BMIPCT			
402-403	RACEETH			
		1 Am Indian / Alaska Native	19	0.8
		2 Asian	11	0.4
		3 Black or African American	490	63.0
		4 Native Hawaiian/other PI	19	0.8
		5 White	13	0.6
		6 Hispanic/Latino	110	12.1
		7 Multiple - Hispanic	190	20.8
		8 Multiple - Non-Hispanic	35	1.4
		Missing	57	
404-406	Q6ORIG			
407-409	Q7ORIG			