

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	4	0.0
		2	13 years old	58	1.7
		3	14 years old	514	25.2
		4	15 years old	687	27.4
		5	16 years old	680	23.7
		6	17 years old	462	17.2
		7	18 years old or older	119	4.7
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	1,323	50.5
		2	Male	1,205	49.5
			Missing	2	
19-19	Q3	In what grade are you?			
		1	9th grade	645	30.5
		2	10th grade	693	28.7
		3	11th grade	656	20.7
		4	12th grade	504	19.7
		5	Ungraded or other grade	5	0.4
		Missing	27		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	848	21.6
		2	No	1,613	78.4
			Missing	69	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.2
		G	1	0.0
		F	1	0.0
		E	141	16.5
		D	89	1.9
		DE	2	0.0
		C	1,323	62.8
		C E	14	0.1
		CD	9	0.1
		CDE	1	0.0
		B	212	16.5
		B E	7	0.1
		B D	3	0.0
		BC	7	0.0
		BC E	1	0.0
		A	66	1.1
		A E	1	0.1
		A D	2	0.0
		A C	15	0.2
		A C E	2	0.0
		AB	2	0.0
		AB E	1	0.0
		ABCD	1	0.1
			626	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	873	37.5
		2 Never wore a helmet	1,328	53.0
		3 Rarely wore a helmet	138	5.5
		4 Sometimes wore a helmet	67	1.9
		5 Most of the time wore a helmet	44	1.1
		6 Always wore a helmet	35	1.0
		Missing	45	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	168	6.0
		2 Rarely	224	9.8
		3 Sometimes	410	16.0
		4 Most of the time	561	23.1
		5 Always	1,147	45.2
		Missing	20	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,314	97.4
		2 1 time	24	1.0
		3 2 or 3 times	18	0.4
		4 4 or 5 times	15	0.4
		5 6 or more times	21	0.9
		Missing	138	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,070	87.8
		2 1 day	85	3.7
		3 2 or 3 days	89	2.8
		4 4 or 5 days	34	1.5
		5 6 or more days	117	4.2
		Missing	135	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,378	96.6
		2 1 day	45	1.8
		3 2 or 3 days	24	0.9
		4 4 or 5 days	4	0.0
		5 6 or more days	21	0.7
		Missing	58	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,339	96.1
		2 1 day	35	1.1
		3 2 or 3 days	38	1.0
		4 4 or 5 days	8	0.3
		5 6 or more days	27	1.4
		Missing	83	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,196	90.7
		2 1 day	162	5.1
		3 2 or 3 days	71	2.5
		4 4 or 5 days	16	0.4
		5 6 or more days	38	1.3
		Missing	47	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,272	92.8
		2 1 time	105	3.4
		3 2 or 3 times	67	1.8
		4 4 or 5 times	26	0.8
		5 6 or 7 times	12	0.7
		6 8 or 9 times	5	0.1
		7 10 or 11 times	3	0.1
		8 12 or more times	15	0.2
		Missing	25	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,551	67.0
		2 1 time	330	13.1
		3 2 or 3 times	274	9.5
		4 4 or 5 times	89	3.3
		5 6 or 7 times	42	2.2
		6 8 or 9 times	31	1.1
		7 10 or 11 times	18	0.8
		8 12 or more times	79	3.1
		Missing	116	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	2,036	86.0
		2 1 time	207	8.9
		3 2 or 3 times	90	2.8
		4 4 or 5 times	27	0.9
		5 6 or 7 times	10	0.4
		6 8 or 9 times	8	0.3
		7 10 or 11 times	1	0.1
		8 12 or more times	17	0.6
		Missing	134	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	328	11.2
		2 No	2,142	88.8
		Missing	60	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	201	7.2
		2 No	2,259	92.8
		Missing	70	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	257	10.9
		2 No	2,170	89.1
		Missing	103	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	726	29.3
		2 No	1,747	70.7
		Missing	57	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	363	14.4
		2 No	2,094	85.6
		Missing	73	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,700	88.6
		2 1 time	139	6.1
		3 2 or 3 times	71	3.7
		4 4 or 5 times	14	0.3
		5 6 or more times	22	1.3
		Missing	584	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,658	88.0
		2 Yes	98	4.5
		3 No	140	7.5
		Missing	634	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	736	32.0
		2 No	1,500	68.0
		Missing	294	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	1,744	80.7
		2 8 years old or younger	48	2.4
		3 9 or 10 years old	40	1.7
		4 11 or 12 years old	79	4.1
		5 13 or 14 years old	112	5.5
		6 15 or 16 years old	110	4.5
		7 17 years old or older	22	1.1
		Missing	375	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,139	93.3
		2 1 or 2 days	57	1.9
		3 3 to 5 days	35	1.5
		4 6 to 9 days	13	0.4
		5 10 to 19 days	13	0.6
		6 20 to 29 days	12	0.7
		7 All 30 days	24	1.5
		Missing	237	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,062	92.7
		2 Less than 1 cigarette per day	42	1.8
		3 1 cigarette per day	39	1.1
		4 2 to 5 cigarettes per day	43	2.2
		5 6 to 10 cigarettes per day	15	0.9
		6 11 to 20 cigarettes per day	2	0.4
		7 More than 20 cigarettes per day	15	1.0
		Missing	312	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	2,248	97.3
		2 1 or 2 days	24	0.9
		3 3 to 5 days	13	0.9
		4 6 to 9 days	5	0.2
		5 10 to 19 days	2	0.2
		6 20 to 29 days	4	0.4
		7 All 30 days	6	0.2
		Missing	228	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	86	4.1
		2 No	2,119	95.9
		Missing	325	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,917	88.5
		2 Yes	126	5.4
		3 No	147	6.1
		Missing	340	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,289	96.8
		2 1 or 2 days	36	1.3
		3 3 to 5 days	8	0.3
		4 6 to 9 days	11	0.4
		5 10 to 19 days	10	0.3
		6 20 to 29 days	4	0.1
		7 All 30 days	9	0.7
		Missing	163	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	2,251	95.3
		2 1 or 2 days	58	1.9
		3 3 to 5 days	17	0.7
		4 6 to 9 days	20	0.7
		5 10 to 19 days	13	0.3
		6 20 to 29 days	10	0.2
		7 All 30 days	11	0.8
		Missing	150	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	968	44.1
		2 8 years old or younger	186	6.9
		3 9 or 10 years old	140	4.9
		4 11 or 12 years old	294	12.1
		5 13 or 14 years old	441	18.5
		6 15 or 16 years old	298	11.8
		7 17 years old or older	40	1.8
		Missing	163	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,477	70.0
		2 1 or 2 days	385	16.4
		3 3 to 5 days	140	6.5
		4 6 to 9 days	71	3.8
		5 10 to 19 days	34	1.5
		6 20 to 29 days	18	0.9
		7 All 30 days	23	1.0
		Missing	382	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,028	87.5
		2 1 day	114	4.5
		3 2 days	76	3.4
		4 3 to 5 days	55	2.4
		5 6 to 9 days	21	1.0
		6 10 to 19 days	10	0.6
		7 20 or more days	14	0.6
		Missing	212	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,458	69.5
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	88	3.6
		3 I bought it at a restaurant, bar, or club	23	0.9
		4 I bought it at a public event such as a concert or sporting event	18	1.1
		5 I gave someone else money to buy it for me	75	3.2
		6 Someone gave it to me	216	8.7
		7 I took it from a store or family member	132	7.1
		8 I got it some other way	125	6.0
		Missing	395	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	1,599	72.3
		2 1 or 2 times	172	7.3
		3 3 to 9 times	168	7.5
		4 10 to 19 times	82	3.4
		5 20 to 39 times	77	3.0
		6 40 to 99 times	59	1.5
		7 100 or more times	123	5.1
		Missing	250	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,606	71.9
		2 8 years old or younger	33	1.2
		3 9 or 10 years old	41	1.7
		4 11 or 12 years old	114	4.5
		5 13 or 14 years old	256	10.7
		6 15 or 16 years old	235	9.3
		7 17 years old or older	21	0.7
		Missing	224	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,934	85.7
		2 1 or 2 times	130	5.8
		3 3 to 9 times	90	3.3
		4 10 to 19 times	41	1.2
		5 20 to 39 times	43	1.5
		6 40 or more times	56	2.4
		Missing	236	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,268	96.4
		2 1 or 2 times	32	1.3
		3 3 to 9 times	26	1.1
		4 10 to 19 times	12	0.3
		5 20 to 39 times	4	0.3
		6 40 or more times	15	0.7
		Missing	173	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	2,166	92.1
		2 1 or 2 times	98	3.9
		3 3 to 9 times	48	1.7
		4 10 to 19 times	21	0.7
		5 20 to 39 times	5	0.2
		6 40 or more times	26	1.3
		Missing	166	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,286	97.8
		2 1 or 2 times	27	1.2
		3 3 to 9 times	12	0.2
		4 10 to 19 times	8	0.1
		5 20 to 39 times	6	0.2
		6 40 or more times	11	0.5
		Missing	180	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,258	97.5
		2 1 or 2 times	22	1.1
		3 3 to 9 times	14	0.4
		4 10 to 19 times	7	0.4
		5 20 to 39 times	4	0.1
		6 40 or more times	12	0.4
		Missing	213	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,263	96.6
		2 1 or 2 times	47	1.7
		3 3 to 9 times	14	0.4
		4 10 to 19 times	12	0.7
		5 20 to 39 times	1	0.0
		6 40 or more times	12	0.6
		Missing	181	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,235	97.4
		2 1 time	50	2.1
		3 2 or more times	22	0.6
		Missing	223	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	524	21.5
		2 No	1,797	78.5
		Missing	209	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	985	42.4
		2 No	1,066	57.6
		Missing	479	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,048	57.2
		2 11 years old or younger	127	5.5
		3 12 years old	102	4.7
		4 13 years old	203	9.1
		5 14 years old	254	10.5
		6 15 years old	184	7.7
		7 16 years old	100	4.1
		8 17 years old or older	28	1.2
		Missing	484	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,053	57.7
		2 1 person	266	10.4
		3 2 people	180	8.2
		4 3 people	148	6.2
		5 4 people	99	3.6
		6 5 people	70	3.3
		7 6 or more people	218	10.6
		Missing	496	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,051	57.7
		2 I have had sexual intercourse, but not during the past 3 months	299	12.5
		3 1 person	448	20.2
		4 2 people	118	4.5
		5 3 people	46	1.7
		6 4 people	22	1.5
		7 5 people	14	0.5
		8 6 or more people	30	1.4
		Missing	502	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,048	57.8
		2 Yes	147	7.3
		3 No	825	34.9
		Missing	510	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,043	59.0
		2 Yes	707	32.7
		3 No	220	8.3
		Missing	560	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,032	59.2
		2 No method was used to prevent pregnancy	134	5.3
		3 Birth control pills	39	1.5
		4 Condoms	617	29.4
		5 Depo-Provera (injectable birth control)	7	0.1
		6 Withdrawal	52	1.9
		7 Some other method	36	1.6
		8 Not sure	31	1.0
		Missing	582	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
96-96	Q65	How do you describe your weight?		
		1 Very underweight	105	4.7
		2 Slightly underweight	288	13.8
		3 About the right weight	1,292	60.6
		4 Slightly overweight	439	18.9
		5 Very overweight	56	2.1
		Missing	350	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	905	41.3
		2 Gain weight	448	19.6
		3 Stay the same weight	419	20.0
		4 I am not trying to do anything about my weight	374	19.1
		Missing	384	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	1,137	56.0
		2 No	957	44.0
		Missing	436	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	672	33.2
		2 No	1,413	66.8
		Missing	445	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	129	5.4
		2 No	1,902	94.6
		Missing	499	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	405	18.8
		2 1 to 3 times during the past 7 days	686	37.2
		3 4 to 6 times during the past 7 days	337	15.8
		4 1 time per day	111	5.0
		5 2 times per day	184	8.5
		6 3 times per day	121	5.3
		7 4 or more times per day	240	9.4
		Missing	446	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	411	17.6
		2 1 to 3 times during the past 7 days	731	31.9
		3 4 to 6 times during the past 7 days	329	19.8
		4 1 time per day	165	10.1
		5 2 times per day	174	9.5
		6 3 times per day	86	4.1
		7 4 or more times per day	147	7.1
		Missing	487	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	424	20.7
		2 1 to 3 times during the past 7 days	754	38.5
		3 4 to 6 times during the past 7 days	325	17.4
		4 1 time per day	116	6.0
		5 2 times per day	139	6.9
		6 3 times per day	81	4.7
		7 4 or more times per day	132	5.9
		Missing	559	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	384	19.7
		2 1 day	202	11.7
		3 2 days	216	12.3
		4 3 days	188	8.7
		5 4 days	148	8.4
		6 5 days	221	13.3
		7 6 days	85	5.7
		8 7 days	388	20.2
		Missing	698	
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	205	11.3
		2 Less than 1 hour per day	206	13.8
		3 1 hour per day	168	9.8
		4 2 hours per day	299	16.9
		5 3 hours per day	274	15.8
		6 4 hours per day	228	11.3
		7 5 or more hours per day	417	21.1
		Missing	733	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	303	15.5
		2 Less than 1 hour per day	210	12.2
		3 1 hour per day	200	10.3
		4 2 hours per day	321	17.2
		5 3 hours per day	231	14.0
		6 4 hours per day	171	10.0
		7 5 or more hours per day	372	20.8
		Missing	722	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	302	15.5
		2 1 day	77	3.4
		3 2 days	254	11.8
		4 3 days	191	10.0
		5 4 days	130	11.0
		6 5 days	805	48.4
		Missing	771	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	988	55.8
		2 1 team	449	27.5
		3 2 teams	177	11.4
		4 3 or more teams	118	5.3
		Missing	798	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	395	20.5
		2 No	1,208	75.9
		3 Not sure	72	3.6
		Missing	855	
119-119	Q88	In what country was your mother or mother figure born?		
		1 United States	895	30.1
		2 China	116	8.1
		3 Dominican Republic	243	4.7
		4 Jamaica	208	9.6
		5 Mexico	97	3.9
		6 Puerto Rico	129	2.8
		7 Other	790	39.3
		8 I do not live with my mother or mother figure	28	1.3
		Missing	24	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
120-120	Q89	In what country was your father or father figure born?		
		1 United States	717	25.2
		2 China	118	8.3
		3 Dominican Republic	232	4.7
		4 Jamaica	234	10.1
		5 Mexico	95	3.3
		6 Puerto Rico	137	3.0
		7 Other	815	39.9
		8 I do not live with my father or father figure	137	5.5
		Missing	45	
121-121	Q90	How long have you lived in the US?		
		1 Less than one year	49	2.4
		2 1 to 3 years	139	6.4
		3 4 to 6 years	135	6.0
		4 7 or more years	2,129	85.2
		Missing	78	
122-122	Q91	What borough of New York do you live in?		
		1 Bronx	57	1.8
		2 Brooklyn	2,210	89.9
		3 Manhattan	48	1.8
		4 Queens	179	5.3
		5 Staten Island	21	1.2
		Missing	15	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	738	29.0
		2 Rarely	248	8.6
		3 Sometimes	477	18.1
		4 Most of the time	509	23.7
		5 Always	541	20.6
		Missing	17	
124-124	Q93	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?		
		1 Yes	304	11.6
		2 No	2,179	88.4
		Missing	47	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	2,159	91.2
		2 I bought them in a store such as a convenience store, supermarket, or gas station	71	3.0
		3 I bought them on the Internet	9	0.2
		4 I bummed them	10	0.2
		5 Someone gave them to me or bought them for me	80	3.2
		6 I stole them	18	0.9
		7 I got them some other way	29	1.4
		Missing	154	
126-126	Q95	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	2,179	93.7
		2 Yes, I was asked to show proof of age	59	2.3
		3 No, I was not asked to show proof of age	109	3.9
		Missing	183	
127-127	Q96	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	2,159	92.7
		2 1 or 2 times	88	3.2
		3 3 to 9 times	42	1.9
		4 10 to 19 times	23	0.8
		5 20 to 39 times	9	0.6
		6 40 or more times	19	0.7
		Missing	190	
128-128	Q97	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,609	75.3
		2 1 to 3 times	353	14.5
		3 4 to 7 times	133	4.6
		4 8 or more times	153	5.6
		Missing	282	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
129-129	Q98	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,149	61.2
		2 The Patch (Ortho-Evra)	15	0.5
		3 The Ring (Nuva Ring)	26	1.4
		4 The IUD (intrauterine device)	18	0.8
		5 Implanon (implantable birth control)	7	0.2
		6 Emergency Contraception (EC) or the Morning After Pill	17	0.7
		7 I did not use any of these methods the last time I had sexual intercourse	655	28.0
		8 Not sure	166	7.3
		Missing	477	
130-130	Q99	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	1,617	84.9
		2 Hospital	63	2.6
		3 School-based health center (school clinic or somewhere else at school)	47	1.4
		4 Doctor's office (not in a hospital)	59	2.5
		5 Pharmacy or Botanica or bodega	35	1.9
		6 Community health center or clinic	28	0.6
		7 Someplace else	22	1.4
		8 Not sure	80	4.7
		Missing	579	
131-131	Q100	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	1,813	92.5
		2 1 time	118	4.3
		3 2 or more times	47	2.0
		4 Not sure	35	1.1
		Missing	517	
132-132	Q101	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	109	3.9
		2 No	1,870	93.8
		3 Not sure	65	2.3
		Missing	486	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
133-133	Q102	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	137	5.9
		2 No	1,848	90.7
		3 Not sure	82	3.4
		Missing	463	
134-134	Q103	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	929	44.8
		2 Females	649	29.3
		3 Males	511	22.3
		4 Females and males	108	3.5
Missing	333			
135-135	Q104	Which of the following best describes you?		
		1 Heterosexual or straight	1,922	90.1
		2 Gay or lesbian	41	1.7
		3 Bisexual	154	5.3
		4 Not sure	57	2.9
Missing	356			
136-136	Q105	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	395	16.4
		2 1 to 3 times during the past 7 days	696	34.2
		3 4 to 6 times during the past 7 days	346	18.3
		4 1 time per day	254	13.8
		5 2 times per day	146	8.8
		6 3 times per day	48	2.5
		7 4 or more times per day	124	6.1
Missing	521			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
137-137	Q106	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	329	17.3
		2 1 to 3 times during the past 7 days	968	48.6
		3 4 to 6 times during the past 7 days	345	17.3
		4 1 time per day	135	6.1
		5 2 times per day	102	4.4
		6 3 times per day	40	1.6
		7 4 or more times per day	89	4.6
		Missing	522	
138-138	Q107	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	340	18.6
		2 1 to 3 times during the past 7 days	710	36.1
		3 4 to 6 times during the past 7 days	349	19.2
		4 1 time per day	144	7.7
		5 2 times per day	149	8.1
		6 3 times per day	88	3.3
		7 4 or more times per day	157	7.1
		Missing	593	
139-139	Q108	What kind of milk do you usually drink?		
		1 I do not drink milk	282	13.7
		2 Whole milk	772	39.9
		3 2% milk or reduced fat milk	344	16.3
		4 1% milk or low-fat milk	205	10.6
		5 Skim milk or non-fat milk	55	3.2
		6 Soy milk	102	5.4
		7 Not sure	182	11.0
		Missing	588	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
140-140	Q109	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	471	22.5
		2 1 day	79	4.1
		3 2 days	60	3.5
		4 3 days	65	2.8
		5 4 days	65	4.0
		6 5 or more days	1,164	63.1
		Missing	626	
141-141	Q110	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	422	21.7
		2 I mostly walk to school	554	30.3
		3 I mostly bike to school	31	1.0
		4 I mostly walk to public transportation to get to school	818	45.3
		5 I mostly bike to public transportation to get to school	32	1.6
		Missing	673	
142-142	Q111	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	1,036	54.8
		2 A few times a year	496	28.3
		3 At least once a month	108	5.3
		4 Several times a month	214	11.6
		Missing	676	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
143-143	Q112	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	279	14.8
		2 Less than 10 minutes	241	14.7
		3 10 to 20 minutes	350	20.8
		4 21 to 30 minutes	254	18.4
		5 31 to 40 minutes	249	13.8
		6 41 to 50 minutes	219	10.0
		7 51 to 60 minutes	62	3.0
		8 More than 60 minutes	71	4.5
		Missing	805	
144-144	Q113	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	374	17.6
		2 No	1,193	71.8
		3 Not sure	134	10.6
		Missing	829	
145-145	Q114	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	733	44.4
		2 Yes	236	12.0
		3 No	693	40.8
		4 Not sure	41	2.8
		Missing	827	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
146-146	Q115	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
		1 I have never needed to see a doctor or get advice on a sexual, physical, or mental health problem	1,031	63.6
		2 I needed to, but did not go anywhere the last time	123	6.4
		3 Family planning center (such as planned parenthood)	66	3.5
		4 Private doctor's office	156	11.4
		5 Public health clinic, health center, or community health center	155	7.6
		6 Hospital or emergency room	36	2.0
		7 School-based health center (school clinic)	24	0.8
		8 Other	84	4.8
		Missing	855	
147-147	Q116	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	240	10.7
		2 Yes	423	24.1
		3 No	973	65.1
		Missing	894	
148-148	Q117	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	1,129	68.6
		2 1 to 2 times	384	23.1
		3 3 to 5 times	104	5.6
		4 6 to 10 times	35	1.5
		5 11 to 20 times	11	0.6
		6 20 or more times	11	0.7
		Missing	856	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
149-149	Q118	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	499	26.3
		2 Agree	577	35.8
		3 Not sure	272	18.6
		4 Disagree	129	7.0
		5 Strongly disagree	191	12.3
		Missing	862	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,466	93.5
		2 No	146	6.5
		Missing	918	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	392	15.8
		2 No	2,118	84.2
		Missing	20	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	78	2.6
		2 No	2,314	97.4
		Missing	138	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	325	12.2
		2 No	2,070	87.8
		Missing	135	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	94	3.4
		2 No	2,378	96.6
		Missing	58	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	108	3.9
		2 No	2,339	96.1
		Missing	83	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	287	9.3
		2 No	2,196	90.7
		Missing	47	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	233	7.2
		2 No	2,272	92.8
		Missing	25	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	863	33.0
		2 No	1,551	67.0
		Missing	116	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	360	14.0
		2 No	2,036	86.0
		Missing	134	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	328	11.2
		2 No	2,142	88.8
		Missing	60	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	201	7.2
		2 No	2,259	92.8
		Missing	70	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	257	10.9
		2 No	2,170	89.1
		Missing	103	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	726	29.3
		2 No	1,747	70.7
		Missing	57	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	363	14.4
		2 No	2,094	85.6
		Missing	73	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	246	11.4
		2 No	1,700	88.6
		Missing	584	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	98	4.5
		2 No	1,798	95.5
		Missing	634	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	736	32.0
		2 No	1,500	68.0
		Missing	294	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	167	8.2
		2 No	1,988	91.8
		Missing	375	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	154	6.7
		2 No	2,139	93.3
		Missing	237	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	12	11.9
		2 No	134	88.1
		Missing	2,384	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	54	2.7
		2 No	2,248	97.3
		Missing	228	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	86	4.1
		2 No	2,119	95.9
		Missing	325	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	73	54.4
		2 No	56	45.6
		Missing	2,401	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	78	3.2
		2 No	2,289	96.8
		Missing	163	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	129	4.7
		2 No	2,251	95.3
		Missing	150	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	620	23.8
		2 No	1,747	76.2
		Missing	163	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	671	30.0
		2 No	1,477	70.0
		Missing	382	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	290	12.5
		2 No	2,028	87.5
		Missing	212	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	213	29.7
		2 No	436	70.3
		Missing	1,881	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	681	27.7
		2 No	1,599	72.3
		Missing	250	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	188	7.4
		2 No	2,118	92.6
		Missing	224	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	360	14.3
		2 No	1,934	85.7
		Missing	236	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	89	3.6
		2 No	2,268	96.4
		Missing	173	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	198	7.9
		2 No	2,166	92.1
		Missing	166	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	64	2.2
		2 No	2,286	97.8
		Missing	180	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	59	2.5
		2 No	2,258	97.5
		Missing	213	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	86	3.4
		2 No	2,263	96.6
		Missing	181	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	72	2.6
		2 No	2,235	97.4
		Missing	223	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	524	21.5
		2 No	1,797	78.5
		Missing	209	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	985	42.4
		2 No	1,066	57.6
		Missing	479	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	229	10.2
		2 No	1,817	89.8
		Missing	484	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	387	17.5
		2 No	1,647	82.5
		Missing	496	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	678	29.8
		2 No	1,350	70.2
		Missing	502	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	110	18.5
		2 No	553	81.5
		Missing	1,867	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	475	78.9
		2 No	157	21.1
		Missing	1,898	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	31	3.8
		2 No	588	96.2
		Missing	1,911	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	495	21.0
		2 No	1,685	79.0
		Missing	350	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	905	41.3
		2 No	1,241	58.7
		Missing	384	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,137	56.0
		2 No	957	44.0
		Missing	436	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	672	33.2
		2 No	1,413	66.8
		Missing	445	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	129	5.4
		2 No	1,902	94.6
		Missing	499	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,679	81.2
		2 No	405	18.8
		Missing	446	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,632	82.4
		2 No	411	17.6
		Missing	487	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	468	23.4
		2 No	1,503	76.6
		Missing	559	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	694	39.2
		2 No	1,138	60.8
		Missing	698	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	919	48.2
		2 No	878	51.8
		Missing	733	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	774	44.7
		2 No	1,034	55.3
		Missing	722	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,457	84.5
		2 No	302	15.5
		Missing	771	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	744	44.2
		2 No	988	55.8
		Missing	798	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	395	20.5
		2 No	1,280	79.5
		Missing	855	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	1,583	68.6
		2 No	923	31.4
		Missing	24	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	1,631	69.4
		2 No	854	30.6
		Missing	45	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	49	2.4
		2 No	2,403	97.6
		Missing	78	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,467	98.2
		2 No	48	1.8
		Missing	15	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	1,050	44.3
		2 No	1,463	55.7
		Missing	17	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	304	11.6
		2 No	2,179	88.4
		Missing	47	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	71	3.0
		2 No	2,305	97.0
		Missing	154	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	109	3.9
		2 No	2,238	96.1
		Missing	183	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	181	7.3
		2 No	2,159	92.7
		Missing	190	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	639	24.7
		2 No	1,609	75.3
		Missing	282	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	18	0.8
		2 No	2,035	99.2
		Missing	477	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	47	1.4
		2 No	1,904	98.6
		Missing	579	
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	165	6.3
		2 No	1,848	93.7
		Missing	517	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	109	3.9
		2 No	1,935	96.1
		Missing	486	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	137	5.9
		2 No	1,930	94.1
		Missing	463	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	108	3.5
		2 No	2,089	96.5
		Missing	333	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	195	7.0
		2 No	1,979	93.0
		Missing	356	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	572	31.2
		2 No	1,437	68.8
		Missing	521	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	366	16.7
		2 No	1,642	83.3
		Missing	522	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	538	26.2
		2 No	1,399	73.8
		Missing	593	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	260	13.8
		2 No	1,682	86.2
		Missing	588	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	1,433	77.5
		2 No	471	22.5
		Missing	626	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	585	31.3
		2 No	1,272	68.7
		Missing	673	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	322	16.9
		2 No	1,532	83.1
		Missing	676	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	855	49.7
		2 No	870	50.3
		Missing	805	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS		
		1 Yes	374	17.6
		2 No	1,327	82.4
		Missing	829	
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	236	12.0
		2 No	1,467	88.0
		Missing	827	
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem		
		1 Yes	24	0.8
		2 No	1,651	99.2
		Missing	855	
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	423	24.1
		2 No	1,213	75.9
		Missing	894	
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months		
		1 Yes	545	31.4
		2 No	1,129	68.6
		Missing	856	
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem		
		1 Yes	1,076	62.1
		2 No	592	37.9
		Missing	862	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	36	2.2
		2 No	2,257	97.8
		Missing	237	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Borough of Brooklyn High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	187	8.1
		2 No	1,996	91.9
		Missing	347	
353-353	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	737	35.2
		2 No	1,292	64.8
		Missing	501	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	805	48.4
		2 No	954	51.6
		Missing	771	
356-356	QNOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	392	16.0
		2 No	1,908	84.0
		Missing	230	
357-357	QNOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	281	10.7
		2 No	2,019	89.3
		Missing	230	
358-367	WEIGHT			
368-370	STRATUM			
371-376	PSU			
383-387	BMIPCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

---

<b>Data Location</b>	<b>Variable Name</b>		<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
388-389	RACEETH				
		1	Am Indian / Alaska Native	34	0.2
		2	Asian	193	13.3
		3	Black or African American	1,154	50.8
		4	Native Hawaiian/other PI	28	0.2
		5	White	103	13.3
		6	Hispanic/Latino	546	13.5
		7	Multiple - Hispanic	299	8.3
		8	Multiple - non-Hispanic	47	0.3
			Missing	126	