

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--------------------------------|-----------------------------|----------------------------|------|
| 17-17 | Q1 | How old are you? | | | |
| | | 1 | 12 years old or younger | 8 | 0.4 |
| | | 2 | 13 years old | 38 | 2.9 |
| | | 3 | 14 years old | 353 | 21.8 |
| | | 4 | 15 years old | 461 | 29.8 |
| | | 5 | 16 years old | 408 | 21.8 |
| | | 6 | 17 years old | 313 | 17.7 |
| | | 7 | 18 years old or older | 98 | 5.7 |
| | | Missing | 7 | | |
| 18-18 | Q2 | What is your sex? | | | |
| | | 1 | Female | 829 | 47.7 |
| | | 2 | Male | 848 | 52.3 |
| | | | Missing | 9 | |
| 19-19 | Q3 | In what grade are you? | | | |
| | | 1 | 9th grade | 449 | 29.3 |
| | | 2 | 10th grade | 479 | 27.6 |
| | | 3 | 11th grade | 385 | 21.3 |
| | | 4 | 12th grade | 351 | 21.3 |
| | | 5 | Ungraded or other grade | 8 | 0.6 |
| | | Missing | 14 | | |
| 20-20 | Q4 | Are you Hispanic or Latino? | | | |
| | | 1 | Yes | 492 | 26.1 |
| | | 2 | No | 1,140 | 73.9 |
| | | | Missing | 54 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 21-28 | Q5 | What is your race? | | |
| | | H | 2 | 0.2 |
| | | F | 2 | 0.3 |
| | | E | 226 | 21.5 |
| | | D | 68 | 2.3 |
| | | DE | 2 | 0.1 |
| | | C | 856 | 52.5 |
| | | C F | 1 | 0.0 |
| | | C E | 17 | 0.6 |
| | | CD | 8 | 0.1 |
| | | CDE | 1 | 0.1 |
| | | B | 142 | 18.5 |
| | | B E | 4 | 0.0 |
| | | B D | 2 | 0.1 |
| | | BC | 9 | 0.2 |
| | | BC E | 1 | 0.0 |
| | | A | 63 | 2.7 |
| | | A E | 5 | 0.2 |
| | | A D | 2 | 0.1 |
| | | A C | 15 | 0.1 |
| | | A C E | 5 | 0.2 |
| | | A CD | 2 | 0.0 |
| | | AB | 2 | 0.0 |
| | | AB D | 1 | 0.0 |
| | | ABC | 2 | 0.0 |
| | | ABC E | 1 | 0.0 |
| | | ABCDEFGH | 1 | 0.0 |
| | | | 246 | |
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 39-39 | Q8 | When you rode a bicycle during the past 12 months, how often did you wear a helmet? | | |
| | | 1 I did not ride a bicycle during the past 12 months | 657 | 40.7 |
| | | 2 Never wore a helmet | 806 | 46.9 |
| | | 3 Rarely wore a helmet | 101 | 5.7 |
| | | 4 Sometimes wore a helmet | 43 | 2.7 |
| | | 5 Most of the time wore a helmet | 36 | 1.8 |
| | | 6 Always wore a helmet | 27 | 2.2 |
| | | Missing | 16 | |
| 42-42 | Q11 | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? | | |
| | | 1 I did not drive a car or other vehicle during the past 30 days | 1,123 | 70.3 |
| | | 2 0 times | 482 | 28.0 |
| | | 3 1 time | 7 | 0.3 |
| | | 4 2 or 3 times | 8 | 0.6 |
| | | 5 4 or 5 times | 4 | 0.2 |
| | | 6 6 or more times | 12 | 0.6 |
| | | Missing | 50 | |
| 44-44 | Q13 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | |
| | | 1 0 days | 1,495 | 92.4 |
| | | 2 1 day | 41 | 2.2 |
| | | 3 2 or 3 days | 32 | 1.5 |
| | | 4 4 or 5 days | 16 | 0.5 |
| | | 5 6 or more days | 54 | 3.4 |
| | | Missing | 48 | |
| 45-45 | Q14 | During the past 30 days, on how many days did you carry a gun? | | |
| | | 1 0 days | 1,613 | 97.7 |
| | | 2 1 day | 12 | 0.6 |
| | | 3 2 or 3 days | 8 | 0.2 |
| | | 4 4 or 5 days | 4 | 0.1 |
| | | 5 6 or more days | 18 | 1.4 |
| | | Missing | 31 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 46-46 | Q15 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 days | 1,597 | 97.3 |
| | | 2 1 day | 14 | 0.6 |
| | | 3 2 or 3 days | 10 | 0.3 |
| | | 4 4 or 5 days | 5 | 0.1 |
| | | 5 6 or more days | 23 | 1.7 |
| | | Missing | 37 | |
| 47-47 | Q16 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 1,511 | 92.4 |
| | | 2 1 day | 81 | 3.8 |
| | | 3 2 or 3 days | 37 | 1.8 |
| | | 4 4 or 5 days | 12 | 0.5 |
| | | 5 6 or more days | 21 | 1.5 |
| | | Missing | 24 | |
| 48-48 | Q17 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 times | 1,552 | 92.9 |
| | | 2 1 time | 71 | 3.8 |
| | | 3 2 or 3 times | 30 | 1.8 |
| | | 4 4 or 5 times | 7 | 0.3 |
| | | 5 6 or 7 times | 4 | 0.2 |
| | | 6 8 or 9 times | 3 | 0.4 |
| | | 7 10 or 11 times | 2 | 0.0 |
| | | 8 12 or more times | 9 | 0.5 |
| | | Missing | 8 | |
| 49-49 | Q18 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 0 times | 1,196 | 73.8 |
| | | 2 1 time | 209 | 13.3 |
| | | 3 2 or 3 times | 158 | 7.4 |
| | | 4 4 or 5 times | 44 | 1.6 |
| | | 5 6 or 7 times | 20 | 1.1 |
| | | 6 8 or 9 times | 10 | 0.6 |
| | | 7 10 or 11 times | 6 | 0.5 |
| | | 8 12 or more times | 31 | 1.9 |
| | | Missing | 12 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|--|----------------------------|------|
| 53-53 | Q22 | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? | | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 580 | 40.8 |
| | | 2 | 0 times | 860 | 53.5 |
| | | 3 | 1 time | 45 | 2.4 |
| | | 4 | 2 or 3 times | 37 | 1.7 |
| | | 5 | 4 or 5 times | 4 | 0.1 |
| | | 6 | 6 or more times | 25 | 1.4 |
| | | | Missing | 135 | |
| 54-54 | Q23 | During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? | | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 593 | 40.8 |
| | | 2 | 0 times | 892 | 54.0 |
| | | 3 | 1 time | 44 | 1.7 |
| | | 4 | 2 or 3 times | 31 | 1.4 |
| | | 5 | 4 or 5 times | 4 | 0.5 |
| | | 6 | 6 or more times | 19 | 1.5 |
| | | | Missing | 103 | |
| 55-55 | Q24 | During the past 12 months, have you ever been bullied on school property? | | | |
| | | 1 | Yes | 242 | 14.2 |
| | | 2 | No | 1,424 | 85.8 |
| | | Missing | 20 | | |
| 56-56 | Q25 | During the past 12 months, have you ever been electronically bullied? | | | |
| | | 1 | Yes | 173 | 10.6 |
| | | 2 | No | 1,484 | 89.4 |
| | | Missing | 29 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---|----------------------------|------|
| 57-57 | Q26 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | | |
| | | 1 | Yes | 481 | 25.5 |
| | | 2 | No | 1,175 | 74.5 |
| | | | Missing | 30 | |
| 58-58 | Q27 | During the past 12 months, did you ever seriously consider attempting suicide? | | | |
| | | 1 | Yes | 233 | 12.5 |
| | | 2 | No | 1,415 | 87.5 |
| | | | Missing | 38 | |
| 60-60 | Q29 | During the past 12 months, how many times did you actually attempt suicide? | | | |
| | | 1 | 0 times | 1,241 | 92.6 |
| | | 2 | 1 time | 67 | 4.1 |
| | | 3 | 2 or 3 times | 30 | 2.4 |
| | | 4 | 4 or 5 times | 9 | 0.4 |
| | | 5 | 6 or more times | 7 | 0.5 |
| | Missing | 332 | | | |
| 61-61 | Q30 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | | |
| | | 1 | I did not attempt suicide during the past 12 months | 1,226 | 93.0 |
| | | 2 | Yes | 35 | 2.2 |
| | | 3 | No | 76 | 4.8 |
| | Missing | 349 | | | |
| 62-62 | Q31 | Have you ever tried cigarette smoking, even one or two puffs? | | | |
| | | 1 | Yes | 401 | 27.1 |
| | | 2 | No | 1,207 | 72.9 |
| | Missing | 78 | | | |
| 64-64 | Q33 | During the past 30 days, on how many days did you smoke cigarettes? | | | |
| | | 1 | 0 days | 1,500 | 93.2 |
| | | 2 | 1 or 2 days | 31 | 1.8 |
| | | 3 | 3 to 5 days | 18 | 1.2 |
| | | 4 | 6 to 9 days | 13 | 0.8 |
| | | 5 | 10 to 19 days | 8 | 0.7 |
| | | 6 | 20 to 29 days | 6 | 0.3 |
| | | 7 | All 30 days | 21 | 2.0 |
| | Missing | 89 | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 65-65 | Q34 | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,492 | 93.3 |
| | | 2 Less than 1 cigarette per day | 32 | 2.4 |
| | | 3 1 cigarette per day | 20 | 1.3 |
| | | 4 2 to 5 cigarettes per day | 21 | 1.8 |
| | | 5 6 to 10 cigarettes per day | 8 | 0.6 |
| | | 6 11 to 20 cigarettes per day | 5 | 0.1 |
| | | 7 More than 20 cigarettes per day | 6 | 0.4 |
| | Missing | 102 | | |
| 68-68 | Q37 | Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days? | | |
| | | 1 Yes | 85 | 7.6 |
| | | 2 No | 1,480 | 92.4 |
| | Missing | 121 | | |
| 70-70 | Q39 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? | | |
| | | 1 0 days | 1,557 | 96.1 |
| | | 2 1 or 2 days | 34 | 2.2 |
| | | 3 3 to 5 days | 9 | 0.5 |
| | | 4 6 to 9 days | 6 | 0.5 |
| | | 5 10 to 19 days | 4 | 0.4 |
| | | 6 20 to 29 days | 2 | 0.0 |
| 7 All 30 days | 6 | 0.3 | | |
| | Missing | 68 | | |
| 71-71 | Q40 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 1,499 | 93.1 |
| | | 2 1 or 2 days | 70 | 4.8 |
| | | 3 3 to 5 days | 18 | 1.4 |
| | | 4 6 to 9 days | 8 | 0.3 |
| | | 5 10 to 19 days | 2 | 0.0 |
| | | 6 20 to 29 days | 3 | 0.0 |
| 7 All 30 days | 9 | 0.3 | | |
| | Missing | 77 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 74-74 | Q43 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 1,069 | 75.5 |
| | | 2 1 or 2 days | 218 | 14.9 |
| | | 3 3 to 5 days | 74 | 5.4 |
| | | 4 6 to 9 days | 34 | 2.0 |
| | | 5 10 to 19 days | 15 | 0.9 |
| | | 6 20 to 29 days | 6 | 0.6 |
| | | 7 All 30 days | 12 | 0.7 |
| | Missing | 258 | | |
| 75-75 | Q44 | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | | |
| | | 1 0 days | 1,404 | 91.1 |
| | | 2 1 day | 63 | 4.0 |
| | | 3 2 days | 42 | 2.6 |
| | | 4 3 to 5 days | 22 | 1.4 |
| | | 5 6 to 9 days | 10 | 0.3 |
| | | 6 10 to 19 days | 5 | 0.3 |
| | | 7 20 or more days | 6 | 0.3 |
| | Missing | 134 | | |
| 76-76 | Q45 | During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours? | | |
| | | 1 I did not drink alcohol during the past 30 days | 1,062 | 75.8 |
| | | 2 1 or 2 drinks | 213 | 15.6 |
| | | 3 3 drinks | 41 | 2.0 |
| | | 4 4 drinks | 28 | 2.3 |
| | | 5 5 drinks | 20 | 1.0 |
| | | 6 6 or 7 drinks | 21 | 1.3 |
| | | 7 8 or 9 drinks | 11 | 0.6 |
| | | 8 10 or more drinks | 24 | 1.4 |
| | Missing | 266 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---|----------------------------|------|
| 77-77 | Q46 | During the past 30 days, how did you usually get the alcohol you drank? | | | |
| | | 1 | I did not drink alcohol during the past 30 days | 1,038 | 74.1 |
| | | 2 | I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 61 | 4.1 |
| | | 3 | I bought it at a restaurant, bar, or club | 20 | 2.6 |
| | | 4 | I bought it at a public event such as a concert or sporting event | 14 | 0.7 |
| | | 5 | I gave someone else money to buy it for me | 36 | 2.6 |
| | | 6 | Someone gave it to me | 115 | 7.8 |
| | | 7 | I took it from a store or family member | 70 | 4.5 |
| | | 8 | I got it some other way | 68 | 3.7 |
| | | Missing | 264 | | |
| 79-79 | Q48 | How old were you when you tried marijuana for the first time? | | | |
| | | 1 | I have never tried marijuana | 1,066 | 72.3 |
| | | 2 | 8 years old or younger | 29 | 1.4 |
| | | 3 | 9 or 10 years old | 15 | 0.8 |
| | | 4 | 11 or 12 years old | 85 | 4.5 |
| | | 5 | 13 or 14 years old | 200 | 12.1 |
| | | 6 | 15 or 16 years old | 132 | 7.4 |
| | | 7 | 17 years old or older | 28 | 1.5 |
| | | Missing | 131 | | |
| 80-80 | Q49 | During the past 30 days, how many times did you use marijuana? | | | |
| | | 1 | 0 times | 1,285 | 86.0 |
| | | 2 | 1 or 2 times | 90 | 4.8 |
| | | 3 | 3 to 9 times | 68 | 3.2 |
| | | 4 | 10 to 19 times | 40 | 2.0 |
| | | 5 | 20 to 39 times | 19 | 1.1 |
| | | 6 | 40 or more times | 44 | 2.9 |
| | | Missing | 140 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 81-81 | Q50 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 1,490 | 95.8 |
| | | 2 1 or 2 times | 32 | 2.4 |
| | | 3 3 to 9 times | 11 | 0.8 |
| | | 4 10 to 19 times | 9 | 0.3 |
| | | 5 20 to 39 times | 1 | 0.1 |
| | | 6 40 or more times | 6 | 0.7 |
| | Missing | 137 | | |
| 83-83 | Q52 | During your life, how many times have you used heroin (also called smack, junk, or China White)? | | |
| | | 1 0 times | 1,516 | 97.6 |
| | | 2 1 or 2 times | 12 | 0.7 |
| | | 3 3 to 9 times | 8 | 0.9 |
| | | 4 10 to 19 times | 2 | 0.0 |
| | | 5 20 to 39 times | 5 | 0.2 |
| | | 6 40 or more times | 9 | 0.7 |
| | Missing | 134 | | |
| 84-84 | Q53 | During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)? | | |
| | | 1 0 times | 1,493 | 96.4 |
| | | 2 1 or 2 times | 19 | 1.4 |
| | | 3 3 to 9 times | 15 | 0.8 |
| | | 4 10 to 19 times | 6 | 0.6 |
| | | 5 20 to 39 times | 1 | 0.0 |
| | | 6 40 or more times | 9 | 0.7 |
| | Missing | 143 | | |
| 85-85 | Q54 | During your life, how many times have you used ecstasy (also called MDMA)? | | |
| | | 1 0 times | 1,463 | 95.5 |
| | | 2 1 or 2 times | 35 | 2.9 |
| | | 3 3 to 9 times | 7 | 0.4 |
| | | 4 10 to 19 times | 8 | 0.4 |
| | | 5 20 to 39 times | 3 | 0.1 |
| | | 6 40 or more times | 9 | 0.7 |
| | Missing | 161 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 88-88 | Q57 | During your life, how many times have you used a needle to inject any illegal drug into your body? | | |
| | | 1 0 times | 1,492 | 98.4 |
| | | 2 1 time | 18 | 1.0 |
| | | 3 2 or more times | 12 | 0.6 |
| | | Missing | 164 | |
| 90-90 | Q59 | Have you ever had sexual intercourse? | | |
| | | 1 Yes | 486 | 31.9 |
| | | 2 No | 836 | 68.1 |
| | | Missing | 364 | |
| 91-91 | Q60 | How old were you when you had sexual intercourse for the first time? | | |
| | | 1 I have never had sexual intercourse | 831 | 68.0 |
| | | 2 11 years old or younger | 54 | 2.6 |
| | | 3 12 years old | 50 | 2.7 |
| | | 4 13 years old | 86 | 6.7 |
| | | 5 14 years old | 125 | 7.9 |
| | | 6 15 years old | 81 | 5.8 |
| | | 7 16 years old | 63 | 4.8 |
| | | 8 17 years old or older | 25 | 1.5 |
| Missing | 371 | | | |
| 92-92 | Q61 | During your life, with how many people have you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 814 | 67.7 |
| | | 2 1 person | 162 | 10.7 |
| | | 3 2 people | 92 | 6.0 |
| | | 4 3 people | 64 | 3.6 |
| | | 5 4 people | 39 | 3.1 |
| | | 6 5 people | 28 | 2.2 |
| | | 7 6 or more people | 93 | 6.7 |
| Missing | 394 | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 93-93 | Q62 | During the past 3 months, with how many people did you have sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 821 | 68.2 |
| | | 2 I have had sexual intercourse, but not during the past 3 months | 169 | 11.4 |
| | | 3 1 person | 216 | 15.0 |
| | | 4 2 people | 39 | 1.7 |
| | | 5 3 people | 17 | 1.2 |
| | | 6 4 people | 17 | 1.3 |
| | | 7 5 people | 1 | 0.0 |
| | | 8 6 or more people | 23 | 1.2 |
| | | Missing | 383 | |
| 94-94 | Q63 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 820 | 68.5 |
| | | 2 Yes | 68 | 4.8 |
| | | 3 No | 405 | 26.7 |
| | | Missing | 393 | |
| 95-95 | Q64 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 819 | 69.8 |
| | | 2 Yes | 319 | 21.8 |
| | | 3 No | 117 | 8.5 |
| | | Missing | 431 | |
| 96-96 | Q65 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 811 | 70.1 |
| | | 2 No method was used to prevent pregnancy | 69 | 5.1 |
| | | 3 Birth control pills | 34 | 2.0 |
| | | 4 Condoms | 253 | 17.4 |
| | | 5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 1 | 0.0 |
| | | 6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 8 | 0.6 |
| | | 7 Withdrawal or some other method | 36 | 3.2 |
| | | 8 Not sure | 21 | 1.7 |
| | | Missing | 453 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---|----------------------------|------|
| 97-97 | Q66 | How do you describe your weight? | | | |
| | | 1 | Very underweight | 71 | 4.4 |
| | | 2 | Slightly underweight | 171 | 13.9 |
| | | 3 | About the right weight | 750 | 52.3 |
| | | 4 | Slightly overweight | 328 | 24.0 |
| | | 5 | Very overweight | 76 | 5.5 |
| | | Missing | 290 | | |
| 98-98 | Q67 | Which of the following are you trying to do about your weight? | | | |
| | | 1 | Lose weight | 616 | 43.4 |
| | | 2 | Gain weight | 297 | 20.4 |
| | | 3 | Stay the same weight | 245 | 18.4 |
| | | 4 | I am not trying to do anything about my weight | 227 | 17.7 |
| | | Missing | 301 | | |
| 102-102 | Q71 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | | |
| | | 1 | I did not drink 100% fruit juice during the past 7 days | 319 | 25.1 |
| | | 2 | 1 to 3 times during the past 7 days | 486 | 36.2 |
| | | 3 | 4 to 6 times during the past 7 days | 203 | 14.8 |
| | | 4 | 1 time per day | 72 | 5.8 |
| | | 5 | 2 times per day | 87 | 5.4 |
| | | 6 | 3 times per day | 71 | 4.4 |
| | | 7 | 4 or more times per day | 124 | 8.4 |
| | | Missing | 324 | | |
| 103-103 | Q72 | During the past 7 days, how many times did you eat fruit? | | | |
| | | 1 | I did not eat fruit during the past 7 days | 295 | 19.3 |
| | | 2 | 1 to 3 times during the past 7 days | 506 | 37.2 |
| | | 3 | 4 to 6 times during the past 7 days | 238 | 19.8 |
| | | 4 | 1 time per day | 95 | 8.3 |
| | | 5 | 2 times per day | 101 | 7.3 |
| | | 6 | 3 times per day | 56 | 3.0 |
| | | 7 | 4 or more times per day | 68 | 5.1 |
| | | Missing | 327 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|--|----------------------------|
| 108-108 | Q77 | During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? | | |
| | | 1 | I did not drink soda or pop during the past 7 days | 382 32.6 |
| | | 2 | 1 to 3 times during the past 7 days | 524 40.6 |
| | | 3 | 4 to 6 times during the past 7 days | 172 11.9 |
| | | 4 | 1 time per day | 72 4.9 |
| | | 5 | 2 times per day | 66 4.1 |
| | | 6 | 3 times per day | 36 2.1 |
| | | 7 | 4 or more times per day | 65 3.9 |
| | | | Missing | 369 |
| 109-109 | Q78 | During the past 7 days, how many glasses of milk did you drink? | | |
| | | 1 | I did not drink milk during the past 7 days | 400 29.4 |
| | | 2 | 1 to 3 glasses during the past 7 days | 416 32.7 |
| | | 3 | 4 to 6 glasses during the past 7 days | 180 15.1 |
| | | 4 | 1 glass per day | 114 9.5 |
| | | 5 | 2 glasses per day | 85 7.5 |
| | | 6 | 3 glasses per day | 38 2.0 |
| | | 7 | 4 or more glasses per day | 46 3.9 |
| | | | Missing | 407 |
| 110-110 | Q79 | During the past 7 days, on how many days did you eat breakfast? | | |
| | | 1 | 0 days | 207 15.3 |
| | | 2 | 1 day | 126 9.9 |
| | | 3 | 2 days | 179 13.8 |
| | | 4 | 3 days | 124 9.8 |
| | | 5 | 4 days | 95 6.4 |
| | | 6 | 5 days | 98 9.1 |
| | | 7 | 6 days | 52 4.2 |
| | | 8 | 7 days | 398 31.6 |
| | Missing | 407 | | |
| 111-111 | Q80 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | 1 | 0 days | 231 19.3 |
| | | 2 | 1 day | 101 8.7 |
| | | 3 | 2 days | 138 11.5 |
| | | 4 | 3 days | 150 10.7 |
| | | 5 | 4 days | 131 10.8 |
| | | 6 | 5 days | 137 12.7 |
| | | 7 | 6 days | 46 5.1 |
| | | 8 | 7 days | 232 21.1 |
| | Missing | 520 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 112-112 | Q81 | On an average school day, how many hours do you watch TV? | | |
| | | 1 I do not watch TV on an average school day | 245 | 24.4 |
| | | 2 Less than 1 hour per day | 177 | 15.5 |
| | | 3 1 hour per day | 117 | 10.8 |
| | | 4 2 hours per day | 194 | 17.0 |
| | | 5 3 hours per day | 173 | 15.7 |
| | | 6 4 hours per day | 83 | 6.3 |
| | | 7 5 or more hours per day | 162 | 10.3 |
| | | Missing | 535 | |
| 113-113 | Q82 | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? | | |
| | | 1 I do not play video or computer games or use a computer for something that is not school work | 179 | 14.4 |
| | | 2 Less than 1 hour per day | 142 | 13.1 |
| | | 3 1 hour per day | 129 | 11.5 |
| | | 4 2 hours per day | 173 | 17.1 |
| | | 5 3 hours per day | 115 | 10.8 |
| | | 6 4 hours per day | 114 | 11.0 |
| | | 7 5 or more hours per day | 280 | 22.2 |
| | | Missing | 554 | |
| 114-114 | Q83 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 0 days | 201 | 18.2 |
| | | 2 1 day | 41 | 3.1 |
| | | 3 2 days | 246 | 11.3 |
| | | 4 3 days | 136 | 6.3 |
| | | 5 4 days | 117 | 17.0 |
| | | 6 5 days | 375 | 44.0 |
| | | Missing | 570 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 117-117 | Q86 | Has a doctor or nurse ever told you that you have asthma? | | |
| | | 1 Yes | 294 | 23.8 |
| | | 2 No | 749 | 70.9 |
| | | 3 Not sure | 48 | 5.3 |
| | | Missing | 595 | |
| 118-118 | Q87 | What borough of New York do you live in? | | |
| | | 1 Bronx | 33 | 1.3 |
| | | 2 Brooklyn | 1,530 | 93.8 |
| | | 3 Manhattan | 12 | 0.7 |
| | | 4 Queens | 88 | 3.5 |
| | | 5 Staten Island | 9 | 0.7 |
| Missing | 14 | | | |
| 119-119 | Q88 | How long have you lived in the United States? | | |
| | | 1 I have always lived in the United States | 1,201 | 73.8 |
| | | 2 Less than 1 year | 23 | 1.3 |
| | | 3 1 to 3 years | 62 | 3.7 |
| | | 4 4 to 6 years | 73 | 4.2 |
| | | 5 More than 6 years but not my whole life | 301 | 17.0 |
| Missing | 26 | | | |
| 120-120 | Q89 | How often do the people in your home speak a language other than English? | | |
| | | 1 Never | 512 | 27.0 |
| | | 2 Rarely | 160 | 7.6 |
| | | 3 Sometimes | 284 | 17.7 |
| | | 4 Most of the time | 307 | 21.6 |
| | | 5 Always | 395 | 26.1 |
| Missing | 28 | | | |
| 121-121 | Q90 | During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose? | | |
| | | 1 0 times | 1,422 | 86.5 |
| | | 2 1 time | 106 | 5.8 |
| | | 3 2 or 3 times | 69 | 2.7 |
| | | 4 4 or 5 times | 25 | 1.4 |
| | | 5 6 or more times | 51 | 3.6 |
| Missing | 13 | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|---|----------------------------|------|
| 122-122 | Q91 | During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone? | | | |
| | | 1 | Yes | 280 | 16.4 |
| | | 2 | No | 1,313 | 83.6 |
| | | | Missing | 93 | |
| 123-123 | Q92 | How many months ago did you try cigarette smoking for the first time? | | | |
| | | 1 | I have never tried cigarette smoking | 1,160 | 74.9 |
| | | 2 | Less than 1 month ago | 39 | 2.8 |
| | | 3 | 1 to 3 months ago | 54 | 3.3 |
| | | 4 | 4 to 6 months ago | 36 | 2.4 |
| | | 5 | 7 to 12 months ago | 38 | 2.5 |
| | | 6 | 13 or more months ago | 182 | 14.2 |
| | Missing | 177 | | | |
| 124-124 | Q93 | During the past 30 days, how did you usually get your own cigarettes? | | | |
| | | 1 | I did not smoke cigarettes during the past 30 days | 1,449 | 91.3 |
| | | 2 | I bought them in a store such as a convenience store, supermarket, or gas station | 46 | 3.8 |
| | | 3 | I bought them on the Internet | 10 | 0.6 |
| | | 4 | I bummed them | 7 | 0.4 |
| | | 5 | Someone gave them to me or bought them for me | 34 | 2.4 |
| | | 6 | I stole them | 5 | 0.2 |
| | | 7 | I got them some other way | 19 | 1.2 |
| | Missing | 116 | | | |
| 125-125 | Q94 | Have you ever tried smoking menthol cigarettes, even one or two puffs? | | | |
| | | 1 | Yes | 138 | 11.4 |
| | | 2 | No | 1,363 | 88.6 |
| | | Missing | 185 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 126-126 | Q95 | Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars? | | |
| | | 1 Yes | 217 | 14.8 |
| | | 2 No | 1,377 | 85.2 |
| | | Missing | 92 | |
| 127-127 | Q96 | During the past 30 days, what type of alcohol did you usually drink? | | |
| | | 1 I did not drink alcohol during the past 30 days | 1,125 | 72.0 |
| | | 2 I do not have a usual type | 61 | 3.9 |
| | | 3 Beer | 50 | 4.2 |
| | | 4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade | 84 | 5.7 |
| | | 5 Wine coolers, such as Bartles & Jaymes or Seagrams | 15 | 1.3 |
| | | 6 Wine | 24 | 1.7 |
| | | 7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey | 177 | 9.4 |
| | | 8 Some other type | 32 | 1.9 |
| | | Missing | 118 | |
| 128-128 | Q97 | During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription? | | |
| | | 1 0 times | 1,433 | 92.2 |
| | | 2 1 time | 38 | 3.2 |
| | | 3 2 or 3 times | 26 | 1.5 |
| | | 4 4 or 5 times | 12 | 0.7 |
| | | 5 6 or 7 times | 7 | 0.3 |
| | | 6 8 or 9 times | 2 | 0.2 |
| | | 7 10 or 11 times | 0 | 0.0 |
| | | 8 12 or more times | 24 | 1.9 |
| | | Missing | 144 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|---|----------------------------|------|
| 129-129 | Q98 | During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription? | | | |
| | | 1 | 0 times | 1,459 | 93.6 |
| | | 2 | 1 time | 40 | 3.6 |
| | | 3 | 2 or 3 times | 16 | 0.9 |
| | | 4 | 4 or 5 times | 5 | 0.3 |
| | | 5 | 6 or 7 times | 4 | 0.2 |
| | | 6 | 8 or 9 times | 0 | 0.0 |
| | | 7 | 10 or 11 times | 2 | 0.2 |
| | | 8 | 12 or more times | 11 | 1.2 |
| | | Missing | 149 | | |
| 130-130 | Q99 | During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse? | | | |
| | | 1 | I have never had sexual intercourse | 848 | 66.6 |
| | | 2 | I have had sexual intercourse, but not during the past 3 months | 128 | 8.7 |
| | | 3 | Never | 62 | 4.3 |
| | | 4 | Rarely | 22 | 0.8 |
| | | 5 | Sometimes | 35 | 2.9 |
| | | 6 | Most of the time | 51 | 2.9 |
| | | 7 | Always | 206 | 13.9 |
| | | Missing | 334 | | |
| 131-131 | Q100 | The last time you used a condom, did it break, tear, or slip off during sexual intercourse? | | | |
| | | 1 | I have never had sexual intercourse | 850 | 67.5 |
| | | 2 | I have had sexual intercourse, but I have never used a condom | 54 | 3.8 |
| | | 3 | Yes, the condom broke, tore, or slipped off | 48 | 2.6 |
| | | 4 | No, the condom did not break, tear, or slip off | 363 | 24.5 |
| | | 5 | Not sure | 26 | 1.7 |
| | | Missing | 345 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 132-132 | Q101 | Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 844 | 67.4 |
| | | 2 Yes | 32 | 2.6 |
| | | 3 No | 386 | 26.5 |
| | | 4 Not sure | 58 | 3.5 |
| | | Missing | 366 | |
| 133-133 | Q102 | The last time you used birth control, including condoms, from where did you or your partner get it? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers. | | |
| 134-134 | Q103 | In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms? | | |
| | | 1 I have never been taught a class by a teacher about birth control methods | 428 | 33.2 |
| | | 2 6th grade or earlier | 221 | 15.7 |
| | | 3 7th grade | 211 | 13.9 |
| | | 4 8th grade | 205 | 13.9 |
| | | 5 9th grade | 147 | 8.4 |
| | | 6 10th grade | 62 | 7.3 |
| | | 7 11th or 12th grade | 17 | 1.1 |
| | | 8 Not sure | 112 | 6.6 |
| | | Missing | 283 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|--|----------------------------|------|
| 135-135 | Q104 | During the past 12 months, have you been pregnant or gotten someone pregnant? | | | |
| | | 1 | Yes | 27 | 2.1 |
| | | 2 | No | 1,250 | 94.8 |
| | | 3 | Not sure | 45 | 3.1 |
| | | | Missing | 364 | |
| 136-136 | Q105 | During your life, with whom have you had sexual contact? | | | |
| | | 1 | I have never had sexual contact | 688 | 55.4 |
| | | 2 | Females | 359 | 26.5 |
| | | 3 | Males | 216 | 14.6 |
| | | 4 | Females and males | 60 | 3.6 |
| | | Missing | 363 | | |
| 137-137 | Q106 | Which of the following best describes you? | | | |
| | | 1 | Heterosexual (straight) | 1,196 | 86.3 |
| | | 2 | Gay or lesbian | 47 | 3.5 |
| | | 3 | Bisexual | 106 | 6.3 |
| | | 4 | Not sure | 51 | 3.9 |
| | | Missing | 286 | | |
| 138-138 | Q107 | During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables? | | | |
| | | 1 | I did not eat vegetables during the past 7 days | 259 | 17.1 |
| | | 2 | 1 to 3 times during the past 7 days | 475 | 34.3 |
| | | 3 | 4 to 6 times during the past 7 days | 263 | 19.7 |
| | | 4 | 1 time per day | 138 | 10.3 |
| | | 5 | 2 times per day | 95 | 8.4 |
| | | 6 | 3 times per day | 40 | 4.1 |
| | | 7 | 4 or more times per day | 76 | 6.1 |
| | | Missing | 340 | | |
| 139-139 | Q108 | During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips? | | | |
| | | 1 | I did not eat french fries, fried potatoes, or potato chips during the past 7 days | 279 | 24.0 |
| | | 2 | 1 to 3 times during the past 7 days | 668 | 50.6 |
| | | 3 | 4 to 6 times during the past 7 days | 204 | 14.9 |
| | | 4 | 1 time per day | 69 | 4.1 |
| | | 5 | 2 times per day | 51 | 2.8 |
| | | 6 | 3 times per day | 19 | 1.5 |
| | | 7 | 4 or more times per day | 37 | 2.3 |
| | | Missing | 359 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|---|----------------------------|------|
| 140-140 | Q109 | During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas? | | | |
| | | 1 | I did not drink other sugar-sweetened drinks during the past 7 days | 319 | 25.6 |
| | | 2 | 1 to 3 times during the past 7 days | 527 | 43.8 |
| | | 3 | 4 to 6 times during the past 7 days | 179 | 11.8 |
| | | 4 | 1 time per day | 104 | 7.0 |
| | | 5 | 2 times per day | 60 | 4.8 |
| | | 6 | 3 times per day | 46 | 3.2 |
| | | 7 | 4 or more times per day | 64 | 3.8 |
| | | Missing | 387 | | |
| 141-141 | Q110 | What kind of milk do you usually drink? | | | |
| | | 1 | I do not drink milk | 190 | 13.2 |
| | | 2 | Whole milk | 462 | 35.4 |
| | | 3 | 2% milk or reduced fat milk | 247 | 20.5 |
| | | 4 | 1% milk or low-fat milk | 141 | 10.7 |
| | | 5 | Skim milk or non-fat milk | 47 | 4.4 |
| | | 6 | Soy milk | 50 | 4.5 |
| | | 7 | Not sure | 139 | 11.2 |
| | | Missing | 410 | | |
| 142-142 | Q111 | In an average week when you are in school, how do you usually get to school? | | | |
| | | 1 | I walk all the way to school | 269 | 21.2 |
| | | 2 | I ride a bike all the way to school | 19 | 1.6 |
| | | 3 | I use public transportation, such as a subway or city bus | 740 | 65.5 |
| | | 4 | I ride a school bus | 17 | 1.2 |
| | | 5 | I drive or ride in a car or other private vehicle | 117 | 10.6 |
| | | Missing | 524 | | |
| 143-143 | Q112 | If you usually walk or bike all the way to school, how long does it take? | | | |
| | | 1 | I do not walk or bike all the way to school | 692 | 62.4 |
| | | 2 | Less than 10 minutes | 133 | 10.2 |
| | | 3 | 10 to 20 minutes | 191 | 13.5 |
| | | 4 | 21 to 29 minutes | 43 | 3.1 |
| | | 5 | 30 or more minutes | 106 | 10.9 |
| | | Missing | 521 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|--|----------------------------|------|
| 144-144 | Q113 | If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station? | | | |
| | | 1 | I do not take the bus or use public transportation to get to school | 348 | 31.3 |
| | | 2 | I do not walk or bike to a bus stop or subway station to get to school | 37 | 3.0 |
| | | 3 | I walk to the bus stop or subway station | 696 | 65.1 |
| | | 4 | I ride a bike to the bus stop or subway station | 8 | 0.5 |
| | | Missing | 597 | | |
| 145-145 | Q114 | If you usually walk or bike to the bus stop or subway station to get to school, how long does it take? | | | |
| | | 1 | I do not walk or bike to a bus stop or subway station to get to school | 324 | 28.0 |
| | | 2 | Less than 10 minutes | 483 | 46.6 |
| | | 3 | 10 to 20 minutes | 211 | 17.7 |
| | | 4 | 21 to 29 minutes | 34 | 2.4 |
| | | 5 | 30 or more minutes | 52 | 5.4 |
| | | Missing | 582 | | |
| 146-146 | Q115 | During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City? | | | |
| | | 1 | Several times a month | 215 | 19.3 |
| | | 2 | At least once a month | 92 | 7.1 |
| | | 3 | A few times a year | 261 | 22.3 |
| | | 4 | Never | 612 | 51.4 |
| | | Missing | 506 | | |
| 147-147 | Q116 | On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting? | | | |
| | | 1 | 0 days | 339 | 30.4 |
| | | 2 | 1 day | 120 | 11.5 |
| | | 3 | 2 days | 142 | 10.8 |
| | | 4 | 3 days | 161 | 11.8 |
| | | 5 | 4 days | 88 | 7.9 |
| | | 6 | 5 days | 109 | 10.5 |
| | | 7 | 6 days | 41 | 4.1 |
| | | 8 | 7 days | 157 | 13.0 |
| | | Missing | 529 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|--|----------------------------|------|
| 148-148 | Q117 | Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing? | | | |
| | | 1 | 0 days | 393 | 33.9 |
| | | 2 | 1 day | 138 | 11.7 |
| | | 3 | 2 days | 161 | 14.8 |
| | | 4 | 3 days | 142 | 12.0 |
| | | 5 | 4 days | 68 | 7.6 |
| | | 6 | 5 days | 217 | 20.0 |
| | | Missing | 567 | | |
| 149-149 | Q118 | Outside of school, on an average day do you walk up at least 3 floors of stairs? | | | |
| | | 1 | I am not physically able to walk up the stairs | 65 | 6.1 |
| | | 2 | Yes | 843 | 77.8 |
| | | 3 | No | 195 | 16.1 |
| | | Missing | 583 | | |
| 150-150 | Q119 | Have you ever been tested for HIV, the virus that causes AIDS? | | | |
| | | 1 | Yes | 234 | 19.4 |
| | | 2 | No | 725 | 68.4 |
| | | 3 | Not sure | 122 | 12.2 |
| | | Missing | 605 | | |
| 151-151 | Q120 | During the past 12 months, have you had an episode of asthma or an asthma attack? | | | |
| | | 1 | I have never had asthma | 423 | 39.2 |
| | | 2 | Yes | 184 | 16.0 |
| | | 3 | No | 453 | 42.0 |
| | | 4 | Not sure | 35 | 2.8 |
| | | Missing | 591 | | |
| 152-152 | Q121 | When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher? | | | |
| | | 1 | Never | 629 | 54.4 |
| | | 2 | Rarely | 224 | 22.2 |
| | | 3 | Sometimes | 152 | 15.9 |
| | | 4 | Most of the time | 52 | 4.6 |
| | | 5 | Always | 34 | 2.9 |
| | | Missing | 595 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--|--|----------------------------|------|
| 153-153 | Q122 | During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? | | | |
| | | 1 | 0 times | 1,011 | 92.2 |
| | | 2 | 1 or 2 times | 42 | 3.4 |
| | | 3 | 3 to 9 times | 18 | 2.1 |
| | | 4 | 10 to 19 times | 9 | 0.6 |
| | | 5 | 20 to 39 times | 7 | 0.9 |
| | | 6 | 40 or more times | 8 | 0.9 |
| | | Missing | 591 | | |
| 154-154 | Q123 | In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones? | | | |
| | | 1 | I do not listen to a personal music player with head phones | 0 | 0.0 |
| | | 2 | Less than one hour | 0 | 0.0 |
| | | 3 | 1 to 4 hours (for example, 1 hour per day for 3 days per week) | 0 | 0.0 |
| | | 4 | 5 to 9 hours (for example, 1 hour per day for 7 days per week) | 0 | 0.0 |
| | | 5 | 10 or more hours (for example, at least 2 hours per day for 5 days per week) | 0 | 0.0 |
| | | 6 | Not sure | 0 | 0.0 |
| | | Missing | 1,686 | | |
| 155-155 | Q124 | At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones? | | | |
| | | 1 | I do not listen to a personal music player with head phones | 0 | 0.0 |
| | | 2 | Lower than 1/2 maximum volume | 0 | 0.0 |
| | | 3 | About 1/2 maximum volume | 0 | 0.0 |
| | | 4 | About 3/4 maximum volume | 0 | 0.0 |
| | | 5 | At the maximum volume | 0 | 0.0 |
| | | 6 | Not sure | 0 | 0.0 |
| | | Missing | 1,686 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|--|--|
| 156-156 | Q125 | Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers. | | |
| 157-157 | Q126 | In an average week, how many times do you go to bodegas, delis, or drugstores? 1 0 times 2 1 time per week 3 2 times per week 4 3 times per week 5 4 times per week 6 5 times per week 7 6 times per week 8 7 or more times per week Missing | 430 124 122 131 73 69 29 111 597 | 40.3 11.9 11.8 12.2 5.7 6.8 2.4 8.9 |
| 185-185 | QN8 | Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet 1 Yes 2 No Missing | 907 106 673 | 88.7 11.3 |
| 188-188 | QN11 | Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days 1 Yes 2 No Missing | 31 482 1,173 | 5.6 94.4 |
| 190-190 | QN13 | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days 1 Yes 2 No Missing | 143 1,495 48 | 7.6 92.4 |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 191-191 | QN14 | Percentage of students who carried a gun on one or more of the past 30 days | | |
| | | 1 Yes | 42 | 2.3 |
| | | 2 No | 1,613 | 97.7 |
| | | Missing | 31 | |
| 192-192 | QN15 | Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days | | |
| | | 1 Yes | 52 | 2.7 |
| | | 2 No | 1,597 | 97.3 |
| | | Missing | 37 | |
| 193-193 | QN16 | Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | | |
| | | 1 Yes | 151 | 7.6 |
| | | 2 No | 1,511 | 92.4 |
| | | Missing | 24 | |
| 194-194 | QN17 | Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months | | |
| | | 1 Yes | 126 | 7.1 |
| | | 2 No | 1,552 | 92.9 |
| | | Missing | 8 | |
| 195-195 | QN18 | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 Yes | 478 | 26.2 |
| | | 2 No | 1,196 | 73.8 |
| | | Missing | 12 | |
| 199-199 | QN22 | Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months | | |
| | | 1 Yes | 111 | 9.5 |
| | | 2 No | 860 | 90.5 |
| | | Missing | 715 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 200-200 | QN23 | Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months | | |
| | | 1 Yes | 98 | 8.7 |
| | | 2 No | 892 | 91.3 |
| | | Missing | 696 | |
| 201-201 | QN24 | Percentage of students who had ever been bullied on school property during the past 12 months | | |
| | | 1 Yes | 242 | 14.2 |
| | | 2 No | 1,424 | 85.8 |
| | | Missing | 20 | |
| 202-202 | QN25 | Percentage of students who had ever been electronically bullied during the past 12 months | | |
| | | 1 Yes | 173 | 10.6 |
| | | 2 No | 1,484 | 89.4 |
| | | Missing | 29 | |
| 203-203 | QN26 | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | | |
| | | 1 Yes | 481 | 25.5 |
| | | 2 No | 1,175 | 74.5 |
| | | Missing | 30 | |
| 204-204 | QN27 | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 Yes | 233 | 12.5 |
| | | 2 No | 1,415 | 87.5 |
| | | Missing | 38 | |
| 206-206 | QN29 | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 Yes | 113 | 7.4 |
| | | 2 No | 1,241 | 92.6 |
| | | Missing | 332 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 207-207 | QN30 | Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | | |
| | | 1 Yes | 35 | 2.2 |
| | | 2 No | 1,302 | 97.8 |
| | | Missing | 349 | |
| 208-208 | QN31 | Percentage of students who ever tried cigarette smoking, even one or two puffs | | |
| | | 1 Yes | 401 | 27.1 |
| | | 2 No | 1,207 | 72.9 |
| | | Missing | 78 | |
| 210-210 | QN33 | Percentage of students who smoked cigarettes on one or more of the past 30 days | | |
| | | 1 Yes | 97 | 6.8 |
| | | 2 No | 1,500 | 93.2 |
| | | Missing | 89 | |
| 211-211 | QN34 | Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days | | |
| | | 1 Yes | 11 | 7.5 |
| | | 2 No | 81 | 92.5 |
| | | Missing | 1,594 | |
| 214-214 | QN37 | Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days | | |
| | | 1 Yes | 85 | 7.6 |
| | | 2 No | 1,480 | 92.4 |
| | | Missing | 121 | |
| 216-216 | QN39 | Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 61 | 3.9 |
| | | 2 No | 1,557 | 96.1 |
| | | Missing | 68 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 217-217 | QN40 | Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days | | |
| | | 1 Yes | 110 | 6.9 |
| | | 2 No | 1,499 | 93.1 |
| | | Missing | 77 | |
| 220-220 | QN43 | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | |
| | | 1 Yes | 359 | 24.5 |
| | | 2 No | 1,069 | 75.5 |
| | | Missing | 258 | |
| 221-221 | QN44 | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days | | |
| | | 1 Yes | 148 | 8.9 |
| | | 2 No | 1,404 | 91.1 |
| | | Missing | 134 | |
| 222-222 | QN45 | Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days | | |
| | | 1 Yes | 24 | 1.4 |
| | | 2 No | 1,396 | 98.6 |
| | | Missing | 266 | |
| 223-223 | QN46 | Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days | | |
| | | 1 Yes | 103 | 29.1 |
| | | 2 No | 238 | 70.9 |
| | | Missing | 1,345 | |
| 225-225 | QN48 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 129 | 6.7 |
| | | 2 No | 1,426 | 93.3 |
| | | Missing | 131 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 226-226 | QN49 | Percentage of students who used marijuana one or more times during the past 30 days | | |
| | | 1 Yes | 261 | 14.0 |
| | | 2 No | 1,285 | 86.0 |
| | | Missing | 140 | |
| 227-227 | QN50 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | | |
| | | 1 Yes | 59 | 4.2 |
| | | 2 No | 1,490 | 95.8 |
| | | Missing | 137 | |
| 229-229 | QN52 | Percentage of students who used heroin one or more times during their life | | |
| | | 1 Yes | 36 | 2.4 |
| | | 2 No | 1,516 | 97.6 |
| | | Missing | 134 | |
| 230-230 | QN53 | Percentage of students who used methamphetamines one or more times during their life | | |
| | | 1 Yes | 50 | 3.6 |
| | | 2 No | 1,493 | 96.4 |
| | | Missing | 143 | |
| 231-231 | QN54 | Percentage of students who used ecstasy one or more times during their life | | |
| | | 1 Yes | 62 | 4.5 |
| | | 2 No | 1,463 | 95.5 |
| | | Missing | 161 | |
| 234-234 | QN57 | Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life | | |
| | | 1 Yes | 30 | 1.6 |
| | | 2 No | 1,492 | 98.4 |
| | | Missing | 164 | |
| 236-236 | QN59 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 486 | 31.9 |
| | | 2 No | 836 | 68.1 |
| | | Missing | 364 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 237-237 | QN60 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 104 | 5.3 |
| | | 2 No | 1,211 | 94.7 |
| | | Missing | 371 | |
| 238-238 | QN61 | Percentage of students who had sexual intercourse with four or more people during their life | | |
| | | 1 Yes | 160 | 12.0 |
| | | 2 No | 1,132 | 88.0 |
| | | Missing | 394 | |
| 239-239 | QN62 | Percentage of students who had sexual intercourse with one or more people during the past three months | | |
| | | 1 Yes | 313 | 20.4 |
| | | 2 No | 990 | 79.6 |
| | | Missing | 383 | |
| 240-240 | QN63 | Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse | | |
| | | 1 Yes | 43 | 15.3 |
| | | 2 No | 259 | 84.7 |
| | | Missing | 1,384 | |
| 241-241 | QN64 | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse | | |
| | | 1 Yes | 194 | 69.8 |
| | | 2 No | 80 | 30.2 |
| | | Missing | 1,412 | |
| 242-242 | QN65 | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 29 | 9.6 |
| | | 2 No | 234 | 90.4 |
| | | Missing | 1,423 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 243-243 | QN66 | Percentage of students who described themselves as slightly or very overweight | | |
| | | 1 Yes | 404 | 29.4 |
| | | 2 No | 992 | 70.6 |
| | | Missing | 290 | |
| 244-244 | QN67 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 616 | 43.4 |
| | | 2 No | 769 | 56.6 |
| | | Missing | 301 | |
| 248-248 | QN71 | Percentage of students who drank 100% fruit juices one or more times during the past seven days | | |
| | | 1 Yes | 1,043 | 74.9 |
| | | 2 No | 319 | 25.1 |
| | | Missing | 324 | |
| 249-249 | QN72 | Percentage of students who ate fruit one or more times during the past seven days | | |
| | | 1 Yes | 1,064 | 80.7 |
| | | 2 No | 295 | 19.3 |
| | | Missing | 327 | |
| 254-254 | QN77 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days | | |
| | | 1 Yes | 239 | 15.0 |
| | | 2 No | 1,078 | 85.0 |
| | | Missing | 369 | |
| 255-255 | QN78 | Percentage of students who drank three or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 84 | 5.9 |
| | | 2 No | 1,195 | 94.1 |
| | | Missing | 407 | |
| 256-256 | QN79 | Percentage of students who ate breakfast on all of the past seven days | | |
| | | 1 Yes | 398 | 31.6 |
| | | 2 No | 881 | 68.4 |
| | | Missing | 407 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 257-257 | QN80 | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days | | |
| | | 1 Yes | 415 | 39.0 |
| | | 2 No | 751 | 61.0 |
| | | Missing | 520 | |
| 258-258 | QN81 | Percentage of students who watched three or more hours per day of TV on an average school day | | |
| | | 1 Yes | 418 | 32.2 |
| | | 2 No | 733 | 67.8 |
| | | Missing | 535 | |
| 259-259 | QN82 | Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day | | |
| | | 1 Yes | 509 | 43.9 |
| | | 2 No | 623 | 56.1 |
| | | Missing | 554 | |
| 260-260 | QN83 | Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school | | |
| | | 1 Yes | 915 | 81.8 |
| | | 2 No | 201 | 18.2 |
| | | Missing | 570 | |
| 263-263 | QN86 | Percentage of students who had ever been told by a doctor or nurse that they had asthma | | |
| | | 1 Yes | 294 | 23.8 |
| | | 2 No | 797 | 76.2 |
| | | Missing | 595 | |
| 264-264 | QN87 | Percentage of students who live outside of Manhattan borough of New York | | |
| | | 1 Yes | 1,660 | 99.3 |
| | | 2 No | 12 | 0.7 |
| | | Missing | 14 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 265-265 | QN88 | Percentage of students who have lived in the United States less than one year | | |
| | | 1 Yes | 23 | 1.3 |
| | | 2 No | 1,637 | 98.7 |
| | | Missing | 26 | |
| 266-266 | QN89 | Percentage of students in whose home the people most of the time or always speak a language other than English | | |
| | | 1 Yes | 702 | 47.7 |
| | | 2 No | 956 | 52.3 |
| | | Missing | 28 | |
| 267-267 | QN90 | Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months | | |
| | | 1 Yes | 251 | 13.5 |
| | | 2 No | 1,422 | 86.5 |
| | | Missing | 13 | |
| 268-268 | QN91 | Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months | | |
| | | 1 Yes | 280 | 16.4 |
| | | 2 No | 1,313 | 83.6 |
| | | Missing | 93 | |
| 269-269 | QN92 | Percentage of students who tried cigarette smoking for the first time during the past 12 months | | |
| | | 1 Yes | 167 | 10.9 |
| | | 2 No | 1,342 | 89.1 |
| | | Missing | 177 | |
| 270-270 | QN93 | Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days | | |
| | | 1 Yes | 46 | 3.8 |
| | | 2 No | 1,524 | 96.2 |
| | | Missing | 116 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 271-271 | QN94 | Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs | | |
| | | 1 Yes | 138 | 11.4 |
| | | 2 No | 1,363 | 88.6 |
| | | Missing | 185 | |
| 272-272 | QN95 | Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars | | |
| | | 1 Yes | 217 | 14.8 |
| | | 2 No | 1,377 | 85.2 |
| | | Missing | 92 | |
| 273-273 | QN96 | Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days | | |
| | | 1 Yes | 177 | 38.9 |
| | | 2 No | 205 | 61.1 |
| | | Missing | 1,304 | |
| 274-274 | QN97 | Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months | | |
| | | 1 Yes | 109 | 7.8 |
| | | 2 No | 1,433 | 92.2 |
| | | Missing | 144 | |
| 275-275 | QN98 | Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months | | |
| | | 1 Yes | 78 | 6.4 |
| | | 2 No | 1,459 | 93.6 |
| | | Missing | 149 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 276-276 | QN99 | Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months | | |
| | | 1 Yes | 206 | 56.2 |
| | | 2 No | 170 | 43.8 |
| | | Missing | 1,310 | |
| 277-277 | QN100 | Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse | | |
| | | 1 Yes | 48 | 2.6 |
| | | 2 No | 1,293 | 97.4 |
| | | Missing | 345 | |
| 278-278 | QN101 | Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse | | |
| | | 1 Yes | 32 | 2.6 |
| | | 2 No | 1,288 | 97.4 |
| | | Missing | 366 | |
| 279-279 | QN102 | Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers. | | |
| 280-280 | QN103 | Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms | | |
| | | 1 Yes | 863 | 60.3 |
| | | 2 No | 540 | 39.7 |
| | | Missing | 283 | |
| 281-281 | QN104 | Percentage of students who have been pregnant or gotten someone pregnant one or more times | | |
| | | 1 Yes | 27 | 2.1 |
| | | 2 No | 1,295 | 97.9 |
| | | Missing | 364 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 282-282 | QN105 | Percentage of students who have had sexual contact with males and females during their life | | |
| | | 1 Yes | 60 | 3.6 |
| | | 2 No | 1,263 | 96.4 |
| | | Missing | 363 | |
| 283-283 | QN106 | Percentage of students who describe themselves as gay or lesbian or bisexual | | |
| | | 1 Yes | 153 | 9.8 |
| | | 2 No | 1,247 | 90.2 |
| | | Missing | 286 | |
| 284-284 | QN107 | Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days | | |
| | | 1 Yes | 349 | 28.9 |
| | | 2 No | 997 | 71.1 |
| | | Missing | 340 | |
| 285-285 | QN108 | Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days | | |
| | | 1 Yes | 176 | 10.6 |
| | | 2 No | 1,151 | 89.4 |
| | | Missing | 359 | |
| 286-286 | QN109 | Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days | | |
| | | 1 Yes | 274 | 18.9 |
| | | 2 No | 1,025 | 81.1 |
| | | Missing | 387 | |
| 287-287 | QN110 | Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk | | |
| | | 1 Yes | 188 | 15.1 |
| | | 2 No | 1,088 | 84.9 |
| | | Missing | 410 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 288-288 | QN111 | Percentage of students who usually walk or bike all the way to school in an average week when they are in school | | |
| | | 1 Yes | 288 | 22.8 |
| | | 2 No | 874 | 77.2 |
| | | Missing | 524 | |
| 289-289 | QN112 | Percentage of students who usually walk or bike more than 20 minutes all the way to school | | |
| | | 1 Yes | 149 | 13.9 |
| | | 2 No | 1,016 | 86.1 |
| | | Missing | 521 | |
| 290-290 | QN113 | Percentage of students who walk or bike to the bus stop or subway station to get to school | | |
| | | 1 Yes | 704 | 65.6 |
| | | 2 No | 385 | 34.4 |
| | | Missing | 597 | |
| 291-291 | QN114 | Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school | | |
| | | 1 Yes | 297 | 25.4 |
| | | 2 No | 807 | 74.6 |
| | | Missing | 582 | |
| 292-292 | QN115 | Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months | | |
| | | 1 Yes | 568 | 48.6 |
| | | 2 No | 612 | 51.4 |
| | | Missing | 506 | |
| 293-293 | QN116 | Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days | | |
| | | 1 Yes | 556 | 47.3 |
| | | 2 No | 601 | 52.7 |
| | | Missing | 529 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 294-294 | QN117 | Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year | | |
| | | 1 Yes | 726 | 66.1 |
| | | 2 No | 393 | 33.9 |
| | | Missing | 567 | |
| 295-295 | QN118 | Percentage of students who walk up at least three floors of stairs outside of school on an average day | | |
| | | 1 Yes | 843 | 77.8 |
| | | 2 No | 260 | 22.2 |
| | | Missing | 583 | |
| 296-296 | QN119 | Percentage of students who had ever been tested for HIV, the virus that causes AIDS | | |
| | | 1 Yes | 234 | 19.4 |
| | | 2 No | 847 | 80.6 |
| | | Missing | 605 | |
| 297-297 | QN120 | Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months | | |
| | | 1 Yes | 184 | 16.0 |
| | | 2 No | 911 | 84.0 |
| | | Missing | 591 | |
| 298-298 | QN121 | Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day | | |
| | | 1 Yes | 86 | 7.5 |
| | | 2 No | 1,005 | 92.5 |
| | | Missing | 595 | |
| 299-299 | QN122 | Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months | | |
| | | 1 Yes | 84 | 7.8 |
| | | 2 No | 1,011 | 92.2 |
| | | Missing | 591 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 302-302 | QN125 | Percentage of students who have ever used the school-based health center (school clinic) at their school DATA NOT DISPLAYED. Please send an e-mail to epidatrequest@health.nyc.gov with requests for data related to school-based health centers. | | |
| 303-303 | QN126 | Percentage of students who go to bodegas, delis, or drugstores two or more times per week 1 Yes 2 No Missing | 535 554 597 | 47.8 52.2 |
| 350-350 | QNFRCIG | Percentage of students who smoked cigarettes on 20 or more of the past 30 days 1 Yes 2 No Missing | 27 1,570 89 | 2.3 97.7 |
| 351-351 | QNANYTOB | Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days 1 Yes 2 No Missing | 158 1,390 138 | 10.8 89.2 |
| 352-352 | QNOTHH | Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse 1 Yes 2 No Missing | 6 257 1,423 | 2.0 98.0 |
| 353-353 | QNOTHHPL | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse 1 Yes 2 No Missing | 35 228 1,423 | 11.6 88.4 |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 354-354 | QNDUALBC | Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 13 | 5.6 |
| | | 2 No | 247 | 94.4 |
| | | | 1,426 | |
| 355-355 | QNBCNONE | Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 43 | 17.3 |
| | | 2 No | 220 | 82.7 |
| | | | 1,423 | |
| 357-357 | QNFRUIT | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days | | |
| | | 1 Yes | 408 | 28.7 |
| | | 2 No | 927 | 71.3 |
| | | | 351 | |
| 358-358 | QNFR0 | Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days | | |
| | | 1 Yes | 114 | 7.1 |
| | | 2 No | 1,221 | 92.9 |
| | | | 351 | |
| 359-359 | QNFR1 | Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days | | |
| | | 1 Yes | 736 | 56.2 |
| | | 2 No | 599 | 43.8 |
| | | | 351 | |
| 360-360 | QNFR3 | Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days | | |
| | | 1 Yes | 294 | 19.7 |
| | | 2 No | 1,041 | 80.3 |
| | | | 351 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 366-366 | QNSODA0 | Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days | | |
| | | 1 Yes | 382 | 32.6 |
| | | 2 No | 935 | 67.4 |
| | | Missing | 369 | |
| 367-367 | QNSODA2 | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days | | |
| | | 1 Yes | 167 | 10.1 |
| | | 2 No | 1,150 | 89.9 |
| | | Missing | 369 | |
| 368-368 | QNSODA3 | Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days | | |
| | | 1 Yes | 101 | 6.0 |
| | | 2 No | 1,216 | 94.0 |
| | | Missing | 369 | |
| 369-369 | QNMILK0 | Percentage of students who drank 0 glasses per day of milk during the past seven days | | |
| | | 1 Yes | 400 | 29.4 |
| | | 2 No | 879 | 70.6 |
| | | Missing | 407 | |
| 370-370 | QNMILK1 | Percentage of students who drank one or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 283 | 22.9 |
| | | 2 No | 996 | 77.1 |
| | | Missing | 407 | |
| 371-371 | QNMILK2 | Percentage of students who drank two or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 169 | 13.4 |
| | | 2 No | 1,110 | 86.6 |
| | | Missing | 407 | |
| 372-372 | QNNOBKFT | Percentage of students who ate breakfast on none of the past seven days | | |
| | | 1 Yes | 207 | 15.3 |
| | | 2 No | 1,072 | 84.7 |
| | | Missing | 407 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 373-373 | QNDLYPE | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school | | |
| | | 1 Yes | 375 | 44.0 |
| | | 2 No | 741 | 56.0 |
| | | Missing | 570 | |
| 374-374 | QNPA0DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days | | |
| | | 1 Yes | 231 | 19.3 |
| | | 2 No | 935 | 80.7 |
| | | Missing | 520 | |
| 375-375 | QNPA7DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days | | |
| | | 1 Yes | 232 | 21.1 |
| | | 2 No | 934 | 78.9 |
| | | Missing | 520 | |
| 376-376 | QNOWT | Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 230 | 15.2 |
| | | 2 No | 1,265 | 84.8 |
| | | Missing | 191 | |
| 377-377 | QNOBESE | Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 188 | 10.5 |
| | | 2 No | 1,307 | 89.5 |
| | | Missing | 191 | |
| 378-387 | WEIGHT | | | |
| 388-390 | STRATUM | | | |
| 391-396 | PSU | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--------------------------------|-----------------------------|----------------------------|
| 397-401 | BMIPCT | | | |
| 402-403 | RACEETH | | | |
| | | 1 Am Indian / Alaska Native | 30 | 0.3 |
| | | 2 Asian | 129 | 15.9 |
| | | 3 Black or African American | 721 | 42.7 |
| | | 4 Native Hawaiian/other PI | 20 | 0.1 |
| | | 5 White | 156 | 14.1 |
| | | 6 Hispanic/Latino | 193 | 11.2 |
| | | 7 Multiple - Hispanic | 295 | 15.1 |
| | | 8 Multiple - Non-Hispanic | 55 | 0.6 |
| | | Missing | 87 | |
| 404-406 | Q6ORIG | | | |
| 407-409 | Q7ORIG | | | |