

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE	Site Code		
4-13	SCHOOL	School Codes		
14-16	CLASS	Class Codes		
17-17	Q1	How old are you?		
		1 12 years old or younger	5	0.1
		2 13 years old	13	0.2
		3 14 years old	1,147	18.2
		4 15 years old	1,846	28.9
		5 16 years old	1,947	25.9
		6 17 years old	1,630	18.2
		7 18 years old or older	789	8.6
		Missing	13	
18-18	Q2	What is your sex?		
		1 Female	3,752	50.8
		2 Male	3,594	49.2
		Missing	44	
19-19	Q3	In what grade are you?		
		1 9th grade	2,194	37.3
		2 10th grade	2,108	30.9
		3 11th grade	1,662	17.2
		4 12th grade	1,387	14.5
		5 Ungraded or other grade	12	0.2
		Missing	27	
20-21	Q4	How do you describe yourself?		
		1 American Indian or Alaska Native	98	1.0
		2 Asian	1,025	9.1
		3 Black or African American	1,875	34.8
		4 Hispanic or Latino	2,254	34.3
		5 Native Hawaiian or Other Pacific Islander	72	0.7
		6 White	1,515	16.5
		7 Multiple - Hispanic	285	2.6
		8 Multiple - Non-hispanic	132	1.1
		Missing	134	
22-25	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
26-31	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent	
32-32	Q7	During the past 12 months, how would you describe your grades in school?			
		1	Mostly A's	1,287	13.9
		2	Mostly B's	2,784	37.7
		3	Mostly C's	1,935	29.0
		4	Mostly D's	436	6.5
		5	Mostly F's	184	2.7
		6	None of these grades	54	0.8
		7	Not sure	617	9.5
		Missing	93		
33-33	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	2,916	37.8
		2	Never wore a helmet	3,432	50.5
		3	Rarely wore a helmet	376	4.9
		4	Sometimes wore a helmet	233	3.5
		5	Most of the time wore a helmet	120	1.5
		6	Always wore a helmet	140	1.8
		Missing	173		
34-34	Q9	How often do you wear a seat belt when riding in a car driven by someone else?			
		1	Never	506	7.2
		2	Rarely	806	11.4
		3	Sometimes	1,491	21.3
		4	Most of the time	1,955	25.6
		5	Always	2,603	34.4
		Missing	29		
35-35	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
		1	0 times	5,968	81.4
		2	1 time	509	6.5
		3	2 or 3 times	430	5.8
		4	4 or 5 times	119	1.9
		5	6 or more times	310	4.4
		Missing	54		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
36-36	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	6,924	95.5
		2 1 time	147	2.0
		3 2 or 3 times	93	1.1
		4 4 or 5 times	27	0.4
		5 6 or more times	77	1.0
		Missing	122	
37-37	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	6,220	84.9
		2 1 day	258	3.8
		3 2 or 3 days	259	3.9
		4 4 or 5 days	103	1.5
		5 6 or more days	423	5.9
		Missing	127	
38-38	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	7,050	96.2
		2 1 day	84	1.2
		3 2 or 3 days	60	1.0
		4 4 or 5 days	27	0.5
		5 6 or more days	89	1.2
		Missing	80	
39-39	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	6,852	93.9
		2 1 day	117	1.8
		3 2 or 3 days	90	1.4
		4 4 or 5 days	44	0.5
		5 6 or more days	187	2.4
		Missing	100	
40-40	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	6,604	89.3
		2 1 day	382	5.4
		3 2 or 3 days	203	2.9
		4 4 or 5 days	48	0.6
		5 6 or more days	118	1.8
		Missing	35	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
41-41	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	6,720	91.1
		2 1 time	325	4.8
		3 2 or 3 times	134	1.9
		4 4 or 5 times	42	0.6
		5 6 or 7 times	26	0.3
		6 8 or 9 times	17	0.2
		7 10 or 11 times	4	0.1
		8 12 or more times	78	1.1
	Missing	44		
42-42	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	5,664	77.1
		2 1 time	940	13.0
		3 2 or 3 times	490	6.6
		4 4 or 5 times	96	1.2
		5 6 or 7 times	36	0.5
		6 8 or 9 times	20	0.3
		7 10 or 11 times	12	0.2
		8 12 or more times	86	1.2
	Missing	46		
43-43	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	4,649	62.4
		2 1 time	1,070	15.7
		3 2 or 3 times	821	12.5
		4 4 or 5 times	231	3.6
		5 6 or 7 times	116	1.6
		6 8 or 9 times	52	0.7
		7 10 or 11 times	36	0.6
		8 12 or more times	212	3.0
	Missing	203		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
44-44	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	6,904	94.7
		2 1 time	279	4.0
		3 2 or 3 times	53	0.8
		4 4 or 5 times	8	0.1
		5 6 or more times	29	0.4
		Missing	117	
45-45	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	6,076	82.3
		2 1 time	701	10.5
		3 2 or 3 times	319	5.0
		4 4 or 5 times	58	0.8
		5 6 or 7 times	26	0.4
		6 8 or 9 times	18	0.3
		7 10 or 11 times	4	0.1
		8 12 or more times	51	0.7
		Missing	137	
46-46	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	547	7.3
		2 No	6,798	92.7
		Missing	45	
47-47	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	428	5.8
		2 No	6,913	94.2
		Missing	49	
48-48	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	2,355	32.2
		2 No	4,996	67.8
		Missing	39	
49-49	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,030	13.6
		2 No	6,301	86.4
		Missing	59	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
50-50	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	824	10.7
		2 No	6,528	89.3
		Missing	38	
51-51	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	5,533	91.6
		2 1 time	282	4.7
		3 2 or 3 times	139	2.5
		4 4 or 5 times	21	0.3
		5 6 or more times	59	0.9
Missing	1,356			
52-52	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	5,422	91.5
		2 Yes	113	1.9
		3 No	382	6.6
Missing	1,473			
53-53	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	3,631	49.4
		2 No	3,587	50.6
Missing	172			
54-54	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	4,616	65.7
		2 8 years old or younger	140	2.0
		3 9 or 10 years old	209	2.9
		4 11 or 12 years old	552	7.9
		5 13 or 14 years old	1,041	14.3
		6 15 or 16 years old	509	6.2
		7 17 years old or older	89	1.1
Missing	234			

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
55-55	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	5,898	85.2
		2 1 or 2 days	311	4.4
		3 3 to 5 days	167	2.4
		4 6 to 9 days	91	1.2
		5 10 to 19 days	106	1.5
		6 20 to 29 days	105	1.4
		7 All 30 days	316	3.9
		Missing	396	
56-56	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	5,872	84.9
		2 Less than 1 cigarette per day	261	3.9
		3 1 cigarette per day	240	3.4
		4 2 to 5 cigarettes per day	418	5.4
		5 6 to 10 cigarettes per day	124	1.5
		6 11 to 20 cigarettes per day	46	0.5
		7 More than 20 cigarettes per day	29	0.3
		Missing	400	
57-57	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	5,860	85.0
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	401	5.3
		3 I bought them from a vending machine	16	0.2
		4 I gave someone else money to buy them for me	109	1.5
		5 I borrowed (or bummed) them from someone else	294	3.8
		6 A person 18 years old or older gave them to me	71	1.0
		7 I took them from a store or family member	68	1.0
		8 I got them some other way	148	2.2
		Missing	423	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
58-58	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	6,620	92.3
		2 1 or 2 days	187	2.7
		3 3 to 5 days	89	1.1
		4 6 to 9 days	57	0.7
		5 10 to 19 days	60	0.9
		6 20 to 29 days	59	0.6
		7 All 30 days	164	1.8
	Missing	154		
59-59	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	667	8.1
		2 No	6,584	91.9
		Missing	139	
60-60	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	5,371	77.1
		2 Yes	838	11.5
		3 No	782	11.4
		Missing	399	
61-61	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	7,165	98.4
		2 1 or 2 days	41	0.5
		3 3 to 5 days	26	0.3
		4 6 to 9 days	15	0.2
		5 10 to 19 days	9	0.1
		6 20 to 29 days	6	0.1
		7 All 30 days	28	0.4
	Missing	100		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
62-62	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?		
		1 0 days	7,210	99.0
		2 1 or 2 days	26	0.3
		3 3 to 5 days	17	0.2
		4 6 to 9 days	14	0.2
		5 10 to 19 days	2	0.0
		6 20 to 29 days	4	0.1
		7 All 30 days	21	0.3
	Missing	96		
63-63	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	6,924	94.5
		2 1 or 2 days	222	3.2
		3 3 to 5 days	57	0.8
		4 6 to 9 days	32	0.4
		5 10 to 19 days	25	0.3
		6 20 to 29 days	9	0.1
		7 All 30 days	59	0.8
	Missing	62		
64-64	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	1,929	31.3
		2 1 or 2 days	1,128	18.6
		3 3 to 9 days	1,036	16.1
		4 10 to 19 days	709	10.5
		5 20 to 39 days	603	8.6
		6 40 to 99 days	494	7.0
		7 100 or more days	581	7.9
	Missing	910		
65-65	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,887	30.3
		2 8 years old or younger	558	9.0
		3 9 or 10 years old	501	7.9
		4 11 or 12 years old	897	14.1
		5 13 or 14 years old	1,560	23.5
		6 15 or 16 years old	964	13.0
		7 17 years old or older	164	2.1
	Missing	859		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
66-66	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	4,353	64.5
		2 1 or 2 days	1,407	20.0
		3 3 to 5 days	589	8.1
		4 6 to 9 days	270	3.1
		5 10 to 19 days	199	2.7
		6 20 to 29 days	45	0.6
		7 All 30 days	66	1.0
	Missing	461		
67-67	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	5,964	84.3
		2 1 day	488	6.3
		3 2 days	307	3.9
		4 3 to 5 days	227	2.8
		5 6 to 9 days	117	1.3
		6 10 to 19 days	57	0.8
		7 20 or more days	47	0.7
	Missing	183		
68-68	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	6,826	94.3
		2 1 or 2 days	269	3.8
		3 3 to 5 days	69	0.9
		4 6 to 9 days	25	0.4
		5 10 to 19 days	12	0.2
		6 20 to 29 days	8	0.1
		7 All 30 days	30	0.3
	Missing	151		
69-69	Q44	During your life, how many times have you used marijuana?		
		1 0 times	5,004	70.2
		2 1 or 2 times	613	8.3
		3 3 to 9 times	446	6.1
		4 10 to 19 times	282	3.8
		5 20 to 39 times	220	3.1
		6 40 to 99 times	217	3.1
		7 100 or more times	421	5.4
	Missing	187		

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
70-70	Q45	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	5,010	70.0
		2 8 years old or younger	72	1.0
		3 9 or 10 years old	86	1.3
		4 11 or 12 years old	331	4.9
		5 13 or 14 years old	949	13.3
		6 15 or 16 years old	683	8.2
		7 17 years old or older	105	1.2
		Missing	154	
71-71	Q46	During the past 30 days, how many times did you use marijuana?		
		1 0 times	6,095	84.7
		2 1 or 2 times	426	5.7
		3 3 to 9 times	235	3.1
		4 10 to 19 times	153	2.1
		5 20 to 39 times	105	1.6
		6 40 or more times	204	2.7
		Missing	172	
72-72	Q47	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	6,895	95.0
		2 1 or 2 times	152	2.1
		3 3 to 9 times	79	1.1
		4 10 to 19 times	46	0.6
		5 20 to 39 times	23	0.3
		6 40 or more times	59	0.8
		Missing	136	
73-73	Q48	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	6,995	96.5
		2 1 or 2 times	122	1.5
		3 3 to 9 times	65	0.8
		4 10 to 19 times	30	0.4
		5 20 to 39 times	17	0.2
		6 40 or more times	43	0.5
		Missing	118	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
74-74	Q49	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	7,137	98.3
		2 1 or 2 times	70	0.9
		3 3 to 9 times	21	0.2
		4 10 to 19 times	16	0.2
		5 20 to 39 times	7	0.1
		6 40 or more times	27	0.3
		Missing	112	
75-75	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	6,689	92.8
		2 1 or 2 times	303	4.1
		3 3 to 9 times	114	1.4
		4 10 to 19 times	46	0.6
		5 20 to 39 times	29	0.3
		6 40 or more times	68	0.8
		Missing	141	
76-76	Q51	During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	7,073	97.5
		2 1 or 2 times	105	1.5
		3 3 to 9 times	37	0.4
		4 10 to 19 times	13	0.2
		5 20 to 39 times	11	0.1
		6 40 or more times	30	0.3
		Missing	121	
77-77	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	7,178	98.4
		2 1 or 2 times	42	0.7
		3 3 to 9 times	22	0.2
		4 10 to 19 times	11	0.2
		5 20 to 39 times	9	0.1
		6 40 or more times	33	0.4
		Missing	95	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
78-78	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	7,090	97.6
		2 1 or 2 times	84	1.2
		3 3 to 9 times	37	0.5
		4 10 to 19 times	22	0.2
		5 20 to 39 times	9	0.1
		6 40 or more times	38	0.4
		Missing	110	
79-79	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	6,886	95.0
		2 1 or 2 times	210	2.9
		3 3 to 9 times	79	0.8
		4 10 to 19 times	43	0.5
		5 20 to 39 times	27	0.2
		6 40 or more times	52	0.6
		Missing	93	
80-80	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	7,113	97.5
		2 1 or 2 times	65	1.0
		3 3 to 9 times	50	0.7
		4 10 to 19 times	18	0.2
		5 20 to 39 times	13	0.2
		6 40 or more times	44	0.5
		Missing	87	
81-81	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	7,209	98.7
		2 1 time	37	0.6
		3 2 or more times	55	0.7
		Missing	89	
82-82	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	1,684	21.9
		2 No	5,572	78.1
		Missing	134	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
83-83	Q58	Have you ever had sexual intercourse?		
		1 Yes	3,225	48.0
		2 No	3,730	52.0
		Missing	435	
84-84	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	3,736	52.2
		2 11 years old or younger	322	5.6
		3 12 years old	318	5.4
		4 13 years old	552	9.0
		5 14 years old	728	11.1
		6 15 years old	642	8.9
		7 16 years old	437	5.3
		8 17 years old or older	208	2.5
		Missing	447	
85-85	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	3,733	52.2
		2 1 person	1,102	15.6
		3 2 people	582	8.8
		4 3 people	420	6.2
		5 4 people	263	4.2
		6 5 people	167	2.5
		7 6 or more people	665	10.4
		Missing	458	
86-86	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	3,726	52.2
		2 I have had sexual intercourse, but not during the past 3 months	903	14.0
		3 1 person	1,598	22.7
		4 2 people	320	5.1
		5 3 people	123	1.9
		6 4 people	93	1.5
		7 5 people	30	0.5
		8 6 or more people	138	2.2
		Missing	459	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
87-87	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	3,712	52.0
		2 Yes	477	6.4
		3 No	2,731	41.6
		Missing	470	
88-88	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	3,712	52.5
		2 Yes	2,423	37.2
		3 No	723	10.3
		Missing	532	
89-89	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	3,724	52.9
		2 No method was used to prevent pregnancy	329	4.9
		3 Birth control pills	157	2.2
		4 Condoms	2,214	34.3
		5 Depo-Provera (injectable birth control)	45	0.6
		6 Withdrawal	219	2.8
		7 Some other method	65	1.0
		8 Not sure	77	1.3
		Missing	560	
90-90	Q65	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	6,701	93.6
		2 1 time	271	4.0
		3 2 or more times	83	1.1
		4 Not sure	88	1.3
		Missing	247	
91-91	Q66	How do you describe your weight?		
		1 Very underweight	252	3.8
		2 Slightly underweight	946	12.8
		3 About the right weight	4,027	56.3
		4 Slightly overweight	1,722	23.4
		5 Very overweight	286	3.6
		Missing	157	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
92-92	Q67	Which of the following are you trying to do about your weight?		
		1 Lose weight	3,163	42.8
		2 Gain weight	1,454	20.6
		3 Stay the same weight	1,451	20.6
		4 I am not trying to do anything about my weight	1,161	16.0
		Missing	161	
93-93	Q68	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	4,161	56.6
		2 No	3,050	43.4
		Missing	179	
94-94	Q69	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	2,697	36.6
		2 No	4,508	63.4
		Missing	185	
95-95	Q70	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	775	11.3
		2 No	6,443	88.7
		Missing	172	
96-96	Q71	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	363	4.5
		2 No	6,845	95.5
		Missing	182	
97-97	Q72	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	272	4.0
		2 No	6,915	96.0
		Missing	203	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
98-98	Q73	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	1,153	15.7
		2 1 to 3 times during the past 7 days	2,077	28.8
		3 4 to 6 times during the past 7 days	1,265	18.2
		4 1 time per day	515	6.3
		5 2 times per day	704	9.2
		6 3 times per day	531	7.7
		7 4 or more times per day	943	14.1
		Missing	202	
99-99	Q74	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,316	19.4
		2 1 to 3 times during the past 7 days	2,679	37.6
		3 4 to 6 times during the past 7 days	1,174	16.0
		4 1 time per day	682	8.4
		5 2 times per day	573	7.8
		6 3 times per day	270	3.9
		7 4 or more times per day	485	7.0
		Missing	211	
100-100	Q75	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	2,708	40.0
		2 1 to 3 times during the past 7 days	2,417	32.3
		3 4 to 6 times during the past 7 days	810	10.5
		4 1 time per day	712	9.4
		5 2 times per day	239	3.3
		6 3 times per day	88	1.3
		7 4 or more times per day	218	3.3
		Missing	198	
101-101	Q76	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	2,744	40.2
		2 1 to 3 times during the past 7 days	3,121	41.5
		3 4 to 6 times during the past 7 days	612	8.2
		4 1 time per day	345	5.1
		5 2 times per day	140	1.8
		6 3 times per day	61	0.9
		7 4 or more times per day	159	2.3
		Missing	208	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
102-102	Q77	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	4,321	61.5
		2 1 to 3 times during the past 7 days	2,009	26.4
		3 4 to 6 times during the past 7 days	342	4.9
		4 1 time per day	255	3.6
		5 2 times per day	93	1.4
		6 3 times per day	44	0.6
		7 4 or more times per day	110	1.6
		Missing	216	
103-103	Q78	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	1,791	27.3
		2 1 to 3 times during the past 7 days	2,561	35.9
		3 4 to 6 times during the past 7 days	1,235	16.3
		4 1 time per day	852	10.7
		5 2 times per day	355	4.4
		6 3 times per day	145	1.8
		7 4 or more times per day	249	3.6
		Missing	202	
104-104	Q79	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	1,626	23.6
		2 1 to 3 glasses during the past 7 days	1,973	27.9
		3 4 to 6 glasses during the past 7 days	1,226	17.2
		4 1 glass per day	896	11.6
		5 2 glasses per day	752	9.6
		6 3 glasses per day	338	4.6
		7 4 or more glasses per day	376	5.5
		Missing	203	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
105-105	Q80	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		1 0 days	1,227	17.5
		2 1 day	696	10.0
		3 2 days	836	11.6
		4 3 days	874	11.9
		5 4 days	694	9.7
		6 5 days	1,056	15.2
		7 6 days	369	4.8
		8 7 days	1,392	19.4
		Missing	246	
106-106	Q81	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?		
		1 0 days	2,644	38.0
		2 1 day	875	12.5
		3 2 days	870	11.8
		4 3 days	676	9.3
		5 4 days	415	5.4
		6 5 days	557	7.8
		7 6 days	172	2.5
		8 7 days	931	12.6
		Missing	250	
107-107	Q82	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	1,618	22.7
		2 1 day	664	9.3
		3 2 days	833	11.2
		4 3 days	927	12.7
		5 4 days	702	9.7
		6 5 days	1,007	13.6
		7 6 days	289	4.1
		8 7 days	1,123	16.6
		Missing	227	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
108-108	Q83	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	397	5.2
		2 Less than 1 hour per day	698	8.8
		3 1 hour per day	731	9.3
		4 2 hours per day	1,385	17.6
		5 3 hours per day	1,301	17.4
		6 4 hours per day	925	13.3
		7 5 or more hours per day	1,720	28.4
		Missing	233	
109-109	Q84	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	874	12.0
		2 1 day	233	3.8
		3 2 days	630	10.6
		4 3 days	810	11.2
		5 4 days	896	13.5
		6 5 days	3,337	48.9
		Missing	610	
110-110	Q85	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	868	11.9
		2 Less than 10 minutes	518	8.0
		3 10 to 20 minutes	1,188	17.0
		4 21 to 30 minutes	1,439	20.4
		5 31 to 40 minutes	1,467	21.7
		6 41 to 50 minutes	832	13.5
		7 51 to 60 minutes	133	2.2
		8 More than 60 minutes	323	5.3
		Missing	622	
111-111	Q86	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	3,838	54.5
		2 1 team	1,713	22.9
		3 2 teams	888	12.6
		4 3 or more teams	688	10.0
		Missing	263	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
112-112	Q87	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	5,927	84.6
		2 No	704	11.3
		3 Not sure	289	4.2
		Missing	470	
113-113	QN7	Percentage of students who received grades of mostly D's and F's during the past 12 months		
		1 Yes	620	9.2
		2 No	6,677	90.8
		Missing	93	
114-114	QN8	Of students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	3,808	89.1
		2 No	493	10.9
		Missing	3,089	
115-115	QN9	Percentage of students who never or rarely wear a seat belt when riding in a car driven by someone else		
		1 Yes	1,312	18.6
		2 No	6,049	81.4
		Missing	29	
116-116	QN10	Percentage of students who, during the past 30 days, rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol		
		1 Yes	1,368	18.6
		2 No	5,968	81.4
		Missing	54	
117-117	QN11	Percentage of students who, during the past 30 days, drove a car or other vehicle one or more times when they had been drinking alcohol		
		1 Yes	344	4.5
		2 No	6,924	95.5
		Missing	122	
118-118	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	1,043	15.1
		2 No	6,220	84.9
		Missing	127	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
119-119	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	260	3.8
		2 No	7,050	96.2
		Missing	80	
120-120	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	438	6.1
		2 No	6,852	93.9
		Missing	100	
121-121	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school		
		1 Yes	751	10.7
		2 No	6,604	89.3
		Missing	35	
122-122	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	626	8.9
		2 No	6,720	91.1
		Missing	44	
123-123	QN17	Percentage of students who have had property, such as their car, clothing, or books stolen or damaged on school property during the past 12 months		
		1 Yes	1,680	22.9
		2 No	5,664	77.1
		Missing	46	
124-124	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	2,538	37.6
		2 No	4,649	62.4
		Missing	203	
125-125	QN19	Percentage of students who were injured in a physical fight one or more times during the past 12 months and had to be treated by a doctor or nurse		
		1 Yes	369	5.3
		2 No	6,904	94.7
		Missing	117	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
126-126	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,177	17.7
		2 No	6,076	82.3
		Missing	137	
127-127	QN21	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	547	7.3
		2 No	6,798	92.7
		Missing	45	
128-128	QN22	Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	428	5.8
		2 No	6,913	94.2
		Missing	49	
129-129	QN23	Percentage of students who, during the past 12 months, ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities		
		1 Yes	2,355	32.2
		2 No	4,996	67.8
		Missing	39	
130-130	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,030	13.6
		2 No	6,301	86.4
		Missing	59	
131-131	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	824	10.7
		2 No	6,528	89.3
		Missing	38	
132-132	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	501	8.4
		2 No	5,533	91.6
		Missing	1,356	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
133-133	QN27	Percentage of students whose attempted suicide during the past 12 months resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	113	1.9
		2 No	5,804	98.1
		Missing	1,473	
134-134	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	3,631	49.4
		2 No	3,587	50.6
		Missing	172	
135-135	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13		
		1 Yes	901	12.8
		2 No	6,255	87.2
		Missing	234	
136-136	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	1,096	14.8
		2 No	5,898	85.2
		Missing	396	
137-137	QN31	Percentage of students who smoked two or more cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	617	7.8
		2 No	6,373	92.2
		Missing	400	
138-138	QN32	Percentage of students who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	401	5.3
		2 No	6,566	94.7
		Missing	423	
139-139	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	616	7.7
		2 No	6,620	92.3
		Missing	154	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
140-140	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	667	8.1
		2 No	6,584	91.9
		Missing	139	
141-141	QN35	Of students who are current smokers, the percentage who tried to quit smoking during the past 12 months		
		1 Yes	638	61.0
		2 No	425	39.0
		Missing	6,327	
142-142	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	125	1.6
		2 No	7,165	98.4
		Missing	100	
143-143	QN37	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days		
		1 Yes	84	1.0
		2 No	7,210	99.0
		Missing	96	
144-144	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	404	5.5
		2 No	6,924	94.5
		Missing	62	
145-145	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	4,551	68.7
		2 No	1,929	31.3
		Missing	910	
146-146	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13		
		1 Yes	1,956	31.0
		2 No	4,575	69.0
		Missing	859	
147-147	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	2,576	35.5
		2 No	4,353	64.5
		Missing	461	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
148-148	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,243	15.7
		2 No	5,964	84.3
		Missing	183	
149-149	QN43	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	413	5.7
		2 No	6,826	94.3
		Missing	151	
150-150	QN44	Percentage of students who used marijuana one or more times during their life		
		1 Yes	2,199	29.8
		2 No	5,004	70.2
		Missing	187	
151-151	QN45	Percentage of students who tried marijuana for the first time before age 13		
		1 Yes	489	7.2
		2 No	6,747	92.8
		Missing	154	
152-152	QN46	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	1,123	15.3
		2 No	6,095	84.7
		Missing	172	
153-153	QN47	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	359	5.0
		2 No	6,895	95.0
		Missing	136	
154-154	QN48	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	277	3.5
		2 No	6,995	96.5
		Missing	118	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
155-155	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	141	1.7
		2 No	7,137	98.3
		Missing	112	
156-156	QN50	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	560	7.2
		2 No	6,689	92.8
		Missing	141	
157-157	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during the past 30 days		
		1 Yes	196	2.5
		2 No	7,073	97.5
		Missing	121	
158-158	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	117	1.6
		2 No	7,178	98.4
		Missing	95	
159-159	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	190	2.4
		2 No	7,090	97.6
		Missing	110	
160-160	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	411	5.0
		2 No	6,886	95.0
		Missing	93	
161-161	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	190	2.5
		2 No	7,113	97.5
		Missing	87	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
162-162	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	92	1.3
		2 No	7,209	98.7
		Missing	89	
163-163	QN57	Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months		
		1 Yes	1,684	21.9
		2 No	5,572	78.1
		Missing	134	
164-164	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	3,225	48.0
		2 No	3,730	52.0
		Missing	435	
165-165	QN59	Percentage of students who had sexual intercourse for the first time before age 13		
		1 Yes	640	11.0
		2 No	6,303	89.0
		Missing	447	
166-166	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	1,095	17.1
		2 No	5,837	82.9
		Missing	458	
167-167	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	2,302	33.9
		2 No	4,629	66.1
		Missing	459	
168-168	QN62	Of students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	379	15.5
		2 No	1,902	84.5
		Missing	5,109	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
169-169	QN63	Of students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	1,671	76.4
		2 No	570	23.6
		Missing	5,149	
170-170	QN64	Of students who had sexual intercourse during the past three months, the percentage who used birth control pills during last sexual intercourse		
		1 Yes	132	5.5
		2 No	2,076	94.5
		Missing	5,182	
171-171	QN65	Percentage of students who had been pregnant or gotten someone pregnant one or more times		
		1 Yes	354	5.1
		2 No	6,789	94.9
		Missing	247	
172-172	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	2,008	27.1
		2 No	5,225	72.9
		Missing	157	
173-173	QN67	Percentage of students who were trying to lose weight		
		1 Yes	3,163	42.8
		2 No	4,066	57.2
		Missing	161	
174-174	QN68	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	4,161	56.6
		2 No	3,050	43.4
		Missing	179	
175-175	QN69	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	2,697	36.6
		2 No	4,508	63.4
		Missing	185	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
176-176	QN70	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	775	11.3
		2 No	6,443	88.7
		Missing	172	
177-177	QN71	Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	363	4.5
		2 No	6,845	95.5
		Missing	182	
178-178	QN72	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	272	4.0
		2 No	6,915	96.0
		Missing	203	
179-179	QN73	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	6,035	84.3
		2 No	1,153	15.7
		Missing	202	
180-180	QN74	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	5,863	80.6
		2 No	1,316	19.4
		Missing	211	
181-181	QN75	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	4,484	60.0
		2 No	2,708	40.0
		Missing	198	
182-182	QN76	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	4,438	59.8
		2 No	2,744	40.2
		Missing	208	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
183-183	QN77	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	2,853	38.5
		2 No	4,321	61.5
		Missing	216	
184-184	QN78	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	5,397	72.7
		2 No	1,791	27.3
		Missing	202	
185-185	QN79	Percentage of students who drank three or more glasses of milk per day during the past seven days		
		1 Yes	714	10.1
		2 No	6,473	89.9
		Missing	203	
186-186	QN80	Percentage of students who exercised or participated in physical activities for at least 20 minutes that made them sweat and breathe hard on three or more of the past seven days		
		1 Yes	4,385	61.0
		2 No	2,759	39.0
		Missing	246	
187-187	QN81	Percentage of students who participated in physical activities that did not make them sweat or breathe hard for at least 30 minutes on five or more of the past seven days		
		1 Yes	1,660	22.9
		2 No	5,480	77.1
		Missing	250	
188-188	QN82	Percentage of students who did exercises to strengthen or tone their muscles on three or more of the past seven days		
		1 Yes	4,048	56.8
		2 No	3,115	43.2
		Missing	227	
189-189	QN83	Percentage of students who watched three or more hours of TV per day on an average school day		
		1 Yes	3,946	59.1
		2 No	3,211	40.9
		Missing	233	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
190-190	QN84	Percentage of students who attended physical education (PE) class one or more days during an average school week		
		1 Yes	5,906	88.0
		2 No	874	12.0
		Missing	610	
191-191	QN85	Of students enrolled in physical education (PE) class, the percentage who exercised or played sports more than 20 minutes during an average physical education class		
		1 Yes	4,194	71.6
		2 No	1,706	28.4
		Missing	1,490	
192-192	QN86	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	3,289	45.5
		2 No	3,838	54.5
		Missing	263	
193-193	QN87	Percentage of students who had ever been taught about AIDS or HIV infection in school		
		1 Yes	5,927	84.6
		2 No	993	15.4
		Missing	470	
194-194	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	421	5.3
		2 No	6,573	94.7
		Missing	396	
195-195	QNSTORE	Percentage of students less than 18 years of age who were current smokers and purchased cigarettes at a store or gas station during the past 30 days		
		1 Yes	311	32.1
		2 No	646	67.9
		Missing	6,433	
196-196	QNABSTSX	Percentage of students who have ever had sexual intercourse but have not had sexual intercourse during the past three months		
		1 Yes	903	29.2
		2 No	2,302	70.8
		Missing	4,185	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QNRESPSX	Percentage of students who have never had sex, haven't had sex in the last three months, or used a condom the last time they had sex		
		1 Yes	6,300	92.2
		2 No	570	7.8
		Missing	520	
198-198	QNFRVG	Percentage of students who ate five or more servings per day of fruits and vegetables per day during the past seven days		
		1 Yes	1,824	25.9
		2 No	5,206	74.1
		Missing	360	
199-199	QNDLYPE	Percentage of students who attended physical education (PE) classes daily		
		1 Yes	3,337	48.9
		2 No	3,443	51.1
		Missing	610	
200-200	QNROVWGT (revised)	Percentage of students who were at risk for becoming overweight [CLASSIFIED AS "OVERWEIGHT" BEGINNING WITH 2009 YRBS]		
		1 Yes	1,009	15.8
		2 No	5,609	84.2
		Missing	772	
201-201	QNOVWGT (revised)	Percentage of students who are overweight [CLASSIFIED AS "OBESE" BEGINNING WITH 2009 YRBS]		
		1 Yes	782	13.1
		2 No	5,836	86.9
		Missing	772	
202-202	QNTENCIG	Percentage of students who smoked more than 10 cigarettes per day on the days that they smoked during the past 30 days		
		1 Yes	75	0.9
		2 No	6,915	99.1
		Missing	400	
203-203	QNANYTOB	Percentage of students who used any tobacco during the past 30 days		
		1 Yes	1,160	15.8
		2 No	5,753	84.2
		Missing	477	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
204-204	QNMNPA	Percentage of students who did not participate in at least 20 minutes of vigorous physical activity on three or more of the past seven days and did not do at least 30 minutes of moderate physical activity on five or more of the past seven days		
		1 Yes	2,364	33.9
		2 No	4,722	66.1
		Missing	304	
205-205	QNNOPA	Percentage of students who participated in no vigorous or moderate physical activity during the past seven days		
		1 Yes	750	10.8
		2 No	6,336	89.2
		Missing	304	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
350-357	Q4ORIG	Race as originally scanned		
		G	4	0.0
		F	1,513	16.4
		FG	2	0.0
		E	72	0.7
		EF	5	0.0
		D	2,254	34.3
		D F	75	0.6
		DE	4	0.0
		C	1,875	34.8
		C F	31	0.3
		C E	7	0.1
		CD	142	1.4
		CD F	9	0.1
		CDE	2	0.0
		B	1,025	9.0
		B F	18	0.1
		B E	10	0.1
		B EF	1	0.0
		B D	15	0.1
		B D F	2	0.0
		BC	5	0.0
		BC F	1	0.0
		BCD	1	0.0
		BCD F	2	0.0
		A	98	1.0
		A F	4	0.0
		A E	1	0.0
		A D	7	0.1
		A D F	2	0.0
		A DE	1	0.0
		A C	38	0.3
		A C F	5	0.0
		A C E	1	0.0
		A CD	11	0.1
		A CD F	4	0.0
		AB	2	0.0
		ABC	1	0.0
		ABC F	1	0.0
		ABC EF	1	0.0
		ABCD	3	0.0
		ABCD F	1	0.0
		ABCDEF	4	0.0
		Missing	130	

2003 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		