

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	31	0.2
		2	13 years old	268	2.6
		3	14 years old	2,414	24.3
		4	15 years old	3,197	27.2
		5	16 years old	3,055	22.8
		6	17 years old	2,298	18.1
		7	18 years old or older	607	4.8
		Missing	17		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	6,334	52.2
		2	Male	5,549	47.8
			Missing	4	
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	3,068	30.5
		2	10th grade	3,247	27.9
		3	11th grade	3,064	21.5
		4	12th grade	2,361	19.6
		5	Ungraded or other grade	33	0.4
		Missing	114		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	4,947	34.5
		2	No	6,657	65.5
		Missing	283		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	(Q5)	What is your race?		
		H	14	0.1
		G	4	0.0
		F	28	0.2
		E	1,851	21.8
		D	682	5.1
		DE	10	0.1
		C	4,089	48.2
		C E	80	0.3
		CD	33	0.1
		CDE	3	0.0
		B	1,272	20.3
		B E	31	0.1
		B D	14	0.0
		B DE	4	0.0
		BC	24	0.1
		BC E	5	0.0
		BCD	2	0.0
		A	418	2.8
		A E	13	0.1
		A D	6	0.0
		A DE	2	0.0
		A C	78	0.2
		A C E	16	0.1
		A CD	2	0.0
		A CDE	1	0.0
		AB	7	0.0
		AB E	1	0.0
		AB D	1	0.0
		ABC	5	0.0
		ABC E	1	0.0
		ABCD	3	0.1
		ABCDE	9	0.1
		ABCDEFGH	1	0.0
			3,177	
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	NQ8 (Q13)	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	4,261	36.6
		2 Never wore a helmet	5,954	50.8
		3 Rarely wore a helmet	657	5.7
		4 Sometimes wore a helmet	329	2.8
		5 Most of the time wore a helmet	266	2.4
		6 Always wore a helmet	205	1.8
	Missing	215		
40-40	NQ9 (Q14)	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	801	6.5
		2 Rarely	1,036	9.0
		3 Sometimes	1,940	16.2
		4 Most of the time	2,805	24.3
		5 Always	5,202	44.1
	Missing	103		
42-42	NQ11 (Q15)	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	10,906	96.6
		2 1 time	160	1.3
		3 2 or 3 times	105	0.8
		4 4 or 5 times	39	0.3
		5 6 or more times	137	1.1
	Missing	540		
43-43	NQ12 (Q16)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	10,049	88.8
		2 1 day	364	3.1
		3 2 or 3 days	358	3.0
		4 4 or 5 days	117	1.0
		5 6 or more days	515	4.1
	Missing	484		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	NQ13 (Q17)	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	11,285	97.0
		2 1 day	137	1.1
		3 2 or 3 days	70	0.6
		4 4 or 5 days	30	0.2
		5 6 or more days	144	1.1
		Missing	221	
45-45	NQ14 (Q18)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	11,104	96.2
		2 1 day	138	1.0
		3 2 or 3 days	112	0.8
		4 4 or 5 days	57	0.4
		5 6 or more days	187	1.5
		Missing	289	
46-46	NQ15 (Q19)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	10,473	90.9
		2 1 day	645	4.8
		3 2 or 3 days	321	2.4
		4 4 or 5 days	78	0.6
		5 6 or more days	185	1.3
		Missing	185	
47-47	NQ16 (Q20)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	10,827	92.8
		2 1 time	453	3.5
		3 2 or 3 times	240	1.7
		4 4 or 5 times	86	0.7
		5 6 or 7 times	43	0.4
		6 8 or 9 times	20	0.1
		7 10 or 11 times	8	0.1
		8 12 or more times	121	0.8
		Missing	89	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	NQ17 (Q21)	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	7,714	68.5
		2	1 time	1,507	12.8
		3	2 or 3 times	1,205	9.9
		4	4 or 5 times	385	3.3
		5	6 or 7 times	181	1.6
		6	8 or 9 times	103	0.8
		7	10 or 11 times	43	0.4
		8	12 or more times	321	2.6
	Missing	428			
50-50	NQ19 (Q22)	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	9,918	87.4
		2	1 time	840	7.5
		3	2 or 3 times	337	2.7
		4	4 or 5 times	101	0.8
		5	6 or 7 times	35	0.3
		6	8 or 9 times	28	0.3
		7	10 or 11 times	8	0.1
		8	12 or more times	106	0.9
	Missing	514			
51-51	NQ20 (Q23)	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?			
		1	Yes	1,357	10.9
		2	No	10,299	89.1
	Missing	231			
52-52	NQ21 (Q24)	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	900	7.3
		2	No	10,753	92.7
	Missing	234			
53-53	NQ22 (Q25)	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	1,281	11.2
		2	No	10,207	88.8
	Missing	399			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	NQ23 (Q27)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	3,388	28.3
		2 No	8,283	71.7
		Missing	216	
55-55	NQ24 (Q28)	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,624	13.6
		2 No	9,986	86.4
		Missing	277	
57-57	NQ26 (Q29)	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	8,454	90.1
		2 1 time	573	5.6
		3 2 or 3 times	265	2.6
		4 4 or 5 times	70	0.4
		5 6 or more times	107	1.2
		Missing	2,418	
58-58	NQ27 (Q30)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	8,299	90.1
		2 Yes	343	3.4
		3 No	634	6.5
		Missing	2,611	
59-59	NQ28 (Q31)	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	3,887	35.3
		2 No	6,906	64.7
		Missing	1,094	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
60-60	NQ29 (Q32)	How old were you when you smoked a whole cigarette for the first time?			
		1	I have never smoked a whole cigarette	8,089	77.2
		2	8 years old or younger	282	2.7
		3	9 or 10 years old	200	1.8
		4	11 or 12 years old	426	4.4
		5	13 or 14 years old	824	7.6
		6	15 or 16 years old	618	5.2
		7	17 years old or older	109	1.1
	Missing	1,339			
61-61	NQ30 (Q33)	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	9,992	91.6
		2	1 or 2 days	308	2.7
		3	3 to 5 days	168	1.5
		4	6 to 9 days	104	0.7
		5	10 to 19 days	114	1.0
		6	20 to 29 days	77	0.7
		7	All 30 days	193	1.7
	Missing	931			
62-62	NQ31 (Q34)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	9,755	91.1
		2	Less than 1 cigarette per day	272	2.4
		3	1 cigarette per day	229	1.8
		4	2 to 5 cigarettes per day	328	3.1
		5	6 to 10 cigarettes per day	72	0.7
		6	11 to 20 cigarettes per day	21	0.2
		7	More than 20 cigarettes per day	66	0.6
	Missing	1,144			
64-64	NQ33 (Q37)	During the past 30 days, on how many days did you smoke cigarettes on school property?			
		1	0 days	10,658	96.4
		2	1 or 2 days	169	1.5
		3	3 to 5 days	70	0.7
		4	6 to 9 days	40	0.3
		5	10 to 19 days	35	0.3
		6	20 to 29 days	29	0.3
		7	All 30 days	74	0.6
	Missing	812			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	NQ34 (Q38)	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	574	4.9
		2 No	10,195	95.1
		Missing	1,118	
66-66	NQ35 (Q39)	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	9,091	86.0
		2 Yes	804	7.1
		3 No	761	6.8
		Missing	1,231	
67-67	NQ36 (Q40)	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	10,959	96.6
		2 1 or 2 days	169	1.5
		3 3 to 5 days	65	0.5
		4 6 to 9 days	53	0.4
		5 10 to 19 days	25	0.2
		6 20 to 29 days	14	0.1
		7 All 30 days	63	0.6
		Missing	539	
69-69	NQ38 (Q41)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	10,779	94.1
		2 1 or 2 days	325	2.7
		3 3 to 5 days	102	0.9
		4 6 to 9 days	75	0.7
		5 10 to 19 days	70	0.6
		6 20 to 29 days	39	0.2
		7 All 30 days	82	0.7
		Missing	415	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
71-71	NQ40 (Q42)	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	4,546	42.7
		2	8 years old or younger	823	7.0
		3	9 or 10 years old	657	5.7
		4	11 or 12 years old	1,283	11.4
		5	13 or 14 years old	2,286	19.4
		6	15 or 16 years old	1,544	12.1
		7	17 years old or older	213	1.7
		Missing	535		
72-72	NQ41 (Q43)	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	6,880	68.0
		2	1 or 2 days	1,935	17.3
		3	3 to 5 days	834	7.5
		4	6 to 9 days	399	3.9
		5	10 to 19 days	223	1.8
		6	20 to 29 days	70	0.6
		7	All 30 days	93	0.9
		Missing	1,453		
73-73	NQ42 (Q44)	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	9,503	86.0
		2	1 day	730	5.9
		3	2 days	427	3.6
		4	3 to 5 days	296	2.4
		5	6 to 9 days	119	1.0
		6	10 to 19 days	57	0.5
		7	20 or more days	71	0.6
		Missing	684		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	NQ43 (Q45)	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	6,839 67.6
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	494 4.3
		3	I bought it at a restaurant, bar, or club	131 1.2
		4	I bought it at a public event such as a concert or sporting event	80 0.7
		5	I gave someone else money to buy it for me	463 3.9
		6	Someone gave it to me	1,195 10.5
		7	I took it from a store or family member	589 6.0
		8	I got it some other way	638 5.8
		Missing	1,458	
76-76	NQ45 (Q46)	During your life, how many times have you used marijuana?		
		1	0 times	7,777 72.9
		2	1 or 2 times	779 6.9
		3	3 to 9 times	749 6.2
		4	10 to 19 times	415 3.5
		5	20 to 39 times	356 3.1
		6	40 to 99 times	302 2.4
		7	100 or more times	617 5.0
		Missing	892	
77-77	NQ46 (Q47)	How old were you when you tried marijuana for the first time?		
		1	I have never tried marijuana	7,856 72.8
		2	8 years old or younger	167 1.4
		3	9 or 10 years old	166 1.4
		4	11 or 12 years old	461 3.9
		5	13 or 14 years old	1,290 11.0
		6	15 or 16 years old	1,056 8.5
		7	17 years old or older	143 1.0
		Missing	748	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	NQ47 (Q48)	During the past 30 days, how many times did you use marijuana?			
		1	0 times	9,301	85.0
		2	1 or 2 times	642	5.5
		3	3 to 9 times	506	4.2
		4	10 to 19 times	207	1.8
		5	20 to 39 times	179	1.4
		6	40 or more times	269	2.1
		Missing	783		
80-80	NQ49 (Q49)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	10,818	95.8
		2	1 or 2 times	194	1.7
		3	3 to 9 times	109	1.1
		4	10 to 19 times	67	0.4
		5	20 to 39 times	30	0.2
		6	40 or more times	96	0.8
		Missing	573		
82-82	NQ51 (Q50)	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
		1	0 times	10,298	90.3
		2	1 or 2 times	544	4.9
		3	3 to 9 times	242	2.1
		4	10 to 19 times	100	0.9
		5	20 to 39 times	51	0.4
		6	40 or more times	154	1.4
		Missing	498		
83-83	NQ52 (Q51)	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	11,005	97.4
		2	1 or 2 times	129	1.2
		3	3 to 9 times	57	0.4
		4	10 to 19 times	41	0.3
		5	20 to 39 times	25	0.2
		6	40 or more times	67	0.5
		Missing	563		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	NQ53 (Q52)	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	10,914	97.1
		2 1 or 2 times	123	1.2
		3 3 to 9 times	68	0.6
		4 10 to 19 times	37	0.4
		5 20 to 39 times	21	0.2
		6 40 or more times	69	0.6
	Missing	655		
85-85	NQ54 (Q53)	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	10,821	95.6
		2 1 or 2 times	269	2.3
		3 3 to 9 times	104	0.8
		4 10 to 19 times	48	0.4
		5 20 to 39 times	21	0.1
		6 40 or more times	77	0.7
	Missing	547		
87-87	NQ56 (Q55)	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	10,880	97.2
		2 1 time	198	1.9
		3 2 or more times	114	0.9
	Missing	695		
88-88	NQ57 (Q56)	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	2,622	23.3
		2 No	8,592	76.7
	Missing	673		
89-89	NQ58 (Q57)	Have you ever had sexual intercourse?		
		1 Yes	4,332	39.3
		2 No	5,675	60.7
	Missing	1,880		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
90-90	NQ59 (Q58)	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	5,619	60.3
		2	11 years old or younger	479	4.4
		3	12 years old	423	3.9
		4	13 years old	793	7.6
		5	14 years old	1,105	10.2
		6	15 years old	885	7.5
		7	16 years old	510	4.5
		8	17 years old or older	177	1.5
		Missing	1,896		
91-91	NQ60 (Q59)	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	5,640	60.6
		2	1 person	1,382	12.2
		3	2 people	797	7.4
		4	3 people	569	5.3
		5	4 people	411	3.8
		6	5 people	280	2.6
		7	6 or more people	890	8.1
		Missing	1,918		
92-92	NQ61 (Q60)	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	5,608	60.5
		2	I have had sexual intercourse, but not during the past 3 months	1,284	12.1
		3	1 person	2,050	18.6
		4	2 people	496	4.2
		5	3 people	183	1.7
		6	4 people	82	0.9
		7	5 people	73	0.6
		8	6 or more people	150	1.3
		Missing	1,961		
93-93	NQ62 (Q62)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	5,587	60.7
		2	Yes	712	6.8
		3	No	3,575	32.6
		Missing	2,013		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	NQ63 (Q63)	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	5,552	61.4
		2 Yes	2,973	28.3
		3 No	1,162	10.3
		Missing	2,200	
95-95	NQ64 (Q64)	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	5,518	61.6
		2 No method was used to prevent pregnancy	665	6.2
		3 Birth control pills	266	2.2
		4 Condoms	2,574	24.8
		5 Depo-Provera (injectable birth control)	52	0.4
		6 Withdrawal	269	2.4
		7 Some other method	158	1.4
8 Not sure	123	1.1		
		Missing	2,262	
96-96	NQ65 (Q72)	How do you describe your weight?		
		1 Very underweight	458	4.5
		2 Slightly underweight	1,369	13.3
		3 About the right weight	6,091	57.3
		4 Slightly overweight	2,392	21.7
		5 Very overweight	402	3.3
		Missing	1,175	
97-97	NQ66 (Q73)	Which of the following are you trying to do about your weight?		
		1 Lose weight	4,686	43.7
		2 Gain weight	2,092	19.5
		3 Stay the same weight	1,968	18.5
		4 I am not trying to do anything about my weight	1,900	18.3
		Missing	1,241	
98-98	NQ67 (Q74)	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	5,798	55.9
		2 No	4,682	44.1
		Missing	1,407	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
99-99	NQ68 (Q75)	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	3,476	33.5
		2 No	6,923	66.5
		Missing	1,488	
102-102	NQ71 (Q76)	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	521	5.0
		2 No	9,656	95.0
		Missing	1,710	
103-103	NQ72 (Q77)	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,098	19.6
		2 1 to 3 times during the past 7 days	3,407	33.9
		3 4 to 6 times during the past 7 days	1,797	17.5
		4 1 time per day	631	6.0
		5 2 times per day	895	8.7
		6 3 times per day	565	5.2
		7 4 or more times per day	1,052	9.1
Missing	1,442			
104-104	NQ73 (Q78)	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,979	18.2
		2 1 to 3 times during the past 7 days	3,857	35.5
		3 4 to 6 times during the past 7 days	1,672	17.6
		4 1 time per day	895	9.6
		5 2 times per day	829	9.0
		6 3 times per day	423	4.2
		7 4 or more times per day	640	5.9
Missing	1,592			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	NQ78 (Q81)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,258	22.0
		2 1 to 3 times during the past 7 days	3,741	38.5
		3 4 to 6 times during the past 7 days	1,736	17.4
		4 1 time per day	642	6.3
		5 2 times per day	618	5.9
		6 3 times per day	413	4.0
		7 4 or more times per day	674	5.9
	Missing	1,805		
111-111	NQ80 (Q87)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	2,085	21.2
		2 1 day	1,030	11.1
		3 2 days	1,102	11.7
		4 3 days	1,170	12.0
		5 4 days	874	9.0
		6 5 days	1,119	11.9
		7 6 days	421	4.9
		8 7 days	1,836	18.3
	Missing	2,250		
112-112	NQ81 (Q88)	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,169	13.2
		2 Less than 1 hour per day	1,231	14.1
		3 1 hour per day	1,062	11.6
		4 2 hours per day	1,723	17.8
		5 3 hours per day	1,528	15.7
		6 4 hours per day	1,070	10.6
		7 5 or more hours per day	1,725	17.1
	Missing	2,379		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	NQ82 (Q89)	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,504	15.2
		2 Less than 1 hour per day	1,258	13.6
		3 1 hour per day	1,218	12.5
		4 2 hours per day	1,594	16.3
		5 3 hours per day	1,356	14.4
		6 4 hours per day	876	9.5
		7 5 or more hours per day	1,766	18.5
	Missing	2,315		
114-114	NQ83 (Q90)	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	1,763	18.9
		2 1 day	394	4.1
		3 2 days	1,429	14.6
		4 3 days	1,425	15.5
		5 4 days	677	7.5
		6 5 days	3,739	39.5
	Missing	2,460		
115-115	NQ84 (Q92)	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	5,310	57.0
		2 1 team	2,390	26.1
		3 2 teams	993	10.8
		4 3 or more teams	598	6.1
	Missing	2,596		
117-117	NQ86 (Q94)	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	2,259	22.2
		2 No	6,428	73.6
		3 Not sure	380	4.2
	Missing	2,820		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
119-119	NQ88 (Q8)	In what country was your mother or mother figure born?			
		1	United States	4,463	32.8
		2	China	474	6.6
		3	Dominican Republic	1,420	9.5
		4	Jamaica	638	7.1
		5	Mexico	558	4.4
		6	Puerto Rico	644	3.9
		7	Other	3,447	34.5
		8	I do not live with my mother or mother figure Missing	123 120	1.2
120-120	NQ89 (Q9)	In what country was your father or father figure born?			
		1	United States	3,765	27.9
		2	China	466	6.6
		3	Dominican Republic	1,405	9.5
		4	Jamaica	762	8.0
		5	Mexico	507	3.9
		6	Puerto Rico	642	4.1
		7	Other	3,533	34.8
		8	I do not live with my father or father figure Missing	619 188	5.1
121-121	NQ90 (Q10)	How long have you lived in the US?			
		1	Less than one year	220	2.1
		2	1 to 3 years	452	4.6
		3	4 to 6 years	633	5.8
		4	7 or more years Missing	10,271 311	87.5
122-122	NQ91 (Q11)	What borough of New York do you live in?			
		1	Bronx	3,195	20.7
		2	Brooklyn	2,739	32.5
		3	Manhattan	1,610	10.1
		4	Queens	2,709	29.7
		5	Staten Island Missing	1,569 65	7.0

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
123-123	NQ92 (Q12)	How often do the people in your home speak a language other than English?			
		1	Never	2,955	25.0
		2	Rarely	1,170	9.1
		3	Sometimes	2,257	18.7
		4	Most of the time	2,716	24.8
		5	Always	2,694	22.5
		Missing	95		
124-124	NQ93 (Q26)	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?			
		1	Yes	1,427	11.8
		2	No	10,305	88.2
		Missing	155		
125-125	NQ94 (Q35)	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	10,108	89.0
		2	I bought them in a store such as a convenience store, supermarket, or gas station	371	3.2
		3	I bought them on the Internet	40	0.3
		4	I bummed them	102	0.7
		5	Someone gave them to me or bought them for me	540	4.6
		6	I stole them	90	0.8
		7	I got them some other way	170	1.4
		Missing	466		
126-126	NQ95 (Q36)	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?			
		1	I did not try to buy cigarettes in a store during the past 30 days	10,382	92.1
		2	Yes, I was asked to show proof of age	369	3.2
		3	No, I was not asked to show proof of age	554	4.6
		Missing	582		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	NQ96 (Q54)	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	10,394	92.1
		2 1 or 2 times	392	3.6
		3 3 to 9 times	208	1.9
		4 10 to 19 times	113	1.0
		5 20 to 39 times	52	0.5
		6 40 or more times	133	1.0
		Missing	595	
128-128	NQ97 (Q61)	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	8,062	77.0
		2 1 to 3 times	1,528	12.9
		3 4 to 7 times	610	5.0
		4 8 or more times	663	5.2
		Missing	1,024	
129-129	NQ98 (Q65)	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	6,079	62.8
		2 The Patch (Ortho-Evra)	82	0.7
		3 The Ring (Nuva Ring)	128	1.3
		4 The IUD (intrauterine device)	54	0.5
		5 Implanon (implantable birth control)	35	0.2
		6 Emergency Contraception (EC) or the Morning After Pill	139	1.2
		7 I did not use any of these methods the last time I had sexual intercourse	2,948	25.8
		8 Not sure	840	7.5
		Missing	1,582	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	NQ99 (Q66)	The last time you used birth control, from where did you or your partner get it?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
131-131	NQ100 (Q67)	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	9,187	91.7
		2 1 time	558	4.7
		3 2 or more times	229	2.1
		4 Not sure	165	1.4
		Missing	1,748	
132-132	NQ101 (Q68)	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	517	4.5
		2 No	9,375	92.9
		3 Not sure	281	2.6
		Missing	1,714	
133-133	NQ102 (Q69)	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	914	8.1
		2 No	9,114	88.4
		3 Not sure	409	3.5
		Missing	1,450	
134-134	NQ103 (Q70)	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	4,795	47.2
		2 Females	2,881	26.1
		3 Males	2,523	22.2
		4 Females and males	541	4.5
		Missing	1,147	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	NQ104 (Q71)	Which of the following best describes you?		
		1 Heterosexual or straight	9,436	88.9
		2 Gay or lesbian	246	2.1
		3 Bisexual	705	5.8
		4 Not sure	327	3.2
		Missing	1,173	
136-136	NQ105 (Q79)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,874	16.3
		2 1 to 3 times during the past 7 days	3,452	33.1
		3 4 to 6 times during the past 7 days	1,900	19.0
		4 1 time per day	1,344	14.2
		5 2 times per day	763	8.8
		6 3 times per day	302	3.2
		7 4 or more times per day	540	5.4
Missing	1,712			
137-137	NQ106 (Q80)	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	1,631	16.8
		2 1 to 3 times during the past 7 days	5,118	50.6
		3 4 to 6 times during the past 7 days	1,800	17.4
		4 1 time per day	641	5.9
		5 2 times per day	424	4.1
		6 3 times per day	175	1.5
		7 4 or more times per day	408	3.8
Missing	1,690			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	NQ107 (Q82)	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	1,823	19.0
		2 1 to 3 times during the past 7 days	3,676	37.5
		3 4 to 6 times during the past 7 days	1,802	18.3
		4 1 time per day	797	7.9
		5 2 times per day	700	6.8
		6 3 times per day	445	3.8
		7 4 or more times per day	722	6.7
	Missing	1,922		
139-139	NQ108 (Q83)	What kind of milk do you usually drink?		
		1 I do not drink milk	1,473	14.4
		2 Whole milk	3,634	36.0
		3 2% milk or reduced fat milk	2,028	19.9
		4 1% milk or low-fat milk	1,249	12.0
		5 Skim milk or non-fat milk	397	4.3
		6 Soy milk	396	4.4
		7 Not sure	823	9.0
	Missing	1,887		
140-140	NQ109 (Q84)	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	2,787	26.6
		2 1 day	436	4.1
		3 2 days	318	3.2
		4 3 days	343	3.3
		5 4 days	349	3.8
		6 5 or more days	5,643	59.1
	Missing	2,011		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	NQ110 (Q85)	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	2,597	25.1
		2 I mostly walk to school	2,169	21.5
		3 I mostly bike to school	159	1.5
		4 I mostly walk to public transportation to get to school	4,614	50.3
		5 I mostly bike to public transportation to get to school	153	1.5
		Missing	2,195	
142-142	NQ111 (Q86)	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	5,565	55.5
		2 A few times a year	2,562	27.5
		3 At least once a month	559	5.9
		4 Several times a month	1,017	11.1
		Missing	2,184	
143-143	NQ112 (Q91)	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	1,726	18.6
		2 Less than 10 minutes	1,278	13.6
		3 10 to 20 minutes	1,731	18.7
		4 21 to 30 minutes	1,390	16.2
		5 31 to 40 minutes	1,355	14.8
		6 41 to 50 minutes	1,187	11.8
		7 51 to 60 minutes	308	2.8
		8 More than 60 minutes	330	3.4
		Missing	2,582	
144-144	NQ113 (Q93)	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,808	17.6
		2 No	6,653	72.9
		3 Not sure	720	9.5
		Missing	2,706	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	NQ114 (Q95)	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	4,053	45.3
		2 Yes	1,341	13.2
		3 No	3,486	38.1
		4 Not sure	297	3.3
		Missing	2,710	
146-146	NQ115 (Q96)	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
147-147	NQ116 (Q97)	Have you ever used the school-based health center (school clinic) at your school?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
148-148	NQ117 (Q98)	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	6,180	69.9
		2 1 to 2 times	2,149	22.8
		3 3 to 5 times	555	5.2
		4 6 to 10 times	124	1.2
		5 11 to 20 times	43	0.4
		6 20 or more times	69	0.6
		Missing	2,767	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	NQ118 (Q99)	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	2,502	25.2
		2 Agree	2,985	33.3
		3 Not sure	1,715	20.5
		4 Disagree	832	9.1
		5 Strongly disagree	1,050	11.8
		Missing	2,803	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	6,611	89.1
		2 No	800	10.9
		Missing	4,476	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,837	15.5
		2 No	9,947	84.5
		Missing	103	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	441	3.4
		2 No	10,906	96.6
		Missing	540	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	1,354	11.2
		2 No	10,049	88.8
		Missing	484	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	381	3.0
		2 No	11,285	97.0
		Missing	221	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	494	3.8
		2 No	11,104	96.2
		Missing	289	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	1,229	9.1
		2 No	10,473	90.9
		Missing	185	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	971	7.2
		2 No	10,827	92.8
		Missing	89	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	3,745	31.5
		2 No	7,714	68.5
		Missing	428	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,455	12.6
		2 No	9,918	87.4
		Missing	514	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	1,357	10.9
		2 No	10,299	89.1
		Missing	231	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	900	7.3
		2 No	10,753	92.7
		Missing	234	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	1,281	11.2
		2 No	10,207	88.8
		Missing	399	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	3,388	28.3
		2 No	8,283	71.7
		Missing	216	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,624	13.6
		2 No	9,986	86.4
		Missing	277	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	1,015	9.9
		2 No	8,454	90.1
		Missing	2,418	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	343	3.4
		2 No	8,933	96.6
		Missing	2,611	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	3,887	35.3
		2 No	6,906	64.7
		Missing	1,094	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	908	8.9
		2 No	9,640	91.1
		Missing	1,339	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	964	8.4
		2 No	9,992	91.6
		Missing	931	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	75	8.2
		2 No	865	91.8
		Missing	10,947	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	417	3.6
		2 No	10,658	96.4
		Missing	812	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	574	4.9
		2 No	10,195	95.1
		Missing	1,118	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	518	55.6
		2 No	373	44.4
		Missing	10,996	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	389	3.4
		2 No	10,959	96.6
		Missing	539	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	693	5.9
		2 No	10,779	94.1
		Missing	415	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	2,763	24.1
		2 No	8,589	75.9
		Missing	535	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	3,554	32.0
		2 No	6,880	68.0
		Missing	1,453	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,700	14.0
		2 No	9,503	86.0
		Missing	684	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	1,182	33.2
		2 No	2,293	66.8
		Missing	8,412	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	3,218	27.1
		2 No	7,777	72.9
		Missing	892	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	794	6.7
		2 No	10,345	93.3
		Missing	748	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	1,803	15.0
		2 No	9,301	85.0
		Missing	783	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	496	4.2
		2 No	10,818	95.8
		Missing	573	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	1,091	9.7
		2 No	10,298	90.3
		Missing	498	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	319	2.6
		2 No	11,005	97.4
		Missing	563	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	318	2.9
		2 No	10,914	97.1
		Missing	655	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	519	4.4
		2 No	10,821	95.6
		Missing	547	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	312	2.8
		2 No	10,880	97.2
		Missing	695	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	2,622	23.3
		2 No	8,592	76.7
		Missing	673	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	4,332	39.3
		2 No	5,675	60.7
		Missing	1,880	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	902	8.3
		2 No	9,089	91.7
		Missing	1,896	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	1,581	14.5
		2 No	8,388	85.5
		Missing	1,918	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	3,034	27.4
		2 No	6,892	72.6
		Missing	1,961	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	528	18.9
		2 No	2,447	81.1
		Missing	8,912	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	1,993	71.1
		2 No	870	28.9
		Missing	9,024	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	208	6.8
		2 No	2,630	93.2
		Missing	9,049	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	2,794	24.9
		2 No	7,918	75.1
		Missing	1,175	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	4,686	43.7
		2 No	5,960	56.3
		Missing	1,241	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	5,798	55.9
		2 No	4,682	44.1
		Missing	1,407	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	3,476	33.5
		2 No	6,923	66.5
		Missing	1,488	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	521	5.0
		2 No	9,656	95.0
		Missing	1,710	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	8,347	80.4
		2 No	2,098	19.6
		Missing	1,442	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	8,316	81.8
		2 No	1,979	18.2
		Missing	1,592	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	2,347	22.2
		2 No	7,735	77.8
		Missing	1,805	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	3,376	35.0
		2 No	6,261	65.0
		Missing	2,250	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	4,323	43.3
		2 No	5,185	56.7
		Missing	2,379	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	3,998	42.5
		2 No	5,574	57.5
		Missing	2,315	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	7,664	81.1
		2 No	1,763	18.9
		Missing	2,460	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	3,981	43.0
		2 No	5,310	57.0
		Missing	2,596	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	2,259	22.2
		2 No	6,808	77.8
		Missing	2,820	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	7,181	66.0
		2 No	4,586	34.0
		Missing	120	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	7,315	66.9
		2 No	4,384	33.1
		Missing	188	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	220	2.1
		2 No	11,356	97.9
		Missing	311	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	10,212	89.9
		2 No	1,610	10.1
		Missing	65	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	5,410	47.2
		2 No	6,382	52.8
		Missing	95	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	1,427	11.8
		2 No	10,305	88.2
		Missing	155	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	371	3.2
		2 No	11,050	96.8
		Missing	466	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	554	4.6
		2 No	10,751	95.4
		Missing	582	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	898	7.9
		2 No	10,394	92.1
		Missing	595	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	2,801	23.0
		2 No	8,062	77.0
		Missing	1,024	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	54	0.5
		2 No	10,251	99.5
		Missing	1,582	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
<p>DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>				
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	787	6.9
		2 No	9,352	93.1
		Missing	1,748	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	517	4.5
		2 No	9,656	95.5
		Missing	1,714	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	914	8.1
		2 No	9,523	91.9
		Missing	1,450	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	541	4.5
		2 No	10,199	95.5
		Missing	1,147	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	951	7.9
		2 No	9,763	92.1
		Missing	1,173	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	2,949	31.6
		2 No	7,226	68.4
		Missing	1,712	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	1,648	15.2
		2 No	8,549	84.8
		Missing	1,690	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	2,664	25.2
		2 No	7,301	74.8
		Missing	1,922	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	1,646	16.4
		2 No	8,354	83.6
		Missing	1,887	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	7,089	73.4
		2 No	2,787	26.6
		Missing	2,011	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	2,328	23.0
		2 No	7,364	77.0
		Missing	2,195	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	1,576	17.0
		2 No	8,127	83.0
		Missing	2,184	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	4,570	49.1
		2 No	4,735	50.9
		Missing	2,582	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS		
		1 Yes	1,808	17.6
		2 No	7,373	82.4
		Missing	2,706	
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	1,341	13.2
		2 No	7,836	86.8
		Missing	2,710	
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months		
		1 Yes	2,940	30.1
		2 No	6,180	69.9
		Missing	2,767	
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem		
		1 Yes	5,487	58.5
		2 No	3,597	41.5
		Missing	2,803	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	270	2.4
		2 No	10,686	97.6
		Missing	931	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	1,144	10.2
		2 No	9,424	89.8
		Missing	1,319	
353-353 Q	NFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	3,525	34.6
		2 No	6,691	65.4
		Missing	1,671	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	3,739	39.5
		2 No	5,688	60.5
		Missing	2,460	
356-356 Q	NOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,800	16.1
		2 No	9,050	83.9
		Missing	1,037	
357-357 Q	NOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,246	10.4
		2 No	9,604	89.6
		Missing	1,037	
358-367 W	EIGHT			
368-370 STRA	TUM			
371-376 PSU				
383-387 BMI	PCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
388-389	RACEETH				
		1	Am Indian / Alaska Native	168	0.3
		2	Asian	1,145	15.4
		3	Black or African American	3,366	34.9
		4	Native Hawaiian/other PI	168	0.3
		5	White	1,342	13.9
		6	Hispanic/Latino	2,849	19.7
		7	Multiple - Hispanic	2,067	15.3
		8	Multiple - non-Hispanic	235	0.4
			Missing	547	