

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE	Site Code		
4-13	SCHOOL	School Codes		
14-16	CLASS	Class Codes		
17-17	Q1	How old are you?		
		1 12 years old or younger	3	0.3
		2 13 years old	4	0.4
		3 14 years old	166	15.9
		4 15 years old	316	28.3
		5 16 years old	356	27.5
		6 17 years old	228	18.6
		7 18 years old or older	96	8.9
		Missing	1	
18-18	Q2	What is your sex?		
		1 Female	665	55.7
		2 Male	499	44.3
		Missing	6	
19-19	Q3	In what grade are you?		
		1 9th grade	344	34.3
		2 10th grade	339	28.0
		3 11th grade	299	20.9
		4 12th grade	175	16.4
		5 Ungraded or other grade	4	0.4
		Missing	9	
20-21	Q4	How do you describe yourself?		
		1 American Indian or Alaska Native	9	0.4
		2 Asian	42	1.4
		3 Black or African American	439	48.6
		4 Hispanic or Latino	523	44.4
		5 Native Hawaiian or Other Pacific Islander	10	0.4
		6 White	10	0.3
		7 Multiple - Hispanic	86	3.1
		8 Multiple - Non-hispanic	39	1.5
		Missing	12	
22-25	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
26-31	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
32-32	Q7	How do you describe your health in general?		
		1 Excellent	264	23.8
		2 Very good	434	36.8
		3 Good	353	30.2
		4 Fair	93	8.1
		5 Poor	15	1.1
		Missing	11	
33-33	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	448	36.6
		2 Never wore a helmet	613	54.0
		3 Rarely wore a helmet	50	4.7
		4 Sometimes wore a helmet	26	2.3
		5 Most of the time wore a helmet	10	1.1
		6 Always wore a helmet	17	1.4
		Missing	6	
34-34	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	59	5.2
		2 Rarely	155	14.1
		3 Sometimes	236	19.9
		4 Most of the time	309	26.4
		5 Always	400	34.4
		Missing	11	
35-35	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	979	83.6
		2 1 time	62	5.5
		3 2 or 3 times	71	5.8
		4 4 or 5 times	12	1.1
		5 6 or more times	44	4.0
		Missing	2	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
36-36	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,114	97.3
		2 1 time	14	1.2
		3 2 or 3 times	9	0.6
		4 4 or 5 times	2	0.1
		5 6 or more times	13	0.8
		Missing	18	
37-37	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	962	84.2
		2 1 day	37	3.1
		3 2 or 3 days	43	3.6
		4 4 or 5 days	15	1.3
		5 6 or more days	89	7.7
		Missing	24	
38-38	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,118	96.2
		2 1 day	14	1.5
		3 2 or 3 days	3	0.2
		4 4 or 5 days	8	0.8
		5 6 or more days	17	1.3
		Missing	10	
39-39	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,053	91.7
		2 1 day	24	2.2
		3 2 or 3 days	19	1.5
		4 4 or 5 days	9	0.8
		5 6 or more days	50	3.8
		Missing	15	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,095	94.5
		2 1 day	36	2.8
		3 2 or 3 days	15	1.3
		4 4 or 5 days	4	0.4
		5 6 or more days	10	1.0
		Missing	10	
41-41	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,101	94.5
		2 1 time	34	2.6
		3 2 or 3 times	18	1.4
		4 4 or 5 times	4	0.3
		5 6 or 7 times	2	0.2
		6 8 or 9 times	1	0.1
		7 10 or 11 times	1	0.1
		8 12 or more times	9	0.8
42-42	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	909	78.7
		2 1 time	148	12.5
		3 2 or 3 times	68	5.5
		4 4 or 5 times	16	1.2
		5 6 or 7 times	9	0.7
		6 8 or 9 times	2	0.1
		8 12 or more times	15	1.4
		Missing	3	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
43-43	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	720	63.7
		2 1 time	189	16.9
		3 2 or 3 times	130	10.9
		4 4 or 5 times	35	2.9
		5 6 or 7 times	20	1.9
		6 8 or 9 times	9	0.7
		7 10 or 11 times	2	0.2
		8 12 or more times	31	2.9
		Missing	34	
44-44	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	1,102	95.4
		2 1 time	41	3.6
		3 2 or 3 times	7	0.5
		4 4 or 5 times	1	0.1
		5 6 or more times	5	0.4
		Missing	14	
45-45	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,005	87.4
		2 1 time	98	8.9
		3 2 or 3 times	32	2.5
		4 4 or 5 times	8	0.6
		5 6 or 7 times	1	0.1
		7 10 or 11 times	2	0.2
		8 12 or more times	4	0.3
		Missing	20	
46-46	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	111	8.8
		2 No	1,053	91.2
		Missing	6	
47-47	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	86	6.6
		2 No	1,073	93.4
		Missing	11	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem District Public Health Office
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	328	26.3
		2 No	824	73.7
		Missing	18	
49-49	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	158	12.8
		2 No	1,003	87.2
		Missing	9	
50-50	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	127	10.5
		2 No	1,021	89.5
		Missing	22	
51-51	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	910	92.2
		2 1 time	47	4.7
		3 2 or 3 times	22	2.1
		4 4 or 5 times	3	0.4
		5 6 or more times	7	0.6
		Missing	181	
52-52	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	907	92.2
		2 Yes	19	1.8
		3 No	59	6.0
		Missing	185	
53-53	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	483	44.1
		2 No	609	55.9
		Missing	78	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
54-54	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	809	76.6
		2 8 years old or younger	26	2.2
		3 9 or 10 years old	17	1.7
		4 11 or 12 years old	44	4.0
		5 13 or 14 years old	95	8.6
		6 15 or 16 years old	64	5.8
		7 17 years old or older	9	1.0
		Missing	106	
55-55	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,036	94.0
		2 1 or 2 days	25	2.1
		3 3 to 5 days	10	0.8
		4 6 to 9 days	7	0.8
		5 10 to 19 days	6	0.5
		6 20 to 29 days	7	0.5
		7 All 30 days	16	1.3
		Missing	63	
56-56	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,027	94.3
		2 Less than 1 cigarette per day	24	2.1
		3 1 cigarette per day	13	1.1
		4 2 to 5 cigarettes per day	23	2.0
		5 6 to 10 cigarettes per day	2	0.2
		7 More than 20 cigarettes per day	5	0.3
		Missing	76	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,034	93.9
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	24	2.1
		4 I gave someone else money to buy them for me	4	0.3
		5 I borrowed (or bummed) them from someone else	13	1.3
		6 A person 18 years old or older gave them to me	8	0.7
		7 I took them from a store or family member	7	0.4
		8 I got them some other way	16	1.3
		Missing	64	
58-58	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	1,123	98.6
		2 1 or 2 days	6	0.5
		3 3 to 5 days	1	0.1
		4 6 to 9 days	2	0.2
		5 10 to 19 days	1	0.1
		6 20 to 29 days	3	0.2
		7 All 30 days	4	0.3
		Missing	30	
59-59	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	43	3.6
		2 No	1,064	96.4
		Missing	63	
60-60	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	946	87.4
		2 Yes	56	4.9
		3 No	81	7.8
		Missing	87	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem District Public Health Office
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
61-61	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,129	97.7
		2 1 or 2 days	9	0.8
		3 3 to 5 days	6	0.5
		4 6 to 9 days	4	0.3
		5 10 to 19 days	2	0.1
		6 20 to 29 days	2	0.2
		7 All 30 days	5	0.4
	Missing	13		
63-63	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,105	95.7
		2 1 or 2 days	26	2.1
		3 3 to 5 days	8	0.6
		4 6 to 9 days	4	0.5
		5 10 to 19 days	4	0.3
		6 20 to 29 days	3	0.3
		7 All 30 days	8	0.5
	Missing	12		
64-64	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	297	30.3
		2 1 or 2 days	152	15.2
		3 3 to 9 days	179	17.8
		4 10 to 19 days	143	14.0
		5 20 to 39 days	99	8.7
		6 40 to 99 days	67	6.1
		7 100 or more days	86	7.8
	Missing	147		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
65-65	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	280	29.0
		2 8 years old or younger	81	7.9
		3 9 or 10 years old	80	8.2
		4 11 or 12 years old	142	13.8
		5 13 or 14 years old	234	23.4
		6 15 or 16 years old	175	16.2
		7 17 years old or older	16	1.5
		Missing	162	
66-66	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	703	65.5
		2 1 or 2 days	220	19.1
		3 3 to 5 days	95	8.5
		4 6 to 9 days	47	4.0
		5 10 to 19 days	17	1.6
		6 20 to 29 days	5	0.5
		7 All 30 days	12	0.9
		Missing	71	
67-67	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	961	86.0
		2 1 day	88	7.3
		3 2 days	33	2.6
		4 3 to 5 days	29	2.4
		5 6 to 9 days	14	1.0
		6 10 to 19 days	1	0.1
		7 20 or more days	8	0.6
		Missing	36	
68-68	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	1,081	95.8
		2 1 or 2 days	35	2.7
		3 3 to 5 days	8	0.8
		4 6 to 9 days	4	0.3
		5 10 to 19 days	3	0.3
		7 All 30 days	3	0.1
		Missing	36	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
69-69	Q44	During your life, how many times have you used marijuana?		
		1 0 times	819	72.1
		2 1 or 2 times	103	8.6
		3 3 to 9 times	80	7.3
		4 10 to 19 times	28	2.9
		5 20 to 39 times	35	3.3
		6 40 to 99 times	23	2.0
		7 100 or more times	44	3.8
	Missing	38		
70-70	Q45	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	819	71.9
		2 8 years old or younger	12	1.1
		3 9 or 10 years old	10	0.9
		4 11 or 12 years old	43	3.9
		5 13 or 14 years old	143	12.8
		6 15 or 16 years old	95	8.4
		7 17 years old or older	13	1.1
	Missing	35		
71-71	Q46	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,009	89.3
		2 1 or 2 times	58	5.3
		3 3 to 9 times	24	2.2
		4 10 to 19 times	8	0.6
		5 20 to 39 times	7	0.5
		6 40 or more times	21	2.1
	Missing	43		
72-72	Q47	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	1,121	98.1
		2 1 or 2 times	5	0.6
		3 3 to 9 times	6	0.6
		4 10 to 19 times	4	0.3
		5 20 to 39 times	1	0.1
		6 40 or more times	5	0.4
	Missing	28		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
73-73	Q48	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,119	97.9
		2 1 or 2 times	12	1.0
		3 3 to 9 times	3	0.3
		4 10 to 19 times	3	0.2
		5 20 to 39 times	4	0.4
		6 40 or more times	4	0.2
		Missing	25	
74-74	Q49	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,123	98.7
		2 1 or 2 times	5	0.5
		3 3 to 9 times	4	0.4
		4 10 to 19 times	2	0.2
		6 40 or more times	5	0.3
		Missing	31	
75-75	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,067	93.1
		2 1 or 2 times	49	4.0
		3 3 to 9 times	13	1.1
		4 10 to 19 times	11	0.9
		5 20 to 39 times	4	0.4
		6 40 or more times	7	0.5
		Missing	19	
76-76	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,126	98.7
		2 1 or 2 times	9	0.6
		3 3 to 9 times	4	0.3
		4 10 to 19 times	3	0.3
		6 40 or more times	3	0.1
		Missing	25	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
77-77	Q52	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,120	98.4
		2 1 or 2 times	9	0.7
		3 3 to 9 times	7	0.6
		4 10 to 19 times	1	0.1
		5 20 to 39 times	1	0.1
		6 40 or more times	3	0.1
		Missing	29	
78-78	Q53	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,122	98.2
		2 1 or 2 times	13	1.1
		3 3 to 9 times	4	0.3
		5 20 to 39 times	1	0.1
		6 40 or more times	6	0.4
		Missing	24	
79-79	Q54	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	1,132	99.1
		2 1 or 2 times	8	0.6
		3 3 to 9 times	1	0.1
		4 10 to 19 times	1	0.1
		6 40 or more times	4	0.2
		Missing	24	
80-80	Q55	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,114	98.6
		2 1 time	7	0.8
		3 2 or more times	9	0.6
		Missing	40	
81-81	Q56	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	260	22.0
		2 No	881	78.0
		Missing	29	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
82-82	Q57	Have you ever had sexual intercourse?		
		1 Yes	556	54.1
		2 No	494	45.9
		Missing	120	
83-83	Q58	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	491	46.1
		2 11 years old or younger	73	7.7
		3 12 years old	58	6.3
		4 13 years old	88	8.9
		5 14 years old	146	14.5
		6 15 years old	102	8.5
		7 16 years old	60	5.6
		8 17 years old or older	22	2.3
Missing	130			
84-84	Q59	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	491	46.2
		2 1 person	171	16.3
		3 2 people	97	10.1
		4 3 people	82	7.6
		5 4 people	44	4.4
		6 5 people	35	3.2
		7 6 or more people	118	12.2
Missing	132			
85-85	Q60	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	489	45.9
		2 I have had sexual intercourse, but not during the past 3 months	145	15.1
		3 1 person	292	27.1
		4 2 people	67	6.7
		5 3 people	21	2.5
		6 4 people	7	0.8
		7 5 people	2	0.3
		8 6 or more people	15	1.5
Missing	132			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
86-86	Q61	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	487	45.8
		2 Yes	57	5.1
		3 No	491	49.1
		Missing	135	
87-87	Q62	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	485	46.6
		2 Yes	403	41.7
		3 No	128	11.7
		Missing	154	
88-88	Q63	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	487	46.7
		2 No method was used to prevent pregnancy	75	7.3
		3 Birth control pills	29	3.0
		4 Condoms	356	36.7
		5 Depo-Provera (injectable birth control)	10	0.9
		6 Withdrawal	32	2.7
		7 Some other method	15	1.6
		8 Not sure	12	1.0
		Missing	154	
89-89	Q64	How do you describe your weight?		
		1 Very underweight	34	3.1
		2 Slightly underweight	148	13.0
		3 About the right weight	560	51.2
		4 Slightly overweight	305	27.7
		5 Very overweight	59	5.0
		Missing	64	
90-90	Q65	Which of the following are you trying to do about your weight?		
		1 Lose weight	510	45.6
		2 Gain weight	243	22.9
		3 Stay the same weight	196	18.7
		4 I am not trying to do anything about my weight	153	12.8
		Missing	68	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
91-91	Q66	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	614	55.6
		2 No	474	44.4
		Missing	82	
92-92	Q67	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	368	32.5
		2 No	726	67.5
		Missing	76	
93-93	Q68	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	86	8.0
		2 No	1,004	92.0
		Missing	80	
94-94	Q69	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	39	3.7
		2 No	1,042	96.3
		Missing	89	
95-95	Q70	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	37	3.6
		2 No	1,044	96.4
		Missing	89	
96-96	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	152	14.6
		2 1 to 3 times during the past 7 days	390	35.9
		3 4 to 6 times during the past 7 days	174	16.6
		4 1 time per day	87	8.3
		5 2 times per day	97	8.3
		6 3 times per day	71	6.2
		7 4 or more times per day	112	10.0
Missing	87			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
97-97	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	211	21.3
		2 1 to 3 times during the past 7 days	515	46.5
		3 4 to 6 times during the past 7 days	151	14.3
		4 1 time per day	74	6.6
		5 2 times per day	52	4.4
		6 3 times per day	31	2.7
		7 4 or more times per day	47	4.2
		Missing	89	
98-98	Q73	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	495	49.0
		2 1 to 3 times during the past 7 days	366	32.7
		3 4 to 6 times during the past 7 days	99	8.4
		4 1 time per day	65	5.6
		5 2 times per day	26	2.5
		6 3 times per day	6	0.5
		7 4 or more times per day	16	1.3
		Missing	97	
99-99	Q74	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	514	49.2
		2 1 to 3 times during the past 7 days	434	40.2
		3 4 to 6 times during the past 7 days	64	5.6
		4 1 time per day	23	2.1
		5 2 times per day	18	1.8
		6 3 times per day	5	0.3
		7 4 or more times per day	9	0.8
		Missing	103	
100-100	Q75	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	716	68.1
		2 1 to 3 times during the past 7 days	253	23.4
		3 4 to 6 times during the past 7 days	48	4.5
		4 1 time per day	31	2.8
		5 2 times per day	6	0.6
		6 3 times per day	3	0.2
		7 4 or more times per day	5	0.4
		Missing	108	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
101-101	Q76	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	296	29.1
		2 1 to 3 times during the past 7 days	439	40.7
		3 4 to 6 times during the past 7 days	174	15.6
		4 1 time per day	92	8.7
		5 2 times per day	31	3.0
		6 3 times per day	13	1.2
		7 4 or more times per day	18	1.5
		Missing	107	
102-102	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	280	27.6
		2 1 to 3 glasses during the past 7 days	357	33.6
		3 4 to 6 glasses during the past 7 days	167	15.5
		4 1 glass per day	101	9.1
		5 2 glasses per day	89	7.7
		6 3 glasses per day	29	2.8
		7 4 or more glasses per day	37	3.7
		Missing	110	
103-103	Q78	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		1 0 days	196	19.6
		2 1 day	118	11.0
		3 2 days	141	13.4
		4 3 days	162	16.7
		5 4 days	94	8.8
		6 5 days	119	10.6
		7 6 days	44	3.8
		8 7 days	172	16.3
		Missing	124	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
104-104	Q79	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?		
		1 0 days	353	36.4
		2 1 day	126	11.9
		3 2 days	140	13.2
		4 3 days	106	9.9
		5 4 days	66	6.4
		6 5 days	77	6.7
		7 6 days	20	1.7
		8 7 days	152	13.9
		Missing	130	
105-105	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	344	34.5
		2 1 day	137	13.7
		3 2 days	124	11.6
		4 3 days	101	9.4
		5 4 days	72	7.1
		6 5 days	80	7.9
		7 6 days	40	3.3
		8 7 days	134	12.5
		Missing	138	
106-106	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	59	5.5
		2 Less than 1 hour per day	91	8.4
		3 1 hour per day	99	9.1
		4 2 hours per day	203	19.7
		5 3 hours per day	183	17.7
		6 4 hours per day	135	13.5
		7 5 or more hours per day	238	26.2
		Missing	162	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
107-107	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	157	17.4
		2 1 day	35	3.9
		3 2 days	258	26.4
		4 3 days	297	31.1
		5 4 days	61	5.4
		6 5 days	153	15.9
		Missing	209	
108-108	Q83	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	155	17.2
		2 Less than 10 minutes	97	10.4
		3 10 to 20 minutes	124	12.6
		4 21 to 30 minutes	178	17.0
		5 31 to 40 minutes	184	19.3
		6 41 to 50 minutes	160	17.1
		7 51 to 60 minutes	28	3.3
		8 More than 60 minutes	29	3.0
		Missing	215	
109-109	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	523	52.4
		2 1 team	232	22.8
		3 2 teams	145	14.7
		4 3 or more teams	97	10.1
		Missing	173	
110-110	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	888	86.9
		2 No	102	11.6
		3 Not sure	17	1.5
		Missing	163	
111-111	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	265	26.7
		2 No	713	71.0
		3 Not sure	25	2.3
		Missing	167	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
112-112	Q87	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I do not have asthma	715	71.5
		2 No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months	158	16.1
		3 Yes, I have had an episode of asthma or an asthma attack during the past 12 months	94	9.2
		4 Not sure	30	3.2
		Missing	173	
113-113	Q88	How often do the people in your home speak a language other than English?		
		1 Never	352	34.8
		2 Rarely	92	7.6
		3 Sometimes	237	18.9
		4 Most of the time	235	18.6
		5 Always	254	20.1
114-114	Q89	During the past 12 months, have you been a member of a gang?		
		1 Yes	127	10.6
		2 No	1,025	89.4
		Missing	18	
115-115	Q90	When you feel sad, empty, hopeless, angry or anxious and want to talk with an adult, who do you chose most often?		
		1 I don't feel sad, empty, hopeless, angry, or anxious	207	19.3
		2 A parent	208	18.7
		3 An adult relative other than a parent	122	10.8
		4 A minister/priest/rabbi/imam or other religious leader/advisor	18	1.5
		5 A teacher or other staff member at school	32	2.9
		6 Another adult	32	2.8
		7 I don't talk with any adults, just people my own age	324	26.6
		8 I don't talk with anyone	207	17.5
		Missing	20	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
116-116	Q91	Do you think you will be smoking cigarettes 5 years from now?		
		1 Yes	122	10.7
		2 No	1,029	89.3
		Missing	19	
117-117	Q92	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	447	39.2
		2 Females	322	29.8
		3 Males	329	28.0
		4 Females and males	38	3.0
		Missing	34	
118-118	Q93	Which of the following best describes you?		
		1 Heterosexual (straight)	1,061	93.5
		2 Gay or lesbian	10	1.0
		3 Bisexual	40	3.0
		4 Not sure	27	2.4
		Missing	32	
119-119	Q94	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	1,028	91.4
		2 1 time	63	6.3
		3 2 or more times	12	1.0
		4 Not sure	15	1.3
		Missing	52	
120-120	Q95	Have you ever heard of emergency contraceptive pills, sometimes called morning after pills?		
		1 Yes	680	58.9
		2 No	427	41.1
		Missing	63	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
121-121	Q96	During the past 7 days, how many times did you drink soda such as Coke, Pepsi, 7-up, Root Beer, Fanta, or Cherry Soda?		
		1 I did not drink soda during the past 7 days	200	18.4
		2 1 to 3 times during the past 7 days	291	27.4
		3 4 to 6 times during the past 7 days	223	22.1
		4 1 time per day	77	7.6
		5 2 times per day	96	9.2
		6 3 times per day	65	6.3
		7 4 or more times per day	91	9.0
		Missing	127	
122-122	Q97	During the past 7 days, how many times did all or most of your family living in your house eat a meal together?		
		1 Never	382	37.8
		2 1 or 2 times	260	24.6
		3 3 or 4 times	140	13.8
		4 5 or 6 times	86	7.5
		5 7 times	75	6.2
		6 More than 7 times	105	10.1
		Missing	122	
123-123	Q98	On an average school day, how many hours do you play video or computer games or use a computer for something that is not schoolwork?		
		1 I do not play video or computer games or use a computer for something that is not schoolwork	242	24.0
		2 Less than 1 hour per day	212	21.8
		3 1 hour per day	139	13.8
		4 2 hours per day	167	16.8
		5 3 hours per day	113	10.5
		6 4 hours per day	40	3.8
		7 5 or more hours per day	88	9.4
		Missing	169	
124-124	Q99	Do you agree or disagree that the teachers of this school treat students fairly?		
		1 Strongly agree	133	13.8
		2 Agree	320	30.9
		3 Not sure	256	26.1
		4 Disagree	194	19.3
		5 Strongly disagree	100	10.0
		Missing	167	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
125-125	QN100	Do you agree or disagree that you feel like you are part of this school?		
		1 Strongly agree	219	21.7
		2 Agree	430	42.6
		3 Not sure	188	18.9
		4 Disagree	94	9.6
		5 Strongly disagree	73	7.3
		Missing	166	
126-126	QN7	Percentage of students who described their general health as fair or poor		
		1 Yes	108	9.2
		2 No	1,051	90.8
		Missing	11	
127-127	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	663	92.6
		2 No	53	7.4
		Missing	454	
128-128	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	214	19.3
		2 No	945	80.7
		Missing	11	
129-129	QN10	Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days		
		1 Yes	189	16.4
		2 No	979	83.6
		Missing	2	
130-130	QN11	Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	38	2.7
		2 No	1,114	97.3
		Missing	18	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
131-131	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	184	15.8
		2 No	962	84.2
		Missing	24	
132-132	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	42	3.8
		2 No	1,118	96.2
		Missing	10	
133-133	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	102	8.3
		2 No	1,053	91.7
		Missing	15	
134-134	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days		
		1 Yes	65	5.5
		2 No	1,095	94.5
		Missing	10	
135-135	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	69	5.5
		2 No	1,101	94.5
136-136	QN17	Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months		
		1 Yes	258	21.3
		2 No	909	78.7
		Missing	3	
137-137	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	416	36.3
		2 No	720	63.7
		Missing	34	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
138-138	QN19	Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months		
		1 Yes	54	4.6
		2 No	1,102	95.4
		Missing	14	
139-139	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	145	12.6
		2 No	1,005	87.4
		Missing	20	
140-140	QN21	Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	111	8.8
		2 No	1,053	91.2
		Missing	6	
141-141	QN22	Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	86	6.6
		2 No	1,073	93.4
		Missing	11	
142-142	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	328	26.3
		2 No	824	73.7
		Missing	18	
143-143	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	158	12.8
		2 No	1,003	87.2
		Missing	9	
144-144	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	127	10.5
		2 No	1,021	89.5
		Missing	22	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
145-145	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	79	7.8
		2 No	910	92.2
		Missing	181	
146-146	QN27	Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months		
		1 Yes	19	1.8
		2 No	966	98.2
		Missing	185	
147-147	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	483	44.1
		2 No	609	55.9
		Missing	78	
148-148	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	87	8.0
		2 No	977	92.0
		Missing	106	
149-149	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	71	6.0
		2 No	1,036	94.0
		Missing	63	
150-150	QN31	Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	5	5.0
		2 No	62	95.0
		Missing	1,103	
151-151	QN32	Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	15	26.0
		2 No	44	74.0
		Missing	1,111	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
152-152	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	17	1.4
		2 No	1,123	98.6
		Missing	30	
153-153	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	43	3.6
		2 No	1,064	96.4
		Missing	63	
154-154	QN35	Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months		
		1 Yes	26	41.2
		2 No	38	58.8
		Missing	1,106	
155-155	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	28	2.3
		2 No	1,129	97.7
		Missing	13	
157-157	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	53	4.3
		2 No	1,105	95.7
		Missing	12	
158-158	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	726	69.7
		2 No	297	30.3
		Missing	147	
159-159	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	303	30.0
		2 No	705	70.0
		Missing	162	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
160-160	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	396	34.5
		2 No	703	65.5
		Missing	71	
161-161	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	173	14.0
		2 No	961	86.0
		Missing	36	
162-162	QN43	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	53	4.2
		2 No	1,081	95.8
		Missing	36	
163-163	QN44	Percentage of students who used marijuana one or more times during their life		
		1 Yes	313	27.9
		2 No	819	72.1
		Missing	38	
164-164	QN45	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	65	5.9
		2 No	1,070	94.1
		Missing	35	
165-165	QN46	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	118	10.7
		2 No	1,009	89.3
		Missing	43	
166-166	QN47	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	21	1.9
		2 No	1,121	98.1
		Missing	28	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
167-167	QN48	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	26	2.1
		2 No	1,119	97.9
		Missing	25	
168-168	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	16	1.3
		2 No	1,123	98.7
		Missing	31	
169-169	QN50	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	84	6.9
		2 No	1,067	93.1
		Missing	19	
170-170	QN51	Percentage of students who used heroin one or more times during their life		
		1 Yes	19	1.3
		2 No	1,126	98.7
		Missing	25	
171-171	QN52	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	21	1.6
		2 No	1,120	98.4
		Missing	29	
172-172	QN53	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	24	1.8
		2 No	1,122	98.2
		Missing	24	
173-173	QN54	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	14	0.9
		2 No	1,132	99.1
		Missing	24	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
174-174	QN55	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	16	1.4
		2 No	1,114	98.6
		Missing	40	
175-175	QN56	Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months		
		1 Yes	260	22.0
		2 No	881	78.0
		Missing	29	
176-176	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	556	54.1
		2 No	494	45.9
		Missing	120	
177-177	QN58	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	131	14.0
		2 No	909	86.0
		Missing	130	
178-178	QN59	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	197	19.8
		2 No	841	80.2
		Missing	132	
179-179	QN60	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	404	38.9
		2 No	634	61.1
		Missing	132	
180-180	QN61	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	43	9.7
		2 No	355	90.3
		Missing	772	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
181-181	QN62	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	283	75.5
		2 No	105	24.5
		Missing	782	
182-182	QN63	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	24	6.6
		2 No	362	93.4
		Missing	784	
183-183	QN64	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	364	32.7
		2 No	742	67.3
		Missing	64	
184-184	QN65	Percentage of students who were trying to lose weight		
		1 Yes	510	45.6
		2 No	592	54.4
		Missing	68	
185-185	QN66	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	614	55.6
		2 No	474	44.4
		Missing	82	
186-186	QN67	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	368	32.5
		2 No	726	67.5
		Missing	76	
187-187	QN68	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	86	8.0
		2 No	1,004	92.0
		Missing	80	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
188-188	QN69	Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	39	3.7
		2 No	1,042	96.3
		Missing	89	
189-189	QN70	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	37	3.6
		2 No	1,044	96.4
		Missing	89	
190-190	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	931	85.4
		2 No	152	14.6
		Missing	87	
191-191	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	870	78.7
		2 No	211	21.3
		Missing	89	
192-192	QN73	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	578	51.0
		2 No	495	49.0
		Missing	97	
193-193	QN74	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	553	50.8
		2 No	514	49.2
		Missing	103	
194-194	QN75	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	346	31.9
		2 No	716	68.1
		Missing	108	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
195-195	QN76	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	767	70.9
		2 No	296	29.1
		Missing	107	
196-196	QN77	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	66	6.5
		2 No	994	93.5
		Missing	110	
197-197	QN78	Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days		
		1 Yes	591	56.1
		2 No	455	43.9
		Missing	124	
198-198	QN79	Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days		
		1 Yes	249	22.3
		2 No	791	77.7
		Missing	130	
199-199	QN80	Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days		
		1 Yes	254	23.8
		2 No	778	76.2
		Missing	138	
200-200	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	556	57.4
		2 No	452	42.6
		Missing	162	
201-201	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	804	82.6
		2 No	157	17.4
		Missing	209	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
202-202	QN83	Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class		
		1 Yes	579	72.1
		2 No	221	27.9
		Missing	370	
203-203	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	474	47.6
		2 No	523	52.4
		Missing	173	
204-204	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	888	86.9
		2 No	119	13.1
		Missing	163	
205-205	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	265	26.7
		2 No	738	73.3
		Missing	167	
206-206	QN87	Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)		
		1 Yes	214	21.3
		2 No	781	78.7
		Missing	175	
207-207	QN88	Percentage of students in whose home people most of the time or always speak a language other than English		
		1 Yes	489	38.7
		2 No	681	61.3
208-208	QN89	Percentage of students who have been a member of a gang during the past 12 months		
		1 Yes	127	10.6
		2 No	1,025	89.4
		Missing	18	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
209-209	QN90	Percentage of students who most often chose to talk to a non-parent adult when they feel sad, empty, hopeless, angry or anxious and want to talk with an adult		
		1 Yes	204	18.0
		2 No	946	82.0
		Missing	20	
210-210	QN91	Percentage of students who think they will be smoking cigarettes five years from now		
		1 Yes	122	10.7
		2 No	1,029	89.3
		Missing	19	
211-211	QN92	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	38	3.0
		2 No	1,098	97.0
		Missing	34	
212-212	QN93	Percentage of students who describe themselves as gay, lesbian, or bisexual		
		1 Yes	50	4.0
		2 No	1,088	96.0
		Missing	32	
213-213	QN94	Percentage of students who had been pregnant or gotten someone pregnant one or more times		
		1 Yes	75	7.3
		2 No	1,043	92.7
		Missing	52	
214-214	QN95	Percentage of students who have ever heard of emergency contraceptive pills, sometimes called morning after pills		
		1 Yes	680	58.9
		2 No	427	41.1
		Missing	63	
215-215	QN96	Percentage of students who drank soda such as Coke, Pepsi, 7-up, Root Beer, Fanta, or Cherry Soda one time per day or more during the past seven days		
		1 Yes	329	32.1
		2 No	714	67.9
		Missing	127	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**East and Central Harlem District Public Health Office
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
216-216	QN97	Percentage of students who responded that all or most of their family living in their house ate a meal together five or more times during the past seven days		
		1 Yes	266	23.9
		2 No	782	76.1
		Missing	122	
217-217	QN98	Percentage of students who played video or computer games or used a computer for something that is not school work for three or more hours per day on an average school day		
		1 Yes	241	23.7
		2 No	760	76.3
		Missing	169	
218-218	QN99	Percentage of students who agree or strongly agree that the teachers of this school treat students fairly		
		1 Yes	453	44.7
		2 No	550	55.3
		Missing	167	
219-219	QN100	Percentage of students who agree or strongly agree that they feel like they are part of this school		
		1 Yes	649	64.2
		2 No	355	35.8
		Missing	166	
220-220	QNFRDIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	23	1.8
		2 No	1,084	98.2
		Missing	63	
221-221	QNFRVIG	Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days		
		1 Yes	181	16.6
		2 No	867	83.4
		Missing	122	
222-222	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	153	15.9
		2 No	808	84.1
		Missing	209	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem District Public Health Office

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
223-223	QNROVWGT (revised)	Percentage of students who were at risk of becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)* [CLASSIFIED AS "OVERWEIGHT" STARTING WITH 2009 YRBS]		
		1 Yes	195	17.8
		2 No	915	82.2
		Missing	60	
224-224	QNOVWGT (revised)	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)* [CLASSIFIED AS "OBESE" STARTING WITH 2009 YRBS]		
		1 Yes	145	13.3
		2 No	965	86.7
		Missing	60	
225-225	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	95	7.9
		2 No	1,003	92.1
		Missing	72	
226-226	QNMNPA	Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days		
		1 Yes	384	37.6
		2 No	652	62.4
		Missing	134	
227-227	QNNOPA	Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days		
		1 Yes	103	11.3
		2 No	933	88.7
		Missing	134	
228-228	QNASATCK	Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	79	36.4
		2 No	135	63.6
		Missing	956	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

East and Central Harlem District Public Health Office
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
350-357	Q4ORIG	Race/ethnicity as originally scanned		
		F	10	0.3
		E	10	0.4
		EF	2	0.1
		D	523	44.4
		DF	4	0.1
		DE	1	0.0
		C	439	48.6
		CF	3	0.1
		CE	2	0.1
		CD	63	2.3
		CDF	3	0.1
		B	42	1.4
		BE	1	0.0
		BD	4	0.1
		BDF	1	0.0
		BDE	1	0.0
		BC	7	0.2
		BCD	1	0.0
		A	9	0.4
		AF	1	0.1
		AD	3	0.1
		ADF	3	0.1
		AC	14	0.5
		ACF	4	0.2
		ACE	1	0.0
		ACEFG	1	0.0
		ACD	2	0.0
		AB	2	0.1
		ABC	1	0.0
		Missing	12	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		