

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	8	0.4
		2	13 years old	86	3.1
		3	14 years old	600	23.6
		4	15 years old	689	27.1
		5	16 years old	572	22.9
		6	17 years old	469	19.1
		7	18 years old or older	97	3.8
		Missing	3		
18-18	Q2	What is your sex?			
		1	Female	1,579	56.0
		2	Male	934	44.0
			Missing	11	
19-19	Q3	In what grade are you?			
		1	9th grade	712	29.2
		2	10th grade	713	27.5
		3	11th grade	559	22.7
		4	12th grade	497	20.1
		5	Ungraded or other grade	26	0.4
		Missing	17		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,374	42.8
		2	No	1,113	57.2
			Missing	37	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	6	0.2
		G	2	0.1
		F	6	0.2
		E	349	23.7
		D	107	3.6
		DE	6	0.3
		C	864	47.6
		C E	27	0.3
		CD	20	0.2
		CDE	4	0.0
		B	150	18.9
		B E	8	0.2
		B D	5	0.2
		BC	20	0.4
		BC E	3	0.1
		BCD	1	0.0
		A	68	1.8
		A F	1	0.1
		A E	7	0.2
		A D	2	0.0
		A DE	1	0.1
		A C	33	0.8
		A C E	18	0.5
		A CD	4	0.0
		A CDE	2	0.0
		AB	3	0.1
		AB E	1	0.0
		AB DE	1	0.0
		ABC	2	0.0
		ABC E	2	0.1
		ABCDE	3	0.1
			798	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	1,023	37.2
		2 Never wore a helmet	1,112	43.4
		3 Rarely wore a helmet	142	7.1
		4 Sometimes wore a helmet	81	3.8
		5 Most of the time wore a helmet	66	3.6
		6 Always wore a helmet	83	4.9
		Missing	17	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,400	97.3
		2 1 time	18	0.9
		3 2 or 3 times	8	0.5
		4 4 or 5 times	6	0.4
		5 6 or more times	20	1.0
		Missing	72	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,268	90.8
		2 1 day	62	2.9
		3 2 or 3 days	56	2.5
		4 4 or 5 days	18	0.9
		5 6 or more days	72	2.9
		Missing	48	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,430	97.3
		2 1 day	20	1.3
		3 2 or 3 days	13	0.4
		4 4 or 5 days	3	0.2
		5 6 or more days	20	0.7
		Missing	38	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,379	95.9
		2 1 day	28	1.4
		3 2 or 3 days	19	0.6
		4 4 or 5 days	12	0.8
		5 6 or more days	36	1.4
		Missing	50	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,308	92.1
		2 1 day	134	4.9
		3 2 or 3 days	41	1.8
		4 4 or 5 days	12	0.4
		5 6 or more days	18	0.9
		Missing	11	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,361	93.3
		2 1 time	82	3.2
		3 2 or 3 times	35	1.5
		4 4 or 5 times	7	0.5
		5 6 or 7 times	9	0.3
		7 10 or 11 times	3	0.2
		8 12 or more times	19	0.9
		Missing	8	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,783	71.9
		2 1 time	344	13.6
		3 2 or 3 times	233	9.5
		4 4 or 5 times	54	1.7
		5 6 or 7 times	25	1.2
		6 8 or 9 times	11	0.5
		7 10 or 11 times	8	0.5
		8 12 or more times	37	1.2
		Missing	29	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	241	10.2
		2 No	2,248	89.8
		Missing	35	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	184	6.5
		2 No	2,311	93.5
		Missing	29	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	268	10.7
		2 No	2,210	89.3
		Missing	46	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	287	11.8
		2 No	2,223	88.2
		Missing	14	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	754	28.4
		2 No	1,728	71.6
		Missing	42	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	328	12.5
		2 No	2,171	87.5
		Missing	25	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,906	91.3
		2 1 time	102	5.0
		3 2 or 3 times	51	2.6
		4 4 or 5 times	11	0.6
		5 6 or more times	10	0.5
		Missing	444	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,877	91.5
		2 Yes	40	2.6
		3 No	130	5.9
		Missing	477	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	695	29.5
		2 No	1,759	70.5
		Missing	70	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,229	91.1
		2 1 or 2 days	92	4.0
		3 3 to 5 days	27	1.2
		4 6 to 9 days	20	1.0
		5 10 to 19 days	23	0.9
		6 20 to 29 days	13	0.8
		7 All 30 days	23	1.1
		Missing	97	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,209	91.0
		2 Less than 1 cigarette per day	86	3.6
		3 1 cigarette per day	50	2.4
		4 2 to 5 cigarettes per day	46	2.3
		5 6 to 10 cigarettes per day	5	0.2
		6 11 to 20 cigarettes per day	2	0.1
		7 More than 20 cigarettes per day	9	0.5
		Missing	117	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	2,049	84.1
		2 Yes	160	7.0
		3 No	191	8.9
		Missing	124	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,401	96.1
		2 1 or 2 days	48	2.2
		3 3 to 5 days	11	0.3
		4 6 to 9 days	6	0.3
		5 10 to 19 days	7	0.4
		6 20 to 29 days	2	0.2
		7 All 30 days	10	0.4
		Missing	39	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	889	37.7
		2 8 years old or younger	174	7.7
		3 9 or 10 years old	150	5.3
		4 11 or 12 years old	304	11.7
		5 13 or 14 years old	560	23.7
		6 15 or 16 years old	310	12.4
		7 17 years old or older	29	1.4
		Missing	108	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,469	63.4
		2 1 or 2 days	460	21.8
		3 3 to 5 days	190	7.8
		4 6 to 9 days	78	3.2
		5 10 to 19 days	50	2.2
		6 20 to 29 days	17	0.8
		7 All 30 days	13	0.7
		Missing	247	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,049	85.5
		2 1 day	190	7.0
		3 2 days	83	3.5
		4 3 to 5 days	53	2.2
		5 6 to 9 days	22	0.8
		6 10 to 19 days	5	0.1
		7 20 or more days	14	0.8
		Missing	108	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,457	63.3
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	116	5.8
		3 I bought it at a restaurant, bar, or club	12	0.7
		4 I bought it at a public event such as a concert or sporting event	16	0.9
		5 I gave someone else money to buy it for me	144	5.3
		6 Someone gave it to me	253	12.5
		7 I took it from a store or family member	105	4.9
		8 I got it some other way	162	6.6
		Missing	259	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,569	64.5
		2 8 years old or younger	35	1.7
		3 9 or 10 years old	24	1.0
		4 11 or 12 years old	119	4.6
		5 13 or 14 years old	411	16.7
		6 15 or 16 years old	253	10.4
		7 17 years old or older	26	1.0
		Missing	87	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,919	79.1
		2 1 or 2 times	211	8.8
		3 3 to 9 times	136	5.6
		4 10 to 19 times	51	2.5
		5 20 to 39 times	41	1.7
		6 40 or more times	61	2.4
		Missing	105	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,360	95.2
		2 1 or 2 times	47	2.1
		3 3 to 9 times	22	0.9
		4 10 to 19 times	17	0.9
		5 20 to 39 times	5	0.4
		6 40 or more times	8	0.5
		Missing	65	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	2,198	89.6
		2 1 or 2 times	129	5.3
		3 3 to 9 times	70	3.0
		4 10 to 19 times	23	0.8
		5 20 to 39 times	13	0.4
		6 40 or more times	24	1.0
		Missing	67	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,396	97.8
		2 1 or 2 times	16	0.6
		3 3 to 9 times	11	0.5
		4 10 to 19 times	8	0.4
		5 20 to 39 times	2	0.1
		6 40 or more times	11	0.6
		Missing	80	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,406	97.2
		2 1 or 2 times	21	1.4
		3 3 to 9 times	9	0.5
		4 10 to 19 times	6	0.3
		6 40 or more times	10	0.6
		Missing	72	
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,324	94.4
		2 1 or 2 times	61	2.9
		3 3 to 9 times	20	1.1
		4 10 to 19 times	12	0.4
		5 20 to 39 times	10	0.7
		6 40 or more times	10	0.4
		Missing	87	
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,374	97.0
		2 1 time	35	2.1
		3 2 or more times	18	0.9
		Missing	97	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	846	38.7
		2 No	1,261	61.3
		Missing	417	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,260	61.2
		2 11 years old or younger	73	3.2
		3 12 years old	71	3.5
		4 13 years old	147	6.5
		5 14 years old	226	9.2
		6 15 years old	185	9.0
		7 16 years old	120	5.8
		8 17 years old or older	32	1.5
		Missing	410	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,259	61.5
		2 1 person	321	15.6
		3 2 people	156	7.5
		4 3 people	118	5.3
		5 4 people	64	2.6
		6 5 people	49	1.9
		7 6 or more people	137	5.7
		Missing	420	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,248	61.4
		2 I have had sexual intercourse, but not during the past 3 months	292	13.6
		3 1 person	392	17.7
		4 2 people	81	3.9
		5 3 people	36	1.8
		6 4 people	12	0.4
		7 5 people	11	0.5
		8 6 or more people	15	0.8
		Missing	437	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,250	61.7
		2 Yes	147	7.7
		3 No	694	30.6
		Missing	433	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,248	63.2
		2 Yes	556	25.2
		3 No	235	11.6
		Missing	485	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,247	63.4
		2 No method was used to prevent pregnancy	117	5.4
		3 Birth control pills	68	3.6
		4 Condoms	467	20.9
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	40	1.4
		6 Withdrawal	51	2.8
		7 Some other method	25	1.3
		8 Not sure	25	1.3
		Missing	484	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	88	4.3
		2 Slightly underweight	267	12.6
		3 About the right weight	1,260	54.7
		4 Slightly overweight	605	24.5
		5 Very overweight	107	3.9
		Missing	197	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	1,138	46.2
		2 Gain weight	416	19.7
		3 Stay the same weight	386	16.1
		4 I am not trying to do anything about my weight	375	18.0
		Missing	209	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	128	4.8
		2 No	2,138	95.2
		Missing	258	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	430	19.0
		2 1 to 3 times during the past 7 days	789	34.6
		3 4 to 6 times during the past 7 days	387	17.5
		4 1 time per day	131	5.8
		5 2 times per day	186	8.1
		6 3 times per day	143	5.7
		7 4 or more times per day	205	9.3
		Missing	253	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	430	17.0
		2 1 to 3 times during the past 7 days	889	34.7
		3 4 to 6 times during the past 7 days	363	17.7
		4 1 time per day	171	8.8
		5 2 times per day	196	10.7
		6 3 times per day	102	4.8
		7 4 or more times per day	136	6.3
		Missing	237	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	542	26.8
		2 1 to 3 times during the past 7 days	852	39.5
		3 4 to 6 times during the past 7 days	311	12.7
		4 1 time per day	143	5.0
		5 2 times per day	162	6.9
		6 3 times per day	92	3.8
		7 4 or more times per day	123	5.3
		Missing	299	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	404	18.3
		2 1 day	208	9.4
		3 2 days	272	12.5
		4 3 days	314	14.6
		5 4 days	213	9.5
		6 5 days	271	12.8
		7 6 days	96	5.3
		8 7 days	354	17.6
		Missing	392	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	343	19.0
		2 Less than 1 hour per day	303	15.8
		3 1 hour per day	269	13.8
		4 2 hours per day	384	18.3
		5 3 hours per day	303	12.3
		6 4 hours per day	201	8.3
		7 5 or more hours per day	318	12.6
		Missing	403	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	294	12.2
		2 Less than 1 hour per day	260	12.7
		3 1 hour per day	262	12.5
		4 2 hours per day	364	19.2
		5 3 hours per day	305	15.0
		6 4 hours per day	204	9.8
		7 5 or more hours per day	418	18.7
		Missing	417	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	494	21.9
		2 1 day	82	3.1
		3 2 days	500	26.2
		4 3 days	450	22.3
		5 4 days	113	3.6
		6 5 days	428	22.8
		Missing	457	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	1,204	58.0
		2 1 team	518	24.6
		3 2 teams	240	12.0
		4 3 or more teams	109	5.4
		Missing	453	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	538	24.7
		2 No	1,382	69.4
		3 Not sure	103	5.9
		Missing	501	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	724	21.3
		2 Brooklyn	346	23.4
		3 Manhattan	1,253	45.2
		4 Queens	166	9.0
		5 Staten Island	24	1.0
		Missing	11	
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	598	27.1
		2 1 year	264	11.2
		3 2 years	471	17.7
		4 3 years	502	20.4
		5 4 years	458	18.4
		6 5 or more years	220	5.2
		Missing	11	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	19	0.8
		2	1 to 3 years	37	1.6
		3	4 to 6 years	65	2.1
		4	More than 6 years but not my whole life	306	13.1
		5	I have always lived in the United States	2,081	82.4
		Missing	16		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	563	25.5
		2	Rarely	261	10.9
		3	Sometimes	489	18.3
		4	Most of the time	575	20.8
		5	Always	634	24.5
		Missing	2		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	2,033	80.9
		2	1 time	264	11.2
		3	2 or 3 times	106	3.8
		4	4 or 5 times	41	1.6
		5	6 or more times	60	2.5
		Missing	20		
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	I did not need help during the past 12 months	1,271	51.5
		2	Yes	469	17.4
		3	No	753	31.1
		Missing	31		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,840	73.2
		2 Less than 1 month ago	91	3.5
		3 1 to 3 months ago	73	3.2
		4 4 to 6 months ago	90	3.8
		5 7 to 12 months ago	69	2.6
		6 13 or more months ago	317	13.8
		Missing	44	
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	2,201	88.7
		2 I bought them in a store such as a convenience store, supermarket, or gas station	63	2.8
		3 I bought them on the Internet	4	0.5
		4 I bummed them	22	1.3
		5 Someone gave them to me or bought them for me	110	4.4
		6 I stole them	10	0.4
		7 I got them some other way	30	1.9
		Missing	84	
126-126	Q95	Does anyone who lives with you now smoke cigarettes?		
		1 Yes	755	29.1
		2 No	1,692	70.9
		Missing	77	
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?		
		1 0 students	565	19.9
		2 1 student	390	15.9
		3 2 students	336	14.4
		4 3 students	278	11.5
		5 4 students	220	8.5
		6 5 students	193	8.4
		7 6 or 7 students	167	7.1
		8 8 to 10 students	326	14.4
		Missing	49	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	139	6.0
		2 Approve	249	11.1
		3 Neither approve nor disapprove	917	37.7
		4 Disapprove	562	24.8
		5 Strongly disapprove	576	20.5
		Missing	81	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,524	62.4
		2 I do not have a usual type	101	4.6
		3 Beer	86	5.1
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	148	5.7
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	12	0.5
		6 Wine	41	1.8
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	430	16.7
		8 Some other type	78	3.3
		Missing	104	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	2,247	91.6
		2 1 time	63	2.8
		3 2 or 3 times	45	2.1
		4 4 or 5 times	24	1.2
		5 6 or 7 times	11	0.5
		6 8 or 9 times	6	0.4
		7 10 or 11 times	5	0.3
		8 12 or more times	24	1.0
		Missing	99	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	2,324	94.2
		2 1 time	48	2.5
		3 2 or 3 times	26	1.0
		4 4 or 5 times	10	0.4
		5 6 or 7 times	4	0.2
		6 8 or 9 times	9	0.8
		7 10 or 11 times	3	0.1
		8 12 or more times	17	0.8
		Missing	83	
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,882	80.3
		2 1 to 3 times	285	11.9
		3 4 to 7 times	109	3.7
		4 8 or more times	97	4.1
		Missing	151	
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	1,413	62.8
		2 I have had sexual intercourse, but not during the past 3 months	235	9.2
		3 Never	129	4.8
		4 Rarely	56	3.1
		5 Sometimes	65	2.7
		6 Most of the time	86	3.1
		7 Always	348	14.4
		Missing	192	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	1,374	62.3
		2 Depo-Provera (injectable birth control)	51	2.4
		3 The Ring (Nuva Ring?)	31	1.4
		4 The Patch (Ortho-Evra?)	19	0.4
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	14	0.6
		6 Emergency Contraception (EC) or the Morning After Pill	61	2.7
		7 None of these methods	583	23.5
		8 Not sure	146	6.8
		Missing	245	
135-135	Q104	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	1,833	81.2
		2 Hospital	81	3.2
		3 School-based health center (school clinic or somewhere else at school)	81	2.9
		4 Doctor's office (not in a hospital)	54	2.1
		5 Pharmacy or Botanica or bodega	49	2.2
		6 Community health center or clinic	63	1.8
		7 Someplace else	28	1.4
		8 Not sure	112	5.1
		Missing	223	
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	554	22.9
		2 6th grade or earlier	457	21.1
		3 7th grade	366	15.1
		4 8th grade	360	16.1
		5 9th grade	315	14.0
		6 10th grade	84	2.0
		7 11th or 12th grade	37	1.1
		8 Not sure	156	7.7
		Missing	195	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	148	6.8
		2 No	2,088	89.9
		3 Not sure	68	3.3
		Missing	220	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,059	47.0
		2 Females	471	23.1
		3 Males	594	22.2
		4 Females and males	180	7.8
		Missing	220	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	1,948	83.8
		2 Gay or lesbian	69	4.0
		3 Bisexual	213	8.1
		4 Not sure	90	4.1
		Missing	204	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	374	12.6
		2 1 to 3 times during the past 7 days	783	32.7
		3 4 to 6 times during the past 7 days	462	20.7
		4 1 time per day	266	12.0
		5 2 times per day	201	11.9
		6 3 times per day	82	3.8
		7 4 or more times per day	110	6.3
		Missing	246	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	430	21.0
		2 1 to 3 times during the past 7 days	837	38.5
		3 4 to 6 times during the past 7 days	386	17.2
		4 1 time per day	163	7.1
		5 2 times per day	146	5.5
		6 3 times per day	122	4.8
		7 4 or more times per day	155	6.0
		Missing	285	
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	299	13.4
		2 Whole milk	680	29.4
		3 2% milk or reduced fat milk	544	23.4
		4 1% milk or low-fat milk	309	14.4
		5 Skim milk or non-fat milk	96	6.4
		6 Soy milk	102	4.5
		7 Not sure	195	8.6
		Missing	299	
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	394	13.4
		2 I ride a bike all the way to school	24	1.3
		3 I use public transportation, such as a subway or city bus	1,575	80.1
		4 I ride a school bus	32	1.5
		5 I drive or ride in a car or other private vehicle	98	3.7
		Missing	401	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	1,364	70.9
		2 Less than 10 minutes	240	8.8
		3 10 to 20 minutes	261	9.5
		4 21 to 29 minutes	81	2.9
		5 30 or more minutes	157	7.9
		Missing	421	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	576	24.6
		2 I walk to the bus stop or subway station	1,418	73.6
		3 I ride a bike to the bus stop or subway station	30	1.9
		Missing	500	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	485	20.0
		2 Less than 10 minutes	1,050	53.1
		3 10 to 20 minutes	327	17.0
		4 21 to 29 minutes	73	4.2
		5 30 or more minutes	100	5.7
		Missing	489	
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	298	14.4
		2 At least once a month	181	9.5
		3 A few times a year	514	25.5
		4 Never	1,145	50.6
		Missing	386	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	641	27.4
		2 1 day	261	12.0
		3 2 days	292	14.7
		4 3 days	312	14.7
		5 4 days	165	7.5
		6 5 days	188	10.1
		7 6 days	59	2.4
		8 7 days	201	11.2
		Missing	405	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Manhattan High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	493	22.1
		2 Less than 10 minutes	238	10.1
		3 10 to 20 minutes	352	14.9
		4 21 to 30 minutes	311	17.4
		5 31 to 40 minutes	287	16.7
		6 41 to 50 minutes	252	12.8
		7 51 to 60 minutes	96	3.4
		8 More than 60 minutes	66	2.6
		Missing	429	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	128	7.2
		2 Yes	1,554	78.6
		3 No	328	14.2
		Missing	514	
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	439	19.8
		2 No	1,427	72.2
		3 Not sure	173	8.1
		Missing	485	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	843	41.8
		2 Yes	309	15.1
		3 No	816	40.4
		4 Not sure	52	2.7
		Missing	504	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	1,172	60.5
		2 1 day	361	16.7
		3 2 to 5 days	269	11.9
		4 6 to 10 days	51	2.5
		5 11 to 15 days	40	2.3
		6 16 to 29 days	25	1.3
		7 All 30 days	112	4.8
		Missing	494	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	1,517	75.4
		2 1 day	278	14.2
		3 2 to 5 days	132	6.0
		4 6 to 10 days	40	1.9
		5 11 to 15 days	26	1.3
		6 16 to 29 days	9	0.4
		7 All 30 days	28	0.9
		Missing	494	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	1,612	81.5
		2 1 room	275	12.8
		3 2 or more rooms	108	5.6
		Missing	529	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	420	22.1
		2 Yes	686	32.4
		3 No	890	45.6
		Missing	528	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	432	24.0
		2 1 time per week	225	13.2
		3 2 times per week	217	11.9
		4 3 times per week	247	12.0
		5 4 times per week	194	10.1
		6 5 times per week	216	9.0
		7 6 times per week	98	4.3
		8 7 or more times per week	390	15.5
		Missing	505	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,254	80.4
		2 No	230	19.6
		Missing	1,040	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	52	2.7
		2 No	2,400	97.3
		Missing	72	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	208	9.2
		2 No	2,268	90.8
		Missing	48	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	56	2.7
		2 No	2,430	97.3
		Missing	38	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	95	4.1
		2 No	2,379	95.9
		Missing	50	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	205	7.9
		2 No	2,308	92.1
		Missing	11	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	155	6.7
		2 No	2,361	93.3
		Missing	8	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	712	28.1
		2 No	1,783	71.9
		Missing	29	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	241	10.2
		2 No	2,248	89.8
		Missing	35	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	184	6.5
		2 No	2,311	93.5
		Missing	29	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	268	10.7
		2 No	2,210	89.3
		Missing	46	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	287	11.8
		2 No	2,223	88.2
		Missing	14	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	754	28.4
		2 No	1,728	71.6
		Missing	42	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	328	12.5
		2 No	2,171	87.5
		Missing	25	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	174	8.7
		2 No	1,906	91.3
		Missing	444	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	40	2.6
		2 No	2,007	97.4
		Missing	477	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	695	29.5
		2 No	1,759	70.5
		Missing	70	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	198	8.9
		2 No	2,229	91.1
		Missing	97	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	11	6.1
		2 No	185	93.9
		Missing	2,328	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	93	47.1
		2 No	96	52.9
		Missing	2,335	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	84	3.9
		2 No	2,401	96.1
		Missing	39	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	628	24.7
		2 No	1,788	75.3
		Missing	108	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	808	36.6
		2 No	1,469	63.4
		Missing	247	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	367	14.5
		2 No	2,049	85.5
		Missing	108	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	251	34.5
		2 No	542	65.5
		Missing	1,731	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	178	7.3
		2 No	2,259	92.7
		Missing	87	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	500	20.9
		2 No	1,919	79.1
		Missing	105	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	99	4.8
		2 No	2,360	95.2
		Missing	65	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	259	10.4
		2 No	2,198	89.6
		Missing	67	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	48	2.2
		2 No	2,396	97.8
		Missing	80	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	46	2.8
		2 No	2,406	97.2
		Missing	72	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	113	5.6
		2 No	2,324	94.4
		Missing	87	
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	53	3.0
		2 No	2,374	97.0
		Missing	97	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	846	38.7
		2 No	1,261	61.3
		Missing	417	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	144	6.7
		2 No	1,970	93.3
		Missing	410	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	250	10.1
		2 No	1,854	89.9
		Missing	420	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	547	25.0
		2 No	1,540	75.0
		Missing	437	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	100	20.9
		2 No	437	79.1
		Missing	1,987	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	331	65.2
		2 No	175	34.8
		Missing	2,018	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	46	12.1
		2 No	461	87.9
		Missing	2,017	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	712	28.4
		2 No	1,615	71.6
		Missing	197	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	1,138	46.2
		2 No	1,177	53.8
		Missing	209	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	128	4.8
		2 No	2,138	95.2
		Missing	258	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,841	81.0
		2 No	430	19.0
		Missing	253	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,857	83.0
		2 No	430	17.0
		Missing	237	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	520	21.0
		2 No	1,705	79.0
		Missing	299	
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	721	35.6
		2 No	1,411	64.4
		Missing	392	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	822	33.2
		2 No	1,299	66.8
		Missing	403	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	927	43.5
		2 No	1,180	56.5
		Missing	417	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,573	78.1
		2 No	494	21.9
		Missing	457	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	867	42.0
		2 No	1,204	58.0
		Missing	453	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	538	24.7
		2 No	1,485	75.3
		Missing	501	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,260	54.8
		2 No	1,253	45.2
		Missing	11	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	598	27.1
		2 No	1,915	72.9
		Missing	11	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	19	0.8
		2 No	2,489	99.2
		Missing	16	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	1,209	45.3
		2 No	1,313	54.7
		Missing	2	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	471	19.1
		2 No	2,033	80.9
		Missing	20	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	469	17.4
		2 No	2,024	82.6
		Missing	31	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	323	13.0
		2 No	2,157	87.0
		Missing	44	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	63	2.8
		2 No	2,377	97.2
		Missing	84	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	755	29.1
		2 No	1,692	70.9
		Missing	77	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	1,520	64.2
		2 No	955	35.8
		Missing	49	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	1,138	45.2
		2 No	1,305	54.8
		Missing	81	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	430	50.6
		2 No	365	49.4
		Missing	1,729	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	178	8.4
		2 No	2,247	91.6
		Missing	99	
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	117	5.8
		2 No	2,324	94.2
		Missing	83	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	491	19.7
		2 No	1,882	80.3
		Missing	151	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	348	51.5
		2 No	336	48.5
		Missing	1,840	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	14	0.6
		2 No	2,265	99.4
		Missing	245	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	81	2.9
		2 No	2,220	97.1
		Missing	223	
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	1,619	69.4
		2 No	710	30.6
		Missing	195	
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	148	6.8
		2 No	2,156	93.2
		Missing	220	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	180	7.8
		2 No	2,124	92.2
		Missing	220	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	282	12.1
		2 No	2,038	87.9
		Missing	204	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	659	34.0
		2 No	1,619	66.0
		Missing	246	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	586	23.3
		2 No	1,653	76.7
		Missing	285	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	405	20.8
		2 No	1,820	79.2
		Missing	299	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	418	14.7
		2 No	1,705	85.3
		Missing	401	
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	238	10.9
		2 No	1,865	89.1
		Missing	421	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	1,448	75.4
		2 No	576	24.6
		Missing	500	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	500	26.9
		2 No	1,535	73.1
		Missing	489	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	993	49.4
		2 No	1,145	50.6
		Missing	386	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	925	45.8
		2 No	1,194	54.2
		Missing	405	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	1,012	53.0
		2 No	1,083	47.0
		Missing	429	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,554	78.6
		2 No	456	21.4
		Missing	514	
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	439	19.8
		2 No	1,600	80.2
		Missing	485	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	309	15.1
		2 No	1,711	84.9
		Missing	504	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	858	39.5
		2 No	1,172	60.5
		Missing	494	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	513	24.6
		2 No	1,517	75.4
		Missing	494	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	383	18.5
		2 No	1,612	81.5
		Missing	529	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	686	32.4
		2 No	1,310	67.6
		Missing	528	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	1,362	62.9
		2 No	657	37.1
		Missing	505	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	36	1.9
		2 No	2,391	98.1
		Missing	97	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	32	4.6
		2 No	475	95.4
		Missing	2,017	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	78	16.7
		2 No	429	83.3
		Missing	2,017	
354-354	QNQUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	30	7.6
		2 No	469	92.4
		Missing	2,025	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	770	35.8
		2 No	1,486	64.2
		Missing	268	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	428	22.8
		2 No	1,639	77.2
		Missing	457	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	404	18.3
		2 No	1,728	81.7
		Missing	392	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	354	17.6
		2 No	1,778	82.4
		Missing	392	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	398	15.1
		2 No	1,946	84.9
		Missing	180	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	273	10.1
		2 No	2,071	89.9
		Missing	180	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH	1 Am Indian/Alaska Native	18	0.1
		2 Asian	129	13.4
		3 Black or African American	644	29.6
		4 Native Hawaiian/other PI	16	0.1
		5 White	179	12.6
		6 Hispanic/Latino	753	25.2
		7 Multiple - Hispanic	611	18.1
		8 Multiple - non-Hispanic	96	0.8
		Missing	78	