

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	2	0.4
		2	13 years old	40	1.5
		3	14 years old	319	23.5
		4	15 years old	462	30.3
		5	16 years old	265	18.2
		6	17 years old	290	18.5
		7	18 years old or older	81	7.6
		Missing	2		
18-18	Q2	What is your sex?			
		1	Female	795	54.9
		2	Male	660	45.1
		Missing	6		
19-19	Q3	In what grade are you?			
		1	9th grade	388	29.2
		2	10th grade	493	26.8
		3	11th grade	218	22.8
		4	12th grade	348	20.9
		Ungraded or other grade	5	0.2	
		Missing	9		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	800	44.2
		2	No	619	55.8
		Missing	42		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	1	0.0
		G	1	0.3
		F	1	0.0
		E	212	22.0
		E H	2	0.5
		D	75	5.4
		DE	4	0.2
		C	482	43.0
		C E	14	0.5
		CD	11	1.3
		B	108	19.7
		B E	5	0.4
		B D	2	0.1
		B DE	1	0.1
		BC	5	0.6
		BCD	1	0.0
		A	63	4.8
		A E	2	0.1
		A D	1	0.0
		A C	14	0.5
		A C E	6	0.1
		A CD	2	0.0
		AB	1	0.1
		ABC E	1	0.0
		ABCDE	1	0.0
		ABCDEFGH	1	0.0
			444	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	575	39.6
		2 Never wore a helmet	631	43.2
		3 Rarely wore a helmet	90	6.3
		4 Sometimes wore a helmet	60	4.2
		5 Most of the time wore a helmet	36	2.8
		6 Always wore a helmet	52	4.0
		Missing	17	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,045	77.0
		2 0 times	283	21.2
		3 1 time	9	0.8
		4 2 or 3 times	4	0.3
		5 4 or 5 times	3	0.2
		6 6 or more times	7	0.5
		Missing	110	
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	1,048	76.4
		2 0 days	278	20.6
		3 1 or 2 days	13	1.2
		4 3 to 5 days	7	0.2
		5 6 to 9 days	5	0.2
		6 10 to 19 days	6	0.6
		7 20 to 29 days	1	0.0
		8 All 30 days	13	0.9
		Missing	90	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,282	91.5
		2 1 day	29	1.6
		3 2 or 3 days	27	2.5
		4 4 or 5 days	17	1.5
		5 6 or more days	47	2.8
		Missing	59	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,409	98.7
		2 1 day	13	0.3
		3 2 or 3 days	4	0.1
		4 4 or 5 days	3	0.3
		5 6 or more days	8	0.5
		Missing	24	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,384	96.8
		2 1 day	12	0.9
		3 2 or 3 days	13	0.8
		4 4 or 5 days	3	0.1
		5 6 or more days	17	1.3
		Missing	32	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,353	95.4
		2 1 day	32	1.4
		3 2 or 3 days	21	1.5
		4 4 or 5 days	12	0.8
		5 6 or more days	11	0.9
		Missing	32	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,366	93.2
		2	1 time	38	3.5
		3	2 or 3 times	19	1.5
		4	4 or 5 times	10	0.5
		5	6 or 7 times	2	0.1
		6	8 or 9 times	2	0.2
		7	10 or 11 times	3	0.0
		8	12 or more times	12	1.0
	Missing	9			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,113	76.2
		2	1 time	139	9.9
		3	2 or 3 times	118	9.3
		4	4 or 5 times	27	1.9
		5	6 or 7 times	16	1.0
		6	8 or 9 times	8	0.4
		7	10 or 11 times	0	0.0
		8	12 or more times	21	1.1
	Missing	19			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	635	48.2
		2	0 times	643	46.0
		3	1 time	30	2.9
		4	2 or 3 times	14	1.0
		5	4 or 5 times	11	0.7
		6	6 or more times	18	1.2
	Missing	110			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	637	48.0
		2 0 times	665	46.0
		3 1 time	35	3.5
		4 2 or 3 times	8	0.6
		5 4 or 5 times	3	0.4
		6 6 or more times	15	1.5
	Missing	98		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	205	14.3
		2 No	1,233	85.7
	Missing	23		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	172	12.1
		2 No	1,258	87.9
	Missing	31		
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	403	29.8
		2 No	1,029	70.2
	Missing	29		
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	201	15.2
		2 No	1,218	84.8
	Missing	42		
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,099	91.8
		2 1 time	56	4.2
		3 2 or 3 times	29	2.3
		4 4 or 5 times	9	0.4
		5 6 or more times	10	1.2
	Missing	258		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,086	91.8
		2	Yes	32	2.4
		3	No	67	5.8
		Missing	276		
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	232	18.3
		2	No	1,188	81.7
		Missing	41		
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,316	94.7
		2	1 or 2 days	32	2.1
		3	3 to 5 days	13	1.1
		4	6 to 9 days	6	0.7
		5	10 to 19 days	8	0.4
		6	20 to 29 days	3	0.4
		7	All 30 days	5	0.6
		Missing	78		
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,325	94.8
		2	Less than 1 cigarette per day	24	2.0
		3	1 cigarette per day	15	1.2
		4	2 to 5 cigarettes per day	19	1.5
		5	6 to 10 cigarettes per day	8	0.6
		6	11 to 20 cigarettes per day	0	0.0
		7	More than 20 cigarettes per day	1	0.0
		Missing	69		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,363	97.1
		2	1 or 2 days	30	1.7
		3	3 to 5 days	5	0.6
		4	6 to 9 days	5	0.2
		5	10 to 19 days	4	0.3
		6	20 to 29 days	2	0.0
		7	All 30 days	2	0.1
		Missing	50		
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,333	94.3
		2	1 or 2 days	35	3.0
		3	3 to 5 days	9	0.5
		4	6 to 9 days	8	0.7
		5	10 to 19 days	4	0.3
		6	20 to 29 days	1	0.1
		7	All 30 days	9	1.1
		Missing	62		
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,189	82.6
		2	1 or 2 days	117	9.8
		3	3 to 5 days	43	4.7
		4	6 to 9 days	28	1.4
		5	10 to 19 days	16	1.0
		6	20 to 29 days	4	0.2
		7	All 30 days	7	0.4
		Missing	57		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	710	49.9
		2	8 years old or younger	66	4.9
		3	9 or 10 years old	59	4.7
		4	11 or 12 years old	117	9.6
		5	13 or 14 years old	231	15.4
		6	15 or 16 years old	159	13.4
		7	17 years old or older	27	2.1
		Missing	92		
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	977	73.7
		2	1 or 2 days	163	15.3
		3	3 to 5 days	65	4.6
		4	6 to 9 days	33	3.5
		5	10 to 19 days	18	1.7
		6	20 to 29 days	5	0.2
		7	All 30 days	6	1.0
		Missing	194		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,210	88.0
		2	1 day	63	5.0
		3	2 days	32	3.6
		4	3 to 5 days	25	2.4
		5	6 to 9 days	6	0.3
		6	10 to 19 days	2	0.1
		7	20 or more days	2	0.4
		Missing	121		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	966	74.2
		2	1 or 2 drinks	139	12.5
		3	3 drinks	41	2.8
		4	4 drinks	29	3.3
		5	5 drinks	32	3.1
		6	6 or 7 drinks	23	2.1
		7	8 or 9 drinks	6	0.7
		8	10 or more drinks	12	1.4
		Missing	213		
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	959	73.9
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	47	4.6
		3	I bought it at a restaurant, bar, or club	16	1.3
		4	I bought it at a public event such as a concert or sporting event	7	0.4
		5	I gave someone else money to buy it for me	39	4.0
		6	Someone gave it to me	88	7.9
		7	I took it from a store or family member	47	3.8
		8	I got it some other way	43	4.1
		Missing	215		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	948	64.6
		2	8 years old or younger	22	2.7
		3	9 or 10 years old	26	2.2
		4	11 or 12 years old	44	3.0
		5	13 or 14 years old	183	16.1
		6	15 or 16 years old	121	10.3
		7	17 years old or older	16	1.1
		Missing	101		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,099	78.4
		2	1 or 2 times	95	8.3
		3	3 to 9 times	69	4.9
		4	10 to 19 times	31	2.5
		5	20 to 39 times	17	2.2
		6	40 or more times	38	3.7
		Missing	112		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,300	95.6
		2	1 or 2 times	22	2.6
		3	3 to 9 times	8	1.1
		4	10 to 19 times	6	0.2
		5	20 to 39 times	5	0.4
		6	40 or more times	8	0.3
		Missing	112		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,322	97.7
		2	1 or 2 times	10	0.9
		3	3 to 9 times	6	0.5
		4	10 to 19 times	7	0.7
		5	20 to 39 times	2	0.1
		6	40 or more times	5	0.2
		Missing	109		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,257	94.3
		2	1 or 2 times	38	3.2
		3	3 to 9 times	10	1.5
		4	10 to 19 times	10	0.8
		5	20 to 39 times	4	0.1
		6	40 or more times	8	0.2
		Missing	134		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,295	97.8
		2 1 time	16	1.5
		3 2 or more times	10	0.8
		Missing	140	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	339	29.5
		2 No	793	70.5
		Missing	329	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	776	70.0
		2 11 years old or younger	36	2.3
		3 12 years old	26	2.9
		4 13 years old	43	3.2
		5 14 years old	87	8.0
		6 15 years old	69	6.6
		7 16 years old	57	4.0
		8 17 years old or older	24	3.2
		Missing	343	
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	776	70.3
		2 1 person	137	10.9
		3 2 people	58	5.8
		4 3 people	42	3.4
		5 4 people	29	3.3
		6 5 people	13	1.5
		7 6 or more people	56	4.8
Missing	350			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	772	70.1
		2 I have had sexual intercourse, but not during the past 3 months	108	8.0
		3 1 person	164	16.4
		4 2 people	30	2.7
		5 3 people	14	2.0
		6 4 people	3	0.1
		7 5 people	3	0.2
		8 6 or more people	10	0.5
	Missing	357		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	768	70.0
		2 Yes	59	7.1
		3 No	265	22.9
	Missing	369		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	766	71.1
		2 Yes	191	18.1
		3 No	110	10.8
	Missing	394		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	758	70.8
		2 No method was used to prevent pregnancy	59	6.1
		3 Birth control pills	44	3.1
		4 Condoms	151	14.8
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	7	0.6
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	12	1.8
		7 Withdrawal or some other method	19	2.6
		8 Not sure	7	0.3
	Missing	404		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	604	51.4
		2 Females	267	23.4
		3 Males	186	17.8
		4 Females and males	65	7.4
		Missing	339	
99-99	Q68	Which of the following best describes you?		
		1 Heterosexual (straight)	1,209	82.9
		2 Gay or lesbian	39	2.5
		3 Bisexual	124	10.5
		4 Not sure	70	4.1
		Missing	19	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	293	25.4
		2 1 to 3 times during the past 7 days	458	40.7
		3 4 to 6 times during the past 7 days	166	12.6
		4 1 time per day	68	4.7
		5 2 times per day	71	5.2
		6 3 times per day	47	4.0
		7 4 or more times per day	73	7.4
		Missing	285	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	220	16.7
		2 1 to 3 times during the past 7 days	493	40.1
		3 4 to 6 times during the past 7 days	195	15.7
		4 1 time per day	86	9.8
		5 2 times per day	86	7.7
		6 3 times per day	38	2.8
		7 4 or more times per day	79	7.1
		Missing	264	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	325	32.6
		2	1 to 3 times during the past 7 days	473	38.7
		3	4 to 6 times during the past 7 days	153	15.5
		4	1 time per day	73	4.4
		5	2 times per day	39	3.4
		6	3 times per day	28	2.7
		7	4 or more times per day	40	2.7
		Missing	330		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	364	32.1
		2	1 to 3 glasses during the past 7 days	366	31.7
		3	4 to 6 glasses during the past 7 days	145	13.2
		4	1 glass per day	115	11.2
		5	2 glasses per day	66	6.3
		6	3 glasses per day	33	3.5
		7	4 or more glasses per day	28	2.1
		Missing	344		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	180	16.8
		2	1 day	83	7.8
		3	2 days	130	10.9
		4	3 days	118	10.6
		5	4 days	98	8.2
		6	5 days	68	5.4
		7	6 days	63	5.8
		8	7 days	350	34.6
		Missing	371		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	227	19.6
		2	1 day	87	8.0
		3	2 days	131	12.4
		4	3 days	149	15.2
		5	4 days	111	9.7
		6	5 days	120	10.8
		7	6 days	49	3.8
		8	7 days	206	20.5
		Missing	381		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	255	24.9
		2 Less than 1 hour per day	181	16.6
		3 1 hour per day	139	11.8
		4 2 hours per day	190	20.3
		5 3 hours per day	125	10.6
		6 4 hours per day	77	6.2
		7 5 or more hours per day	99	9.6
		Missing	395	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	256	24.5
		2 Less than 1 hour per day	94	10.2
		3 1 hour per day	102	10.5
		4 2 hours per day	137	12.2
		5 3 hours per day	116	13.3
		6 4 hours per day	92	8.7
		7 5 or more hours per day	239	20.6
		Missing	425	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	123	16.6
		2 1 day	39	3.5
		3 2 days	247	22.4
		4 3 days	309	29.7
		5 4 days	58	2.4
		6 5 days	255	25.3
		Missing	430	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	229	24.6
		2 No	608	61.7
		3 Not sure	122	13.7
		Missing	502	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	667	72.8
		2 Between 12 and 24 months ago	126	14.4
		3 More than 24 months ago	53	5.6
		4 Never	16	1.6
		5 Not sure	75	5.7
		Missing	524	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	263	26.6
		2 No	621	70.2
		3 Not sure	43	3.2
		Missing	534	
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	106	11.8
		2 5 hours	132	14.2
		3 6 hours	231	27.0
		4 7 hours	231	25.3
		5 8 hours	164	16.9
		6 9 hours	40	3.8
		7 10 or more hours	14	1.0
		Missing	543	
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	502	30.3
		2 Brooklyn	118	13.1
		3 Manhattan	734	48.4
		4 Queens	89	6.8
		5 Staten Island	11	1.3
		Missing	7	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,105	77.7
		2 Less than 1 year	15	1.0
		3 1 to 3 years	38	1.6
		4 4 to 6 years	67	3.9
		5 More than 6 years but not my whole life	220	15.8
		Missing	16	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	277	20.1
		2 Rarely	131	10.3
		3 Sometimes	281	18.1
		4 Most of the time	358	25.4
		5 Always	399	26.1
		Missing	15	
124-124	Q93	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?		
		1 No, I am not transgender	1,352	94.8
		2 Yes, I am transgender and I think of myself as really a boy or man	12	0.2
		3 Yes, I am transgender and I think of myself as really a girl or woman	20	0.9
		4 Yes, I am transgender and I think of myself in some other way	7	0.4
		5 I do not know if I am transgender	11	0.9
		6 I do not know what this question is asking	33	2.7
Missing	26			
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,235	86.8
		2 1 time	91	5.7
		3 2 or 3 times	51	2.9
		4 4 or 5 times	20	1.4
		5 6 or more times	44	3.1
		Missing	20	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
126-126	Q95	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	283	23.9
		2	No	1,097	76.1
			Missing	81	
127-127	Q96	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,106	82.5
		2	Less than 1 month ago	28	1.6
		3	1 to 3 months ago	26	1.7
		4	4 to 6 months ago	28	1.7
		5	7 to 12 months ago	30	2.4
		6	13 or more months ago	101	10.1
			Missing	142	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,304	93.6
		2	I bought them in a store such as a convenience store, supermarket, or gas station	34	2.4
		3	I bought them on the Internet	7	0.2
		4	I bummed them	2	0.3
		5	Someone gave them to me or bought them for me	22	1.2
		6	I stole them	5	0.6
		7	I got them some other way	9	1.6
	Missing	78			
129-129	Q98	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	61	5.3
		2	No	1,246	94.7
			Missing	154	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	168	11.7
		2 No	1,220	88.3
		Missing	73	
131-131	Q100	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,289	95.2
		2 1 or 2 times	32	2.6
		3 3 to 9 times	12	1.7
		4 10 to 19 times	3	0.1
		5 20 to 39 times	2	0.1
		6 40 or more times	9	0.4
Missing	114			
132-132	Q101	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,248	90.7
		2 1 time	31	3.4
		3 2 or 3 times	23	2.1
		4 4 or 5 times	16	1.1
		5 6 or 7 times	10	1.3
		6 8 or 9 times	0	0.0
		7 10 or 11 times	1	0.2
		8 12 or more times	10	1.2
Missing	122			
133-133	Q102	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	1,262	93.5
		2 1 time	24	2.3
		3 2 or 3 times	21	2.0
		4 4 or 5 times	9	0.6
		5 6 or 7 times	3	0.9
		6 8 or 9 times	3	0.3
		7 10 or 11 times	1	0.0
		8 12 or more times	8	0.5
Missing	130			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	1,272	95.4
		2	1 time	16	1.3
		3	2 or 3 times	14	1.6
		4	4 or 5 times	8	0.7
		5	6 or 7 times	4	0.3
		6	8 or 9 times	0	0.0
		7	10 or 11 times	2	0.1
		8	12 or more times	7	0.6
	Missing	138			
135-135	Q104	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	777	68.3
		2	I have had sexual intercourse, but not during the past 3 months	87	5.9
		3	Never	54	5.0
		4	Rarely	32	2.3
		5	Sometimes	26	2.0
		6	Most of the time	41	3.9
		7	Always	136	12.6
	Missing	308			
136-136	Q105	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	778	68.2
		2	No method was used to prevent pregnancy	62	4.7
		3	Birth control pills	35	3.0
		4	Condoms	228	21.1
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.3
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	11	0.9
		7	Withdrawal or some other method	13	1.4
		8	Not sure	11	0.5
	Missing	318			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	764	68.2
		2 Yes	53	3.9
		3 No	246	24.0
		4 Not sure	51	4.0
		Missing	347	
138-138	Q107	The last time you used birth control, including condoms, from where did you or your partner get it? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
139-139	Q108	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	24	1.9
		2 No	1,095	96.1
		3 Not sure	28	2.0
			Missing	314
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	230	17.9
		2 1 to 3 times during the past 7 days	413	30.7
		3 4 to 6 times during the past 7 days	238	21.5
		4 1 time per day	133	13.1
		5 2 times per day	85	8.6
		6 3 times per day	29	2.8
		7 4 or more times per day	53	5.5
	Missing	280		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	229	18.7
		2 1 to 3 times during the past 7 days	613	52.0
		3 4 to 6 times during the past 7 days	179	17.0
		4 1 time per day	55	3.5
		5 2 times per day	38	3.5
		6 3 times per day	23	2.8
		7 4 or more times per day	30	2.5
	Missing	294		
142-142	Q111	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	63	5.7
		2 1 to 3 times during the past 7 days	163	12.4
		3 4 to 6 times during the past 7 days	138	12.7
		4 1 time per day	69	5.5
		5 2 times per day	147	13.6
		6 3 times per day	171	15.3
		7 4 or more times per day	401	34.8
	Missing	309		
143-143	Q112	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	322	30.8
		2 1 to 3 times during the past 7 days	465	41.4
		3 4 to 6 times during the past 7 days	147	12.5
		4 1 time per day	64	4.6
		5 2 times per day	54	5.6
		6 3 times per day	31	2.9
		7 4 or more times per day	31	2.2
	Missing	347		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	Q113	What kind of milk do you usually drink?		
		1 I do not drink milk	159	15.6
		2 Whole milk	343	28.2
		3 2% milk or reduced fat milk	243	20.5
		4 1% milk or low-fat milk	143	14.4
		5 Skim milk or non-fat milk	33	2.5
		6 Soy milk	23	2.5
		7 Other milk alternative (such as almond or rice milk)	48	4.2
		8 Not sure	112	11.9
	Missing	357		
145-145	Q114	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	142	11.7
		2 I ride a bike all the way to school	15	2.0
		3 I use public transportation, such as a subway or city bus	780	81.6
		4 I ride a school bus	12	0.9
		5 I drive or ride in a car or other private vehicle	31	3.8
	Missing	481		
146-146	Q115	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	139	15.6
		2 Less than 10 minutes	241	29.3
		3 10 to 20 minutes	339	34.6
		4 21 to 29 minutes	95	7.2
		5 30 or more minutes	155	13.2
	Missing	492		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
147-147	Q116	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	57	5.8
		2	Yes	758	75.8
		3	No	170	18.4
		Missing	476		
148-148	Q117	In what grade were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	66	4.9
		2	6th grade or earlier	338	39.5
		3	7th grade	214	21.6
		4	8th grade	162	17.3
		5	9th grade	80	10.0
		6	10th grade	22	2.2
		7	11th or 12th grade	10	0.4
		8	Not sure	41	4.2
		Missing	528		
149-149	Q118	In what class were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	65	4.9
		2	Health Education	514	61.2
		3	Science	92	7.7
		4	Living Environment	37	2.3
		5	Physical Education	34	3.9
		6	Advisory	41	5.7
		7	Some other class	60	5.2
		8	Not sure	75	9.0
		Missing	543		
150-150	Q119	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?			
		1	Yes	628	64.9
		2	No	256	28.5
		3	Not sure	59	6.6
		Missing	518		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	338	41.5
		2 Yes	141	15.0
		3 No	396	40.3
		4 Not sure	34	3.2
		Missing	552	
152-152	Q121	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	863	94.7
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	27	2.2
		3 In a motel or hotel	8	0.5
		4 In a shelter or emergency housing	9	1.4
		5 In a car, park, campground, or other public place	2	0.2
		6 I moved from place to place	1	0.1
		7 Somewhere else	10	0.8
		Missing	541	
153-153	Q122	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	76	9.1
		2 No	813	90.9
		Missing	572	
154-154	Q123	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	646	74.1
		2 1 or 2 times	104	10.6
		3 3 to 9 times	87	8.3
		4 10 to 19 times	25	2.2
		5 20 to 39 times	13	1.4
		6 40 or more times	27	3.4
		Missing	559	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	Q124	Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
156-156	Q125	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	235	29.8
		2 1 time per week	98	12.4
		3 2 times per week	96	9.7
		4 3 times per week	118	11.8
		5 4 times per week	61	5.6
		6 5 times per week	90	8.1
		7 6 times per week	29	3.8
		8 7 or more times per week	172	18.7
		Missing	562	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)		
		1 Yes	721	81.9
		2 No	148	18.1
		Missing	592	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	23	7.6
		2 No	283	92.4
		Missing	1,155	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	45	12.8
		2 No	278	87.2
		Missing	1,138	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	120	8.5
		2 No	1,282	91.5
		Missing	59	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	28	1.3
		2 No	1,409	98.7
		Missing	24	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	45	3.2
		2 No	1,384	96.8
		Missing	32	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	76	4.6
		2 No	1,353	95.4
		Missing	32	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	86	6.8
		2 No	1,366	93.2
		Missing	9	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	329	23.8
		2 No	1,113	76.2
		Missing	19	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	73	11.3
		2 No	643	88.7
		Missing	745	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	61	11.6
		2 No	665	88.4
		Missing	735	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	205	14.3
		2 No	1,233	85.7
		Missing	23	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	172	12.1
		2 No	1,258	87.9
		Missing	31	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	403	29.8
		2	No	1,029	70.2
			Missing	29	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	201	15.2
		2	No	1,218	84.8
			Missing	42	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	104	8.2
		2	No	1,099	91.8
			Missing	258	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	32	2.4
		2	No	1,153	97.6
			Missing	276	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	232	18.3
		2	No	1,188	81.7
			Missing	41	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	67	5.3
		2	No	1,316	94.7
			Missing	78	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)			
		1	Yes	1	0.2
		2	No	65	99.8
			Missing	1,395	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)			
		1	Yes	48	2.9
		2	No	1,363	97.1
			Missing	50	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)			
		1	Yes	66	5.7
		2	No	1,333	94.3
			Missing	62	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)			
		1	Yes	215	17.4
		2	No	1,189	82.6
			Missing	57	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)			
		1	Yes	242	19.2
		2	No	1,127	80.8
			Missing	92	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)			
		1	Yes	290	26.3
		2	No	977	73.7
			Missing	194	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	130	12.0
		2 No	1,210	88.0
		Missing	121	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	12	1.4
		2 No	1,236	98.6
		Missing	213	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	86	30.9
		2 No	192	69.1
		Missing	1,183	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	92	7.9
		2 No	1,268	92.1
		Missing	101	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	250	21.6
		2 No	1,099	78.4
		Missing	112	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	49	4.4
		2 No	1,300	95.6
		Missing	112	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	30	2.3
		2 No	1,322	97.7
		Missing	109	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	70	5.7
		2 No	1,257	94.3
		Missing	134	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	26	2.2
		2 No	1,295	97.8
		Missing	140	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	339	29.5
		2 No	793	70.5
		Missing	329	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	62	5.1
		2 No	1,056	94.9
		Missing	343	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	98	9.6
		2 No	1,013	90.4
		Missing	350	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)			
		1	Yes	224	21.8
		2	No	880	78.2
			Missing	357	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)			
		1	Yes	44	26.3
		2	No	170	73.7
			Missing	1,247	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	121	59.7
		2	No	82	40.3
			Missing	1,258	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	25	11.5
		2	No	175	88.5
			Missing	1,261	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)			
		1	Yes	293	25.4
		2	No	883	74.6
			Missing	285	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)			
		1	Yes	220	16.7
		2	No	977	83.3
			Missing	264	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	325	32.6
		2 No	806	67.4
		Missing	330	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	364	32.1
		2 No	753	67.9
		Missing	344	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	180	16.8
		2 No	910	83.2
		Missing	371	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	375	35.2
		2 No	705	64.8
		Missing	381	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	301	26.4
		2 No	765	73.6
		Missing	395	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	447	42.6
		2 No	589	57.4
		Missing	425	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	908	83.4
		2 No	123	16.6
		Missing	430	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	229	24.6
		2 No	730	75.4
		Missing	502	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	667	72.8
		2 No	270	27.2
		Missing	524	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	263	26.6
		2 No	664	73.4
		Missing	534	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	218	21.7
		2 No	700	78.3
		Missing	543	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	720	51.6
		2 No	734	48.4
		Missing	7	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	15	1.0
		2 No	1,430	99.0
		Missing	16	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	757	51.5
		2 No	689	48.5
		Missing	15	
270-270	QN93	Percentage of students who are transgender		
		1 Yes	39	1.5
		2 No	1,396	98.5
		Missing	26	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	206	13.2
		2 No	1,235	86.8
		Missing	20	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	283	23.9
		2 No	1,097	76.1
		Missing	81	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	112	7.4
		2 No	1,207	92.6
		Missing	142	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Manhattan
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	34	37.5
		2 No	45	62.5
		Missing	1,382	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	61	5.3
		2 No	1,246	94.7
		Missing	154	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	168	11.7
		2 No	1,220	88.3
		Missing	73	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	58	4.8
		2 No	1,289	95.2
		Missing	114	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	91	9.3
		2 No	1,248	90.7
		Missing	122	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	69	6.5
		2 No	1,262	93.5
		Missing	130	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Manhattan
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	51	4.6
		2 No	1,272	95.4
		Missing	138	
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	136	48.8
		2 No	153	51.2
		Missing	1,172	
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	62	14.7
		2 No	303	85.3
		Missing	1,096	
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	53	12.1
		2 No	297	87.9
		Missing	1,111	
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control)		
		DATA NOT DISPLAYED. Please send an e-mail to epidatrequest@health.nyc.gov with requests for data related to school-based health centers.		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	24	1.9
		2 No	1,123	98.1
		Missing	314	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	300	29.9
		2 No	881	70.1
		Missing	280	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	938	81.3
		2 No	229	18.7
		Missing	294	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	63	5.7
		2 No	1,089	94.3
		Missing	309	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	792	69.2
		2 No	322	30.8
		Missing	347	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	176	17.0
		2 No	928	83.0
		Missing	357	
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	157	13.6
		2 No	823	86.4
		Missing	481	
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)		
		1 Yes	589	65.3
		2 No	241	34.7
		Missing	631	
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)		
		1 Yes	758	80.5
		2 No	170	19.5
		Missing	533	
294-294	QN117	Percentage of students who were ever taught about sexual health in school		
		1 Yes	867	95.1
		2 No	66	4.9
		Missing	528	
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)		
		1 Yes	514	64.3
		2 No	339	35.7
		Missing	608	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	628	64.9
		2 No	315	35.1
		Missing	518	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	141	25.6
		2 No	430	74.4
		Missing	890	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	27	2.2
		2 No	893	97.8
		Missing	541	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	76	9.1
		2 No	813	90.9
		Missing	572	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	256	25.9
		2 No	646	74.1
		Missing	559	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)			
		1	Yes	566	57.7
		2	No	333	42.3
			Missing	562	
350-350	QNFRDIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)			
		1	Yes	8	1.0
		2	No	1,375	99.0
			Missing	78	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)			
		1	Yes	5	0.6
		2	No	1,378	99.4
			Missing	78	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)			
		1	Yes	274	22.7
		2	No	1,093	77.3
			Missing	94	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	124	10.5
		2	No	1,243	89.5
			Missing	94	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	99	8.8
		2	No	1,262	91.2
			Missing	100	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	1,093	79.8
		2 No	238	20.2
		Missing	130	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,243	91.1
		2 No	103	8.9
		Missing	115	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,262	92.0
		2 No	88	8.0
		Missing	111	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	6	2.4
		2 No	194	97.6
		Missing	1,261	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	12	8.4
		2 No	188	91.6
		Missing	1,261	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	43	22.3
		2 No	157	77.7
		Missing	1,261	
362-362	QNDUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	11	8.0
		2 No	183	92.0
		Missing	1,267	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	37	17.1
		2 No	163	82.9
		Missing	1,261	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	86	7.8
		2 No	1,071	92.2
		Missing	304	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	609	53.5
		2 No	548	46.5
		Missing	304	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	328	30.1
		2 No	829	69.9
		Missing	304	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	231	21.2
		2	No	926	78.8
			Missing	304	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	180	13.2
		2	No	951	86.8
			Missing	330	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	107	8.8
		2	No	1,024	91.2
			Missing	330	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	68	5.3
		2	No	1,063	94.7
			Missing	330	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	242	23.0
		2	No	875	77.0
			Missing	344	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	127	11.8
		2	No	990	88.2
			Missing	344	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	61	5.5
		2 No	1,056	94.5
		Missing	344	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	350	34.6
		2 No	740	65.4
		Missing	371	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	227	19.6
		2 No	853	80.4
		Missing	381	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)		
		1 Yes	206	20.5
		2 No	874	79.5
		Missing	381	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)		
		1 Yes	255	25.3
		2 No	776	74.7
		Missing	430	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	788	69.2
		2 No	364	30.8
		Missing	309	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	719	63.7
		2 No	433	36.3
		Missing	309	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	572	50.1
		2 No	580	49.9
		Missing	309	
388-388	QNOBESE	Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	165	11.9
		2 No	1,129	88.1
		Missing	167	
389-389	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	215	16.8
		2 No	1,079	83.2
		Missing	167	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
414-415	RACEETH	1	Am Indian / Alaska Native	14	0.3
		2	Asian	88	14.5
		3	Black or African American	332	26.7
		4	Native Hawaiian/other PI	16	0.4
		5	White	108	11.8
		6	Hispanic/Latino	407	22.9
		7	Multiple - Hispanic	390	21.6
		8	Multiple - Non-Hispanic	43	1.8
			Missing	63	
416-418	Q6ORIG				
419-421	Q7ORIG				
450-450	S3	Sub-site - S3 0	1,461	100.0	
451-451	S4	Sub-site - S4 0	1,461	100.0	
452-452	S5	Sub-site - S5 1	1,461	100.0	
453-453	S6	Sub-site - S6 0	1,461	100.0	
454-454	S7	Sub-site - S7 0	1,461	100.0	
455-455	S8	Sub-site - S8 0	1,461	100.0	
456-456	S9	Sub-site - S9 0	1,461	100.0	
457-457	S10	Sub-site - S10 0	689	84.7	
		1	772	15.3	